

# Full wwPDB X-ray Structure Validation Report (i)

#### May 22, 2020 – 05:21 pm BST

PDB ID : 5LBX

Title: Structure of the T175V Etr1p mutant in the trigonal form P312 in complex

with NADP and crotonyl-CoA

Authors: Wagner, T.; Rosenthal, R.G.; Voegeli, B.; Shima, S.; Erb, T.J.

Deposited on : 2016-06-17

Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at

https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : 4.02b-467

Mogul: 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.11

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac: 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.11

## 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X- $RAY\ DIFFRACTION$ 

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$\begin{array}{c} \text{Whole archive} \\ (\#\text{Entries}) \end{array}$	$egin{aligned}  ext{Similar resolution} \ (\# ext{Entries},  ext{resolution range}(\mathring{ ext{A}})) \end{aligned}$		
$R_{free}$	130704	4661 (2.50-2.50)		
Clashscore	141614	5346 (2.50-2.50)		
Ramachandran outliers	138981	5231 (2.50-2.50)		
Sidechain outliers	138945	5233 (2.50-2.50)		
RSRZ outliers	127900	4559 (2.50-2.50)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain						
1	A	385	92%	• 5%					
1	В	385	91%	• 5%					



# 2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 6009 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Enoyl-[acyl-carrier-protein] reductase [NADPH, B-specific] 1, mitochondrial.

Mol	Chain	Residues				ZeroOcc	AltConf	Trace		
1	A	365	10001	С	± 1	0	S	0	0	0
			2798	1775	469	548	6			
1	R	365	Total	$^{\mathrm{C}}$	N	Ο	$\mathbf{S}$	0	0	0
1	Б	303	2798	1775	469	548	6			

There are 44 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	2	MET	-	initiating methionine	UNP Q8WZM3
A	3	GLY	-	expression tag	UNP Q8WZM3
A	4	HIS	_	expression tag	UNP Q8WZM3
A	5	HIS	-	expression tag	UNP Q8WZM3
A	6	HIS	-	expression tag	UNP Q8WZM3
A	7	HIS	-	expression tag	UNP Q8WZM3
A	8	HIS	_	expression tag	UNP Q8WZM3
A	9	HIS	-	expression tag	UNP Q8WZM3
A	10	HIS	-	expression tag	UNP Q8WZM3
A	11	HIS	-	expression tag	UNP Q8WZM3
A	12	HIS	-	expression tag	UNP Q8WZM3
A	13	HIS	-	expression tag	UNP Q8WZM3
A	14	SER	-	expression tag	UNP Q8WZM3
A	15	SER	-	expression tag	UNP Q8WZM3
A	16	GLY	-	expression tag	UNP Q8WZM3
A	17	HIS	-	expression tag	UNP Q8WZM3
A	18	ILE	-	expression tag	UNP Q8WZM3
A	19	GLU	-	expression tag	UNP Q8WZM3
A	20	GLY	-	expression tag	UNP Q8WZM3
A	21	ARG	-	expression tag	UNP Q8WZM3
A	22	HIS	-	expression tag	UNP Q8WZM3
A	175	VAL	THR	engineered mutation	UNP Q8WZM3
В	2	MET	-	initiating methionine	UNP Q8WZM3
В	3	GLY		expression tag	UNP Q8WZM3



 $Continued\ from\ previous\ page...$ 

Chain	Residue	Modelled	Actual	Comment	Reference
В	4	HIS	=	expression tag	UNP Q8WZM3
В	5	HIS	-	expression tag	UNP Q8WZM3
В	6	HIS	_	expression tag	UNP Q8WZM3
В	7	HIS	_	expression tag	UNP Q8WZM3
В	8	HIS	_	expression tag	UNP Q8WZM3
В	9	HIS	_	expression tag	UNP Q8WZM3
В	10	HIS	_	expression tag	UNP Q8WZM3
В	11	HIS	_	expression tag	UNP Q8WZM3
В	12	HIS	_	expression tag	UNP Q8WZM3
В	13	HIS	_	expression tag	UNP Q8WZM3
В	14	SER	_	expression tag	UNP Q8WZM3
В	15	SER	_	expression tag	UNP Q8WZM3
В	16	GLY	_	expression tag	UNP Q8WZM3
В	17	HIS	_	expression tag	UNP Q8WZM3
В	18	ILE	_	expression tag	UNP Q8WZM3
В	19	GLU	_	expression tag	UNP Q8WZM3
В	20	GLY	-	expression tag	UNP Q8WZM3
В	21	ARG		expression tag	UNP Q8WZM3
В	22	HIS	-	expression tag	UNP Q8WZM3
В	175	VAL	THR	engineered mutation	UNP Q8WZM3

• Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula:  $C_{21}H_{28}N_7O_{17}P_3$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
9	Α	1	Total	С	N	О	Р	0	0
2	A	1	48	21	7	17	3	U	U



 $Continued\ from\ previous\ page...$ 

Mol	Chain	Residues		Ato	oms			ZeroOcc	AltConf
9	D	1	Total	С	Ν	О	Р	0	0
	Б	1	48	21	7	17	3	U	0

• Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	В	1	Total O S 5 4 1	0	0
3	В	1	Total O S 5 4 1	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	В	1	Total O S 5 4 1	0	0
3	В	1	Total O S 5 4 1	0	0
3	В	1	Total O S 5 4 1	0	0

• Molecule 4 is CROTONYL COENZYME A (three-letter code: COO) (formula:  $C_{25}H_{40}N_7O_{17}P_3S$ ).



Mol	Chain	Residues	${f Atoms}$					ZeroOcc	AltConf	
1	Λ	1	Total	С	Ν	Ο	Р	S	0	0
4	4 A	1	31	15	2	11	2	1		
4	В	1	Total	С	N	О	Р	S	0	0
4			31	15	2	11	2	1		

• Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

$\mathbf{Mol}$	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Cl 1 1	0	0

• Molecule 6 is water.

$\mathbf{Mol}$	Chain	Residues	${f Atoms}$	ZeroOcc	AltConf
6	A	101	Total O 101 101	0	0



Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	В	88	Total O 88 88	0	0



## 3 Residue-property plots (i)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADPH, B-specific] 1, mitochondrial





# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants	93.50Å 93.50Å 231.20Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $120.00^{\circ}$	Depositor
Resolution (Å)	46.75 - 2.50	Depositor
Resolution (A)	46.75 - 2.50	EDS
% Data completeness	99.8 (46.75-2.50)	Depositor
(in resolution range)	$99.9 \ (46.75 - 2.50)$	EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	0.04	Depositor
$< I/\sigma(I) > 1$	$1.64~({\rm at}~2.51{\rm \AA})$	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
$R, R_{free}$	0.182 , 0.212	Depositor
10,~10 free	0.185 , $0.216$	DCC
$R_{free}$ test set	1958 reflections $(4.73\%)$	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	49.8	Xtriage
Anisotropy	0.218	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$ , $B_{sol}(Å^2)$	0.34 , 40.7	EDS
L-test for twinning <sup>2</sup>	$< L > = 0.46, < L^2> = 0.29$	Xtriage
Estimated twinning fraction	0.034 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	6009	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.06% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of <|L|>,  $< L^2>$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



 $<sup>^{1} {\</sup>rm Intensities}$  estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, SO4, COO, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
IVIOI	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	A	0.40	0/2858	0.56	0/3885	
1	В	0.39	0/2858	0.55	0/3885	
All	All	0.39	0/5716	0.56	0/7770	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

#### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2798	0	2776	5	0
1	В	2798	0	2776	8	0
2	A	48	0	25	1	0
2	В	48	0	25	1	0
3	A	40	0	0	0	0
3	В	25	0	0	1	0
4	A	31	0	25	0	0
4	В	31	0	25	0	0
5	A	1	0	0	0	0
6	A	101	0	0	0	0
6	В	88	0	0	0	0
All	All	6009	0	5652	13	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (13) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$egin{array}{ll}  ext{Interatomic} \  ext{distance} \ ( ext{\AA}) \end{array}$	Clash overlap (Å)
1:B:53:LEU:HD11	1:B:59:ILE:HD11	1.92	0.52
1:A:53:LEU:HD11	1:A:59:ILE:HD11	1.92	0.52
1:B:224:ARG:HD2	1:B:230:VAL:HG21	1.95	0.48
1:B:23:MET:HE2	1:B:49:ASP:HA	1.96	0.48
1:A:296:TYR:O	2:A:401:NAP:H2N	2.16	0.46
1:B:193:PHE:CE1	1:B:217:SER:HB3	2.51	0.46
1:B:274:CYS:HB3	1:B:296:TYR:CZ	2.52	0.43
1:B:283:ILE:HG13	1:B:293:MET:CE	2.49	0.42
1:A:208:GLN:OE1	1:A:351:THR:HG22	2.20	0.42
1:A:165:GLN:HG2	1:A:352:ASP:HB3	2.02	0.41
1:B:296:TYR:O	2:B:401:NAP:H2N	2.20	0.41
1:A:283:ILE:HG13	1:A:293:MET:CE	2.50	0.40
1:B:378:LYS:NZ	3:B:405:SO4:O2	2.53	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	${f Analysed}$	Analysed Favoured Allowed		$\mathbf{Outliers}$	Perce	$\mathbf{ntiles}$
1	A	363/385~(94%)	351 (97%)	12 (3%)	0	100	100
1	В	363/385~(94%)	351 (97%)	12 (3%)	0	100	100
All	All	726/770~(94%)	702 (97%)	24 (3%)	0	100	100

There are no Ramachandran outliers to report.



#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Rotameric Outliers	
1	A	$308/325 \; (95\%)$	307 (100%)	1 (0%)	92 97
1	В	308/325~(95%)	305 (99%)	3 (1%)	76 90
All	All	616/650 (95%)	612 (99%)	4 (1%)	86 95

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	${f Res}$	Type
1	A	86	THR
1	В	22	HIS
1	В	23	MET
1	В	256	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

#### 5.6 Ligand geometry (i)

Of 18 ligands modelled in this entry, 1 is monoatomic - leaving 17 for Mogul analysis.



In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Т	Chain	Res	Link	Во	Bond lengths			ond ang	gles
MOI	Type	Chain	nes	Link	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	COO	В	407	-	23,30,55	0.63	0	33,42,81	2.67	12 (36%)
4	COO	A	410	_	23,30,55	0.57	0	33,42,81	2.01	4 (12%)
3	SO4	A	407	-	4,4,4	0.35	0	6,6,6	0.08	0
3	SO4	A	408	_	4,4,4	0.35	0	6,6,6	0.12	0
3	SO4	A	402	_	4,4,4	0.35	0	6,6,6	0.07	0
3	SO4	В	404	_	4,4,4	0.35	0	6,6,6	0.16	0
2	NAP	A	401	-	45,52,52	1.27	4 (8%)	56,80,80	1.52	8 (14%)
3	SO4	A	406	-	4,4,4	0.32	0	6,6,6	0.09	0
3	SO4	В	402	_	4,4,4	0.31	0	6,6,6	0.23	0
3	SO4	A	405	-	4,4,4	0.34	0	6,6,6	0.05	0
3	SO4	В	405	-	4,4,4	0.32	0	6,6,6	0.15	0
3	SO4	В	403	-	4,4,4	0.40	0	6,6,6	0.12	0
3	SO4	A	404	-	4,4,4	0.32	0	6,6,6	0.21	0
3	SO4	A	409	_	4,4,4	0.34	0	6,6,6	0.20	0
2	NAP	В	401	-	45,52,52	1.21	3 (6%)	56,80,80	1.53	9 (16%)
3	SO4	В	406	-	4,4,4	0.29	0	6,6,6	0.15	0
3	SO4	A	403	_	4,4,4	0.32	0	6,6,6	0.11	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	$\mathbf{Type}$	Chain	$\mathbf{Res}$	Link	Chirals	${f Torsions}$	Rings
4	COO	В	407	-	-	12/39/39/70	-
4	COO	A	410	-	-	7/39/39/70	-
2	NAP	В	401	-	-	3/31/67/67	0/5/5/5
2	NAP	A	401	-	-	4/31/67/67	0/5/5/5

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	$oxed{Ideal(\AA)}$
2	A	401	NAP	C6N-N1N	4.88	1.47	1.35



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	${ m Observed}({ m \AA})$	$\operatorname{Ideal}( ext{\AA})$
2	В	401	NAP	C6N-N1N	4.58	1.46	1.35
2	В	401	NAP	C6N-C5N	3.80	1.47	1.38
2	A	401	NAP	C6N-C5N	3.70	1.46	1.38
2	A	401	NAP	O4B-C1B	2.44	1.44	1.41
2	A	401	NAP	C5A-C4A	2.40	1.47	1.40
2	В	401	NAP	C5A-C4A	2.26	1.46	1.40

All (33) bond angle outliers are listed below:

4         A         410         COO         C6-S1-C7         9.80         112.11         99.80           4         B         407         COO         C6-S1-C7         9.33         111.53         99.80           4         B         407         COO         C6-C5-N2         -5.26         101.36         112.42           2         B         401         NAP         C5N-C6N-N1N         -5.13         113.05         120.40           4         B         407         COO         C2-C3-C4         -4.89         104.21         112.36           2         B         401         NAP         C3N-C7N-N7N         4.71         123.41         117.75           4         B         407         COO         C3-C4-N2         4.63         124.22         116.42           2         A         401         NAP         C3N-C7N-N7N         4.37         122.99         117.75           2         A         401         NAP         C3N-C2N-N1N         3.72         124.06         120.43           2         A         401         NAP         C3N-C2N-N1N         3.72         124.06         120.43           2         A         401 <t< th=""><th>Mol</th><th>Chain</th><th>Res</th><th>Type</th><th colspan="2">Atoms</th><th><math>Observed(^o)</math></th><th><math>\operatorname{Ideal}({}^o)</math></th></t<>	Mol	Chain	Res	Type	Atoms		$Observed(^o)$	$\operatorname{Ideal}({}^o)$
4         B         407         COO         C6-C5-N2         -5.26         101.36         112.42           2         B         401         NAP         C5N-C6N-N1N         -5.13         113.05         120.40           4         B         407         COO         C2-C3-C4         -4.89         104.21         112.36           2         B         401         NAP         C3N-C7N-N7N         4.71         123.41         117.75           4         B         407         COO         C3-C4-N2         4.63         124.22         116.42           2         A         401         NAP         C5N-C6N-N1N         -4.45         114.02         120.40           2         A         401         NAP         C3N-C7N-N7N         4.37         122.99         117.75           2         A         401         NAP         C3N-C2N-N1N         3.72         124.06         120.43           2         A         401         NAP         C3N-C2N-N1N         3.72         124.06         122.58           2         B         401         NAP         N3A-C2A-N1A         -3.60         123.06         128.68           4         B         407	4	A	410	COO	C6-S1-C7	9.80	112.11	99.80
2         B         401         NAP         C5N-C6N-N1N         -5.13         113.05         120.40           4         B         407         COO         C2-C3-C4         -4.89         104.21         112.36           2         B         401         NAP         C3N-C7N-N7N         4.71         123.41         117.75           4         B         407         COO         C3-C4-N2         4.63         124.22         116.42           2         A         401         NAP         C5N-C6N-N1N         -4.45         114.02         120.40           2         A         401         NAP         C3N-C7N-N7N         4.37         122.99         117.75           2         A         401         NAP         C3N-C2N-N1N         3.72         124.06         120.43           2         A         401         NAP         O3N-C2N-N1N         3.72         124.06         122.58           2         B         401         NAP         N3A-C2A-N1A         -3.60         123.06         128.68           4         B         407         COO         C5-N2-C4         3.45         129.24         122.84           2         A         401	4	В	407	COO	C6-S1-C7	C6-S1-C7 9.33 111.53		99.80
4         B         407         COO         C2-C3-C4         -4.89         104.21         112.36           2         B         401         NAP         C3N-C7N-N7N         4.71         123.41         117.75           4         B         407         COO         C3-C4-N2         4.63         124.22         116.42           2         A         401         NAP         C5N-C6N-N1N         -4.45         114.02         120.40           2         A         401         NAP         C3N-C7N-N7N         4.37         122.99         117.75           2         A         401         NAP         C3N-C2N-N1N         3.72         124.06         120.43           2         A         401         NAP         C3N-C2N-N1N         3.72         124.06         120.43           2         A         401         NAP         O7N-C7N-N7N         -3.62         117.44         122.58           2         B         401         NAP         N3A-C2A-N1A         -3.60         123.06         128.68           4         B         407         COO         C3-C2-N1         3.21         118.38         111.90           2         B         401	4	В	407	COO	C6-C5-N2	C6-C5-N2 -5.26 101.36		112.42
2         B         401         NAP         C3N-C7N-N7N         4.71         123.41         117.75           4         B         407         COO         C3-C4-N2         4.63         124.22         116.42           2         A         401         NAP         C5N-C6N-N1N         -4.45         114.02         120.40           2         A         401         NAP         C3N-C7N-N7N         4.37         122.99         117.75           2         A         401         NAP         C3N-C2N-N1N         3.72         124.06         120.43           2         A         401         NAP         O7N-C7N-N7N         -3.62         117.44         122.58           2         B         401         NAP         N3A-C2A-N1A         -3.60         123.06         128.68           4         B         407         COO         C5-N2-C4         3.45         129.24         122.84           2         A         401         NAP         N3A-C2A-N1A         -3.60         123.33         128.68           4         B         407         COO         C3-C2-N1         3.21         118.38         111.90           2         B         401	2	В	401	NAP	C5N-C6N-N1N	-5.13	113.05	120.40
4         B         407         COO         C3-C4-N2         4.63         124.22         116.42           2         A         401         NAP         C5N-C6N-N1N         -4.45         114.02         120.40           2         A         401         NAP         C3N-C7N-N7N         4.37         122.99         117.75           2         A         401         NAP         C3N-C2N-N1N         3.72         124.06         120.43           2         A         401         NAP         C3N-C2N-N1N         3.72         124.06         120.43           2         A         401         NAP         O7N-C7N-N7N         -3.62         117.44         122.58           2         B         401         NAP         N3A-C2A-N1A         -3.60         123.06         128.68           4         B         407         COO         C5-N2-C4         3.45         129.24         122.84           2         A         401         NAP         N3A-C2A-N1A         -3.42         123.33         128.68           4         B         407         COO         C3-C2-N1         3.21         118.38         111.90           2         B         401	4	В	407	COO	C2-C3-C4	-4.89	104.21	112.36
2         A         401         NAP         C5N-C6N-N1N         -4.45         114.02         120.40           2         A         401         NAP         C3N-C7N-N7N         4.37         122.99         117.75           2         A         401         NAP         C3N-C2N-N1N         3.72         124.06         120.43           2         A         401         NAP         O7N-C7N-N7N         -3.62         117.44         122.58           2         B         401         NAP         N3A-C2A-N1A         -3.60         123.06         128.68           4         B         407         COO         C5-N2-C4         3.45         129.24         122.84           2         A         401         NAP         N3A-C2A-N1A         -3.42         123.33         128.68           4         B         407         COO         C3-C2-N1         3.21         118.38         111.90           2         B         401         NAP         C3N-C2N-N1N         2.99         123.35         120.43           4         B         407         COO         C3-C4-C3         -2.69         117.11         122.02           4         B         407	2	В	401	NAP	C3N-C7N-N7N	4.71	123.41	117.75
2         A         401         NAP         C3N-C7N-N7N         4.37         122.99         117.75           2         A         401         NAP         C3N-C2N-N1N         3.72         124.06         120.43           2         A         401         NAP         O7N-C7N-N7N         -3.62         117.44         122.58           2         B         401         NAP         N3A-C2A-N1A         -3.60         123.06         128.68           4         B         407         COO         C5-N2-C4         3.45         129.24         122.84           2         A         401         NAP         N3A-C2A-N1A         -3.42         123.33         128.68           4         B         407         COO         C3-C2-N1         3.21         118.38         111.90           2         B         401         NAP         C3N-C2N-N1N         2.99         123.35         120.43           4         B         407         COO         O3-C4-C3         -2.69         117.11         122.02           4         B         407         COO         C13-C1-N1         2.65         121.86         116.58           4         A         410	4	В	407	COO	C3-C4-N2	4.63	124.22	116.42
2         A         401         NAP         C3N-C2N-N1N         3.72         124.06         120.43           2         A         401         NAP         O7N-C7N-N7N         -3.62         117.44         122.58           2         B         401         NAP         N3A-C2A-N1A         -3.60         123.06         128.68           4         B         407         COO         C5-N2-C4         3.45         129.24         122.84           2         A         401         NAP         N3A-C2A-N1A         -3.42         123.33         128.68           4         B         407         COO         C3-C2A-N1A         2.99         123.35         120.43           4         B         407         COO         C13-C1-N1         2.65         121.86         116.58           4         A         410	2	A	401	NAP	C5N-C6N-N1N	-4.45	114.02	120.40
2         A         401         NAP         O7N-C7N-N7N         -3.62         117.44         122.58           2         B         401         NAP         N3A-C2A-N1A         -3.60         123.06         128.68           4         B         407         COO         C5-N2-C4         3.45         129.24         122.84           2         A         401         NAP         N3A-C2A-N1A         -3.42         123.33         128.68           4         B         407         COO         C3-C2-N1         3.21         118.38         111.90           2         B         401         NAP         C3N-C2N-N1N         2.99         123.35         120.43           4         B         407         COO         O3-C4-C3         -2.69         117.11         122.02           4         B         407         COO         C13-C1-N1         2.65         121.86         116.58           4         A         410         COO         P2A-O3A-P1A         -2.62         123.83         132.83           2         A         401         NAP         N6A-C6A-N1A         2.52         123.81         118.57           2         B         401	2	A	401	NAP	C3N-C7N-N7N	4.37	122.99	117.75
2         B         401         NAP         N3A-C2A-N1A         -3.60         123.06         128.68           4         B         407         COO         C5-N2-C4         3.45         129.24         122.84           2         A         401         NAP         N3A-C2A-N1A         -3.42         123.33         128.68           4         B         407         COO         C3-C2-N1         3.21         118.38         111.90           2         B         401         NAP         C3N-C2N-N1N         2.99         123.35         120.43           4         B         407         COO         O3-C4-C3         -2.69         117.11         122.02           4         B         407         COO         C13-C1-N1         2.65         121.86         116.58           4         A         410         COO         P2A-O3A-P1A         -2.62         123.83         132.83           2         A         401         NAP         N6A-C6A-N1A         2.52         123.81         118.57           2         B         401         NAP         N6A-C6A-N1A         2.38         123.52         118.75           4         B         407	2	A	401	NAP	C3N-C2N-N1N	3.72	124.06	120.43
4         B         407         COO         C5-N2-C4         3.45         129.24         122.84           2         A         401         NAP         N3A-C2A-N1A         -3.42         123.33         128.68           4         B         407         COO         C3-C2-N1         3.21         118.38         111.90           2         B         401         NAP         C3N-C2N-N1N         2.99         123.35         120.43           4         B         407         COO         O3-C4-C3         -2.69         117.11         122.02           4         B         407         COO         C13-C1-N1         2.65         121.86         116.58           4         A         410         COO         P2A-O3A-P1A         -2.62         123.83         132.83           2         A         401         NAP         N6A-C6A-N1A         2.52         123.81         118.57           2         B         401         NAP         C2A-N1A-C6A         2.51         123.06         118.75           4         B         407         COO         C10-C9-C8         -2.49         120.42         125.34           2         B         401	2	A	401	NAP	O7N-C7N-N7N	-3.62	117.44	122.58
2         A         401         NAP         N3A-C2A-N1A         -3.42         123.33         128.68           4         B         407         COO         C3-C2-N1         3.21         118.38         111.90           2         B         401         NAP         C3N-C2N-N1N         2.99         123.35         120.43           4         B         407         COO         O3-C4-C3         -2.69         117.11         122.02           4         B         407         COO         C13-C1-N1         2.65         121.86         116.58           4         A         410         COO         P2A-O3A-P1A         -2.62         123.83         132.83           2         A         401         NAP         N6A-C6A-N1A         2.52         123.81         118.57           2         B         401         NAP         C2A-N1A-C6A         2.51         123.06         118.75           4         B         407         COO         C10-C9-C8         -2.49         120.42         125.34           2         B         401         NAP         N6A-C6A-N1A         2.38         123.52         118.57           2         B         401	2	В	401	NAP	N3A-C2A-N1A	-3.60	123.06	128.68
4         B         407         COO         C3-C2-N1         3.21         118.38         111.90           2         B         401         NAP         C3N-C2N-N1N         2.99         123.35         120.43           4         B         407         COO         O3-C4-C3         -2.69         117.11         122.02           4         B         407         COO         C13-C1-N1         2.65         121.86         116.58           4         A         410         COO         P2A-O3A-P1A         -2.62         123.83         132.83           2         A         401         NAP         N6A-C6A-N1A         2.52         123.81         118.57           2         B         401         NAP         N6A-C6A-N1A         2.52         123.81         118.57           4         B         407         COO         C10-C9-C8         -2.49         120.42         125.34           2         B         401         NAP         N6A-C6A-N1A         2.38         123.52         118.57           2         B         401         NAP         O7N-C7N-C3N         -2.35         116.82         119.63           4         B         407	4	В	407	COO	C5-N2-C4	3.45	129.24	122.84
2       B       401       NAP       C3N-C2N-N1N       2.99       123.35       120.43         4       B       407       COO       O3-C4-C3       -2.69       117.11       122.02         4       B       407       COO       C13-C1-N1       2.65       121.86       116.58         4       A       410       COO       P2A-O3A-P1A       -2.62       123.83       132.83         2       A       401       NAP       N6A-C6A-N1A       2.52       123.81       118.57         2       B       401       NAP       N6A-C6A-N1A       2.52       123.06       118.75         4       B       407       COO       C10-C9-C8       -2.49       120.42       125.34         2       B       401       NAP       N6A-C6A-N1A       2.38       123.52       118.57         2       B       401       NAP       N6A-C6A-N1A       2.38       123.52       118.57         2       B       401       NAP       O7N-C7N-C3N       -2.35       116.82       119.63         4       B       407       COO       C2-N1-C1       2.27       126.64       122.59         4       B<	2	A	401	NAP	N3A-C2A-N1A	-3.42	123.33	128.68
4         B         407         COO         O3-C4-C3         -2.69         117.11         122.02           4         B         407         COO         C13-C1-N1         2.65         121.86         116.58           4         A         410         COO         P2A-O3A-P1A         -2.62         123.83         132.83           2         A         401         NAP         N6A-C6A-N1A         2.52         123.81         118.57           2         B         401         NAP         N6A-C6A-N1A         2.52         123.81         118.57           2         B         401         NAP         C2A-N1A-C6A         2.51         123.06         118.75           4         B         407         COO         C10-C9-C8         -2.49         120.42         125.34           2         B         401         NAP         N6A-C6A-N1A         2.38         123.52         118.57           2         B         401         NAP         O7N-C7N-C3N         -2.35         116.82         119.63           4         B         407         COO         C2-N1-C1         2.27         126.64         122.59           4         B         407	4	В	407	COO	C3-C2-N1	3.21	118.38	111.90
4         B         407         COO         C13-C1-N1         2.65         121.86         116.58           4         A         410         COO         P2A-O3A-P1A         -2.62         123.83         132.83           2         A         401         NAP         N6A-C6A-N1A         2.52         123.81         118.57           2         B         401         NAP         C2A-N1A-C6A         2.51         123.06         118.75           4         B         407         COO         C10-C9-C8         -2.49         120.42         125.34           2         B         401         NAP         N6A-C6A-N1A         2.38         123.52         118.57           2         B         401         NAP         N6A-C6A-N1A         2.38         123.52         118.57           2         B         401         NAP         O7N-C7N-C3N         -2.35         116.82         119.63           4         B         407         COO         O3-C4-N2         -2.30         118.67         123.01           4         B         407         COO         C2-N1-C1         2.27         126.64         122.59           4         B         407	2	В	401	NAP	C3N-C2N-N1N	2.99	123.35	120.43
4         A         410         COO         P2A-O3A-P1A         -2.62         123.83         132.83           2         A         401         NAP         N6A-C6A-N1A         2.52         123.81         118.57           2         B         401         NAP         C2A-N1A-C6A         2.51         123.06         118.75           4         B         407         COO         C10-C9-C8         -2.49         120.42         125.34           2         B         401         NAP         N6A-C6A-N1A         2.38         123.52         118.57           2         B         401         NAP         N6A-C6A-N1A         2.38         123.52         118.57           2         B         401         NAP         O7N-C7N-C3N         -2.35         116.82         119.63           4         B         407         COO         O3-C4-N2         -2.30         118.67         123.01           4         B         407         COO         C2-N1-C1         2.27         126.64         122.59           4         B         407         COO         C15-C11-C13         -2.23         104.95         108.82           2         A         401	4	В	407	COO	O3-C4-C3	-2.69	117.11	122.02
2       A       401       NAP       N6A-C6A-N1A       2.52       123.81       118.57         2       B       401       NAP       C2A-N1A-C6A       2.51       123.06       118.75         4       B       407       COO       C10-C9-C8       -2.49       120.42       125.34         2       B       401       NAP       N6A-C6A-N1A       2.38       123.52       118.57         2       B       401       NAP       O7N-C7N-C3N       -2.35       116.82       119.63         4       B       407       COO       O3-C4-N2       -2.30       118.67       123.01         4       B       407       COO       C2-N1-C1       2.27       126.64       122.59         4       B       407       COO       C15-C11-C13       -2.23       104.95       108.82         2       A       401       NAP       C2A-N1A-C6A       2.23       122.56       118.75         4       A       410       COO       C10-C9-C8       -2.21       120.97       125.34         2       B       401       NAP       C6N-C5N-C4N       2.16       122.58       119.44         2       B	4	В	407	COO	C13-C1-N1	2.65	121.86	116.58
2     B     401     NAP     C2A-N1A-C6A     2.51     123.06     118.75       4     B     407     COO     C10-C9-C8     -2.49     120.42     125.34       2     B     401     NAP     N6A-C6A-N1A     2.38     123.52     118.57       2     B     401     NAP     O7N-C7N-C3N     -2.35     116.82     119.63       4     B     407     COO     O3-C4-N2     -2.30     118.67     123.01       4     B     407     COO     C2-N1-C1     2.27     126.64     122.59       4     B     407     COO     C15-C11-C13     -2.23     104.95     108.82       2     A     401     NAP     C2A-N1A-C6A     2.23     122.56     118.75       4     A     410     COO     C10-C9-C8     -2.21     120.97     125.34       2     B     401     NAP     C6N-C5N-C4N     2.16     122.58     119.44       2     B     401     NAP     C1B-N9A-C4A     -2.11     122.93     126.64	4	A	410	COO	P2A-O3A-P1A	-2.62	123.83	132.83
4       B       407       COO       C10-C9-C8       -2.49       120.42       125.34         2       B       401       NAP       N6A-C6A-N1A       2.38       123.52       118.57         2       B       401       NAP       O7N-C7N-C3N       -2.35       116.82       119.63         4       B       407       COO       O3-C4-N2       -2.30       118.67       123.01         4       B       407       COO       C2-N1-C1       2.27       126.64       122.59         4       B       407       COO       C15-C11-C13       -2.23       104.95       108.82         2       A       401       NAP       C2A-N1A-C6A       2.23       122.56       118.75         4       A       410       COO       C10-C9-C8       -2.21       120.97       125.34         2       B       401       NAP       C6N-C5N-C4N       2.16       122.58       119.44         2       B       401       NAP       C1B-N9A-C4A       -2.11       122.93       126.64	2	A	401	NAP	N6A-C6A-N1A	2.52	123.81	118.57
2     B     401     NAP     N6A-C6A-N1A     2.38     123.52     118.57       2     B     401     NAP     O7N-C7N-C3N     -2.35     116.82     119.63       4     B     407     COO     O3-C4-N2     -2.30     118.67     123.01       4     B     407     COO     C2-N1-C1     2.27     126.64     122.59       4     B     407     COO     C15-C11-C13     -2.23     104.95     108.82       2     A     401     NAP     C2A-N1A-C6A     2.23     122.56     118.75       4     A     410     COO     C10-C9-C8     -2.21     120.97     125.34       2     B     401     NAP     C6N-C5N-C4N     2.16     122.58     119.44       2     B     401     NAP     C1B-N9A-C4A     -2.11     122.93     126.64	2	В	401	NAP	C2A-N1A-C6A	2.51	123.06	118.75
2     B     401     NAP     O7N-C7N-C3N     -2.35     116.82     119.63       4     B     407     COO     O3-C4-N2     -2.30     118.67     123.01       4     B     407     COO     C2-N1-C1     2.27     126.64     122.59       4     B     407     COO     C15-C11-C13     -2.23     104.95     108.82       2     A     401     NAP     C2A-N1A-C6A     2.23     122.56     118.75       4     A     410     COO     C10-C9-C8     -2.21     120.97     125.34       2     B     401     NAP     C6N-C5N-C4N     2.16     122.58     119.44       2     B     401     NAP     C1B-N9A-C4A     -2.11     122.93     126.64	4	В	407	COO	C10-C9-C8	-2.49	120.42	125.34
4       B       407       COO       O3-C4-N2       -2.30       118.67       123.01         4       B       407       COO       C2-N1-C1       2.27       126.64       122.59         4       B       407       COO       C15-C11-C13       -2.23       104.95       108.82         2       A       401       NAP       C2A-N1A-C6A       2.23       122.56       118.75         4       A       410       COO       C10-C9-C8       -2.21       120.97       125.34         2       B       401       NAP       C6N-C5N-C4N       2.16       122.58       119.44         2       B       401       NAP       C1B-N9A-C4A       -2.11       122.93       126.64	2	В	401	NAP	N6A-C6A-N1A	2.38	123.52	118.57
4     B     407     COO     C2-N1-C1     2.27     126.64     122.59       4     B     407     COO     C15-C11-C13     -2.23     104.95     108.82       2     A     401     NAP     C2A-N1A-C6A     2.23     122.56     118.75       4     A     410     COO     C10-C9-C8     -2.21     120.97     125.34       2     B     401     NAP     C6N-C5N-C4N     2.16     122.58     119.44       2     B     401     NAP     C1B-N9A-C4A     -2.11     122.93     126.64	2	В	401	NAP	O7N-C7N-C3N	-2.35	116.82	119.63
4     B     407     COO     C15-C11-C13     -2.23     104.95     108.82       2     A     401     NAP     C2A-N1A-C6A     2.23     122.56     118.75       4     A     410     COO     C10-C9-C8     -2.21     120.97     125.34       2     B     401     NAP     C6N-C5N-C4N     2.16     122.58     119.44       2     B     401     NAP     C1B-N9A-C4A     -2.11     122.93     126.64	4	В	407	COO	O3-C4-N2	-2.30	118.67	123.01
2       A       401       NAP       C2A-N1A-C6A       2.23       122.56       118.75         4       A       410       COO       C10-C9-C8       -2.21       120.97       125.34         2       B       401       NAP       C6N-C5N-C4N       2.16       122.58       119.44         2       B       401       NAP       C1B-N9A-C4A       -2.11       122.93       126.64	4	В	407	COO	C2-N1-C1	2.27	126.64	122.59
4       A       410       COO       C10-C9-C8       -2.21       120.97       125.34         2       B       401       NAP       C6N-C5N-C4N       2.16       122.58       119.44         2       B       401       NAP       C1B-N9A-C4A       -2.11       122.93       126.64	4	В	407	COO	C15-C11-C13	-2.23	104.95	108.82
2     B     401     NAP     C6N-C5N-C4N     2.16     122.58     119.44       2     B     401     NAP     C1B-N9A-C4A     -2.11     122.93     126.64	2	A	401	NAP			122.56	118.75
2 B 401 NAP C1B-N9A-C4A -2.11 122.93 126.64	4	A	410	COO	C10-C9-C8	-2.21	120.97	125.34
	2	В	401	NAP	C6N-C5N-C4N	2.16	122.58	119.44
2 A 401 NAP C4A-C5A-N7A -2.10 107.21 109.40	2	В	401	NAP	C1B-N9A-C4A	-2.11	122.93	126.64
	2	A	401	NAP	C4A-C5A-N7A	-2.10	107.21	109.40



Continued from previous page...

$\mathbf{Mol}$	Chain	${f Res}$	Type	${f Atoms}$	$\mathbf{Z}$	$\mathbf{Observed}(^o)$	$\operatorname{Ideal}({}^o)$	
4	A	410	COO	C3-C2-N1	-2.09	107.67	111.90	

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	В	407	COO	C13-C11-C12-O6A
4	В	407	COO	C12-O6A-P2A-O5A
4	В	407	COO	C12-O6A-P2A-O3A
4	В	407	COO	C13-C1-N1-C2
4	В	407	COO	N1-C2-C3-C4
4	A	410	COO	O2-C1-C13-O1
4	A	410	COO	O4-C7-S1-C6
4	A	410	COO	C8-C7-S1-C6
2	A	401	NAP	C2B-O2B-P2B-O1X
2	A	401	NAP	O4D-C1D-N1N-C2N
2	A	401	NAP	O4D-C1D-N1N-C6N
2	В	401	NAP	O4D-C1D-N1N-C6N
4	В	407	COO	C3-C4-N2-C5
4	В	407	COO	O3-C4-N2-C5
4	В	407	COO	O2-C1-N1-C2
4	В	407	COO	C14-C11-C12-O6A
4	В	407	COO	C15-C11-C12-O6A
4	В	407	COO	O4-C7-S1-C6
2	В	401	NAP	O4B-C4B-C5B-O5B
4	A	410	COO	N1-C1-C13-O1
4	A	410	COO	P2A-O3A-P1A-O1A
4	A	410	COO	C5-C6-S1-C7
2	В	401	NAP	C3B-C4B-C5B-O5B
4	A	410	COO	C11-C12-O6A-P2A
4	В	407	COO	C12-O6A-P2A-O4A
2	A	401	NAP	O4B-C4B-C5B-O5B


There are no ring outliers.

3 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	NAP	1	0
3	В	405	SO4	1	0
2	В	401	NAP	1	0




The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











# 5.7 Other polymers (i)

There are no such residues in this entry.

# 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

#### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	$\#\mathrm{RSRZ}{>}2$	$\mathbf{OWAB}(\mathrm{\AA}^2)$	Q<0.9
1	A	365/385~(94%)	-0.29	0 100 100	35, 50, 69, 106	0
1	В	365/385~(94%)	-0.19	5 (1%) 75 77	37, 51, 77, 117	0
All	All	730/770 (94%)	-0.24	5 (0%) 87 89	35, 50, 74, 117	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	51	ASP	3.4
1	В	52	ASN	3.2
1	В	22	HIS	3.2
1	В	23	MET	2.6
1	В	328	LYS	2.3

## 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\operatorname{B-factors}(\mathring{\mathbf{A}}^2)$	Q < 0.9
3	SO4	A	407	5/5	0.64	0.34	136,136,137,137	0
3	SO4	A	405	5/5	0.69	0.27	138,138,138,138	0
4	COO	A	410	31/53	0.71	0.26	87,126,134,134	0
4	COO	В	407	31/53	0.73	0.29	93,112,123,123	0
3	SO4	В	404	5/5	0.78	0.30	121,121,122,122	0
3	SO4	В	406	5/5	0.78	0.39	130,131,131,131	0
3	SO4	В	405	5/5	0.82	0.21	139,140,140,140	0
3	SO4	В	403	5/5	0.85	0.28	85,86,86,86	5
3	SO4	A	402	5/5	0.86	0.37	132,132,132,132	0
3	SO4	A	404	5/5	0.87	0.39	126,126,126,126	0
3	SO4	A	409	5/5	0.89	0.27	81,81,82,82	5
3	SO4	A	408	5/5	0.91	0.16	106,107,107,108	5
5	$\operatorname{CL}$	A	411	1/1	0.91	0.05	106,106,106,106	1
3	SO4	A	406	5/5	0.91	0.19	129,129,129,129	0
3	SO4	A	403	5/5	0.92	0.27	109,109,109,109	0
3	SO4	В	402	5/5	0.93	0.17	108,108,108,109	0
2	NAP	В	401	48/48	0.96	0.14	45,52,66,69	0
2	NAP	A	401	48/48	0.97	0.14	47,55,61,62	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





# Electron density around COO A 410: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $mF_o$ - $DF_c$ (at 3 rmsd) in purple (negative) and green (positive) Electron density around COO B 407: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $mF_o$ -DF<sub>c</sub> (at 3 rmsd) in purple (negative) and green (positive)




#### Electron density around NAP B 401:

 $2 \mathrm{mF}_o\text{-DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)










#### Electron density around NAP A 401:

 $2 \text{mF}_o\text{-DF}_c$  (at 0.7 rmsd) in gray  $\text{mF}_o\text{-DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)









# 6.5 Other polymers (i)

There are no such residues in this entry.

