



Full wwPDB EM Validation Report ⓘ

Feb 22, 2024 – 10:36 PM EST

PDB ID : 4V65
EMDB ID : EMD-1055
Title : Structure of the E. coli ribosome in the Pre-accommodation state
Authors : Devkota, B.; Caulfield, T.R.; Tan, R.-Z.; Harvey, S.C.
Deposited on : 2008-08-03
Resolution : 9.00 Å(reported)
Based on initial models : 1EHZ, 2I2P

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 9.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	76	57% (Poor fit), 11% (≥3 outliers), 51% (≥2 outliers), 37% (≥1 outlier), . (≤0 outliers)
1	AE	76	58% (Poor fit), 30% (≥3 outliers), 49% (≥2 outliers), 21% (≥1 outlier)
1	AP	76	50% (Poor fit), 18% (≥3 outliers), 46% (≥2 outliers), 34% (≥1 outlier), . (≤0 outliers)
2	AM	20	25% (Poor fit), 15% (≥3 outliers), 50% (≥2 outliers), 35% (≥1 outlier)
3	A1	1530	65% (Poor fit), 17% (≥3 outliers), 45% (≥2 outliers), 39% (≥1 outlier)
4	AB	241	71% (Poor fit), 69% (≥3 outliers), 17% (≥2 outliers), . (≥1 outlier), 10% (Not modelled)
5	AC	129	47% (Poor fit), 66% (≥3 outliers), 22% (≥2 outliers), . (≥1 outlier), 9% (Not modelled)

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	AD	124	76% 59% 30% 9% ..
7	AF	118	55% 68% 23% 6% .
8	AG	101	88% 67% 22% 5% 5%
9	AH	89	84% 69% 25% . . .
10	AI	82	100% 65% 27% 7% .
11	AJ	84	73% 68% 21% 6% 5%
12	AK	75	29% 53% 19% . 27%
13	AL	92	82% 54% 23% 9% 14%
14	AN	87	56% 77% 17% . . .
15	AO	233	31% 65% 20% . 12%
16	AQ	71	39% 45% 18% 7% . 28%
17	AR	206	62% 69% 25% . .
18	AS	159	38% 68% 21% . . 6%
19	AT	135	55% 54% 16% . 26%
20	AU	179	35% 59% 20% 5% . 16%
21	AV	130	48% 84% 13% . . .
22	AW	130	81% 75% 18% 5% . .
23	AX	103	73% 58% 32% 5% 5%
24	BA	117	71% 25% 49% 26%
25	BB	2903	52% 17% 44% 39%
26	BC	94	72% 76% 21% .
27	BD	123	48% 65% 26% 7% . .
28	BE	144	67% 60% 30% 8% .
29	BF	136	57% 65% 25% 7% .
30	BG	127	35% 64% 30% 5% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
31	BH	117	57% 73% 21% 6% .
32	BI	115	48% 58% 33% 8% .
33	BJ	118	84% 69% 19% 9% ..
34	BK	103	92% 64% 27% 6% .
35	BL	110	42% 72% 24% 5%
36	BM	99	69% 69% 23% 7% .
37	BN	270	54% 61% 31% 6% ..
38	BO	103	99% 62% 30% 6% ..
39	BP	85	27% 59% 34% 5% ..
40	BQ	63	51% 65% 27% 8%
41	BR	59	58% 71% 20% 5% ..
42	BS	70	67% 71% 24% .
43	BT	57	46% 49% 32% 16% ..
44	BU	54	80% 65% 30% 6%
45	BV	46	46% 67% 22% 9% .
46	BW	64	73% 66% 19% 16%
47	BX	38	68% 68% 18% 11% .
48	BY	209	33% 61% 29% 9% .
49	BZ	213	96% 77% 21% .
50	B1	201	71% 65% 25% 8% .
51	B2	178	29% 61% 30% 7% .
52	B3	177	81% 76% 18% 6% .
53	B4	149	92% 76% 23% ..
54	B5	142	53% 80% 15% ..
55	B6	140	45% 71% 19% 9% .

2 Entry composition [i](#)

There are 55 unique types of molecules in this entry. The entry contains 149248 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called A/T, P and E-site tRNAs.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	AA	75	1600	715	288	523	74	0	0
1	AP	75	1600	715	288	523	74	0	0
1	AE	76	1622	725	293	529	75	0	0

- Molecule 2 is a RNA chain called mRNA model.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	AM	20	397	180	40	158	19	0	0

- Molecule 3 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	A1	1530	32828	14642	6024	10633	1529	0	0

- Molecule 4 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	AB	218	1704	1081	305	311	7	0	0

- Molecule 5 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	AC	117	876	540	174	159	3	0	0

- Molecule 6 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	AD	123	954	590	196	164	4	0	0

- Molecule 7 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	AF	114	883	546	178	156	3	0	0

- Molecule 8 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	AG	96	773	483	160	127	3	0	0

- Molecule 9 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	AH	88	715	440	146	128	1	0	0

- Molecule 10 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	AI	82	648	406	128	113	1	0	0

- Molecule 11 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	AJ	80	648	411	121	113	3	0	0

- Molecule 12 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
12	AK	55	455	288	86	81	0	0

- Molecule 13 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	AL	79	Total	C	N	O	S	0	0
			637	408	120	107	2		

- Molecule 14 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	AN	85	Total	C	N	O	S	0	0
			664	411	137	113	3		

- Molecule 15 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	AO	206	Total	C	N	O	S	0	0
			1624	1028	305	288	3		

- Molecule 16 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	AQ	51	Total	C	N	O	S	0	0
			425	265	86	73	1		

- Molecule 17 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	AR	205	Total	C	N	O	S	0	0
			1642	1026	315	297	4		

- Molecule 18 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	AS	150	Total	C	N	O	S	0	0
			1105	687	211	201	6		

- Molecule 19 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	AT	100	Total	C	N	O	S	0	0
			817	515	148	148	6		

- Molecule 20 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	AU	150	1174	730	226	214	4	0	0

- Molecule 21 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	AV	129	978	616	173	183	6	0	0

- Molecule 22 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	AW	127	1021	634	206	178	3	0	0

- Molecule 23 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	AX	98	786	493	150	142	1	0	0

- Molecule 24 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
24	BA	117	2504	1116	459	813	116	0	0

- Molecule 25 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
25	BB	2903	62317	27801	11467	20147	2902	0	0

- Molecule 26 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	BC	94	752	479	137	133	3	0	0

- Molecule 27 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	BD	121	930	582	179	164	5	0	0

- Molecule 28 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	BE	144	1052	654	207	189	2	0	0

- Molecule 29 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	BF	136	1073	686	205	176	6	0	0

- Molecule 30 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	BG	127	1007	621	204	177	5	0	0

- Molecule 31 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	BH	117	899	557	179	162	1	0	0

- Molecule 32 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	BI	114	916	574	179	162	1	0	0

- Molecule 33 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
33	BJ	117	946	604	192	150	0	0

- Molecule 34 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	BK	103	Total	C	N	O	S	0	0
			815	516	153	144	2		

- Molecule 35 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	BL	110	Total	C	N	O	S	0	0
			856	532	166	155	3		

- Molecule 36 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	BM	99	Total	C	N	O	S	0	0
			777	491	145	139	2		

- Molecule 37 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	BN	267	Total	C	N	O	S	0	0
			2053	1271	416	359	7		

- Molecule 38 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
38	BO	102	Total	C	N	O	0	0
			779	492	146	141		

- Molecule 39 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	BP	84	Total	C	N	O	S	0	0
			633	391	129	112	1		

- Molecule 40 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	BQ	63	Total	C	N	O	S	0	0
			508	313	99	94	2		

- Molecule 41 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	BR	58	Total	C	N	O	S	0	0
			448	281	87	78	2		

- Molecule 42 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	BS	70	Total	C	N	O	S	0	0
			548	339	104	99	6		

- Molecule 43 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	BT	56	Total	C	N	O	S	0	0
			443	269	94	79	1		

- Molecule 44 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
44	BU	54	Total	C	N	O	0	0
			440	284	81	75		

- Molecule 45 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	BV	46	Total	C	N	O	S	0	0
			376	228	90	56	2		

- Molecule 46 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	BW	64	Total	C	N	O	S	0	0
			503	323	105	73	2		

- Molecule 47 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	BX	38	Total	C	N	O	S	0	0
			301	185	65	47	4		

- Molecule 48 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
48	BY	209	1564	979	288	293	4	0	0

- Molecule 49 is a protein called 50S ribosomal protein L1P.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
49	BZ	213	1687	1078	300	308	1	0	0

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BZ	1	MET	-	insertion	UNP P35024
BZ	?	-	MET	deletion	UNP P35024
BZ	70	SER	PHE	conflict	UNP P35024
BZ	82	LYS	ASN	conflict	UNP P35024
BZ	?	-	MET	deletion	UNP P35024
BZ	?	-	MET	deletion	UNP P35024
BZ	?	-	MET	deletion	UNP P35024

- Molecule 50 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
50	B1	201	1551	974	283	289	5	0	0

- Molecule 51 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
51	B2	178	1419	905	251	257	6	0	0

- Molecule 52 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
52	B3	176	1322	832	243	245	2	0	0

- Molecule 53 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
53	B4	149	1110	699	197	213	1	0	0

- Molecule 54 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
54	B5	141	1031	651	179	195	6	0	0


- Molecule 55 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
55	B6	140	1112	704	210	194	4	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: A/T, P and E-site tRNAs




- Molecule 1: A/T, P and E-site tRNAs




- Molecule 1: A/T, P and E-site tRNAs




- Molecule 2: mRNA model








● Molecule 3: 16S rRNA




U1445	U1446	A1447	C1448	C1449	U1450	U1451	C1452	G1453	G1454	G1455	A1456	G1457	G1458	G1459	C1460	G1461	C1462	U1463	U1464	A1465	C1466	C1467	A1468	C1469	A1470	U1471	U1472	G1473	U1474	G1475	A1476	U1477	U1478	C1479	A1480	U1481	G1482	A1483	C1484	U1485	G1486	G1487	G1488	G1489	U1490	G1491	A1492	A1493	G1494	C1495	U1496	U1497	A1498	A1499	A1500	C1501	A1502	A1503	C1504
G1385	G1386	G1387	C1388	C1389	U1390	U1391	G1392	U1393	A1394	C1395	A1396	C1397	A1398	C1399	C1400	G1401	C1402	C1403	C1404	G1405	U1406	C1407	A1408	C1409	A1410	C1411	C1412	A1413	U1414	G1415	C1416	G1417	A1418	G1419	U1420	G1421	G1422	C1423	U1424	U1425	G1426	C1427	A1428	A1429	A1430	A1431	G1432	A1433	A1434	G1435	U1436	A1437	G1438	G1439	U1440	A1441	C1442	C1443	U1444
C1325	U1326	C1327	C1328	A1329	U1330	A1331	A1332	A1333	U1335	C1336	G1337	A1338	A1339	A1340	U1341	C1342	G1343	C1344	U1345	A1346	G1347	U1348	A1349	A1350	U1351	C1352	G1353	U1354	G1355	C1356	A1357	U1358	C1359	A1360	G1361	A1362	A1363	U1364	C1365	C1366	C1367	A1368	C1369	G1370	G1371	U1372	G1373	A1374	A1375	U1376	A1377	C1378	G1379	U1380	U1381	C1382	C1383	C1384	
C1265	G1266	C1267	G1268	A1269	G1270	A1271	G1272	C1273	A1274	A1275	G1276	C1277	G1278	G1279	A1280	C1281	C1282	U1283	C1284	A1285	U1286	A1287	A1288	A1289	U1290	U1291	C1292	G1293	G1294	U1295	C1296	G1297	U1298	A1299	G1300	U1301	C1302	C1303	G1304	G1305	A1306	U1307	G1308	G1309	C1310	A1311	C1312	U1313	C1314	U1315	G1316	C1317	A1318	A1319	C1320	U1321	C1322	G1323	A1324
U1205	G1206	G1207	U1208	C1209	C1210	U1211	U1212	A1213	C1214	G1215	A1216	C1217	C1218	A1219	G1220	G1221	G1222	C1223	U1224	A1225	C1226	A1227	C1228	A1229	C1230	G1231	U1232	G1233	C1234	U1235	A1236	C1237	U1238	A1239	U1240	G1241	G1242	C1243	G1244	C1245	A1246	U1247	A1248	C1249	C1250	A1251	A1252	C1253	A1254	G1255	A1256	A1257	G1258	C1259	U1260	A1261	C1262	C1263	U1264
A1145	A1146	C1147	U1148	C1149	A1150	A1151	A1152	G1153	G1154	A1155	G1156	A1157	C1158	U1159	G1160	C1161	C1162	A1163	A1164	U1165	G1166	A1167	U1168	C1169	A1170	A1171	C1172	U1173	G1174	G1175	A1176	G1177	G1178	A1179	A1180	G1181	G1182	U1183	G1184	G1185	G1186	G1187	A1188	U1189	G1190	A1191	C1192	G1193	U1194	C1195	A1196	A1197	G1198	U1199	A1200	U1201	U1202	C1203	A1204
U1085	U1086	G1087	G1088	U1089	U1090	U1091	A1092	A1093	U1094	U1095	C1096	C1097	C1098	G1099	C1100	A1101	A1102	G1103	G1104	A1105	G1106	C1107	G1108	C1109	A1110	A1111	C1112	C1113	C1114	U1115	U1116	A1117	U1118	C1119	C1120	U1121	U1122	U1123	G1124	U1125	U1126	G1127	C1128	C1129	A1130	G1131	C1132	G1133	U1134	U1135	U1136	C1137	G1138	U1139	C1140	C1141	G1142	G1143	U1144
U1025	G1026	C1027	C1028	U1029	U1030	C1031	G1032	A1033	G1034	A1035	A1036	C1037	C1038	G1039	U1040	G1041	A1042	G1043	A1044	C1045	U1046	G1047	G1048	U1049	G1050	C1051	U1052	G1053	A1054	A1055	U1056	C1057	G1058	C1059	U1060	G1061	U1062	C1063	U1064	U1065	C1066	A1067	G1068	C1069	U1070	C1071	G1072	U1073	G1074	U1075	U1076	G1077	U1078	A1079	A1080	A1081	A1082	U1083	G1084
G985	G986	C987	A988	A989	C990	G991	C992	A993	C994	G995	G996	G997	G998	U999	C990	C991	C992	A993	G994	G995	G996	G997	G998	U999	C990	C991	C992	A993	G994	G995	U997	C998	C999	A1000	C1001	G1002	G1003	A1004	A1005	G1006	U1007	U1008	U1009	U1010	G9953	G9954	U9955	U9956	G9957	G9958	C9959	A9901	G9902	G9903	U9904				
U985	A986	A987	A988	A989	U990	C991	C992	A993	C994	G995	G996	G997	G998	U999	C990	C991	C992	A993	G994	G995	G996	G997	G998	U999	C990	C991	C992	A993	G994	G995	U997	C998	C999	A1000	C1001	G1002	G1003	A1004	A1005	G1006	U1007	U1008	U1009	U1010	G9953	G9954	U9955	U9956	G9957	G9958	C9959	A9901	G9902	G9903	U9904				
G885	G886	C887	A888	A889	C890	G891	C892	A893	C894	G895	G896	G897	G898	U899	C890	C891	C892	A893	G894	G895	G896	G897	G898	U899	C890	C891	C892	A893	G894	G895	U897	C898	C899	A9000	C9001	G9002	G9003	A9004	G9005	A9006	C9007	G9008	U9009	U9010	G9011	A9012	G9013	A9014	G9015	A9016	U9017	A9018	A9019	G9020	A9021	U9022	U9023	G1024	
G785	G786	A787	U788	U789	C790	C791	C792	U793	A794	C795	C796	C797	U798	G799	U800	A801	A802	G803	U804	C805	C806	A807	C808	G809	C810	C811	G812	U813	A814	A815	A816	C817	G818	A819	U820	C821	G822	C823	G824	A825	C826	U827	U828	G829	A830	A831	G832	G833	U834	U835	G836	U837	G838	C839	C840	U841	U842	U843	G844
G725	C726	G727	A728	A729	G730	G731	C732	G733	G734	C735	C736	C737	C738	C739	U740	G741	G742	A743	C744	G745	A746	A747	G748	A749	C750	U751	G752	A753	C754	G755	C756	U757	C758	A759	G760	G761	G762	G763	C764	G765	A766	A767	A768	G769	C770	G771	U772	G773	G774	G775	G776	A777	G778	C779	A780	A781	C782	G783	A784





• Molecule 4: 30S ribosomal protein S2







• Molecule 8: 30S ribosomal protein S14





• Molecule 9: 30S ribosomal protein S15




• Molecule 10: 30S ribosomal protein S16




• Molecule 11: 30S ribosomal protein S17




• Molecule 12: 30S ribosomal protein S18




• Molecule 13: 30S ribosomal protein S19




• Molecule 14: 30S ribosomal protein S20




• Molecule 15: 30S ribosomal protein S3




• Molecule 16: 30S ribosomal protein S21




• Molecule 17: 30S ribosomal protein S4



• Molecule 18: 30S ribosomal protein S5




• Molecule 19: 30S ribosomal protein S6




GLU
GLU
GLU
GLU
GLU
GLU


• Molecule 20: 30S ribosomal protein S7




• Molecule 21: 30S ribosomal protein S8




• Molecule 22: 30S ribosomal protein S9





• Molecule 23: 30S ribosomal protein S10







• Molecule 24: 5S rRNA




• Molecule 25: 23S rRNA






A541	A542	C642	G643	G644	U645	U646	A647	G648	G549	C650	G551	U552	G553	U554	G555	A556	C557	G558	G559	C560	G561	U562	A563	C564	C565	U566	U567	U568	U569	G570	C571	A572	U573	A574	A575	U576	G577	G578	G579	U580	A582	G583	C584	G585	A586	C587	U588	U589	A590	U591	A592	U593	U594	C595	U596	U597	U598	A599	G600	
C601	A602	A603	G604	G605	U606	U607	A608	U609	C610	C611	G612	A613	A614	U615	A616	G617	G618	U619	G620	A621	G622	C623	C624	G625	A626	A627	G628	G629	G630	A631	C632	A633	C634	G635	G636	A637	G638	U639	U640	C641	U642	U643	A644	C645	U646	U647	G648	G649	C650	G651	U652	G653	A654	U655	U656	U657	U658	G659	C660	
A661	G662	G663	U664	U665	G666	A667	A668	U669	A670	C671	C672	G673	G674	A675	U676	A677	G678	U679	C680	A681	G682	U683	G684	A685	U686	C687	U688	A689	G690	A691	C692	A693	U694	G695	U696	G697	C698	U699	G700	G701	U702	U703	G704	A705	U706	U707	U708	U709	U710	G711	G712	G713	U714	A715	U716	U717	U718	C719	U720	
A721	A722	U723	U724	G725	G726	A727	G728	U729	A730	C731	C732	G733	A734	A735	C736	G737	G738	A739	C740	U741	A742	A743	U744	G745	U746	U747	G748	A749	U750	A751	A752	C692	A693	U694	U755	A756	G757	C758	U759	G760	U761	U762	G763	A764	C765	U766	G767	U768	U769	G770	G771	C772	U773	G774	G775	G776	G777	U778	G780	
A781	A782	A783	G784	G785	C786	C787	A788	U789	U790	C791	A792	U793	A794	C795	C796	G797	G798	U799	A800	G801	A802	U803	A804	C805	C806	U807	U808	G809	U810	U811	C812	U813	C814	C815	C816	C817	G818	U819	G820	A821	G822	C823	U824	A825	U826	U827	U828	U829	G830	G831	U832	A833	U834	A835	C836	C837	C838	U839	C840	
G841	U842	G843	A844	A845	U846	C848	A849	U850	C851	U852	C853	C854	G855	U856	G857	G858	G859	U860	A861	G862	A863	C864	C865	A866	U868	U869	U870	U871	U872	C873	G874	G875	C876	A877	A878	G879	U880	A891	U882	A820	G821	C822	C823	U824	A825	U826	U827	U828	U829	G830	G831	U832	A833	U834	A835	C836	C837	C838	U839	C840
C901	C902	C903	G904	A905	U906	G907	C908	A909	A910	A911	C912	U913	G914	C915	C916	A917	A918	U919	A920	C921	C922	G923	G924	A925	G926	A927	A928	U929	G930	C931	U932	U933	U934	C935	A936	C937	G938	G939	G940	A941	G942	A943	C944	A945	C946	A947	G948	G949	G950	C951	G952	G953	G954	U955	G956	C957	U958	A959	A960	
C961	G962	U963	C964	C965	U966	U967	C968	U969	U970	G971	A972	A973	G974	A975	U976	G977	G978	A979	A980	A981	C982	A983	A984	C985	C986	C987	A988	G989	A990	C991	C992	G993	C994	C995	A996	G997	G998	U999	A1000	A1001	G1002	G1003	U1004	C1005	C1006	C1007	A1008	A1009	U1010	G1011	U1012	C1013	A1014	U1015	G1016	G1017	U1018	U1019	A1020	
A1021	G1022	U1023	G1024	G1025	G1026	A1027	A1028	A1029	C1030	G1031	A1032	U1033	G1034	U1035	A975	U1036	G1037	G1038	A1039	A1040	G1041	C1043	C1044	C1045	A1046	G1047	A1048	C1049	A1050	G1051	C1052	C1053	A1054	G1055	U1056	A1057	U1058	G1059	U1060	U1061	G1062	C1063	C1064	U1065	U1066	A1067	G1068	A1069	A1070	G1071	C1072	A1073	G1074	C1075	C1076	U1077	U1078	C1079	A1080	
U1081	U1082	U1083	A1084	A1085	A1086	G1087	A1088	A1089	A1090	G1091	C1092	G1093	U1094	A1095	A1096	U1097	A1098	G1099	C1100	U1101	C1102	A1103	C1104	U1105	G1106	G1107	U1108	C1109	G1110	A1111	G1112	U1113	C1114	G1115	U1116	C1117	U1118	C1119	U1120	C1121	G1122	C1123	G1124	G1125	A1126	U1127	G1128	A1129	U1130	G1131	U1132	A1133	U1134	C1135	G1136	U1137	G1138	C1140		
U1141	A1142	A1143	A1144	C1145	C1146	A1147	U1148	G1149	C1150	A1151	C1152	C1153	G1154	A1155	A1156	G1157	C1158	U1159	G1160	C1161	G1162	G1163	C1164	A1165	G1166	C1167	G1168	A1169	C1170	G1171	C1172	U1173	U1174	A1175	U1176	G1177	C1178	G1179	U1180	U1181	G1182	U1183	U1184	G1185	G1186	G1187	U1188	A1189	G1190	G1191	G1192	G1193	A1194	G1195	C1196	G1197	U1198	U1199	C1200	
U1201	G1202	U1203	A1204	A1205	G1206	C1207	C1208	U1209	G1210	C1211	G1212	A1213	A1214	A1215	G1216	U1217	G1218	G1219	U1219	C1220	C1221	U1222	G1223	A1224	G1225	A1226	G1227	G1228	C1229	U1230	U1231	G1232	C1233	U1234	G1235	G1236	A1237	G1238	G1239	U1240	A1241	U1242	C1243	A1244	G1245	A1246	A1247	G1248	U1249	A1250	C1251	A1253	A1254	U1255	G1256	C1257	U1258	G1259	A1260	
C1261	A1262	A1263	A1264	A1265	A1266	U1267	A1268	A1269	C1270	G1271	A1272	U1273	A1274	A1275	A1276	G1277	C1278	G1279	G1280	G1281	U1282	G1283	A1284	A1285	A1286	A1287	G1288	C1289	C1290	C1291	U1292	C1293	U1294	C1295	G1296	A1297	C1298	G1299	G1300	A1301	A1302	G1303	A1304	C1305	C1306	A1307	A1308	G1309	G1310	G1311	U1312	U1313	C1314	C1315	U1316	G1317	U1318	C1319	C1320	

U2041	A1981	G1921	A1801	G1741	U1621	C1561	G1501	G1441	G1381	A1321
A2042	U1982	G1922	A1802	U1742	G1622	U1562	A1502	U1442	G1382	A1322
C2043	G1983	U1923	A1803	G1743	G1623	U1563	A1503	U1443	A1383	C1323
C2045	C1985	C1925	A1805	A1745	U1625	C1565	A1505	C1445	A1385	U1325
C2046	C1986	U1926	G1806	A1746	A1626	A1566	U1506	C1446	C1386	G1326
C2047	A1987	A1927	G1807	U1747	G1627	A1567	C1507	C1447	A1387	U1327
C2048	G1988	A1928	A1808	C1748	G1628	G1568	A1508	G1448	A1388	A1328
C2050	G1989	G1929	A1809	A1749	U1629	G1569	A1509	U1449	U1329	U1329
A2051	U1991	G1930	A1810	G1750	A1630	A1570	G1510	C1451	C1330	C1330
C2053	G1992	A1932	G1811	U1751	G1631	A1571	G1511	C1452	G1331	G1331
A2054	U1993	G1933	G1812	G1753	G1632	A1572	C1512	G1453	G1332	G1332
C2055	G1994	C1934	A1814	A1754	A1634	A1573	U1513	A1453	G1333	G1333
C2056	U1995	G1935	A1815	A1755	A1635	C1575	G1514	C1454	G1334	G1334
C2057	C1996	A1936	G1816	A1757	U1636	U1576	A1515	G1455	C1335	C1335
A2058	G1997	U1937	G1817	U1758	A1637	U1577	G1516	G1456	U1336	A1336
A2059	A1998	A1938	U1818	U1759	C1638	U1578	C1517	U1457	G1337	G1337
A2060	C1999	A1939	A1819	C1760	G1639	U1579	C1518	U1458	G1338	G1338
A2061	C2000	U1940	U1820	C1761	A1640	A1579	G1519	U1459	C1339	G1339
A2062	C2001	C1942	A1821	A1762	G1641	A1580	U1520	G1460	U1340	U1340
C2063	A2003	U1943	G1822	G1763	A1641	G1581	G1521	U1461	G1341	G1341
C2064	G2004	A1944	G1823	C1764	G1642	C1582	U1522	C1461	A1342	A1342
C2065	A2005	U1945	U1824	U1765	G1643	C1583	G1523	C1462	G1343	G1343
C2066	U2007	G1946	U1825	G1766	C1644	U1584	G1524	C1463	C1344	C1344
C2067	C2008	U1947	G1826	G1767	G1645	U1585	A1525	G1464	G1406	G1406
A2068	A2009	G1948	U1827	C1768	G1646	C1586	C1526	G1465	G1407	G1407
G2069	G2010	G1949	G1828	U1769	U1647	A1586	G1527	U1466	C1348	C1348
A2070	U2011	G1950	A1829	C1770	U1648	G1587	A1528	U1467	U1409	U1409
A2071	C2012	U1951	G1831	C1771	G1649	U1588	G1529	U1468	C1350	C1350
A2072	A1952	A1952	C1832	A1772	A1650	U1589	G1530	U1469	U1352	U1352
A2073	A2014	G1953	G1833	C1773	G1651	A1590	C1531	U1470	U1411	U1411
A2074	A2015	U1954	G1834	U1775	A1652	A1591	A1532	A1471	U1412	U1412
U2075	U2016	C1956	C1835	G1776	A1653	C1592	C1533	C1472	A1413	A1413
U2076	U2017	U1957	G1836	G1777	A1654	A1593	U1534	C1473	C1414	C1414
A2077	C2018	G1958	C1837	U1778	C1656	U1594	C1536	U1474	U1415	U1415
C2078	A2019	A1959	G1839	U1779	U1657	C1595	G1537	G1475	G1416	G1416
U2079	A2020	C1960	U1840	A1780	C1658	A1596	U1539	U1476	C1417	C1417
A2080	C2021	G1961	G1842	U1781	G1659	A1597	U1540	A1477	G1418	G1418
C2022	U2022	U1962	C1843	U1782	G1660	U1598	G1541	G1478	A1419	A1419
C2024	G2024	G1963	A1844	A1783	G1661	U1599	C1542	G1479	C1420	C1420
C2025	C2025	A1965	G1845	A1785	U1662	C1600	U1543	C1480	G1421	G1421
C2026	U2026	U1966	G1846	A1786	G1663	G1601	G1544	U1481	G1422	G1422
C2027	C2027	C1967	A1847	A1787	A1664	U1602	A1545	G1482	G1423	G1423
U2028	U2028	G1968	A1848	C1788	G1665	A1603	A1546	G1483	G1424	G1424
C2029	C2029	C1969	G1849	A1789	G1666	C1604	C1547	G1484	G1425	G1425
A2030	A2030	U1970	G1850	C1790	A1668	G1605	A1548	U1485	G1426	G1426
A2031	C2031	U1971	U1851	G1792	A1669	C1606	U1549	U1486	A1427	A1427
C2032	C2032	A1972	A1852	C1793	C1670	C1607	C1550	U1487	C1428	C1428
A2033	A2033	G1973	A1853	A1794	U1671	A1608	A1551	U1488	G1430	G1430
U2034	U2034	U1974	U1854	C1795	A1672	A1609	A1552	C1489	A1431	A1431
C2035	C2035	U1911	U1855	C1796	G1673	A1610	A1553	U1490	G1432	G1432
C2036	C2036	A1912	G1857	U1796	G1674	C1611	U1554	G1491	A1433	A1433
A2037	A2037	A1913	U1858	G1797	C1675	C1612	G1555	G1492	A1434	A1434
C2038	C2038	C1914	U1859	U1798	C1676	A1614	C1557	C1493	G1377	G1377
U2039	U2039	U1915	A1860	G1799	A1677	A1615	C1558	A1494	G1436	G1436
C2040	C2040	U1916	U1861	C1800	A1678	A1616	U1559	A1495	U1437	U1437
		A1917	G1737		U1679	C1617	G1560	U1497	C1438	C1438
		A1918	A1738		U1680	G1618		C1498	U1439	U1439
		A1919	G1740			G1619		G1499	A1440	A1440
		C1920				G1620		G1500		



A2101	A2102	C2103	C2104	U2105	U2106	C2107	A2108	U2109	C2110	U2111	C2112	U2113	A2114	C2115	C2116	A2117	U2118	A2119	C2120	C2121	U2122	C2123	C2124	C2125	A2126	C2127	C2128	C2129	U2130	U2131	U2132	C2133	A2134	A2135	C2136	U2137	C2138	U2139	C2140	C2141	A2142	C2143	C2144	C2145	C2146	A2147	C2148	U2149	C2150	U2151	C2152	C2153	A2154	U2155	C2156	C2157	A2158	C2159	C2160
C2161	G2162	A2163	C2164	C2165	U2166	U2167	G2168	A2169	A2170	A2171	U2172	C2173	C2174	C2175	A2176	C2177	C2178	C2179	U2180	U2181	U2182	A2183	A2184	U2185	C2186	U2187	U2188	U2189	G2190	C2191	C2192	C2193	U2194	U2195	C2196	U2197	A2198	A2199	C2200	G2201	U2202	U2203	U2204	A2205	C2206	C2207	C2208	G2209	U2210	A2211	U2212	U2213	C2214	C2215	G2216	G2217	U2219	U2220	
G2221	C2222	G2223	A2224	C2225	C2226	G2228	U2229	U2230	U2231	C2232	U2233	G2234	C2235	U2236	G2237	G2238	G2239	U2240	A2241	U2242	U2243	U2244	U2245	U2246	A2247	C2248	U2249	U2250	G2251	C2252	C2253	C2254	G2255	U2256	C2257	C2258	U2259	C2260	C2261	U2262	C2263	C2264	U2265	A2266	A2267	A2268	G2269	A2270	G2271	U2272	A2273	A2274	C2275	G2276	G2277	A2278	G2279	G2280	
A2281	G2282	C2283	A2284	C2285	C2286	A2287	A2288	G2289	A2290	U2291	U2292	G2293	C2294	C2295	U2296	A2297	A2298	U2299	C2300	U2302	G2303	C2304	U2305	C2306	C2307	G2308	A2309	C2310	U2311	U2312	C2313	C2314	G2315	U2316	A2317	C2318	C2319	U2320	U2321	A2322	G2323	C2324	U2325	A2326	C2327	C2328	U2329	G2330	U2331	C2332	U2333	U2334	A2335	A2336	G2337	C2338	C2339	A2340	
G2341	C2342	U2343	U2344	C2345	A2346	C2347	U2348	G2349	C2350	C2351	U2352	C2353	C2354	G2355	U2356	A2357	C2358	C2359	C2360	C2361	C2362	G2363	C2364	G2365	A2366	G2367	C2368	A2369	C2370	G2371	C2372	G2373	C2374	G2375	A2376	A2377	A2378	G2379	C2380	A2381	G2382	C2383	U2384	C2385	A2386	U2387	C2388	C2389	U2390	G2391	A2392	U2393	C2394	C2395	U2396	C2397	U2398	C2399	G2400
U2401	U2402	C2403	U2404	C2405	A2406	U2407	U2408	G2409	A2410	A2411	A2412	U2413	C2414	C2415	A2416	C2417	U2418	U2419	C2420	G2421	C2422	U2423	C2424	A2425	A2426	C2427	G2428	U2429	A2430	U2431	A2432	U2433	A2434	A2435	C2436	G2437	U2438	A2439	C2440	U2441	C2442	C2443	G2444	G2445	U2446	A2447	U2448	U2449	A2450	A2451	C2452	A2453	G2454	C2455	C2456	U2457	G2458	A2459	U2460
A2461	C2462	C2463	G2464	C2465	C2466	C2467	A2468	A2469	G2470	A2471	G2472	U2473	U2474	C2475	A2476	U2477	A2478	U2479	C2480	G2481	A2482	C2483	G2484	G2485	C2486	G2487	G2488	U2489	C2490	U2491	U2492	U2493	G2494	G2495	C2496	A2497	C2498	C2499	U2500	C2501	G2502	A2503	U2504	G2505	U2506	U2507	U2508	G2509	U2510	U2511	C2512	A2513	U2514	C2515	A2516	C2517	U2518	U2519	C2520
C2521	U2522	C2523	G2524	G2525	C2526	U2527	U2528	C2529	A2530	A2531	U2532	C2533	A2534	C2535	A2536	U2537	C2538	C2539	C2540	A2541	A2542	C2543	G2544	G2545	U2546	A2547	U2548	C2549	G2550	C2551	U2552	C2553	U2554	U2555	C2556	G2557	C2558	C2559	A2560	U2561	U2562	U2563	A2564	A2565	A2566	C2567	U2568	G2569	C2570	U2571	A2572	C2573	G2574	C2575	U2576	A2577	C2578	U2579	U2580
G2581	G2582	C2583	U2584	C2585	U2586	C2587	C2588	U2589	A2590	C2591	C2592	U2593	C2594	C2595	U2596	G2597	A2598	C2599	A2600	C2601	A2602	C2603	U2604	U2605	C2606	G2607	G2608	U2609	C2610	C2611	C2612	U2613	A2614	U2615	C2616	U2617	C2618	C2619	C2620	C2621	U2622	G2623	C2624	C2625	C2626	C2627	C2628	U2629	U2630	G2631	A2632	C2633	A2634	U2635	C2636	U2637	U2638	C2639	C2640
G2641	G2642	G2643	G2644	C2645	U2646	U2647	G2648	C2649	A2650	C2651	C2652	U2653	A2654	C2655	U2656	A2657	C2658	G2659	A2660	G2661	C2662	G2663	A2664	A2665	C2666	C2667	G2668	C2669	A2670	G2671	U2672	C2673	U2674	A2675	U2676	A2677	U2678	C2679	C2680	C2681	C2682	C2683	G2684	C2685	U2686	C2687	C2688	U2689	U2690	C2691	C2692	G2693	G2694	U2695	U2696	C2697	U2698	C2699	A2700
U2701	G2702	C2703	C2704	A2705	A2706	U2707	G2708	G2709	C2710	A2711	C2712	U2713	G2714	C2715	C2716	C2717	G2718	G2719	U2720	A2721	G2722	C2723	U2724	A2725	U2726	U2727	U2728	G2729	C2730	G2731	U2732	C2733	A2734	U2735	G2736	A2737	U2738	U2739	A2740	A2741	G2742	U2743	G2744	C2745	U2746	G2747	A2748	A2749	A2750	G2751	C2752	U2753	U2754	C2755	U2756	A2757	U2758	G2759	C2760
A2761	C2762	G2763	A2764	A2765	A2766	C2767	U2768	U2769	C2770	C2771	C2772	C2773	C2774	U2775	A2776	C2777	A2778	U2779	C2780	A2781	G2782	U2783	C2784	C2785	U2786	C2787	C2788	C2789	U2790	C2791	A2792	C2793	C2794	G2795	C2796	U2797	U2798	A2799	A2800	C2801	G2802	C2803	U2804	C2805	C2806	U2807	G2808	A2809	A2810	C2811	G2812	A2813	A2814	C2815	C2816	U2817	U2818	A2819	A2820
A2821	G2822	A2823	C2824	G2825	A2826	C2827	C2828	A2829	C2830	C2831	U2832	U2833	C2834	U2835	C2836	A2837	C2838	C2839	C2840	C2841	G2842	C2843	C2844	C2845	G2846	U2847	C2848	U2849	A2850	A2851	C2852	C2853	C2854	C2855	A2856	C2857	C2858	C2859	U2860	C2861	C2862	C2863	C2864	U2865	U2866	C2867	A2868	C2869	C2870	U2871	A2872	C2873	C2874	C2875	C2876	C2877	U2878	U2879	U2880






• Molecule 26: 50S ribosomal protein L25




• Molecule 27: 50S ribosomal protein L14




• Molecule 28: 50S ribosomal protein L15





• Molecule 29: 50S ribosomal protein L16








• Molecule 30: 50S ribosomal protein L17





• Molecule 31: 50S ribosomal protein L18




• Molecule 32: 50S ribosomal protein L19




• Molecule 33: 50S ribosomal protein L20




• Molecule 34: 50S ribosomal protein L21



• Molecule 35: 50S ribosomal protein L22




• Molecule 36: 50S ribosomal protein L23




• Molecule 37: 50S ribosomal protein L2




- Molecule 38: 50S ribosomal protein L24




- Molecule 39: 50S ribosomal protein L27




- Molecule 40: 50S ribosomal protein L29




- Molecule 41: 50S ribosomal protein L30





- Molecule 42: 50S ribosomal protein L31




- Molecule 43: 50S ribosomal protein L32





• Molecule 44: 50S ribosomal protein L33




• Molecule 45: 50S ribosomal protein L34




• Molecule 46: 50S ribosomal protein L35



• Molecule 47: 50S ribosomal protein L36





• Molecule 48: 50S ribosomal protein L3







• Molecule 49: 50S ribosomal protein L1P




• Molecule 50: 50S ribosomal protein L4





• Molecule 51: 50S ribosomal protein L5









• Molecule 52: 50S ribosomal protein L6




• Molecule 53: 50S ribosomal protein L9



• Molecule 54: 50S ribosomal protein L11



• Molecule 55: 50S ribosomal protein L13



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	75996	Depositor
Resolution determination method	Not provided	
CTF correction method	Not provided	
Microscope	FEI TECNAI F20	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	15	Depositor
Minimum defocus (nm)	2000	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	50000	Depositor
Image detector	KODAK SO-163 FILM	Depositor
Maximum map value	250.984	Depositor
Minimum map value	-85.859	Depositor
Average map value	4.444	Depositor
Map value standard deviation	25.344	Depositor
Recommended contour level	57.2	Depositor
Map size (\AA)	366.6, 366.6, 366.6	wwPDB
Map dimensions	130, 130, 130	wwPDB
Map angles ($^\circ$)	90, 90, 90	wwPDB
Pixel spacing (\AA)	2.82, 2.82, 2.82	Depositor

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	AA	2.55	109/1789 (6.1%)	3.85	439/2788 (15.7%)
1	AE	2.27	78/1814 (4.3%)	3.60	403/2827 (14.3%)
1	AP	3.55	99/1789 (5.5%)	3.96	389/2788 (14.0%)
2	AM	2.44	19/436 (4.4%)	3.59	99/672 (14.7%)
3	A1	2.55	1627/36759 (4.4%)	3.68	8418/57346 (14.7%)
4	AB	0.97	2/1735 (0.1%)	1.84	41/2338 (1.8%)
5	AC	1.10	5/892 (0.6%)	1.74	19/1205 (1.6%)
6	AD	1.14	2/968 (0.2%)	2.24	38/1300 (2.9%)
7	AF	1.16	7/892 (0.8%)	2.21	32/1193 (2.7%)
8	AG	1.13	3/785 (0.4%)	2.22	33/1046 (3.2%)
9	AH	1.13	5/723 (0.7%)	2.18	30/966 (3.1%)
10	AI	1.17	4/658 (0.6%)	2.16	20/884 (2.3%)
11	AJ	0.99	2/657 (0.3%)	1.87	11/881 (1.2%)
12	AK	1.19	5/462 (1.1%)	1.98	15/621 (2.4%)
13	AL	1.08	2/652 (0.3%)	1.96	14/877 (1.6%)
14	AN	1.03	4/670 (0.6%)	1.87	14/888 (1.6%)
15	AO	1.08	6/1651 (0.4%)	1.94	43/2225 (1.9%)
16	AQ	1.23	2/430 (0.5%)	2.26	19/570 (3.3%)
17	AR	1.08	2/1664 (0.1%)	1.94	46/2227 (2.1%)
18	AS	1.02	2/1118 (0.2%)	1.70	19/1504 (1.3%)
19	AT	1.03	1/835 (0.1%)	1.81	13/1128 (1.2%)
20	AU	1.12	4/1187 (0.3%)	1.97	33/1591 (2.1%)
21	AV	0.95	1/988 (0.1%)	1.65	14/1326 (1.1%)
22	AW	1.13	1/1033 (0.1%)	1.98	27/1375 (2.0%)
23	AX	1.03	2/796 (0.3%)	2.11	28/1077 (2.6%)
24	BA	2.22	97/2800 (3.5%)	3.50	592/4367 (13.6%)
25	BB	2.24	2712/69795 (3.9%)	3.62	15539/108884 (14.3%)
26	BC	1.01	1/765 (0.1%)	1.78	11/1025 (1.1%)
27	BD	1.11	4/939 (0.4%)	2.36	28/1258 (2.2%)
28	BE	1.13	2/1061 (0.2%)	1.97	25/1413 (1.8%)
29	BF	1.09	3/1092 (0.3%)	2.16	36/1460 (2.5%)
30	BG	1.16	6/1020 (0.6%)	2.13	43/1364 (3.2%)
31	BH	1.11	1/909 (0.1%)	2.12	33/1219 (2.7%)
32	BI	1.15	4/928 (0.4%)	2.04	30/1242 (2.4%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	BJ	1.18	4/959 (0.4%)	1.97	27/1278 (2.1%)
34	BK	1.05	1/828 (0.1%)	2.02	23/1107 (2.1%)
35	BL	0.98	0/863	1.86	17/1156 (1.5%)
36	BM	0.99	2/784 (0.3%)	1.93	18/1048 (1.7%)
37	BN	1.10	9/2092 (0.4%)	1.99	65/2813 (2.3%)
38	BO	1.03	1/787 (0.1%)	1.87	18/1051 (1.7%)
39	BP	1.05	1/641 (0.2%)	2.02	17/848 (2.0%)
40	BQ	1.02	0/509	2.09	13/677 (1.9%)
41	BR	0.99	2/452 (0.4%)	2.05	14/605 (2.3%)
42	BS	1.04	0/558	1.99	13/745 (1.7%)
43	BT	1.10	0/449	2.22	16/599 (2.7%)
44	BU	1.08	0/447	1.81	8/594 (1.3%)
45	BV	1.16	0/379	2.33	18/498 (3.6%)
46	BW	0.99	0/512	1.74	9/676 (1.3%)
47	BX	1.07	1/302 (0.3%)	2.23	8/397 (2.0%)
48	BY	0.99	3/1585 (0.2%)	1.98	42/2134 (2.0%)
49	BZ	0.98	3/1711 (0.2%)	1.64	26/2305 (1.1%)
50	B1	1.01	0/1570	1.86	35/2113 (1.7%)
51	B2	1.07	2/1443 (0.1%)	1.88	40/1937 (2.1%)
52	B3	1.01	0/1342	1.81	32/1816 (1.8%)
53	B4	0.97	1/1121 (0.1%)	1.74	16/1515 (1.1%)
54	B5	0.94	0/1045	1.71	11/1410 (0.8%)
55	B6	1.02	1/1135 (0.1%)	1.95	28/1529 (1.8%)
All	All	2.08	4855/162206 (3.0%)	3.29	27108/242726 (11.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	AA	0	55
1	AE	0	49
1	AP	2	50
2	AM	0	9
3	A1	4	945
4	AB	0	3
5	AC	0	3
6	AD	0	7
7	AF	0	5
8	AG	0	4
9	AH	0	5

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
10	AI	0	3
11	AJ	0	4
13	AL	0	8
14	AN	1	1
15	AO	0	3
16	AQ	0	4
17	AR	0	7
18	AS	0	3
19	AT	0	4
20	AU	0	4
21	AV	0	2
22	AW	0	4
23	AX	0	4
24	BA	0	66
25	BB	3	1717
26	BC	0	3
27	BD	0	6
28	BE	0	6
29	BF	0	4
30	BG	0	4
31	BH	0	1
32	BI	0	4
33	BJ	0	4
34	BK	0	5
35	BL	0	5
36	BM	0	1
37	BN	0	12
38	BO	0	4
39	BP	0	3
40	BQ	0	3
41	BR	0	3
42	BS	0	3
43	BT	0	2
44	BU	0	5
45	BV	0	2
46	BW	0	4
47	BX	0	2
48	BY	0	9
49	BZ	0	2
50	B1	0	9
51	B2	0	6
52	B3	0	5

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
53	B4	0	4
54	B5	0	3
55	B6	0	8
All	All	10	3101

All (4855) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	1429	A	P-O5'	178.16	3.38	1.59
3	A1	1340	A	C3'-O3'	99.95	2.82	1.42
1	AP	31	A	C4'-C3'	53.26	2.11	1.53
1	AP	31	A	C2'-C1'	45.01	2.02	1.53
1	AP	31	A	C4'-O4'	44.63	2.03	1.45
1	AP	31	A	O4'-C1'	44.29	1.99	1.41
1	AP	74	C	O3'-P	-43.71	1.08	1.61
1	AP	31	A	C3'-C2'	43.64	2.00	1.52
3	A1	1418	A	N3-C4	41.25	1.59	1.34
25	BB	1687	G	C4'-C3'	39.75	1.96	1.53
25	BB	1687	G	C2'-C1'	36.75	1.93	1.53
25	BB	1687	G	O4'-C1'	35.35	1.87	1.41
3	A1	1418	A	C6-N1	34.90	1.59	1.35
25	BB	1687	G	C3'-C2'	34.75	1.91	1.52
25	BB	1687	G	C4'-O4'	32.35	1.87	1.45
3	A1	1418	A	C5-C6	29.75	1.67	1.41
3	A1	1418	A	C5-C4	26.44	1.57	1.38
3	A1	1418	A	C2-N3	26.23	1.57	1.33
3	A1	1418	A	N1-C2	25.12	1.56	1.34
1	AP	35	A	C6-N6	-12.96	1.23	1.33
1	AP	27	C	N3-C4	-12.28	1.25	1.33
25	BB	2802	G	O3'-P	-11.90	1.46	1.61
25	BB	221	A	N7-C5	11.59	1.46	1.39
1	AP	34	G	C2-N2	-11.44	1.23	1.34
3	A1	1340	A	C3'-C2'	11.37	1.65	1.52
25	BB	903	C	C4-N4	-11.02	1.24	1.33
3	A1	872	A	N7-C5	10.94	1.45	1.39
25	BB	957	C	C4-N4	-10.93	1.24	1.33
25	BB	2799	A	N7-C5	10.76	1.45	1.39
25	BB	1583	A	N7-C5	10.76	1.45	1.39
25	BB	2327	A	N7-C5	10.71	1.45	1.39
1	AA	44	A	P-O5'	-10.64	1.49	1.59
3	A1	1365	G	N1-C2	-10.63	1.29	1.37
25	BB	2165	C	N3-C4	-10.63	1.26	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	664	G	N1-C2	-10.61	1.29	1.37
3	A1	1182	G	N1-C2	-10.60	1.29	1.37
1	AA	64	A	N7-C5	10.59	1.45	1.39
25	BB	2557	G	N7-C5	10.57	1.45	1.39
3	A1	1355	G	C2-N2	-10.53	1.24	1.34
3	A1	669	G	P-O5'	-10.47	1.49	1.59
25	BB	2222	C	C4-N4	-10.32	1.24	1.33
25	BB	149	A	N7-C5	10.31	1.45	1.39
25	BB	413	C	C4-N4	-10.29	1.24	1.33
3	A1	1175	G	P-O5'	-10.26	1.49	1.59
25	BB	497	A	P-O5'	-10.17	1.49	1.59
25	BB	1659	G	P-O5'	10.05	1.69	1.59
3	A1	413	G	P-O5'	-9.97	1.49	1.59
25	BB	1883	U	P-O5'	-9.97	1.49	1.59
25	BB	1051	G	N1-C2	-9.85	1.29	1.37
3	A1	1202	U	P-O5'	-9.79	1.50	1.59
25	BB	2376	A	C6-N1	-9.74	1.28	1.35
25	BB	274	C	C4-N4	-9.69	1.25	1.33
3	A1	328	C	C4-N4	-9.68	1.25	1.33
3	A1	200	G	N1-C2	-9.65	1.30	1.37
25	BB	249	C	N3-C4	-9.65	1.27	1.33
25	BB	838	C	C4-N4	-9.64	1.25	1.33
3	A1	646	G	N1-C2	-9.64	1.30	1.37
3	A1	1523	G	P-O5'	9.63	1.69	1.59
24	BA	117	G	N1-C2	-9.63	1.30	1.37
3	A1	539	A	P-O5'	9.63	1.69	1.59
25	BB	1888	G	C2-N2	-9.60	1.25	1.34
25	BB	1836	C	C4-N4	-9.57	1.25	1.33
25	BB	2558	C	C4-N4	-9.54	1.25	1.33
3	A1	51	A	O3'-P	-9.53	1.49	1.61
25	BB	2766	A	N7-C5	9.50	1.45	1.39
3	A1	1268	G	P-O5'	9.50	1.69	1.59
1	AA	56	C	C4-N4	-9.48	1.25	1.33
3	A1	107	G	O3'-P	-9.43	1.49	1.61
3	A1	1219	A	O3'-P	-9.42	1.49	1.61
3	A1	1082	A	O3'-P	-9.40	1.49	1.61
3	A1	1529	G	N1-C2	-9.36	1.30	1.37
3	A1	1340	A	C4'-C3'	9.35	1.63	1.53
24	BA	90	C	O3'-P	-9.29	1.50	1.61
25	BB	1205	A	N3-C4	9.27	1.40	1.34
3	A1	435	A	C6-N1	-9.26	1.29	1.35
25	BB	804	A	N7-C5	9.26	1.44	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	255	G	P-O5'	9.26	1.69	1.59
3	A1	795	C	N3-C4	-9.25	1.27	1.33
3	A1	781	A	C6-N1	-9.24	1.29	1.35
25	BB	1560	G	O3'-P	-9.23	1.50	1.61
3	A1	894	G	P-O5'	-9.21	1.50	1.59
25	BB	69	C	N3-C4	-9.19	1.27	1.33
25	BB	1910	G	P-O5'	9.14	1.68	1.59
3	A1	478	A	N7-C5	9.11	1.44	1.39
25	BB	1489	C	P-O5'	9.10	1.68	1.59
1	AP	27	C	C4-N4	-9.05	1.25	1.33
25	BB	342	A	N7-C5	9.05	1.44	1.39
3	A1	1135	U	P-O5'	-9.03	1.50	1.59
25	BB	1027	A	N7-C5	9.03	1.44	1.39
25	BB	1863	G	N1-C2	-9.02	1.30	1.37
1	AA	34	G	C2-N2	-9.01	1.25	1.34
3	A1	1352	C	P-O5'	-8.96	1.50	1.59
25	BB	1738	G	P-O5'	8.95	1.68	1.59
25	BB	2	G	O3'-P	-8.94	1.50	1.61
3	A1	608	A	N7-C5	8.92	1.44	1.39
3	A1	1395	C	C4-N4	-8.88	1.25	1.33
25	BB	2529	G	N7-C5	8.87	1.44	1.39
25	BB	753	A	O3'-P	-8.87	1.50	1.61
3	A1	1316	G	N1-C2	-8.84	1.30	1.37
25	BB	1538	G	C2-N2	-8.83	1.25	1.34
25	BB	1694	C	P-O5'	8.82	1.68	1.59
25	BB	1458	U	P-O5'	8.82	1.68	1.59
25	BB	1334	G	N1-C2	-8.81	1.30	1.37
25	BB	1946	U	P-O5'	8.81	1.68	1.59
25	BB	2532	G	N7-C5	8.80	1.44	1.39
1	AP	34	G	N1-C2	-8.78	1.30	1.37
3	A1	207	C	O3'-P	-8.78	1.50	1.61
3	A1	412	A	N3-C4	8.77	1.40	1.34
25	BB	1975	G	P-O5'	-8.77	1.50	1.59
3	A1	92	U	P-O5'	-8.77	1.50	1.59
1	AE	20	G	N7-C5	8.76	1.44	1.39
25	BB	205	G	N1-C2	-8.76	1.30	1.37
3	A1	342	C	C4-N4	-8.73	1.26	1.33
3	A1	1262	C	C4-N4	-8.72	1.26	1.33
25	BB	2336	A	N7-C5	8.71	1.44	1.39
3	A1	127	G	O3'-P	-8.71	1.50	1.61
1	AP	45	G	O3'-P	-8.71	1.50	1.61
3	A1	193	C	N1-C6	8.70	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	BA	13	G	C2-N2	-8.70	1.25	1.34
3	A1	68	G	P-O5'	8.69	1.68	1.59
3	A1	1106	G	N7-C5	8.68	1.44	1.39
3	A1	721	G	N1-C2	-8.68	1.30	1.37
25	BB	2140	G	P-O5'	8.68	1.68	1.59
3	A1	1368	A	P-O5'	-8.66	1.51	1.59
3	A1	611	C	N3-C4	-8.65	1.27	1.33
25	BB	271	G	C2-N2	-8.65	1.25	1.34
25	BB	838	C	N3-C4	-8.64	1.27	1.33
25	BB	1951	U	O3'-P	-8.63	1.50	1.61
3	A1	531	U	C5'-C4'	8.62	1.61	1.51
25	BB	462	C	N3-C4	-8.62	1.27	1.33
25	BB	334	C	N3-C4	-8.62	1.27	1.33
1	AE	26	G	O3'-P	-8.61	1.50	1.61
3	A1	904	U	P-O5'	-8.61	1.51	1.59
25	BB	1435	G	O3'-P	-8.61	1.50	1.61
3	A1	99	C	P-O5'	-8.61	1.51	1.59
25	BB	1171	G	N7-C5	8.60	1.44	1.39
3	A1	492	C	C4-N4	-8.59	1.26	1.33
3	A1	212	G	N3-C4	8.59	1.41	1.35
25	BB	2371	G	C2-N2	-8.58	1.25	1.34
25	BB	1289	C	C4-N4	-8.58	1.26	1.33
25	BB	2307	G	C2-N2	-8.58	1.25	1.34
25	BB	2341	G	P-O5'	8.58	1.68	1.59
3	A1	1362	A	O3'-P	-8.56	1.50	1.61
25	BB	702	U	O3'-P	-8.56	1.50	1.61
3	A1	1013	G	O3'-P	-8.55	1.50	1.61
3	A1	1257	A	O3'-P	-8.55	1.50	1.61
25	BB	296	U	P-O5'	8.54	1.68	1.59
25	BB	2158	A	N7-C5	8.54	1.44	1.39
1	AA	65	G	O3'-P	-8.54	1.50	1.61
25	BB	2248	C	C4-N4	-8.54	1.26	1.33
25	BB	141	G	N1-C2	-8.53	1.30	1.37
25	BB	1544	A	N7-C5	8.53	1.44	1.39
25	BB	544	C	C4-C5	-8.53	1.36	1.43
25	BB	978	G	O3'-P	-8.53	1.50	1.61
25	BB	2112	G	C2-N2	-8.50	1.26	1.34
3	A1	77	A	N7-C5	8.50	1.44	1.39
25	BB	414	C	P-O5'	8.49	1.68	1.59
25	BB	1925	C	N3-C4	-8.47	1.28	1.33
3	A1	1488	G	C2-N2	-8.47	1.26	1.34
3	A1	1529	G	C2-N2	-8.47	1.26	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AP	49	C	P-O5'	8.46	1.68	1.59
25	BB	2628	C	O3'-P	-8.46	1.51	1.61
25	BB	1893	C	C4-N4	-8.44	1.26	1.33
3	A1	1513	A	C6-N6	-8.44	1.27	1.33
25	BB	33	C	C4-N4	-8.44	1.26	1.33
3	A1	1241	G	C2-N2	-8.43	1.26	1.34
25	BB	236	C	C4-N4	-8.43	1.26	1.33
25	BB	2139	U	P-O5'	8.43	1.68	1.59
2	AM	9	U	C2-N3	8.42	1.43	1.37
3	A1	1531	A	O3'-P	-8.42	1.51	1.61
1	AE	21	A	P-O5'	-8.41	1.51	1.59
3	A1	381	C	C4-N4	-8.41	1.26	1.33
25	BB	2308	G	C2-N2	-8.41	1.26	1.34
25	BB	1	G	C2-N2	-8.40	1.26	1.34
25	BB	1382	G	N7-C5	8.39	1.44	1.39
3	A1	110	C	C4-N4	-8.37	1.26	1.33
25	BB	32	C	C4-N4	-8.36	1.26	1.33
25	BB	2730	C	C4-N4	-8.36	1.26	1.33
1	AP	35	A	N1-C2	8.35	1.41	1.34
3	A1	201	G	N1-C2	-8.35	1.31	1.37
3	A1	1053	G	N3-C4	8.35	1.41	1.35
1	AA	48	C	C4-N4	-8.34	1.26	1.33
1	AP	67	A	P-O5'	-8.34	1.51	1.59
3	A1	1412	C	C4-N4	-8.34	1.26	1.33
3	A1	361	G	P-O5'	-8.34	1.51	1.59
25	BB	2743	U	P-O5'	-8.33	1.51	1.59
3	A1	634	C	C4-N4	-8.33	1.26	1.33
1	AA	71	G	N1-C2	-8.33	1.31	1.37
3	A1	1138	G	N1-C2	-8.32	1.31	1.37
25	BB	526	A	N7-C5	8.32	1.44	1.39
1	AA	72	C	P-O5'	8.31	1.68	1.59
3	A1	65	A	C6-N6	-8.31	1.27	1.33
3	A1	724	G	C6-N1	-8.31	1.33	1.39
25	BB	1989	G	C2-N2	-8.30	1.26	1.34
3	A1	1230	C	C4-N4	-8.30	1.26	1.33
25	BB	547	A	C6-N6	-8.30	1.27	1.33
25	BB	2805	C	C4-N4	-8.30	1.26	1.33
3	A1	362	G	C2-N2	-8.29	1.26	1.34
25	BB	981	A	N7-C5	8.29	1.44	1.39
1	AE	18	G	N1-C2	-8.29	1.31	1.37
25	BB	352	A	P-O5'	-8.29	1.51	1.59
3	A1	1441	A	O3'-P	-8.28	1.51	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	736	C	C4-N4	-8.28	1.26	1.33
3	A1	1256	A	N7-C5	8.28	1.44	1.39
25	BB	658	U	O3'-P	-8.26	1.51	1.61
25	BB	602	A	N7-C5	8.26	1.44	1.39
25	BB	851	C	N3-C4	-8.26	1.28	1.33
3	A1	1492	A	O3'-P	-8.25	1.51	1.61
1	AA	1	G	N3-C4	8.25	1.41	1.35
1	AA	60	C	C4-N4	-8.24	1.26	1.33
3	A1	1011	C	C4-N4	-8.24	1.26	1.33
25	BB	1606	C	C4-N4	-8.21	1.26	1.33
3	A1	849	G	N1-C2	-8.21	1.31	1.37
3	A1	1115	U	O3'-P	-8.20	1.51	1.61
25	BB	1929	G	P-O5'	8.20	1.68	1.59
1	AE	72	C	C4-N4	-8.19	1.26	1.33
3	A1	918	A	P-O5'	-8.18	1.51	1.59
3	A1	498	A	P-O5'	-8.17	1.51	1.59
25	BB	1451	C	C4-N4	-8.17	1.26	1.33
3	A1	116	A	N7-C5	8.16	1.44	1.39
25	BB	1315	C	C4-N4	-8.16	1.26	1.33
25	BB	2671	G	P-O5'	-8.16	1.51	1.59
3	A1	969	A	N7-C5	8.16	1.44	1.39
25	BB	1675	C	N3-C4	-8.15	1.28	1.33
25	BB	85	G	N1-C2	-8.14	1.31	1.37
25	BB	539	G	C2-N2	-8.14	1.26	1.34
25	BB	1985	C	C4-N4	-8.14	1.26	1.33
25	BB	1549	A	C6-N1	-8.13	1.29	1.35
25	BB	7	G	C2-N2	-8.13	1.26	1.34
25	BB	1918	A	N7-C5	8.12	1.44	1.39
25	BB	1250	G	N7-C5	8.12	1.44	1.39
3	A1	532	A	C6-N1	-8.12	1.29	1.35
25	BB	537	G	C2-N2	-8.12	1.26	1.34
1	AA	56	C	N3-C4	-8.11	1.28	1.33
3	A1	1167	A	O3'-P	-8.10	1.51	1.61
25	BB	1941	C	N3-C4	-8.10	1.28	1.33
25	BB	2484	G	N1-C2	-8.10	1.31	1.37
25	BB	1873	G	N1-C2	-8.09	1.31	1.37
25	BB	2217	G	N1-C2	-8.09	1.31	1.37
3	A1	55	A	N7-C5	8.09	1.44	1.39
25	BB	2350	C	C4-N4	-8.09	1.26	1.33
25	BB	2110	G	C2-N2	-8.09	1.26	1.34
3	A1	810	C	C4-N4	-8.08	1.26	1.33
25	BB	1522	A	O3'-P	-8.08	1.51	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	475	C	C4-N4	-8.08	1.26	1.33
3	A1	258	G	C2-N2	-8.07	1.26	1.34
3	A1	950	U	P-O5'	-8.07	1.51	1.59
25	BB	294	A	O3'-P	-8.06	1.51	1.61
25	BB	2710	C	N3-C4	-8.06	1.28	1.33
3	A1	1088	G	C2-N2	-8.06	1.26	1.34
25	BB	2411	A	N7-C5	8.05	1.44	1.39
25	BB	336	C	O3'-P	-8.05	1.51	1.61
25	BB	926	G	N7-C5	8.05	1.44	1.39
3	A1	1396	A	N7-C5	8.04	1.44	1.39
3	A1	978	A	N7-C5	8.04	1.44	1.39
25	BB	80	G	N1-C2	-8.03	1.31	1.37
25	BB	987	C	N3-C4	-8.03	1.28	1.33
3	A1	258	G	N1-C2	-8.03	1.31	1.37
25	BB	1408	G	N1-C2	-8.02	1.31	1.37
25	BB	2734	A	N3-C4	8.02	1.39	1.34
3	A1	65	A	N7-C5	8.02	1.44	1.39
25	BB	2549	G	N1-C2	-8.02	1.31	1.37
25	BB	2813	A	N3-C4	8.01	1.39	1.34
25	BB	1398	C	N3-C4	-8.01	1.28	1.33
25	BB	1239	G	N1-C2	-8.01	1.31	1.37
25	BB	1500	G	N1-C2	-8.00	1.31	1.37
3	A1	381	C	P-O5'	-8.00	1.51	1.59
25	BB	1359	A	C6-N1	-8.00	1.29	1.35
3	A1	760	G	N1-C2	-7.99	1.31	1.37
25	BB	1953	A	N7-C5	7.99	1.44	1.39
3	A1	288	A	C6-N6	-7.99	1.27	1.33
3	A1	412	A	C6-N1	-7.99	1.29	1.35
25	BB	307	G	N7-C5	7.99	1.44	1.39
25	BB	603	A	N7-C5	7.99	1.44	1.39
1	AP	36	A	C5'-C4'	7.98	1.60	1.51
25	BB	2308	G	N7-C5	7.98	1.44	1.39
25	BB	1232	G	C2-N2	-7.96	1.26	1.34
25	BB	2891	U	P-O5'	-7.95	1.51	1.59
3	A1	986	U	O3'-P	-7.95	1.51	1.61
3	A1	43	C	C4-N4	-7.94	1.26	1.33
3	A1	348	G	C2-N2	-7.94	1.26	1.34
1	AE	40	C	C4-N4	-7.94	1.26	1.33
25	BB	1681	G	N1-C2	-7.94	1.31	1.37
25	BB	1745	A	C5'-C4'	7.94	1.60	1.51
3	A1	1094	G	N1-C2	-7.93	1.31	1.37
3	A1	1249	C	C4-N4	-7.93	1.26	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	144	A	C6-N1	-7.93	1.29	1.35
25	BB	1530	G	N1-C2	-7.93	1.31	1.37
3	A1	321	A	C6-N6	-7.92	1.27	1.33
25	BB	1804	C	C4-N4	-7.92	1.26	1.33
25	BB	1	G	N1-C2	-7.92	1.31	1.37
25	BB	2153	C	P-O5'	-7.92	1.51	1.59
3	A1	631	C	C4-N4	-7.92	1.26	1.33
25	BB	2181	U	P-O5'	-7.92	1.51	1.59
25	BB	456	C	C4-N4	-7.92	1.26	1.33
25	BB	426	C	C4-N4	-7.92	1.26	1.33
25	BB	2541	A	N7-C5	7.92	1.44	1.39
25	BB	1102	C	C4-N4	-7.92	1.26	1.33
25	BB	136	G	C2-N2	-7.91	1.26	1.34
25	BB	2165	C	C4-N4	-7.91	1.26	1.33
25	BB	2462	C	C4-N4	-7.91	1.26	1.33
25	BB	2895	G	O3'-P	-7.91	1.51	1.61
3	A1	1397	C	C4-N4	-7.90	1.26	1.33
25	BB	889	C	C4-N4	-7.90	1.26	1.33
3	A1	360	G	C2-N2	-7.90	1.26	1.34
24	BA	85	G	C2-N2	-7.89	1.26	1.34
3	A1	1369	C	O3'-P	-7.89	1.51	1.61
25	BB	1441	G	N1-C2	-7.89	1.31	1.37
3	A1	1284	C	C4-N4	-7.89	1.26	1.33
3	A1	454	G	N1-C2	-7.89	1.31	1.37
5	AC	97	ARG	CZ-NH1	-7.89	1.22	1.33
25	BB	1694	C	C4-N4	-7.89	1.26	1.33
25	BB	1914	C	P-O5'	-7.89	1.51	1.59
3	A1	879	C	P-O5'	-7.87	1.51	1.59
25	BB	1072	C	N3-C4	-7.87	1.28	1.33
25	BB	446	G	N7-C5	7.87	1.44	1.39
25	BB	112	U	O3'-P	-7.87	1.51	1.61
25	BB	1072	C	O3'-P	-7.87	1.51	1.61
25	BB	1000	A	P-O5'	7.86	1.67	1.59
3	A1	818	G	N7-C5	7.86	1.44	1.39
25	BB	81	G	C2-N2	-7.86	1.26	1.34
3	A1	360	G	O3'-P	-7.85	1.51	1.61
1	AE	60	C	C4-N4	-7.85	1.26	1.33
25	BB	1530	G	N7-C5	7.85	1.44	1.39
25	BB	2465	C	N3-C4	-7.84	1.28	1.33
3	A1	1045	C	C4-N4	-7.84	1.26	1.33
25	BB	2566	A	N3-C4	7.84	1.39	1.34
25	BB	1959	G	N7-C5	7.84	1.44	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	43	G	C2-N2	-7.83	1.26	1.34
25	BB	574	A	N7-C5	7.83	1.44	1.39
1	AA	42	G	N7-C5	7.83	1.44	1.39
3	A1	284	C	N3-C4	-7.83	1.28	1.33
25	BB	20	C	C4-N4	-7.83	1.26	1.33
25	BB	2161	C	N3-C4	-7.82	1.28	1.33
3	A1	460	A	N7-C5	7.81	1.44	1.39
25	BB	304	U	P-O5'	-7.81	1.51	1.59
3	A1	1141	C	C4-N4	-7.81	1.26	1.33
25	BB	2656	U	P-O5'	-7.81	1.51	1.59
3	A1	175	C	N3-C4	-7.81	1.28	1.33
25	BB	602	A	N3-C4	7.81	1.39	1.34
25	BB	1475	G	N1-C2	-7.81	1.31	1.37
25	BB	1399	C	C4-N4	-7.80	1.26	1.33
25	BB	203	A	P-O5'	-7.80	1.51	1.59
1	AA	11	C	C4-N4	-7.80	1.26	1.33
25	BB	2269	G	N7-C5	7.80	1.44	1.39
25	BB	159	G	O3'-P	-7.79	1.51	1.61
3	A1	132	C	N3-C4	-7.79	1.28	1.33
3	A1	459	A	N3-C4	7.79	1.39	1.34
3	A1	453	G	C2-N2	-7.79	1.26	1.34
3	A1	351	G	N7-C5	7.78	1.44	1.39
25	BB	475	C	N3-C4	-7.78	1.28	1.33
3	A1	533	A	N7-C5	7.78	1.44	1.39
3	A1	75	G	C2-N2	-7.78	1.26	1.34
25	BB	2834	G	O3'-P	-7.77	1.51	1.61
3	A1	1534	A	C6-N6	-7.76	1.27	1.33
25	BB	2293	G	P-O5'	7.76	1.67	1.59
1	AA	37	G	N1-C2	-7.75	1.31	1.37
25	BB	80	G	P-O5'	-7.75	1.51	1.59
1	AE	51	G	N7-C5	7.75	1.43	1.39
25	BB	1724	G	P-O5'	-7.75	1.52	1.59
1	AA	71	G	N7-C5	7.74	1.43	1.39
25	BB	2831	G	C2-N2	-7.74	1.26	1.34
3	A1	946	A	N7-C5	7.73	1.43	1.39
25	BB	2066	C	N3-C4	-7.73	1.28	1.33
3	A1	980	C	N3-C4	-7.73	1.28	1.33
3	A1	371	A	N7-C5	7.73	1.43	1.39
25	BB	1966	A	N3-C4	7.73	1.39	1.34
25	BB	2483	C	N3-C4	-7.73	1.28	1.33
25	BB	2787	C	C4-N4	-7.72	1.26	1.33
25	BB	1924	C	C4-N4	-7.72	1.27	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	2371	G	N1-C2	-7.72	1.31	1.37
3	A1	845	A	C6-N6	-7.71	1.27	1.33
25	BB	1072	C	C4-N4	-7.71	1.27	1.33
25	BB	2253	G	C2-N2	-7.71	1.26	1.34
25	BB	1870	C	P-O5'	7.71	1.67	1.59
1	AA	36	A	P-O5'	7.70	1.67	1.59
25	BB	1047	G	C2-N2	-7.70	1.26	1.34
3	A1	954	G	N7-C5	7.69	1.43	1.39
3	A1	206	C	C4-N4	-7.69	1.27	1.33
3	A1	1405	G	N1-C2	-7.69	1.31	1.37
25	BB	2188	U	P-O5'	7.69	1.67	1.59
3	A1	754	C	O3'-P	-7.69	1.51	1.61
3	A1	993	G	N1-C2	-7.69	1.31	1.37
3	A1	52	C	C4-N4	-7.68	1.27	1.33
3	A1	846	G	N1-C2	-7.68	1.31	1.37
25	BB	2547	A	N7-C5	7.68	1.43	1.39
3	A1	1178	G	C2-N2	-7.68	1.26	1.34
25	BB	312	G	C2-N2	-7.68	1.26	1.34
25	BB	1582	C	C4-N4	-7.68	1.27	1.33
3	A1	1136	C	O3'-P	-7.67	1.51	1.61
25	BB	2208	C	P-O5'	7.67	1.67	1.59
25	BB	1496	A	C6-N1	-7.67	1.30	1.35
25	BB	1916	A	C6-N1	-7.67	1.30	1.35
3	A1	934	C	C4-N4	-7.67	1.27	1.33
25	BB	838	C	P-O5'	-7.67	1.52	1.59
25	BB	2279	G	P-O5'	7.67	1.67	1.59
3	A1	1476	A	O3'-P	-7.67	1.51	1.61
25	BB	1432	G	O3'-P	-7.67	1.51	1.61
3	A1	1419	G	C2-N2	-7.66	1.26	1.34
25	BB	2618	G	C2-N2	-7.66	1.26	1.34
3	A1	528	C	C4-N4	-7.66	1.27	1.33
25	BB	428	A	N7-C5	7.66	1.43	1.39
3	A1	22	G	P-O5'	-7.66	1.52	1.59
3	A1	539	A	C6-N6	-7.66	1.27	1.33
25	BB	1564	C	C4-N4	-7.65	1.27	1.33
25	BB	1728	C	C4-N4	-7.65	1.27	1.33
3	A1	377	G	C2-N2	-7.65	1.26	1.34
3	A1	728	A	C6-N6	-7.65	1.27	1.33
3	A1	1078	U	P-O5'	-7.65	1.52	1.59
3	A1	1405	G	C2-N2	-7.64	1.26	1.34
25	BB	1091	G	C2-N2	-7.64	1.26	1.34
25	BB	2753	A	C6-N1	-7.64	1.30	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	573	A	N3-C4	7.64	1.39	1.34
25	BB	2606	C	C4-N4	-7.64	1.27	1.33
25	BB	1237	A	C6-N6	-7.63	1.27	1.33
3	A1	663	A	C6-N1	-7.63	1.30	1.35
25	BB	655	A	N7-C5	7.63	1.43	1.39
3	A1	63	C	N3-C4	-7.62	1.28	1.33
25	BB	1601	G	P-O5'	7.62	1.67	1.59
3	A1	431	A	O3'-P	-7.62	1.52	1.61
25	BB	2230	G	N1-C2	-7.62	1.31	1.37
3	A1	817	C	P-O5'	7.62	1.67	1.59
3	A1	1452	C	C4-N4	-7.62	1.27	1.33
1	AA	29	A	C6-N1	-7.61	1.30	1.35
3	A1	517	G	C2-N2	-7.61	1.26	1.34
25	BB	1027	A	P-O5'	7.61	1.67	1.59
3	A1	846	G	C2-N2	-7.60	1.26	1.34
25	BB	489	G	N1-C2	-7.60	1.31	1.37
3	A1	181	A	P-O5'	-7.60	1.52	1.59
25	BB	179	C	N3-C4	-7.59	1.28	1.33
25	BB	2846	G	C2-N2	-7.59	1.26	1.34
25	BB	1404	C	C4-N4	-7.59	1.27	1.33
25	BB	134	G	N1-C2	-7.59	1.31	1.37
25	BB	8	C	C4-N4	-7.58	1.27	1.33
3	A1	556	C	C4-N4	-7.58	1.27	1.33
25	BB	2648	G	P-O5'	7.58	1.67	1.59
25	BB	669	G	N1-C2	-7.58	1.31	1.37
3	A1	35	G	C2-N2	-7.57	1.26	1.34
25	BB	229	C	P-O5'	-7.57	1.52	1.59
3	A1	587	G	C2-N2	-7.57	1.26	1.34
25	BB	1003	G	C2-N2	-7.56	1.26	1.34
3	A1	1097	C	C4-N4	-7.56	1.27	1.33
3	A1	722	G	O3'-P	-7.55	1.52	1.61
25	BB	804	A	C6-N1	-7.55	1.30	1.35
25	BB	1053	C	O3'-P	-7.55	1.52	1.61
25	BB	1146	C	C4-N4	-7.55	1.27	1.33
25	BB	1957	C	C4-N4	-7.55	1.27	1.33
25	BB	1863	G	C2-N2	-7.54	1.27	1.34
3	A1	669	G	C2-N2	-7.54	1.27	1.34
1	AA	14	A	C6-N1	-7.54	1.30	1.35
25	BB	1416	G	C2-N2	-7.54	1.27	1.34
25	BB	1507	C	C4-N4	-7.54	1.27	1.33
25	BB	2103	C	N3-C4	-7.54	1.28	1.33
25	BB	2395	C	C4-N4	-7.53	1.27	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	1764	C	P-O5'	7.53	1.67	1.59
3	A1	75	G	O3'-P	-7.53	1.52	1.61
1	AE	24	G	O3'-P	-7.53	1.52	1.61
25	BB	2805	C	N3-C4	-7.52	1.28	1.33
3	A1	912	C	O3'-P	-7.52	1.52	1.61
25	BB	1585	C	C4-N4	-7.52	1.27	1.33
25	BB	2316	G	C2-N2	-7.52	1.27	1.34
25	BB	1459	G	C5-C6	7.51	1.49	1.42
1	AP	36	A	C4'-C3'	7.51	1.61	1.53
3	A1	442	G	C6-N1	-7.51	1.34	1.39
3	A1	454	G	C2-N2	-7.51	1.27	1.34
3	A1	40	C	C4-N4	-7.51	1.27	1.33
25	BB	350	G	N1-C2	-7.51	1.31	1.37
3	A1	517	G	O3'-P	-7.50	1.52	1.61
25	BB	1942	C	O3'-P	7.50	1.70	1.61
25	BB	180	G	C2-N2	-7.50	1.27	1.34
3	A1	204	G	C2-N2	-7.50	1.27	1.34
3	A1	455	G	N3-C4	7.50	1.40	1.35
3	A1	222	C	C4-N4	-7.50	1.27	1.33
25	BB	2641	G	N1-C2	-7.50	1.31	1.37
1	AP	69	U	C2-N3	-7.49	1.32	1.37
3	A1	999	C	C4-N4	-7.49	1.27	1.33
3	A1	1024	G	O3'-P	-7.49	1.52	1.61
3	A1	942	G	C2-N2	-7.49	1.27	1.34
3	A1	1188	A	N7-C5	7.49	1.43	1.39
3	A1	1282	C	C4-N4	-7.49	1.27	1.33
25	BB	1557	C	C4-N4	-7.49	1.27	1.33
3	A1	357	G	N1-C2	-7.48	1.31	1.37
3	A1	1006	G	P-O5'	-7.48	1.52	1.59
3	A1	193	C	C4-N4	-7.47	1.27	1.33
25	BB	2658	C	O3'-P	-7.47	1.52	1.61
3	A1	1316	G	N7-C5	7.47	1.43	1.39
25	BB	1805	A	N7-C5	7.47	1.43	1.39
1	AA	75	C	C2-N3	7.46	1.41	1.35
3	A1	620	C	N3-C4	-7.46	1.28	1.33
25	BB	818	G	C2-N2	-7.46	1.27	1.34
25	BB	880	G	N7-C5	7.46	1.43	1.39
25	BB	2866	U	P-O5'	7.46	1.67	1.59
3	A1	82	G	C2-N2	-7.45	1.27	1.34
1	AA	3	G	N7-C5	7.45	1.43	1.39
25	BB	1925	C	C4-N4	-7.45	1.27	1.33
25	BB	2704	C	N3-C4	-7.45	1.28	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	970	C	C4-N4	-7.45	1.27	1.33
25	BB	605	G	N1-C2	-7.44	1.31	1.37
1	AA	57	G	N1-C2	-7.44	1.31	1.37
3	A1	1399	C	N3-C4	-7.43	1.28	1.33
25	BB	1736	U	P-O5'	7.43	1.67	1.59
3	A1	688	G	C2-N2	-7.43	1.27	1.34
25	BB	2408	U	O3'-P	-7.43	1.52	1.61
3	A1	926	G	O3'-P	-7.43	1.52	1.61
25	BB	308	G	N1-C2	-7.42	1.31	1.37
25	BB	2785	C	C4-N4	-7.42	1.27	1.33
25	BB	1037	G	C2-N2	-7.42	1.27	1.34
3	A1	170	U	O3'-P	7.42	1.70	1.61
3	A1	212	G	N1-C2	-7.42	1.31	1.37
3	A1	601	G	N1-C2	-7.42	1.31	1.37
3	A1	199	A	P-O5'	-7.42	1.52	1.59
25	BB	2900	A	N3-C4	7.41	1.39	1.34
3	A1	362	G	P-O5'	-7.41	1.52	1.59
25	BB	392	U	O3'-P	-7.41	1.52	1.61
25	BB	2824	C	C4-N4	-7.41	1.27	1.33
25	BB	1869	G	O3'-P	-7.41	1.52	1.61
49	BZ	122	ARG	CZ-NH1	-7.41	1.23	1.33
25	BB	873	C	N3-C4	-7.40	1.28	1.33
25	BB	134	G	P-O5'	7.40	1.67	1.59
24	BA	18	G	O3'-P	-7.40	1.52	1.61
25	BB	1981	A	C3'-C2'	7.40	1.61	1.52
25	BB	2044	C	C4-N4	-7.39	1.27	1.33
3	A1	990	C	N3-C4	-7.39	1.28	1.33
25	BB	652	U	O3'-P	7.39	1.70	1.61
25	BB	954	G	N1-C2	-7.39	1.31	1.37
25	BB	2148	G	P-O5'	7.38	1.67	1.59
3	A1	1058	G	C2-N2	-7.38	1.27	1.34
25	BB	1870	C	C4-N4	-7.38	1.27	1.33
3	A1	192	A	N7-C5	7.38	1.43	1.39
3	A1	993	G	C3'-C2'	7.37	1.61	1.52
3	A1	1210	C	C4-N4	-7.37	1.27	1.33
25	BB	1223	G	N7-C5	7.37	1.43	1.39
1	AA	28	C	N3-C4	-7.37	1.28	1.33
3	A1	1379	G	P-O5'	-7.37	1.52	1.59
3	A1	269	C	C4-N4	-7.36	1.27	1.33
25	BB	1150	C	N3-C4	-7.36	1.28	1.33
25	BB	1388	G	N1-C2	-7.36	1.31	1.37
25	BB	1875	G	C2-N2	-7.36	1.27	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	1916	A	N7-C5	7.36	1.43	1.39
3	A1	958	A	N7-C5	7.36	1.43	1.39
3	A1	64	G	C2-N2	-7.36	1.27	1.34
3	A1	76	G	C2-N2	-7.36	1.27	1.34
25	BB	1893	C	P-O5'	7.36	1.67	1.59
25	BB	2860	A	N3-C4	7.36	1.39	1.34
3	A1	1254	A	N3-C4	7.36	1.39	1.34
25	BB	2006	C	N3-C4	-7.35	1.28	1.33
25	BB	1721	G	C6-N1	-7.35	1.34	1.39
25	BB	110	G	C2-N2	-7.35	1.27	1.34
25	BB	2667	C	C4-N4	-7.35	1.27	1.33
3	A1	528	C	N1-C6	7.34	1.41	1.37
25	BB	2138	G	C2-N2	-7.34	1.27	1.34
25	BB	2379	G	N1-C2	-7.34	1.31	1.37
25	BB	249	C	C4-N4	-7.34	1.27	1.33
25	BB	2529	G	C5-C6	7.34	1.49	1.42
25	BB	1383	A	N7-C5	7.34	1.43	1.39
3	A1	1115	U	P-O5'	-7.34	1.52	1.59
3	A1	1120	C	C4-N4	-7.33	1.27	1.33
3	A1	1041	G	N7-C5	7.33	1.43	1.39
25	BB	2214	C	P-O5'	-7.33	1.52	1.59
3	A1	538	G	N1-C2	-7.33	1.31	1.37
3	A1	791	G	N7-C5	7.33	1.43	1.39
25	BB	1102	C	P-O5'	7.33	1.67	1.59
25	BB	1597	A	C6-N1	-7.32	1.30	1.35
25	BB	1625	C	N3-C4	-7.32	1.28	1.33
3	A1	134	G	C2-N2	-7.32	1.27	1.34
25	BB	393	C	N3-C4	-7.32	1.28	1.33
25	BB	2896	C	C4-N4	-7.32	1.27	1.33
25	BB	1087	G	C2-N2	-7.32	1.27	1.34
3	A1	1108	G	C2-N2	-7.32	1.27	1.34
25	BB	945	A	N7-C5	7.32	1.43	1.39
25	BB	1583	A	N3-C4	7.32	1.39	1.34
25	BB	1726	C	C4-N4	-7.32	1.27	1.33
25	BB	1428	C	N3-C4	-7.31	1.28	1.33
25	BB	1286	A	C6-N6	-7.31	1.28	1.33
25	BB	2666	C	N3-C4	-7.31	1.28	1.33
3	A1	794	A	O3'-P	-7.31	1.52	1.61
25	BB	1721	G	N1-C2	-7.31	1.31	1.37
25	BB	212	G	C2-N2	-7.30	1.27	1.34
25	BB	814	C	C4-N4	-7.30	1.27	1.33
3	A1	301	G	C2-N2	-7.30	1.27	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	BA	73	A	N3-C4	7.30	1.39	1.34
3	A1	999	C	P-O5'	-7.29	1.52	1.59
3	A1	62	U	P-O5'	7.29	1.67	1.59
3	A1	674	G	C2-N2	-7.29	1.27	1.34
25	BB	2619	C	C4-N4	-7.29	1.27	1.33
25	BB	1942	C	N3-C4	-7.29	1.28	1.33
7	AF	100	ARG	CZ-NH2	-7.29	1.23	1.33
3	A1	203	G	P-O5'	7.29	1.67	1.59
24	BA	10	G	P-O5'	-7.29	1.52	1.59
3	A1	645	G	C2-N2	-7.29	1.27	1.34
25	BB	260	G	O3'-P	-7.28	1.52	1.61
25	BB	2258	C	C4-N4	-7.28	1.27	1.33
3	A1	679	C	C4-N4	-7.28	1.27	1.33
25	BB	655	A	P-O5'	7.28	1.67	1.59
25	BB	2721	A	P-O5'	-7.28	1.52	1.59
2	AM	6	U	O3'-P	-7.27	1.52	1.61
3	A1	1238	A	N3-C4	7.27	1.39	1.34
1	AA	24	G	C2-N2	-7.27	1.27	1.34
3	A1	237	G	C2-N2	-7.27	1.27	1.34
3	A1	1024	G	C2-N2	-7.27	1.27	1.34
3	A1	549	C	C4-N4	-7.27	1.27	1.33
25	BB	2402	U	C2-N3	-7.26	1.32	1.37
25	BB	93	G	N1-C2	-7.26	1.31	1.37
25	BB	1030	C	C4-N4	-7.26	1.27	1.33
1	AP	23	A	N3-C4	7.26	1.39	1.34
24	BA	38	C	C4-N4	-7.25	1.27	1.33
25	BB	1668	A	N7-C5	7.25	1.43	1.39
3	A1	1438	G	N7-C5	7.25	1.43	1.39
25	BB	2599	G	N7-C5	7.25	1.43	1.39
3	A1	109	A	C6-N1	-7.25	1.30	1.35
25	BB	2193	G	C2-N2	-7.25	1.27	1.34
25	BB	2764	A	O3'-P	-7.25	1.52	1.61
25	BB	1420	A	P-O5'	7.24	1.67	1.59
25	BB	707	G	N1-C2	-7.24	1.31	1.37
3	A1	1520	C	N3-C4	-7.24	1.28	1.33
3	A1	946	A	C6-N1	-7.24	1.30	1.35
25	BB	2307	G	O3'-P	-7.23	1.52	1.61
3	A1	1250	A	C6-N1	-7.23	1.30	1.35
25	BB	1085	A	C6-N1	-7.23	1.30	1.35
3	A1	1369	C	N3-C4	-7.23	1.28	1.33
25	BB	2557	G	C2-N2	-7.23	1.27	1.34
3	A1	1030	U	O3'-P	-7.23	1.52	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	1280	G	P-O5'	-7.23	1.52	1.59
25	BB	825	A	C6-N6	-7.22	1.28	1.33
25	BB	707	G	C2-N2	-7.22	1.27	1.34
25	BB	2835	A	P-O5'	-7.21	1.52	1.59
25	BB	2599	G	C2-N2	-7.21	1.27	1.34
25	BB	1658	C	C4-N4	-7.21	1.27	1.33
3	A1	187	G	C2-N2	-7.21	1.27	1.34
25	BB	2125	G	N1-C2	-7.21	1.31	1.37
3	A1	145	G	P-O5'	7.20	1.67	1.59
25	BB	544	C	N3-C4	-7.20	1.28	1.33
3	A1	496	A	N3-C4	7.20	1.39	1.34
25	BB	1496	A	C6-N6	-7.20	1.28	1.33
25	BB	1907	G	C2-N2	-7.20	1.27	1.34
3	A1	1134	G	N1-C2	-7.20	1.31	1.37
25	BB	1207	C	C4-N4	-7.20	1.27	1.33
3	A1	688	G	C6-N1	-7.20	1.34	1.39
25	BB	1109	C	N3-C4	-7.20	1.28	1.33
3	A1	803	G	C2-N2	-7.20	1.27	1.34
25	BB	537	G	N7-C5	7.20	1.43	1.39
25	BB	1453	A	N3-C4	7.20	1.39	1.34
1	AA	45	G	N1-C2	-7.19	1.31	1.37
25	BB	2722	G	O3'-P	-7.19	1.52	1.61
3	A1	888	G	N1-C2	-7.19	1.31	1.37
3	A1	1491	G	C6-N1	-7.19	1.34	1.39
3	A1	1112	C	C4-N4	-7.18	1.27	1.33
1	AP	71	G	N7-C5	7.18	1.43	1.39
3	A1	100	G	O3'-P	-7.18	1.52	1.61
3	A1	542	G	C2-N2	-7.18	1.27	1.34
3	A1	349	A	C6-N1	-7.18	1.30	1.35
25	BB	211	C	C4-N4	-7.18	1.27	1.33
25	BB	620	G	C2-N2	-7.18	1.27	1.34
3	A1	1183	U	P-O5'	-7.17	1.52	1.59
25	BB	527	C	C4-N4	-7.17	1.27	1.33
25	BB	2835	A	N3-C4	7.17	1.39	1.34
3	A1	963	G	C2-N2	-7.17	1.27	1.34
3	A1	1160	G	C6-N1	-7.17	1.34	1.39
25	BB	1986	C	N3-C4	-7.17	1.28	1.33
3	A1	363	A	C6-N1	-7.17	1.30	1.35
3	A1	50	A	N3-C4	7.16	1.39	1.34
3	A1	280	C	P-O5'	-7.16	1.52	1.59
25	BB	561	G	C2-N2	-7.16	1.27	1.34
25	BB	1428	C	C4-N4	-7.16	1.27	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	877	G	O3'-P	-7.16	1.52	1.61
3	A1	779	C	C4-N4	-7.16	1.27	1.33
1	AP	60	C	C4-N4	-7.15	1.27	1.33
3	A1	1009	U	P-O5'	-7.15	1.52	1.59
24	BA	95	U	O3'-P	-7.15	1.52	1.61
3	A1	954	G	C2-N2	-7.15	1.27	1.34
25	BB	10	A	N7-C5	7.15	1.43	1.39
25	BB	97	C	C4-N4	-7.15	1.27	1.33
25	BB	1103	A	C6-N1	-7.15	1.30	1.35
1	AE	13	C	C4-N4	-7.15	1.27	1.33
1	AE	30	G	C2-N2	-7.14	1.27	1.34
3	A1	677	U	O3'-P	-7.14	1.52	1.61
24	BA	26	C	C4-N4	-7.14	1.27	1.33
25	BB	1632	A	C6-N1	-7.14	1.30	1.35
25	BB	2737	G	N1-C2	-7.14	1.32	1.37
25	BB	1317	G	N1-C2	-7.14	1.32	1.37
3	A1	454	G	C6-N1	-7.14	1.34	1.39
3	A1	746	A	N7-C5	7.14	1.43	1.39
3	A1	844	G	C2-N2	-7.14	1.27	1.34
25	BB	206	U	P-O5'	-7.13	1.52	1.59
25	BB	2464	G	N7-C5	7.13	1.43	1.39
1	AP	8	U	P-O5'	7.13	1.66	1.59
3	A1	529	G	C2-N2	-7.13	1.27	1.34
3	A1	746	A	N3-C4	7.13	1.39	1.34
25	BB	334	C	C4-N4	-7.13	1.27	1.33
1	AA	30	G	C2-N2	-7.13	1.27	1.34
25	BB	2819	G	N1-C2	-7.13	1.32	1.37
25	BB	281	C	C4-N4	-7.12	1.27	1.33
3	A1	1325	C	N3-C4	-7.12	1.28	1.33
3	A1	143	A	C6-N1	-7.12	1.30	1.35
25	BB	2899	A	N7-C5	7.12	1.43	1.39
1	AP	9	A	N7-C5	7.11	1.43	1.39
25	BB	1869	G	N3-C4	7.11	1.40	1.35
25	BB	1031	G	C2-N2	-7.11	1.27	1.34
3	A1	418	C	C4-N4	-7.11	1.27	1.33
3	A1	639	G	C2-N2	-7.11	1.27	1.34
3	A1	1340	A	O3'-P	7.11	1.69	1.61
25	BB	1026	G	N7-C5	7.10	1.43	1.39
25	BB	1305	C	P-O5'	7.10	1.66	1.59
25	BB	550	C	N3-C4	-7.10	1.28	1.33
25	BB	2364	C	C4-N4	-7.10	1.27	1.33
3	A1	964	A	N7-C5	7.10	1.43	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	936	C	O3'-P	-7.10	1.52	1.61
25	BB	2186	G	C6-N1	-7.10	1.34	1.39
1	AA	61	C	N3-C4	-7.09	1.28	1.33
3	A1	149	A	N7-C5	7.09	1.43	1.39
25	BB	1837	C	C4-N4	-7.09	1.27	1.33
25	BB	1882	U	O3'-P	-7.09	1.52	1.61
3	A1	234	C	C4-N4	-7.09	1.27	1.33
25	BB	541	A	N3-C4	7.09	1.39	1.34
25	BB	2208	C	N3-C4	-7.09	1.28	1.33
25	BB	1565	C	C4-N4	-7.09	1.27	1.33
25	BB	31	C	N3-C4	-7.09	1.28	1.33
3	A1	481	G	C2-N2	-7.08	1.27	1.34
25	BB	105	C	C4-N4	-7.08	1.27	1.33
25	BB	378	C	C4-N4	-7.08	1.27	1.33
25	BB	1857	G	N7-C5	7.08	1.43	1.39
3	A1	1096	C	C4-N4	-7.08	1.27	1.33
3	A1	1188	A	C6-N1	-7.08	1.30	1.35
25	BB	2591	C	C4-N4	-7.08	1.27	1.33
3	A1	952	U	N1-C2	7.07	1.45	1.38
25	BB	802	A	N7-C5	7.07	1.43	1.39
25	BB	17	G	C2-N2	-7.07	1.27	1.34
25	BB	1593	A	N7-C5	7.07	1.43	1.39
25	BB	1783	A	C6-N1	-7.07	1.30	1.35
3	A1	242	G	C2-N2	-7.06	1.27	1.34
1	AA	29	A	P-O5'	-7.06	1.52	1.59
25	BB	1884	G	P-O5'	7.06	1.66	1.59
25	BB	2065	C	C4-N4	-7.06	1.27	1.33
3	A1	350	G	N1-C2	-7.06	1.32	1.37
3	A1	67	C	C4-N4	-7.05	1.27	1.33
25	BB	440	C	C4-N4	-7.05	1.27	1.33
25	BB	647	G	C2-N2	-7.05	1.27	1.34
25	BB	2595	G	N7-C5	7.05	1.43	1.39
25	BB	2365	G	N1-C2	-7.05	1.32	1.37
3	A1	808	C	O3'-P	-7.05	1.52	1.61
25	BB	742	A	P-O5'	7.05	1.66	1.59
25	BB	1974	C	C4-N4	-7.05	1.27	1.33
25	BB	440	C	N3-C4	-7.04	1.29	1.33
25	BB	2339	C	O3'-P	-7.04	1.52	1.61
3	A1	482	A	O3'-P	-7.04	1.52	1.61
25	BB	66	C	C4-N4	-7.04	1.27	1.33
3	A1	1043	G	C2-N2	-7.03	1.27	1.34
1	AA	3	G	N9-C4	7.03	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	613	C	C4-N4	-7.03	1.27	1.33
25	BB	866	A	P-O5'	-7.03	1.52	1.59
25	BB	1337	G	C2-N2	-7.03	1.27	1.34
25	BB	1637	A	C6-N1	-7.03	1.30	1.35
25	BB	2581	G	N1-C2	-7.03	1.32	1.37
1	AA	15	G	C2-N2	-7.03	1.27	1.34
25	BB	1261	C	N3-C4	-7.03	1.29	1.33
3	A1	738	C	C4-N4	-7.03	1.27	1.33
25	BB	888	C	N1-C6	-7.03	1.32	1.37
1	AA	10	G	C6-N1	-7.02	1.34	1.39
25	BB	1218	G	N1-C2	-7.02	1.32	1.37
25	BB	1483	G	C2-N2	-7.02	1.27	1.34
3	A1	1090	U	N3-C4	-7.02	1.32	1.38
25	BB	47	C	C4-N4	-7.02	1.27	1.33
3	A1	337	G	N7-C5	7.02	1.43	1.39
25	BB	1688	U	P-O5'	-7.01	1.52	1.59
3	A1	105	G	C6-N1	-7.01	1.34	1.39
1	AE	45	G	C2-N2	-7.01	1.27	1.34
3	A1	28	A	N3-C4	7.01	1.39	1.34
3	A1	446	G	C2-N2	-7.01	1.27	1.34
25	BB	364	C	P-O5'	7.01	1.66	1.59
25	BB	2856	A	C6-N6	-7.01	1.28	1.33
3	A1	204	G	N1-C2	-7.00	1.32	1.37
3	A1	233	C	C4-N4	-7.00	1.27	1.33
25	BB	223	A	N7-C5	7.00	1.43	1.39
25	BB	2371	G	N7-C5	7.00	1.43	1.39
25	BB	1037	G	O3'-P	-7.00	1.52	1.61
3	A1	468	A	N7-C5	7.00	1.43	1.39
3	A1	998	C	C4-N4	-7.00	1.27	1.33
25	BB	216	A	C6-N1	-7.00	1.30	1.35
25	BB	347	A	N7-C5	7.00	1.43	1.39
25	BB	540	C	C4-N4	-7.00	1.27	1.33
25	BB	1617	C	C4-N4	-7.00	1.27	1.33
25	BB	1330	C	N3-C4	-7.00	1.29	1.33
25	BB	1876	A	N7-C5	6.99	1.43	1.39
25	BB	2537	U	O3'-P	-6.99	1.52	1.61
3	A1	175	C	C4-N4	-6.99	1.27	1.33
3	A1	454	G	P-O5'	-6.99	1.52	1.59
25	BB	378	C	N3-C4	-6.99	1.29	1.33
25	BB	2073	C	O3'-P	-6.99	1.52	1.61
3	A1	812	G	N1-C2	-6.98	1.32	1.37
25	BB	718	A	O3'-P	-6.98	1.52	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	503	C	C4-N4	-6.98	1.27	1.33
3	A1	65	A	O3'-P	-6.97	1.52	1.61
25	BB	2053	G	N1-C2	-6.97	1.32	1.37
3	A1	302	G	P-O5'	-6.97	1.52	1.59
3	A1	504	C	C4-N4	-6.97	1.27	1.33
25	BB	1761	C	N3-C4	-6.97	1.29	1.33
25	BB	1285	A	P-O5'	6.97	1.66	1.59
25	BB	1315	C	O3'-P	-6.97	1.52	1.61
25	BB	2469	A	C6-N1	-6.97	1.30	1.35
3	A1	488	C	C4-N4	-6.96	1.27	1.33
3	A1	606	G	C2-N2	-6.96	1.27	1.34
24	BA	3	C	C4-N4	-6.96	1.27	1.33
25	BB	481	G	C2-N2	-6.96	1.27	1.34
25	BB	2484	G	C2-N2	-6.96	1.27	1.34
3	A1	790	A	P-O5'	6.96	1.66	1.59
25	BB	1706	C	C4-N4	-6.96	1.27	1.33
25	BB	2270	A	N7-C5	6.95	1.43	1.39
3	A1	83	C	N1-C6	6.95	1.41	1.37
3	A1	241	G	N7-C5	6.95	1.43	1.39
3	A1	1196	A	C6-N6	-6.95	1.28	1.33
25	BB	1960	A	N7-C5	6.95	1.43	1.39
3	A1	215	C	C4-N4	-6.94	1.27	1.33
25	BB	2661	G	C2-N2	-6.94	1.27	1.34
25	BB	1359	A	N3-C4	6.94	1.39	1.34
3	A1	341	C	N1-C6	6.94	1.41	1.37
25	BB	550	C	C4-N4	-6.94	1.27	1.33
25	BB	1408	G	C2-N2	-6.94	1.27	1.34
25	BB	1575	C	C4-N4	-6.94	1.27	1.33
1	AE	18	G	C2-N2	-6.93	1.27	1.34
3	A1	856	C	C4-N4	-6.93	1.27	1.33
3	A1	79	G	N1-C2	-6.93	1.32	1.37
3	A1	200	G	C2-N2	-6.93	1.27	1.34
1	AA	51	G	C2-N2	-6.92	1.27	1.34
3	A1	616	G	O3'-P	-6.92	1.52	1.61
3	A1	1371	G	C6-N1	-6.92	1.34	1.39
3	A1	1445	U	N1-C2	6.92	1.44	1.38
25	BB	86	G	O3'-P	-6.92	1.52	1.61
3	A1	1488	G	N1-C2	-6.92	1.32	1.37
25	BB	752	A	O3'-P	-6.92	1.52	1.61
25	BB	944	C	C4-N4	-6.92	1.27	1.33
25	BB	2610	C	C4-N4	-6.92	1.27	1.33
25	BB	2794	C	N3-C4	-6.92	1.29	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	381	C	C4-C5	-6.92	1.37	1.43
3	A1	1044	A	C6-N1	-6.92	1.30	1.35
25	BB	2136	G	C2-N2	-6.92	1.27	1.34
25	BB	2351	G	C2-N2	-6.92	1.27	1.34
3	A1	461	A	N3-C4	6.92	1.39	1.34
25	BB	1533	C	C4-N4	-6.92	1.27	1.33
3	A1	1138	G	N7-C5	6.92	1.43	1.39
25	BB	900	A	C6-N6	-6.92	1.28	1.33
3	A1	109	A	N7-C5	6.91	1.43	1.39
3	A1	821	G	N7-C5	6.91	1.43	1.39
25	BB	1357	C	P-O5'	6.91	1.66	1.59
25	BB	2851	A	C6-N1	-6.91	1.30	1.35
3	A1	628	G	N7-C5	6.91	1.43	1.39
25	BB	1651	G	N1-C2	-6.91	1.32	1.37
25	BB	2895	G	C2-N2	-6.91	1.27	1.34
1	AP	42	G	N1-C2	-6.91	1.32	1.37
25	BB	2228	G	C2-N2	-6.91	1.27	1.34
3	A1	1152	A	C6-N6	-6.91	1.28	1.33
25	BB	1558	C	C4-N4	-6.91	1.27	1.33
3	A1	785	G	N7-C5	6.90	1.43	1.39
1	AP	22	G	C2-N2	-6.90	1.27	1.34
25	BB	740	C	N3-C4	-6.90	1.29	1.33
3	A1	749	A	O3'-P	-6.90	1.52	1.61
3	A1	906	A	C6-N1	-6.90	1.30	1.35
3	A1	496	A	N7-C5	6.90	1.43	1.39
25	BB	471	A	N7-C5	6.90	1.43	1.39
3	A1	736	C	N3-C4	-6.89	1.29	1.33
3	A1	460	A	C6-N1	-6.89	1.30	1.35
25	BB	1125	G	N1-C2	-6.89	1.32	1.37
3	A1	90	C	N3-C4	-6.89	1.29	1.33
3	A1	469	C	N3-C4	-6.89	1.29	1.33
25	BB	1292	G	N1-C2	-6.89	1.32	1.37
3	A1	359	G	C2-N2	-6.88	1.27	1.34
3	A1	1305	G	N1-C2	-6.88	1.32	1.37
3	A1	1451	U	N1-C2	6.88	1.44	1.38
25	BB	135	U	O3'-P	-6.88	1.52	1.61
3	A1	1033	G	P-O5'	-6.88	1.52	1.59
25	BB	2632	A	C6-N6	-6.88	1.28	1.33
25	BB	1507	C	P-O5'	6.88	1.66	1.59
3	A1	123	U	O3'-P	-6.87	1.52	1.61
3	A1	547	A	C6-N6	-6.87	1.28	1.33
25	BB	2635	A	N7-C5	6.87	1.43	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	2567	G	N1-C2	-6.87	1.32	1.37
25	BB	1157	G	N3-C4	6.87	1.40	1.35
25	BB	2120	G	N3-C4	6.87	1.40	1.35
25	BB	2253	G	N1-C2	-6.87	1.32	1.37
3	A1	453	G	N7-C5	6.87	1.43	1.39
25	BB	1889	A	N3-C4	6.87	1.39	1.34
25	BB	2380	C	C4-N4	-6.87	1.27	1.33
3	A1	948	C	N3-C4	-6.87	1.29	1.33
3	A1	1044	A	P-O5'	-6.86	1.52	1.59
25	BB	2657	A	N7-C5	6.86	1.43	1.39
25	BB	5	A	N7-C5	6.86	1.43	1.39
3	A1	857	C	C4-N4	-6.86	1.27	1.33
25	BB	2359	C	N3-C4	-6.86	1.29	1.33
25	BB	2630	G	N7-C5	6.86	1.43	1.39
3	A1	356	A	N7-C5	6.86	1.43	1.39
25	BB	1451	C	N1-C6	6.85	1.41	1.37
3	A1	844	G	N1-C2	-6.85	1.32	1.37
3	A1	611	C	C4-N4	-6.85	1.27	1.33
25	BB	1478	G	O3'-P	-6.85	1.52	1.61
3	A1	1370	G	C2-N2	-6.85	1.27	1.34
24	BA	11	C	N3-C4	-6.85	1.29	1.33
25	BB	898	C	C4-N4	-6.85	1.27	1.33
25	BB	2497	A	C6-N6	-6.85	1.28	1.33
1	AA	48	C	N3-C4	-6.84	1.29	1.33
3	A1	993	G	C2-N2	-6.84	1.27	1.34
25	BB	186	G	N3-C4	6.84	1.40	1.35
25	BB	1360	G	C2-N2	-6.84	1.27	1.34
3	A1	555	U	O3'-P	-6.84	1.52	1.61
24	BA	36	C	C4-N4	-6.84	1.27	1.33
25	BB	1162	G	N1-C2	-6.84	1.32	1.37
25	BB	1512	C	C4-N4	-6.84	1.27	1.33
25	BB	1626	A	N7-C5	6.84	1.43	1.39
25	BB	2732	G	C6-N1	-6.84	1.34	1.39
3	A1	1184	G	N7-C5	6.84	1.43	1.39
25	BB	297	G	C2-N2	-6.84	1.27	1.34
25	BB	1550	C	C4-N4	-6.84	1.27	1.33
25	BB	394	C	N3-C4	-6.84	1.29	1.33
25	BB	935	C	C4-N4	-6.84	1.27	1.33
25	BB	2603	G	P-O5'	-6.83	1.52	1.59
25	BB	1486	U	O3'-P	-6.83	1.52	1.61
25	BB	2715	C	C4-N4	-6.83	1.27	1.33
25	BB	1788	C	N3-C4	-6.83	1.29	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	708	C	O3'-P	-6.83	1.52	1.61
3	A1	815	A	C6-N6	-6.83	1.28	1.33
3	A1	972	C	N3-C4	-6.83	1.29	1.33
25	BB	961	C	C4-N4	-6.83	1.27	1.33
25	BB	455	C	C4-N4	-6.82	1.27	1.33
3	A1	833	G	P-O5'	-6.82	1.52	1.59
3	A1	931	C	C4-N4	-6.82	1.27	1.33
3	A1	1316	G	C2-N2	-6.82	1.27	1.34
25	BB	2633	G	N3-C4	6.82	1.40	1.35
25	BB	2157	G	N1-C2	-6.81	1.32	1.37
3	A1	15	G	C2-N2	-6.81	1.27	1.34
3	A1	1448	C	C4-N4	-6.81	1.27	1.33
1	AP	61	C	C4-N4	-6.81	1.27	1.33
25	BB	2832	U	O3'-P	-6.81	1.52	1.61
3	A1	858	G	N7-C5	6.81	1.43	1.39
25	BB	825	A	N3-C4	6.81	1.39	1.34
25	BB	1310	G	N1-C2	-6.81	1.32	1.37
3	A1	357	G	C2-N2	-6.80	1.27	1.34
3	A1	578	C	N3-C4	-6.80	1.29	1.33
25	BB	438	G	C6-N1	-6.80	1.34	1.39
25	BB	1913	A	N7-C5	6.80	1.43	1.39
3	A1	1492	A	C5-C6	6.80	1.47	1.41
25	BB	1600	C	C4-N4	-6.80	1.27	1.33
3	A1	899	C	C4-N4	-6.80	1.27	1.33
25	BB	2748	A	C6-N1	-6.80	1.30	1.35
25	BB	1561	C	C4-N4	-6.80	1.27	1.33
25	BB	1912	A	P-O5'	6.79	1.66	1.59
3	A1	206	C	N3-C4	-6.79	1.29	1.33
25	BB	98	G	C2-N2	-6.79	1.27	1.34
25	BB	751	A	N9-C4	6.79	1.42	1.37
25	BB	347	A	C6-N1	-6.79	1.30	1.35
25	BB	940	G	C2-N2	-6.79	1.27	1.34
25	BB	2874	C	C4-N4	-6.79	1.27	1.33
3	A1	1346	A	N7-C5	6.79	1.43	1.39
3	A1	537	G	N1-C2	-6.79	1.32	1.37
25	BB	1901	A	N7-C5	6.79	1.43	1.39
25	BB	252	G	C2-N2	-6.78	1.27	1.34
3	A1	354	G	P-O5'	-6.78	1.52	1.59
3	A1	1360	A	N7-C5	6.78	1.43	1.39
3	A1	403	C	C4-N4	-6.78	1.27	1.33
3	A1	394	G	O3'-P	-6.78	1.53	1.61
25	BB	2161	C	P-O5'	-6.78	1.52	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	514	C	C4-N4	-6.77	1.27	1.33
25	BB	2652	C	P-O5'	6.77	1.66	1.59
3	A1	579	A	C6-N1	-6.77	1.30	1.35
3	A1	1216	A	C6-N6	-6.77	1.28	1.33
25	BB	2190	G	C2-N2	-6.77	1.27	1.34
3	A1	732	C	C4-N4	-6.77	1.27	1.33
25	BB	1962	C	O3'-P	-6.77	1.53	1.61
3	A1	211	G	P-O5'	-6.77	1.52	1.59
3	A1	1204	A	C6-N1	-6.77	1.30	1.35
3	A1	165	G	C2-N2	-6.77	1.27	1.34
25	BB	520	G	C2-N2	-6.77	1.27	1.34
3	A1	1071	C	C4-N4	-6.76	1.27	1.33
3	A1	1156	G	N3-C4	6.76	1.40	1.35
25	BB	2112	G	N1-C2	-6.76	1.32	1.37
1	AE	45	G	N1-C2	-6.76	1.32	1.37
3	A1	1048	G	P-O5'	6.76	1.66	1.59
25	BB	544	C	C4-N4	-6.76	1.27	1.33
25	BB	881	G	C2-N2	-6.76	1.27	1.34
25	BB	1852	U	P-O5'	-6.76	1.52	1.59
3	A1	728	A	O3'-P	-6.76	1.53	1.61
25	BB	2045	C	C4-N4	-6.76	1.27	1.33
25	BB	2577	A	N7-C5	6.76	1.43	1.39
25	BB	350	G	P-O5'	6.76	1.66	1.59
25	BB	1089	A	C6-N6	-6.76	1.28	1.33
25	BB	2256	G	C2-N2	-6.76	1.27	1.34
25	BB	2558	C	N3-C4	-6.76	1.29	1.33
25	BB	2685	G	N1-C2	-6.76	1.32	1.37
25	BB	368	A	N7-C5	6.75	1.43	1.39
3	A1	790	A	N3-C4	6.75	1.39	1.34
25	BB	883	G	C2-N2	-6.75	1.27	1.34
1	AP	62	A	O3'-P	-6.75	1.53	1.61
3	A1	354	G	N1-C2	-6.75	1.32	1.37
25	BB	1805	A	N3-C4	6.75	1.39	1.34
25	BB	1973	G	N1-C2	-6.75	1.32	1.37
3	A1	1002	G	N1-C2	-6.75	1.32	1.37
25	BB	2100	G	N1-C2	-6.75	1.32	1.37
25	BB	2221	G	N1-C2	-6.75	1.32	1.37
3	A1	227	G	C2-N2	-6.75	1.27	1.34
2	AM	12	U	P-O5'	6.74	1.66	1.59
3	A1	481	G	O3'-P	-6.74	1.53	1.61
3	A1	861	G	C2-N2	-6.74	1.27	1.34
3	A1	1113	C	C4-N4	-6.74	1.27	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	1531	A	C6-N6	-6.74	1.28	1.33
25	BB	2440	C	C4-N4	-6.74	1.27	1.33
25	BB	1089	A	C5-C4	-6.74	1.34	1.38
25	BB	1447	C	O3'-P	-6.74	1.53	1.61
3	A1	864	A	C6-N6	-6.74	1.28	1.33
25	BB	2211	A	C6-N6	-6.74	1.28	1.33
25	BB	282	A	P-O5'	6.73	1.66	1.59
1	AE	73	A	C6-N6	-6.73	1.28	1.33
25	BB	1622	G	C2-N2	-6.73	1.27	1.34
3	A1	499	A	P-O5'	6.73	1.66	1.59
25	BB	2644	G	C2-N2	-6.73	1.27	1.34
1	AA	70	C	C4-N4	-6.73	1.27	1.33
3	A1	97	G	N1-C2	-6.73	1.32	1.37
3	A1	143	A	C6-N6	-6.73	1.28	1.33
3	A1	1366	C	C4-N4	-6.73	1.27	1.33
3	A1	609	A	C6-N1	-6.72	1.30	1.35
3	A1	332	G	C2-N2	-6.72	1.27	1.34
25	BB	2517	C	C5'-C4'	6.72	1.59	1.51
25	BB	2545	G	C2-N2	-6.72	1.27	1.34
25	BB	363	G	C6-N1	-6.72	1.34	1.39
5	AC	105	ARG	CZ-NH1	-6.72	1.24	1.33
25	BB	1490	A	N3-C4	6.72	1.38	1.34
25	BB	2330	G	C3'-C2'	6.72	1.60	1.52
1	AP	71	G	C2-N2	-6.71	1.27	1.34
3	A1	1128	C	N3-C4	-6.71	1.29	1.33
25	BB	2291	U	O3'-P	-6.71	1.53	1.61
3	A1	255	G	C2-N2	-6.71	1.27	1.34
25	BB	1206	G	N7-C5	6.71	1.43	1.39
25	BB	2250	G	C2-N2	-6.71	1.27	1.34
1	AE	74	C	C4-N4	-6.71	1.27	1.33
3	A1	478	A	C6-N6	-6.71	1.28	1.33
3	A1	1262	C	P-O5'	6.71	1.66	1.59
25	BB	1748	C	C4-N4	-6.71	1.27	1.33
3	A1	530	G	N1-C2	-6.70	1.32	1.37
3	A1	637	C	N3-C4	-6.70	1.29	1.33
3	A1	1288	A	P-O5'	-6.70	1.53	1.59
25	BB	1281	G	C2-N2	-6.70	1.27	1.34
25	BB	1675	C	P-O5'	-6.70	1.53	1.59
24	BA	60	C	C4-N4	-6.70	1.27	1.33
25	BB	2239	G	C2-N2	-6.70	1.27	1.34
3	A1	719	C	P-O5'	6.70	1.66	1.59
3	A1	809	G	N7-C5	6.70	1.43	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	49	A	P-O5'	-6.70	1.53	1.59
25	BB	2111	U	N1-C2	6.70	1.44	1.38
24	BA	23	G	C6-N1	-6.70	1.34	1.39
3	A1	115	G	C2-N2	-6.69	1.27	1.34
3	A1	164	G	O3'-P	-6.69	1.53	1.61
3	A1	156	C	C4-N4	-6.69	1.27	1.33
25	BB	125	A	C6-N1	-6.69	1.30	1.35
25	BB	1076	C	P-O5'	-6.68	1.53	1.59
25	BB	279	A	N7-C5	6.68	1.43	1.39
25	BB	977	G	N1-C2	-6.68	1.32	1.37
25	BB	2795	C	N1-C6	6.68	1.41	1.37
3	A1	690	G	P-O5'	6.68	1.66	1.59
25	BB	260	G	C2-N2	-6.68	1.27	1.34
25	BB	345	A	O3'-P	-6.68	1.53	1.61
25	BB	529	A	N3-C4	6.68	1.38	1.34
3	A1	818	G	C2-N2	-6.68	1.27	1.34
3	A1	1388	C	C4-N4	-6.68	1.27	1.33
24	BA	30	C	C4-N4	-6.67	1.27	1.33
25	BB	118	A	O3'-P	-6.67	1.53	1.61
25	BB	2112	G	N7-C5	6.67	1.43	1.39
25	BB	2474	U	P-O5'	-6.67	1.53	1.59
3	A1	325	A	N3-C4	6.67	1.38	1.34
25	BB	362	A	N7-C5	6.67	1.43	1.39
3	A1	355	C	C4-N4	-6.67	1.27	1.33
24	BA	44	G	N1-C2	-6.67	1.32	1.37
24	BA	62	C	C4-N4	-6.67	1.27	1.33
3	A1	1052	U	P-O5'	6.67	1.66	1.59
25	BB	398	C	P-O5'	-6.67	1.53	1.59
25	BB	2266	A	C6-N6	-6.67	1.28	1.33
3	A1	666	G	C2-N2	-6.67	1.27	1.34
25	BB	2258	C	N3-C4	-6.67	1.29	1.33
25	BB	1806	C	C4-N4	-6.67	1.27	1.33
25	BB	1410	G	C2-N2	-6.66	1.27	1.34
48	BY	169	ARG	CZ-NH1	-6.66	1.24	1.33
3	A1	1051	C	N1-C6	6.66	1.41	1.37
3	A1	695	A	N3-C4	6.66	1.38	1.34
25	BB	711	G	N7-C5	6.66	1.43	1.39
25	BB	1197	G	P-O5'	6.66	1.66	1.59
25	BB	1297	C	O3'-P	-6.66	1.53	1.61
25	BB	2808	G	N7-C5	6.66	1.43	1.39
3	A1	431	A	N7-C5	6.66	1.43	1.39
25	BB	2582	G	N1-C2	-6.66	1.32	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	2735	G	N1-C2	-6.66	1.32	1.37
25	BB	2462	C	O3'-P	-6.65	1.53	1.61
25	BB	2488	G	N1-C2	-6.65	1.32	1.37
3	A1	6	G	N1-C2	-6.65	1.32	1.37
3	A1	225	C	C4-N4	-6.65	1.27	1.33
3	A1	223	A	O3'-P	-6.65	1.53	1.61
3	A1	366	A	C6-N6	-6.65	1.28	1.33
3	A1	760	G	C2-N2	-6.65	1.27	1.34
25	BB	2382	G	C2-N2	-6.65	1.27	1.34
3	A1	1360	A	N3-C4	6.64	1.38	1.34
14	AN	59	ARG	CZ-NH1	-6.64	1.24	1.33
25	BB	38	A	N7-C5	6.64	1.43	1.39
25	BB	1645	G	N1-C2	-6.64	1.32	1.37
25	BB	1878	G	N3-C4	6.64	1.40	1.35
25	BB	2307	G	N7-C5	6.64	1.43	1.39
3	A1	691	G	C2-N2	-6.64	1.27	1.34
25	BB	1330	C	C4-N4	-6.64	1.27	1.33
3	A1	1331	G	C2-N2	-6.63	1.27	1.34
25	BB	2374	C	P-O5'	-6.63	1.53	1.59
3	A1	744	C	C4-N4	-6.63	1.27	1.33
25	BB	298	G	C2-N2	-6.63	1.27	1.34
3	A1	492	C	N3-C4	-6.63	1.29	1.33
3	A1	1378	C	C4-N4	-6.63	1.27	1.33
25	BB	2396	G	N3-C4	6.63	1.40	1.35
25	BB	122	G	N1-C2	-6.62	1.32	1.37
1	AA	70	C	N3-C4	-6.62	1.29	1.33
3	A1	1518	A	P-O5'	6.62	1.66	1.59
25	BB	2714	G	N1-C2	-6.62	1.32	1.37
25	BB	7	G	N7-C5	6.62	1.43	1.39
25	BB	2657	A	C6-N6	-6.62	1.28	1.33
25	BB	2675	A	O3'-P	-6.62	1.53	1.61
25	BB	1605	C	C4-N4	-6.61	1.27	1.33
3	A1	1442	G	N7-C5	6.61	1.43	1.39
25	BB	2186	G	N1-C2	-6.61	1.32	1.37
3	A1	79	G	C2-N2	-6.61	1.27	1.34
24	BA	67	G	N1-C2	-6.61	1.32	1.37
25	BB	2047	C	C4-N4	-6.61	1.28	1.33
1	AA	36	A	C6-N6	-6.61	1.28	1.33
3	A1	1370	G	N1-C2	-6.61	1.32	1.37
25	BB	199	A	N7-C5	6.61	1.43	1.39
25	BB	1904	G	C2-N2	-6.61	1.27	1.34
24	BA	27	C	C4-N4	-6.61	1.28	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	891	G	N7-C5	6.60	1.43	1.39
31	BH	10	ARG	CZ-NH1	-6.60	1.24	1.33
1	AP	4	G	N1-C2	-6.60	1.32	1.37
3	A1	107	G	N1-C2	-6.60	1.32	1.37
25	BB	86	G	C2-N2	-6.60	1.27	1.34
25	BB	1008	A	N3-C4	6.60	1.38	1.34
25	BB	1945	G	N1-C2	-6.60	1.32	1.37
25	BB	2633	G	O3'-P	-6.60	1.53	1.61
25	BB	2058	A	N3-C4	6.60	1.38	1.34
3	A1	1011	C	N3-C4	-6.60	1.29	1.33
25	BB	1789	A	C6-N6	-6.60	1.28	1.33
25	BB	1913	A	N3-C4	6.60	1.38	1.34
3	A1	455	G	C2-N2	-6.60	1.27	1.34
25	BB	578	G	C2-N2	-6.60	1.27	1.34
25	BB	1831	G	C2-N2	-6.60	1.27	1.34
25	BB	1953	A	O3'-P	-6.60	1.53	1.61
25	BB	2238	G	C2-N2	-6.60	1.27	1.34
3	A1	1002	G	C2-N2	-6.59	1.27	1.34
25	BB	309	A	N7-C5	6.59	1.43	1.39
25	BB	1871	A	N7-C5	6.59	1.43	1.39
3	A1	796	C	C4-N4	-6.59	1.28	1.33
3	A1	1193	G	C2-N2	-6.59	1.27	1.34
3	A1	620	C	C4-N4	-6.59	1.28	1.33
3	A1	769	G	C2-N2	-6.59	1.27	1.34
3	A1	1317	C	C4-N4	-6.59	1.28	1.33
25	BB	2477	U	P-O5'	6.59	1.66	1.59
38	BO	93	ARG	CZ-NH1	-6.59	1.24	1.33
3	A1	574	A	N7-C5	6.59	1.43	1.39
25	BB	1227	G	C2-N2	-6.59	1.27	1.34
25	BB	2339	C	C4-N4	-6.59	1.28	1.33
3	A1	1013	G	N1-C2	-6.58	1.32	1.37
25	BB	645	C	C4-N4	-6.58	1.28	1.33
3	A1	334	C	C4-N4	-6.58	1.28	1.33
3	A1	703	G	N1-C2	-6.58	1.32	1.37
25	BB	663	G	P-O5'	6.58	1.66	1.59
2	AM	9	U	C3'-O3'	6.58	1.51	1.42
3	A1	266	G	P-O5'	6.58	1.66	1.59
25	BB	1087	G	N7-C5	6.58	1.43	1.39
25	BB	1530	G	C2-N2	-6.58	1.27	1.34
25	BB	1264	A	O3'-P	-6.58	1.53	1.61
25	BB	2567	G	P-O5'	-6.58	1.53	1.59
3	A1	628	G	C2-N2	-6.58	1.27	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	226	A	N3-C4	6.58	1.38	1.34
25	BB	2356	U	P-O5'	6.58	1.66	1.59
3	A1	1387	G	C2-N2	-6.58	1.27	1.34
25	BB	380	G	C2-N2	-6.58	1.27	1.34
1	AE	53	G	C2-N2	-6.57	1.27	1.34
25	BB	181	A	N3-C4	6.57	1.38	1.34
25	BB	537	G	P-O5'	6.57	1.66	1.59
25	BB	2886	A	C6-N1	-6.57	1.30	1.35
3	A1	645	G	N1-C2	-6.57	1.32	1.37
2	AM	12	U	C4-C5	6.57	1.49	1.43
10	AI	28	ARG	CZ-NH2	-6.57	1.24	1.33
1	AA	42	G	P-O5'	-6.57	1.53	1.59
3	A1	182	A	P-O5'	-6.57	1.53	1.59
25	BB	654	A	C6-N6	-6.57	1.28	1.33
25	BB	1560	G	C2-N2	-6.57	1.27	1.34
3	A1	384	G	C2-N2	-6.57	1.27	1.34
3	A1	391	G	N7-C5	6.57	1.43	1.39
25	BB	1379	U	P-O5'	6.56	1.66	1.59
25	BB	1737	G	C2-N2	-6.56	1.27	1.34
25	BB	2540	C	C4-N4	-6.56	1.28	1.33
25	BB	1296	G	C2-N2	-6.56	1.27	1.34
25	BB	1432	G	C2-N2	-6.56	1.27	1.34
25	BB	2773	C	N3-C4	-6.56	1.29	1.33
25	BB	2858	C	N3-C4	-6.56	1.29	1.33
3	A1	677	U	P-O5'	6.56	1.66	1.59
3	A1	1209	C	C4-N4	-6.56	1.28	1.33
3	A1	1254	A	C6-N6	-6.56	1.28	1.33
25	BB	122	G	C6-N1	-6.56	1.34	1.39
25	BB	78	U	O3'-P	-6.56	1.53	1.61
25	BB	218	A	O3'-P	-6.56	1.53	1.61
3	A1	1390	U	O3'-P	-6.55	1.53	1.61
25	BB	1786	A	N3-C4	6.55	1.38	1.34
25	BB	2676	C	O3'-P	-6.55	1.53	1.61
3	A1	1003	G	P-O5'	-6.55	1.53	1.59
25	BB	2096	C	P-O5'	6.55	1.66	1.59
3	A1	349	A	C5-C4	-6.55	1.34	1.38
25	BB	1292	G	N7-C5	6.55	1.43	1.39
3	A1	991	U	O3'-P	-6.54	1.53	1.61
25	BB	267	C	N1-C6	-6.54	1.33	1.37
25	BB	1491	G	N1-C2	-6.54	1.32	1.37
25	BB	2279	G	O3'-P	-6.54	1.53	1.61
25	BB	2280	G	C2-N2	-6.54	1.28	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	2377	A	N7-C5	6.54	1.43	1.39
3	A1	258	G	C6-N1	-6.54	1.34	1.39
25	BB	1046	A	C6-N1	-6.54	1.30	1.35
25	BB	1166	G	C2-N2	-6.54	1.28	1.34
25	BB	1907	G	O3'-P	-6.54	1.53	1.61
25	BB	2161	C	C4-N4	-6.54	1.28	1.33
25	BB	1964	G	N7-C5	6.54	1.43	1.39
1	AA	45	G	C2-N2	-6.54	1.28	1.34
1	AP	14	A	O3'-P	-6.54	1.53	1.61
25	BB	954	G	C2-N2	-6.54	1.28	1.34
25	BB	1559	U	O3'-P	-6.54	1.53	1.61
25	BB	2081	U	O3'-P	-6.54	1.53	1.61
3	A1	944	G	N3-C4	6.54	1.40	1.35
25	BB	382	A	N3-C4	6.54	1.38	1.34
25	BB	1899	A	C6-N1	-6.53	1.30	1.35
3	A1	506	G	C2-N2	-6.53	1.28	1.34
25	BB	962	G	O3'-P	-6.53	1.53	1.61
25	BB	1074	G	C2-N2	-6.53	1.28	1.34
3	A1	235	C	C4-N4	-6.53	1.28	1.33
25	BB	1844	C	P-O5'	-6.53	1.53	1.59
25	BB	1719	G	N7-C5	6.53	1.43	1.39
1	AP	11	C	P-O5'	-6.53	1.53	1.59
25	BB	2352	A	N9-C4	6.53	1.41	1.37
25	BB	2529	G	C2-N2	-6.53	1.28	1.34
25	BB	2536	G	P-O5'	6.53	1.66	1.59
25	BB	2703	C	C4-N4	-6.52	1.28	1.33
3	A1	793	U	O3'-P	-6.52	1.53	1.61
3	A1	1207	G	N9-C8	6.52	1.42	1.37
25	BB	1071	G	C2-N2	-6.52	1.28	1.34
25	BB	405	U	O3'-P	-6.52	1.53	1.61
25	BB	1093	G	N3-C4	6.52	1.40	1.35
25	BB	2808	G	C2-N2	-6.52	1.28	1.34
25	BB	2820	A	N3-C4	6.52	1.38	1.34
1	AP	26	G	O3'-P	-6.52	1.53	1.61
25	BB	1152	C	C4-N4	-6.52	1.28	1.33
1	AP	72	C	C4-N4	-6.52	1.28	1.33
25	BB	551	G	O3'-P	-6.52	1.53	1.61
25	BB	624	C	N3-C4	-6.52	1.29	1.33
3	A1	759	A	C6-N1	-6.52	1.30	1.35
25	BB	624	C	C4-N4	-6.51	1.28	1.33
25	BB	928	A	C6-N1	-6.51	1.30	1.35
25	BB	944	C	N3-C4	-6.51	1.29	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	1883	U	O3'-P	-6.51	1.53	1.61
25	BB	163	C	C4-N4	-6.51	1.28	1.33
25	BB	836	G	N1-C2	-6.51	1.32	1.37
25	BB	1762	A	N7-C5	6.51	1.43	1.39
25	BB	2071	A	N7-C5	6.51	1.43	1.39
3	A1	572	A	C6-N1	-6.51	1.30	1.35
25	BB	327	G	C4'-C3'	6.51	1.60	1.53
3	A1	614	C	N3-C4	-6.51	1.29	1.33
25	BB	2100	G	C2-N2	-6.51	1.28	1.34
25	BB	2892	G	N3-C4	6.51	1.40	1.35
3	A1	889	A	N3-C4	6.51	1.38	1.34
25	BB	1045	C	C4-N4	-6.51	1.28	1.33
25	BB	2218	G	N1-C2	-6.51	1.32	1.37
25	BB	2655	G	N3-C4	6.50	1.40	1.35
3	A1	74	A	N3-C4	6.50	1.38	1.34
3	A1	915	A	O3'-P	-6.50	1.53	1.61
3	A1	1314	C	C4-N4	-6.50	1.28	1.33
3	A1	420	U	P-O5'	6.50	1.66	1.59
25	BB	217	A	N3-C4	6.50	1.38	1.34
3	A1	57	G	C2-N2	-6.50	1.28	1.34
3	A1	153	C	C4-N4	-6.50	1.28	1.33
3	A1	364	A	N7-C5	6.50	1.43	1.39
3	A1	649	A	C6-N1	-6.50	1.31	1.35
3	A1	817	C	O3'-P	-6.50	1.53	1.61
3	A1	897	C	O3'-P	-6.50	1.53	1.61
3	A1	1039	G	N1-C2	-6.50	1.32	1.37
25	BB	1068	G	N9-C8	-6.50	1.33	1.37
3	A1	778	G	C2-N2	-6.49	1.28	1.34
24	BA	83	G	C2-N2	-6.49	1.28	1.34
25	BB	572	A	N3-C4	6.49	1.38	1.34
3	A1	36	C	O3'-P	-6.49	1.53	1.61
3	A1	198	G	N1-C2	-6.49	1.32	1.37
3	A1	730	G	C2-N2	-6.49	1.28	1.34
3	A1	1223	C	C4-N4	-6.49	1.28	1.33
25	BB	1942	C	N1-C6	6.49	1.41	1.37
25	BB	1948	G	N7-C5	6.49	1.43	1.39
25	BB	2699	C	C4-N4	-6.49	1.28	1.33
1	AA	40	C	P-O5'	-6.49	1.53	1.59
3	A1	569	C	C4-N4	-6.49	1.28	1.33
25	BB	1550	C	N3-C4	-6.49	1.29	1.33
25	BB	204	A	N3-C4	6.49	1.38	1.34
25	BB	1985	C	N3-C4	-6.49	1.29	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	1705	A	N7-C5	6.48	1.43	1.39
5	AC	36	ARG	CZ-NH1	-6.48	1.24	1.33
25	BB	797	G	C2-N2	-6.48	1.28	1.34
25	BB	1516	G	C2-N2	-6.48	1.28	1.34
25	BB	1878	G	C2-N2	-6.48	1.28	1.34
25	BB	2231	U	O3'-P	-6.48	1.53	1.61
25	BB	2616	C	C4-N4	-6.48	1.28	1.33
3	A1	37	U	O3'-P	-6.48	1.53	1.61
25	BB	725	G	N1-C2	-6.48	1.32	1.37
25	BB	1922	G	N1-C2	-6.48	1.32	1.37
3	A1	107	G	C6-N1	-6.48	1.35	1.39
25	BB	81	G	C6-N1	-6.48	1.35	1.39
25	BB	935	C	N3-C4	-6.48	1.29	1.33
25	BB	1115	G	N7-C5	6.48	1.43	1.39
25	BB	1667	G	C2-N2	-6.48	1.28	1.34
3	A1	845	A	N3-C4	6.48	1.38	1.34
25	BB	2854	G	C2-N2	-6.48	1.28	1.34
3	A1	1178	G	C6-N1	-6.47	1.35	1.39
1	AA	58	A	C6-N1	-6.47	1.31	1.35
3	A1	348	G	N7-C5	6.47	1.43	1.39
25	BB	323	C	C4-N4	-6.47	1.28	1.33
25	BB	856	G	N7-C5	6.47	1.43	1.39
25	BB	1250	G	C2-N2	-6.47	1.28	1.34
25	BB	1643	G	N3-C4	6.47	1.40	1.35
25	BB	2221	G	O3'-P	-6.47	1.53	1.61
3	A1	196	A	O3'-P	-6.47	1.53	1.61
3	A1	1428	A	C6-N6	-6.47	1.28	1.33
25	BB	219	A	N7-C5	6.47	1.43	1.39
25	BB	766	U	O3'-P	-6.47	1.53	1.61
25	BB	776	G	N1-C2	-6.47	1.32	1.37
3	A1	85	U	P-O5'	-6.47	1.53	1.59
25	BB	1934	C	C4-N4	-6.47	1.28	1.33
25	BB	2035	G	C2-N2	-6.47	1.28	1.34
25	BB	2578	G	C2-N2	-6.47	1.28	1.34
3	A1	569	C	N3-C4	-6.46	1.29	1.33
25	BB	1503	A	O3'-P	-6.46	1.53	1.61
25	BB	1518	C	N3-C4	-6.46	1.29	1.33
3	A1	164	G	P-O5'	6.46	1.66	1.59
3	A1	1294	G	C2-N2	-6.46	1.28	1.34
25	BB	1954	G	C6-N1	-6.46	1.35	1.39
3	A1	101	A	N7-C5	6.46	1.43	1.39
3	A1	1395	C	N3-C4	-6.46	1.29	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	BA	92	C	C4-N4	-6.46	1.28	1.33
3	A1	524	G	C2-N2	-6.46	1.28	1.34
25	BB	601	C	C4-N4	-6.46	1.28	1.33
25	BB	2409	G	C2-N2	-6.46	1.28	1.34
25	BB	2583	G	C2-N2	-6.46	1.28	1.34
25	BB	669	G	C2-N2	-6.45	1.28	1.34
25	BB	1228	G	N3-C4	6.45	1.40	1.35
25	BB	2614	A	C6-N1	-6.45	1.31	1.35
3	A1	356	A	C6-N6	-6.45	1.28	1.33
3	A1	908	A	N3-C4	6.45	1.38	1.34
3	A1	1022	A	N7-C5	6.45	1.43	1.39
25	BB	1973	G	C2-N2	-6.45	1.28	1.34
25	BB	368	A	N3-C4	6.45	1.38	1.34
25	BB	1527	G	C2-N2	-6.45	1.28	1.34
3	A1	1166	G	C2-N2	-6.45	1.28	1.34
25	BB	1152	C	N3-C4	-6.45	1.29	1.33
3	A1	637	C	C4-N4	-6.45	1.28	1.33
25	BB	663	G	C2-N2	-6.45	1.28	1.34
25	BB	2114	A	N7-C5	6.44	1.43	1.39
1	AE	29	A	C6-N6	-6.44	1.28	1.33
3	A1	212	G	C6-N1	-6.44	1.35	1.39
25	BB	1535	A	C6-N1	-6.44	1.31	1.35
3	A1	551	U	O3'-P	6.44	1.68	1.61
25	BB	311	A	C6-N1	-6.44	1.31	1.35
25	BB	411	G	C2-N2	-6.44	1.28	1.34
25	BB	1516	G	N7-C5	6.44	1.43	1.39
25	BB	2853	C	N1-C6	6.44	1.41	1.37
3	A1	787	A	N7-C5	6.44	1.43	1.39
1	AA	2	C	N3-C4	-6.43	1.29	1.33
25	BB	1109	C	C4-N4	-6.43	1.28	1.33
3	A1	82	G	C6-N1	-6.43	1.35	1.39
3	A1	470	C	C4-N4	-6.43	1.28	1.33
3	A1	745	G	C2-N2	-6.43	1.28	1.34
3	A1	1352	C	N3-C4	-6.43	1.29	1.33
3	A1	756	C	C4-N4	-6.43	1.28	1.33
3	A1	727	G	N1-C2	-6.43	1.32	1.37
25	BB	1772	A	N3-C4	6.43	1.38	1.34
25	BB	1636	U	O3'-P	-6.43	1.53	1.61
25	BB	1750	G	C2-N2	-6.43	1.28	1.34
3	A1	1219	A	C6-N6	-6.43	1.28	1.33
25	BB	553	G	N3-C4	6.43	1.40	1.35
1	AE	49	C	C4-N4	-6.42	1.28	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	1141	C	N3-C4	-6.42	1.29	1.33
25	BB	97	C	N3-C4	-6.42	1.29	1.33
25	BB	1031	G	C5'-C4'	6.42	1.59	1.51
25	BB	2834	G	C2-N2	-6.42	1.28	1.34
25	BB	1099	G	N1-C2	-6.42	1.32	1.37
25	BB	1538	G	P-O5'	6.42	1.66	1.59
25	BB	1585	C	N3-C4	-6.42	1.29	1.33
1	AA	35	A	C6-N6	-6.42	1.28	1.33
1	AP	35	A	C8-N7	6.42	1.36	1.31
3	A1	357	G	N7-C5	6.42	1.43	1.39
3	A1	392	C	C4-N4	-6.42	1.28	1.33
25	BB	1046	A	P-O5'	6.42	1.66	1.59
25	BB	1706	C	N3-C4	-6.42	1.29	1.33
25	BB	2553	G	C2-N2	-6.42	1.28	1.34
3	A1	337	G	N3-C4	6.42	1.40	1.35
3	A1	1013	G	P-O5'	-6.42	1.53	1.59
25	BB	2117	A	C5'-C4'	6.42	1.59	1.51
25	BB	2292	U	P-O5'	-6.42	1.53	1.59
25	BB	2350	C	O3'-P	-6.42	1.53	1.61
3	A1	520	A	C6-N6	-6.42	1.28	1.33
25	BB	381	G	C2-N2	-6.42	1.28	1.34
25	BB	692	C	C4-N4	-6.42	1.28	1.33
25	BB	883	G	C6-N1	-6.42	1.35	1.39
25	BB	2184	A	N7-C5	6.42	1.43	1.39
25	BB	2334	U	O3'-P	-6.42	1.53	1.61
25	BB	2635	A	P-O5'	6.41	1.66	1.59
24	BA	98	G	C2-N2	-6.41	1.28	1.34
25	BB	1687	G	N1-C2	-6.41	1.32	1.37
3	A1	695	A	N9-C4	6.41	1.41	1.37
25	BB	1524	G	C2-N2	-6.41	1.28	1.34
3	A1	1486	G	C2-N2	-6.41	1.28	1.34
25	BB	1627	G	N1-C2	-6.41	1.32	1.37
3	A1	1465	A	C6-N6	-6.41	1.28	1.33
25	BB	1873	G	C2-N2	-6.41	1.28	1.34
25	BB	2600	A	N7-C5	6.41	1.43	1.39
25	BB	635	C	C4-N4	-6.41	1.28	1.33
25	BB	2869	G	N1-C2	-6.41	1.32	1.37
3	A1	985	C	N3-C4	-6.40	1.29	1.33
25	BB	756	A	N7-C5	6.40	1.43	1.39
25	BB	1192	G	C6-N1	-6.40	1.35	1.39
3	A1	371	A	N3-C4	6.40	1.38	1.34
3	A1	1427	C	C5'-C4'	6.40	1.59	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	23	C	C4-N4	-6.40	1.28	1.33
3	A1	54	C	P-O5'	-6.40	1.53	1.59
3	A1	1468	A	N7-C5	6.40	1.43	1.39
25	BB	864	G	C2-N2	-6.40	1.28	1.34
3	A1	799	G	N1-C2	-6.40	1.32	1.37
3	A1	601	G	C2-N2	-6.40	1.28	1.34
3	A1	947	G	N7-C5	6.39	1.43	1.39
25	BB	1845	G	N3-C4	6.39	1.40	1.35
25	BB	324	A	N7-C5	6.39	1.43	1.39
25	BB	1879	C	N3-C4	-6.39	1.29	1.33
3	A1	1457	G	N1-C2	-6.39	1.32	1.37
1	AA	66	A	N9-C4	6.39	1.41	1.37
25	BB	1092	C	C4-N4	-6.39	1.28	1.33
25	BB	1826	G	C2-N2	-6.39	1.28	1.34
27	BD	30	ARG	CZ-NH1	-6.38	1.24	1.33
25	BB	267	C	C4-N4	-6.38	1.28	1.33
3	A1	1204	A	C6-N6	-6.38	1.28	1.33
3	A1	890	G	N1-C2	-6.38	1.32	1.37
25	BB	2064	C	C4-N4	-6.38	1.28	1.33
1	AP	64	A	P-O5'	6.38	1.66	1.59
3	A1	797	C	C4-N4	-6.38	1.28	1.33
3	A1	975	A	C6-N1	-6.38	1.31	1.35
25	BB	1857	G	C2-N2	-6.38	1.28	1.34
25	BB	2850	A	C6-N1	-6.38	1.31	1.35
25	BB	1374	G	N1-C2	-6.38	1.32	1.37
25	BB	1450	G	C6-N1	-6.38	1.35	1.39
25	BB	1528	A	N3-C4	6.38	1.38	1.34
25	BB	1774	C	N3-C4	-6.38	1.29	1.33
3	A1	914	A	C6-N1	-6.37	1.31	1.35
25	BB	1514	G	C2-N2	-6.37	1.28	1.34
25	BB	1627	G	C2-N2	-6.37	1.28	1.34
3	A1	342	C	P-O5'	-6.37	1.53	1.59
25	BB	1878	G	P-O5'	6.37	1.66	1.59
25	BB	2353	G	N1-C2	-6.37	1.32	1.37
3	A1	9	G	C2-N2	-6.37	1.28	1.34
25	BB	1063	G	C2-N2	-6.37	1.28	1.34
25	BB	1983	G	C2-N2	-6.37	1.28	1.34
3	A1	342	C	N3-C4	-6.37	1.29	1.33
3	A1	940	C	C4-N4	-6.37	1.28	1.33
3	A1	995	C	C4-N4	-6.37	1.28	1.33
25	BB	1161	C	C4-N4	-6.37	1.28	1.33
25	BB	1350	C	C4-N4	-6.36	1.28	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	2148	G	C6-N1	-6.36	1.35	1.39
3	A1	54	C	C5'-C4'	6.36	1.58	1.51
25	BB	2276	G	N1-C2	-6.36	1.32	1.37
25	BB	2486	C	C4-N4	-6.36	1.28	1.33
27	BD	108	ARG	CZ-NH1	-6.36	1.24	1.33
3	A1	698	G	C2-N2	-6.36	1.28	1.34
25	BB	1619	G	C2-N2	-6.36	1.28	1.34
25	BB	2102	G	N1-C2	-6.36	1.32	1.37
25	BB	2304	G	C2-N2	-6.36	1.28	1.34
3	A1	515	G	N3-C4	6.35	1.39	1.35
3	A1	1305	G	C2-N2	-6.35	1.28	1.34
3	A1	1487	G	C2-N2	-6.35	1.28	1.34
25	BB	2320	U	C2-N3	6.35	1.42	1.37
25	BB	891	G	N3-C4	6.35	1.39	1.35
25	BB	1803	A	N7-C5	6.35	1.43	1.39
3	A1	6	G	C2-N2	-6.35	1.28	1.34
17	AR	183	ARG	CZ-NH1	-6.35	1.24	1.33
25	BB	509	C	C4-N4	-6.35	1.28	1.33
25	BB	1435	G	N1-C2	-6.35	1.32	1.37
25	BB	1365	A	N7-C5	6.35	1.43	1.39
1	AE	75	C	C4-N4	-6.35	1.28	1.33
25	BB	337	C	N3-C4	-6.35	1.29	1.33
25	BB	603	A	C6-N6	-6.35	1.28	1.33
3	A1	102	G	C2-N2	-6.34	1.28	1.34
25	BB	1943	U	P-O5'	6.34	1.66	1.59
25	BB	2277	G	N1-C2	-6.34	1.32	1.37
25	BB	2525	G	N1-C2	-6.34	1.32	1.37
25	BB	20	C	N3-C4	-6.34	1.29	1.33
25	BB	1877	A	C6-N6	-6.34	1.28	1.33
25	BB	2889	C	P-O5'	6.34	1.66	1.59
25	BB	356	G	N7-C5	6.34	1.43	1.39
25	BB	1638	C	N3-C4	-6.34	1.29	1.33
25	BB	2128	G	N7-C5	6.34	1.43	1.39
25	BB	1034	G	C6-N1	-6.34	1.35	1.39
1	AA	4	G	C5-C4	6.34	1.42	1.38
3	A1	588	G	C2-N2	-6.34	1.28	1.34
3	A1	1510	C	N3-C4	-6.34	1.29	1.33
25	BB	1731	G	N1-C2	-6.34	1.32	1.37
3	A1	1373	G	C2-N2	-6.33	1.28	1.34
25	BB	168	G	N1-C2	-6.33	1.32	1.37
1	AA	20	G	P-O5'	6.33	1.66	1.59
3	A1	765	G	N7-C5	6.33	1.43	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	1131	G	N1-C2	-6.33	1.32	1.37
25	BB	622	G	N7-C5	6.33	1.43	1.39
25	BB	1216	G	N3-C4	6.33	1.39	1.35
25	BB	1843	C	C4-N4	-6.33	1.28	1.33
25	BB	2791	G	N1-C2	-6.33	1.32	1.37
3	A1	580	C	C4-N4	-6.33	1.28	1.33
3	A1	976	G	C2-N2	-6.33	1.28	1.34
3	A1	1334	G	N3-C4	6.33	1.39	1.35
24	BA	102	G	P-O5'	-6.33	1.53	1.59
25	BB	1266	G	P-O5'	6.33	1.66	1.59
3	A1	127	G	N7-C5	6.33	1.43	1.39
3	A1	529	G	C5-C6	6.33	1.48	1.42
25	BB	604	G	C2-N2	-6.33	1.28	1.34
25	BB	1954	G	C2-N2	-6.33	1.28	1.34
25	BB	2429	G	N1-C2	-6.33	1.32	1.37
25	BB	2484	G	C6-N1	-6.33	1.35	1.39
3	A1	874	G	C2-N2	-6.33	1.28	1.34
25	BB	1548	A	N9-C4	6.33	1.41	1.37
25	BB	2870	C	O3'-P	-6.33	1.53	1.61
1	AP	71	G	N1-C2	-6.32	1.32	1.37
25	BB	818	G	N1-C2	-6.32	1.32	1.37
25	BB	1535	A	P-O5'	-6.32	1.53	1.59
25	BB	1608	A	P-O5'	6.32	1.66	1.59
25	BB	2803	G	N3-C4	6.32	1.39	1.35
1	AP	3	G	C2-N2	-6.32	1.28	1.34
3	A1	139	A	N9-C4	-6.32	1.34	1.37
3	A1	199	A	N7-C5	6.32	1.43	1.39
3	A1	470	C	N3-C4	-6.32	1.29	1.33
3	A1	545	C	P-O5'	-6.32	1.53	1.59
3	A1	1207	G	N7-C5	6.32	1.43	1.39
3	A1	220	G	C2-N2	-6.32	1.28	1.34
25	BB	711	G	C2-N2	-6.32	1.28	1.34
25	BB	2150	C	N3-C4	-6.32	1.29	1.33
25	BB	2171	A	C6-N6	-6.32	1.28	1.33
3	A1	888	G	C2-N2	-6.31	1.28	1.34
3	A1	494	G	O3'-P	-6.31	1.53	1.61
25	BB	761	A	C6-N6	-6.31	1.28	1.33
25	BB	1284	A	N3-C4	6.31	1.38	1.34
25	BB	2763	G	P-O5'	-6.31	1.53	1.59
3	A1	754	C	C4-N4	-6.31	1.28	1.33
24	BA	9	G	C2-N2	-6.31	1.28	1.34
25	BB	718	A	C6-N1	-6.31	1.31	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	2036	C	C4-N4	-6.31	1.28	1.33
1	AE	9	A	N3-C4	6.31	1.38	1.34
2	AM	17	U	C2-N3	-6.31	1.33	1.37
3	A1	1012	A	C6-N6	-6.31	1.28	1.33
3	A1	1036	A	C6-N1	-6.31	1.31	1.35
25	BB	1392	A	C6-N6	-6.31	1.28	1.33
3	A1	1197	A	C6-N6	-6.31	1.28	1.33
3	A1	1058	G	N1-C2	-6.30	1.32	1.37
25	BB	305	C	N3-C4	-6.30	1.29	1.33
25	BB	461	C	P-O5'	6.30	1.66	1.59
25	BB	1490	A	O3'-P	-6.30	1.53	1.61
25	BB	1927	A	P-O5'	6.30	1.66	1.59
25	BB	2591	C	N3-C4	-6.30	1.29	1.33
3	A1	399	G	N1-C2	-6.30	1.32	1.37
3	A1	713	G	N3-C4	6.30	1.39	1.35
3	A1	1138	G	C5'-C4'	6.30	1.58	1.51
3	A1	1474	U	P-O5'	6.30	1.66	1.59
3	A1	1129	C	C4-N4	-6.30	1.28	1.33
25	BB	1289	C	N3-C4	-6.30	1.29	1.33
25	BB	1480	C	C4-N4	-6.30	1.28	1.33
25	BB	1850	G	N3-C4	6.30	1.39	1.35
1	AP	53	G	C2-N2	-6.30	1.28	1.34
25	BB	716	A	C6-N1	-6.30	1.31	1.35
25	BB	930	G	C2-N2	-6.30	1.28	1.34
25	BB	997	G	N7-C5	6.30	1.43	1.39
25	BB	1526	C	C4-N4	-6.30	1.28	1.33
3	A1	945	G	C2-N2	-6.29	1.28	1.34
25	BB	1107	G	N1-C2	-6.29	1.32	1.37
25	BB	1838	C	O3'-P	-6.29	1.53	1.61
25	BB	2127	G	N1-C2	-6.29	1.32	1.37
3	A1	57	G	N1-C2	-6.29	1.32	1.37
25	BB	681	G	N3-C4	6.29	1.39	1.35
25	BB	1169	A	C6-N6	-6.29	1.28	1.33
3	A1	902	G	N1-C2	-6.29	1.32	1.37
3	A1	979	C	N3-C4	-6.29	1.29	1.33
25	BB	651	G	C6-N1	-6.29	1.35	1.39
25	BB	2606	C	O3'-P	-6.29	1.53	1.61
1	AA	29	A	N9-C4	6.29	1.41	1.37
25	BB	692	C	N3-C4	-6.29	1.29	1.33
25	BB	1182	G	C2-N2	-6.29	1.28	1.34
25	BB	1443	U	P-O5'	-6.29	1.53	1.59
1	AA	14	A	N9-C4	6.29	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	1109	C	C4-N4	-6.29	1.28	1.33
25	BB	1511	G	N1-C2	-6.29	1.32	1.37
25	BB	1522	A	N3-C4	6.29	1.38	1.34
25	BB	1762	A	C6-N6	-6.29	1.28	1.33
3	A1	833	G	N1-C2	-6.29	1.32	1.37
25	BB	1382	G	C2-N2	-6.29	1.28	1.34
1	AE	16	U	P-O5'	-6.28	1.53	1.59
3	A1	1365	G	C6-N1	-6.28	1.35	1.39
25	BB	327	G	C5'-C4'	6.28	1.58	1.51
3	A1	747	A	P-O5'	-6.28	1.53	1.59
24	BA	5	U	P-O5'	6.28	1.66	1.59
25	BB	143	C	C4-N4	-6.28	1.28	1.33
25	BB	857	G	C2-N2	-6.28	1.28	1.34
2	AM	7	U	N1-C6	6.28	1.43	1.38
25	BB	86	G	N1-C2	-6.28	1.32	1.37
3	A1	737	C	N3-C4	-6.28	1.29	1.33
3	A1	932	C	C4-N4	-6.28	1.28	1.33
25	BB	116	C	C4-N4	-6.28	1.28	1.33
25	BB	628	G	C2-N2	-6.28	1.28	1.34
25	BB	1382	G	C5-C6	6.28	1.48	1.42
25	BB	2328	A	N7-C5	6.28	1.43	1.39
25	BB	2582	G	C2-N2	-6.28	1.28	1.34
25	BB	631	A	N7-C5	6.28	1.43	1.39
25	BB	1724	G	N1-C2	-6.28	1.32	1.37
25	BB	1915	U	C2-N3	6.28	1.42	1.37
25	BB	1929	G	C2-N2	-6.27	1.28	1.34
3	A1	347	G	C2-N2	-6.27	1.28	1.34
3	A1	225	C	P-O5'	6.27	1.66	1.59
25	BB	1107	G	C2-N2	-6.27	1.28	1.34
3	A1	715	A	N7-C5	6.27	1.43	1.39
3	A1	1426	G	C2-N2	-6.27	1.28	1.34
25	BB	1721	G	C2-N2	-6.27	1.28	1.34
39	BP	19	ARG	CZ-NH2	-6.27	1.24	1.33
3	A1	1402	C	N3-C4	-6.27	1.29	1.33
3	A1	1403	C	N3-C4	-6.27	1.29	1.33
25	BB	1964	G	C2-N2	-6.27	1.28	1.34
25	BB	2387	U	C2-N3	-6.27	1.33	1.37
3	A1	68	G	C6-N1	-6.26	1.35	1.39
3	A1	395	C	C4-N4	-6.26	1.28	1.33
25	BB	1114	C	C4-N4	-6.26	1.28	1.33
1	AE	14	A	O3'-P	-6.26	1.53	1.61
25	BB	910	A	N3-C4	6.26	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	462	G	C6-N1	-6.26	1.35	1.39
3	A1	1383	C	C4-N4	-6.26	1.28	1.33
3	A1	1449	C	C4-N4	-6.26	1.28	1.33
24	BA	64	G	C2-N2	-6.26	1.28	1.34
25	BB	1917	U	P-O5'	6.26	1.66	1.59
25	BB	2581	G	C6-N1	-6.26	1.35	1.39
3	A1	750	C	O3'-P	-6.26	1.53	1.61
3	A1	807	A	N3-C4	6.26	1.38	1.34
3	A1	978	A	C6-N1	-6.26	1.31	1.35
24	BA	56	G	P-O5'	6.26	1.66	1.59
25	BB	2556	C	N3-C4	-6.26	1.29	1.33
25	BB	2641	G	C2-N2	-6.26	1.28	1.34
3	A1	613	C	N3-C4	-6.26	1.29	1.33
3	A1	661	G	C2-N2	-6.25	1.28	1.34
3	A1	1322	C	C4-N4	-6.25	1.28	1.33
25	BB	1125	G	C2-N2	-6.25	1.28	1.34
3	A1	423	G	C6-N1	-6.25	1.35	1.39
25	BB	2232	C	C4-N4	-6.25	1.28	1.33
25	BB	2424	C	O3'-P	-6.25	1.53	1.61
25	BB	2623	G	C2-N2	-6.25	1.28	1.34
3	A1	838	G	C2-N2	-6.25	1.28	1.34
3	A1	980	C	C4-N4	-6.25	1.28	1.33
25	BB	2237	G	C2-N2	-6.25	1.28	1.34
25	BB	2294	G	N7-C5	6.25	1.43	1.39
3	A1	809	G	O3'-P	-6.25	1.53	1.61
25	BB	325	G	N1-C2	-6.25	1.32	1.37
25	BB	2839	G	C2-N2	-6.25	1.28	1.34
25	BB	843	G	C2-N2	-6.24	1.28	1.34
25	BB	1296	G	C6-N1	-6.24	1.35	1.39
25	BB	580	U	P-O5'	6.24	1.66	1.59
25	BB	1525	A	C6-N1	-6.24	1.31	1.35
25	BB	1567	G	C2-N2	-6.24	1.28	1.34
24	BA	67	G	C2-N2	-6.24	1.28	1.34
25	BB	2539	C	N1-C6	6.24	1.40	1.37
25	BB	1233	C	C4-N4	-6.24	1.28	1.33
3	A1	126	G	C2-N2	-6.24	1.28	1.34
3	A1	1366	C	N3-C4	-6.24	1.29	1.33
25	BB	1036	G	N1-C2	-6.24	1.32	1.37
25	BB	1339	G	N1-C2	-6.23	1.32	1.37
25	BB	1429	G	C2-N2	-6.23	1.28	1.34
25	BB	2879	A	N7-C5	6.23	1.43	1.39
3	A1	713	G	N1-C2	-6.23	1.32	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	1199	U	P-O5'	6.23	1.66	1.59
25	BB	1797	G	N7-C5	6.23	1.43	1.39
3	A1	749	A	P-O5'	6.23	1.66	1.59
24	BA	81	G	N7-C5	6.23	1.43	1.39
25	BB	361	G	C2-N2	-6.23	1.28	1.34
25	BB	1840	G	N7-C5	6.23	1.43	1.39
3	A1	345	C	C4-C5	-6.23	1.38	1.43
3	A1	1081	A	C6-N6	-6.23	1.28	1.33
3	A1	422	C	N1-C6	6.23	1.40	1.37
3	A1	987	G	N1-C2	-6.23	1.32	1.37
25	BB	1235	G	C2-N2	-6.23	1.28	1.34
25	BB	1426	G	C2-N2	-6.23	1.28	1.34
25	BB	2287	A	N7-C5	6.23	1.43	1.39
3	A1	202	G	P-O5'	-6.22	1.53	1.59
25	BB	192	C	N3-C4	-6.22	1.29	1.33
1	AP	61	C	N3-C4	-6.22	1.29	1.33
25	BB	1164	C	C4-N4	-6.22	1.28	1.33
25	BB	2256	G	N1-C2	-6.22	1.32	1.37
1	AA	49	C	P-O5'	-6.22	1.53	1.59
25	BB	1730	C	O3'-P	-6.22	1.53	1.61
1	AA	70	C	O3'-P	-6.22	1.53	1.61
25	BB	988	A	N7-C5	6.22	1.43	1.39
25	BB	1006	C	C4-N4	-6.22	1.28	1.33
25	BB	1120	G	C2-N2	-6.22	1.28	1.34
3	A1	458	U	O3'-P	-6.22	1.53	1.61
3	A1	557	G	N1-C2	-6.22	1.32	1.37
25	BB	489	G	C2-N2	-6.22	1.28	1.34
25	BB	2318	G	C2-N2	-6.22	1.28	1.34
3	A1	614	C	C4-N4	-6.21	1.28	1.33
25	BB	1153	C	C4-N4	-6.21	1.28	1.33
25	BB	1461	C	C4-N4	-6.21	1.28	1.33
1	AE	24	G	N7-C5	6.21	1.43	1.39
3	A1	159	G	C2-N2	-6.21	1.28	1.34
3	A1	517	G	P-O5'	-6.21	1.53	1.59
25	BB	2454	G	C2-N2	-6.21	1.28	1.34
1	AP	18	G	C2-N2	-6.21	1.28	1.34
3	A1	990	C	P-O5'	-6.21	1.53	1.59
3	A1	350	G	C2-N2	-6.21	1.28	1.34
1	AP	65	G	N1-C2	-6.21	1.32	1.37
20	AU	142	ARG	CZ-NH1	-6.21	1.25	1.33
25	BB	509	C	O3'-P	-6.21	1.53	1.61
25	BB	1319	C	C5'-C4'	6.21	1.58	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	1670	C	O3'-P	-6.21	1.53	1.61
25	BB	2618	G	N7-C5	6.21	1.43	1.39
25	BB	2738	A	P-O5'	-6.21	1.53	1.59
1	AA	44	A	C6-N6	-6.20	1.28	1.33
25	BB	710	U	P-O5'	6.20	1.66	1.59
25	BB	1208	C	C4-N4	-6.20	1.28	1.33
25	BB	1595	C	C4-N4	-6.20	1.28	1.33
3	A1	490	C	N3-C4	-6.20	1.29	1.33
1	AA	75	C	C4'-C3'	6.20	1.59	1.53
25	BB	2710	C	C4-N4	-6.20	1.28	1.33
1	AP	56	C	C4-N4	-6.20	1.28	1.33
3	A1	184	G	N7-C5	6.20	1.43	1.39
3	A1	967	C	N3-C4	-6.20	1.29	1.33
25	BB	113	U	P-O5'	-6.20	1.53	1.59
3	A1	99	C	N3-C4	-6.20	1.29	1.33
25	BB	442	G	C2-N2	-6.20	1.28	1.34
3	A1	1162	C	N3-C4	-6.20	1.29	1.33
25	BB	1861	G	C2-N2	-6.20	1.28	1.34
25	BB	1937	A	N7-C5	6.20	1.43	1.39
25	BB	2559	C	O3'-P	-6.20	1.53	1.61
3	A1	432	A	N7-C5	6.19	1.43	1.39
7	AF	91	ARG	CZ-NH2	-6.19	1.25	1.33
25	BB	476	G	N7-C5	6.19	1.43	1.39
25	BB	1007	C	C4-N4	-6.19	1.28	1.33
25	BB	1136	G	O3'-P	-6.19	1.53	1.61
25	BB	1631	G	C2-N2	-6.19	1.28	1.34
25	BB	1914	C	C5-C6	6.19	1.39	1.34
3	A1	401	C	C4-N4	-6.19	1.28	1.33
24	BA	18	G	C2-N2	-6.19	1.28	1.34
25	BB	145	C	P-O5'	-6.19	1.53	1.59
1	AE	26	G	C2-N2	-6.19	1.28	1.34
3	A1	285	C	C4-N4	-6.19	1.28	1.33
3	A1	951	G	P-O5'	6.19	1.66	1.59
25	BB	2705	A	O3'-P	-6.19	1.53	1.61
3	A1	1310	G	C2-N2	-6.19	1.28	1.34
3	A1	1359	C	O3'-P	-6.19	1.53	1.61
25	BB	2476	A	O3'-P	-6.19	1.53	1.61
3	A1	411	A	C6-N1	-6.18	1.31	1.35
3	A1	848	C	C4-N4	-6.18	1.28	1.33
25	BB	2421	G	C2-N2	-6.18	1.28	1.34
25	BB	1118	C	C4-N4	-6.18	1.28	1.33
25	BB	1828	G	C2-N2	-6.18	1.28	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	351	G	N3-C4	6.18	1.39	1.35
3	A1	663	A	P-O5'	-6.18	1.53	1.59
3	A1	1032	G	C2-N2	-6.18	1.28	1.34
25	BB	1473	G	P-O5'	6.18	1.66	1.59
25	BB	1298	C	C5'-C4'	6.18	1.58	1.51
3	A1	734	G	C2-N2	-6.18	1.28	1.34
3	A1	279	A	N7-C5	6.18	1.43	1.39
3	A1	830	G	C2-N2	-6.18	1.28	1.34
3	A1	1033	G	C6-N1	-6.18	1.35	1.39
3	A1	1164	G	C2-N2	-6.18	1.28	1.34
25	BB	600	G	O3'-P	-6.18	1.53	1.61
25	BB	1069	A	N3-C4	6.18	1.38	1.34
25	BB	1650	A	N7-C5	6.18	1.43	1.39
25	BB	2061	G	P-O5'	-6.18	1.53	1.59
1	AE	25	C	P-O5'	6.17	1.66	1.59
3	A1	429	U	P-O5'	6.17	1.66	1.59
3	A1	1501	C	N3-C4	-6.17	1.29	1.33
25	BB	1137	G	O3'-P	-6.17	1.53	1.61
25	BB	2240	U	O3'-P	-6.17	1.53	1.61
25	BB	1836	C	N3-C4	-6.17	1.29	1.33
3	A1	1172	C	C4-N4	-6.17	1.28	1.33
3	A1	1383	C	P-O5'	6.17	1.66	1.59
24	BA	61	G	O3'-P	-6.17	1.53	1.61
25	BB	1453	A	P-O5'	-6.17	1.53	1.59
25	BB	2103	C	C4-N4	-6.17	1.28	1.33
25	BB	2226	C	C4-N4	-6.17	1.28	1.33
25	BB	2710	C	C5'-C4'	6.17	1.58	1.51
3	A1	26	A	N7-C5	6.17	1.43	1.39
25	BB	1640	A	O3'-P	-6.17	1.53	1.61
25	BB	139	U	O3'-P	6.17	1.68	1.61
25	BB	1954	G	P-O5'	6.17	1.66	1.59
25	BB	2628	C	N3-C4	-6.17	1.29	1.33
3	A1	980	C	P-O5'	6.17	1.66	1.59
3	A1	139	A	C6-N6	-6.17	1.29	1.33
3	A1	451	A	C6-N1	-6.16	1.31	1.35
3	A1	661	G	C6-N1	-6.16	1.35	1.39
3	A1	872	A	N9-C4	6.16	1.41	1.37
25	BB	1494	A	N7-C5	6.16	1.43	1.39
25	BB	1560	G	C5'-C4'	6.16	1.58	1.51
25	BB	1696	G	C2-N2	-6.16	1.28	1.34
25	BB	2418	A	N7-C5	6.16	1.43	1.39
25	BB	2631	G	P-O5'	6.16	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	BA	113	C	P-O5'	-6.16	1.53	1.59
25	BB	262	A	N3-C4	6.16	1.38	1.34
3	A1	685	G	P-O5'	6.16	1.66	1.59
3	A1	1180	A	N3-C4	6.16	1.38	1.34
25	BB	1908	C	C5'-C4'	6.16	1.58	1.51
25	BB	2716	C	C4-N4	-6.16	1.28	1.33
3	A1	970	C	N3-C4	-6.16	1.29	1.33
3	A1	1296	C	O3'-P	-6.16	1.53	1.61
25	BB	1670	C	P-O5'	-6.16	1.53	1.59
25	BB	2341	G	N1-C2	-6.16	1.32	1.37
3	A1	1483	A	N3-C4	6.16	1.38	1.34
3	A1	1050	G	C5'-C4'	6.16	1.58	1.51
3	A1	1356	G	N9-C4	6.16	1.42	1.38
25	BB	1547	C	N3-C4	-6.16	1.29	1.33
25	BB	2090	A	N9-C4	6.16	1.41	1.37
3	A1	783	C	C4-N4	-6.15	1.28	1.33
3	A1	880	C	C4-N4	-6.15	1.28	1.33
25	BB	1432	G	N1-C2	-6.15	1.32	1.37
37	BN	176	ARG	CZ-NH2	-6.15	1.25	1.33
3	A1	838	G	N7-C5	6.15	1.43	1.39
25	BB	63	A	N7-C5	6.15	1.43	1.39
3	A1	44	A	C6-N6	-6.15	1.29	1.33
3	A1	1505	G	C6-N1	-6.15	1.35	1.39
25	BB	2524	G	C2-N2	-6.15	1.28	1.34
1	AA	14	A	N7-C5	6.15	1.43	1.39
3	A1	719	C	N3-C4	-6.15	1.29	1.33
25	BB	14	A	N3-C4	6.15	1.38	1.34
3	A1	724	G	O3'-P	-6.14	1.53	1.61
3	A1	1379	G	C2-N2	-6.14	1.28	1.34
25	BB	1202	G	C2-N2	-6.14	1.28	1.34
1	AE	28	C	C4-N4	-6.14	1.28	1.33
25	BB	930	G	O3'-P	-6.14	1.53	1.61
25	BB	1571	A	N7-C5	6.14	1.43	1.39
25	BB	2260	C	N3-C4	-6.14	1.29	1.33
25	BB	2331	G	C2-N2	-6.14	1.28	1.34
25	BB	1135	C	C4-N4	-6.14	1.28	1.33
3	A1	1458	G	O3'-P	-6.14	1.53	1.61
25	BB	1339	G	N3-C4	6.14	1.39	1.35
25	BB	2760	C	C4-N4	-6.14	1.28	1.33
25	BB	1427	A	P-O5'	6.14	1.65	1.59
3	A1	152	A	P-O5'	6.14	1.65	1.59
25	BB	2532	G	P-O5'	-6.14	1.53	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	1136	C	N3-C4	-6.13	1.29	1.33
3	A1	1198	G	C2-N2	-6.13	1.28	1.34
25	BB	315	G	C2-N2	-6.13	1.28	1.34
25	BB	728	G	N7-C5	6.13	1.43	1.39
3	A1	402	G	C2-N2	-6.13	1.28	1.34
3	A1	959	A	C6-N6	-6.13	1.29	1.33
7	AF	106	ARG	CZ-NH2	-6.13	1.25	1.33
25	BB	136	G	N1-C2	-6.13	1.32	1.37
25	BB	865	C	C4-N4	-6.13	1.28	1.33
25	BB	1247	A	N7-C5	6.13	1.43	1.39
25	BB	2539	C	C4-N4	-6.13	1.28	1.33
3	A1	336	A	N7-C5	6.13	1.43	1.39
3	A1	592	G	C2-N2	-6.13	1.28	1.34
15	AO	135	ARG	CZ-NH2	-6.13	1.25	1.33
25	BB	2510	C	N3-C4	-6.13	1.29	1.33
3	A1	369	G	C2-N2	-6.13	1.28	1.34
25	BB	108	G	C2-N2	-6.13	1.28	1.34
25	BB	1421	G	N1-C2	-6.13	1.32	1.37
1	AE	56	C	C4-N4	-6.12	1.28	1.33
25	BB	163	C	N3-C4	-6.12	1.29	1.33
25	BB	494	G	C2-N2	-6.12	1.28	1.34
25	BB	1287	A	C6-N1	-6.12	1.31	1.35
25	BB	1934	C	C3'-C2'	6.12	1.59	1.52
24	BA	104	A	N3-C4	6.12	1.38	1.34
25	BB	993	G	C2-N2	-6.12	1.28	1.34
25	BB	1631	G	N7-C5	6.12	1.43	1.39
3	A1	521	G	N1-C2	-6.12	1.32	1.37
25	BB	324	A	C6-N6	-6.12	1.29	1.33
25	BB	2174	C	C4-N4	-6.12	1.28	1.33
3	A1	511	C	O3'-P	-6.12	1.53	1.61
25	BB	261	G	O3'-P	-6.12	1.53	1.61
25	BB	313	G	N7-C5	6.12	1.43	1.39
25	BB	1115	G	C2-N2	-6.12	1.28	1.34
25	BB	1520	U	P-O5'	-6.12	1.53	1.59
3	A1	683	G	C5'-C4'	6.12	1.58	1.51
1	AA	65	G	N1-C2	-6.12	1.32	1.37
25	BB	613	A	C6-N6	-6.12	1.29	1.33
25	BB	737	C	C4-N4	-6.12	1.28	1.33
25	BB	2286	G	C2-N2	-6.12	1.28	1.34
25	BB	1109	C	O3'-P	-6.11	1.53	1.61
25	BB	1508	A	C6-N1	-6.11	1.31	1.35
25	BB	2050	C	P-O5'	6.11	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	1634	A	N3-C4	6.11	1.38	1.34
1	AP	66	A	O3'-P	-6.11	1.53	1.61
3	A1	187	G	C6-N1	-6.11	1.35	1.39
3	A1	968	A	N9-C4	6.11	1.41	1.37
3	A1	758	C	C4-N4	-6.11	1.28	1.33
25	BB	2458	G	N1-C2	-6.11	1.32	1.37
1	AA	34	G	N1-C2	-6.11	1.32	1.37
3	A1	962	C	C4-N4	-6.11	1.28	1.33
3	A1	1100	C	C5'-C4'	6.11	1.58	1.51
8	AG	68	ARG	CZ-NH1	-6.11	1.25	1.33
25	BB	1919	A	O3'-P	-6.11	1.53	1.61
25	BB	192	C	C4-N4	-6.11	1.28	1.33
25	BB	481	G	N1-C2	-6.11	1.32	1.37
25	BB	553	G	C2-N2	-6.11	1.28	1.34
25	BB	553	G	N1-C2	-6.11	1.32	1.37
25	BB	188	G	C2-N2	-6.10	1.28	1.34
25	BB	915	C	N3-C4	-6.10	1.29	1.33
25	BB	1472	C	C4-N4	-6.10	1.28	1.33
25	BB	1897	G	O3'-P	6.10	1.68	1.61
25	BB	2157	G	C2-N2	-6.10	1.28	1.34
25	BB	285	G	P-O5'	-6.10	1.53	1.59
25	BB	2472	G	P-O5'	6.10	1.65	1.59
25	BB	791	C	N3-C4	-6.10	1.29	1.33
25	BB	1821	A	N7-C5	6.10	1.43	1.39
3	A1	845	A	P-O5'	6.10	1.65	1.59
25	BB	130	C	C4-N4	-6.10	1.28	1.33
25	BB	1707	G	O3'-P	-6.10	1.53	1.61
3	A1	1110	A	N7-C5	6.10	1.43	1.39
25	BB	880	G	O3'-P	-6.10	1.53	1.61
25	BB	1703	G	N7-C5	6.10	1.43	1.39
25	BB	1230	A	P-O5'	6.10	1.65	1.59
1	AP	51	G	O3'-P	-6.09	1.53	1.61
24	BA	113	C	C4-N4	-6.09	1.28	1.33
25	BB	1146	C	N3-C4	-6.09	1.29	1.33
25	BB	2260	C	C4-N4	-6.09	1.28	1.33
25	BB	1967	C	C4-N4	-6.09	1.28	1.33
25	BB	2288	A	N3-C4	6.09	1.38	1.34
25	BB	394	C	C4-N4	-6.09	1.28	1.33
25	BB	511	U	N1-C2	6.09	1.44	1.38
25	BB	708	G	N1-C2	-6.09	1.32	1.37
25	BB	2409	G	N1-C2	-6.09	1.32	1.37
25	BB	2475	C	N1-C6	6.09	1.40	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	1675	C	C4-N4	-6.09	1.28	1.33
9	AH	32	THR	C-O	6.09	1.34	1.23
24	BA	7	G	P-O5'	-6.09	1.53	1.59
25	BB	599	A	C6-N6	-6.09	1.29	1.33
25	BB	855	G	C2-N2	-6.09	1.28	1.34
25	BB	2676	C	N1-C6	6.09	1.40	1.37
1	AE	44	A	C6-N1	-6.09	1.31	1.35
24	BA	97	C	C4-N4	-6.09	1.28	1.33
25	BB	426	C	C4'-O4'	-6.09	1.37	1.45
25	BB	1342	A	N7-C5	6.09	1.43	1.39
25	BB	2456	C	C4-N4	-6.09	1.28	1.33
25	BB	611	C	C4'-O4'	-6.08	1.37	1.45
25	BB	1274	A	N7-C5	6.08	1.43	1.39
3	A1	278	G	N1-C2	-6.08	1.32	1.37
25	BB	1179	G	C2-N2	-6.08	1.28	1.34
25	BB	1095	A	N7-C5	6.08	1.42	1.39
3	A1	1046	A	C6-N6	-6.08	1.29	1.33
3	A1	771	G	P-O5'	6.08	1.65	1.59
3	A1	1365	G	O3'-P	-6.08	1.53	1.61
25	BB	300	A	N9-C4	6.08	1.41	1.37
25	BB	1334	G	C2-N2	-6.08	1.28	1.34
3	A1	887	G	C2-N2	-6.08	1.28	1.34
24	BA	9	G	N3-C4	6.08	1.39	1.35
25	BB	1320	C	C4-N4	-6.08	1.28	1.33
3	A1	1363	A	N7-C5	6.08	1.42	1.39
24	BA	70	C	O3'-P	-6.08	1.53	1.61
25	BB	1189	A	N7-C5	6.08	1.42	1.39
25	BB	1838	C	C4-N4	-6.08	1.28	1.33
3	A1	1104	G	C2-N2	-6.07	1.28	1.34
25	BB	239	C	N3-C4	-6.07	1.29	1.33
25	BB	650	C	C4-N4	-6.07	1.28	1.33
1	AE	27	C	C4-N4	-6.07	1.28	1.33
3	A1	794	A	N7-C5	6.07	1.42	1.39
25	BB	182	A	N7-C5	6.07	1.42	1.39
25	BB	1788	C	C4-N4	-6.07	1.28	1.33
3	A1	461	A	P-O5'	-6.07	1.53	1.59
25	BB	735	A	C6-N6	-6.07	1.29	1.33
25	BB	1560	G	N1-C2	-6.07	1.32	1.37
25	BB	2087	G	N1-C2	-6.07	1.32	1.37
25	BB	2518	A	P-O5'	6.07	1.65	1.59
3	A1	1243	C	N3-C4	-6.07	1.29	1.33
25	BB	2294	G	P-O5'	-6.07	1.53	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	2394	C	C5'-C4'	6.07	1.58	1.51
3	A1	1139	G	O3'-P	-6.07	1.53	1.61
25	BB	484	C	N3-C4	-6.07	1.29	1.33
25	BB	1037	G	N1-C2	-6.07	1.32	1.37
25	BB	1043	C	C4-N4	-6.07	1.28	1.33
25	BB	1733	G	C2-N2	-6.07	1.28	1.34
25	BB	1910	G	C2-N2	-6.07	1.28	1.34
25	BB	2064	C	N3-C4	-6.07	1.29	1.33
3	A1	391	G	C2-N2	-6.07	1.28	1.34
24	BA	20	G	P-O5'	6.07	1.65	1.59
25	BB	365	U	P-O5'	-6.07	1.53	1.59
25	BB	367	G	C5-C6	6.07	1.48	1.42
25	BB	858	G	C2-N2	-6.07	1.28	1.34
25	BB	2307	G	P-O5'	6.07	1.65	1.59
3	A1	38	G	N1-C2	-6.06	1.32	1.37
25	BB	1697	G	C2-N2	-6.06	1.28	1.34
3	A1	654	G	P-O5'	6.06	1.65	1.59
25	BB	849	A	C6-N1	-6.06	1.31	1.35
25	BB	1215	G	C2-N2	-6.06	1.28	1.34
25	BB	2138	G	N1-C2	-6.06	1.32	1.37
3	A1	42	G	C2-N2	-6.06	1.28	1.34
3	A1	1431	A	C6-N1	-6.06	1.31	1.35
25	BB	2428	G	N1-C2	-6.06	1.32	1.37
3	A1	1455	G	N1-C2	-6.06	1.32	1.37
3	A1	1523	G	C2-N2	-6.06	1.28	1.34
25	BB	471	A	C6-N6	-6.06	1.29	1.33
25	BB	859	G	C2-N2	-6.06	1.28	1.34
25	BB	1161	C	N3-C4	-6.06	1.29	1.33
25	BB	2688	G	C2-N2	-6.06	1.28	1.34
3	A1	155	A	C6-N6	-6.06	1.29	1.33
3	A1	100	G	N1-C2	-6.06	1.32	1.37
3	A1	1091	U	P-O5'	6.06	1.65	1.59
3	A1	1338	G	N1-C2	-6.06	1.32	1.37
24	BA	84	G	N3-C4	6.06	1.39	1.35
25	BB	1149	G	C2-N2	-6.06	1.28	1.34
25	BB	1528	A	N7-C5	6.06	1.42	1.39
25	BB	2862	G	O3'-P	-6.06	1.53	1.61
25	BB	491	G	C2-N2	-6.05	1.28	1.34
25	BB	2102	G	C2-N2	-6.05	1.28	1.34
24	BA	112	G	C2-N2	-6.05	1.28	1.34
1	AE	31	A	N7-C5	6.05	1.42	1.39
4	AB	73	ARG	CZ-NH1	-6.05	1.25	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	AN	73	ARG	CZ-NH2	-6.05	1.25	1.33
25	BB	225	C	C4-N4	-6.05	1.28	1.33
3	A1	1079	G	C2-N2	-6.05	1.28	1.34
25	BB	1090	A	O3'-P	-6.05	1.53	1.61
3	A1	851	G	N1-C2	-6.05	1.32	1.37
3	A1	1276	G	O3'-P	-6.05	1.53	1.61
25	BB	1186	G	C6-N1	-6.05	1.35	1.39
3	A1	724	G	C2-N2	-6.05	1.28	1.34
25	BB	147	C	N1-C6	6.05	1.40	1.37
25	BB	971	G	N1-C2	-6.05	1.32	1.37
3	A1	631	C	N3-C4	-6.04	1.29	1.33
1	AP	43	G	P-O5'	6.04	1.65	1.59
25	BB	1332	G	N1-C2	-6.04	1.32	1.37
25	BB	1980	G	C6-N1	-6.04	1.35	1.39
25	BB	2501	C	C4-N4	-6.04	1.28	1.33
25	BB	2858	C	C5-C6	6.04	1.39	1.34
1	AE	2	C	C4-N4	-6.04	1.28	1.33
3	A1	604	G	C2-N2	-6.04	1.28	1.34
3	A1	978	A	C6-N6	-6.04	1.29	1.33
3	A1	1312	G	N1-C2	-6.04	1.32	1.37
7	AF	108	ARG	CZ-NH1	-6.04	1.25	1.33
8	AG	64	ARG	CZ-NH1	-6.04	1.25	1.33
25	BB	95	A	C6-N1	-6.04	1.31	1.35
3	A1	782	A	N3-C4	6.04	1.38	1.34
3	A1	1371	G	C2-N2	-6.04	1.28	1.34
25	BB	2467	C	N3-C4	-6.04	1.29	1.33
25	BB	208	C	C4-N4	-6.04	1.28	1.33
1	AA	26	G	O3'-P	-6.04	1.53	1.61
25	BB	978	G	C2-N2	-6.04	1.28	1.34
25	BB	1091	G	P-O5'	-6.04	1.53	1.59
25	BB	1330	C	N1-C6	6.04	1.40	1.37
25	BB	2042	A	C6-N1	-6.04	1.31	1.35
25	BB	1713	A	N7-C5	6.03	1.42	1.39
3	A1	1174	G	C2-N2	-6.03	1.28	1.34
25	BB	2108	A	P-O5'	-6.03	1.53	1.59
3	A1	243	A	N3-C4	6.03	1.38	1.34
3	A1	821	G	C2-N2	-6.03	1.28	1.34
25	BB	1930	G	C2-N2	-6.03	1.28	1.34
25	BB	2110	G	O3'-P	-6.03	1.53	1.61
3	A1	1051	C	C4-N4	-6.03	1.28	1.33
25	BB	281	C	P-O5'	-6.03	1.53	1.59
25	BB	912	C	C4-N4	-6.03	1.28	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	2311	A	C6-N6	-6.03	1.29	1.33
25	BB	2579	C	C4-N4	-6.03	1.28	1.33
25	BB	2631	G	C2-N2	-6.03	1.28	1.34
1	AE	36	A	C6-N6	-6.03	1.29	1.33
3	A1	650	G	O3'-P	-6.03	1.53	1.61
3	A1	1415	G	N7-C5	6.03	1.42	1.39
25	BB	1522	A	N9-C4	6.03	1.41	1.37
25	BB	1987	A	O3'-P	-6.03	1.53	1.61
3	A1	957	U	C2-N3	6.02	1.42	1.37
1	AP	18	G	O3'-P	-6.02	1.53	1.61
3	A1	1427	C	C4-N4	-6.02	1.28	1.33
25	BB	925	A	C5'-C4'	6.02	1.58	1.51
25	BB	1292	G	C2-N2	-6.02	1.28	1.34
32	BI	71	ARG	CZ-NH2	-6.02	1.25	1.33
3	A1	1234	C	C4-N4	-6.02	1.28	1.33
25	BB	2759	G	C2-N2	-6.02	1.28	1.34
3	A1	792	A	C6-N1	-6.02	1.31	1.35
25	BB	1868	C	C4-N4	-6.02	1.28	1.33
3	A1	1134	G	N3-C4	6.02	1.39	1.35
25	BB	2358	A	O3'-P	-6.02	1.53	1.61
25	BB	1871	A	C6-N1	-6.02	1.31	1.35
25	BB	2104	C	N3-C4	-6.02	1.29	1.33
25	BB	2206	C	N1-C6	6.02	1.40	1.37
24	BA	102	G	N7-C5	6.01	1.42	1.39
25	BB	2043	C	N3-C4	-6.01	1.29	1.33
25	BB	1594	U	C4-C5	6.01	1.49	1.43
3	A1	413	G	O3'-P	-6.01	1.53	1.61
25	BB	663	G	N1-C2	-6.01	1.32	1.37
25	BB	1166	G	O3'-P	6.01	1.68	1.61
3	A1	416	G	N7-C5	6.01	1.42	1.39
3	A1	628	G	N1-C2	-6.01	1.32	1.37
25	BB	1049	C	N1-C6	6.01	1.40	1.37
25	BB	1172	C	P-O5'	6.01	1.65	1.59
25	BB	2217	G	C2-N2	-6.01	1.28	1.34
25	BB	2675	A	C6-N1	-6.01	1.31	1.35
25	BB	2688	G	N7-C5	6.01	1.42	1.39
25	BB	1752	C	N3-C4	-6.01	1.29	1.33
3	A1	1277	C	C4-N4	-6.01	1.28	1.33
3	A1	1454	G	O3'-P	-6.01	1.53	1.61
3	A1	1501	C	C4-N4	-6.01	1.28	1.33
25	BB	2421	G	C6-N1	-6.01	1.35	1.39
3	A1	632	U	O3'-P	-6.00	1.53	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	BA	27	C	N3-C4	-6.00	1.29	1.33
25	BB	1139	G	N7-C5	6.00	1.42	1.39
1	AP	35	A	C5'-C4'	6.00	1.58	1.51
1	AE	53	G	P-O5'	6.00	1.65	1.59
3	A1	65	A	N9-C4	-6.00	1.34	1.37
25	BB	697	G	N1-C2	-6.00	1.32	1.37
1	AA	72	C	C4-N4	-6.00	1.28	1.33
3	A1	82	G	N1-C2	-6.00	1.32	1.37
3	A1	1169	A	C6-N6	-6.00	1.29	1.33
25	BB	825	A	N7-C5	6.00	1.42	1.39
25	BB	1002	G	C6-N1	-6.00	1.35	1.39
25	BB	2137	U	O3'-P	-6.00	1.53	1.61
3	A1	1062	U	P-O5'	6.00	1.65	1.59
25	BB	2018	G	N7-C5	6.00	1.42	1.39
25	BB	1321	A	C6-N1	-6.00	1.31	1.35
25	BB	2900	A	N7-C5	6.00	1.42	1.39
3	A1	435	A	C5-C4	-6.00	1.34	1.38
3	A1	1480	A	N7-C5	6.00	1.42	1.39
25	BB	203	A	N7-C5	6.00	1.42	1.39
25	BB	1902	C	C4-N4	-6.00	1.28	1.33
25	BB	2050	C	C4-N4	-6.00	1.28	1.33
25	BB	2429	G	N3-C4	6.00	1.39	1.35
25	BB	2869	G	C2-N2	-6.00	1.28	1.34
25	BB	49	A	C4'-O4'	-6.00	1.37	1.45
25	BB	238	C	O3'-P	-6.00	1.53	1.61
25	BB	211	C	N3-C4	-5.99	1.29	1.33
25	BB	1221	C	C4-N4	-5.99	1.28	1.33
3	A1	378	G	N1-C2	-5.99	1.32	1.37
25	BB	109	C	N3-C4	-5.99	1.29	1.33
3	A1	1017	U	P-O5'	-5.99	1.53	1.59
3	A1	1510	C	C4-N4	-5.99	1.28	1.33
25	BB	1047	G	N1-C2	-5.99	1.32	1.37
25	BB	1992	G	C2-N2	-5.99	1.28	1.34
25	BB	2646	C	C4-N4	-5.99	1.28	1.33
25	BB	2735	G	C2-N2	-5.99	1.28	1.34
25	BB	541	A	C6-N6	-5.99	1.29	1.33
25	BB	1727	C	C4-N4	-5.99	1.28	1.33
3	A1	714	G	O3'-P	-5.98	1.53	1.61
25	BB	671	C	C4-N4	-5.98	1.28	1.33
25	BB	1147	A	P-O5'	-5.98	1.53	1.59
1	AE	21	A	N7-C5	5.98	1.42	1.39
25	BB	475	C	C4-N4	-5.98	1.28	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	612	G	C6-N1	-5.98	1.35	1.39
25	BB	1531	C	P-O5'	5.98	1.65	1.59
3	A1	10	A	N3-C4	5.98	1.38	1.34
3	A1	233	C	N3-C4	-5.98	1.29	1.33
3	A1	1108	G	P-O5'	5.98	1.65	1.59
25	BB	2223	G	C5'-C4'	5.98	1.58	1.51
3	A1	1422	G	C2-N2	-5.98	1.28	1.34
3	A1	616	G	N3-C4	5.98	1.39	1.35
25	BB	1719	G	N1-C2	-5.98	1.32	1.37
25	BB	1872	A	N3-C4	5.98	1.38	1.34
1	AP	64	A	N3-C4	5.98	1.38	1.34
25	BB	1431	A	N7-C5	5.98	1.42	1.39
3	A1	773	G	C2-N2	-5.97	1.28	1.34
25	BB	1177	G	N7-C5	5.97	1.42	1.39
25	BB	469	G	N1-C2	-5.97	1.32	1.37
25	BB	2775	G	N7-C5	5.97	1.42	1.39
3	A1	127	G	C2-N2	-5.97	1.28	1.34
24	BA	110	C	N3-C4	-5.97	1.29	1.33
25	BB	1410	G	C6-N1	-5.97	1.35	1.39
25	BB	2383	G	C2-N2	-5.97	1.28	1.34
25	BB	1336	A	C6-N1	-5.97	1.31	1.35
25	BB	2090	A	N3-C4	5.97	1.38	1.34
25	BB	2551	C	N1-C6	5.97	1.40	1.37
25	BB	2852	G	P-O5'	5.97	1.65	1.59
25	BB	1574	C	C4-N4	-5.96	1.28	1.33
25	BB	1861	G	N1-C2	-5.96	1.32	1.37
25	BB	2066	C	C4-N4	-5.96	1.28	1.33
3	A1	161	A	C6-N6	-5.96	1.29	1.33
3	A1	874	G	C5-C6	5.96	1.48	1.42
25	BB	732	C	C4-N4	-5.96	1.28	1.33
3	A1	958	A	P-O5'	5.96	1.65	1.59
25	BB	220	G	N7-C5	5.96	1.42	1.39
25	BB	844	A	N3-C4	5.96	1.38	1.34
25	BB	905	A	C6-N6	-5.96	1.29	1.33
25	BB	520	G	O3'-P	-5.96	1.53	1.61
25	BB	2385	C	N3-C4	-5.96	1.29	1.33
3	A1	1185	G	N3-C4	5.96	1.39	1.35
25	BB	1237	A	C5-C4	-5.96	1.34	1.38
25	BB	1393	A	C6-N6	-5.96	1.29	1.33
1	AA	57	G	C2-N2	-5.96	1.28	1.34
25	BB	2042	A	N7-C5	5.96	1.42	1.39
25	BB	2	G	P-O5'	5.95	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	1167	C	C4-N4	-5.95	1.28	1.33
3	A1	465	A	N9-C4	5.95	1.41	1.37
3	A1	572	A	C6-N6	-5.95	1.29	1.33
25	BB	1259	G	C2-N2	-5.95	1.28	1.34
25	BB	1691	C	C4-N4	-5.95	1.28	1.33
3	A1	948	C	C4-N4	-5.95	1.28	1.33
25	BB	353	C	C4-N4	-5.95	1.28	1.33
25	BB	1066	U	O3'-P	-5.95	1.54	1.61
25	BB	1737	G	C5-C6	5.95	1.48	1.42
3	A1	425	G	C2-N2	-5.95	1.28	1.34
25	BB	600	G	C2-N2	-5.95	1.28	1.34
25	BB	899	A	N7-C5	5.95	1.42	1.39
25	BB	1040	A	N3-C4	5.95	1.38	1.34
25	BB	2271	G	O3'-P	-5.95	1.54	1.61
1	AA	10	G	N3-C4	5.95	1.39	1.35
25	BB	1205	A	N7-C5	5.95	1.42	1.39
25	BB	2439	A	C6-N1	-5.95	1.31	1.35
3	A1	1278	G	N1-C2	-5.95	1.32	1.37
25	BB	2048	G	C2-N2	-5.95	1.28	1.34
25	BB	2508	G	C2-N2	-5.95	1.28	1.34
25	BB	2592	G	N1-C2	-5.95	1.32	1.37
3	A1	308	C	N3-C4	-5.94	1.29	1.33
25	BB	185	G	O3'-P	5.94	1.68	1.61
25	BB	1024	G	C2-N2	-5.94	1.28	1.34
25	BB	1029	A	O3'-P	-5.94	1.54	1.61
1	AA	57	G	O3'-P	-5.94	1.54	1.61
25	BB	205	G	C2-N2	-5.94	1.28	1.34
25	BB	1041	G	N1-C2	-5.94	1.32	1.37
25	BB	1227	G	N7-C5	5.94	1.42	1.39
25	BB	1262	A	N7-C5	5.94	1.42	1.39
3	A1	927	G	N1-C2	-5.94	1.32	1.37
25	BB	1794	A	C6-N1	-5.94	1.31	1.35
25	BB	2559	C	C4-N4	-5.94	1.28	1.33
3	A1	433	G	C5-C6	5.94	1.48	1.42
3	A1	1515	G	C2-N2	-5.94	1.28	1.34
25	BB	239	C	C4-N4	-5.94	1.28	1.33
25	BB	252	G	N7-C5	5.94	1.42	1.39
25	BB	75	G	C2-N2	-5.94	1.28	1.34
25	BB	2032	G	N1-C2	-5.94	1.33	1.37
3	A1	985	C	C4-N4	-5.94	1.28	1.33
25	BB	1158	C	C4-N4	-5.94	1.28	1.33
25	BB	1489	C	C4-N4	-5.94	1.28	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	BA	45	A	C6-N1	-5.93	1.31	1.35
25	BB	487	C	N3-C4	-5.93	1.29	1.33
25	BB	1433	A	C6-N1	-5.93	1.31	1.35
25	BB	1697	G	O3'-P	-5.93	1.54	1.61
3	A1	222	C	C5'-C4'	5.93	1.58	1.51
3	A1	959	A	O3'-P	-5.93	1.54	1.61
3	A1	1311	A	C6-N6	-5.93	1.29	1.33
25	BB	240	C	N3-C4	-5.93	1.29	1.33
25	BB	2352	A	N7-C5	5.93	1.42	1.39
25	BB	2197	U	P-O5'	-5.93	1.53	1.59
3	A1	1169	A	C6-N1	-5.93	1.31	1.35
3	A1	1206	G	C2-N2	-5.93	1.28	1.34
3	A1	636	U	O3'-P	-5.93	1.54	1.61
3	A1	733	G	N1-C2	-5.93	1.33	1.37
3	A1	1028	C	C4-N4	-5.93	1.28	1.33
25	BB	1414	C	N1-C6	5.93	1.40	1.37
1	AA	37	G	C2-N2	-5.92	1.28	1.34
25	BB	774	G	N1-C2	-5.92	1.33	1.37
25	BB	1036	G	C2-N2	-5.92	1.28	1.34
25	BB	1277	G	C2-N2	-5.92	1.28	1.34
25	BB	1892	C	C4-N4	-5.92	1.28	1.33
3	A1	754	C	P-O5'	-5.92	1.53	1.59
3	A1	413	G	C2-N2	-5.92	1.28	1.34
3	A1	885	G	C2-N2	-5.92	1.28	1.34
25	BB	882	G	C2-N3	5.92	1.37	1.32
25	BB	1996	C	O3'-P	-5.92	1.54	1.61
25	BB	853	C	C4-N4	-5.92	1.28	1.33
1	AP	73	A	C6-N6	-5.92	1.29	1.33
3	A1	894	G	N7-C5	5.92	1.42	1.39
3	A1	600	A	N3-C4	5.92	1.38	1.34
3	A1	1387	G	O3'-P	-5.92	1.54	1.61
25	BB	1639	C	C4-N4	-5.92	1.28	1.33
25	BB	2793	C	C4-N4	-5.92	1.28	1.33
25	BB	1182	G	N1-C2	-5.92	1.33	1.37
1	AP	42	G	C2-N2	-5.91	1.28	1.34
3	A1	586	C	C4-N4	-5.91	1.28	1.33
3	A1	1149	C	C4-N4	-5.91	1.28	1.33
25	BB	310	A	C6-N1	-5.91	1.31	1.35
3	A1	423	G	C2-N2	-5.91	1.28	1.34
25	BB	2206	C	C4-N4	-5.91	1.28	1.33
3	A1	524	G	C1'-N9	5.91	1.57	1.48
25	BB	2105	U	C4'-O4'	-5.91	1.37	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	48	C	C5'-C4'	5.91	1.58	1.51
3	A1	481	G	N7-C5	5.91	1.42	1.39
25	BB	339	U	C5'-C4'	5.91	1.58	1.51
25	BB	780	G	N7-C5	5.91	1.42	1.39
25	BB	2314	A	N3-C4	5.91	1.38	1.34
3	A1	326	G	O3'-P	-5.91	1.54	1.61
3	A1	925	G	C2-N2	-5.91	1.28	1.34
24	BA	50	A	N7-C5	5.91	1.42	1.39
25	BB	329	G	C2-N2	-5.91	1.28	1.34
25	BB	1918	A	N3-C4	5.91	1.38	1.34
25	BB	2029	G	N7-C5	5.91	1.42	1.39
3	A1	320	A	N7-C5	5.90	1.42	1.39
25	BB	81	G	N1-C2	-5.90	1.33	1.37
25	BB	2445	G	C2-N2	-5.90	1.28	1.34
3	A1	949	A	N3-C4	5.90	1.38	1.34
25	BB	267	C	N3-C4	-5.90	1.29	1.33
25	BB	1088	A	N7-C5	5.90	1.42	1.39
25	BB	2636	C	C4-N4	-5.90	1.28	1.33
25	BB	2770	G	C5-C6	5.90	1.48	1.42
25	BB	2775	G	P-O5'	5.90	1.65	1.59
1	AA	9	A	N9-C4	5.90	1.41	1.37
3	A1	487	A	N7-C5	5.90	1.42	1.39
25	BB	325	G	C2-N2	-5.90	1.28	1.34
25	BB	1535	A	C6-N6	-5.90	1.29	1.33
25	BB	2759	G	N1-C2	-5.90	1.33	1.37
3	A1	771	G	N1-C2	-5.90	1.33	1.37
3	A1	874	G	N7-C5	5.90	1.42	1.39
3	A1	1345	U	N3-C4	-5.90	1.33	1.38
25	BB	79	C	N3-C4	-5.90	1.29	1.33
25	BB	1339	G	C2-N2	-5.90	1.28	1.34
3	A1	1054	C	C4-N4	-5.89	1.28	1.33
25	BB	2253	G	N7-C5	5.89	1.42	1.39
3	A1	517	G	N3-C4	5.89	1.39	1.35
24	BA	76	G	N1-C2	-5.89	1.33	1.37
25	BB	164	C	C4-N4	-5.89	1.28	1.33
25	BB	1228	G	N7-C5	5.89	1.42	1.39
25	BB	1731	G	C5-C6	5.89	1.48	1.42
25	BB	2454	G	N1-C2	-5.89	1.33	1.37
25	BB	2525	G	C2-N2	-5.89	1.28	1.34
3	A1	186	C	O3'-P	-5.89	1.54	1.61
3	A1	983	A	O3'-P	-5.89	1.54	1.61
25	BB	2606	C	N3-C4	-5.89	1.29	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	49	C	N3-C4	-5.89	1.29	1.33
3	A1	286	C	C4-N4	-5.89	1.28	1.33
3	A1	1064	G	N7-C5	5.89	1.42	1.39
3	A1	1079	G	N1-C2	-5.89	1.33	1.37
3	A1	1203	C	P-O5'	5.89	1.65	1.59
25	BB	77	G	C2-N2	-5.89	1.28	1.34
25	BB	263	G	O3'-P	-5.89	1.54	1.61
25	BB	445	C	N3-C4	-5.89	1.29	1.33
25	BB	2308	G	C5-C6	5.89	1.48	1.42
25	BB	2524	G	C6-N1	-5.89	1.35	1.39
25	BB	2716	C	N3-C4	-5.89	1.29	1.33
25	BB	696	G	N3-C4	5.89	1.39	1.35
25	BB	933	A	N7-C5	5.89	1.42	1.39
3	A1	889	A	C6-N1	-5.89	1.31	1.35
3	A1	1344	C	C4-N4	-5.89	1.28	1.33
25	BB	332	A	N7-C5	5.89	1.42	1.39
25	BB	438	G	N1-C2	-5.89	1.33	1.37
25	BB	452	G	C6-N1	-5.88	1.35	1.39
25	BB	1383	A	O3'-P	-5.88	1.54	1.61
3	A1	1195	C	N1-C6	5.88	1.40	1.37
25	BB	519	U	O3'-P	-5.88	1.54	1.61
25	BB	2651	C	C4-N4	-5.88	1.28	1.33
14	AN	39	GLU	CG-CD	5.88	1.60	1.51
3	A1	1203	C	C4-N4	-5.88	1.28	1.33
3	A1	500	G	C2-N2	-5.88	1.28	1.34
3	A1	623	C	C4-N4	-5.88	1.28	1.33
25	BB	1298	C	C4-N4	-5.88	1.28	1.33
25	BB	1368	G	C2-N2	-5.88	1.28	1.34
25	BB	1667	G	N1-C2	-5.88	1.33	1.37
25	BB	1816	C	N3-C4	-5.88	1.29	1.33
3	A1	176	C	N3-C4	-5.88	1.29	1.33
1	AP	37	G	C2-N2	-5.87	1.28	1.34
3	A1	1360	A	C6-N6	-5.87	1.29	1.33
3	A1	1516	G	C6-N1	-5.87	1.35	1.39
25	BB	777	G	N1-C2	-5.87	1.33	1.37
25	BB	2163	A	N3-C4	5.87	1.38	1.34
1	AE	53	G	O3'-P	-5.87	1.54	1.61
25	BB	341	C	P-O5'	5.87	1.65	1.59
25	BB	1439	A	N7-C5	5.87	1.42	1.39
25	BB	1609	A	N3-C4	5.87	1.38	1.34
25	BB	2215	C	C4-N4	-5.87	1.28	1.33
25	BB	2630	G	P-O5'	5.87	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AE	59	U	P-O5'	-5.87	1.53	1.59
3	A1	755	G	C2-N2	-5.87	1.28	1.34
25	BB	2661	G	N1-C2	-5.87	1.33	1.37
25	BB	2831	G	N1-C2	-5.87	1.33	1.37
3	A1	656	G	C2-N2	-5.87	1.28	1.34
25	BB	413	C	N3-C4	-5.87	1.29	1.33
25	BB	2643	G	N7-C5	5.87	1.42	1.39
3	A1	541	G	N7-C5	5.87	1.42	1.39
25	BB	776	G	C6-N1	-5.87	1.35	1.39
1	AE	56	C	N3-C4	-5.86	1.29	1.33
3	A1	564	C	C5-C6	5.86	1.39	1.34
3	A1	776	G	N3-C4	5.86	1.39	1.35
3	A1	913	A	N7-C5	5.86	1.42	1.39
3	A1	1297	G	C2-N2	-5.86	1.28	1.34
25	BB	1768	C	P-O5'	5.86	1.65	1.59
3	A1	49	U	O3'-P	-5.86	1.54	1.61
25	BB	854	C	N3-C4	-5.86	1.29	1.33
25	BB	398	C	C4-N4	-5.86	1.28	1.33
25	BB	1817	G	C2-N2	-5.86	1.28	1.34
25	BB	1974	C	N3-C4	-5.86	1.29	1.33
25	BB	2252	G	C2-N2	-5.86	1.28	1.34
25	BB	2608	G	C2-N2	-5.86	1.28	1.34
1	AA	46	G	N3-C4	5.86	1.39	1.35
1	AA	71	G	C2-N2	-5.86	1.28	1.34
25	BB	247	G	C2-N2	-5.86	1.28	1.34
1	AP	9	A	C6-N1	-5.86	1.31	1.35
1	AP	20	G	O3'-P	-5.86	1.54	1.61
3	A1	1369	C	C4-C5	-5.86	1.38	1.43
25	BB	408	G	C2-N2	-5.86	1.28	1.34
25	BB	1403	A	C5'-C4'	5.86	1.58	1.51
25	BB	1802	A	N7-C5	5.86	1.42	1.39
25	BB	2330	G	C2-N2	-5.86	1.28	1.34
25	BB	2723	C	P-O5'	-5.86	1.53	1.59
3	A1	1159	U	P-O5'	-5.86	1.53	1.59
3	A1	1409	C	C4-N4	-5.86	1.28	1.33
25	BB	925	A	N7-C5	5.86	1.42	1.39
25	BB	2391	G	N7-C5	5.86	1.42	1.39
25	BB	2862	G	C2-N2	-5.86	1.28	1.34
25	BB	1957	C	N3-C4	-5.85	1.29	1.33
25	BB	2101	A	N7-C5	5.85	1.42	1.39
25	BB	2531	A	C6-N6	-5.85	1.29	1.33
25	BB	645	C	N3-C4	-5.85	1.29	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	921	C	C4-N4	-5.85	1.28	1.33
3	A1	465	A	N3-C4	5.85	1.38	1.34
25	BB	435	C	C4-N4	-5.85	1.28	1.33
25	BB	725	G	N3-C4	5.85	1.39	1.35
25	BB	1080	A	N7-C5	5.85	1.42	1.39
25	BB	1659	G	N7-C5	5.85	1.42	1.39
25	BB	1771	C	C4-N4	-5.85	1.28	1.33
25	BB	2463	C	O3'-P	-5.85	1.54	1.61
1	AP	46	G	C2-N2	-5.85	1.28	1.34
25	BB	528	A	C5'-C4'	5.85	1.58	1.51
25	BB	889	C	N3-C4	-5.85	1.29	1.33
25	BB	1947	C	C4-N4	-5.85	1.28	1.33
25	BB	2543	G	C2-N2	-5.85	1.28	1.34
25	BB	2677	G	N7-C5	5.85	1.42	1.39
1	AE	3	G	N1-C2	-5.85	1.33	1.37
25	BB	1284	A	N7-C5	5.85	1.42	1.39
3	A1	812	G	C2-N2	-5.84	1.28	1.34
25	BB	203	A	O3'-P	-5.84	1.54	1.61
25	BB	1009	A	C6-N1	-5.84	1.31	1.35
25	BB	2025	C	C4-N4	-5.84	1.28	1.33
49	BZ	150	ARG	CZ-NH2	-5.84	1.25	1.33
25	BB	639	U	P-O5'	-5.84	1.53	1.59
3	A1	908	A	N7-C5	5.84	1.42	1.39
24	BA	2	G	C2'-O2'	5.84	1.49	1.41
1	AE	48	C	C4-N4	-5.84	1.28	1.33
3	A1	321	A	C6-N1	-5.84	1.31	1.35
25	BB	1846	G	C2-N2	-5.84	1.28	1.34
25	BB	2407	A	N7-C5	5.84	1.42	1.39
25	BB	2534	A	N7-C5	5.84	1.42	1.39
1	AE	76	A	C6-N6	-5.84	1.29	1.33
25	BB	185	G	C2-N2	-5.84	1.28	1.34
25	BB	545	U	O3'-P	-5.84	1.54	1.61
25	BB	1928	A	C6-N6	-5.84	1.29	1.33
3	A1	171	A	N7-C5	5.84	1.42	1.39
25	BB	2841	C	C4-N4	-5.84	1.28	1.33
25	BB	2842	G	N1-C2	-5.84	1.33	1.37
3	A1	1054	C	C3'-C2'	5.83	1.59	1.52
3	A1	182	A	N3-C4	5.83	1.38	1.34
3	A1	300	A	C6-N6	-5.83	1.29	1.33
25	BB	258	G	N7-C5	5.83	1.42	1.39
25	BB	1849	G	C6-N1	-5.83	1.35	1.39
1	AE	19	G	N1-C2	-5.83	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	262	A	C6-N1	-5.83	1.31	1.35
3	A1	468	A	C6-N1	-5.83	1.31	1.35
3	A1	974	A	C6-N1	-5.83	1.31	1.35
25	BB	1313	U	P-O5'	-5.83	1.53	1.59
25	BB	1290	C	N3-C4	-5.83	1.29	1.33
1	AE	34	G	P-O5'	-5.83	1.53	1.59
3	A1	926	G	C5-C6	5.83	1.48	1.42
3	A1	1254	A	N7-C5	5.83	1.42	1.39
25	BB	2090	A	N7-C5	5.83	1.42	1.39
3	A1	1251	A	N7-C5	5.83	1.42	1.39
25	BB	481	G	C6-N1	-5.83	1.35	1.39
25	BB	796	C	N3-C4	-5.83	1.29	1.33
1	AE	51	G	C2-N2	-5.83	1.28	1.34
3	A1	370	C	N3-C4	-5.83	1.29	1.33
3	A1	964	A	P-O5'	5.83	1.65	1.59
25	BB	1711	A	C6-N1	-5.83	1.31	1.35
25	BB	2502	G	C2-N2	-5.83	1.28	1.34
3	A1	207	C	C4-N4	-5.82	1.28	1.33
3	A1	1068	G	C2-N2	-5.82	1.28	1.34
3	A1	1164	G	O3'-P	-5.82	1.54	1.61
25	BB	1443	U	C5'-C4'	5.82	1.58	1.51
25	BB	2048	G	N1-C2	-5.82	1.33	1.37
25	BB	2201	G	O3'-P	-5.82	1.54	1.61
1	AA	71	G	C5'-C4'	5.82	1.58	1.51
3	A1	1051	C	O3'-P	-5.82	1.54	1.61
3	A1	1138	G	C2-N2	-5.82	1.28	1.34
3	A1	901	A	C5'-C4'	5.82	1.58	1.51
3	A1	381	C	N3-C4	-5.82	1.29	1.33
25	BB	359	G	N7-C5	5.82	1.42	1.39
25	BB	342	A	N3-C4	5.82	1.38	1.34
25	BB	1878	G	C6-N1	-5.82	1.35	1.39
25	BB	1930	G	P-O5'	-5.82	1.53	1.59
3	A1	721	G	O3'-P	-5.81	1.54	1.61
3	A1	785	G	O3'-P	-5.81	1.54	1.61
25	BB	1459	G	C2-N2	-5.81	1.28	1.34
25	BB	2333	A	C6-N6	-5.81	1.29	1.33
3	A1	239	U	P-O5'	5.81	1.65	1.59
25	BB	2178	C	O3'-P	-5.81	1.54	1.61
25	BB	117	G	N1-C2	-5.81	1.33	1.37
25	BB	2456	C	O3'-P	-5.81	1.54	1.61
23	AX	68	ARG	CZ-NH2	-5.81	1.25	1.33
24	BA	116	G	N1-C2	-5.81	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	345	A	N7-C5	5.81	1.42	1.39
25	BB	613	A	N7-C5	5.81	1.42	1.39
25	BB	2183	A	N7-C5	5.81	1.42	1.39
25	BB	1807	G	C6-N1	-5.80	1.35	1.39
25	BB	2190	G	C6-N1	-5.80	1.35	1.39
25	BB	336	C	C4-N4	-5.80	1.28	1.33
3	A1	480	U	C4'-O4'	-5.80	1.38	1.45
25	BB	965	C	C4-N4	-5.80	1.28	1.33
25	BB	977	G	C2-N2	-5.80	1.28	1.34
25	BB	987	C	C4-N4	-5.80	1.28	1.33
25	BB	1102	C	N3-C4	-5.80	1.29	1.33
3	A1	767	A	C6-N6	-5.80	1.29	1.33
3	A1	998	C	O3'-P	-5.80	1.54	1.61
25	BB	1996	C	C4-N4	-5.80	1.28	1.33
25	BB	2814	A	C6-N1	-5.80	1.31	1.35
3	A1	1369	C	C4-N4	-5.80	1.28	1.33
24	BA	107	G	N7-C5	5.80	1.42	1.39
25	BB	1645	G	N7-C5	5.80	1.42	1.39
25	BB	2652	C	C4-N4	-5.80	1.28	1.33
3	A1	583	A	N7-C5	5.80	1.42	1.39
3	A1	760	G	N3-C4	5.80	1.39	1.35
3	A1	789	U	P-O5'	5.80	1.65	1.59
3	A1	1305	G	O3'-P	-5.80	1.54	1.61
25	BB	661	A	C6-N1	-5.80	1.31	1.35
25	BB	2285	C	N3-C4	-5.80	1.29	1.33
25	BB	2325	G	N1-C2	-5.80	1.33	1.37
3	A1	896	C	C4-N4	-5.79	1.28	1.33
3	A1	1353	G	O3'-P	-5.79	1.54	1.61
1	AE	28	C	O3'-P	5.79	1.68	1.61
3	A1	213	G	C2-N2	-5.79	1.28	1.34
3	A1	490	C	C4-N4	-5.79	1.28	1.33
25	BB	93	G	C5-C6	5.79	1.48	1.42
25	BB	2135	A	N7-C5	5.79	1.42	1.39
25	BB	2282	G	O3'-P	-5.79	1.54	1.61
25	BB	2479	U	N3-C4	-5.79	1.33	1.38
3	A1	1442	G	C2-N2	-5.79	1.28	1.34
25	BB	1435	G	C2-N2	-5.79	1.28	1.34
25	BB	16	C	C4-N4	-5.79	1.28	1.33
25	BB	516	C	C4-N4	-5.79	1.28	1.33
25	BB	1661	G	C2-N2	-5.79	1.28	1.34
3	A1	385	C	P-O5'	5.79	1.65	1.59
3	A1	617	G	N7-C5	5.79	1.42	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	1053	G	N7-C5	5.79	1.42	1.39
24	BA	10	G	C2-N2	-5.79	1.28	1.34
25	BB	528	A	N3-C4	5.79	1.38	1.34
25	BB	1323	C	P-O5'	5.79	1.65	1.59
25	BB	1641	A	N3-C4	5.79	1.38	1.34
25	BB	1813	G	C2-N2	-5.79	1.28	1.34
1	AA	51	G	P-O5'	5.79	1.65	1.59
1	AA	56	C	C5-C6	5.79	1.39	1.34
1	AP	40	C	C4-N4	-5.79	1.28	1.33
3	A1	425	G	P-O5'	5.79	1.65	1.59
25	BB	1498	C	C4-N4	-5.79	1.28	1.33
3	A1	139	A	C6-N1	-5.79	1.31	1.35
3	A1	264	C	C4-N4	-5.79	1.28	1.33
3	A1	511	C	C4-N4	-5.79	1.28	1.33
3	A1	646	G	C6-N1	-5.79	1.35	1.39
25	BB	1558	C	N3-C4	-5.79	1.29	1.33
25	BB	1947	C	N3-C4	-5.79	1.29	1.33
1	AA	14	A	O3'-P	5.78	1.68	1.61
3	A1	1144	G	C2-N2	-5.78	1.28	1.34
9	AH	88	ARG	CZ-NH2	-5.78	1.25	1.33
25	BB	406	G	N1-C2	-5.78	1.33	1.37
3	A1	1290	G	C2-N2	-5.78	1.28	1.34
25	BB	1270	C	C4-N4	-5.78	1.28	1.33
37	BN	174	ARG	CZ-NH2	-5.78	1.25	1.33
3	A1	525	C	C4-N4	-5.78	1.28	1.33
3	A1	1294	G	P-O5'	5.78	1.65	1.59
25	BB	1884	G	O3'-P	-5.78	1.54	1.61
1	AA	22	G	C2-N2	-5.78	1.28	1.34
3	A1	226	G	P-O5'	5.78	1.65	1.59
3	A1	345	C	N3-C4	-5.78	1.29	1.33
20	AU	69	ARG	CZ-NH2	-5.78	1.25	1.33
25	BB	1395	A	C6-N1	-5.78	1.31	1.35
25	BB	1454	C	C4-N4	-5.78	1.28	1.33
25	BB	2209	G	C2-N2	-5.78	1.28	1.34
25	BB	2770	G	N3-C4	5.78	1.39	1.35
3	A1	807	A	N7-C5	5.78	1.42	1.39
3	A1	1373	G	N1-C2	-5.78	1.33	1.37
25	BB	242	G	C2-N2	-5.78	1.28	1.34
25	BB	2083	G	C2-N2	-5.77	1.28	1.34
1	AA	74	C	N3-C4	-5.77	1.29	1.33
3	A1	329	A	P-O5'	5.77	1.65	1.59
3	A1	941	G	O3'-P	-5.77	1.54	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	1061	G	N3-C4	5.77	1.39	1.35
25	BB	201	C	C4-N4	-5.77	1.28	1.33
25	BB	775	G	C2-N2	-5.77	1.28	1.34
25	BB	1150	C	C4-C5	-5.77	1.38	1.43
25	BB	1241	A	C6-N1	-5.77	1.31	1.35
25	BB	107	G	N1-C2	-5.77	1.33	1.37
25	BB	1290	C	C4-N4	-5.77	1.28	1.33
25	BB	338	G	N7-C5	5.77	1.42	1.39
25	BB	390	U	P-O5'	5.77	1.65	1.59
25	BB	502	A	C6-N6	-5.77	1.29	1.33
25	BB	2032	G	C2-N2	-5.77	1.28	1.34
25	BB	2318	G	N7-C5	5.77	1.42	1.39
25	BB	2463	C	N3-C4	-5.77	1.29	1.33
1	AE	45	G	P-O5'	-5.77	1.53	1.59
3	A1	663	A	N3-C4	5.77	1.38	1.34
3	A1	853	C	C4-N4	-5.77	1.28	1.33
3	A1	1077	G	C2-N2	-5.77	1.28	1.34
3	A1	1306	A	C6-N1	-5.77	1.31	1.35
25	BB	1539	U	P-O5'	-5.77	1.53	1.59
25	BB	2448	A	N7-C5	5.77	1.42	1.39
1	AA	2	C	C5-C6	5.77	1.39	1.34
25	BB	1473	G	N7-C5	5.77	1.42	1.39
25	BB	2370	G	N3-C4	5.77	1.39	1.35
3	A1	986	U	C2-N3	-5.76	1.33	1.37
3	A1	1063	C	N3-C4	-5.76	1.29	1.33
25	BB	1049	C	C4-N4	-5.76	1.28	1.33
25	BB	1334	G	N3-C4	5.76	1.39	1.35
25	BB	2273	A	N3-C4	5.76	1.38	1.34
25	BB	2481	G	C2-N2	-5.76	1.28	1.34
3	A1	64	G	N1-C2	-5.76	1.33	1.37
3	A1	716	A	N7-C5	5.76	1.42	1.39
1	AA	5	A	C8-N7	-5.76	1.27	1.31
3	A1	1258	G	C2-N2	-5.76	1.28	1.34
25	BB	1576	U	P-O5'	5.76	1.65	1.59
25	BB	2112	G	C5'-C4'	5.76	1.58	1.51
25	BB	2558	C	P-O5'	-5.76	1.53	1.59
25	BB	2731	G	N1-C2	-5.76	1.33	1.37
3	A1	769	G	N7-C5	5.76	1.42	1.39
3	A1	1211	U	C5'-C4'	5.76	1.58	1.51
3	A1	457	G	C2-N2	-5.76	1.28	1.34
3	A1	1268	G	C2-N2	-5.76	1.28	1.34
24	BA	79	G	N7-C5	5.76	1.42	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	615	U	C5'-C4'	5.76	1.58	1.51
3	A1	110	C	N3-C4	-5.76	1.29	1.33
3	A1	292	G	N1-C2	-5.75	1.33	1.37
25	BB	543	G	N3-C4	5.75	1.39	1.35
25	BB	2385	C	C4-N4	-5.75	1.28	1.33
3	A1	650	G	C2-N2	-5.75	1.28	1.34
3	A1	718	A	C6-N1	-5.75	1.31	1.35
3	A1	749	A	N7-C5	5.75	1.42	1.39
25	BB	902	C	C4-N4	-5.75	1.28	1.33
25	BB	952	G	P-O5'	5.75	1.65	1.59
25	BB	1034	G	N3-C4	5.75	1.39	1.35
25	BB	1581	G	C2-N2	-5.75	1.28	1.34
25	BB	2658	C	P-O5'	-5.75	1.53	1.59
3	A1	1266	G	C5'-C4'	5.75	1.58	1.51
3	A1	1314	C	N3-C4	-5.75	1.29	1.33
3	A1	1411	C	N3-C4	-5.75	1.29	1.33
25	BB	1108	U	O3'-P	-5.75	1.54	1.61
25	BB	1830	C	C4-N4	-5.75	1.28	1.33
3	A1	236	A	N7-C5	5.75	1.42	1.39
3	A1	1107	C	C4-N4	-5.75	1.28	1.33
1	AE	63	C	C4-N4	-5.75	1.28	1.33
3	A1	949	A	P-O5'	5.75	1.65	1.59
3	A1	1371	G	N1-C2	-5.75	1.33	1.37
25	BB	386	G	N7-C5	5.75	1.42	1.39
25	BB	436	C	C4-N4	-5.75	1.28	1.33
25	BB	708	G	N3-C4	5.75	1.39	1.35
25	BB	1933	G	N7-C5	5.75	1.42	1.39
1	AE	58	A	N7-C5	5.75	1.42	1.39
25	BB	433	C	P-O5'	5.75	1.65	1.59
25	BB	649	G	C2-N2	-5.75	1.28	1.34
25	BB	1548	A	N7-C5	5.75	1.42	1.39
25	BB	2201	G	C2-N2	-5.75	1.28	1.34
30	BG	46	ARG	CZ-NH2	-5.75	1.25	1.33
3	A1	522	C	O3'-P	-5.75	1.54	1.61
1	AE	57	G	N1-C2	-5.74	1.33	1.37
25	BB	806	C	C4-N4	-5.74	1.28	1.33
3	A1	171	A	N3-C4	5.74	1.38	1.34
25	BB	2770	G	C2-N2	-5.74	1.28	1.34
1	AE	14	A	N7-C5	5.74	1.42	1.39
3	A1	628	G	P-O5'	5.74	1.65	1.59
25	BB	1762	A	O3'-P	-5.74	1.54	1.61
3	A1	956	U	P-O5'	5.74	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	1263	C	N3-C4	-5.74	1.29	1.33
15	AO	53	ARG	CZ-NH2	-5.74	1.25	1.33
25	BB	605	G	C2-N2	-5.74	1.28	1.34
25	BB	1761	C	C4-N4	-5.74	1.28	1.33
25	BB	2268	A	N7-C5	5.74	1.42	1.39
25	BB	2361	G	C2-N2	-5.74	1.28	1.34
3	A1	726	C	N3-C4	-5.74	1.29	1.33
6	AD	13	ARG	CZ-NH1	-5.74	1.25	1.33
3	A1	1151	A	N3-C4	5.74	1.38	1.34
3	A1	1263	C	C4-N4	-5.74	1.28	1.33
3	A1	1362	A	N3-C4	5.74	1.38	1.34
3	A1	1503	A	N7-C5	5.74	1.42	1.39
25	BB	972	A	N3-C4	5.74	1.38	1.34
25	BB	1545	A	N7-C5	5.74	1.42	1.39
3	A1	840	C	C4-N4	-5.73	1.28	1.33
24	BA	86	G	C2-N2	-5.73	1.28	1.34
3	A1	623	C	N3-C4	-5.73	1.29	1.33
25	BB	2290	G	N1-C2	-5.73	1.33	1.37
1	AA	51	G	N1-C2	-5.73	1.33	1.37
1	AP	48	C	C4-N4	-5.73	1.28	1.33
25	BB	1915	U	P-O5'	-5.73	1.54	1.59
3	A1	247	G	C2-N2	-5.73	1.28	1.34
3	A1	1388	C	C5-C6	5.73	1.39	1.34
25	BB	508	A	N3-C4	5.73	1.38	1.34
25	BB	1343	G	N7-C5	5.73	1.42	1.39
25	BB	2611	C	N3-C4	-5.73	1.29	1.33
25	BB	2733	A	P-O5'	5.73	1.65	1.59
25	BB	49	A	O3'-P	-5.73	1.54	1.61
25	BB	908	C	C4-N4	-5.73	1.28	1.33
25	BB	2222	C	N3-C4	-5.73	1.29	1.33
25	BB	2772	C	C4-N4	-5.73	1.28	1.33
1	AA	53	G	N1-C2	-5.73	1.33	1.37
2	AM	4	U	C5'-C4'	5.73	1.58	1.51
3	A1	170	U	P-O5'	5.73	1.65	1.59
1	AA	2	C	C4-N4	-5.72	1.28	1.33
25	BB	179	C	C4-N4	-5.72	1.28	1.33
25	BB	1030	C	N3-C4	-5.72	1.29	1.33
25	BB	1309	G	N1-C2	-5.72	1.33	1.37
25	BB	2467	C	C4-N4	-5.72	1.28	1.33
3	A1	832	G	C5-C6	5.72	1.48	1.42
3	A1	858	G	C2-N2	-5.72	1.28	1.34
25	BB	890	C	C4-N4	-5.72	1.28	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	1458	U	O3'-P	-5.72	1.54	1.61
25	BB	1701	A	C6-N6	-5.72	1.29	1.33
25	BB	1278	C	C4-N4	-5.72	1.28	1.33
3	A1	1458	G	N3-C4	5.72	1.39	1.35
25	BB	1985	C	P-O5'	-5.72	1.54	1.59
2	AM	19	U	O3'-P	-5.72	1.54	1.61
3	A1	769	G	P-O5'	-5.72	1.54	1.59
3	A1	846	G	P-O5'	5.72	1.65	1.59
3	A1	1163	A	C6-N6	-5.72	1.29	1.33
3	A1	1279	G	N3-C4	5.72	1.39	1.35
25	BB	2100	G	O3'-P	-5.72	1.54	1.61
25	BB	2564	A	N7-C5	5.72	1.42	1.39
3	A1	575	G	C2-N2	-5.72	1.28	1.34
3	A1	887	G	N1-C2	-5.72	1.33	1.37
25	BB	1441	G	N3-C4	5.72	1.39	1.35
25	BB	2576	G	N1-C2	-5.72	1.33	1.37
3	A1	711	G	C2-N2	-5.71	1.28	1.34
3	A1	941	G	N1-C2	-5.71	1.33	1.37
3	A1	1084	G	N1-C2	-5.71	1.33	1.37
25	BB	731	C	C4-N4	-5.71	1.28	1.33
25	BB	819	A	P-O5'	5.71	1.65	1.59
25	BB	2234	G	O3'-P	-5.71	1.54	1.61
25	BB	2742	G	N7-C5	5.71	1.42	1.39
3	A1	863	U	O3'-P	-5.71	1.54	1.61
25	BB	1631	G	N1-C2	-5.71	1.33	1.37
25	BB	2217	G	N7-C5	5.71	1.42	1.39
25	BB	68	G	C2-N2	-5.71	1.28	1.34
25	BB	1665	A	O3'-P	-5.71	1.54	1.61
3	A1	61	G	C2-N2	-5.71	1.28	1.34
3	A1	791	G	C2-N2	-5.71	1.28	1.34
3	A1	1492	A	N7-C5	5.71	1.42	1.39
25	BB	400	G	N1-C2	-5.71	1.33	1.37
25	BB	1959	G	C5-C6	5.71	1.48	1.42
25	BB	1961	C	O3'-P	5.71	1.68	1.61
3	A1	80	A	C6-N6	-5.71	1.29	1.33
3	A1	90	C	O3'-P	-5.71	1.54	1.61
3	A1	730	G	N7-C5	5.71	1.42	1.39
25	BB	45	G	C2-N2	-5.71	1.28	1.34
25	BB	227	A	C6-N1	-5.71	1.31	1.35
25	BB	836	G	C6-N1	-5.71	1.35	1.39
25	BB	1336	A	N7-C5	5.71	1.42	1.39
25	BB	1770	G	C2-N2	-5.71	1.28	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	2271	G	C2-N2	-5.71	1.28	1.34
25	BB	2323	G	O3'-P	-5.71	1.54	1.61
25	BB	2370	G	N7-C5	5.71	1.42	1.39
25	BB	2597	G	C2-N2	-5.71	1.28	1.34
3	A1	1303	C	N3-C4	-5.71	1.29	1.33
25	BB	1016	G	N1-C2	-5.71	1.33	1.37
3	A1	56	U	C5-C6	5.70	1.39	1.34
3	A1	293	G	C2-N2	-5.70	1.28	1.34
3	A1	559	A	P-O5'	-5.70	1.54	1.59
25	BB	548	G	C2-N2	-5.70	1.28	1.34
25	BB	768	G	N1-C2	-5.70	1.33	1.37
3	A1	23	C	N1-C6	5.70	1.40	1.37
3	A1	626	G	N7-C5	5.70	1.42	1.39
3	A1	640	A	N7-C5	5.70	1.42	1.39
25	BB	465	G	N3-C4	5.70	1.39	1.35
25	BB	500	G	C2-N2	-5.70	1.28	1.34
25	BB	1612	C	C4-N4	-5.70	1.28	1.33
3	A1	471	U	C5'-C4'	5.70	1.58	1.51
3	A1	918	A	C5'-C4'	5.70	1.58	1.51
25	BB	450	G	N1-C2	-5.70	1.33	1.37
25	BB	1735	A	C6-N1	-5.70	1.31	1.35
25	BB	1760	C	N3-C4	-5.70	1.29	1.33
25	BB	2114	A	N3-C4	5.70	1.38	1.34
25	BB	2225	A	N7-C5	5.70	1.42	1.39
3	A1	885	G	N7-C5	5.70	1.42	1.39
25	BB	446	G	C5-C6	5.70	1.48	1.42
25	BB	2660	A	N7-C5	5.70	1.42	1.39
25	BB	1456	G	N1-C2	-5.70	1.33	1.37
25	BB	2800	A	N7-C5	5.70	1.42	1.39
8	AG	58	ARG	CZ-NH2	-5.69	1.25	1.33
25	BB	1133	A	O3'-P	-5.69	1.54	1.61
3	A1	81	A	P-O5'	-5.69	1.54	1.59
3	A1	1253	G	N3-C4	5.69	1.39	1.35
25	BB	539	G	P-O5'	-5.69	1.54	1.59
25	BB	992	C	C4-N4	-5.69	1.28	1.33
25	BB	1316	U	O3'-P	-5.69	1.54	1.61
25	BB	1324	G	C2-N2	-5.69	1.28	1.34
25	BB	1630	A	O3'-P	-5.69	1.54	1.61
25	BB	57	C	N3-C4	-5.69	1.29	1.33
25	BB	623	C	C4-N4	-5.69	1.28	1.33
25	BB	1465	G	N3-C4	5.69	1.39	1.35
25	BB	1914	C	C4-N4	-5.69	1.28	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	BA	8	C	C4-N4	-5.69	1.28	1.33
25	BB	326	G	O3'-P	-5.69	1.54	1.61
25	BB	1492	G	P-O5'	5.69	1.65	1.59
3	A1	33	A	N7-C5	5.69	1.42	1.39
3	A1	279	A	C6-N6	-5.69	1.29	1.33
25	BB	2487	G	N7-C5	5.69	1.42	1.39
3	A1	949	A	C6-N1	-5.68	1.31	1.35
3	A1	975	A	N3-C4	5.68	1.38	1.34
24	BA	19	C	N3-C4	-5.68	1.29	1.33
3	A1	1270	G	N1-C2	-5.68	1.33	1.37
25	BB	445	C	C4-N4	-5.68	1.28	1.33
25	BB	1065	U	O3'-P	-5.68	1.54	1.61
25	BB	1869	G	C2-N3	5.68	1.37	1.32
3	A1	168	G	C2-N2	-5.68	1.28	1.34
3	A1	1484	C	C5'-C4'	5.68	1.58	1.51
25	BB	985	C	N3-C4	-5.68	1.29	1.33
25	BB	991	C	C4-N4	-5.68	1.28	1.33
25	BB	2207	C	C4-N4	-5.68	1.28	1.33
25	BB	2264	C	O3'-P	-5.68	1.54	1.61
25	BB	2417	C	C4-N4	-5.68	1.28	1.33
3	A1	817	C	N3-C4	-5.68	1.29	1.33
25	BB	1150	C	O3'-P	-5.68	1.54	1.61
25	BB	1446	C	N3-C4	-5.68	1.29	1.33
3	A1	504	C	C5'-C4'	5.68	1.58	1.51
3	A1	1048	G	N1-C2	-5.68	1.33	1.37
3	A1	1507	A	O3'-P	-5.68	1.54	1.61
25	BB	1615	C	C4-N4	-5.68	1.28	1.33
25	BB	1958	C	N3-C4	-5.68	1.29	1.33
25	BB	2289	G	N3-C4	5.68	1.39	1.35
1	AE	29	A	O3'-P	-5.67	1.54	1.61
3	A1	1238	A	N7-C5	5.67	1.42	1.39
3	A1	1485	U	O3'-P	-5.67	1.54	1.61
25	BB	226	A	N7-C5	5.67	1.42	1.39
25	BB	1116	G	N7-C5	5.67	1.42	1.39
25	BB	1169	A	C5'-C4'	5.67	1.58	1.51
3	A1	536	C	N3-C4	-5.67	1.29	1.33
3	A1	1385	G	C2-N2	-5.67	1.28	1.34
25	BB	281	C	N3-C4	-5.67	1.29	1.33
25	BB	764	A	N7-C5	5.67	1.42	1.39
25	BB	938	G	C2-N2	-5.67	1.28	1.34
25	BB	2878	U	O3'-P	-5.67	1.54	1.61
3	A1	444	G	N3-C4	5.67	1.39	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	1901	A	C6-N1	-5.67	1.31	1.35
1	AA	74	C	C4-N4	-5.67	1.28	1.33
1	AE	46	G	C2-N2	-5.67	1.28	1.34
3	A1	965	U	C2-N3	-5.67	1.33	1.37
25	BB	407	G	C2-N2	-5.67	1.28	1.34
25	BB	535	G	C2-N2	-5.67	1.28	1.34
25	BB	662	G	C2-N2	-5.67	1.28	1.34
25	BB	1077	A	O3'-P	-5.67	1.54	1.61
1	AP	42	G	P-O5'	5.67	1.65	1.59
3	A1	1255	G	C5'-C4'	5.67	1.58	1.51
3	A1	1399	C	C4-N4	-5.67	1.28	1.33
3	A1	1430	A	N7-C5	5.67	1.42	1.39
25	BB	2282	G	C2-N2	-5.67	1.28	1.34
3	A1	83	C	C4-N4	-5.67	1.28	1.33
3	A1	347	G	N1-C2	-5.67	1.33	1.37
3	A1	1468	A	C6-N1	-5.67	1.31	1.35
25	BB	1839	G	N3-C4	5.67	1.39	1.35
3	A1	130	A	P-O5'	-5.66	1.54	1.59
3	A1	653	U	P-O5'	5.66	1.65	1.59
3	A1	324	G	C2-N2	-5.66	1.28	1.34
3	A1	1317	C	N1-C6	5.66	1.40	1.37
3	A1	344	A	C6-N1	-5.66	1.31	1.35
3	A1	1004	A	C6-N6	-5.66	1.29	1.33
25	BB	1071	G	P-O5'	5.66	1.65	1.59
25	BB	1656	C	C4-N4	-5.66	1.28	1.33
25	BB	2702	G	N7-C5	5.66	1.42	1.39
3	A1	976	G	C6-N1	-5.66	1.35	1.39
25	BB	1533	C	N3-C4	-5.66	1.29	1.33
25	BB	866	A	N7-C5	5.66	1.42	1.39
25	BB	1088	A	N9-C4	5.66	1.41	1.37
3	A1	1261	A	N7-C5	5.66	1.42	1.39
25	BB	1137	G	N1-C2	-5.66	1.33	1.37
25	BB	1515	A	N3-C4	5.66	1.38	1.34
24	BA	99	A	N3-C4	5.65	1.38	1.34
24	BA	105	G	N7-C5	5.65	1.42	1.39
25	BB	214	G	N1-C2	-5.65	1.33	1.37
25	BB	1349	C	N3-C4	-5.65	1.29	1.33
3	A1	319	G	C2-N2	-5.65	1.28	1.34
3	A1	491	G	C6-N1	-5.65	1.35	1.39
1	AE	40	C	P-O5'	-5.65	1.54	1.59
25	BB	1989	G	C6-N1	-5.65	1.35	1.39
25	BB	2384	U	P-O5'	5.65	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	1242	G	N1-C2	-5.65	1.33	1.37
25	BB	1134	A	N3-C4	5.65	1.38	1.34
25	BB	2752	C	N3-C4	-5.65	1.29	1.33
3	A1	369	G	N1-C2	-5.65	1.33	1.37
3	A1	624	C	C4-N4	-5.65	1.28	1.33
25	BB	482	A	P-O5'	-5.65	1.54	1.59
3	A1	608	A	N3-C4	5.65	1.38	1.34
3	A1	896	C	N3-C4	-5.65	1.29	1.33
25	BB	1322	A	N7-C5	5.65	1.42	1.39
25	BB	1685	C	C4-N4	-5.65	1.28	1.33
1	AE	71	G	N7-C5	5.64	1.42	1.39
3	A1	622	A	N7-C5	5.64	1.42	1.39
25	BB	879	G	N7-C5	5.64	1.42	1.39
28	BE	18	ARG	CZ-NH2	-5.64	1.25	1.33
1	AA	1	G	N1-C2	-5.64	1.33	1.37
3	A1	265	G	C8-N7	5.64	1.34	1.30
25	BB	717	C	C4-N4	-5.64	1.28	1.33
25	BB	756	A	N3-C4	5.64	1.38	1.34
25	BB	2263	C	C4-N4	-5.64	1.28	1.33
25	BB	2694	G	C2-N2	-5.64	1.28	1.34
37	BN	132	ARG	NE-CZ	-5.64	1.25	1.33
3	A1	95	C	C4-N4	-5.64	1.28	1.33
3	A1	404	G	C2-N2	-5.64	1.28	1.34
3	A1	1046	A	P-O5'	-5.64	1.54	1.59
3	A1	611	C	O3'-P	-5.64	1.54	1.61
3	A1	1404	C	C4-N4	-5.64	1.28	1.33
14	AN	24	ARG	CZ-NH2	-5.64	1.25	1.33
25	BB	785	G	C2-N2	-5.64	1.28	1.34
25	BB	983	A	N3-C4	5.64	1.38	1.34
25	BB	1707	G	N1-C2	-5.64	1.33	1.37
1	AA	36	A	N3-C4	5.64	1.38	1.34
3	A1	538	G	C2-N2	-5.64	1.28	1.34
25	BB	231	A	N3-C4	5.64	1.38	1.34
25	BB	488	G	C2-N2	-5.64	1.28	1.34
25	BB	855	G	N1-C2	-5.64	1.33	1.37
25	BB	1916	A	O3'-P	-5.64	1.54	1.61
1	AP	18	G	N1-C2	-5.64	1.33	1.37
3	A1	967	C	C4-N4	-5.64	1.28	1.33
3	A1	1067	A	N7-C5	5.64	1.42	1.39
25	BB	421	C	C4-N4	-5.64	1.28	1.33
25	BB	617	G	C2-N2	-5.64	1.28	1.34
3	A1	683	G	N7-C5	5.63	1.42	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	1430	G	C2-N2	-5.63	1.28	1.34
25	BB	1478	G	C2-N2	-5.63	1.28	1.34
25	BB	2185	U	O3'-P	-5.63	1.54	1.61
25	BB	2317	A	C6-N1	-5.63	1.31	1.35
25	BB	2728	U	C5'-C4'	5.63	1.58	1.51
3	A1	941	G	N3-C4	5.63	1.39	1.35
3	A1	1054	C	C5'-C4'	5.63	1.58	1.51
25	BB	1536	C	C4-N4	-5.63	1.28	1.33
25	BB	1695	G	C2-N2	-5.63	1.28	1.34
3	A1	841	C	C4-N4	-5.63	1.28	1.33
25	BB	220	G	C2-N2	-5.63	1.28	1.34
25	BB	691	C	N3-C4	-5.63	1.30	1.33
25	BB	1932	A	O3'-P	-5.63	1.54	1.61
25	BB	2795	C	C5-C6	5.63	1.38	1.34
3	A1	345	C	C4-N4	-5.63	1.28	1.33
3	A1	650	G	N3-C4	5.63	1.39	1.35
25	BB	1711	A	N7-C5	5.63	1.42	1.39
25	BB	2379	G	C6-N1	-5.63	1.35	1.39
24	BA	13	G	C5-C6	5.63	1.48	1.42
25	BB	284	U	P-O5'	-5.63	1.54	1.59
25	BB	2152	G	N1-C2	-5.63	1.33	1.37
3	A1	102	G	N3-C4	5.63	1.39	1.35
3	A1	1179	A	N7-C5	5.63	1.42	1.39
25	BB	1403	A	C5-C4	-5.63	1.34	1.38
25	BB	2125	G	C6-N1	-5.63	1.35	1.39
25	BB	2675	A	N3-C4	5.63	1.38	1.34
1	AP	24	G	C2-N2	-5.62	1.28	1.34
3	A1	809	G	C2-N2	-5.62	1.28	1.34
25	BB	424	G	C5'-C4'	5.62	1.58	1.51
25	BB	575	A	O3'-P	-5.62	1.54	1.61
29	BF	114	ARG	CZ-NH2	-5.62	1.25	1.33
3	A1	105	G	C2-N2	-5.62	1.28	1.34
1	AE	1	G	N3-C4	5.62	1.39	1.35
3	A1	469	C	C4-N4	-5.62	1.28	1.33
3	A1	1170	A	O3'-P	-5.62	1.54	1.61
3	A1	1278	G	O3'-P	-5.62	1.54	1.61
25	BB	2893	A	N7-C5	5.62	1.42	1.39
25	BB	2503	A	O3'-P	-5.62	1.54	1.61
3	A1	1469	C	C4-N4	-5.62	1.28	1.33
25	BB	121	G	C2-N2	-5.62	1.28	1.34
1	AP	3	G	N1-C2	-5.62	1.33	1.37
3	A1	1127	G	C2-N2	-5.62	1.28	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	1226	C	N3-C4	-5.62	1.30	1.33
25	BB	1592	C	N3-C4	-5.62	1.30	1.33
3	A1	851	G	C5'-C4'	5.62	1.58	1.51
3	A1	866	C	P-O5'	-5.62	1.54	1.59
3	A1	1139	G	C2-N2	-5.62	1.28	1.34
25	BB	219	A	C6-N1	-5.62	1.31	1.35
25	BB	2087	G	C2-N2	-5.62	1.28	1.34
25	BB	2200	C	C4-N4	-5.62	1.28	1.33
3	A1	87	C	C3'-C2'	5.61	1.59	1.52
3	A1	1290	G	O3'-P	-5.61	1.54	1.61
25	BB	866	A	N3-C4	5.61	1.38	1.34
25	BB	1449	G	P-O5'	5.61	1.65	1.59
25	BB	2169	A	N7-C5	5.61	1.42	1.39
25	BB	2890	G	N1-C2	-5.61	1.33	1.37
3	A1	1190	G	N1-C2	-5.61	1.33	1.37
25	BB	1548	A	N3-C4	5.61	1.38	1.34
25	BB	2854	G	N3-C4	5.61	1.39	1.35
3	A1	889	A	N7-C5	5.61	1.42	1.39
25	BB	2380	C	N3-C4	-5.61	1.30	1.33
25	BB	2642	G	C2-N2	-5.61	1.28	1.34
1	AP	11	C	C4-N4	-5.61	1.28	1.33
25	BB	2437	G	C2-N2	-5.61	1.28	1.34
25	BB	417	C	C4'-O4'	-5.61	1.38	1.45
25	BB	661	A	O3'-P	-5.61	1.54	1.61
25	BB	1326	U	C2-N3	5.61	1.41	1.37
25	BB	1467	U	O3'-P	-5.61	1.54	1.61
25	BB	2855	C	C4-N4	-5.61	1.28	1.33
3	A1	803	G	N1-C2	-5.61	1.33	1.37
3	A1	202	G	N1-C2	-5.60	1.33	1.37
25	BB	2697	G	C2-N2	-5.60	1.28	1.34
3	A1	263	A	N3-C4	5.60	1.38	1.34
3	A1	923	A	C6-N6	-5.60	1.29	1.33
24	BA	49	C	N3-C4	-5.60	1.30	1.33
25	BB	107	G	P-O5'	5.60	1.65	1.59
25	BB	2843	G	O3'-P	5.60	1.67	1.61
30	BG	30	ARG	CZ-NH2	-5.60	1.25	1.33
3	A1	1419	G	N7-C5	5.60	1.42	1.39
25	BB	486	C	C4-N4	-5.60	1.28	1.33
25	BB	2661	G	N3-C4	5.60	1.39	1.35
1	AP	75	C	C4-N4	-5.60	1.28	1.33
3	A1	1237	C	N3-C4	-5.60	1.30	1.33
25	BB	1449	G	N7-C5	5.60	1.42	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	2040	G	C2-N2	-5.60	1.28	1.34
3	A1	357	G	C6-N1	-5.60	1.35	1.39
3	A1	847	G	C2-N2	-5.60	1.28	1.34
25	BB	489	G	C6-N1	-5.60	1.35	1.39
25	BB	1548	A	P-O5'	-5.60	1.54	1.59
3	A1	230	G	P-O5'	-5.60	1.54	1.59
3	A1	725	G	C2-N2	-5.60	1.28	1.34
27	BD	105	ARG	CZ-NH2	-5.60	1.25	1.33
3	A1	682	G	N1-C2	-5.59	1.33	1.37
3	A1	713	G	C6-N1	-5.59	1.35	1.39
24	BA	90	C	P-O5'	-5.59	1.54	1.59
25	BB	1310	G	C2-N2	-5.59	1.28	1.34
25	BB	1455	G	N1-C2	-5.59	1.33	1.37
25	BB	2374	C	C4-C5	-5.59	1.38	1.43
3	A1	532	A	N9-C4	5.59	1.41	1.37
22	AW	32	ARG	CZ-NH1	-5.59	1.25	1.33
3	A1	257	G	C2-N2	-5.59	1.28	1.34
3	A1	1032	G	N1-C2	-5.59	1.33	1.37
3	A1	1482	G	C4'-C3'	5.59	1.59	1.53
3	A1	1508	A	N7-C5	5.59	1.42	1.39
3	A1	40	C	O3'-P	-5.59	1.54	1.61
3	A1	1401	G	C2-N2	-5.59	1.28	1.34
25	BB	266	G	C2-N2	-5.59	1.28	1.34
3	A1	706	A	N7-C5	5.59	1.42	1.39
25	BB	2458	G	C2-N2	-5.59	1.28	1.34
25	BB	2499	C	C4-N4	-5.59	1.28	1.33
1	AA	29	A	O3'-P	-5.59	1.54	1.61
3	A1	71	A	N7-C5	5.59	1.42	1.39
3	A1	392	C	N3-C4	-5.59	1.30	1.33
3	A1	587	G	N1-C2	-5.59	1.33	1.37
30	BG	64	ARG	CZ-NH1	-5.59	1.25	1.33
25	BB	731	C	N3-C4	-5.58	1.30	1.33
25	BB	2802	G	C2-N2	-5.58	1.28	1.34
3	A1	190	A	O3'-P	-5.58	1.54	1.61
3	A1	1253	G	C6-N1	-5.58	1.35	1.39
3	A1	1497	G	N7-C5	5.58	1.42	1.39
25	BB	1740	G	N3-C4	5.58	1.39	1.35
25	BB	2303	G	C2-N2	-5.58	1.28	1.34
25	BB	2735	G	C6-N1	-5.58	1.35	1.39
25	BB	2811	G	C2-N2	-5.58	1.28	1.34
3	A1	611	C	C4-C5	-5.58	1.38	1.43
25	BB	1718	G	C6-N1	-5.58	1.35	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	1944	U	P-O5'	5.58	1.65	1.59
25	BB	2140	G	C2-N2	-5.58	1.28	1.34
2	AM	11	U	P-O5'	5.58	1.65	1.59
3	A1	361	G	N1-C2	-5.58	1.33	1.37
3	A1	443	C	N3-C4	-5.58	1.30	1.33
3	A1	1267	C	C4'-O4'	-5.58	1.38	1.45
3	A1	1106	G	C2-N2	-5.58	1.28	1.34
25	BB	1288	G	C2-N2	-5.58	1.28	1.34
3	A1	1424	U	N3-C4	-5.58	1.33	1.38
33	BJ	54	ARG	CZ-NH2	-5.58	1.25	1.33
1	AA	38	A	C4'-C3'	5.58	1.59	1.53
1	AP	65	G	C2-N2	-5.58	1.28	1.34
3	A1	788	U	C5'-C4'	5.58	1.58	1.51
3	A1	1143	G	C2-N2	-5.58	1.28	1.34
3	A1	1275	A	O3'-P	-5.58	1.54	1.61
3	A1	1257	A	N7-C5	5.57	1.42	1.39
24	BA	64	G	N7-C5	5.57	1.42	1.39
25	BB	260	G	N1-C2	-5.57	1.33	1.37
25	BB	907	G	P-O5'	-5.57	1.54	1.59
25	BB	1697	G	N1-C2	-5.57	1.33	1.37
25	BB	1936	A	N3-C4	5.57	1.38	1.34
3	A1	326	G	C2-N2	-5.57	1.28	1.34
3	A1	41	G	C2-N2	-5.57	1.28	1.34
3	A1	934	C	C5'-C4'	5.57	1.58	1.51
3	A1	1181	G	C2-N2	-5.57	1.28	1.34
25	BB	145	C	O3'-P	-5.57	1.54	1.61
25	BB	1457	U	P-O5'	5.57	1.65	1.59
25	BB	1975	G	C2-N2	-5.57	1.28	1.34
25	BB	2077	A	N7-C5	5.57	1.42	1.39
25	BB	2427	C	C4-N4	-5.57	1.28	1.33
25	BB	2558	C	C5-C6	5.57	1.38	1.34
1	AP	3	G	P-O5'	5.57	1.65	1.59
25	BB	370	G	C2-N2	-5.57	1.28	1.34
25	BB	2311	A	N3-C4	5.57	1.38	1.34
3	A1	341	C	C4-N4	-5.57	1.28	1.33
3	A1	737	C	C4-N4	-5.57	1.28	1.33
25	BB	31	C	C4-N4	-5.57	1.28	1.33
25	BB	796	C	C4-N4	-5.57	1.28	1.33
25	BB	1483	G	N1-C2	-5.57	1.33	1.37
25	BB	2196	C	C4-N4	-5.57	1.28	1.33
33	BJ	5	ARG	CZ-NH1	-5.57	1.25	1.33
3	A1	388	G	N1-C2	-5.56	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	1932	A	C6-N6	-5.56	1.29	1.33
3	A1	39	G	N3-C4	5.56	1.39	1.35
3	A1	184	G	C2-N2	-5.56	1.28	1.34
20	AU	91	ARG	CZ-NH2	-5.56	1.25	1.33
25	BB	851	C	C4-N4	-5.56	1.28	1.33
25	BB	1169	A	P-O5'	5.56	1.65	1.59
25	BB	1589	U	N1-C2	5.56	1.43	1.38
25	BB	2512	C	C4-N4	-5.56	1.28	1.33
3	A1	10	A	C6-N6	-5.56	1.29	1.33
3	A1	441	A	C6-N6	-5.56	1.29	1.33
25	BB	1211	C	C4-N4	-5.56	1.28	1.33
25	BB	1527	G	N1-C2	-5.56	1.33	1.37
36	BM	12	ARG	CZ-NH2	-5.56	1.25	1.33
3	A1	1292	G	C2-N2	-5.56	1.28	1.34
3	A1	1431	A	O3'-P	-5.56	1.54	1.61
3	A1	1499	A	C6-N6	-5.56	1.29	1.33
25	BB	277	G	P-O5'	-5.56	1.54	1.59
25	BB	1145	C	C4-N4	-5.56	1.28	1.33
3	A1	338	A	P-O5'	-5.56	1.54	1.59
25	BB	98	G	N7-C5	5.56	1.42	1.39
25	BB	998	C	P-O5'	-5.56	1.54	1.59
25	BB	1331	G	N1-C2	-5.56	1.33	1.37
3	A1	286	C	N3-C4	-5.55	1.30	1.33
3	A1	347	G	P-O5'	5.55	1.65	1.59
3	A1	1514	G	C2-N2	-5.55	1.28	1.34
3	A1	1525	G	C2-N2	-5.55	1.28	1.34
25	BB	53	A	P-O5'	-5.55	1.54	1.59
25	BB	904	G	N1-C2	-5.55	1.33	1.37
25	BB	1381	G	C2-N2	-5.55	1.28	1.34
25	BB	1456	G	N3-C4	5.55	1.39	1.35
25	BB	1554	U	O3'-P	-5.55	1.54	1.61
25	BB	2136	G	O3'-P	-5.55	1.54	1.61
25	BB	2814	A	C6-N6	-5.55	1.29	1.33
3	A1	371	A	P-O5'	-5.55	1.54	1.59
3	A1	447	G	C6-N1	-5.55	1.35	1.39
25	BB	396	G	N7-C5	5.55	1.42	1.39
25	BB	1753	G	C2-N2	-5.55	1.28	1.34
3	A1	983	A	N7-C5	5.55	1.42	1.39
3	A1	1459	G	O3'-P	-5.55	1.54	1.61
25	BB	484	C	C4-N4	-5.55	1.28	1.33
25	BB	2173	A	C6-N1	-5.55	1.31	1.35
25	BB	2386	A	P-O5'	-5.55	1.54	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	2648	G	C2-N2	-5.55	1.28	1.34
3	A1	50	A	O3'-P	-5.55	1.54	1.61
3	A1	297	G	N3-C4	5.55	1.39	1.35
3	A1	832	G	N7-C5	5.55	1.42	1.39
25	BB	2658	C	C2-N3	-5.55	1.31	1.35
25	BB	424	G	N1-C2	-5.55	1.33	1.37
25	BB	603	A	N3-C4	5.55	1.38	1.34
25	BB	1095	A	N3-C4	5.55	1.38	1.34
25	BB	1979	U	O3'-P	-5.55	1.54	1.61
25	BB	2330	G	C2'-O2'	5.55	1.48	1.41
25	BB	2483	C	C4-N4	-5.55	1.28	1.33
25	BB	2877	G	N1-C2	-5.55	1.33	1.37
3	A1	946	A	P-O5'	-5.55	1.54	1.59
3	A1	1425	U	O3'-P	-5.55	1.54	1.61
25	BB	927	A	O3'-P	-5.55	1.54	1.61
25	BB	1127	A	C4'-O4'	-5.55	1.38	1.45
25	BB	1653	G	O3'-P	-5.55	1.54	1.61
25	BB	1722	A	P-O5'	5.55	1.65	1.59
3	A1	536	C	N1-C6	5.54	1.40	1.37
25	BB	2628	C	C4-N4	-5.54	1.28	1.33
25	BB	2849	U	C4'-O4'	-5.54	1.38	1.45
25	BB	342	A	C2'-O2'	5.54	1.48	1.41
25	BB	491	G	C6-N1	-5.54	1.35	1.39
25	BB	2254	C	C5-C6	5.54	1.38	1.34
3	A1	558	G	C6-N1	-5.54	1.35	1.39
3	A1	1273	C	C4-N4	-5.54	1.28	1.33
1	AP	70	C	N3-C4	-5.54	1.30	1.33
3	A1	40	C	N3-C4	-5.54	1.30	1.33
3	A1	68	G	C2-N2	-5.54	1.29	1.34
3	A1	346	G	N1-C2	-5.54	1.33	1.37
3	A1	401	C	N3-C4	-5.54	1.30	1.33
25	BB	542	C	C4-N4	-5.54	1.28	1.33
25	BB	816	C	C4-N4	-5.54	1.28	1.33
25	BB	1320	C	N3-C4	-5.54	1.30	1.33
25	BB	1387	A	N7-C5	5.54	1.42	1.39
25	BB	1833	C	C4-N4	-5.54	1.28	1.33
3	A1	297	G	P-O5'	-5.54	1.54	1.59
25	BB	1884	G	N7-C5	5.54	1.42	1.39
25	BB	707	G	P-O5'	5.54	1.65	1.59
25	BB	1646	C	C4-N4	-5.54	1.28	1.33
25	BB	2029	G	C2-N2	-5.54	1.29	1.34
25	BB	1179	G	N7-C5	5.53	1.42	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	339	C	C5-C6	5.53	1.38	1.34
24	BA	23	G	N3-C4	5.53	1.39	1.35
25	BB	1421	G	C2-N2	-5.53	1.29	1.34
25	BB	1793	C	C4-N4	-5.53	1.28	1.33
25	BB	2093	G	P-O5'	5.53	1.65	1.59
25	BB	2602	A	N7-C5	5.53	1.42	1.39
24	BA	92	C	N3-C4	-5.53	1.30	1.33
25	BB	1514	G	N1-C2	-5.53	1.33	1.37
25	BB	1623	G	N1-C2	-5.53	1.33	1.37
25	BB	2275	C	C4-N4	-5.53	1.28	1.33
3	A1	90	C	C4-N4	-5.53	1.28	1.33
3	A1	596	A	O3'-P	-5.53	1.54	1.61
25	BB	780	G	C2-N2	-5.53	1.29	1.34
25	BB	1565	C	N3-C4	-5.53	1.30	1.33
25	BB	2418	A	N3-C4	5.53	1.38	1.34
25	BB	2848	G	P-O5'	5.53	1.65	1.59
3	A1	59	A	O3'-P	-5.53	1.54	1.61
3	A1	466	A	N3-C4	5.53	1.38	1.34
3	A1	1045	C	O3'-P	-5.53	1.54	1.61
25	BB	346	A	N7-C5	5.53	1.42	1.39
25	BB	1190	G	C2-N2	-5.53	1.29	1.34
25	BB	1663	G	N7-C5	5.53	1.42	1.39
25	BB	1682	G	N3-C4	5.53	1.39	1.35
25	BB	2549	G	C2-N2	-5.53	1.29	1.34
4	AB	138	ARG	CZ-NH1	-5.52	1.25	1.33
25	BB	1423	G	C2-N2	-5.52	1.29	1.34
3	A1	1056	U	O3'-P	-5.52	1.54	1.61
3	A1	1287	A	N3-C4	5.52	1.38	1.34
3	A1	1426	G	N1-C2	-5.52	1.33	1.37
15	AO	171	ARG	CZ-NH1	-5.52	1.25	1.33
25	BB	294	A	N7-C5	5.52	1.42	1.39
25	BB	1364	G	C2-N2	-5.52	1.29	1.34
25	BB	2405	G	C2-N2	-5.52	1.29	1.34
25	BB	2446	G	C2-N2	-5.52	1.29	1.34
25	BB	283	G	N7-C5	5.52	1.42	1.39
25	BB	1372	U	O3'-P	-5.52	1.54	1.61
25	BB	2063	C	C4-N4	-5.52	1.28	1.33
3	A1	519	C	C4-N4	-5.52	1.28	1.33
25	BB	529	A	N7-C5	5.52	1.42	1.39
25	BB	2389	G	N1-C2	-5.52	1.33	1.37
3	A1	199	A	C6-N6	-5.52	1.29	1.33
3	A1	528	C	N3-C4	-5.52	1.30	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	1288	A	C5'-C4'	5.52	1.57	1.51
12	AK	72	ARG	CZ-NH2	-5.52	1.25	1.33
24	BA	9	G	N1-C2	-5.52	1.33	1.37
25	BB	260	G	P-O5'	-5.52	1.54	1.59
25	BB	1140	C	O3'-P	-5.52	1.54	1.61
25	BB	2242	G	C2-N2	-5.52	1.29	1.34
25	BB	2556	C	N1-C6	5.52	1.40	1.37
1	AA	4	G	N3-C4	5.52	1.39	1.35
3	A1	966	G	N9-C8	5.52	1.41	1.37
25	BB	1338	G	N7-C5	5.52	1.42	1.39
25	BB	1505	A	N7-C5	5.52	1.42	1.39
1	AE	20	G	N3-C4	5.51	1.39	1.35
25	BB	1238	G	P-O5'	5.51	1.65	1.59
25	BB	2251	G	C2-N2	-5.51	1.29	1.34
3	A1	972	C	C4-N4	-5.51	1.28	1.33
3	A1	1270	G	N3-C4	5.51	1.39	1.35
25	BB	2770	G	O3'-P	-5.51	1.54	1.61
3	A1	1363	A	C6-N1	-5.51	1.31	1.35
25	BB	1495	A	N3-C4	5.51	1.38	1.34
25	BB	1774	C	C4-N4	-5.51	1.28	1.33
25	BB	2854	G	N1-C2	-5.51	1.33	1.37
3	A1	5	U	O3'-P	-5.51	1.54	1.61
3	A1	19	A	C6-N6	-5.51	1.29	1.33
3	A1	46	G	N7-C5	5.51	1.42	1.39
3	A1	230	G	O3'-P	-5.51	1.54	1.61
25	BB	240	C	C4-N4	-5.51	1.28	1.33
25	BB	2405	G	N3-C4	5.51	1.39	1.35
25	BB	2668	G	C2-N2	-5.51	1.29	1.34
25	BB	2766	A	C6-N6	-5.51	1.29	1.33
25	BB	2895	G	N1-C2	-5.51	1.33	1.37
37	BN	166	ARG	CZ-NH2	-5.51	1.25	1.33
3	A1	40	C	P-O5'	-5.51	1.54	1.59
3	A1	106	C	N3-C4	-5.51	1.30	1.33
25	BB	1644	C	N3-C4	-5.51	1.30	1.33
25	BB	1957	C	P-O5'	5.51	1.65	1.59
25	BB	2237	G	N1-C2	-5.51	1.33	1.37
3	A1	1362	A	C6-N1	-5.51	1.31	1.35
12	AK	52	ARG	CZ-NH2	-5.51	1.25	1.33
25	BB	236	C	N3-C4	-5.51	1.30	1.33
25	BB	1909	C	C4-N4	-5.51	1.28	1.33
25	BB	2087	G	C6-N1	-5.51	1.35	1.39
25	BB	2104	C	C4-N4	-5.51	1.28	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	AH	32	THR	C-N	5.50	1.46	1.34
25	BB	1259	G	N1-C2	-5.50	1.33	1.37
25	BB	2327	A	C6-N6	-5.50	1.29	1.33
25	BB	2580	U	P-O5'	-5.50	1.54	1.59
3	A1	21	G	C6-N1	-5.50	1.35	1.39
3	A1	1068	G	P-O5'	-5.50	1.54	1.59
3	A1	1526	G	C5'-C4'	5.50	1.57	1.51
25	BB	597	G	C5'-C4'	5.50	1.57	1.51
25	BB	1541	C	C4-N4	-5.50	1.28	1.33
25	BB	1552	A	N7-C5	5.50	1.42	1.39
25	BB	2363	G	C2-N2	-5.50	1.29	1.34
1	AA	60	C	P-O5'	5.50	1.65	1.59
3	A1	501	C	C4-N4	-5.50	1.28	1.33
3	A1	1111	A	N3-C4	5.50	1.38	1.34
3	A1	1484	C	C4-N4	-5.50	1.28	1.33
25	BB	1977	A	N3-C4	5.50	1.38	1.34
25	BB	2743	U	O3'-P	-5.50	1.54	1.61
25	BB	1331	G	C2-N2	-5.50	1.29	1.34
1	AP	26	G	C2-N2	-5.50	1.29	1.34
1	AP	60	C	O3'-P	-5.50	1.54	1.61
25	BB	1645	G	C2-N2	-5.50	1.29	1.34
25	BB	1705	A	C5'-C4'	5.50	1.57	1.51
25	BB	2745	C	N3-C4	-5.50	1.30	1.33
1	AP	21	A	C6-N6	-5.50	1.29	1.33
3	A1	997	U	C2'-C1'	5.50	1.59	1.53
25	BB	614	A	N7-C5	5.50	1.42	1.39
25	BB	1005	C	C4-N4	-5.50	1.29	1.33
41	BR	37	ARG	CZ-NH2	-5.50	1.25	1.33
12	AK	47	ARG	CZ-NH2	-5.50	1.25	1.33
25	BB	555	G	N1-C2	-5.50	1.33	1.37
25	BB	1093	G	C6-N1	-5.50	1.35	1.39
25	BB	2757	A	C6-N1	-5.50	1.31	1.35
3	A1	771	G	C2-N2	-5.49	1.29	1.34
3	A1	1053	G	C5-C6	5.49	1.47	1.42
25	BB	751	A	N3-C4	5.49	1.38	1.34
3	A1	1435	G	N1-C2	-5.49	1.33	1.37
25	BB	1014	A	N3-C4	5.49	1.38	1.34
25	BB	1450	G	C2-N2	-5.49	1.29	1.34
24	BA	23	G	C2-N2	-5.49	1.29	1.34
25	BB	1305	C	C4-N4	-5.49	1.29	1.33
25	BB	1471	G	C2-N2	-5.49	1.29	1.34
51	B2	101	ARG	CZ-NH2	-5.49	1.25	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
18	AS	111	ARG	CZ-NH1	-5.49	1.25	1.33
25	BB	366	C	N3-C4	-5.49	1.30	1.33
25	BB	1069	A	N7-C5	5.49	1.42	1.39
25	BB	1968	G	N3-C4	5.49	1.39	1.35
25	BB	2414	G	C2-N2	-5.49	1.29	1.34
25	BB	2590	A	N7-C5	5.49	1.42	1.39
25	BB	2624	G	C2-N2	-5.49	1.29	1.34
3	A1	50	A	N9-C4	5.49	1.41	1.37
3	A1	1276	G	C2-N2	-5.49	1.29	1.34
25	BB	2157	G	C3'-C2'	5.49	1.58	1.52
3	A1	188	C	C4-N4	-5.49	1.29	1.33
25	BB	1806	C	N3-C4	-5.49	1.30	1.33
25	BB	2483	C	P-O5'	-5.49	1.54	1.59
25	BB	1031	G	O3'-P	-5.48	1.54	1.61
25	BB	1123	C	N3-C4	-5.48	1.30	1.33
25	BB	1509	A	C5-C4	-5.48	1.34	1.38
25	BB	1025	G	C2-N2	-5.48	1.29	1.34
25	BB	1157	G	N1-C2	-5.48	1.33	1.37
3	A1	285	C	N1-C6	5.48	1.40	1.37
25	BB	141	G	C2-N2	-5.48	1.29	1.34
25	BB	254	G	C2-N2	-5.48	1.29	1.34
25	BB	1597	A	P-O5'	5.48	1.65	1.59
25	BB	2568	U	O3'-P	-5.48	1.54	1.61
24	BA	37	C	C4-N4	-5.48	1.29	1.33
25	BB	493	G	C2-N2	-5.48	1.29	1.34
25	BB	831	G	N3-C4	5.48	1.39	1.35
25	BB	1513	U	O3'-P	-5.48	1.54	1.61
25	BB	2848	G	C2-N2	-5.48	1.29	1.34
3	A1	1294	G	N1-C2	-5.48	1.33	1.37
25	BB	2349	G	C2-N2	-5.48	1.29	1.34
3	A1	1012	A	C6-N1	-5.47	1.31	1.35
3	A1	1431	A	C6-N6	-5.47	1.29	1.33
25	BB	559	G	N1-C2	-5.47	1.33	1.37
25	BB	960	A	C6-N1	-5.47	1.31	1.35
25	BB	2170	A	C6-N6	-5.47	1.29	1.33
25	BB	2443	C	C4-N4	-5.47	1.29	1.33
25	BB	2638	G	C2-N2	-5.47	1.29	1.34
3	A1	1120	C	N3-C4	-5.47	1.30	1.33
3	A1	1476	A	N3-C4	5.47	1.38	1.34
24	BA	56	G	C2-N2	-5.47	1.29	1.34
25	BB	1291	C	C4-N4	-5.47	1.29	1.33
25	BB	1500	G	N3-C4	5.47	1.39	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	1423	G	P-O5'	5.47	1.65	1.59
25	BB	1470	A	N7-C5	5.47	1.42	1.39
25	BB	2854	G	C6-N1	-5.47	1.35	1.39
3	A1	942	G	N7-C5	5.47	1.42	1.39
3	A1	1182	G	C2-N2	-5.47	1.29	1.34
25	BB	518	G	C2-N2	-5.47	1.29	1.34
25	BB	2151	U	P-O5'	-5.47	1.54	1.59
3	A1	111	G	C6-N1	-5.47	1.35	1.39
3	A1	927	G	C6-N1	-5.47	1.35	1.39
24	BA	69	G	O3'-P	5.47	1.67	1.61
25	BB	379	G	P-O5'	5.47	1.65	1.59
3	A1	166	U	N3-C4	-5.47	1.33	1.38
3	A1	520	A	C6-N1	-5.47	1.31	1.35
3	A1	1416	G	C5'-C4'	5.47	1.57	1.51
25	BB	685	A	N3-C4	5.47	1.38	1.34
25	BB	1840	G	C2-N2	-5.47	1.29	1.34
25	BB	1994	C	C4-N4	-5.47	1.29	1.33
1	AA	14	A	N3-C4	5.46	1.38	1.34
3	A1	191	G	N1-C2	-5.46	1.33	1.37
25	BB	1643	G	C2-N2	-5.46	1.29	1.34
25	BB	2125	G	C2-N2	-5.46	1.29	1.34
25	BB	1822	C	C4-N4	-5.46	1.29	1.33
3	A1	6	G	O3'-P	-5.46	1.54	1.61
3	A1	361	G	C2-N2	-5.46	1.29	1.34
3	A1	532	A	C3'-C2'	5.46	1.58	1.52
3	A1	1143	G	N1-C2	-5.46	1.33	1.37
3	A1	1197	A	C6-N1	-5.46	1.31	1.35
25	BB	2521	C	C4-N4	-5.46	1.29	1.33
25	BB	2704	C	C4-N4	-5.46	1.29	1.33
25	BB	2659	G	C2-N2	-5.46	1.29	1.34
3	A1	800	G	N7-C5	5.46	1.42	1.39
25	BB	477	A	N7-C5	5.46	1.42	1.39
25	BB	1060	U	N1-C2	5.46	1.43	1.38
25	BB	2544	G	C2-N2	-5.46	1.29	1.34
1	AA	18	G	C5-C6	5.46	1.47	1.42
3	A1	1069	C	N3-C4	-5.46	1.30	1.33
3	A1	1271	A	C6-N1	-5.46	1.31	1.35
25	BB	1016	G	C2-N2	-5.46	1.29	1.34
25	BB	1673	G	C2-N2	-5.46	1.29	1.34
25	BB	2319	G	C2-N2	-5.46	1.29	1.34
55	B6	13	ARG	CZ-NH2	-5.46	1.25	1.33
25	BB	12	U	P-O5'	5.46	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	175	G	N9-C8	-5.46	1.34	1.37
25	BB	1797	G	C6-N1	-5.46	1.35	1.39
25	BB	2413	G	N1-C2	-5.46	1.33	1.37
25	BB	2601	C	N3-C4	-5.46	1.30	1.33
3	A1	572	A	N7-C5	5.45	1.42	1.39
3	A1	944	G	N7-C5	5.45	1.42	1.39
25	BB	1414	C	C4-N4	-5.45	1.29	1.33
25	BB	1766	G	N1-C2	-5.45	1.33	1.37
3	A1	739	C	C5'-C4'	5.45	1.57	1.51
3	A1	1082	A	P-O5'	5.45	1.65	1.59
25	BB	101	A	N3-C4	5.45	1.38	1.34
25	BB	1445	G	N1-C2	-5.45	1.33	1.37
3	A1	70	U	N1-C2	5.45	1.43	1.38
3	A1	308	C	C4-N4	-5.45	1.29	1.33
25	BB	1004	U	O3'-P	-5.45	1.54	1.61
3	A1	718	A	N3-C4	5.45	1.38	1.34
3	A1	859	G	N1-C2	-5.45	1.33	1.37
25	BB	520	G	P-O5'	5.45	1.65	1.59
25	BB	1970	A	N7-C5	5.45	1.42	1.39
3	A1	1370	G	P-O5'	-5.45	1.54	1.59
25	BB	2774	C	C4-N4	-5.45	1.29	1.33
3	A1	491	G	O3'-P	-5.45	1.54	1.61
3	A1	601	G	O3'-P	-5.45	1.54	1.61
3	A1	1158	C	C4-N4	-5.45	1.29	1.33
3	A1	1178	G	N7-C5	5.45	1.42	1.39
3	A1	1200	C	O3'-P	-5.45	1.54	1.61
25	BB	144	A	C6-N6	-5.45	1.29	1.33
25	BB	1370	C	C4-N4	-5.45	1.29	1.33
25	BB	854	C	C4-N4	-5.44	1.29	1.33
3	A1	214	C	N3-C4	-5.44	1.30	1.33
3	A1	404	G	N7-C5	5.44	1.42	1.39
20	AU	95	ARG	CZ-NH2	-5.44	1.25	1.33
25	BB	209	C	C4-N4	-5.44	1.29	1.33
25	BB	258	G	C2-N2	-5.44	1.29	1.34
25	BB	536	G	N1-C2	-5.44	1.33	1.37
25	BB	1268	A	P-O5'	-5.44	1.54	1.59
25	BB	2070	A	N7-C5	5.44	1.42	1.39
25	BB	2703	C	N3-C4	-5.44	1.30	1.33
3	A1	835	U	N3-C4	-5.44	1.33	1.38
3	A1	1453	G	C6-N1	-5.44	1.35	1.39
25	BB	49	A	N3-C4	5.44	1.38	1.34
25	BB	1625	C	C4-N4	-5.44	1.29	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	2751	G	C2-N2	-5.44	1.29	1.34
3	A1	203	G	C2-N2	-5.44	1.29	1.34
25	BB	792	A	O3'-P	-5.44	1.54	1.61
1	AP	29	A	O3'-P	-5.44	1.54	1.61
3	A1	792	A	N7-C5	5.44	1.42	1.39
25	BB	1614	A	N3-C4	5.44	1.38	1.34
25	BB	2545	G	O3'-P	-5.44	1.54	1.61
1	AP	38	A	C4'-O4'	-5.44	1.38	1.45
25	BB	1158	C	N3-C4	-5.44	1.30	1.33
3	A1	1429	A	C6-N6	-5.43	1.29	1.33
25	BB	2809	A	O3'-P	-5.43	1.54	1.61
25	BB	2894	G	C3'-C2'	5.43	1.58	1.52
3	A1	449	G	P-O5'	-5.43	1.54	1.59
3	A1	1430	A	C6-N1	-5.43	1.31	1.35
25	BB	474	G	C2-N2	-5.43	1.29	1.34
3	A1	128	G	C2-N2	-5.43	1.29	1.34
3	A1	378	G	C2-N2	-5.43	1.29	1.34
3	A1	578	C	C4-N4	-5.43	1.29	1.33
3	A1	587	G	N7-C5	5.43	1.42	1.39
3	A1	682	G	C2-N2	-5.43	1.29	1.34
3	A1	928	G	N1-C2	-5.43	1.33	1.37
25	BB	1579	A	N7-C5	5.43	1.42	1.39
3	A1	242	G	N7-C5	5.43	1.42	1.39
25	BB	21	A	C6-N1	-5.43	1.31	1.35
25	BB	341	C	C4-N4	-5.43	1.29	1.33
25	BB	957	C	N3-C4	-5.43	1.30	1.33
25	BB	1026	G	N1-C2	-5.43	1.33	1.37
25	BB	1364	G	N7-C5	5.43	1.42	1.39
25	BB	2523	G	N1-C2	-5.43	1.33	1.37
3	A1	218	U	O3'-P	-5.43	1.54	1.61
3	A1	1521	C	C4-N4	-5.43	1.29	1.33
25	BB	1548	A	C6-N1	-5.43	1.31	1.35
1	AA	10	G	P-O5'	5.43	1.65	1.59
3	A1	257	G	N7-C5	5.43	1.42	1.39
3	A1	1505	G	C2-N2	-5.43	1.29	1.34
25	BB	343	C	N3-C4	-5.43	1.30	1.33
25	BB	407	G	N3-C4	5.43	1.39	1.35
25	BB	1642	G	P-O5'	-5.43	1.54	1.59
25	BB	1900	A	N7-C5	5.43	1.42	1.39
25	BB	2572	A	N7-C5	5.43	1.42	1.39
25	BB	375	G	C2-N2	-5.42	1.29	1.34
25	BB	807	U	O3'-P	-5.42	1.54	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	1515	A	C6-N6	-5.42	1.29	1.33
25	BB	2168	G	N1-C2	-5.42	1.33	1.37
25	BB	2565	A	C6-N1	-5.42	1.31	1.35
25	BB	2722	G	N1-C2	-5.42	1.33	1.37
1	AP	5	A	N7-C5	5.42	1.42	1.39
13	AL	31	ARG	CZ-NH2	-5.42	1.26	1.33
25	BB	348	A	O3'-P	-5.42	1.54	1.61
25	BB	1251	C	C4-N4	-5.42	1.29	1.33
25	BB	1481	U	C2-N3	-5.42	1.33	1.37
25	BB	2063	C	N3-C4	-5.42	1.30	1.33
25	BB	2526	G	C2-N2	-5.42	1.29	1.34
3	A1	292	G	O3'-P	-5.42	1.54	1.61
3	A1	380	G	N1-C2	-5.42	1.33	1.37
25	BB	425	G	N7-C5	5.42	1.42	1.39
25	BB	1309	G	N7-C5	5.42	1.42	1.39
25	BB	1640	A	N7-C5	5.42	1.42	1.39
25	BB	2331	G	P-O5'	-5.42	1.54	1.59
1	AE	34	G	C2-N2	-5.42	1.29	1.34
3	A1	667	G	N1-C2	-5.42	1.33	1.37
3	A1	836	G	N1-C2	-5.42	1.33	1.37
3	A1	809	G	N1-C2	-5.42	1.33	1.37
25	BB	190	A	N7-C5	5.42	1.42	1.39
25	BB	960	A	N3-C4	5.42	1.38	1.34
48	BY	88	GLU	CG-CD	5.42	1.60	1.51
3	A1	655	A	C6-N6	-5.41	1.29	1.33
3	A1	1184	G	C2-N2	-5.41	1.29	1.34
25	BB	353	C	N3-C4	-5.41	1.30	1.33
25	BB	358	U	P-O5'	-5.41	1.54	1.59
25	BB	1177	G	C2-N2	-5.41	1.29	1.34
3	A1	280	C	N3-C4	-5.41	1.30	1.33
3	A1	376	G	C2-N2	-5.41	1.29	1.34
3	A1	783	C	N3-C4	-5.41	1.30	1.33
3	A1	1177	G	C2-N2	-5.41	1.29	1.34
3	A1	1194	U	C5'-C4'	5.41	1.57	1.51
25	BB	2355	G	C2-N2	-5.41	1.29	1.34
1	AP	62	A	C6-N1	-5.41	1.31	1.35
3	A1	228	A	N7-C5	5.41	1.42	1.39
3	A1	1051	C	N3-C4	-5.41	1.30	1.33
25	BB	915	C	C4-N4	-5.41	1.29	1.33
25	BB	1499	C	C4-N4	-5.41	1.29	1.33
25	BB	2254	C	C4-N4	-5.41	1.29	1.33
25	BB	2603	G	C2-N2	-5.41	1.29	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	2750	A	P-O5'	5.41	1.65	1.59
3	A1	115	G	C6-N1	-5.41	1.35	1.39
3	A1	697	U	P-O5'	5.41	1.65	1.59
3	A1	753	A	P-O5'	5.41	1.65	1.59
11	AJ	64	ARG	CZ-NH1	-5.41	1.26	1.33
25	BB	962	G	C2-N2	-5.41	1.29	1.34
25	BB	1261	C	C4-N4	-5.41	1.29	1.33
25	BB	2336	A	C6-N6	-5.41	1.29	1.33
25	BB	2483	C	O3'-P	-5.41	1.54	1.61
25	BB	2556	C	C4-N4	-5.41	1.29	1.33
25	BB	707	G	C6-N1	-5.41	1.35	1.39
25	BB	1695	G	N1-C2	-5.41	1.33	1.37
3	A1	1487	G	N1-C2	-5.41	1.33	1.37
25	BB	1549	A	C6-N6	-5.41	1.29	1.33
25	BB	1733	G	N7-C5	5.41	1.42	1.39
25	BB	1852	U	O3'-P	-5.41	1.54	1.61
25	BB	2271	G	C6-N1	-5.41	1.35	1.39
3	A1	1303	C	C4-N4	-5.40	1.29	1.33
25	BB	322	A	N3-C4	5.40	1.38	1.34
25	BB	1488	C	C4-N4	-5.40	1.29	1.33
3	A1	191	G	N7-C5	5.40	1.42	1.39
3	A1	1269	A	O3'-P	-5.40	1.54	1.61
3	A1	1483	A	O3'-P	-5.40	1.54	1.61
25	BB	307	G	C2-N2	-5.40	1.29	1.34
25	BB	1905	C	N3-C4	-5.40	1.30	1.33
25	BB	1933	G	C2-N2	-5.40	1.29	1.34
25	BB	1987	A	N7-C5	5.40	1.42	1.39
25	BB	2883	A	P-O5'	5.40	1.65	1.59
1	AA	49	C	C4-N4	-5.40	1.29	1.33
3	A1	144	G	C2-N2	-5.40	1.29	1.34
3	A1	289	G	N7-C5	5.40	1.42	1.39
3	A1	505	G	C2-N2	-5.40	1.29	1.34
3	A1	1155	A	N7-C5	5.40	1.42	1.39
25	BB	924	G	C2-N2	-5.40	1.29	1.34
25	BB	1022	G	P-O5'	-5.40	1.54	1.59
25	BB	2815	C	N3-C4	-5.40	1.30	1.33
1	AE	30	G	C6-N1	-5.40	1.35	1.39
24	BA	66	A	N3-C4	5.40	1.38	1.34
25	BB	480	A	O3'-P	-5.40	1.54	1.61
25	BB	1495	A	C6-N1	-5.40	1.31	1.35
25	BB	2251	G	N1-C2	-5.40	1.33	1.37
1	AP	75	C	N3-C4	-5.40	1.30	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	36	C	C4-N4	-5.40	1.29	1.33
3	A1	238	A	O3'-P	-5.40	1.54	1.61
3	A1	337	G	N1-C2	-5.40	1.33	1.37
3	A1	1402	C	C4-N4	-5.40	1.29	1.33
25	BB	1766	G	C2-N2	-5.40	1.29	1.34
25	BB	2370	G	O3'-P	-5.40	1.54	1.61
25	BB	2820	A	N7-C5	5.40	1.42	1.39
3	A1	827	U	C2-N3	-5.40	1.33	1.37
24	BA	83	G	P-O5'	-5.40	1.54	1.59
25	BB	1965	C	N3-C4	-5.40	1.30	1.33
3	A1	184	G	N3-C4	5.39	1.39	1.35
3	A1	700	G	N1-C2	-5.39	1.33	1.37
25	BB	1596	A	N3-C4	5.39	1.38	1.34
25	BB	2564	A	C6-N6	-5.39	1.29	1.33
3	A1	1167	A	C4'-O4'	-5.39	1.38	1.45
3	A1	1229	A	P-O5'	5.39	1.65	1.59
25	BB	439	A	N3-C4	5.39	1.38	1.34
25	BB	2494	G	C2-N2	-5.39	1.29	1.34
25	BB	33	C	O3'-P	5.39	1.67	1.61
25	BB	2745	C	C4-N4	-5.39	1.29	1.33
3	A1	608	A	N9-C4	5.39	1.41	1.37
24	BA	79	G	N1-C2	-5.39	1.33	1.37
25	BB	2459	A	P-O5'	-5.39	1.54	1.59
25	BB	27	G	C2-N2	-5.39	1.29	1.34
25	BB	1220	G	N7-C5	5.39	1.42	1.39
25	BB	2268	A	C5-C6	5.39	1.45	1.41
25	BB	2860	A	N7-C5	5.39	1.42	1.39
3	A1	1027	C	C4-N4	-5.39	1.29	1.33
3	A1	1454	G	C2-N2	-5.39	1.29	1.34
25	BB	186	G	N1-C2	-5.39	1.33	1.37
25	BB	1451	C	N3-C4	-5.39	1.30	1.33
25	BB	1984	G	N1-C2	-5.39	1.33	1.37
25	BB	2867	G	P-O5'	5.39	1.65	1.59
3	A1	766	A	P-O5'	-5.38	1.54	1.59
3	A1	1415	G	C2-N2	-5.38	1.29	1.34
25	BB	57	C	C4-N4	-5.38	1.29	1.33
25	BB	326	G	C2-N2	-5.38	1.29	1.34
25	BB	553	G	N7-C5	5.38	1.42	1.39
25	BB	691	C	O3'-P	-5.38	1.54	1.61
25	BB	1882	U	C5'-C4'	5.38	1.57	1.51
25	BB	1931	U	O3'-P	5.38	1.67	1.61
25	BB	2108	A	C6-N6	-5.38	1.29	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	2795	C	C4-N4	-5.38	1.29	1.33
3	A1	488	C	C5'-C4'	5.38	1.57	1.51
3	A1	502	A	C6-N6	-5.38	1.29	1.33
3	A1	1153	G	N1-C2	-5.38	1.33	1.37
25	BB	1929	G	C6-N1	-5.38	1.35	1.39
25	BB	2000	C	N3-C4	-5.38	1.30	1.33
25	BB	2142	A	O3'-P	-5.38	1.54	1.61
3	A1	502	A	N3-C4	5.38	1.38	1.34
3	A1	743	A	C6-N1	-5.38	1.31	1.35
3	A1	1180	A	N9-C4	5.38	1.41	1.37
3	A1	1492	A	N9-C4	5.38	1.41	1.37
25	BB	797	G	C5-C6	5.38	1.47	1.42
25	BB	1158	C	C5'-C4'	5.38	1.57	1.51
25	BB	1185	G	O3'-P	-5.38	1.54	1.61
3	A1	966	G	C2-N2	-5.38	1.29	1.34
25	BB	974	G	C2-N2	-5.38	1.29	1.34
25	BB	1125	G	O3'-P	-5.38	1.54	1.61
25	BB	1418	G	C2-N2	-5.38	1.29	1.34
1	AP	44	A	C6-N6	-5.38	1.29	1.33
2	AM	9	U	C3'-C2'	5.38	1.58	1.52
3	A1	344	A	C6-N6	-5.38	1.29	1.33
25	BB	95	A	P-O5'	-5.38	1.54	1.59
25	BB	423	A	N7-C5	5.38	1.42	1.39
25	BB	428	A	N3-C4	5.38	1.38	1.34
25	BB	1540	G	C4'-O4'	-5.38	1.38	1.45
1	AP	21	A	C6-N1	-5.38	1.31	1.35
3	A1	507	C	N3-C4	-5.38	1.30	1.33
3	A1	823	C	O3'-P	-5.38	1.54	1.61
3	A1	1160	G	N1-C2	-5.38	1.33	1.37
7	AF	89	ARG	CZ-NH2	-5.38	1.26	1.33
25	BB	41	C	C2-N3	-5.38	1.31	1.35
25	BB	393	C	C4-N4	-5.38	1.29	1.33
25	BB	491	G	N1-C2	-5.38	1.33	1.37
25	BB	889	C	N1-C6	-5.38	1.33	1.37
25	BB	930	G	C5-C6	5.38	1.47	1.42
25	BB	1538	G	N1-C2	-5.38	1.33	1.37
25	BB	2621	G	C5-C6	5.38	1.47	1.42
3	A1	1210	C	O3'-P	-5.38	1.54	1.61
3	A1	1485	U	C5'-C4'	5.38	1.57	1.51
3	A1	1227	A	C5-C6	5.37	1.45	1.41
25	BB	690	G	N3-C4	5.37	1.39	1.35
25	BB	766	U	P-O5'	-5.37	1.54	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	1052	C	C4-N4	-5.37	1.29	1.33
25	BB	2141	G	C2-N2	-5.37	1.29	1.34
25	BB	120	U	N1-C2	5.37	1.43	1.38
25	BB	838	C	O3'-P	-5.37	1.54	1.61
25	BB	895	U	C4'-O4'	-5.37	1.38	1.45
25	BB	1413	A	C6-N1	-5.37	1.31	1.35
25	BB	1437	C	C4-N4	-5.37	1.29	1.33
25	BB	2169	A	C6-N1	-5.37	1.31	1.35
25	BB	1945	G	C2-N2	-5.37	1.29	1.34
25	BB	2424	C	N3-C4	-5.37	1.30	1.33
25	BB	437	U	P-O5'	5.37	1.65	1.59
25	BB	1445	G	N3-C4	5.37	1.39	1.35
25	BB	1546	G	C2-N2	-5.37	1.29	1.34
25	BB	2023	C	C4-N4	-5.37	1.29	1.33
3	A1	571	U	P-O5'	-5.37	1.54	1.59
24	BA	7	G	N1-C2	-5.37	1.33	1.37
24	BA	33	G	P-O5'	-5.37	1.54	1.59
25	BB	2107	G	N1-C2	-5.37	1.33	1.37
3	A1	142	G	N1-C2	-5.37	1.33	1.37
3	A1	1148	U	O3'-P	-5.37	1.54	1.61
3	A1	1502	A	C6-N6	-5.37	1.29	1.33
25	BB	1064	C	C4-N4	-5.37	1.29	1.33
25	BB	1080	A	C6-N1	-5.37	1.31	1.35
25	BB	1660	G	C2-N2	-5.37	1.29	1.34
25	BB	2070	A	C6-N1	-5.37	1.31	1.35
25	BB	2399	G	N3-C4	5.37	1.39	1.35
3	A1	68	G	O3'-P	-5.36	1.54	1.61
3	A1	1219	A	C5'-C4'	5.36	1.57	1.51
25	BB	873	C	C4-N4	-5.36	1.29	1.33
25	BB	2645	G	C2-N2	-5.36	1.29	1.34
3	A1	143	A	C5-C4	-5.36	1.34	1.38
3	A1	488	C	O3'-P	-5.36	1.54	1.61
3	A1	916	U	O3'-P	5.36	1.67	1.61
25	BB	16	C	P-O5'	5.36	1.65	1.59
25	BB	2004	G	C2-N2	-5.36	1.29	1.34
25	BB	2315	G	O3'-P	-5.36	1.54	1.61
3	A1	241	G	O3'-P	-5.36	1.54	1.61
3	A1	1207	G	C2-N2	-5.36	1.29	1.34
25	BB	2379	G	C2-N2	-5.36	1.29	1.34
25	BB	2722	G	C2-N2	-5.36	1.29	1.34
25	BB	2764	A	C6-N1	-5.36	1.31	1.35
33	BJ	10	ARG	CZ-NH1	-5.36	1.26	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	354	G	N9-C4	-5.36	1.33	1.38
3	A1	712	A	N3-C4	5.36	1.38	1.34
3	A1	775	G	C2-N2	-5.36	1.29	1.34
6	AD	35	ARG	CZ-NH2	-5.36	1.26	1.33
3	A1	267	C	C4-N4	-5.36	1.29	1.33
25	BB	2767	C	C4-N4	-5.36	1.29	1.33
3	A1	349	A	N1-C2	-5.36	1.29	1.34
25	BB	476	G	C5-C6	5.36	1.47	1.42
25	BB	1715	G	C2-N2	-5.36	1.29	1.34
3	A1	763	G	C2-N2	-5.35	1.29	1.34
3	A1	1049	U	N3-C4	-5.35	1.33	1.38
3	A1	1169	A	N3-C4	5.35	1.38	1.34
25	BB	638	G	C2-N2	-5.35	1.29	1.34
1	AA	23	A	C6-N1	-5.35	1.31	1.35
1	AE	73	A	N7-C5	5.35	1.42	1.39
3	A1	143	A	O3'-P	-5.35	1.54	1.61
3	A1	337	G	C5-C6	5.35	1.47	1.42
25	BB	823	C	O3'-P	-5.35	1.54	1.61
25	BB	1044	C	O3'-P	-5.35	1.54	1.61
25	BB	1934	C	N3-C4	-5.35	1.30	1.33
23	AX	16	ARG	CZ-NH2	-5.35	1.26	1.33
25	BB	103	A	N3-C4	5.35	1.38	1.34
25	BB	1839	G	N7-C5	5.35	1.42	1.39
3	A1	564	C	C4-N4	-5.35	1.29	1.33
3	A1	696	A	C6-N1	-5.35	1.31	1.35
25	BB	269	C	C4-N4	-5.35	1.29	1.33
25	BB	1495	A	N7-C5	5.35	1.42	1.39
25	BB	2644	G	P-O5'	5.35	1.65	1.59
3	A1	475	C	N3-C4	-5.35	1.30	1.33
3	A1	720	C	C4-N4	-5.35	1.29	1.33
3	A1	888	G	C5-C6	5.35	1.47	1.42
3	A1	1331	G	N1-C2	-5.35	1.33	1.37
3	A1	1519	A	C6-N6	-5.35	1.29	1.33
25	BB	551	G	C5-C6	5.35	1.47	1.42
25	BB	728	G	C2-N2	-5.35	1.29	1.34
25	BB	2470	G	P-O5'	5.35	1.65	1.59
25	BB	230	G	C5-C6	5.35	1.47	1.42
25	BB	893	C	N3-C4	-5.35	1.30	1.33
3	A1	628	G	C5-C6	5.34	1.47	1.42
3	A1	823	C	C4-N4	-5.34	1.29	1.33
25	BB	63	A	C6-N1	-5.34	1.31	1.35
25	BB	1805	A	P-O5'	5.34	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	2251	G	N3-C4	5.34	1.39	1.35
25	BB	2598	A	C6-N1	-5.34	1.31	1.35
25	BB	2783	U	O3'-P	-5.34	1.54	1.61
3	A1	671	G	C2-N2	-5.34	1.29	1.34
3	A1	954	G	C4'-C3'	-5.34	1.47	1.52
3	A1	1296	C	N3-C4	-5.34	1.30	1.33
3	A1	1494	G	P-O5'	5.34	1.65	1.59
25	BB	477	A	N3-C4	5.34	1.38	1.34
25	BB	972	A	C6-N6	-5.34	1.29	1.33
25	BB	88	G	N3-C4	5.34	1.39	1.35
25	BB	149	A	N3-C4	5.34	1.38	1.34
25	BB	215	G	O3'-P	-5.34	1.54	1.61
25	BB	230	G	N1-C2	-5.34	1.33	1.37
25	BB	1538	G	C6-N1	-5.34	1.35	1.39
3	A1	945	G	N7-C5	5.34	1.42	1.39
19	AT	86	ARG	CZ-NH2	-5.34	1.26	1.33
25	BB	13	A	N3-C4	5.34	1.38	1.34
25	BB	656	G	O3'-P	-5.34	1.54	1.61
25	BB	1038	G	C2-N2	-5.34	1.29	1.34
25	BB	1529	G	N3-C4	5.34	1.39	1.35
25	BB	1609	A	N7-C5	5.34	1.42	1.39
25	BB	2128	G	N1-C2	-5.34	1.33	1.37
25	BB	2306	C	C4-N4	-5.34	1.29	1.33
25	BB	210	C	C4-N4	-5.34	1.29	1.33
25	BB	1647	U	O3'-P	-5.34	1.54	1.61
25	BB	2214	C	N3-C4	-5.34	1.30	1.33
3	A1	260	G	C5'-C4'	5.34	1.57	1.51
3	A1	447	G	C2-N2	-5.34	1.29	1.34
3	A1	833	G	C6-N1	-5.34	1.35	1.39
3	A1	1529	G	O3'-P	-5.34	1.54	1.61
25	BB	759	G	C2-N2	-5.34	1.29	1.34
25	BB	939	G	C2-N2	-5.34	1.29	1.34
25	BB	1195	G	C6-N1	-5.34	1.35	1.39
25	BB	2633	G	N7-C5	5.34	1.42	1.39
25	BB	2809	A	C6-N6	-5.34	1.29	1.33
25	BB	980	A	O3'-P	-5.33	1.54	1.61
25	BB	1036	G	C6-N1	-5.33	1.35	1.39
25	BB	1162	G	C2-N2	-5.33	1.29	1.34
25	BB	1444	G	C2-N2	-5.33	1.29	1.34
25	BB	2608	G	N1-C2	-5.33	1.33	1.37
3	A1	1136	C	C4-N4	-5.33	1.29	1.33
3	A1	1206	G	C8-N7	-5.33	1.27	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	562	U	P-O5'	-5.33	1.54	1.59
25	BB	939	G	O3'-P	-5.33	1.54	1.61
25	BB	1112	G	P-O5'	5.33	1.65	1.59
25	BB	1549	A	N3-C4	5.33	1.38	1.34
25	BB	1890	A	C6-N1	-5.33	1.31	1.35
25	BB	2247	A	C6-N6	-5.33	1.29	1.33
3	A1	23	C	N3-C4	-5.33	1.30	1.33
3	A1	410	G	C5'-C4'	5.33	1.57	1.51
3	A1	1285	A	C6-N1	-5.33	1.31	1.35
3	A1	1447	A	N7-C5	5.33	1.42	1.39
25	BB	463	G	C2-N2	-5.33	1.29	1.34
25	BB	834	G	C2-N2	-5.33	1.29	1.34
25	BB	1395	A	N7-C5	5.33	1.42	1.39
25	BB	2747	G	C2-N2	-5.33	1.29	1.34
3	A1	522	C	C4-N4	-5.33	1.29	1.33
3	A1	890	G	C6-N1	-5.33	1.35	1.39
24	BA	91	C	P-O5'	-5.33	1.54	1.59
25	BB	964	C	C4-N4	-5.33	1.29	1.33
25	BB	984	A	N7-C5	5.33	1.42	1.39
3	A1	876	C	N3-C4	-5.33	1.30	1.33
25	BB	257	C	C4-N4	-5.33	1.29	1.33
25	BB	1134	A	C6-N1	-5.33	1.31	1.35
25	BB	1465	G	N1-C2	-5.33	1.33	1.37
25	BB	1569	A	C6-N6	-5.33	1.29	1.33
25	BB	2129	C	C4-N4	-5.33	1.29	1.33
25	BB	2294	G	C2-N2	-5.33	1.29	1.34
25	BB	2764	A	N7-C5	5.33	1.42	1.39
25	BB	1886	U	O3'-P	-5.33	1.54	1.61
25	BB	2841	C	N3-C4	-5.33	1.30	1.33
1	AP	70	C	C4-N4	-5.33	1.29	1.33
1	AP	74	C	N3-C4	-5.33	1.30	1.33
3	A1	240	G	N1-C2	-5.33	1.33	1.37
3	A1	1015	G	N1-C2	-5.33	1.33	1.37
25	BB	578	G	P-O5'	-5.33	1.54	1.59
25	BB	2242	G	N1-C2	-5.33	1.33	1.37
3	A1	740	U	N1-C2	5.32	1.43	1.38
3	A1	1245	C	C4-N4	-5.32	1.29	1.33
3	A1	1476	A	N7-C5	5.32	1.42	1.39
25	BB	800	A	C6-N1	-5.32	1.31	1.35
25	BB	1243	C	C4-N4	-5.32	1.29	1.33
25	BB	2189	U	O3'-P	-5.32	1.54	1.61
1	AA	62	A	N3-C4	5.32	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	80	A	C6-N1	-5.32	1.31	1.35
3	A1	410	G	N1-C2	-5.32	1.33	1.37
3	A1	1356	G	N3-C4	5.32	1.39	1.35
25	BB	1363	C	C4-N4	-5.32	1.29	1.33
25	BB	1598	A	N7-C5	5.32	1.42	1.39
25	BB	1836	C	O3'-P	-5.32	1.54	1.61
25	BB	2875	C	C4-N4	-5.32	1.29	1.33
7	AF	97	ARG	CZ-NH2	-5.32	1.26	1.33
25	BB	2433	A	C6-N6	-5.32	1.29	1.33
25	BB	2436	G	C2-N2	-5.32	1.29	1.34
3	A1	81	A	N7-C5	5.32	1.42	1.39
3	A1	385	C	C4-N4	-5.32	1.29	1.33
3	A1	446	G	N1-C2	-5.32	1.33	1.37
3	A1	630	A	N3-C4	5.32	1.38	1.34
3	A1	1143	G	O3'-P	-5.32	1.54	1.61
3	A1	1452	C	C4-C5	-5.32	1.38	1.43
25	BB	233	A	C6-N1	-5.32	1.31	1.35
25	BB	2762	C	C4-N4	-5.32	1.29	1.33
3	A1	510	A	N7-C5	5.32	1.42	1.39
3	A1	879	C	N3-C4	-5.32	1.30	1.33
3	A1	1069	C	C4-C5	-5.32	1.38	1.43
3	A1	1153	G	C6-N1	-5.32	1.35	1.39
25	BB	2535	G	N3-C4	5.32	1.39	1.35
25	BB	2898	U	C4-O4	-5.32	1.19	1.23
3	A1	241	G	C2-N2	-5.31	1.29	1.34
3	A1	364	A	N3-C4	5.31	1.38	1.34
3	A1	1216	A	N3-C4	5.31	1.38	1.34
3	A1	1517	G	C2-N2	-5.31	1.29	1.34
24	BA	5	U	O3'-P	-5.31	1.54	1.61
1	AA	25	C	C2-O2	-5.31	1.19	1.24
1	AP	36	A	C8-N7	5.31	1.35	1.31
25	BB	1026	G	C2-N2	-5.31	1.29	1.34
25	BB	1068	G	N7-C5	5.31	1.42	1.39
25	BB	1311	G	C5'-C4'	5.31	1.57	1.51
25	BB	1463	C	C4-N4	-5.31	1.29	1.33
25	BB	2569	G	C2-N2	-5.31	1.29	1.34
37	BN	62	ARG	CZ-NH1	-5.31	1.26	1.33
25	BB	519	U	C5'-C4'	5.31	1.57	1.51
25	BB	1930	G	N1-C2	-5.31	1.33	1.37
25	BB	2177	C	P-O5'	-5.31	1.54	1.59
1	AA	56	C	P-O5'	-5.31	1.54	1.59
25	BB	417	C	C5-C6	5.31	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	1913	A	N9-C4	5.31	1.41	1.37
25	BB	2484	G	N3-C4	5.31	1.39	1.35
29	BF	50	ARG	CZ-NH1	-5.31	1.26	1.33
3	A1	327	A	C6-N1	-5.31	1.31	1.35
3	A1	886	G	O3'-P	-5.31	1.54	1.61
25	BB	9	G	C2-N2	-5.31	1.29	1.34
25	BB	9	G	N1-C2	-5.31	1.33	1.37
25	BB	643	A	N1-C2	-5.31	1.29	1.34
25	BB	711	G	C6-N1	-5.31	1.35	1.39
25	BB	1336	A	N9-C4	-5.31	1.34	1.37
25	BB	2146	C	C4-N4	-5.31	1.29	1.33
25	BB	2873	A	N3-C4	5.31	1.38	1.34
3	A1	483	C	P-O5'	5.31	1.65	1.59
24	BA	60	C	P-O5'	-5.31	1.54	1.59
1	AE	62	A	N3-C4	5.30	1.38	1.34
3	A1	824	G	O3'-P	-5.30	1.54	1.61
25	BB	129	C	P-O5'	-5.30	1.54	1.59
25	BB	1564	C	N3-C4	-5.30	1.30	1.33
25	BB	2417	C	O3'-P	-5.30	1.54	1.61
3	A1	100	G	C2-N2	-5.30	1.29	1.34
25	BB	2171	A	O3'-P	-5.30	1.54	1.61
1	AE	39	U	O3'-P	-5.30	1.54	1.61
3	A1	304	U	O3'-P	-5.30	1.54	1.61
3	A1	369	G	N3-C4	5.30	1.39	1.35
3	A1	568	G	C2-N2	-5.30	1.29	1.34
25	BB	172	A	P-O5'	-5.30	1.54	1.59
25	BB	681	G	C2-N2	-5.30	1.29	1.34
25	BB	1753	G	O3'-P	-5.30	1.54	1.61
25	BB	2382	G	N1-C2	-5.30	1.33	1.37
1	AA	18	G	C2-N2	-5.30	1.29	1.34
1	AA	24	G	N3-C4	5.30	1.39	1.35
3	A1	866	C	C4-C5	-5.30	1.38	1.43
25	BB	620	G	N7-C5	5.30	1.42	1.39
3	A1	902	G	C2-N2	-5.30	1.29	1.34
25	BB	198	C	N3-C4	-5.30	1.30	1.33
25	BB	1098	A	C6-N1	-5.30	1.31	1.35
1	AP	50	U	O3'-P	-5.30	1.54	1.61
25	BB	388	G	N7-C5	5.30	1.42	1.39
25	BB	901	C	N3-C4	-5.30	1.30	1.33
25	BB	1209	U	O3'-P	-5.30	1.54	1.61
25	BB	1239	G	N3-C4	5.30	1.39	1.35
3	A1	388	G	C2-N2	-5.29	1.29	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	785	G	C2-N2	-5.29	1.29	1.34
25	BB	1085	A	N3-C4	5.29	1.38	1.34
25	BB	1275	A	O3'-P	-5.29	1.54	1.61
3	A1	619	U	P-O5'	5.29	1.65	1.59
25	BB	1151	A	C6-N6	-5.29	1.29	1.33
25	BB	2322	A	O3'-P	-5.29	1.54	1.61
25	BB	2567	G	N7-C5	5.29	1.42	1.39
3	A1	539	A	N9-C4	5.29	1.41	1.37
3	A1	800	G	C2-N2	-5.29	1.29	1.34
25	BB	1650	A	P-O5'	-5.29	1.54	1.59
25	BB	1921	G	N7-C5	5.29	1.42	1.39
25	BB	1357	C	C4-N4	-5.29	1.29	1.33
1	AP	47	U	C4-C5	5.29	1.48	1.43
1	AE	33	U	O3'-P	-5.29	1.54	1.61
3	A1	830	G	N7-C5	5.29	1.42	1.39
25	BB	326	G	P-O5'	5.29	1.65	1.59
25	BB	922	C	C4-N4	-5.29	1.29	1.33
25	BB	376	G	C2-N2	-5.29	1.29	1.34
25	BB	557	C	C4-N4	-5.29	1.29	1.33
25	BB	2173	A	O3'-P	-5.29	1.54	1.61
25	BB	2886	A	C6-N6	-5.29	1.29	1.33
3	A1	1083	U	P-O5'	5.29	1.65	1.59
3	A1	1274	A	C6-N6	-5.29	1.29	1.33
25	BB	1159	U	O3'-P	-5.29	1.54	1.61
25	BB	1884	G	N3-C4	5.29	1.39	1.35
25	BB	2382	G	N7-C5	5.29	1.42	1.39
1	AP	23	A	N7-C5	5.28	1.42	1.39
3	A1	162	A	O3'-P	5.28	1.67	1.61
25	BB	80	G	C2-N2	-5.28	1.29	1.34
25	BB	432	A	O3'-P	-5.28	1.54	1.61
25	BB	1119	U	O3'-P	-5.28	1.54	1.61
25	BB	1747	U	O3'-P	-5.28	1.54	1.61
25	BB	2054	A	N7-C5	5.28	1.42	1.39
25	BB	650	C	N3-C4	-5.28	1.30	1.33
25	BB	1596	A	C6-N1	-5.28	1.31	1.35
37	BN	79	ARG	CZ-NH1	-5.28	1.26	1.33
3	A1	263	A	N7-C5	5.28	1.42	1.39
3	A1	1154	G	O3'-P	-5.28	1.54	1.61
25	BB	2193	G	N1-C2	-5.28	1.33	1.37
25	BB	2326	C	C4-N4	-5.28	1.29	1.33
25	BB	2359	C	C5-C6	5.28	1.38	1.34
51	B2	166	ARG	CZ-NH1	-5.28	1.26	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AP	1	G	C6-N1	-5.28	1.35	1.39
25	BB	2603	G	O3'-P	-5.28	1.54	1.61
3	A1	141	G	C2-N2	-5.28	1.29	1.34
3	A1	332	G	N7-C5	5.28	1.42	1.39
3	A1	933	G	C2-N2	-5.28	1.29	1.34
24	BA	13	G	N7-C5	5.28	1.42	1.39
25	BB	49	A	N7-C5	5.28	1.42	1.39
1	AA	22	G	N3-C4	5.28	1.39	1.35
3	A1	664	G	C4'-O4'	-5.28	1.38	1.45
25	BB	61	C	C4-N4	-5.28	1.29	1.33
25	BB	2269	G	C6-N1	-5.28	1.35	1.39
25	BB	2478	A	C6-N1	-5.28	1.31	1.35
10	AI	31	ARG	CZ-NH2	-5.27	1.26	1.33
25	BB	902	C	O3'-P	-5.27	1.54	1.61
25	BB	1938	A	N7-C5	5.27	1.42	1.39
30	BG	103	ARG	CZ-NH1	-5.27	1.26	1.33
25	BB	146	A	O3'-P	-5.27	1.54	1.61
25	BB	511	U	O3'-P	-5.27	1.54	1.61
25	BB	571	U	O3'-P	-5.27	1.54	1.61
25	BB	1293	C	N3-C4	-5.27	1.30	1.33
25	BB	1965	C	C4'-O4'	-5.27	1.38	1.45
25	BB	2673	G	N1-C2	-5.27	1.33	1.37
3	A1	1049	U	O3'-P	-5.27	1.54	1.61
24	BA	68	C	C4-N4	-5.27	1.29	1.33
3	A1	725	G	N1-C2	-5.27	1.33	1.37
25	BB	2415	G	N3-C4	5.27	1.39	1.35
3	A1	1355	G	C5'-C4'	5.27	1.57	1.51
16	AQ	32	ARG	CZ-NH2	-5.27	1.26	1.33
25	BB	930	G	P-O5'	5.27	1.65	1.59
25	BB	1041	G	C6-N1	-5.27	1.35	1.39
25	BB	1197	G	C2-N2	-5.27	1.29	1.34
25	BB	1540	G	C2-N2	-5.27	1.29	1.34
25	BB	2117	A	P-O5'	5.27	1.65	1.59
25	BB	2209	G	O3'-P	-5.27	1.54	1.61
25	BB	2409	G	C6-N1	-5.27	1.35	1.39
3	A1	1243	C	C4-N4	-5.27	1.29	1.33
3	A1	78	A	C6-N6	-5.26	1.29	1.33
3	A1	1343	G	P-O5'	5.26	1.65	1.59
3	A1	1401	G	P-O5'	-5.26	1.54	1.59
25	BB	1441	G	C2-N2	-5.26	1.29	1.34
25	BB	2187	U	O3'-P	5.26	1.67	1.61
25	BB	2695	U	P-O5'	-5.26	1.54	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	428	G	C2-N2	-5.26	1.29	1.34
3	A1	741	G	N1-C2	-5.26	1.33	1.37
3	A1	1092	A	N3-C4	5.26	1.38	1.34
3	A1	1167	A	N7-C5	5.26	1.42	1.39
3	A1	1438	G	C5-C6	5.26	1.47	1.42
25	BB	468	G	C2-N2	-5.26	1.29	1.34
25	BB	900	A	N7-C5	5.26	1.42	1.39
25	BB	1120	G	N1-C2	-5.26	1.33	1.37
25	BB	1367	A	C6-N6	-5.26	1.29	1.33
25	BB	2145	C	C4-N4	-5.26	1.29	1.33
1	AA	46	G	C2-N2	-5.26	1.29	1.34
3	A1	138	G	N7-C5	5.26	1.42	1.39
3	A1	1242	G	C2-N2	-5.26	1.29	1.34
25	BB	983	A	P-O5'	5.26	1.65	1.59
25	BB	1073	A	C6-N1	-5.26	1.31	1.35
25	BB	1204	A	N3-C4	5.26	1.38	1.34
25	BB	1239	G	C2-N2	-5.26	1.29	1.34
25	BB	2623	G	N1-C2	-5.26	1.33	1.37
25	BB	2791	G	C8-N7	5.26	1.34	1.30
3	A1	267	C	N3-C4	-5.26	1.30	1.33
3	A1	703	G	N3-C4	5.26	1.39	1.35
3	A1	1218	C	N1-C6	5.26	1.40	1.37
3	A1	1531	A	N7-C5	5.26	1.42	1.39
25	BB	66	C	N3-C4	-5.26	1.30	1.33
25	BB	89	A	C6-N1	-5.26	1.31	1.35
25	BB	922	C	N3-C4	-5.26	1.30	1.33
1	AP	32	C	C4-N4	-5.26	1.29	1.33
3	A1	509	A	N7-C5	5.26	1.42	1.39
3	A1	1071	C	N3-C4	-5.26	1.30	1.33
25	BB	46	G	C2-N2	-5.26	1.29	1.34
25	BB	539	G	N1-C2	-5.26	1.33	1.37
3	A1	709	U	O3'-P	-5.26	1.54	1.61
25	BB	760	G	C2-N2	-5.26	1.29	1.34
25	BB	961	C	N3-C4	-5.26	1.30	1.33
25	BB	1164	C	N3-C4	-5.26	1.30	1.33
25	BB	2650	U	P-O5'	-5.26	1.54	1.59
25	BB	2761	A	N3-C4	5.26	1.38	1.34
3	A1	781	A	P-O5'	-5.25	1.54	1.59
25	BB	2265	U	O3'-P	-5.25	1.54	1.61
25	BB	1885	A	N7-C5	5.25	1.42	1.39
25	BB	2144	G	C2-N2	-5.25	1.29	1.34
1	AP	48	C	C5'-C4'	5.25	1.57	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	182	A	C6-N1	-5.25	1.31	1.35
3	A1	1520	C	C3'-C2'	5.25	1.58	1.52
25	BB	1140	C	C4-N4	-5.25	1.29	1.33
25	BB	1720	U	C5'-C4'	5.25	1.57	1.51
25	BB	2677	G	C2-N2	-5.25	1.29	1.34
25	BB	2701	U	C5'-C4'	5.25	1.57	1.51
25	BB	2771	C	C4-N4	-5.25	1.29	1.33
1	AP	53	G	N1-C2	-5.25	1.33	1.37
3	A1	1432	G	C2-N2	-5.25	1.29	1.34
3	A1	1482	G	N9-C4	5.25	1.42	1.38
25	BB	490	C	C4-N4	-5.25	1.29	1.33
25	BB	952	G	C2-N2	-5.25	1.29	1.34
25	BB	1252	G	C2-N2	-5.25	1.29	1.34
25	BB	2059	A	O3'-P	-5.25	1.54	1.61
3	A1	94	G	C2-N2	-5.25	1.29	1.34
3	A1	377	G	N1-C2	-5.25	1.33	1.37
24	BA	107	G	C4'-O4'	-5.25	1.38	1.45
25	BB	53	A	C6-N6	-5.25	1.29	1.33
25	BB	1048	A	P-O5'	5.25	1.65	1.59
25	BB	2113	U	O3'-P	-5.25	1.54	1.61
1	AE	66	A	N3-C4	5.25	1.38	1.34
25	BB	1684	G	N1-C2	-5.25	1.33	1.37
1	AP	58	A	C6-N1	-5.24	1.31	1.35
24	BA	44	G	P-O5'	-5.24	1.54	1.59
25	BB	1729	U	P-O5'	-5.24	1.54	1.59
25	BB	2439	A	N7-C5	5.24	1.42	1.39
25	BB	507	A	C6-N6	-5.24	1.29	1.33
25	BB	1387	A	C6-N6	-5.24	1.29	1.33
25	BB	2784	U	O3'-P	-5.24	1.54	1.61
1	AA	10	G	N1-C2	-5.24	1.33	1.37
3	A1	230	G	C2-N2	-5.24	1.29	1.34
3	A1	1006	G	C2-N2	-5.24	1.29	1.34
24	BA	107	G	C2-N2	-5.24	1.29	1.34
25	BB	306	U	O3'-P	-5.24	1.54	1.61
25	BB	2626	C	C4-N4	-5.24	1.29	1.33
25	BB	2890	G	C6-N1	-5.24	1.35	1.39
3	A1	264	C	N3-C4	-5.24	1.30	1.33
3	A1	1225	A	C6-N1	-5.24	1.31	1.35
25	BB	749	A	N7-C5	5.24	1.42	1.39
25	BB	1462	C	N3-C4	-5.24	1.30	1.33
25	BB	1811	G	C2-N2	-5.24	1.29	1.34
25	BB	2053	G	C2-N2	-5.24	1.29	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	2239	G	C5'-C4'	5.24	1.57	1.51
1	AP	35	A	C2-N3	-5.24	1.28	1.33
3	A1	771	G	N9-C4	-5.24	1.33	1.38
10	AI	56	ARG	CZ-NH1	-5.24	1.26	1.33
25	BB	1017	G	N1-C2	-5.24	1.33	1.37
25	BB	1218	G	C2-N2	-5.24	1.29	1.34
1	AA	8	U	C5'-C4'	5.24	1.57	1.51
3	A1	164	G	C5'-C4'	5.24	1.57	1.51
25	BB	1448	G	C2-N2	-5.24	1.29	1.34
1	AP	30	G	C2-N2	-5.23	1.29	1.34
1	AA	47	U	P-O5'	5.23	1.65	1.59
3	A1	338	A	N7-C5	5.23	1.42	1.39
3	A1	679	C	N3-C4	-5.23	1.30	1.33
25	BB	733	G	C2-N2	-5.23	1.29	1.34
25	BB	1064	C	P-O5'	5.23	1.65	1.59
25	BB	1596	A	P-O5'	-5.23	1.54	1.59
25	BB	2009	A	C6-N6	-5.23	1.29	1.33
25	BB	2686	G	O3'-P	-5.23	1.54	1.61
3	A1	457	G	C6-N1	-5.23	1.35	1.39
3	A1	824	G	C2-N2	-5.23	1.29	1.34
25	BB	1124	G	C2-N2	-5.23	1.29	1.34
25	BB	1194	A	N7-C5	5.23	1.42	1.39
25	BB	1697	G	C6-N1	-5.23	1.35	1.39
25	BB	2005	A	N7-C5	5.23	1.42	1.39
25	BB	1667	G	O3'-P	-5.23	1.54	1.61
25	BB	2267	A	C6-N6	-5.23	1.29	1.33
1	AP	23	A	C6-N6	-5.23	1.29	1.33
25	BB	190	A	N3-C4	5.23	1.38	1.34
25	BB	756	A	N9-C4	5.23	1.41	1.37
25	BB	1129	A	C6-N1	-5.23	1.31	1.35
25	BB	1595	C	P-O5'	5.23	1.65	1.59
25	BB	2020	A	C5'-C4'	5.23	1.57	1.51
25	BB	2285	C	C4-N4	-5.23	1.29	1.33
25	BB	2846	G	N7-C5	5.23	1.42	1.39
25	BB	531	C	N3-C4	-5.23	1.30	1.33
25	BB	1129	A	N7-C5	5.23	1.42	1.39
25	BB	2375	G	N7-C5	5.23	1.42	1.39
25	BB	2534	A	C4'-O4'	-5.23	1.38	1.45
3	A1	141	G	N7-C5	5.22	1.42	1.39
3	A1	905	U	P-O5'	5.22	1.65	1.59
10	AI	31	ARG	NE-CZ	-5.22	1.26	1.33
25	BB	1868	C	C5-C6	5.22	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	2184	A	N3-C4	5.22	1.38	1.34
3	A1	260	G	N1-C2	-5.22	1.33	1.37
3	A1	402	G	N1-C2	-5.22	1.33	1.37
3	A1	633	G	N3-C4	5.22	1.39	1.35
24	BA	11	C	C4-N4	-5.22	1.29	1.33
25	BB	865	C	C5'-C4'	5.22	1.57	1.51
25	BB	1941	C	N1-C6	5.22	1.40	1.37
1	AA	45	G	P-O5'	5.22	1.65	1.59
3	A1	64	G	P-O5'	5.22	1.65	1.59
3	A1	934	C	N3-C4	-5.22	1.30	1.33
25	BB	2729	G	C2-N2	-5.22	1.29	1.34
3	A1	96	U	O3'-P	-5.22	1.54	1.61
3	A1	991	U	C5'-C4'	5.22	1.57	1.51
3	A1	1415	G	O3'-P	-5.22	1.54	1.61
25	BB	258	G	P-O5'	-5.22	1.54	1.59
25	BB	355	U	C4-C5	5.22	1.48	1.43
25	BB	1996	C	N3-C4	-5.22	1.30	1.33
25	BB	2205	A	N7-C5	5.22	1.42	1.39
25	BB	2725	A	C6-N6	-5.22	1.29	1.33
34	BK	68	ARG	CZ-NH2	-5.22	1.26	1.33
37	BN	269	ARG	CZ-NH1	-5.22	1.26	1.33
3	A1	302	G	N1-C2	-5.22	1.33	1.37
3	A1	1259	C	C4-N4	-5.22	1.29	1.33
25	BB	51	G	P-O5'	-5.22	1.54	1.59
2	AM	20	U	N1-C2	5.22	1.43	1.38
25	BB	680	C	C4-N4	-5.22	1.29	1.33
3	A1	52	C	N3-C4	-5.21	1.30	1.33
3	A1	1170	A	C6-N1	-5.21	1.31	1.35
25	BB	540	C	P-O5'	5.21	1.65	1.59
25	BB	1640	A	C5'-C4'	5.21	1.57	1.51
25	BB	2346	A	N7-C5	5.21	1.42	1.39
3	A1	526	C	C4-N4	-5.21	1.29	1.33
25	BB	302	C	C4'-O4'	-5.21	1.38	1.45
25	BB	559	G	C5'-C4'	5.21	1.57	1.51
3	A1	314	C	N3-C4	-5.21	1.30	1.33
25	BB	142	A	C6-N6	-5.21	1.29	1.33
25	BB	815	C	C4-N4	-5.21	1.29	1.33
25	BB	864	G	O3'-P	-5.21	1.54	1.61
25	BB	1966	A	N7-C5	5.21	1.42	1.39
25	BB	2551	C	N3-C4	-5.21	1.30	1.33
25	BB	2670	A	N1-C2	-5.21	1.29	1.34
25	BB	2685	G	C6-N1	-5.21	1.35	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	2749	A	N7-C5	5.21	1.42	1.39
1	AA	46	G	P-O5'	-5.21	1.54	1.59
3	A1	54	C	C4-C5	-5.21	1.38	1.43
3	A1	567	G	P-O5'	-5.21	1.54	1.59
3	A1	716	A	C6-N6	-5.21	1.29	1.33
3	A1	1236	A	O3'-P	-5.21	1.54	1.61
25	BB	512	G	C6-N1	-5.21	1.35	1.39
25	BB	841	G	C5'-C4'	5.21	1.57	1.51
25	BB	924	G	N1-C2	-5.21	1.33	1.37
25	BB	1206	G	C5-C6	5.21	1.47	1.42
25	BB	1426	G	C4'-O4'	-5.21	1.38	1.45
25	BB	1686	C	C4-N4	-5.21	1.29	1.33
25	BB	1722	A	C6-N1	-5.21	1.31	1.35
25	BB	1726	C	O3'-P	-5.21	1.54	1.61
25	BB	1916	A	N3-C4	5.21	1.38	1.34
25	BB	2037	A	N3-C4	5.21	1.38	1.34
25	BB	2490	G	C2-N2	-5.21	1.29	1.34
25	BB	2620	C	C4-N4	-5.21	1.29	1.33
25	BB	1551	A	N7-C5	5.21	1.42	1.39
25	BB	1587	G	C6-N1	-5.21	1.35	1.39
25	BB	1884	G	C5-C6	5.21	1.47	1.42
3	A1	1462	C	C4-N4	-5.21	1.29	1.33
25	BB	143	C	P-O5'	-5.21	1.54	1.59
25	BB	2498	C	O3'-P	-5.21	1.54	1.61
1	AA	71	G	C6-O6	-5.20	1.19	1.24
3	A1	371	A	C4'-O4'	-5.20	1.38	1.45
3	A1	881	G	C2-N2	-5.20	1.29	1.34
25	BB	14	A	C4'-O4'	-5.20	1.38	1.45
25	BB	1368	G	N1-C2	-5.20	1.33	1.37
25	BB	1999	C	C4-N4	-5.20	1.29	1.33
25	BB	2250	G	N1-C2	-5.20	1.33	1.37
25	BB	2824	C	N3-C4	-5.20	1.30	1.33
25	BB	1720	U	P-O5'	-5.20	1.54	1.59
1	AA	21	A	O3'-P	-5.20	1.54	1.61
3	A1	129	A	C6-N6	-5.20	1.29	1.33
3	A1	455	G	N7-C5	5.20	1.42	1.39
25	BB	351	C	N3-C4	-5.20	1.30	1.33
25	BB	1082	U	O3'-P	-5.20	1.54	1.61
25	BB	1206	G	P-O5'	-5.20	1.54	1.59
25	BB	1499	C	N3-C4	-5.20	1.30	1.33
25	BB	2133	G	C5'-C4'	5.20	1.57	1.51
3	A1	980	C	O3'-P	-5.20	1.54	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	1237	C	C4-N4	-5.20	1.29	1.33
25	BB	359	G	C2-N2	-5.20	1.29	1.34
25	BB	1535	A	N7-C5	5.20	1.42	1.39
25	BB	1950	G	C2-N2	-5.20	1.29	1.34
25	BB	2516	A	C6-N1	-5.20	1.31	1.35
25	BB	2890	G	C5'-C4'	5.20	1.57	1.51
3	A1	1449	C	C4-C5	-5.20	1.38	1.43
3	A1	1487	G	C6-N1	-5.20	1.35	1.39
24	BA	101	A	C6-N6	-5.20	1.29	1.33
25	BB	522	A	N7-C5	5.20	1.42	1.39
25	BB	805	G	C2-N2	-5.20	1.29	1.34
25	BB	2341	G	C2-N2	-5.20	1.29	1.34
28	BE	123	ARG	CZ-NH1	-5.20	1.26	1.33
3	A1	403	C	N3-C4	-5.20	1.30	1.33
3	A1	1497	G	C2-N2	-5.20	1.29	1.34
25	BB	418	C	C4-N4	-5.20	1.29	1.33
25	BB	782	A	C6-N1	-5.20	1.31	1.35
25	BB	1638	C	C4-N4	-5.20	1.29	1.33
25	BB	1770	G	O3'-P	-5.20	1.54	1.61
3	A1	339	C	O3'-P	-5.19	1.54	1.61
3	A1	1304	G	N3-C4	5.19	1.39	1.35
3	A1	1426	G	N7-C5	5.19	1.42	1.39
25	BB	1744	A	N3-C4	5.19	1.38	1.34
1	AE	61	C	C4-N4	-5.19	1.29	1.33
3	A1	1197	A	N7-C5	5.19	1.42	1.39
3	A1	1408	A	N9-C4	-5.19	1.34	1.37
25	BB	685	A	C6-N1	-5.19	1.31	1.35
25	BB	1843	C	N3-C4	-5.19	1.30	1.33
25	BB	1899	A	P-O5'	5.19	1.65	1.59
1	AE	23	A	N3-C4	5.19	1.38	1.34
3	A1	67	C	N3-C4	-5.19	1.30	1.33
3	A1	516	U	C3'-C2'	5.19	1.58	1.52
3	A1	1404	C	N3-C4	-5.19	1.30	1.33
3	A1	1443	C	C4-N4	-5.19	1.29	1.33
25	BB	325	G	N3-C4	5.19	1.39	1.35
25	BB	649	G	N1-C2	-5.19	1.33	1.37
2	AM	12	U	C5-C6	5.19	1.38	1.34
3	A1	9	G	N1-C2	-5.19	1.33	1.37
25	BB	875	G	N7-C5	5.19	1.42	1.39
25	BB	2708	G	N7-C5	5.19	1.42	1.39
25	BB	181	A	N7-C5	5.19	1.42	1.39
25	BB	2027	G	O3'-P	-5.19	1.54	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	947	G	N1-C2	-5.18	1.33	1.37
25	BB	308	G	C2-N2	-5.18	1.29	1.34
3	A1	879	C	O3'-P	-5.18	1.54	1.61
3	A1	1437	A	C6-N1	-5.18	1.31	1.35
25	BB	248	G	C2-N2	-5.18	1.29	1.34
25	BB	1017	G	O3'-P	-5.18	1.54	1.61
25	BB	2498	C	C4-N4	-5.18	1.29	1.33
25	BB	1741	C	C5'-C4'	5.18	1.57	1.51
1	AE	19	G	O3'-P	-5.18	1.54	1.61
2	AM	15	U	C2-N3	-5.18	1.34	1.37
3	A1	515	G	O3'-P	-5.18	1.54	1.61
3	A1	1428	A	P-O5'	5.18	1.65	1.59
25	BB	351	C	C4-N4	-5.18	1.29	1.33
25	BB	422	A	C6-N6	-5.18	1.29	1.33
25	BB	555	G	C2-N2	-5.18	1.29	1.34
25	BB	920	A	N7-C5	5.18	1.42	1.39
25	BB	1848	A	N3-C4	5.18	1.38	1.34
3	A1	921	U	O3'-P	-5.18	1.54	1.61
3	A1	953	G	N1-C2	-5.18	1.33	1.37
25	BB	100	U	C5'-C4'	5.18	1.57	1.51
25	BB	157	C	O3'-P	-5.18	1.54	1.61
25	BB	559	G	N3-C4	5.18	1.39	1.35
3	A1	41	G	P-O5'	5.18	1.65	1.59
3	A1	396	C	C4-N4	-5.18	1.29	1.33
7	AF	2	ARG	CZ-NH2	-5.18	1.26	1.33
25	BB	592	A	N7-C5	5.18	1.42	1.39
25	BB	1471	G	N1-C2	-5.18	1.33	1.37
25	BB	2428	G	C2-N2	-5.18	1.29	1.34
25	BB	476	G	C3'-C2'	5.17	1.58	1.52
25	BB	517	C	N3-C4	-5.17	1.30	1.33
25	BB	1319	C	C4-N4	-5.17	1.29	1.33
25	BB	2214	C	C4-N4	-5.17	1.29	1.33
3	A1	1421	G	C2-N2	-5.17	1.29	1.34
25	BB	1924	C	N3-C4	-5.17	1.30	1.33
1	AA	7	U	C2-N3	-5.17	1.34	1.37
25	BB	558	U	O3'-P	-5.17	1.54	1.61
25	BB	1686	C	N3-C4	-5.17	1.30	1.33
25	BB	1745	A	N7-C5	5.17	1.42	1.39
25	BB	2109	U	O3'-P	-5.17	1.54	1.61
1	AA	30	G	P-O5'	5.17	1.65	1.59
1	AA	38	A	C5-C4	-5.17	1.35	1.38
3	A1	42	G	N3-C4	5.17	1.39	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	901	A	N7-C5	5.17	1.42	1.39
3	A1	914	A	P-O5'	5.17	1.65	1.59
25	BB	1464	G	C5'-C4'	5.17	1.57	1.51
25	BB	2024	G	C2-N2	-5.17	1.29	1.34
25	BB	2700	A	C6-N1	-5.17	1.31	1.35
3	A1	454	G	N7-C5	5.17	1.42	1.39
3	A1	897	C	C5-C6	5.17	1.38	1.34
3	A1	1336	C	C5'-C4'	5.17	1.57	1.51
3	A1	1459	G	C2-N2	-5.17	1.29	1.34
25	BB	1308	A	C6-N1	-5.17	1.31	1.35
25	BB	1981	A	C5'-C4'	5.17	1.57	1.51
3	A1	191	G	N3-C4	5.17	1.39	1.35
3	A1	539	A	C6-N1	-5.17	1.31	1.35
3	A1	779	C	N3-C4	-5.17	1.30	1.33
25	BB	221	A	O3'-P	-5.17	1.54	1.61
25	BB	1977	A	C6-N1	-5.17	1.31	1.35
3	A1	530	G	C4'-O4'	-5.17	1.38	1.45
3	A1	1067	A	N3-C4	5.17	1.38	1.34
3	A1	78	A	C5-C4	-5.16	1.35	1.38
3	A1	959	A	C5-C4	-5.16	1.35	1.38
3	A1	1127	G	C6-N1	-5.16	1.35	1.39
3	A1	1305	G	P-O5'	5.16	1.65	1.59
15	AO	125	ARG	CZ-NH1	-5.16	1.26	1.33
25	BB	10	A	N3-C4	5.16	1.38	1.34
25	BB	681	G	N7-C5	5.16	1.42	1.39
25	BB	1811	G	N1-C2	-5.16	1.33	1.37
25	BB	1931	U	P-O5'	5.16	1.65	1.59
3	A1	138	G	C2-N2	-5.16	1.29	1.34
3	A1	1356	G	O3'-P	-5.16	1.54	1.61
25	BB	2337	G	C2-N2	-5.16	1.29	1.34
25	BB	2502	G	N1-C2	-5.16	1.33	1.37
25	BB	2543	G	N1-C2	-5.16	1.33	1.37
24	BA	55	U	P-O5'	5.16	1.65	1.59
25	BB	1026	G	C6-N1	-5.16	1.35	1.39
25	BB	1295	C	N3-C4	-5.16	1.30	1.33
25	BB	2532	G	C2-N2	-5.16	1.29	1.34
3	A1	220	G	N1-C2	-5.16	1.33	1.37
3	A1	1189	U	O3'-P	-5.16	1.54	1.61
25	BB	94	A	N7-C5	5.16	1.42	1.39
1	AE	26	G	N1-C2	-5.16	1.33	1.37
3	A1	758	C	P-O5'	5.16	1.65	1.59
3	A1	806	C	C4-N4	-5.16	1.29	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	1374	A	O3'-P	-5.16	1.54	1.61
15	AO	39	ARG	CZ-NH2	-5.16	1.26	1.33
25	BB	1013	C	C4-N4	-5.16	1.29	1.33
25	BB	1670	C	C4-N4	-5.16	1.29	1.33
25	BB	2367	G	C6-N1	-5.16	1.35	1.39
1	AE	30	G	N7-C5	5.16	1.42	1.39
3	A1	667	G	C2-N2	-5.16	1.29	1.34
3	A1	1500	A	C6-N1	-5.16	1.31	1.35
25	BB	597	G	C2-N2	-5.16	1.29	1.34
25	BB	1087	G	C4'-O4'	-5.16	1.38	1.45
25	BB	1715	G	N1-C2	-5.16	1.33	1.37
25	BB	2327	A	O3'-P	5.16	1.67	1.61
25	BB	2474	U	N1-C2	5.16	1.43	1.38
25	BB	264	C	C4-N4	-5.15	1.29	1.33
25	BB	1410	G	N1-C2	-5.15	1.33	1.37
3	A1	557	G	C2-N2	-5.15	1.29	1.34
3	A1	566	G	N7-C5	5.15	1.42	1.39
3	A1	1284	C	N3-C4	-5.15	1.30	1.33
3	A1	1402	C	C4-C5	-5.15	1.38	1.43
17	AR	159	GLU	CG-CD	5.15	1.59	1.51
25	BB	47	C	P-O5'	-5.15	1.54	1.59
25	BB	313	G	C2-N2	-5.15	1.29	1.34
25	BB	1025	G	N3-C4	5.15	1.39	1.35
25	BB	1577	C	P-O5'	-5.15	1.54	1.59
25	BB	1875	G	N1-C2	-5.15	1.33	1.37
25	BB	2277	G	C2-N2	-5.15	1.29	1.34
25	BB	217	A	P-O5'	5.15	1.64	1.59
25	BB	487	C	C4-N4	-5.15	1.29	1.33
25	BB	641	U	N1-C2	5.15	1.43	1.38
3	A1	198	G	C6-N1	-5.15	1.35	1.39
25	BB	1653	G	N7-C5	5.15	1.42	1.39
25	BB	2191	A	N7-C5	5.15	1.42	1.39
24	BA	93	C	C4'-O4'	-5.15	1.38	1.45
25	BB	212	G	N7-C5	5.15	1.42	1.39
25	BB	231	A	C6-N1	-5.15	1.31	1.35
25	BB	406	G	C2-N2	-5.15	1.29	1.34
25	BB	633	A	N3-C4	5.15	1.38	1.34
25	BB	808	G	C2-N2	-5.15	1.29	1.34
25	BB	2157	G	N7-C5	5.15	1.42	1.39
25	BB	2538	C	C4-N4	-5.15	1.29	1.33
25	BB	2882	A	N3-C4	5.15	1.38	1.34
3	A1	983	A	P-O5'	-5.15	1.54	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	1638	C	N1-C6	5.15	1.40	1.37
25	BB	2387	U	P-O5'	5.15	1.64	1.59
25	BB	2634	A	N3-C4	5.15	1.38	1.34
3	A1	774	G	C2-N2	-5.14	1.29	1.34
25	BB	659	G	C2-N2	-5.14	1.29	1.34
25	BB	776	G	C2-N2	-5.14	1.29	1.34
25	BB	1154	G	N3-C4	5.14	1.39	1.35
25	BB	1277	G	N1-C2	-5.14	1.33	1.37
25	BB	1687	G	C2-N2	-5.14	1.29	1.34
25	BB	1740	G	N7-C5	5.14	1.42	1.39
25	BB	1889	A	C6-N1	-5.14	1.31	1.35
3	A1	292	G	C2-N2	-5.14	1.29	1.34
3	A1	1100	C	P-O5'	-5.14	1.54	1.59
24	BA	19	C	O3'-P	-5.14	1.54	1.61
25	BB	1380	G	C2-N2	-5.14	1.29	1.34
25	BB	1860	G	C2-N2	-5.14	1.29	1.34
25	BB	2535	G	N7-C5	5.14	1.42	1.39
25	BB	2658	C	C4'-O4'	-5.14	1.38	1.45
25	BB	1580	A	N3-C4	5.14	1.38	1.34
1	AA	19	G	C6-O6	-5.14	1.19	1.24
3	A1	419	C	C4-N4	-5.14	1.29	1.33
3	A1	488	C	C3'-C2'	5.14	1.58	1.52
3	A1	1012	A	N7-C5	5.14	1.42	1.39
25	BB	1518	C	C4-N4	-5.14	1.29	1.33
25	BB	2079	U	P-O5'	5.14	1.64	1.59
25	BB	2310	C	C4'-O4'	-5.14	1.38	1.45
3	A1	434	U	P-O5'	-5.14	1.54	1.59
3	A1	1115	U	N3-C4	-5.14	1.33	1.38
25	BB	164	C	N3-C4	-5.14	1.30	1.33
25	BB	2702	G	C2-N2	-5.14	1.29	1.34
25	BB	919	U	O3'-P	-5.14	1.54	1.61
25	BB	1436	G	P-O5'	5.14	1.64	1.59
25	BB	1537	G	O3'-P	-5.14	1.54	1.61
25	BB	2057	G	C2-N2	-5.14	1.29	1.34
25	BB	2212	A	P-O5'	5.14	1.64	1.59
25	BB	2313	C	C4-N4	-5.14	1.29	1.33
25	BB	2416	C	C4-C5	-5.14	1.38	1.43
25	BB	2718	G	C2-N2	-5.14	1.29	1.34
3	A1	187	G	P-O5'	-5.13	1.54	1.59
3	A1	1337	G	C2-N2	-5.13	1.29	1.34
25	BB	141	G	N7-C5	5.13	1.42	1.39
25	BB	512	G	C2-N2	-5.13	1.29	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	608	A	N7-C5	5.13	1.42	1.39
25	BB	1207	C	C5'-C4'	5.13	1.57	1.51
25	BB	2102	G	C6-N1	-5.13	1.35	1.39
1	AA	34	G	N7-C5	5.13	1.42	1.39
25	BB	2753	A	C6-N6	-5.13	1.29	1.33
3	A1	687	A	C6-N6	-5.13	1.29	1.33
3	A1	1160	G	P-O5'	5.13	1.64	1.59
25	BB	865	C	O3'-P	-5.13	1.54	1.61
25	BB	874	G	C2-N2	-5.13	1.29	1.34
3	A1	209	U	P-O5'	5.13	1.64	1.59
25	BB	2173	A	C6-N6	-5.13	1.29	1.33
25	BB	2304	G	C4'-O4'	-5.13	1.38	1.45
3	A1	265	G	N1-C2	-5.13	1.33	1.37
3	A1	290	C	C4-N4	-5.13	1.29	1.33
25	BB	438	G	C2-N2	-5.13	1.29	1.34
25	BB	1416	G	N7-C5	5.13	1.42	1.39
25	BB	1879	C	C4-N4	-5.13	1.29	1.33
25	BB	1997	C	C4-N4	-5.13	1.29	1.33
25	BB	2538	C	O3'-P	-5.13	1.54	1.61
1	AA	18	G	C5'-C4'	5.13	1.57	1.51
3	A1	52	C	C4-C5	-5.13	1.38	1.43
3	A1	422	C	C4-N4	-5.13	1.29	1.33
3	A1	475	C	C4-C5	-5.13	1.38	1.43
25	BB	542	C	N3-C4	-5.13	1.30	1.33
25	BB	1057	A	N3-C4	5.13	1.38	1.34
25	BB	1737	G	N1-C2	-5.13	1.33	1.37
48	BY	184	ARG	CZ-NH1	-5.13	1.26	1.33
25	BB	675	A	C6-N6	-5.12	1.29	1.33
25	BB	2060	A	N7-C5	5.12	1.42	1.39
1	AE	30	G	N1-C2	-5.12	1.33	1.37
2	AM	13	U	N3-C4	-5.12	1.33	1.38
3	A1	179	A	N7-C5	5.12	1.42	1.39
3	A1	808	C	N3-C4	-5.12	1.30	1.33
3	A1	1356	G	C2-N2	-5.12	1.29	1.34
25	BB	540	C	N1-C6	5.12	1.40	1.37
25	BB	675	A	C6-N1	-5.12	1.31	1.35
25	BB	1062	G	C2-N2	-5.12	1.29	1.34
25	BB	1075	C	C4-N4	-5.12	1.29	1.33
25	BB	2142	A	N3-C4	5.12	1.38	1.34
25	BB	2365	G	C6-N1	-5.12	1.35	1.39
25	BB	2395	C	N3-C4	-5.12	1.30	1.33
25	BB	2574	G	C2-N2	-5.12	1.29	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AP	11	C	C4-C5	-5.12	1.38	1.43
3	A1	1374	A	N7-C5	5.12	1.42	1.39
25	BB	548	G	C6-N1	-5.12	1.35	1.39
25	BB	1013	C	C4'-O4'	-5.12	1.38	1.45
25	BB	2335	A	N3-C4	5.12	1.38	1.34
25	BB	2717	C	C4-N4	-5.12	1.29	1.33
5	AC	68	ARG	CZ-NH2	-5.12	1.26	1.33
25	BB	664	G	C6-N1	-5.12	1.35	1.39
25	BB	1678	A	C6-N1	-5.12	1.31	1.35
25	BB	2697	G	P-O5'	-5.12	1.54	1.59
3	A1	341	C	O3'-P	-5.12	1.55	1.61
3	A1	805	C	N3-C4	-5.12	1.30	1.33
3	A1	987	G	P-O5'	-5.12	1.54	1.59
3	A1	1175	G	C2-N2	-5.12	1.29	1.34
11	AJ	5	ARG	CZ-NH1	-5.12	1.26	1.33
25	BB	125	A	N7-C5	5.12	1.42	1.39
26	BC	21	ARG	CZ-NH1	-5.12	1.26	1.33
3	A1	773	G	N1-C2	-5.12	1.33	1.37
3	A1	1384	C	C4-N4	-5.12	1.29	1.33
25	BB	107	G	C6-N1	-5.12	1.35	1.39
25	BB	371	A	O3'-P	-5.12	1.55	1.61
25	BB	537	G	C6-N1	-5.12	1.35	1.39
25	BB	537	G	N1-C2	-5.12	1.33	1.37
25	BB	1233	C	C3'-C2'	5.12	1.58	1.52
25	BB	2031	A	C6-N1	-5.12	1.31	1.35
25	BB	2224	G	N7-C5	5.12	1.42	1.39
25	BB	2369	A	N3-C4	5.12	1.38	1.34
25	BB	1299	G	C2-N2	-5.11	1.29	1.34
1	AP	57	G	N7-C5	5.11	1.42	1.39
3	A1	704	A	C5'-C4'	5.11	1.57	1.51
3	A1	889	A	P-O5'	5.11	1.64	1.59
25	BB	474	G	N1-C2	-5.11	1.33	1.37
3	A1	83	C	O3'-P	-5.11	1.55	1.61
3	A1	1308	U	O3'-P	-5.11	1.55	1.61
3	A1	1502	A	O3'-P	-5.11	1.55	1.61
25	BB	1903	G	C3'-C2'	5.11	1.58	1.52
25	BB	2123	G	P-O5'	-5.11	1.54	1.59
25	BB	2350	C	N3-C4	-5.11	1.30	1.33
25	BB	2842	G	O3'-P	-5.11	1.55	1.61
3	A1	532	A	P-O5'	5.11	1.64	1.59
3	A1	585	G	C2-N2	-5.11	1.29	1.34
3	A1	1014	A	C6-N6	-5.11	1.29	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	1199	U	C5'-C4'	5.11	1.57	1.51
25	BB	248	G	N1-C2	-5.11	1.33	1.37
25	BB	964	C	P-O5'	-5.11	1.54	1.59
25	BB	2610	C	N3-C4	-5.11	1.30	1.33
3	A1	145	G	C5'-C4'	5.11	1.57	1.51
3	A1	1129	C	O3'-P	-5.11	1.55	1.61
3	A1	1220	G	N1-C2	-5.11	1.33	1.37
3	A1	1265	C	C4-C5	-5.11	1.38	1.43
3	A1	1319	A	N7-C5	5.11	1.42	1.39
3	A1	1403	C	N1-C6	5.11	1.40	1.37
9	AH	53	ARG	CZ-NH2	-5.11	1.26	1.33
25	BB	498	G	N3-C4	5.11	1.39	1.35
25	BB	756	A	C5-C6	5.11	1.45	1.41
25	BB	2181	U	C3'-C2'	5.11	1.58	1.52
25	BB	2646	C	N3-C4	-5.11	1.30	1.33
25	BB	2754	U	C3'-C2'	5.11	1.58	1.52
25	BB	2887	A	C6-N1	-5.11	1.31	1.35
3	A1	448	A	P-O5'	5.11	1.64	1.59
3	A1	1309	G	C2-N2	-5.11	1.29	1.34
25	BB	469	G	N7-C5	5.11	1.42	1.39
25	BB	1928	A	C3'-C2'	5.11	1.58	1.52
25	BB	2560	A	N3-C4	5.11	1.38	1.34
3	A1	275	G	N1-C2	-5.10	1.33	1.37
3	A1	1102	A	N3-C4	5.10	1.38	1.34
25	BB	1423	G	N1-C2	-5.10	1.33	1.37
25	BB	1555	G	C5'-C4'	5.10	1.57	1.51
25	BB	2281	A	P-O5'	5.10	1.64	1.59
1	AP	34	G	C6-N1	-5.10	1.35	1.39
25	BB	597	G	P-O5'	5.10	1.64	1.59
25	BB	1410	G	N3-C4	5.10	1.39	1.35
25	BB	1529	G	N1-C2	-5.10	1.33	1.37
25	BB	1884	G	N1-C2	-5.10	1.33	1.37
25	BB	2112	G	C5-C6	5.10	1.47	1.42
25	BB	2298	A	C6-N6	-5.10	1.29	1.33
25	BB	2517	C	C4-N4	-5.10	1.29	1.33
25	BB	82	U	N3-C4	-5.10	1.33	1.38
25	BB	682	G	C2-N2	-5.10	1.29	1.34
25	BB	777	G	C2-N2	-5.10	1.29	1.34
1	AP	3	G	N7-C5	5.10	1.42	1.39
3	A1	148	G	C2'-O2'	5.10	1.48	1.41
3	A1	446	G	C6-N1	-5.10	1.35	1.39
3	A1	881	G	P-O5'	5.10	1.64	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	927	G	C2-N2	-5.10	1.29	1.34
3	A1	1000	A	C6-N1	-5.10	1.31	1.35
3	A1	1111	A	N7-C5	5.10	1.42	1.39
13	AL	80	ARG	CZ-NH2	-5.10	1.26	1.33
25	BB	69	C	C4-N4	-5.10	1.29	1.33
25	BB	547	A	C3'-C2'	5.10	1.58	1.52
25	BB	1381	G	N1-C2	-5.10	1.33	1.37
3	A1	275	G	C2-N2	-5.10	1.29	1.34
3	A1	774	G	P-O5'	-5.10	1.54	1.59
3	A1	1074	G	N1-C2	-5.10	1.33	1.37
25	BB	11	C	P-O5'	5.10	1.64	1.59
25	BB	757	G	C2-N2	-5.10	1.29	1.34
25	BB	1225	G	N1-C2	-5.10	1.33	1.37
25	BB	2581	G	C2-N2	-5.10	1.29	1.34
25	BB	101	A	C6-N1	-5.10	1.31	1.35
25	BB	472	A	N7-C5	5.10	1.42	1.39
25	BB	725	G	C6-N1	-5.10	1.35	1.39
25	BB	1149	G	O3'-P	-5.10	1.55	1.61
25	BB	1908	C	P-O5'	5.10	1.64	1.59
25	BB	1944	U	N1-C2	5.10	1.43	1.38
25	BB	2576	G	C2-N2	-5.10	1.29	1.34
1	AA	27	C	C4-N4	-5.09	1.29	1.33
3	A1	639	G	N1-C2	-5.09	1.33	1.37
3	A1	722	G	C2-N2	-5.09	1.29	1.34
3	A1	1459	G	N1-C2	-5.09	1.33	1.37
25	BB	300	A	C6-N1	-5.09	1.31	1.35
25	BB	1215	G	N3-C4	5.09	1.39	1.35
25	BB	2639	A	N7-C5	5.09	1.42	1.39
3	A1	833	G	N3-C4	5.09	1.39	1.35
25	BB	272	A	C2'-O2'	5.09	1.48	1.41
25	BB	1319	C	N3-C4	-5.09	1.30	1.33
27	BD	70	ARG	CZ-NH1	-5.09	1.26	1.33
3	A1	733	G	N7-C5	5.09	1.42	1.39
3	A1	1379	G	N7-C5	5.09	1.42	1.39
25	BB	515	A	N7-C5	5.09	1.42	1.39
25	BB	1142	A	N7-C5	5.09	1.42	1.39
25	BB	1750	G	N1-C2	-5.09	1.33	1.37
3	A1	110	C	O3'-P	-5.09	1.55	1.61
3	A1	257	G	O3'-P	-5.09	1.55	1.61
3	A1	351	G	C6-N1	-5.09	1.35	1.39
3	A1	891	U	C5'-C4'	5.09	1.57	1.51
3	A1	1518	A	C6-N1	-5.09	1.31	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	1617	C	P-O5'	5.09	1.64	1.59
3	A1	671	G	N7-C5	5.09	1.42	1.39
25	BB	757	G	O4'-C1'	5.09	1.48	1.41
25	BB	2693	G	C2-N2	-5.09	1.29	1.34
29	BF	6	ARG	CZ-NH2	-5.09	1.26	1.33
3	A1	147	G	C2-N2	-5.09	1.29	1.34
3	A1	510	A	C6-N6	-5.09	1.29	1.33
3	A1	1173	U	P-O5'	5.09	1.64	1.59
24	BA	2	G	O3'-P	-5.09	1.55	1.61
25	BB	651	G	C2-N2	-5.09	1.29	1.34
25	BB	722	A	N7-C5	5.09	1.42	1.39
25	BB	950	G	N7-C5	5.09	1.42	1.39
25	BB	2413	G	C2-N2	-5.09	1.29	1.34
3	A1	1099	G	O3'-P	-5.08	1.55	1.61
3	A1	1262	C	N3-C4	-5.08	1.30	1.33
25	BB	2564	A	C5-C4	-5.08	1.35	1.38
2	AM	7	U	C5-C6	5.08	1.38	1.34
3	A1	211	G	O3'-P	-5.08	1.55	1.61
3	A1	1204	A	C5'-C4'	5.08	1.57	1.51
25	BB	648	G	C2-N2	-5.08	1.29	1.34
25	BB	793	A	N3-C4	5.08	1.38	1.34
25	BB	1103	A	N7-C5	5.08	1.42	1.39
25	BB	1952	A	C6-N1	-5.08	1.31	1.35
25	BB	2660	A	N9-C4	5.08	1.40	1.37
3	A1	1237	C	P-O5'	5.08	1.64	1.59
3	A1	1242	G	N3-C4	5.08	1.39	1.35
25	BB	7	G	C6-N1	-5.08	1.35	1.39
25	BB	1930	G	N7-C5	5.08	1.42	1.39
25	BB	2620	C	N3-C4	-5.08	1.30	1.33
53	B4	97	ARG	CZ-NH1	-5.08	1.26	1.33
3	A1	635	A	N7-C5	5.08	1.42	1.39
3	A1	872	A	N3-C4	5.08	1.37	1.34
3	A1	973	G	N9-C4	5.08	1.42	1.38
24	BA	6	G	C2-N2	-5.08	1.29	1.34
25	BB	122	G	C2-N2	-5.08	1.29	1.34
25	BB	430	A	C6-N6	-5.08	1.29	1.33
30	BG	90	ARG	CZ-NH2	-5.08	1.26	1.33
3	A1	376	G	N1-C2	-5.08	1.33	1.37
3	A1	544	G	C2-N2	-5.08	1.29	1.34
25	BB	415	A	C6-N1	-5.08	1.31	1.35
25	BB	1643	G	N7-C5	5.08	1.42	1.39
25	BB	2047	C	N3-C4	-5.08	1.30	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	2780	G	N1-C2	-5.08	1.33	1.37
32	BI	38	ARG	CZ-NH1	-5.08	1.26	1.33
3	A1	1475	G	C2-N2	-5.08	1.29	1.34
24	BA	40	U	P-O5'	5.08	1.64	1.59
25	BB	750	A	N3-C4	5.08	1.37	1.34
3	A1	169	C	C4-N4	-5.08	1.29	1.33
3	A1	424	G	C5-C6	5.08	1.47	1.42
3	A1	1042	A	C6-N1	-5.08	1.31	1.35
12	AK	56	ARG	CZ-NH2	-5.08	1.26	1.33
16	AQ	20	ARG	CZ-NH1	-5.08	1.26	1.33
25	BB	486	C	N3-C4	-5.08	1.30	1.33
25	BB	1355	G	C2-N2	-5.08	1.29	1.34
25	BB	1599	U	O3'-P	-5.08	1.55	1.61
25	BB	1663	G	C2-N2	-5.08	1.29	1.34
25	BB	1807	G	C2-N2	-5.08	1.29	1.34
25	BB	2057	G	N1-C2	-5.08	1.33	1.37
25	BB	2092	U	O3'-P	-5.08	1.55	1.61
25	BB	2242	G	N3-C4	5.08	1.39	1.35
25	BB	2274	A	O3'-P	-5.08	1.55	1.61
3	A1	541	G	O3'-P	-5.07	1.55	1.61
3	A1	664	G	N9-C4	5.07	1.42	1.38
24	BA	112	G	P-O5'	-5.07	1.54	1.59
25	BB	285	G	N3-C4	5.07	1.39	1.35
25	BB	1459	G	N1-C2	-5.07	1.33	1.37
25	BB	2275	C	N1-C6	5.07	1.40	1.37
3	A1	1357	A	N7-C5	5.07	1.42	1.39
25	BB	814	C	N3-C4	-5.07	1.30	1.33
25	BB	2055	C	C4-N4	-5.07	1.29	1.33
3	A1	189	A	N3-C4	5.07	1.37	1.34
3	A1	588	G	O3'-P	-5.07	1.55	1.61
3	A1	710	G	C2-N2	-5.07	1.29	1.34
25	BB	1408	G	N3-C4	5.07	1.39	1.35
25	BB	1649	G	N7-C5	5.07	1.42	1.39
25	BB	2428	G	N7-C5	5.07	1.42	1.39
25	BB	2466	C	N3-C4	-5.07	1.30	1.33
32	BI	108	ARG	CZ-NH2	-5.07	1.26	1.33
1	AP	21	A	N7-C5	5.07	1.42	1.39
2	AM	3	U	C2-N3	-5.07	1.34	1.37
3	A1	658	C	C4-N4	-5.07	1.29	1.33
21	AV	87	ARG	CZ-NH1	-5.07	1.26	1.33
3	A1	891	U	N1-C2	5.07	1.43	1.38
3	A1	1458	G	N7-C5	5.07	1.42	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	58	G	N7-C5	5.07	1.42	1.39
25	BB	247	G	C5'-C4'	5.07	1.57	1.51
25	BB	1801	A	N7-C5	5.07	1.42	1.39
3	A1	346	G	C2-N2	-5.07	1.29	1.34
3	A1	352	C	C5'-C4'	5.07	1.57	1.51
3	A1	430	A	C6-N6	-5.07	1.29	1.33
3	A1	433	G	P-O5'	-5.07	1.54	1.59
3	A1	615	G	C2-N2	-5.07	1.29	1.34
3	A1	965	U	C4'-C3'	5.07	1.58	1.53
3	A1	1159	U	C3'-C2'	5.07	1.58	1.52
3	A1	1190	G	O3'-P	-5.07	1.55	1.61
25	BB	776	G	N9-C4	5.07	1.42	1.38
25	BB	1482	G	N3-C4	5.07	1.39	1.35
25	BB	1557	C	N3-C4	-5.07	1.30	1.33
3	A1	1326	U	O3'-P	-5.06	1.55	1.61
25	BB	2468	A	C6-N1	-5.06	1.32	1.35
2	AM	9	U	C5-C6	5.06	1.38	1.34
3	A1	27	G	N7-C5	5.06	1.42	1.39
3	A1	615	G	N3-C4	5.06	1.39	1.35
3	A1	1016	A	P-O5'	5.06	1.64	1.59
3	A1	1265	C	N3-C4	-5.06	1.30	1.33
15	AO	178	ARG	CZ-NH2	-5.06	1.26	1.33
25	BB	490	C	C4'-C3'	5.06	1.58	1.53
25	BB	712	G	O3'-P	5.06	1.67	1.61
25	BB	2551	C	C5-C6	5.06	1.38	1.34
25	BB	2706	A	N7-C5	5.06	1.42	1.39
1	AE	42	G	N7-C5	5.06	1.42	1.39
3	A1	31	G	O3'-P	-5.06	1.55	1.61
3	A1	735	C	C4-N4	-5.06	1.29	1.33
3	A1	1350	A	N7-C5	5.06	1.42	1.39
25	BB	1480	C	C5'-C4'	5.06	1.57	1.51
3	A1	335	C	N3-C4	-5.06	1.30	1.33
3	A1	1005	A	C6-N6	-5.06	1.29	1.33
3	A1	1077	G	N1-C2	-5.06	1.33	1.37
3	A1	1419	G	N3-C4	5.06	1.39	1.35
24	BA	105	G	C2-N2	-5.06	1.29	1.34
25	BB	962	G	N1-C2	-5.06	1.33	1.37
25	BB	2204	G	N7-C5	5.06	1.42	1.39
33	BJ	91	ARG	CZ-NH2	-5.06	1.26	1.33
41	BR	29	ARG	CZ-NH2	-5.06	1.26	1.33
47	BX	19	ARG	CZ-NH2	-5.06	1.26	1.33
3	A1	646	G	C2-N2	-5.06	1.29	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	925	G	N1-C2	-5.06	1.33	1.37
3	A1	938	A	O3'-P	-5.06	1.55	1.61
5	AC	105	ARG	CZ-NH2	-5.06	1.26	1.33
25	BB	800	A	N7-C5	5.06	1.42	1.39
25	BB	1845	G	N1-C2	-5.06	1.33	1.37
25	BB	2885	G	N7-C5	5.06	1.42	1.39
37	BN	42	ARG	CZ-NH2	-5.06	1.26	1.33
3	A1	118	U	C2-N3	-5.05	1.34	1.37
25	BB	1960	A	C4'-C3'	5.05	1.58	1.53
25	BB	2049	G	N1-C2	-5.05	1.33	1.37
25	BB	2381	A	C6-N1	-5.05	1.32	1.35
3	A1	328	C	C4-C5	-5.05	1.39	1.43
25	BB	261	G	N1-C2	-5.05	1.33	1.37
25	BB	1540	G	C2'-O2'	5.05	1.48	1.41
25	BB	1959	G	C2-N2	-5.05	1.29	1.34
25	BB	2693	G	N1-C2	-5.05	1.33	1.37
3	A1	182	A	O3'-P	-5.05	1.55	1.61
3	A1	305	G	C2-N2	-5.05	1.29	1.34
3	A1	669	G	N7-C5	5.05	1.42	1.39
3	A1	831	A	P-O5'	5.05	1.64	1.59
25	BB	157	C	C4-N4	-5.05	1.29	1.33
25	BB	491	G	P-O5'	-5.05	1.54	1.59
25	BB	1315	C	N3-C4	-5.05	1.30	1.33
3	A1	35	G	N1-C2	-5.05	1.33	1.37
25	BB	757	G	N3-C4	5.05	1.39	1.35
25	BB	446	G	N3-C4	5.05	1.39	1.35
25	BB	935	C	C5'-C4'	5.05	1.57	1.51
1	AE	64	A	N7-C5	5.05	1.42	1.39
3	A1	1296	C	C4-N4	-5.05	1.29	1.33
25	BB	655	A	C4'-C3'	5.05	1.58	1.53
25	BB	888	C	C4-N4	-5.05	1.29	1.33
25	BB	911	A	C6-N1	-5.05	1.32	1.35
25	BB	1323	C	C4-N4	-5.05	1.29	1.33
25	BB	1750	G	N7-C5	5.05	1.42	1.39
25	BB	2072	C	C4-N4	-5.05	1.29	1.33
3	A1	232	G	C2-N2	-5.04	1.29	1.34
25	BB	933	A	N3-C4	5.04	1.37	1.34
25	BB	1395	A	N3-C4	5.04	1.37	1.34
25	BB	1632	A	C5-C4	-5.04	1.35	1.38
25	BB	1767	G	C2-N2	-5.04	1.29	1.34
3	A1	267	C	N1-C6	5.04	1.40	1.37
3	A1	681	A	C6-N1	-5.04	1.32	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	464	U	P-O5'	5.04	1.64	1.59
25	BB	636	G	N1-C2	-5.04	1.33	1.37
25	BB	1076	C	C4-N4	-5.04	1.29	1.33
25	BB	1371	G	C2-N2	-5.04	1.29	1.34
25	BB	1726	C	C4-C5	-5.04	1.39	1.43
25	BB	1745	A	C6-N1	-5.04	1.32	1.35
25	BB	1824	G	C2-N2	-5.04	1.29	1.34
25	BB	2349	G	C6-N1	-5.04	1.36	1.39
30	BG	8	ARG	CZ-NH2	-5.04	1.26	1.33
1	AA	51	G	C5'-C4'	5.04	1.57	1.51
3	A1	850	U	C3'-C2'	5.04	1.58	1.52
3	A1	1043	G	N1-C2	-5.04	1.33	1.37
24	BA	60	C	N3-C4	-5.04	1.30	1.33
25	BB	32	C	N3-C4	-5.04	1.30	1.33
25	BB	246	C	C4'-O4'	-5.04	1.39	1.45
25	BB	277	G	N3-C4	5.04	1.39	1.35
25	BB	1876	A	C6-N1	-5.04	1.32	1.35
36	BM	6	ARG	CZ-NH1	-5.04	1.26	1.33
2	AM	10	U	C3'-C2'	-5.04	1.47	1.52
1	AE	42	G	P-O5'	5.04	1.64	1.59
3	A1	699	C	N3-C4	-5.04	1.30	1.33
3	A1	1424	U	C4-O4	-5.04	1.19	1.23
25	BB	187	G	N7-C5	5.04	1.42	1.39
25	BB	354	A	N1-C2	-5.04	1.29	1.34
25	BB	726	G	O3'-P	-5.04	1.55	1.61
25	BB	896	A	C3'-C2'	5.04	1.58	1.52
25	BB	1144	A	N7-C5	5.04	1.42	1.39
25	BB	2663	G	P-O5'	5.04	1.64	1.59
3	A1	1255	G	N1-C2	-5.04	1.33	1.37
25	BB	110	G	N1-C2	-5.04	1.33	1.37
25	BB	805	G	N7-C5	5.04	1.42	1.39
25	BB	1642	G	C2-N2	-5.04	1.29	1.34
25	BB	2019	A	C6-N6	-5.04	1.29	1.33
1	AP	32	C	C5'-C4'	5.04	1.57	1.51
3	A1	1353	G	P-O5'	5.04	1.64	1.59
25	BB	324	A	C6-N1	-5.04	1.32	1.35
25	BB	2670	A	C6-N1	-5.04	1.32	1.35
3	A1	217	C	N3-C4	-5.03	1.30	1.33
3	A1	568	G	N1-C2	-5.03	1.33	1.37
25	BB	409	G	C2-N2	-5.03	1.29	1.34
25	BB	765	C	N3-C4	-5.03	1.30	1.33
25	BB	809	G	C2-N2	-5.03	1.29	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	969	G	C2-N2	-5.03	1.29	1.34
25	BB	1809	A	N7-C5	5.03	1.42	1.39
25	BB	2191	A	O4'-C1'	5.03	1.48	1.41
25	BB	2736	A	N7-C5	5.03	1.42	1.39
3	A1	733	G	C2-N2	-5.03	1.29	1.34
3	A1	1435	G	C2-N2	-5.03	1.29	1.34
25	BB	2470	G	C5-C6	5.03	1.47	1.42
25	BB	2870	C	C4-N4	-5.03	1.29	1.33
49	BZ	98	ARG	CZ-NH2	-5.03	1.26	1.33
1	AP	10	G	C2-N2	-5.03	1.29	1.34
3	A1	447	G	N1-C2	-5.03	1.33	1.37
24	BA	86	G	N1-C2	-5.03	1.33	1.37
25	BB	103	A	O3'-P	-5.03	1.55	1.61
25	BB	883	G	C4'-C3'	5.03	1.58	1.53
25	BB	1787	A	N7-C5	5.03	1.42	1.39
25	BB	2332	C	O3'-P	-5.03	1.55	1.61
25	BB	2668	G	N3-C4	5.03	1.39	1.35
1	AP	67	A	N7-C5	5.03	1.42	1.39
25	BB	372	G	N1-C2	-5.03	1.33	1.37
25	BB	672	C	N3-C4	-5.03	1.30	1.33
32	BI	52	ARG	CZ-NH2	-5.03	1.26	1.33
1	AE	38	A	C6-N1	-5.03	1.32	1.35
3	A1	303	A	N7-C5	5.03	1.42	1.39
3	A1	734	G	N1-C2	-5.03	1.33	1.37
3	A1	1090	U	C2-N3	-5.03	1.34	1.37
12	AK	62	ARG	CZ-NH1	-5.03	1.26	1.33
24	BA	8	C	N3-C4	-5.03	1.30	1.33
25	BB	1389	G	N3-C4	5.03	1.39	1.35
25	BB	1538	G	N7-C5	5.03	1.42	1.39
25	BB	1754	A	P-O5'	-5.03	1.54	1.59
3	A1	1457	G	C2-N2	-5.03	1.29	1.34
25	BB	447	A	N7-C5	5.03	1.42	1.39
25	BB	1704	C	C4-N4	-5.03	1.29	1.33
25	BB	2685	G	C2-N2	-5.03	1.29	1.34
25	BB	367	G	N1-C2	-5.02	1.33	1.37
24	BA	112	G	C6-N1	-5.02	1.36	1.39
25	BB	941	A	C6-N1	-5.02	1.32	1.35
25	BB	1877	A	C6-N1	-5.02	1.32	1.35
1	AP	72	C	C2-N3	-5.02	1.31	1.35
3	A1	226	G	C2-N2	-5.02	1.29	1.34
25	BB	2003	A	N7-C5	5.02	1.42	1.39
3	A1	226	G	C6-N1	-5.02	1.36	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A1	1219	A	N7-C5	5.02	1.42	1.39
24	BA	69	G	C2-N2	-5.02	1.29	1.34
25	BB	841	G	N1-C2	-5.02	1.33	1.37
25	BB	1525	A	N7-C5	5.02	1.42	1.39
25	BB	1752	C	C4-N4	-5.02	1.29	1.33
25	BB	2773	C	C4-N4	-5.02	1.29	1.33
25	BB	2860	A	O3'-P	-5.02	1.55	1.61
3	A1	893	C	N3-C4	-5.02	1.30	1.33
25	BB	149	A	C5'-C4'	5.02	1.57	1.51
25	BB	463	G	N1-C2	-5.02	1.33	1.37
25	BB	845	A	P-O5'	5.02	1.64	1.59
25	BB	1123	C	C4-N4	-5.02	1.29	1.33
25	BB	1392	A	C4'-O4'	-5.02	1.39	1.45
25	BB	2025	C	N3-C4	-5.02	1.30	1.33
25	BB	2201	G	N7-C5	5.02	1.42	1.39
25	BB	2846	G	N1-C2	-5.02	1.33	1.37
37	BN	176	ARG	CZ-NH1	-5.02	1.26	1.33
25	BB	530	G	P-O5'	-5.02	1.54	1.59
25	BB	590	A	C6-N1	-5.02	1.32	1.35
25	BB	1079	C	N3-C4	-5.02	1.30	1.33
3	A1	792	A	N3-C4	5.01	1.37	1.34
3	A1	1124	G	N1-C2	-5.01	1.33	1.37
3	A1	1309	G	N1-C2	-5.01	1.33	1.37
18	AS	53	ARG	CZ-NH1	-5.01	1.26	1.33
25	BB	618	G	C2-N2	-5.01	1.29	1.34
25	BB	716	A	O3'-P	-5.01	1.55	1.61
25	BB	844	A	C6-N1	-5.01	1.32	1.35
25	BB	1011	G	C2-N2	-5.01	1.29	1.34
3	A1	87	C	N1-C6	5.01	1.40	1.37
3	A1	417	G	C2-N2	-5.01	1.29	1.34
3	A1	618	C	C4-N4	-5.01	1.29	1.33
3	A1	776	G	C2-N2	-5.01	1.29	1.34
25	BB	656	G	N1-C2	-5.01	1.33	1.37
25	BB	2219	U	N3-C4	-5.01	1.33	1.38
25	BB	2459	A	N7-C5	5.01	1.42	1.39
25	BB	2539	C	C5-C6	5.01	1.38	1.34
25	BB	2565	A	N3-C4	5.01	1.37	1.34
9	AH	16	ARG	CZ-NH2	-5.01	1.26	1.33
25	BB	356	G	N3-C4	5.01	1.39	1.35
25	BB	424	G	N3-C4	5.01	1.39	1.35
25	BB	2430	A	C6-N6	-5.01	1.29	1.33
25	BB	2731	G	C2-N2	-5.01	1.29	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BB	2781	A	C6-N1	-5.01	1.32	1.35
25	BB	2902	C	C4-N4	-5.01	1.29	1.33
1	AE	2	C	N1-C6	5.01	1.40	1.37
3	A1	1300	G	C2-N2	-5.01	1.29	1.34
25	BB	330	A	C6-N6	-5.01	1.29	1.33
1	AE	74	C	N3-C4	-5.01	1.30	1.33
25	BB	1936	A	N7-C5	5.01	1.42	1.39
25	BB	2266	A	C6-N1	-5.01	1.32	1.35
25	BB	2293	G	C6-N1	-5.01	1.36	1.39
25	BB	2434	A	N3-C4	5.01	1.37	1.34
25	BB	2452	C	C4-N4	-5.01	1.29	1.33
25	BB	2531	A	C6-N1	-5.01	1.32	1.35
25	BB	2708	G	C2-N2	-5.01	1.29	1.34
1	AE	21	A	C5'-C4'	5.00	1.57	1.51
3	A1	156	C	O3'-P	5.00	1.67	1.61
3	A1	545	C	C4-N4	-5.00	1.29	1.33
25	BB	182	A	N3-C4	5.00	1.37	1.34
25	BB	1031	G	N1-C2	-5.00	1.33	1.37
25	BB	1784	A	N7-C5	5.00	1.42	1.39
25	BB	1854	A	O3'-P	-5.00	1.55	1.61
25	BB	2645	G	N1-C2	-5.00	1.33	1.37
25	BB	2744	G	N3-C4	5.00	1.39	1.35
1	AP	65	G	O3'-P	5.00	1.67	1.61
1	AE	42	G	N1-C2	-5.00	1.33	1.37
3	A1	61	G	N7-C5	5.00	1.42	1.39
3	A1	993	G	C6-N1	-5.00	1.36	1.39
3	A1	1019	A	C6-N6	-5.00	1.29	1.33
25	BB	897	C	N3-C4	-5.00	1.30	1.33
25	BB	1489	C	O3'-P	-5.00	1.55	1.61
25	BB	2069	G	N7-C5	5.00	1.42	1.39
1	AE	52	U	N3-C4	-5.00	1.33	1.38
25	BB	1626	A	N9-C4	5.00	1.40	1.37
25	BB	2712	C	N3-C4	-5.00	1.30	1.33

All (27108) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AP	74	C	P-O3'-C3'	-78.58	25.40	119.70
1	AP	74	C	O3'-P-O5'	-40.02	27.95	104.00
25	BB	2376	A	N1-C6-N6	-29.09	101.15	118.60
3	A1	1225	A	N1-C6-N6	-28.97	101.22	118.60
3	A1	1250	A	N1-C6-N6	-27.68	101.99	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	804	A	N1-C6-N6	-25.70	103.18	118.60
3	A1	560	A	N1-C6-N6	-24.78	103.73	118.60
25	BB	1383	A	N1-C6-N6	-24.71	103.77	118.60
3	A1	321	A	N1-C6-N6	-24.71	103.78	118.60
25	BB	1508	A	N1-C6-N6	-24.71	103.78	118.60
25	BB	1392	A	N1-C6-N6	-24.46	103.93	118.60
27	BD	108	ARG	NE-CZ-NH2	24.44	132.52	120.30
25	BB	788	A	N1-C6-N6	-24.05	104.17	118.60
3	A1	781	A	N1-C6-N6	-24.04	104.18	118.60
25	BB	1847	A	N1-C6-N6	-23.94	104.24	118.60
25	BB	903	C	N3-C4-C5	23.89	131.46	121.90
3	A1	1081	A	N1-C6-N6	-23.55	104.47	118.60
3	A1	908	A	N1-C6-N6	-23.48	104.51	118.60
3	A1	1170	A	N1-C6-N6	-23.40	104.56	118.60
7	AF	106	ARG	NE-CZ-NH1	23.37	131.99	120.30
25	BB	1952	A	N1-C6-N6	-23.36	104.58	118.60
3	A1	864	A	N1-C6-N6	-23.31	104.61	118.60
25	BB	2469	A	N1-C6-N6	-23.30	104.62	118.60
25	BB	528	A	N1-C6-N6	-23.27	104.64	118.60
3	A1	975	A	N1-C6-N6	-23.21	104.67	118.60
25	BB	2886	A	N1-C6-N6	-23.12	104.73	118.60
3	A1	279	A	N1-C6-N6	-23.11	104.73	118.60
3	A1	914	A	N1-C6-N6	-22.84	104.89	118.60
25	BB	1916	A	N1-C6-N6	-22.79	104.92	118.60
3	A1	412	A	N1-C6-N6	-22.70	104.98	118.60
3	A1	466	A	N1-C6-N6	-22.68	105.00	118.60
24	BA	101	A	N1-C6-N6	-22.67	105.00	118.60
25	BB	219	A	N1-C6-N6	-22.64	105.02	118.60
25	BB	761	A	N1-C6-N6	-22.44	105.14	118.60
1	AE	58	A	N1-C6-N6	-22.36	105.18	118.60
3	A1	1368	A	N1-C6-N6	-22.28	105.23	118.60
25	BB	1789	A	N1-C6-N6	-22.18	105.29	118.60
25	BB	960	A	N1-C6-N6	-22.11	105.33	118.60
25	BB	233	A	N1-C6-N6	-22.00	105.40	118.60
25	BB	508	A	N1-C6-N6	-21.99	105.41	118.60
25	BB	324	A	N1-C6-N6	-21.93	105.44	118.60
3	A1	1318	A	N1-C6-N6	-21.71	105.57	118.60
25	BB	1494	A	N1-C6-N6	-21.63	105.62	118.60
3	A1	468	A	N1-C6-N6	-21.61	105.64	118.60
25	BB	226	A	N1-C6-N6	-21.60	105.64	118.60
25	BB	2670	A	N1-C6-N6	-21.51	105.69	118.60
25	BB	322	A	N1-C6-N6	-21.48	105.72	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	AO	142	ARG	NE-CZ-NH1	21.46	131.03	120.30
3	A1	1339	A	N1-C6-N6	-21.40	105.76	118.60
25	BB	1762	A	N1-C6-N6	-21.39	105.77	118.60
3	A1	696	A	N1-C6-N6	-21.21	105.87	118.60
3	A1	1519	A	N1-C6-N6	-21.19	105.89	118.60
25	BB	2619	C	N3-C2-O2	-21.15	107.09	121.90
25	BB	1545	A	N1-C6-N6	-21.14	105.92	118.60
3	A1	649	A	N1-C6-N6	-21.09	105.95	118.60
3	A1	1340	A	P-O3'-C3'	21.08	145.00	119.70
3	A1	1362	A	N1-C6-N6	-21.05	105.97	118.60
25	BB	103	A	N1-C6-N6	-21.00	106.00	118.60
25	BB	1597	A	N1-C6-N6	-20.98	106.01	118.60
25	BB	1937	A	N1-C6-N6	-20.92	106.05	118.60
25	BB	2657	A	N1-C6-N6	-20.88	106.07	118.60
3	A1	1180	A	N1-C6-N6	-20.77	106.14	118.60
3	A1	1044	A	O4'-C1'-N9	20.76	124.81	108.20
25	BB	1470	A	N1-C6-N6	-20.68	106.19	118.60
3	A1	572	A	N1-C6-N6	-20.62	106.23	118.60
7	AF	2	ARG	NE-CZ-NH1	20.57	130.59	120.30
25	BB	1147	A	N1-C6-N6	-20.57	106.25	118.60
27	BD	31	ARG	NE-CZ-NH1	20.55	130.57	120.30
25	BB	300	A	N1-C6-N6	-20.50	106.30	118.60
3	A1	845	A	N1-C6-N6	-20.50	106.30	118.60
25	BB	764	A	N1-C6-N6	-20.48	106.31	118.60
25	BB	1321	A	N1-C6-N6	-20.45	106.33	118.60
25	BB	1603	A	N1-C6-N6	-20.42	106.35	118.60
6	AD	53	ARG	NE-CZ-NH1	20.41	130.50	120.30
25	BB	262	A	N1-C6-N6	-20.40	106.36	118.60
3	A1	1004	A	N1-C6-N6	-20.39	106.37	118.60
3	A1	1274	A	N1-C6-N6	-20.35	106.39	118.60
3	A1	1413	A	N1-C6-N6	-20.34	106.40	118.60
37	BN	268	ARG	NE-CZ-NH1	20.34	130.47	120.30
3	A1	574	A	N1-C6-N6	-20.33	106.40	118.60
25	BB	1194	A	N1-C6-N6	-20.30	106.42	118.60
25	BB	1735	A	N1-C6-N6	-20.27	106.44	118.60
25	BB	631	A	N1-C6-N6	-20.23	106.46	118.60
1	AA	64	A	N1-C6-N6	-20.23	106.46	118.60
25	BB	2070	A	N1-C6-N6	-20.23	106.46	118.60
25	BB	2750	A	N1-C6-N6	-20.17	106.50	118.60
25	BB	1785	A	N1-C6-N6	-20.17	106.50	118.60
48	BY	169	ARG	NE-CZ-NH1	20.17	130.38	120.30
25	BB	735	A	N1-C6-N6	-20.12	106.53	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1544	A	N1-C6-N6	-20.08	106.55	118.60
3	A1	1360	A	N1-C6-N6	-20.08	106.55	118.60
3	A1	1499	A	N1-C6-N6	-20.05	106.57	118.60
25	BB	1213	A	N1-C6-N6	-20.02	106.59	118.60
1	AP	58	A	N1-C6-N6	-20.01	106.59	118.60
3	A1	532	A	N1-C6-N6	-19.97	106.62	118.60
25	BB	981	A	N1-C6-N6	-19.89	106.67	118.60
25	BB	2565	A	N1-C6-N6	-19.88	106.67	118.60
3	A1	1363	A	N1-C6-N6	-19.87	106.68	118.60
3	A1	1238	A	N1-C6-N6	-19.85	106.69	118.60
25	BB	2014	A	N1-C6-N6	-19.83	106.70	118.60
25	BB	1614	A	N1-C6-N6	-19.83	106.70	118.60
25	BB	675	A	N1-C6-N6	-19.81	106.71	118.60
1	AP	35	A	N1-C6-N6	-19.79	106.73	118.60
25	BB	1783	A	N1-C6-N6	-19.75	106.75	118.60
25	BB	592	A	N1-C6-N6	-19.75	106.75	118.60
3	A1	906	A	N1-C6-N6	-19.73	106.77	118.60
25	BB	2873	A	N1-C6-N6	-19.68	106.79	118.60
3	A1	974	A	N1-C6-N6	-19.64	106.81	118.60
3	A1	431	A	N1-C6-N6	-19.63	106.82	118.60
25	BB	2826	A	N1-C6-N6	-19.62	106.83	118.60
29	BF	55	ARG	NE-CZ-NH2	19.57	130.09	120.30
3	A1	155	A	N1-C6-N6	-19.56	106.86	118.60
3	A1	373	A	N1-C6-N6	-19.55	106.87	118.60
1	AA	9	A	N1-C6-N6	-19.52	106.89	118.60
3	A1	1374	A	N1-C6-N6	-19.52	106.89	118.60
10	AI	28	ARG	NE-CZ-NH1	19.51	130.05	120.30
25	BB	472	A	N1-C6-N6	-19.51	106.90	118.60
3	A1	1319	A	N1-C6-N6	-19.49	106.90	118.60
3	A1	152	A	N1-C6-N6	-19.48	106.91	118.60
25	BB	644	A	N1-C6-N6	-19.48	106.91	118.60
3	A1	660	C	N3-C4-N4	-19.46	104.38	118.00
25	BB	2705	A	N1-C6-N6	-19.45	106.93	118.60
25	BB	1913	A	N1-C6-N6	-19.44	106.93	118.60
3	A1	923	A	N1-C6-N6	-19.43	106.94	118.60
3	A1	978	A	N1-C6-N6	-19.43	106.94	118.60
25	BB	1265	A	N1-C6-N6	-19.40	106.96	118.60
25	BB	1866	A	N1-C6-N6	-19.37	106.98	118.60
3	A1	694	A	N1-C6-N6	-19.37	106.98	118.60
25	BB	2425	A	N1-C6-N6	-19.35	106.99	118.60
3	A1	873	A	N1-C6-N6	-19.33	107.00	118.60
25	BB	1890	A	N1-C6-N6	-19.33	107.00	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	928	A	N1-C6-N6	-19.27	107.04	118.60
25	BB	299	A	N1-C6-N6	-19.27	107.04	118.60
25	BB	466	A	N1-C6-N6	-19.26	107.04	118.60
3	A1	759	A	N1-C6-N6	-19.26	107.05	118.60
25	BB	750	A	N1-C6-N6	-19.26	107.05	118.60
36	BM	3	ARG	NE-CZ-NH1	19.25	129.92	120.30
1	AA	29	A	N1-C6-N6	-19.24	107.06	118.60
25	BB	802	A	N1-C6-N6	-19.22	107.07	118.60
3	A1	1360	A	C5-C6-N1	19.21	127.31	117.70
25	BB	687	C	N3-C2-O2	-19.21	108.45	121.90
25	BB	1938	A	N1-C6-N6	-19.20	107.08	118.60
25	BB	2850	A	N1-C6-N6	-19.20	107.08	118.60
25	BB	1272	A	N1-C6-N6	-19.19	107.09	118.60
25	BB	1637	A	N1-C6-N6	-19.12	107.13	118.60
25	BB	368	A	N1-C6-N6	-19.12	107.13	118.60
3	A1	109	A	N1-C6-N6	-19.11	107.14	118.60
25	BB	2173	A	N1-C6-N6	-19.09	107.15	118.60
3	A1	819	A	N1-C6-N6	-19.07	107.16	118.60
25	BB	1453	A	N1-C6-N6	-19.06	107.17	118.60
25	BB	2211	A	N1-C6-N6	-19.03	107.18	118.60
25	BB	515	A	N1-C6-N6	-19.00	107.20	118.60
25	BB	1853	A	N1-C6-N6	-18.99	107.21	118.60
3	A1	65	A	N1-C6-N6	-18.98	107.21	118.60
25	BB	354	A	N1-C6-N6	-18.98	107.21	118.60
24	BA	29	A	N1-C6-N6	-18.98	107.21	118.60
3	A1	621	A	N1-C6-N6	-18.97	107.22	118.60
25	BB	1803	A	N1-C6-N6	-18.96	107.22	118.60
25	BB	2267	A	N1-C6-N6	-18.94	107.23	118.60
3	A1	120	A	N1-C6-N6	-18.94	107.23	118.60
3	A1	228	A	N1-C6-N6	-18.93	107.24	118.60
25	BB	941	A	N1-C6-N6	-18.93	107.25	118.60
3	A1	743	A	N1-C6-N6	-18.92	107.25	118.60
25	BB	294	A	N1-C6-N6	-18.92	107.25	118.60
25	BB	1679	A	N1-C6-N6	-18.90	107.26	118.60
3	A1	465	A	N1-C6-N6	-18.90	107.26	118.60
25	BB	2433	A	N1-C6-N6	-18.86	107.28	118.60
43	BT	12	ARG	NE-CZ-NH2	18.85	129.72	120.30
25	BB	2820	A	N1-C6-N6	-18.83	107.30	118.60
25	BB	1901	A	N1-C6-N6	-18.81	107.31	118.60
25	BB	1953	A	N1-C6-N6	-18.80	107.32	118.60
25	BB	2309	A	N1-C6-N6	-18.78	107.33	118.60
25	BB	1151	A	N1-C6-N6	-18.77	107.33	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1689	A	N1-C6-N6	-18.77	107.34	118.60
25	BB	1046	A	N1-C6-N6	-18.75	107.35	118.60
25	BB	144	A	N1-C6-N6	-18.73	107.36	118.60
25	BB	1028	A	N1-C6-N6	-18.68	107.39	118.60
25	BB	49	A	N1-C6-N6	-18.65	107.41	118.60
25	BB	2284	A	N1-C6-N6	-18.65	107.41	118.60
25	BB	2682	A	N1-C6-N6	-18.64	107.41	118.60
25	BB	526	A	N1-C6-N6	-18.64	107.42	118.60
3	A1	143	A	C5-C6-N1	18.62	127.01	117.70
25	BB	142	A	N1-C6-N6	-18.61	107.43	118.60
25	BB	522	A	N1-C6-N6	-18.61	107.44	118.60
3	A1	1188	A	N1-C6-N6	-18.58	107.45	118.60
25	BB	2560	A	N1-C6-N6	-18.57	107.46	118.60
43	BT	15	ARG	NE-CZ-NH1	18.55	129.57	120.30
25	BB	2632	A	C5-C6-N1	18.54	126.97	117.70
25	BB	685	A	N1-C6-N6	-18.54	107.48	118.60
3	A1	172	A	N1-C6-N6	-18.52	107.48	118.60
23	AX	5	ARG	NE-CZ-NH1	18.52	129.56	120.30
24	BA	27	C	N3-C2-O2	-18.51	108.94	121.90
25	BB	918	A	N1-C6-N6	-18.51	107.50	118.60
25	BB	654	A	N1-C6-N6	-18.50	107.50	118.60
16	AQ	16	ARG	NE-CZ-NH1	18.48	129.54	120.30
25	BB	2062	A	N1-C6-N6	-18.47	107.52	118.60
25	BB	10	A	N1-C6-N6	-18.46	107.53	118.60
6	AD	55	ARG	NE-CZ-NH1	18.45	129.53	120.30
25	BB	2108	A	N1-C6-N6	-18.45	107.53	118.60
3	A1	959	A	C5-C6-N1	18.45	126.92	117.70
25	BB	2327	A	C5-C6-N1	18.43	126.91	117.70
25	BB	2766	A	N1-C6-N6	-18.43	107.54	118.60
25	BB	825	A	N1-C6-N6	-18.42	107.55	118.60
25	BB	1366	A	N1-C6-N6	-18.39	107.56	118.60
25	BB	1981	A	N1-C6-N6	-18.38	107.57	118.60
19	AT	44	ARG	NE-CZ-NH1	18.38	129.49	120.30
25	BB	676	A	N1-C6-N6	-18.38	107.57	118.60
3	A1	389	A	N1-C6-N6	-18.36	107.58	118.60
3	A1	460	A	C5-C6-N1	18.35	126.87	117.70
25	BB	2207	C	N3-C4-N4	-18.33	105.17	118.00
25	BB	2336	A	N1-C6-N6	-18.32	107.61	118.60
25	BB	2317	A	N1-C6-N6	-18.29	107.63	118.60
10	AI	8	ARG	NE-CZ-NH2	18.28	129.44	120.30
25	BB	1650	A	N1-C6-N6	-18.27	107.64	118.60
3	A1	1410	A	N1-C6-N6	-18.25	107.65	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2614	A	N1-C6-N6	-18.25	107.65	118.60
25	BB	216	A	N1-C6-N6	-18.23	107.66	118.60
25	BB	1927	A	N1-C6-N6	-18.22	107.67	118.60
3	A1	622	A	N1-C6-N6	-18.22	107.67	118.60
1	AA	66	A	N1-C6-N6	-18.20	107.68	118.60
3	A1	1529	G	C5-C6-N1	18.20	120.60	111.50
25	BB	401	A	N1-C6-N6	-18.20	107.68	118.60
3	A1	1179	A	N1-C6-N6	-18.18	107.69	118.60
25	BB	2023	C	N3-C2-O2	-18.17	109.18	121.90
1	AP	44	A	N1-C6-N6	-18.17	107.70	118.60
25	BB	1226	A	N1-C6-N6	-18.16	107.70	118.60
42	BS	56	ARG	NE-CZ-NH1	18.16	129.38	120.30
25	BB	227	A	N1-C6-N6	-18.14	107.71	118.60
3	A1	535	A	N1-C6-N6	-18.12	107.73	118.60
25	BB	2600	A	N1-C6-N6	-18.11	107.73	118.60
25	BB	1784	A	N1-C6-N6	-18.09	107.75	118.60
35	BL	8	ARG	NE-CZ-NH1	18.07	129.34	120.30
25	BB	1302	A	N1-C6-N6	-18.05	107.77	118.60
25	BB	825	A	C5-C6-N1	18.03	126.71	117.70
25	BB	502	A	N1-C6-N6	-18.02	107.79	118.60
25	BB	1705	A	N1-C6-N6	-18.02	107.79	118.60
25	BB	547	A	N1-C6-N6	-18.01	107.80	118.60
33	BJ	91	ARG	NE-CZ-NH1	18.01	129.30	120.30
25	BB	2748	A	N1-C6-N6	-17.98	107.81	118.60
25	BB	2386	A	N1-C6-N6	-17.98	107.81	118.60
2	AM	13	U	N3-C2-O2	-17.97	109.62	122.20
3	A1	456	A	N1-C6-N6	-17.95	107.83	118.60
25	BB	1630	A	N1-C6-N6	-17.93	107.84	118.60
25	BB	2071	A	N1-C6-N6	-17.91	107.86	118.60
25	BB	89	A	N1-C6-N6	-17.90	107.86	118.60
25	BB	118	A	N1-C6-N6	-17.90	107.86	118.60
25	BB	2720	U	O4'-C1'-N1	17.90	122.52	108.20
3	A1	926	G	N1-C6-O6	-17.89	109.17	119.90
25	BB	1987	A	N1-C6-N6	-17.88	107.87	118.60
25	BB	2114	A	N1-C6-N6	-17.86	107.88	118.60
3	A1	70	U	O4'-C1'-N1	17.85	122.48	108.20
3	A1	1492	A	N1-C6-N6	-17.83	107.90	118.60
1	AP	35	A	C2-N3-C4	17.80	119.50	110.60
25	BB	2758	A	N1-C6-N6	-17.80	107.92	118.60
25	BB	1570	A	N1-C6-N6	-17.74	107.95	118.60
3	A1	236	A	N1-C6-N6	-17.74	107.95	118.60
3	A1	749	A	N1-C6-N6	-17.74	107.95	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2165	C	N3-C4-C5	17.72	128.99	121.90
25	BB	2564	A	C5-C6-N1	17.71	126.56	117.70
25	BB	633	A	N1-C6-N6	-17.70	107.98	118.60
25	BB	804	A	C5-C6-N1	17.68	126.54	117.70
3	A1	807	A	N1-C6-N6	-17.68	107.99	118.60
3	A1	559	A	N1-C6-N6	-17.67	108.00	118.60
25	BB	711	G	N1-C6-O6	-17.67	109.30	119.90
25	BB	1009	A	N1-C6-N6	-17.64	108.01	118.60
20	AU	91	ARG	NE-CZ-NH1	17.64	129.12	120.30
3	A1	1251	A	N1-C6-N6	-17.63	108.02	118.60
25	BB	2559	C	N3-C4-C5	17.63	128.95	121.90
1	AE	19	G	N1-C6-O6	-17.63	109.32	119.90
3	A1	181	A	N1-C6-N6	-17.62	108.03	118.60
25	BB	1998	A	N1-C6-N6	-17.62	108.03	118.60
1	AE	66	A	N1-C6-N6	-17.61	108.03	118.60
6	AD	35	ARG	NE-CZ-NH1	17.60	129.10	120.30
25	BB	311	A	N1-C6-N6	-17.59	108.04	118.60
25	BB	981	A	C5-C6-N1	17.57	126.48	117.70
29	BF	114	ARG	NE-CZ-NH1	17.57	129.08	120.30
3	A1	451	A	N1-C6-N6	-17.55	108.07	118.60
25	BB	2358	A	N1-C6-N6	-17.55	108.07	118.60
1	AP	9	A	N1-C6-N6	-17.54	108.08	118.60
25	BB	792	A	N1-C6-N6	-17.54	108.08	118.60
25	BB	1459	G	N1-C6-O6	-17.51	109.39	119.90
25	BB	1656	C	N3-C2-O2	-17.50	109.65	121.90
15	AO	126	ARG	NE-CZ-NH1	17.48	129.04	120.30
3	A1	435	A	N1-C6-N6	-17.48	108.11	118.60
3	A1	919	A	N1-C6-N6	-17.46	108.12	118.60
25	BB	1089	A	C5-C6-N1	17.46	126.43	117.70
25	BB	371	A	N1-C6-N6	-17.45	108.13	118.60
25	BB	1496	A	N1-C6-N6	-17.44	108.13	118.60
25	BB	2169	A	N1-C6-N6	-17.41	108.16	118.60
3	A1	938	A	N1-C6-N6	-17.41	108.16	118.60
3	A1	65	A	C4-C5-C6	-17.39	108.31	117.00
25	BB	2119	A	N1-C6-N6	-17.38	108.17	118.60
3	A1	460	A	N1-C6-N6	-17.37	108.18	118.60
3	A1	583	A	N1-C6-N6	-17.35	108.19	118.60
1	AE	76	A	C5-C6-N1	17.35	126.37	117.70
25	BB	693	A	N1-C6-N6	-17.33	108.20	118.60
25	BB	1237	A	C5-C6-N1	17.31	126.36	117.70
25	BB	603	A	C5-C6-N1	17.31	126.35	117.70
3	A1	353	A	O4'-C1'-N9	17.30	122.04	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1728	C	N3-C4-C5	17.27	128.81	121.90
25	BB	1954	G	N1-C6-O6	-17.25	109.55	119.90
3	A1	50	A	N1-C6-N6	-17.24	108.26	118.60
51	B2	132	ARG	NE-CZ-NH1	17.24	128.92	120.30
25	BB	2814	A	C5-C6-N1	17.22	126.31	117.70
25	BB	33	C	N3-C4-C5	17.22	128.79	121.90
3	A1	715	A	N1-C6-N6	-17.20	108.28	118.60
3	A1	496	A	N1-C6-N6	-17.20	108.28	118.60
3	A1	1398	A	N1-C6-N6	-17.20	108.28	118.60
1	AA	58	A	N1-C6-N6	-17.19	108.29	118.60
3	A1	303	A	N1-C6-N6	-17.17	108.30	118.60
3	A1	1340	A	C4'-C3'-C2'	-17.17	85.43	102.60
25	BB	582	A	N1-C6-N6	-17.16	108.30	118.60
25	BB	911	A	N1-C6-N6	-17.16	108.31	118.60
25	BB	2005	A	N1-C6-N6	-17.15	108.31	118.60
25	BB	2094	A	N1-C6-N6	-17.15	108.31	118.60
25	BB	1525	A	N1-C6-N6	-17.14	108.32	118.60
25	BB	2733	A	N1-C6-N6	-17.13	108.33	118.60
25	BB	1301	A	N1-C6-N6	-17.09	108.34	118.60
3	A1	72	A	N1-C6-N6	-17.09	108.35	118.60
25	BB	476	G	N1-C6-O6	-17.08	109.65	119.90
25	BB	2753	A	N1-C6-N6	-17.07	108.36	118.60
25	BB	76	C	N3-C4-N4	-17.05	106.06	118.00
3	A1	313	A	N1-C6-N6	-17.05	108.37	118.60
25	BB	125	A	N1-C6-N6	-17.04	108.38	118.60
25	BB	2700	A	N1-C6-N6	-17.04	108.38	118.60
55	B6	31	GLU	OE1-CD-OE2	-17.04	102.86	123.30
3	A1	51	A	N1-C6-N6	-17.03	108.38	118.60
25	BB	1660	G	O4'-C1'-N9	17.03	121.82	108.20
25	BB	111	A	N1-C6-N6	-17.03	108.38	118.60
25	BB	190	A	N1-C6-N6	-17.03	108.38	118.60
25	BB	1793	C	N3-C2-O2	-17.02	109.99	121.90
25	BB	575	A	N1-C6-N6	-17.01	108.39	118.60
25	BB	2813	A	N1-C6-N6	-17.01	108.40	118.60
3	A1	1520	C	N3-C4-C5	17.00	128.70	121.90
25	BB	104	A	N1-C6-N6	-16.99	108.41	118.60
34	BK	68	ARG	NE-CZ-NH1	16.97	128.78	120.30
25	BB	428	A	N1-C6-N6	-16.96	108.42	118.60
25	BB	603	A	N1-C6-N6	-16.96	108.42	118.60
25	BB	310	A	N1-C6-N6	-16.94	108.43	118.60
50	B1	88	ARG	NE-CZ-NH1	16.92	128.76	120.30
25	BB	2031	A	N1-C6-N6	-16.92	108.45	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	167	A	N1-C6-N6	-16.91	108.45	118.60
25	BB	1572	A	N1-C6-N6	-16.90	108.46	118.60
3	A1	493	A	N1-C6-N6	-16.90	108.46	118.60
3	A1	792	A	C5-C6-N1	16.89	126.14	117.70
25	BB	56	A	N1-C6-N6	-16.89	108.47	118.60
27	BD	64	ARG	NE-CZ-NH1	16.87	128.74	120.30
3	A1	718	A	N1-C6-N6	-16.86	108.48	118.60
1	AP	64	A	N1-C6-N6	-16.86	108.48	118.60
3	A1	747	A	N1-C6-N6	-16.84	108.50	118.60
40	BQ	7	ARG	NE-CZ-NH1	16.84	128.72	120.30
25	BB	2434	A	N1-C6-N6	-16.82	108.51	118.60
3	A1	1036	A	N1-C6-N6	-16.81	108.51	118.60
25	BB	800	A	N1-C6-N6	-16.79	108.53	118.60
25	BB	2077	A	N1-C6-N6	-16.78	108.53	118.60
25	BB	2165	C	N3-C4-N4	-16.78	106.26	118.00
25	BB	951	C	N3-C2-O2	-16.77	110.16	121.90
25	BB	2369	A	N1-C6-N6	-16.77	108.54	118.60
3	A1	26	A	N1-C6-N6	-16.75	108.55	118.60
3	A1	1196	A	C5-C6-N1	16.75	126.08	117.70
3	A1	547	A	N1-C6-N6	-16.74	108.56	118.60
25	BB	477	A	N1-C6-N6	-16.74	108.56	118.60
3	A1	1117	A	N1-C6-N6	-16.73	108.56	118.60
37	BN	176	ARG	NE-CZ-NH1	16.73	128.66	120.30
3	A1	510	A	N1-C6-N6	-16.72	108.57	118.60
3	A1	250	A	N1-C6-N6	-16.71	108.57	118.60
25	BB	1711	A	N1-C6-N6	-16.71	108.57	118.60
25	BB	1564	C	N3-C4-N4	-16.71	106.31	118.00
25	BB	2750	A	C5-C6-N1	16.70	126.05	117.70
32	BI	61	ARG	NE-CZ-NH1	16.70	128.65	120.30
25	BB	1801	A	N1-C6-N6	-16.68	108.59	118.60
25	BB	2829	A	N1-C6-N6	-16.66	108.60	118.60
25	BB	1431	A	N1-C6-N6	-16.66	108.60	118.60
25	BB	1762	A	C5-C6-N1	16.66	126.03	117.70
25	BB	1854	A	N1-C6-N6	-16.65	108.61	118.60
3	A1	320	A	N1-C6-N6	-16.64	108.62	118.60
25	BB	413	C	N3-C4-C5	16.64	128.56	121.90
25	BB	152	A	N1-C6-N6	-16.64	108.62	118.60
25	BB	443	A	N1-C6-N6	-16.64	108.62	118.60
3	A1	499	A	N1-C6-N6	-16.62	108.63	118.60
25	BB	541	A	C5-C6-N1	16.62	126.01	117.70
25	BB	1936	A	N1-C6-N6	-16.61	108.63	118.60
25	BB	1088	A	N1-C6-N6	-16.61	108.63	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2734	A	N1-C6-N6	-16.61	108.63	118.60
3	A1	1285	A	N1-C6-N6	-16.60	108.64	118.60
25	BB	2212	A	N1-C6-N6	-16.55	108.67	118.60
25	BB	161	A	N1-C6-N6	-16.55	108.67	118.60
25	BB	2476	A	N1-C6-N6	-16.55	108.67	118.60
3	A1	119	A	N1-C6-N6	-16.54	108.68	118.60
25	BB	756	A	N1-C6-N6	-16.53	108.68	118.60
3	A1	753	A	N1-C6-N6	-16.52	108.69	118.60
25	BB	231	A	N1-C6-N6	-16.52	108.69	118.60
25	BB	2211	A	C5-C6-N1	16.51	125.95	117.70
25	BB	2171	A	N1-C6-N6	-16.49	108.71	118.60
3	A1	1067	A	N1-C6-N6	-16.49	108.71	118.60
25	BB	2373	G	N3-C2-N2	-16.49	108.36	119.90
3	A1	1493	A	N1-C6-N6	-16.48	108.71	118.60
25	BB	1787	A	N1-C6-N6	-16.48	108.71	118.60
25	BB	603	A	C4-C5-C6	-16.47	108.76	117.00
25	BB	1610	A	N1-C6-N6	-16.46	108.72	118.60
1	AA	70	C	O4'-C1'-N1	16.46	121.37	108.20
4	AB	221	ARG	NE-CZ-NH1	16.45	128.53	120.30
25	BB	101	A	N1-C6-N6	-16.45	108.73	118.60
25	BB	1262	A	N1-C6-N6	-16.45	108.73	118.60
25	BB	586	A	N1-C6-N6	-16.45	108.73	118.60
25	BB	866	A	N1-C6-N6	-16.45	108.73	118.60
1	AA	14	A	N1-C6-N6	-16.43	108.74	118.60
25	BB	2868	A	N1-C6-N6	-16.43	108.74	118.60
25	BB	2003	A	N1-C6-N6	-16.43	108.74	118.60
3	A1	130	A	N1-C6-N6	-16.42	108.75	118.60
3	A1	371	A	N1-C6-N6	-16.41	108.75	118.60
29	BF	10	ARG	NE-CZ-NH1	16.41	128.51	120.30
3	A1	780	A	N1-C6-N6	-16.38	108.77	118.60
3	A1	423	G	O4'-C1'-N9	16.38	121.30	108.20
3	A1	608	A	N1-C6-N6	-16.38	108.78	118.60
25	BB	661	A	N1-C6-N6	-16.38	108.78	118.60
25	BB	2266	A	C5-C6-N1	16.37	125.89	117.70
3	A1	1254	A	C5-C6-N1	16.36	125.88	117.70
25	BB	91	A	N1-C6-N6	-16.36	108.79	118.60
25	BB	1858	A	N1-C6-N6	-16.36	108.79	118.60
25	BB	2183	A	N1-C6-N6	-16.35	108.79	118.60
25	BB	470	A	N1-C6-N6	-16.33	108.80	118.60
3	A1	435	A	C5-C6-N1	16.33	125.86	117.70
25	BB	374	A	N1-C6-N6	-16.31	108.81	118.60
25	BB	2033	A	N1-C6-N6	-16.30	108.82	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	819	A	O4'-C1'-N9	16.30	121.24	108.20
3	A1	181	A	C5-C6-N1	16.30	125.85	117.70
25	BB	1617	C	N3-C2-O2	-16.30	110.49	121.90
3	A1	792	A	N1-C6-N6	-16.29	108.83	118.60
25	BB	1536	C	N1-C2-O2	16.29	128.67	118.90
25	BB	2516	A	N1-C6-N6	-16.29	108.83	118.60
3	A1	949	A	N1-C6-N6	-16.27	108.84	118.60
3	A1	1012	A	N1-C6-N6	-16.27	108.84	118.60
25	BB	384	A	N1-C6-N6	-16.27	108.84	118.60
25	BB	1275	A	N1-C6-N6	-16.27	108.84	118.60
3	A1	1340	A	O4'-C1'-N9	16.25	121.20	108.20
1	AA	56	C	N3-C4-C5	16.25	128.40	121.90
51	B2	91	ARG	NE-CZ-NH1	16.23	128.42	120.30
25	BB	537	G	N1-C6-O6	-16.23	110.16	119.90
25	BB	2184	A	N1-C6-N6	-16.22	108.87	118.60
25	BB	1301	A	C5-C6-N1	16.20	125.80	117.70
8	AG	80	ARG	NE-CZ-NH1	16.20	128.40	120.30
25	BB	716	A	N1-C6-N6	-16.19	108.89	118.60
25	BB	1205	A	N1-C6-N6	-16.18	108.89	118.60
17	AR	80	ARG	NE-CZ-NH2	16.18	128.39	120.30
25	BB	1392	A	C5-C6-N1	16.16	125.78	117.70
3	A1	160	A	N1-C6-N6	-16.16	108.91	118.60
25	BB	2893	A	N1-C6-N6	-16.15	108.91	118.60
25	BB	2725	A	C5-C6-N1	16.15	125.78	117.70
1	AP	61	C	N3-C4-N4	-16.15	106.69	118.00
25	BB	2821	A	N1-C6-N6	-16.13	108.92	118.60
25	BB	878	A	N1-C6-N6	-16.12	108.92	118.60
25	BB	2407	A	N1-C6-N6	-16.12	108.92	118.60
3	A1	563	A	N1-C6-N6	-16.11	108.93	118.60
3	A1	327	A	N1-C6-N6	-16.11	108.93	118.60
25	BB	1134	A	N1-C6-N6	-16.11	108.94	118.60
3	A1	517	G	N3-C2-N2	-16.10	108.63	119.90
3	A1	1311	A	N1-C6-N6	-16.10	108.94	118.60
3	A1	496	A	C5-C6-N1	16.08	125.74	117.70
3	A1	969	A	N1-C6-N6	-16.07	108.96	118.60
3	A1	71	A	N1-C6-N6	-16.06	108.96	118.60
3	A1	864	A	C5-C6-N1	16.05	125.73	117.70
1	AE	76	A	N1-C6-N6	-16.05	108.97	118.60
25	BB	1342	A	N1-C6-N6	-16.05	108.97	118.60
3	A1	190	A	N1-C6-N6	-16.05	108.97	118.60
25	BB	2501	C	N3-C2-O2	-16.04	110.67	121.90
1	AE	36	A	N1-C6-N6	-16.02	108.99	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	422	A	N1-C6-N6	-16.02	108.99	118.60
3	A1	547	A	C5-C6-N1	16.01	125.70	117.70
25	BB	479	A	N1-C6-N6	-16.01	109.00	118.60
25	BB	2439	A	N1-C6-N6	-16.01	109.00	118.60
3	A1	635	A	N1-C6-N6	-16.00	109.00	118.60
1	AE	29	A	C5-C6-N1	15.99	125.70	117.70
3	A1	282	A	N1-C6-N6	-15.98	109.01	118.60
25	BB	1304	A	N1-C6-N6	-15.97	109.02	118.60
3	A1	1239	A	N1-C6-N6	-15.97	109.02	118.60
3	A1	432	A	N1-C6-N6	-15.96	109.03	118.60
25	BB	1919	A	N1-C6-N6	-15.95	109.03	118.60
3	A1	1499	A	C5-C6-N1	15.94	125.67	117.70
25	BB	282	A	N1-C6-N6	-15.94	109.04	118.60
25	BB	753	A	N1-C6-N6	-15.94	109.03	118.60
3	A1	780	A	C5-C6-N1	15.94	125.67	117.70
25	BB	2158	A	O4'-C1'-N9	15.93	120.94	108.20
25	BB	1260	A	N1-C6-N6	-15.93	109.04	118.60
3	A1	1468	A	N1-C6-N6	-15.92	109.05	118.60
3	A1	268	U	C1'-O4'-C4'	-15.91	97.17	109.90
25	BB	2080	A	N1-C6-N6	-15.90	109.06	118.60
25	BB	2327	A	C4-C5-C6	-15.90	109.05	117.00
25	BB	905	A	N1-C6-N6	-15.90	109.06	118.60
3	A1	1433	A	N1-C6-N6	-15.89	109.06	118.60
25	BB	1780	A	N1-C6-N6	-15.89	109.07	118.60
25	BB	2327	A	N1-C6-N6	-15.86	109.08	118.60
3	A1	1520	C	N3-C2-O2	-15.86	110.80	121.90
25	BB	2058	A	N1-C6-N6	-15.86	109.09	118.60
25	BB	2531	A	N1-C6-N6	-15.86	109.09	118.60
3	A1	1203	C	N3-C4-N4	-15.84	106.91	118.00
25	BB	2851	A	N1-C6-N6	-15.84	109.09	118.60
25	BB	590	A	N1-C6-N6	-15.84	109.10	118.60
50	B1	21	ARG	NE-CZ-NH1	15.84	128.22	120.30
30	BG	86	ARG	NE-CZ-NH1	15.83	128.22	120.30
1	AA	14	A	C5-C6-N1	15.83	125.61	117.70
3	A1	1476	A	C5-C6-N1	15.83	125.61	117.70
25	BB	1080	A	N1-C6-N6	-15.83	109.11	118.60
27	BD	121	GLU	OE1-CD-OE2	-15.82	104.31	123.30
3	A1	1360	A	C4-C5-C6	-15.81	109.09	117.00
3	A1	1311	A	C5-C6-N1	15.81	125.61	117.70
25	BB	432	A	N1-C6-N6	-15.81	109.12	118.60
25	BB	1730	C	O4'-C1'-N1	15.80	120.84	108.20
25	BB	742	A	N1-C6-N6	-15.80	109.12	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1509	A	N1-C6-N6	-15.80	109.12	118.60
22	AW	122	ARG	NE-CZ-NH2	15.78	128.19	120.30
25	BB	1328	A	N1-C6-N6	-15.77	109.14	118.60
30	BG	45	ARG	NE-CZ-NH1	15.77	128.19	120.30
25	BB	1932	A	C5-C6-N1	15.76	125.58	117.70
25	BB	2055	C	N3-C2-O2	-15.76	110.87	121.90
25	BB	1641	A	N1-C6-N6	-15.76	109.14	118.60
25	BB	2632	A	N1-C6-N6	-15.76	109.15	118.60
25	BB	1871	A	N1-C6-N6	-15.75	109.15	118.60
25	BB	2679	A	N1-C6-N6	-15.74	109.16	118.60
25	BB	2587	A	N1-C6-N6	-15.74	109.16	118.60
25	BB	1675	C	N3-C2-O2	-15.74	110.88	121.90
25	BB	845	A	N1-C6-N6	-15.72	109.17	118.60
3	A1	1256	A	N1-C6-N6	-15.72	109.17	118.60
25	BB	1069	A	N1-C6-N6	-15.72	109.17	118.60
40	BQ	29	ARG	NE-CZ-NH1	15.71	128.15	120.30
11	AJ	76	ARG	NE-CZ-NH1	15.70	128.15	120.30
25	BB	643	A	N1-C6-N6	-15.69	109.18	118.60
3	A1	782	A	N1-C6-N6	-15.69	109.19	118.60
25	BB	1230	A	N1-C6-N6	-15.69	109.19	118.60
25	BB	2711	A	N1-C6-N6	-15.68	109.19	118.60
25	BB	786	C	N3-C2-O2	-15.67	110.93	121.90
25	BB	1928	A	N1-C6-N6	-15.67	109.20	118.60
25	BB	2015	A	N1-C6-N6	-15.66	109.20	118.60
3	A1	1437	A	N1-C6-N6	-15.65	109.21	118.60
3	A1	482	A	N1-C6-N6	-15.65	109.21	118.60
3	A1	349	A	C5-C6-N1	15.63	125.52	117.70
25	BB	1791	A	N1-C6-N6	-15.63	109.22	118.60
3	A1	1011	C	N3-C4-C5	15.62	128.15	121.90
25	BB	2657	A	C5-C6-N1	15.62	125.51	117.70
3	A1	94	G	N3-C2-N2	-15.62	108.97	119.90
3	A1	110	C	N3-C4-C5	15.61	128.14	121.90
3	A1	827	U	N3-C2-O2	-15.61	111.27	122.20
3	A1	899	C	N1-C2-O2	15.61	128.26	118.90
25	BB	413	C	N3-C4-N4	-15.61	107.08	118.00
3	A1	1152	A	N1-C6-N6	-15.60	109.24	118.60
37	BN	47	ARG	NE-CZ-NH2	15.60	128.10	120.30
3	A1	502	A	N1-C6-N6	-15.60	109.24	118.60
25	BB	1945	G	N1-C6-O6	-15.60	110.54	119.90
14	AN	73	ARG	NE-CZ-NH1	15.59	128.10	120.30
25	BB	2659	G	N3-C2-N2	-15.59	108.99	119.90
25	BB	2311	A	N1-C6-N6	-15.59	109.25	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	759	A	C5-C6-N1	15.58	125.49	117.70
3	A1	65	A	C5-C6-N1	15.57	125.49	117.70
25	BB	41	C	N3-C2-O2	-15.57	111.00	121.90
3	A1	300	A	N1-C6-N6	-15.55	109.27	118.60
3	A1	1508	A	N1-C6-N6	-15.56	109.27	118.60
25	BB	1393	A	N1-C6-N6	-15.55	109.27	118.60
31	BH	30	ARG	NE-CZ-NH1	15.54	128.07	120.30
15	AO	171	ARG	NE-CZ-NH1	15.54	128.07	120.30
25	BB	693	A	C5-C6-N1	15.54	125.47	117.70
25	BB	1107	G	N1-C6-O6	-15.54	110.58	119.90
25	BB	390	U	N3-C2-O2	-15.52	111.34	122.20
1	AP	20	G	C8-N9-C4	-15.51	100.19	106.40
25	BB	1395	A	N1-C6-N6	-15.50	109.30	118.60
25	BB	1932	A	N1-C6-N6	-15.50	109.30	118.60
3	A1	1101	A	N1-C6-N6	-15.49	109.30	118.60
25	BB	1616	A	N1-C6-N6	-15.49	109.31	118.60
25	BB	987	C	N3-C2-O2	-15.48	111.06	121.90
3	A1	900	A	N1-C6-N6	-15.48	109.31	118.60
31	BH	7	ARG	NE-CZ-NH1	15.48	128.04	120.30
25	BB	1241	A	O4'-C1'-N9	15.47	120.58	108.20
25	BB	342	A	N1-C6-N6	-15.47	109.32	118.60
25	BB	2146	C	N3-C4-C5	15.47	128.09	121.90
3	A1	192	A	N1-C6-N6	-15.46	109.32	118.60
25	BB	279	A	N1-C6-N6	-15.46	109.32	118.60
1	AE	64	A	N1-C6-N6	-15.46	109.33	118.60
3	A1	845	A	C5-C6-N1	15.45	125.42	117.70
25	BB	740	C	N3-C2-O2	-15.43	111.10	121.90
25	BB	1591	A	C5-C6-N1	15.43	125.42	117.70
25	BB	2896	C	N3-C4-C5	15.43	128.07	121.90
1	AA	42	G	N3-C2-N2	-15.43	109.10	119.90
25	BB	345	A	N1-C6-N6	-15.43	109.34	118.60
25	BB	2471	A	C4-C5-C6	-15.42	109.29	117.00
25	BB	789	A	N1-C6-N6	-15.42	109.35	118.60
25	BB	2716	C	N3-C4-C5	15.42	128.07	121.90
25	BB	877	A	N1-C6-N6	-15.42	109.35	118.60
25	BB	1957	C	N3-C4-N4	-15.41	107.21	118.00
25	BB	1773	A	N1-C6-N6	-15.41	109.35	118.60
3	A1	787	A	N1-C6-N6	-15.41	109.36	118.60
3	A1	1046	A	N1-C6-N6	-15.41	109.36	118.60
25	BB	1069	A	C5-C6-N1	15.41	125.40	117.70
25	BB	76	C	C5-C4-N4	15.40	130.98	120.20
25	BB	1805	A	C5-C6-N1	15.40	125.40	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AP	11	C	N3-C2-O2	-15.39	111.12	121.90
25	BB	973	A	N1-C6-N6	-15.39	109.36	118.60
23	AX	16	ARG	NE-CZ-NH1	15.39	128.00	120.30
3	A1	706	A	N1-C6-N6	-15.39	109.37	118.60
25	BB	21	A	N1-C6-N6	-15.38	109.37	118.60
25	BB	2472	G	O4'-C1'-N9	15.37	120.49	108.20
3	A1	263	A	N1-C6-N6	-15.36	109.38	118.60
3	A1	1054	C	N3-C2-O2	-15.36	111.14	121.90
25	BB	1515	A	N1-C6-N6	-15.36	109.38	118.60
1	AP	72	C	N3-C4-C5	15.35	128.04	121.90
27	BD	105	ARG	NE-CZ-NH2	-15.35	112.62	120.30
3	A1	1044	A	N1-C6-N6	-15.35	109.39	118.60
25	BB	2268	A	N1-C6-N6	-15.35	109.39	118.60
25	BB	1802	A	N1-C6-N6	-15.34	109.39	118.60
3	A1	1332	A	N1-C6-N6	-15.34	109.40	118.60
25	BB	1510	G	N1-C6-O6	-15.34	110.70	119.90
25	BB	1759	A	N1-C6-N6	-15.34	109.40	118.60
55	B6	13	ARG	NE-CZ-NH1	15.33	127.97	120.30
25	BB	1057	A	N1-C6-N6	-15.32	109.41	118.60
3	A1	1170	A	C5-C6-N1	15.32	125.36	117.70
3	A1	529	G	C4-C5-N7	-15.31	104.67	110.80
25	BB	1810	A	C5-C6-N1	15.31	125.36	117.70
25	BB	2067	G	O4'-C1'-N9	15.31	120.45	108.20
25	BB	1772	A	N1-C6-N6	-15.31	109.42	118.60
3	A1	1219	A	N1-C6-N6	-15.30	109.42	118.60
3	A1	878	A	N1-C6-N6	-15.29	109.43	118.60
25	BB	1786	A	N1-C6-N6	-15.29	109.43	118.60
3	A1	620	C	N3-C2-O2	-15.28	111.20	121.90
3	A1	1105	A	N1-C6-N6	-15.28	109.43	118.60
25	BB	1580	A	N1-C6-N6	-15.28	109.43	118.60
25	BB	2619	C	N1-C2-O2	15.28	128.07	118.90
25	BB	482	A	N1-C6-N6	-15.26	109.44	118.60
40	BQ	29	ARG	NE-CZ-NH2	-15.25	112.67	120.30
29	BF	50	ARG	NE-CZ-NH2	15.25	127.92	120.30
1	AA	65	G	O4'-C1'-N9	15.24	120.39	108.20
25	BB	2469	A	C5-C6-N1	15.24	125.32	117.70
48	BY	77	ARG	NE-CZ-NH1	15.24	127.92	120.30
3	A1	174	A	N1-C6-N6	-15.23	109.46	118.60
25	BB	430	A	N1-C6-N6	-15.22	109.47	118.60
25	BB	1583	A	N1-C6-N6	-15.22	109.47	118.60
25	BB	323	C	N3-C4-N4	-15.21	107.35	118.00
25	BB	1504	A	N1-C6-N6	-15.21	109.47	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	913	A	N1-C6-N6	-15.21	109.47	118.60
3	A1	107	G	N1-C6-O6	-15.20	110.78	119.90
3	A1	533	A	N1-C6-N6	-15.21	109.48	118.60
3	A1	466	A	C4-C5-C6	-15.20	109.40	117.00
25	BB	207	A	N1-C6-N6	-15.20	109.48	118.60
3	A1	1141	C	C2-N3-C4	-15.20	112.30	119.90
25	BB	2260	C	N3-C4-N4	-15.20	107.36	118.00
25	BB	1634	A	N1-C6-N6	-15.19	109.48	118.60
25	BB	144	A	C5-C6-N1	15.19	125.30	117.70
25	BB	2468	A	N1-C6-N6	-15.18	109.49	118.60
1	AA	38	A	N1-C6-N6	-15.18	109.50	118.60
25	BB	2646	C	N3-C2-O2	-15.18	111.28	121.90
25	BB	2163	A	N1-C6-N6	-15.17	109.50	118.60
25	BB	2392	A	N1-C6-N6	-15.17	109.50	118.60
3	A1	716	A	N1-C6-N6	-15.15	109.51	118.60
3	A1	1169	A	C5-C6-N1	15.15	125.28	117.70
25	BB	1755	A	N1-C6-N6	-15.14	109.51	118.60
1	AA	37	G	O4'-C1'-N9	15.14	120.31	108.20
3	A1	681	A	N1-C6-N6	-15.14	109.52	118.60
25	BB	794	A	N1-C6-N6	-15.12	109.53	118.60
3	A1	1503	A	N1-C6-N6	-15.12	109.53	118.60
25	BB	608	A	N1-C6-N6	-15.12	109.53	118.60
3	A1	1007	U	N3-C2-O2	-15.11	111.62	122.20
3	A1	321	A	C5-C6-N1	15.11	125.25	117.70
25	BB	256	A	N1-C6-N6	-15.10	109.54	118.60
25	BB	1569	A	N1-C6-N6	-15.10	109.54	118.60
25	BB	855	G	O4'-C1'-N9	15.09	120.28	108.20
24	BA	99	A	N1-C6-N6	-15.09	109.55	118.60
25	BB	1103	A	N1-C6-N6	-15.09	109.55	118.60
25	BB	1947	C	N3-C4-N4	-15.08	107.44	118.00
3	A1	663	A	N1-C6-N6	-15.06	109.56	118.60
25	BB	1745	A	N1-C6-N6	-15.06	109.56	118.60
25	BB	1821	A	N1-C6-N6	-15.06	109.56	118.60
25	BB	2736	A	N1-C6-N6	-15.06	109.57	118.60
3	A1	44	A	N1-C6-N6	-15.04	109.57	118.60
25	BB	1495	A	N1-C6-N6	-15.04	109.57	118.60
25	BB	1165	A	N1-C6-N6	-15.04	109.57	118.60
3	A1	891	U	O4'-C1'-N1	15.04	120.23	108.20
25	BB	2577	A	N1-C6-N6	-15.04	109.58	118.60
25	BB	2593	U	O4'-C1'-N1	15.04	120.23	108.20
4	AB	20	ARG	NE-CZ-NH1	15.03	127.81	120.30
25	BB	513	A	N1-C6-N6	-15.02	109.59	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	992	C	N3-C2-O2	-15.02	111.39	121.90
25	BB	1330	C	C6-N1-C2	-15.01	114.30	120.30
1	AP	35	A	N1-C2-N3	-15.01	121.80	129.30
25	BB	1596	A	N1-C6-N6	-15.00	109.60	118.60
25	BB	1617	C	N1-C2-O2	15.00	127.90	118.90
25	BB	865	C	O4'-C1'-N1	15.00	120.20	108.20
3	A1	32	A	N1-C6-N6	-14.99	109.60	118.60
3	A1	78	A	N1-C6-N6	-14.99	109.60	118.60
3	A1	196	A	N1-C6-N6	-14.99	109.61	118.60
25	BB	1367	A	N1-C6-N6	-14.99	109.61	118.60
25	BB	1941	C	N3-C4-N4	-14.99	107.51	118.00
3	A1	1299	A	N1-C6-N6	-14.99	109.61	118.60
3	A1	959	A	C4-C5-C6	-14.99	109.51	117.00
25	BB	504	A	N1-C6-N6	-14.98	109.61	118.60
25	BB	368	A	C4-C5-C6	-14.98	109.51	117.00
3	A1	1238	A	C5-C6-N1	14.97	125.19	117.70
25	BB	2883	A	N1-C6-N6	-14.97	109.61	118.60
25	BB	2675	A	N1-C6-N6	-14.97	109.62	118.60
3	A1	7	A	O4'-C1'-N9	14.96	120.16	108.20
25	BB	342	A	C5-C6-N1	14.96	125.18	117.70
3	A1	1500	A	N1-C6-N6	-14.95	109.63	118.60
25	BB	412	A	N1-C6-N6	-14.95	109.63	118.60
1	AP	9	A	C5-C6-N1	14.94	125.17	117.70
3	A1	856	C	N3-C4-C5	14.93	127.87	121.90
25	BB	718	A	N1-C6-N6	-14.92	109.65	118.60
25	BB	105	C	N3-C4-C5	14.92	127.87	121.90
25	BB	2814	A	N1-C6-N6	-14.91	109.65	118.60
3	A1	109	A	C5-C6-N1	14.90	125.15	117.70
25	BB	941	A	C5-C6-N1	14.90	125.15	117.70
24	BA	108	A	N1-C6-N6	-14.90	109.66	118.60
26	BC	9	ARG	NE-CZ-NH1	14.90	127.75	120.30
3	A1	1403	C	N1-C2-O2	14.89	127.84	118.90
3	A1	572	A	C5-C6-N1	14.89	125.14	117.70
25	BB	2227	A	N1-C6-N6	-14.88	109.67	118.60
3	A1	1359	C	O4'-C1'-N1	14.87	120.10	108.20
9	AH	52	ARG	NE-CZ-NH2	14.87	127.73	120.30
3	A1	1483	A	N1-C6-N6	-14.86	109.68	118.60
25	BB	1286	A	N1-C6-N6	-14.86	109.69	118.60
14	AN	23	ARG	NE-CZ-NH1	14.85	127.72	120.30
3	A1	1451	U	N3-C2-O2	-14.85	111.81	122.20
25	BB	1632	A	N1-C6-N6	-14.85	109.69	118.60
25	BB	2764	A	N1-C6-N6	-14.85	109.69	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1870	C	O4'-C1'-N1	14.84	120.07	108.20
3	A1	909	A	N1-C6-N6	-14.84	109.70	118.60
25	BB	1536	C	N3-C2-O2	-14.84	111.51	121.90
25	BB	1763	G	N1-C6-O6	-14.82	111.01	119.90
25	BB	1498	C	N1-C2-O2	14.82	127.79	118.90
53	B4	50	ARG	NE-CZ-NH1	14.82	127.71	120.30
25	BB	1210	G	N3-C2-N2	-14.82	109.53	119.90
47	BX	4	ARG	NE-CZ-NH2	14.81	127.71	120.30
25	BB	1285	A	C5-C6-N1	14.81	125.11	117.70
3	A1	1004	A	C5-C6-N1	14.80	125.10	117.70
25	BB	2432	A	N1-C6-N6	-14.81	109.72	118.60
32	BI	20	ARG	NE-CZ-NH1	-14.80	112.90	120.30
25	BB	376	G	C1'-O4'-C4'	-14.80	98.06	109.90
25	BB	1237	A	N1-C6-N6	-14.80	109.72	118.60
3	A1	784	A	N1-C6-N6	-14.79	109.72	118.60
25	BB	1564	C	N3-C4-C5	14.78	127.81	121.90
3	A1	466	A	C5-C6-N1	14.77	125.09	117.70
25	BB	1774	C	C1'-O4'-C4'	-14.77	98.08	109.90
25	BB	1953	A	C5-C6-N1	14.77	125.09	117.70
3	A1	269	C	N3-C4-C5	14.77	127.81	121.90
3	A1	1093	A	N1-C6-N6	-14.77	109.74	118.60
25	BB	2376	A	C5-C6-N6	14.77	135.51	123.70
14	AN	9	ARG	NE-CZ-NH1	14.76	127.68	120.30
25	BB	2147	A	N1-C6-N6	-14.76	109.74	118.60
25	BB	563	A	N1-C6-N6	-14.75	109.75	118.60
3	A1	523	A	C5-C6-N1	14.74	125.07	117.70
28	BE	69	ARG	NE-CZ-NH1	14.74	127.67	120.30
25	BB	2543	G	O4'-C1'-N9	14.74	119.99	108.20
25	BB	2020	A	N1-C6-N6	-14.74	109.76	118.60
25	BB	2352	A	N1-C6-N6	-14.73	109.76	118.60
25	BB	354	A	C5-C6-N1	14.73	125.07	117.70
25	BB	1384	A	C5-C6-N1	14.72	125.06	117.70
25	BB	1561	C	N3-C4-C5	14.72	127.79	121.90
3	A1	1019	A	N1-C6-N6	-14.72	109.77	118.60
25	BB	5	A	N1-C6-N6	-14.72	109.77	118.60
3	A1	624	C	N3-C4-C5	14.71	127.78	121.90
25	BB	2757	A	C5-C6-N1	14.71	125.06	117.70
3	A1	132	C	N3-C4-C5	14.71	127.78	121.90
25	BB	484	C	N3-C4-N4	-14.70	107.71	118.00
25	BB	722	A	N1-C6-N6	-14.69	109.78	118.60
3	A1	523	A	N1-C6-N6	-14.69	109.78	118.60
25	BB	643	A	C4-C5-C6	-14.69	109.65	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1253	A	N1-C6-N6	-14.69	109.78	118.60
25	BB	446	G	N1-C6-O6	-14.69	111.09	119.90
25	BB	1639	C	N3-C4-C5	14.69	127.77	121.90
25	BB	42	A	N1-C6-N6	-14.67	109.80	118.60
25	BB	1640	A	N1-C6-N6	-14.67	109.80	118.60
25	BB	2809	A	N1-C6-N6	-14.67	109.80	118.60
1	AA	12	U	O4'-C1'-N1	14.66	119.93	108.20
25	BB	2635	A	N1-C6-N6	-14.66	109.80	118.60
25	BB	2520	C	N3-C2-O2	-14.66	111.64	121.90
3	A1	768	A	N1-C6-N6	-14.65	109.81	118.60
25	BB	1387	A	N1-C6-N6	-14.65	109.81	118.60
3	A1	1396	A	N1-C6-N6	-14.65	109.81	118.60
25	BB	749	A	N1-C6-N6	-14.64	109.82	118.60
25	BB	2606	C	N3-C4-C5	14.64	127.76	121.90
15	AO	178	ARG	NE-CZ-NH1	14.63	127.62	120.30
25	BB	1579	A	N1-C6-N6	-14.63	109.82	118.60
24	BA	115	A	N1-C6-N6	-14.63	109.82	118.60
25	BB	2060	A	N1-C6-N6	-14.63	109.82	118.60
25	BB	2247	A	N1-C6-N6	-14.63	109.83	118.60
25	BB	608	A	C5-C6-N1	14.61	125.01	117.70
25	BB	1000	A	N1-C6-N6	-14.61	109.83	118.60
24	BA	60	C	C2-N3-C4	-14.60	112.60	119.90
25	BB	632	A	N1-C6-N6	-14.60	109.84	118.60
3	A1	44	A	C5-C6-N1	14.59	124.99	117.70
3	A1	1082	A	N1-C6-N6	-14.58	109.85	118.60
25	BB	802	A	C5-C6-N1	14.57	124.99	117.70
1	AE	72	C	O4'-C1'-N1	14.57	119.86	108.20
25	BB	1752	C	N3-C4-C5	14.57	127.73	121.90
25	BB	1691	C	N3-C2-O2	-14.56	111.71	121.90
25	BB	2565	A	C5-C6-N1	14.56	124.98	117.70
3	A1	1054	C	C6-N1-C2	-14.56	114.48	120.30
16	AQ	34	ARG	NE-CZ-NH2	14.55	127.58	120.30
3	A1	172	A	C5-C6-N1	14.53	124.97	117.70
3	A1	1157	A	N1-C6-N6	-14.53	109.88	118.60
25	BB	2270	A	N1-C6-N6	-14.53	109.89	118.60
25	BB	73	A	N1-C6-N6	-14.52	109.89	118.60
25	BB	1549	A	N1-C6-N6	-14.51	109.89	118.60
25	BB	2070	A	C5-C6-N1	14.51	124.95	117.70
14	AN	59	ARG	NE-CZ-NH1	14.51	127.55	120.30
25	BB	1434	A	N1-C6-N6	-14.51	109.89	118.60
25	BB	109	C	O4'-C1'-N1	14.50	119.80	108.20
25	BB	1876	A	N1-C6-N6	-14.50	109.90	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2333	A	N1-C6-N6	-14.50	109.90	118.60
25	BB	1913	A	C5-C6-N1	14.49	124.95	117.70
1	AA	37	G	C8-N9-C4	-14.49	100.60	106.40
25	BB	368	A	C5-C6-N1	14.48	124.94	117.70
25	BB	33	C	C2-N3-C4	-14.48	112.66	119.90
25	BB	1214	A	N1-C6-N6	-14.48	109.91	118.60
25	BB	1701	A	N1-C6-N6	-14.47	109.92	118.60
3	A1	595	A	N1-C6-N6	-14.46	109.92	118.60
3	A1	976	G	N1-C6-O6	-14.46	111.22	119.90
3	A1	431	A	C5-C6-N1	14.46	124.93	117.70
25	BB	2430	A	N1-C6-N6	-14.46	109.92	118.60
3	A1	1332	A	C4-C5-C6	-14.46	109.77	117.00
25	BB	1385	A	N1-C6-N6	-14.46	109.93	118.60
25	BB	1687	G	C5-C6-N1	14.45	118.73	111.50
25	BB	2341	G	N1-C6-O6	-14.45	111.23	119.90
3	A1	338	A	N1-C6-N6	-14.45	109.93	118.60
3	A1	364	A	C4-C5-C6	-14.45	109.78	117.00
25	BB	761	A	C5-C6-N1	14.45	124.92	117.70
25	BB	2657	A	C4-C5-C6	-14.45	109.78	117.00
3	A1	397	A	O4'-C1'-N9	14.45	119.76	108.20
3	A1	419	C	N3-C4-C5	14.45	127.68	121.90
25	BB	347	A	N1-C6-N6	-14.44	109.94	118.60
3	A1	371	A	C4-C5-C6	-14.43	109.78	117.00
25	BB	781	A	N1-C6-N6	-14.43	109.94	118.60
24	BA	34	A	C5-C6-N1	14.43	124.92	117.70
3	A1	59	A	N1-C6-N6	-14.42	109.95	118.60
3	A1	1529	G	C6-N1-C2	-14.42	116.45	125.10
25	BB	849	A	N1-C6-N6	-14.41	109.95	118.60
17	AR	187	ARG	NE-CZ-NH2	-14.41	113.10	120.30
3	A1	1332	A	C5-C6-N1	14.39	124.90	117.70
25	BB	226	A	C4-C5-C6	-14.39	109.80	117.00
3	A1	509	A	N1-C6-N6	-14.38	109.97	118.60
25	BB	1664	A	N1-C6-N6	-14.38	109.97	118.60
3	A1	650	G	C1'-O4'-C4'	-14.38	98.40	109.90
3	A1	1102	A	N1-C6-N6	-14.37	109.98	118.60
25	BB	2163	A	C5-C6-N1	14.37	124.89	117.70
52	B3	151	ARG	NE-CZ-NH2	14.37	127.48	120.30
25	BB	2459	A	N1-C6-N6	-14.36	109.98	118.60
25	BB	1947	C	N3-C2-O2	-14.36	111.85	121.90
25	BB	903	C	C2-N3-C4	-14.35	112.72	119.90
25	BB	1652	A	N1-C6-N6	-14.35	109.99	118.60
27	BD	105	ARG	NE-CZ-NH1	14.35	127.47	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	142	A	C5-C6-N1	14.34	124.87	117.70
25	BB	1871	A	C5-C6-N1	14.33	124.87	117.70
3	A1	1507	A	N1-C6-N6	-14.32	110.00	118.60
3	A1	36	C	N3-C4-N4	-14.32	107.98	118.00
25	BB	572	A	N1-C6-N6	-14.31	110.01	118.60
3	A1	1111	A	C5-C6-N1	14.31	124.86	117.70
25	BB	457	A	N1-C6-N6	-14.31	110.01	118.60
25	BB	2770	G	N1-C6-O6	-14.31	111.31	119.90
25	BB	1848	A	N1-C6-N6	-14.31	110.02	118.60
24	BA	42	C	N3-C2-O2	-14.30	111.89	121.90
25	BB	502	A	C5-C6-N1	14.30	124.85	117.70
1	AE	44	A	N1-C6-N6	-14.30	110.02	118.60
3	A1	131	A	N1-C6-N6	-14.30	110.02	118.60
3	A1	366	A	N1-C6-N6	-14.30	110.02	118.60
3	A1	246	A	N1-C6-N6	-14.29	110.02	118.60
3	A1	1163	A	N1-C6-N6	-14.29	110.02	118.60
25	BB	2559	C	C2-N3-C4	-14.29	112.75	119.90
1	AE	14	A	N1-C6-N6	-14.29	110.03	118.60
24	BA	62	C	N3-C4-C5	14.28	127.61	121.90
3	A1	1529	G	N1-C6-O6	-14.28	111.33	119.90
25	BB	1815	A	N1-C6-N6	-14.28	110.03	118.60
25	BB	2266	A	N1-C6-N6	-14.28	110.03	118.60
25	BB	1793	C	N1-C2-O2	14.27	127.46	118.90
1	AA	64	A	C5-C6-N1	14.26	124.83	117.70
25	BB	1008	A	N1-C6-N6	-14.26	110.05	118.60
24	BA	15	A	O4'-C1'-N9	14.26	119.61	108.20
25	BB	1647	U	O4'-C1'-N1	14.26	119.61	108.20
7	AF	86	ARG	NE-CZ-NH1	14.25	127.42	120.30
25	BB	1746	A	N1-C6-N6	-14.25	110.05	118.60
25	BB	1794	A	N1-C6-N6	-14.24	110.06	118.60
25	BB	2274	A	N1-C6-N6	-14.24	110.06	118.60
3	A1	687	A	N1-C6-N6	-14.23	110.06	118.60
25	BB	19	A	N1-C6-N6	-14.23	110.06	118.60
25	BB	477	A	C4-C5-C6	-14.23	109.89	117.00
25	BB	1085	A	N1-C6-N6	-14.23	110.06	118.60
25	BB	2612	C	N3-C2-O2	-14.22	111.94	121.90
3	A1	539	A	N1-C6-N6	-14.22	110.07	118.60
1	AP	35	A	C5-C6-N1	14.22	124.81	117.70
1	AE	29	A	N1-C6-N6	-14.22	110.07	118.60
25	BB	1941	C	N3-C2-O2	-14.20	111.96	121.90
25	BB	882	G	N3-C4-C5	-14.19	121.51	128.60
25	BB	721	A	N1-C6-N6	-14.19	110.09	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	353	A	N1-C6-N6	-14.18	110.09	118.60
25	BB	1067	A	C4-C5-C6	-14.18	109.91	117.00
3	A1	623	C	N3-C4-C5	14.18	127.57	121.90
25	BB	1752	C	N3-C2-O2	-14.17	111.98	121.90
3	A1	1254	A	N1-C6-N6	-14.17	110.10	118.60
3	A1	161	A	N1-C6-N6	-14.17	110.10	118.60
3	A1	924	C	O4'-C1'-N1	14.16	119.53	108.20
3	A1	1046	A	C5-C6-N1	14.16	124.78	117.70
25	BB	2590	A	C5-C6-N1	14.16	124.78	117.70
25	BB	2882	A	N1-C6-N6	-14.15	110.11	118.60
25	BB	2418	A	N1-C6-N6	-14.15	110.11	118.60
25	BB	2611	C	N3-C2-O2	-14.15	112.00	121.90
25	BB	666	A	N1-C6-N6	-14.15	110.11	118.60
25	BB	516	C	N3-C4-C5	14.14	127.56	121.90
3	A1	935	A	N1-C6-N6	-14.14	110.12	118.60
25	BB	172	A	N1-C6-N6	-14.14	110.12	118.60
3	A1	1016	A	N1-C6-N6	-14.13	110.12	118.60
25	BB	1690	A	N1-C6-N6	-14.13	110.12	118.60
3	A1	432	A	C5-C6-N1	14.13	124.76	117.70
17	AR	25	ARG	NE-CZ-NH1	14.13	127.36	120.30
3	A1	1529	G	N3-C4-C5	-14.13	121.54	128.60
25	BB	609	A	N1-C6-N6	-14.13	110.12	118.60
25	BB	1783	A	C5-C6-N1	14.13	124.76	117.70
25	BB	2725	A	C4-C5-C6	-14.12	109.94	117.00
1	AP	62	A	N1-C6-N6	-14.11	110.13	118.60
25	BB	2654	A	N1-C6-N6	-14.11	110.13	118.60
25	BB	2059	A	N1-C6-N6	-14.11	110.13	118.60
3	A1	777	A	N1-C6-N6	-14.11	110.14	118.60
24	BA	101	A	C5-C6-N1	14.11	124.75	117.70
25	BB	689	A	N1-C6-N6	-14.11	110.14	118.60
25	BB	1088	A	C2-N3-C4	14.10	117.65	110.60
3	A1	91	U	O4'-C1'-N1	14.10	119.48	108.20
24	BA	27	C	N1-C2-O2	14.10	127.36	118.90
38	BO	81	ARG	NE-CZ-NH1	14.10	127.35	120.30
3	A1	1282	C	N3-C4-C5	14.10	127.54	121.90
25	BB	675	A	C5-C6-N1	14.10	124.75	117.70
3	A1	993	G	N1-C6-O6	-14.10	111.44	119.90
3	A1	1305	G	O4'-C1'-N9	14.09	119.47	108.20
25	BB	1679	A	C5-C6-N1	14.09	124.74	117.70
3	A1	815	A	N1-C6-N6	-14.08	110.15	118.60
25	BB	844	A	N1-C6-N6	-14.07	110.16	118.60
3	A1	1042	A	C5-C6-N1	14.07	124.74	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1469	A	N1-C6-N6	-14.07	110.16	118.60
20	AU	3	ARG	NE-CZ-NH1	14.06	127.33	120.30
25	BB	453	A	N1-C6-N6	-14.06	110.16	118.60
25	BB	1790	C	O4'-C1'-N1	14.06	119.45	108.20
3	A1	1204	A	N1-C6-N6	-14.06	110.17	118.60
25	BB	943	A	N1-C6-N6	-14.04	110.18	118.60
3	A1	327	A	C5-C6-N1	14.04	124.72	117.70
25	BB	2826	A	C5-C6-N1	14.04	124.72	117.70
3	A1	695	A	N1-C6-N6	-14.04	110.18	118.60
25	BB	71	A	N1-C6-N6	-14.03	110.18	118.60
1	AA	3	G	O4'-C1'-N9	14.02	119.42	108.20
25	BB	1420	A	O4'-C1'-N9	14.02	119.42	108.20
25	BB	960	A	C5-C6-N1	14.02	124.71	117.70
3	A1	382	A	N1-C6-N6	-14.02	110.19	118.60
3	A1	1529	G	C2-N3-C4	14.02	118.91	111.90
25	BB	2750	A	C4-C5-C6	-14.01	110.00	117.00
3	A1	1398	A	C5-C6-N1	14.01	124.70	117.70
25	BB	687	C	N1-C2-O2	14.01	127.30	118.90
25	BB	1133	A	N1-C6-N6	-14.01	110.20	118.60
3	A1	98	A	N1-C6-N6	-14.00	110.20	118.60
25	BB	1001	A	N1-C6-N6	-14.00	110.20	118.60
25	BB	2043	C	N3-C2-O2	-14.00	112.10	121.90
3	A1	189	A	O4'-C1'-N9	13.99	119.39	108.20
20	AU	69	ARG	NE-CZ-NH1	13.99	127.30	120.30
33	BJ	49	ARG	NE-CZ-NH2	13.99	127.30	120.30
25	BB	1535	A	N1-C6-N6	-13.99	110.20	118.60
25	BB	549	G	N3-C2-N2	-13.99	110.11	119.90
25	BB	2114	A	C4-C5-C6	-13.99	110.01	117.00
25	BB	892	A	C5-C6-N1	13.98	124.69	117.70
25	BB	2635	A	C5-C6-N1	13.98	124.69	117.70
24	BA	36	C	O4'-C1'-N1	13.98	119.39	108.20
25	BB	2757	A	N1-C6-N6	-13.98	110.21	118.60
4	AB	73	ARG	NE-CZ-NH1	13.98	127.29	120.30
48	BY	59	ARG	NE-CZ-NH1	13.98	127.29	120.30
8	AG	40	ARG	NE-CZ-NH1	13.97	127.28	120.30
24	BA	46	A	N1-C6-N6	-13.97	110.22	118.60
25	BB	1672	A	N1-C6-N6	-13.97	110.22	118.60
3	A1	77	A	N1-C6-N6	-13.97	110.22	118.60
3	A1	1035	A	N1-C6-N6	-13.96	110.22	118.60
25	BB	2288	A	C5-C6-N1	13.96	124.68	117.70
25	BB	2799	A	C5-C6-N1	13.96	124.68	117.70
9	AH	63	ARG	NE-CZ-NH1	13.96	127.28	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1809	A	N1-C6-N6	-13.96	110.22	118.60
25	BB	105	C	C2-N3-C4	-13.96	112.92	119.90
27	BD	78	ARG	NE-CZ-NH1	13.96	127.28	120.30
3	A1	1534	A	N1-C6-N6	-13.96	110.23	118.60
1	AE	64	A	C4-C5-C6	-13.95	110.02	117.00
25	BB	1161	C	N3-C4-N4	-13.94	108.24	118.00
25	BB	2610	C	N3-C4-C5	13.94	127.48	121.90
25	BB	1315	C	N3-C4-C5	13.94	127.47	121.90
30	BG	17	ARG	NE-CZ-NH1	13.93	127.27	120.30
35	BL	8	ARG	NE-CZ-NH2	-13.93	113.33	120.30
25	BB	1237	A	C4-C5-C6	-13.93	110.04	117.00
3	A1	975	A	C5-C6-N1	13.93	124.66	117.70
25	BB	340	A	C5-C6-N1	13.92	124.66	117.70
25	BB	2377	A	C4-C5-C6	-13.92	110.04	117.00
3	A1	1125	U	C1'-O4'-C4'	-13.92	98.77	109.90
1	AP	31	A	O4'-C1'-N9	13.91	119.33	108.20
25	BB	643	A	C5-C6-N1	13.91	124.66	117.70
25	BB	1535	A	C5-C6-N1	13.91	124.66	117.70
3	A1	787	A	C5-C6-N1	13.91	124.66	117.70
25	BB	735	A	C5-C6-N1	13.91	124.66	117.70
25	BB	2632	A	C2-N3-C4	13.91	117.56	110.60
3	A1	780	A	C4-C5-C6	-13.91	110.04	117.00
25	BB	418	C	N1-C2-O2	13.91	127.25	118.90
25	BB	149	A	N1-C6-N6	-13.90	110.26	118.60
25	BB	1893	C	N3-C4-C5	13.90	127.46	121.90
3	A1	143	A	N1-C6-N6	-13.90	110.26	118.60
25	BB	692	C	N3-C2-O2	-13.90	112.17	121.90
25	BB	1268	A	N1-C6-N6	-13.90	110.26	118.60
25	BB	1713	A	C5-C6-N1	13.90	124.65	117.70
25	BB	391	A	N1-C6-N6	-13.89	110.26	118.60
25	BB	2402	U	N3-C2-O2	-13.89	112.47	122.20
25	BB	2497	A	C5-C6-N1	13.89	124.65	117.70
25	BB	1169	A	N1-C6-N6	-13.89	110.27	118.60
25	BB	2340	A	N1-C6-N6	-13.89	110.27	118.60
33	BJ	63	ARG	NE-CZ-NH1	13.89	127.24	120.30
25	BB	1207	C	N3-C2-O2	-13.88	112.18	121.90
25	BB	1593	A	C5-C6-N1	13.88	124.64	117.70
3	A1	23	C	N3-C2-O2	-13.88	112.19	121.90
25	BB	975	A	N1-C6-N6	-13.88	110.28	118.60
3	A1	223	A	N1-C6-N6	-13.87	110.28	118.60
3	A1	1465	A	C5-C6-N1	13.87	124.64	117.70
3	A1	401	C	C6-N1-C2	-13.87	114.75	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	475	C	N3-C4-N4	-13.87	108.30	118.00
3	A1	1097	C	N3-C4-C5	13.86	127.44	121.90
3	A1	1287	A	N1-C6-N6	-13.86	110.28	118.60
3	A1	166	U	N3-C2-O2	-13.86	112.50	122.20
3	A1	969	A	C4-C5-C6	-13.85	110.07	117.00
48	BY	13	ARG	NE-CZ-NH1	13.85	127.23	120.30
3	A1	1012	A	C5-C6-N1	13.85	124.62	117.70
25	BB	1779	U	O4'-C1'-N1	13.85	119.28	108.20
25	BB	1322	A	N1-C6-N6	-13.84	110.30	118.60
25	BB	1899	A	N1-C6-N6	-13.84	110.30	118.60
25	BB	155	A	C5-C6-N1	13.83	124.62	117.70
25	BB	1924	C	N3-C4-C5	13.83	127.43	121.90
24	BA	70	C	N3-C4-C5	13.81	127.43	121.90
25	BB	2386	A	C5-C6-N1	13.81	124.61	117.70
22	AW	40	ARG	NE-CZ-NH1	13.81	127.21	120.30
25	BB	2483	C	N3-C2-O2	-13.81	112.23	121.90
25	BB	2670	A	C5-C6-N1	13.81	124.60	117.70
55	B6	116	ARG	NE-CZ-NH2	13.80	127.20	120.30
3	A1	1368	A	C4-C5-C6	-13.80	110.10	117.00
25	BB	272	A	C5-C6-N1	13.80	124.60	117.70
25	BB	1490	A	N1-C6-N6	-13.80	110.32	118.60
3	A1	1431	A	N1-C6-N6	-13.79	110.33	118.60
3	A1	250	A	C5-C6-N1	13.78	124.59	117.70
25	BB	1918	A	O4'-C1'-N9	13.78	119.22	108.20
25	BB	2558	C	N3-C2-O2	-13.78	112.26	121.90
25	BB	1272	A	C5-C6-N1	13.77	124.58	117.70
3	A1	964	A	N1-C6-N6	-13.76	110.34	118.60
25	BB	866	A	C4-C5-C6	-13.76	110.12	117.00
25	BB	1155	A	N1-C6-N6	-13.76	110.34	118.60
3	A1	44	A	C4-C5-C6	-13.75	110.12	117.00
24	BA	101	A	C4-C5-C6	-13.75	110.12	117.00
30	BG	30	ARG	NE-CZ-NH1	13.75	127.17	120.30
12	AK	72	ARG	NE-CZ-NH1	13.74	127.17	120.30
25	BB	971	G	N1-C6-O6	-13.74	111.66	119.90
25	BB	74	A	O4'-C1'-N9	13.73	119.19	108.20
18	AS	144	GLU	OE1-CD-OE2	-13.73	106.82	123.30
25	BB	556	A	N1-C6-N6	-13.73	110.36	118.60
25	BB	473	G	N1-C6-O6	-13.73	111.66	119.90
25	BB	1018	U	N3-C2-O2	-13.73	112.59	122.20
3	A1	764	C	C2-N3-C4	-13.72	113.04	119.90
3	A1	719	C	N3-C2-O2	-13.71	112.30	121.90
3	A1	1302	C	N3-C2-O2	-13.71	112.30	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2706	A	N1-C6-N6	-13.71	110.37	118.60
42	BS	59	ARG	NE-CZ-NH1	13.71	127.16	120.30
1	AP	23	A	C5-C6-N1	13.71	124.55	117.70
25	BB	2350	C	N3-C4-C5	13.71	127.38	121.90
25	BB	909	A	N1-C6-N6	-13.70	110.38	118.60
25	BB	1739	A	C5-C6-N1	13.70	124.55	117.70
1	AP	11	C	C6-N1-C2	-13.70	114.82	120.30
25	BB	1206	G	N1-C6-O6	-13.70	111.68	119.90
3	A1	82	G	N1-C6-O6	-13.70	111.68	119.90
25	BB	1387	A	C5-C6-N1	13.70	124.55	117.70
25	BB	1810	A	N1-C6-N6	-13.70	110.38	118.60
3	A1	640	A	C4-C5-C6	-13.70	110.15	117.00
3	A1	1227	A	N1-C6-N6	-13.69	110.38	118.60
41	BR	44	ARG	NE-CZ-NH1	13.69	127.15	120.30
25	BB	219	A	C4-C5-C6	-13.69	110.16	117.00
1	AA	24	G	N7-C8-N9	13.68	119.94	113.10
3	A1	1250	A	C5-C6-N6	13.68	134.64	123.70
25	BB	776	G	N1-C6-O6	-13.68	111.69	119.90
25	BB	1583	A	C5-C6-N1	13.68	124.54	117.70
3	A1	970	C	N3-C4-N4	-13.67	108.43	118.00
20	AU	73	GLU	OE1-CD-OE2	-13.67	106.90	123.30
3	A1	1377	A	N1-C6-N6	-13.66	110.40	118.60
25	BB	2635	A	C4-C5-C6	-13.66	110.17	117.00
25	BB	2245	U	O4'-C1'-N1	13.66	119.13	108.20
3	A1	728	A	N1-C6-N6	-13.65	110.41	118.60
22	AW	11	ARG	NE-CZ-NH2	13.65	127.12	120.30
3	A1	795	C	C6-N1-C2	-13.64	114.84	120.30
25	BB	2725	A	N1-C6-N6	-13.64	110.42	118.60
34	BK	23	GLU	OE1-CD-OE2	-13.63	106.94	123.30
1	AP	58	A	C5-C6-N1	13.63	124.52	117.70
25	BB	2144	G	C8-N9-C4	-13.63	100.95	106.40
45	BV	12	ARG	NE-CZ-NH2	13.63	127.11	120.30
3	A1	559	A	C5-C6-N1	13.62	124.51	117.70
25	BB	701	G	O4'-C1'-N9	13.62	119.10	108.20
25	BB	1307	A	N1-C6-N6	-13.62	110.43	118.60
25	BB	2730	C	N3-C2-O2	-13.62	112.37	121.90
3	A1	1271	A	N1-C6-N6	-13.61	110.43	118.60
17	AR	96	ARG	NE-CZ-NH1	13.61	127.11	120.30
25	BB	1196	C	N3-C4-N4	-13.61	108.47	118.00
1	AP	21	A	N1-C6-N6	-13.61	110.44	118.60
3	A1	356	A	N1-C6-N6	-13.61	110.44	118.60
25	BB	819	A	N1-C6-N6	-13.60	110.44	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	74	A	N1-C6-N6	-13.60	110.44	118.60
3	A1	1155	A	N1-C6-N6	-13.60	110.44	118.60
25	BB	2559	C	N3-C4-N4	-13.59	108.48	118.00
3	A1	383	A	N1-C6-N6	-13.59	110.45	118.60
25	BB	501	A	N1-C6-N6	-13.59	110.45	118.60
25	BB	685	A	C5-C6-N1	13.59	124.49	117.70
25	BB	44	A	N1-C6-N6	-13.58	110.45	118.60
3	A1	372	C	O4'-C1'-N1	13.56	119.05	108.20
25	BB	1274	A	N1-C6-N6	-13.56	110.46	118.60
3	A1	704	A	N1-C6-N6	-13.56	110.47	118.60
3	A1	1456	A	N1-C6-N6	-13.56	110.47	118.60
2	AM	13	U	N1-C2-N3	13.55	123.03	114.90
3	A1	1333	A	N1-C6-N6	-13.55	110.47	118.60
25	BB	1210	G	O4'-C1'-N9	13.55	119.04	108.20
3	A1	1229	A	O4'-C1'-N9	13.55	119.04	108.20
25	BB	699	A	N1-C6-N6	-13.54	110.47	118.60
3	A1	1418	A	C4-C5-N7	-13.54	103.93	110.70
25	BB	734	A	N1-C6-N6	-13.54	110.48	118.60
3	A1	376	G	O4'-C1'-N9	13.53	119.02	108.20
25	BB	645	C	N3-C4-C5	13.53	127.31	121.90
18	AS	28	ARG	NE-CZ-NH1	13.53	127.06	120.30
25	BB	1342	A	C5-C6-N1	13.52	124.46	117.70
19	AT	45	ARG	NE-CZ-NH1	13.52	127.06	120.30
1	AE	21	A	C5-C6-N1	13.52	124.46	117.70
3	A1	712	A	N1-C6-N6	-13.52	110.49	118.60
24	BA	78	A	N1-C6-N6	-13.52	110.49	118.60
25	BB	2335	A	N1-C6-N6	-13.52	110.49	118.60
3	A1	1152	A	C5-C6-N1	13.51	124.46	117.70
25	BB	907	G	N1-C6-O6	-13.51	111.79	119.90
1	AA	58	A	C5-C6-N1	13.51	124.45	117.70
25	BB	41	C	C2-N3-C4	-13.51	113.15	119.90
25	BB	1885	A	N1-C6-N6	-13.51	110.50	118.60
25	BB	900	A	N1-C6-N6	-13.50	110.50	118.60
25	BB	2499	C	O4'-C1'-N1	13.50	119.00	108.20
13	AL	77	ARG	NE-CZ-NH1	13.50	127.05	120.30
25	BB	2486	C	C5-C6-N1	-13.50	114.25	121.00
25	BB	2776	A	N1-C6-N6	-13.50	110.50	118.60
3	A1	1362	A	C5-C6-N1	13.50	124.45	117.70
3	A1	839	C	O4'-C1'-N1	13.50	119.00	108.20
25	BB	1067	A	N1-C6-N6	-13.49	110.50	118.60
25	BB	602	A	C4-C5-C6	-13.49	110.26	117.00
25	BB	1163	G	N3-C2-N2	-13.48	110.46	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2433	A	C5-C6-N1	13.48	124.44	117.70
25	BB	219	A	C5-C6-N1	13.48	124.44	117.70
25	BB	2335	A	C5-C6-N1	13.48	124.44	117.70
3	A1	496	A	C4-C5-C6	-13.48	110.26	117.00
25	BB	1144	A	N1-C6-N6	-13.47	110.52	118.60
25	BB	2663	G	O4'-C1'-N9	13.47	118.97	108.20
3	A1	600	A	C5-C6-N1	13.46	124.43	117.70
25	BB	1073	A	N1-C6-N6	-13.46	110.52	118.60
54	B5	102	ARG	NE-CZ-NH1	13.46	127.03	120.30
25	BB	1015	U	O4'-C1'-N1	13.45	118.96	108.20
3	A1	857	C	N3-C4-C5	13.45	127.28	121.90
3	A1	718	A	C5-C6-N1	13.44	124.42	117.70
25	BB	2108	A	C5-C6-N1	13.44	124.42	117.70
25	BB	94	A	N1-C6-N6	-13.44	110.54	118.60
9	AH	79	ARG	NE-CZ-NH2	13.43	127.02	120.30
25	BB	1669	A	N1-C6-N6	-13.43	110.54	118.60
25	BB	130	C	N3-C4-C5	13.43	127.27	121.90
1	AA	1	G	C5'-C4'-O4'	13.42	125.20	109.10
3	A1	701	U	N3-C2-O2	-13.42	112.81	122.20
25	BB	1549	A	C5-C6-N1	13.42	124.41	117.70
25	BB	1665	A	N1-C6-N6	-13.42	110.55	118.60
3	A1	984	C	N3-C2-O2	-13.42	112.51	121.90
25	BB	1728	C	N3-C4-N4	-13.41	108.61	118.00
25	BB	2775	G	N1-C6-O6	-13.41	111.85	119.90
25	BB	2827	C	O4'-C1'-N1	13.41	118.93	108.20
3	A1	1395	C	N3-C4-C5	13.40	127.26	121.90
25	BB	1552	A	N1-C6-N6	-13.40	110.56	118.60
3	A1	205	A	N1-C6-N6	-13.39	110.56	118.60
25	BB	1870	C	N3-C4-C5	13.39	127.26	121.90
25	BB	2749	A	N1-C6-N6	-13.39	110.56	118.60
25	BB	270	A	N1-C6-N6	-13.39	110.56	118.60
54	B5	64	ARG	NE-CZ-NH2	13.39	127.00	120.30
3	A1	495	A	N1-C6-N6	-13.39	110.57	118.60
25	BB	1126	A	N1-C6-N6	-13.39	110.57	118.60
25	BB	2157	G	N1-C6-O6	-13.38	111.87	119.90
25	BB	2421	G	N1-C6-O6	-13.38	111.87	119.90
3	A1	230	G	N1-C6-O6	-13.38	111.87	119.90
25	BB	2065	C	N3-C4-C5	13.38	127.25	121.90
1	AE	70	C	N3-C2-O2	-13.38	112.54	121.90
25	BB	492	A	C4-C5-C6	-13.37	110.31	117.00
24	BA	62	C	C2-N3-C4	-13.37	113.21	119.90
3	A1	1306	A	N1-C6-N6	-13.37	110.58	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1502	A	N1-C6-N6	-13.37	110.58	118.60
9	AH	16	ARG	NE-CZ-NH2	13.37	126.98	120.30
55	B6	120	ARG	NE-CZ-NH1	13.36	126.98	120.30
3	A1	1081	A	C5-C6-N1	13.36	124.38	117.70
25	BB	233	A	C5-C6-N1	13.36	124.38	117.70
25	BB	882	G	N1-C6-O6	-13.35	111.89	119.90
3	A1	382	A	C5-C6-N1	13.35	124.37	117.70
25	BB	2319	G	O4'-C1'-N9	13.35	118.88	108.20
25	BB	2890	G	N1-C6-O6	-13.35	111.89	119.90
3	A1	702	A	N1-C6-N6	-13.34	110.59	118.60
25	BB	505	A	N1-C6-N6	-13.34	110.59	118.60
25	BB	1770	G	N1-C6-O6	-13.34	111.89	119.90
3	A1	844	G	N1-C6-O6	-13.34	111.90	119.90
3	A1	1316	G	N1-C6-O6	-13.34	111.90	119.90
3	A1	1274	A	C5-C6-N1	13.34	124.37	117.70
25	BB	649	G	N1-C6-O6	-13.34	111.90	119.90
25	BB	1067	A	C5-C6-N1	13.34	124.37	117.70
3	A1	922	G	C8-N9-C4	-13.32	101.07	106.40
3	A1	50	A	C5-C6-N1	13.32	124.36	117.70
25	BB	1871	A	C4-C5-C6	-13.32	110.34	117.00
3	A1	1286	U	O4'-C1'-N1	13.31	118.85	108.20
3	A1	1342	C	N3-C4-C5	13.31	127.22	121.90
3	A1	960	U	O4'-C1'-N1	13.31	118.85	108.20
3	A1	1236	A	N1-C6-N6	-13.31	110.61	118.60
25	BB	49	A	C5-C6-N1	13.31	124.36	117.70
25	BB	1914	C	O4'-C1'-N1	13.31	118.85	108.20
25	BB	1699	G	O4'-C1'-N9	13.30	118.84	108.20
25	BB	2726	A	O4'-C1'-N9	13.31	118.84	108.20
1	AP	61	C	N3-C4-C5	13.30	127.22	121.90
25	BB	920	A	N1-C6-N6	-13.30	110.62	118.60
17	AR	72	ARG	NE-CZ-NH1	13.29	126.95	120.30
3	A1	1397	C	N3-C2-O2	-13.29	112.60	121.90
3	A1	579	A	N1-C6-N6	-13.29	110.63	118.60
3	A1	914	A	C5-C6-N1	13.29	124.34	117.70
25	BB	602	A	N1-C6-N6	-13.29	110.63	118.60
25	BB	2110	G	N9-C4-C5	13.29	110.71	105.40
25	BB	1522	A	C5-C6-N1	13.28	124.34	117.70
3	A1	915	A	N1-C6-N6	-13.28	110.63	118.60
41	BR	29	ARG	NE-CZ-NH1	13.28	126.94	120.30
25	BB	1355	G	N3-C2-N2	-13.28	110.61	119.90
25	BB	797	G	N1-C6-O6	-13.27	111.94	119.90
3	A1	1005	A	N1-C6-N6	-13.27	110.64	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1342	C	N3-C2-O2	-13.27	112.61	121.90
25	BB	792	A	C5-C6-N1	13.27	124.33	117.70
3	A1	270	A	N1-C6-N6	-13.26	110.64	118.60
3	A1	482	A	C5-C6-N1	13.26	124.33	117.70
3	A1	1513	A	C5-C6-N1	13.26	124.33	117.70
25	BB	970	U	O4'-C1'-N1	13.26	118.81	108.20
3	A1	533	A	C4-C5-C6	-13.26	110.37	117.00
3	A1	766	A	N1-C6-N6	-13.25	110.65	118.60
3	A1	987	G	C6-C5-N7	13.24	138.34	130.40
25	BB	1213	A	C5-C6-N1	13.24	124.32	117.70
8	AG	74	ARG	NE-CZ-NH2	13.24	126.92	120.30
25	BB	725	G	N1-C6-O6	-13.23	111.96	119.90
25	BB	2095	A	N1-C6-N6	-13.23	110.66	118.60
3	A1	448	A	N1-C6-N6	-13.23	110.66	118.60
3	A1	779	C	N3-C2-O2	-13.23	112.64	121.90
3	A1	51	A	C5-C6-N1	13.23	124.31	117.70
3	A1	257	G	N3-C2-N2	-13.22	110.64	119.90
25	BB	863	A	C5-C6-N1	13.22	124.31	117.70
3	A1	974	A	C5-C6-N1	13.22	124.31	117.70
25	BB	1006	C	N3-C2-O2	-13.22	112.65	121.90
55	B6	98	GLU	OE1-CD-OE2	-13.21	107.44	123.30
3	A1	628	G	N1-C6-O6	-13.21	111.97	119.90
25	BB	1319	C	N3-C2-O2	-13.21	112.66	121.90
25	BB	1508	A	C5-C6-N6	13.21	134.27	123.70
3	A1	139	A	N1-C6-N6	-13.21	110.68	118.60
25	BB	475	C	N3-C2-O2	-13.20	112.66	121.90
3	A1	139	A	C5-C6-N1	13.20	124.30	117.70
25	BB	1774	C	N1-C2-O2	13.20	126.82	118.90
25	BB	2524	G	N1-C6-O6	-13.20	111.98	119.90
25	BB	833	A	N1-C6-N6	-13.20	110.68	118.60
3	A1	478	A	C5-C6-N1	13.19	124.30	117.70
3	A1	906	A	C5-C6-N1	13.19	124.30	117.70
3	A1	1239	A	C5-C6-N1	13.18	124.29	117.70
1	AA	4	G	N1-C2-N3	13.18	131.81	123.90
3	A1	993	G	O4'-C1'-N9	13.18	118.74	108.20
3	A1	1513	A	N1-C6-N6	-13.18	110.69	118.60
37	BN	34	GLU	OE1-CD-OE2	-13.18	107.48	123.30
3	A1	1197	A	C5-C6-N1	13.17	124.28	117.70
25	BB	691	C	N3-C4-N4	-13.17	108.78	118.00
25	BB	1635	A	N1-C6-N6	-13.17	110.70	118.60
3	A1	7	A	N1-C6-N6	-13.17	110.70	118.60
25	BB	476	G	C6-C5-N7	13.16	138.30	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	86	G	O4'-C1'-N9	13.16	118.73	108.20
3	A1	866	C	O4'-C1'-N1	13.16	118.72	108.20
25	BB	2825	G	N3-C2-N2	-13.15	110.69	119.90
3	A1	860	A	N1-C6-N6	-13.15	110.71	118.60
25	BB	1941	C	N1-C2-O2	13.14	126.79	118.90
3	A1	1396	A	C5-C6-N1	13.14	124.27	117.70
25	BB	418	C	N3-C2-O2	-13.14	112.70	121.90
25	BB	984	A	N1-C6-N6	-13.14	110.72	118.60
3	A1	794	A	N1-C6-N6	-13.14	110.72	118.60
3	A1	66	A	N1-C6-N6	-13.13	110.72	118.60
25	BB	1014	A	N1-C6-N6	-13.13	110.72	118.60
25	BB	1738	G	N1-C6-O6	-13.13	112.02	119.90
25	BB	324	A	C5-C6-N1	13.12	124.26	117.70
25	BB	881	G	N3-C2-N2	-13.12	110.72	119.90
25	BB	2110	G	C4-C5-N7	-13.12	105.55	110.80
25	BB	1070	A	N1-C6-N6	-13.12	110.73	118.60
4	AB	224	ARG	NE-CZ-NH2	13.12	126.86	120.30
25	BB	1048	A	N1-C6-N6	-13.11	110.73	118.60
3	A1	1225	A	C5-C6-N1	13.11	124.25	117.70
3	A1	33	A	N1-C6-N6	-13.11	110.73	118.60
25	BB	775	G	O4'-C1'-N9	13.11	118.68	108.20
3	A1	539	A	C5-C6-N1	13.10	124.25	117.70
25	BB	2534	A	N1-C6-N6	-13.10	110.74	118.60
3	A1	738	C	N3-C4-C5	13.09	127.14	121.90
3	A1	795	C	N3-C4-N4	-13.09	108.84	118.00
25	BB	325	G	N1-C6-O6	-13.09	112.04	119.90
25	BB	447	A	N1-C6-N6	-13.09	110.75	118.60
25	BB	532	A	N1-C6-N6	-13.09	110.75	118.60
25	BB	1571	A	N1-C6-N6	-13.09	110.75	118.60
3	A1	1188	A	C5-C6-N1	13.08	124.24	117.70
25	BB	278	A	N1-C6-N6	-13.08	110.75	118.60
1	AA	23	A	N1-C6-N6	-13.08	110.75	118.60
1	AE	19	G	C6-C5-N7	13.08	138.25	130.40
3	A1	564	C	N3-C2-O2	-13.08	112.74	121.90
28	BE	48	ARG	NE-CZ-NH1	13.08	126.84	120.30
3	A1	519	C	N3-C2-O2	-13.08	112.75	121.90
3	A1	1302	C	C2-N3-C4	-13.07	113.36	119.90
3	A1	122	G	N3-C2-N2	-13.07	110.75	119.90
3	A1	363	A	N1-C6-N6	-13.07	110.76	118.60
3	A1	490	C	N3-C2-O2	-13.07	112.75	121.90
25	BB	727	A	C5-C6-N1	13.07	124.24	117.70
25	BB	1650	A	C4-C5-C6	-13.07	110.47	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1498	C	N3-C2-O2	-13.07	112.75	121.90
25	BB	1413	A	N1-C6-N6	-13.06	110.76	118.60
25	BB	2145	C	N3-C4-C5	13.06	127.12	121.90
3	A1	648	A	N1-C6-N6	-13.06	110.76	118.60
25	BB	1587	G	N1-C6-O6	-13.06	112.06	119.90
25	BB	2785	C	N3-C4-C5	13.06	127.12	121.90
1	AA	25	C	N3-C2-O2	-13.06	112.76	121.90
25	BB	523	C	N3-C4-N4	-13.06	108.86	118.00
51	B2	114	ARG	NE-CZ-NH1	13.06	126.83	120.30
3	A1	805	C	N3-C2-O2	-13.05	112.76	121.90
25	BB	354	A	C4-C5-C6	-13.05	110.47	117.00
3	A1	1254	A	C4-C5-C6	-13.05	110.47	117.00
3	A1	1340	A	OP1-P-OP2	-13.05	100.02	119.60
25	BB	1590	A	N1-C6-N6	-13.05	110.77	118.60
39	BP	76	ARG	NE-CZ-NH1	13.05	126.83	120.30
3	A1	1081	A	C4-C5-C6	-13.05	110.47	117.00
3	A1	530	G	C5-C6-N1	13.05	118.02	111.50
1	AA	64	A	C4-C5-C6	-13.05	110.48	117.00
25	BB	1383	A	C4-C5-C6	-13.04	110.48	117.00
25	BB	2753	A	C5-C6-N1	13.04	124.22	117.70
25	BB	388	G	N1-C6-O6	-13.03	112.08	119.90
24	BA	34	A	N1-C6-N6	-13.02	110.79	118.60
25	BB	2333	A	C5-C6-N1	13.02	124.21	117.70
25	BB	944	C	N3-C4-C5	13.02	127.11	121.90
3	A1	173	U	O4'-C1'-N1	13.01	118.61	108.20
25	BB	683	U	O4'-C1'-N1	13.01	118.60	108.20
25	BB	905	A	C5-C6-N1	13.00	124.20	117.70
1	AP	21	A	C5-C6-N1	13.00	124.20	117.70
3	A1	600	A	N1-C6-N6	-13.00	110.80	118.60
3	A1	159	G	N3-C2-N2	-13.00	110.80	119.90
25	BB	2501	C	N1-C2-O2	13.00	126.70	118.90
3	A1	1176	A	N1-C6-N6	-13.00	110.80	118.60
25	BB	637	A	C5-C6-N1	13.00	124.20	117.70
25	BB	2042	A	N1-C6-N6	-13.00	110.80	118.60
3	A1	1401	G	N1-C6-O6	-12.99	112.10	119.90
25	BB	1886	U	O4'-C1'-N1	12.99	118.59	108.20
25	BB	2064	C	N3-C2-O2	-12.99	112.81	121.90
25	BB	2267	A	C5-C6-N1	12.99	124.20	117.70
25	BB	655	A	C6-C5-N7	12.99	141.39	132.30
25	BB	423	A	C5-C6-N1	12.99	124.19	117.70
25	BB	1544	A	C5-C6-N1	12.99	124.19	117.70
3	A1	342	C	N3-C4-N4	-12.98	108.91	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	672	U	O4'-C1'-N1	12.98	118.59	108.20
25	BB	352	A	C5-C6-N1	12.98	124.19	117.70
3	A1	994	A	N1-C6-N6	-12.98	110.81	118.60
25	BB	66	C	O4'-C1'-N1	12.98	118.58	108.20
3	A1	396	C	O4'-C1'-N1	12.97	118.58	108.20
25	BB	2013	A	N1-C6-N6	-12.97	110.82	118.60
3	A1	393	A	N1-C6-N6	-12.97	110.82	118.60
3	A1	787	A	C4-C5-C6	-12.97	110.52	117.00
25	BB	1718	G	N9-C4-C5	12.96	110.58	105.40
25	BB	1593	A	C4-C5-C6	-12.96	110.52	117.00
3	A1	1403	C	N3-C2-O2	-12.96	112.83	121.90
25	BB	1153	C	O4'-C1'-N1	12.96	118.56	108.20
25	BB	2774	C	N3-C4-C5	12.95	127.08	121.90
45	BV	39	ARG	NE-CZ-NH1	12.96	126.78	120.30
3	A1	1058	G	O4'-C1'-N9	12.95	118.56	108.20
3	A1	899	C	N3-C2-O2	-12.95	112.84	121.90
3	A1	1375	A	N1-C6-N6	-12.95	110.83	118.60
25	BB	1969	A	N1-C6-N6	-12.95	110.83	118.60
3	A1	679	C	N3-C2-O2	-12.94	112.84	121.90
20	AU	110	ARG	NE-CZ-NH1	12.94	126.77	120.30
3	A1	978	A	C5-C6-N1	12.93	124.17	117.70
3	A1	1128	C	N3-C2-O2	-12.93	112.85	121.90
25	BB	1548	A	N1-C6-N6	-12.93	110.84	118.60
1	AA	61	C	N3-C2-O2	-12.93	112.85	121.90
25	BB	346	A	O4'-C1'-N9	12.93	118.54	108.20
3	A1	363	A	O4'-C1'-N9	12.93	118.54	108.20
25	BB	2799	A	C4-C5-C6	-12.93	110.54	117.00
25	BB	1655	A	N1-C6-N6	-12.92	110.85	118.60
3	A1	704	A	C5-C6-N1	12.92	124.16	117.70
25	BB	1321	A	C5-C6-N1	12.92	124.16	117.70
22	AW	121	ARG	NE-CZ-NH1	12.92	126.76	120.30
25	BB	1998	A	C5-C6-N1	12.92	124.16	117.70
3	A1	279	A	C4-C5-C6	-12.91	110.55	117.00
3	A1	197	A	N1-C6-N6	-12.91	110.85	118.60
25	BB	991	C	OP1-P-OP2	-12.91	100.24	119.60
3	A1	611	C	C6-N1-C2	-12.91	115.14	120.30
27	BD	71	ARG	NE-CZ-NH1	12.91	126.75	120.30
29	BF	59	ARG	NE-CZ-NH1	12.90	126.75	120.30
3	A1	554	A	N1-C6-N6	-12.90	110.86	118.60
3	A1	713	G	N1-C2-N2	-12.90	104.59	116.20
25	BB	1958	C	N3-C2-O2	-12.90	112.87	121.90
3	A1	918	A	N1-C6-N6	-12.89	110.86	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1821	A	C4-C5-C6	-12.89	110.55	117.00
3	A1	536	C	N3-C4-N4	-12.89	108.98	118.00
24	BA	68	C	N3-C4-C5	12.89	127.06	121.90
3	A1	106	C	N3-C2-O2	-12.88	112.88	121.90
3	A1	940	C	N3-C4-C5	12.88	127.05	121.90
3	A1	1418	A	C2-N3-C4	12.88	117.04	110.60
25	BB	844	A	C5-C6-N1	12.88	124.14	117.70
25	BB	1378	A	O4'-C1'-N9	12.88	118.51	108.20
25	BB	1987	A	C5-C6-N1	12.88	124.14	117.70
25	BB	2023	C	C2-N3-C4	-12.88	113.46	119.90
3	A1	1112	C	N3-C4-C5	12.88	127.05	121.90
3	A1	195	A	N1-C6-N6	-12.88	110.87	118.60
3	A1	470	C	N3-C2-O2	-12.88	112.88	121.90
25	BB	241	A	N1-C6-N6	-12.88	110.87	118.60
25	BB	1196	C	N3-C4-C5	12.88	127.05	121.90
25	BB	682	G	N1-C6-O6	-12.87	112.18	119.90
3	A1	169	C	O4'-C1'-N1	12.87	118.49	108.20
25	BB	535	G	N3-C2-N2	-12.86	110.89	119.90
25	BB	1866	A	C4-C5-C6	-12.87	110.57	117.00
6	AD	53	ARG	NH1-CZ-NH2	-12.86	105.25	119.40
25	BB	2055	C	N1-C2-O2	12.86	126.62	118.90
25	BB	1609	A	N1-C6-N6	-12.86	110.88	118.60
25	BB	1639	C	C2-N3-C4	-12.86	113.47	119.90
25	BB	1838	C	N3-C2-O2	-12.86	112.90	121.90
1	AP	23	A	C4-C5-C6	-12.86	110.57	117.00
3	A1	503	C	N3-C4-C5	12.86	127.04	121.90
25	BB	2518	A	N1-C6-N6	-12.86	110.89	118.60
25	BB	1067	A	C5-N7-C8	-12.85	97.47	103.90
25	BB	1746	A	C4-C5-C6	-12.85	110.57	117.00
3	A1	8	A	N1-C6-N6	-12.85	110.89	118.60
3	A1	651	C	N3-C2-O2	-12.85	112.91	121.90
25	BB	226	A	C5-C6-N1	12.85	124.12	117.70
3	A1	767	A	N1-C6-N6	-12.84	110.89	118.60
25	BB	2113	U	C2-N3-C4	-12.84	119.29	127.00
25	BB	2497	A	N1-C6-N6	-12.84	110.89	118.60
3	A1	1430	A	N1-C6-N6	-12.84	110.90	118.60
25	BB	1969	A	C5-C6-N1	12.84	124.12	117.70
3	A1	386	C	N3-C4-C5	12.83	127.03	121.90
25	BB	244	A	N1-C6-N6	-12.83	110.90	118.60
25	BB	2806	C	N3-C4-C5	12.82	127.03	121.90
25	BB	802	A	C4-C5-C6	-12.82	110.59	117.00
34	BK	80	ARG	NE-CZ-NH1	-12.82	113.89	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	830	G	O4'-C1'-N9	12.81	118.45	108.20
3	A1	926	G	C5-C6-N1	12.80	117.90	111.50
25	BB	2108	A	C4-C5-C6	-12.80	110.60	117.00
25	BB	454	A	N1-C6-N6	-12.80	110.92	118.60
25	BB	1925	C	C6-N1-C2	-12.80	115.18	120.30
24	BA	45	A	N1-C6-N6	-12.80	110.92	118.60
52	B3	94	ARG	NE-CZ-NH1	12.80	126.70	120.30
25	BB	362	A	C5-C6-N1	12.79	124.10	117.70
25	BB	1030	C	N3-C4-C5	12.79	127.02	121.90
25	BB	2503	A	N1-C6-N6	-12.79	110.93	118.60
24	BA	3	C	N3-C4-N4	-12.79	109.05	118.00
25	BB	925	A	N1-C6-N6	-12.79	110.93	118.60
25	BB	1176	U	O4'-C1'-N1	12.79	118.43	108.20
3	A1	640	A	C5-C6-N1	12.79	124.09	117.70
25	BB	287	G	N1-C6-O6	-12.78	112.23	119.90
25	BB	448	U	N3-C2-O2	-12.78	113.25	122.20
25	BB	1960	A	N1-C6-N6	-12.78	110.93	118.60
25	BB	426	C	N3-C4-C5	12.78	127.01	121.90
25	BB	2037	A	N1-C6-N6	-12.78	110.93	118.60
25	BB	471	A	N1-C6-N6	-12.78	110.94	118.60
25	BB	2478	A	N1-C6-N6	-12.78	110.94	118.60
25	BB	2346	A	N1-C6-N6	-12.77	110.94	118.60
25	BB	2809	A	C5-C6-N1	12.77	124.09	117.70
1	AA	65	G	C6-N1-C2	-12.77	117.44	125.10
3	A1	1465	A	N1-C6-N6	-12.77	110.94	118.60
3	A1	270	A	O4'-C1'-N9	12.77	118.41	108.20
31	BH	9	ARG	NE-CZ-NH1	12.76	126.68	120.30
25	BB	1889	A	N1-C6-N6	-12.76	110.95	118.60
25	BB	1936	A	C5-C6-N1	12.76	124.08	117.70
25	BB	1419	A	N1-C6-N6	-12.75	110.95	118.60
3	A1	391	G	N3-C2-N2	-12.75	110.97	119.90
25	BB	1802	A	C5-C6-N1	12.75	124.07	117.70
37	BN	62	ARG	NE-CZ-NH2	12.75	126.67	120.30
1	AE	67	A	N1-C6-N6	-12.75	110.95	118.60
3	A1	1375	A	C5-C6-N1	12.75	124.07	117.70
24	BA	62	C	N3-C2-O2	-12.75	112.98	121.90
28	BE	132	ARG	NE-CZ-NH2	12.75	126.67	120.30
25	BB	1045	C	N3-C2-O2	-12.74	112.98	121.90
3	A1	1094	G	N1-C6-O6	-12.74	112.26	119.90
3	A1	872	A	C4-C5-C6	-12.74	110.63	117.00
1	AE	35	A	N1-C6-N6	-12.73	110.96	118.60
3	A1	744	C	N3-C4-C5	12.73	126.99	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1151	A	C5-C6-N1	12.73	124.07	117.70
25	BB	1676	A	N1-C6-N6	-12.72	110.97	118.60
3	A1	1369	C	C6-N1-C2	-12.72	115.21	120.30
25	BB	821	A	N1-C6-N6	-12.71	110.97	118.60
25	BB	2893	A	C5-C6-N1	12.71	124.06	117.70
25	BB	837	C	N1-C2-O2	12.71	126.52	118.90
25	BB	699	A	C5-C6-N1	12.71	124.05	117.70
3	A1	907	A	N1-C6-N6	-12.70	110.98	118.60
3	A1	1397	C	N1-C2-N3	12.70	128.09	119.20
25	BB	1591	A	N1-C6-N6	-12.70	110.98	118.60
25	BB	1517	G	N3-C2-N2	-12.70	111.01	119.90
25	BB	1557	C	N3-C4-C5	12.70	126.98	121.90
25	BB	508	A	C4-C5-C6	-12.70	110.65	117.00
25	BB	362	A	N1-C6-N6	-12.69	110.98	118.60
25	BB	529	A	N1-C6-N6	-12.69	110.98	118.60
25	BB	1640	A	C5-C6-N1	12.69	124.05	117.70
25	BB	1877	A	C5-C6-N1	12.69	124.04	117.70
25	BB	2572	A	C5-C6-N1	12.69	124.05	117.70
25	BB	492	A	N1-C6-N6	-12.69	110.99	118.60
25	BB	616	A	N1-C6-N6	-12.69	110.99	118.60
25	BB	626	A	N1-C6-N6	-12.69	110.99	118.60
3	A1	640	A	N1-C2-N3	-12.68	122.96	129.30
25	BB	103	A	C5-C6-N1	12.68	124.04	117.70
3	A1	872	A	C5-C6-N1	12.68	124.04	117.70
3	A1	1368	A	C5-C6-N1	12.68	124.04	117.70
25	BB	1594	U	C5-C4-O4	12.68	133.51	125.90
25	BB	1977	A	N1-C6-N6	-12.68	110.99	118.60
25	BB	32	C	N3-C2-O2	-12.68	113.03	121.90
25	BB	918	A	C5-C6-N1	12.68	124.04	117.70
25	BB	1626	A	O4'-C1'-N9	12.68	118.34	108.20
25	BB	2144	G	N9-C4-C5	12.67	110.47	105.40
25	BB	274	C	N3-C4-C5	12.67	126.97	121.90
25	BB	2469	A	C4-C5-C6	-12.67	110.67	117.00
25	BB	2380	C	N3-C4-N4	-12.67	109.13	118.00
3	A1	33	A	C5-C6-N1	12.66	124.03	117.70
25	BB	503	A	N1-C6-N6	-12.66	111.00	118.60
25	BB	1084	A	C5-C6-N1	12.66	124.03	117.70
25	BB	2386	A	C4-C5-C6	-12.66	110.67	117.00
25	BB	2602	A	C5-C6-N1	12.66	124.03	117.70
45	BV	3	ARG	NE-CZ-NH2	-12.66	113.97	120.30
25	BB	404	A	N1-C6-N6	-12.66	111.00	118.60
25	BB	672	C	N3-C2-O2	-12.66	113.04	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	BI	20	ARG	NE-CZ-NH2	12.66	126.63	120.30
3	A1	1397	C	C6-N1-C2	-12.65	115.24	120.30
25	BB	1156	A	N1-C6-N6	-12.65	111.01	118.60
24	BA	113	C	N3-C4-C5	12.65	126.96	121.90
25	BB	335	C	N3-C2-O2	-12.65	113.05	121.90
25	BB	550	C	N3-C2-O2	-12.64	113.05	121.90
25	BB	2702	G	O4'-C1'-N9	12.64	118.31	108.20
25	BB	2895	G	N1-C6-O6	-12.64	112.32	119.90
25	BB	1789	A	C5-C6-N1	12.64	124.02	117.70
25	BB	1774	C	N3-C2-O2	-12.63	113.06	121.90
3	A1	967	C	C2-N3-C4	-12.63	113.59	119.90
25	BB	944	C	C2-N3-C4	-12.63	113.59	119.90
3	A1	1178	G	N1-C6-O6	-12.62	112.33	119.90
25	BB	1384	A	C5-N7-C8	-12.62	97.59	103.90
3	A1	815	A	C5-C6-N1	12.62	124.01	117.70
3	A1	908	A	C5-C6-N1	12.61	124.01	117.70
25	BB	1646	C	N3-C4-C5	12.61	126.94	121.90
1	AP	14	A	N1-C6-N6	-12.60	111.04	118.60
25	BB	320	A	N1-C6-N6	-12.60	111.04	118.60
1	AP	43	G	N9-C4-C5	12.60	110.44	105.40
24	BA	63	C	C6-N1-C2	-12.60	115.26	120.30
25	BB	2566	A	N1-C6-N6	-12.60	111.04	118.60
1	AP	31	A	N1-C6-N6	-12.60	111.04	118.60
3	A1	117	G	N3-C2-N2	-12.60	111.08	119.90
25	BB	1143	A	C5-C6-N1	12.60	124.00	117.70
3	A1	129	A	C5-C6-N1	12.59	124.00	117.70
25	BB	2800	A	N1-C6-N6	-12.59	111.05	118.60
25	BB	957	C	N3-C2-O2	-12.59	113.09	121.90
25	BB	990	A	N1-C6-N6	-12.59	111.05	118.60
25	BB	1667	G	N1-C6-O6	-12.59	112.35	119.90
3	A1	857	C	N3-C4-N4	-12.58	109.19	118.00
25	BB	641	U	N3-C2-O2	-12.58	113.39	122.20
25	BB	1961	C	N3-C4-C5	12.58	126.93	121.90
3	A1	807	A	C4-C5-C6	-12.58	110.71	117.00
25	BB	1287	A	N1-C6-N6	-12.58	111.05	118.60
25	BB	2366	A	N1-C6-N6	-12.58	111.05	118.60
25	BB	353	C	N3-C4-C5	12.57	126.93	121.90
25	BB	2711	A	C5-C6-N1	12.56	123.98	117.70
3	A1	1342	C	C2-N3-C4	-12.56	113.62	119.90
25	BB	20	C	C2-N3-C4	-12.56	113.62	119.90
25	BB	541	A	N1-C6-N6	-12.56	111.06	118.60
25	BB	1096	A	C4-C5-C6	-12.56	110.72	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1978	A	N1-C6-N6	-12.56	111.07	118.60
6	AD	109	ARG	NE-CZ-NH2	12.55	126.58	120.30
25	BB	2654	A	C5-C6-N1	12.55	123.98	117.70
1	AA	27	C	C2-N3-C4	-12.55	113.62	119.90
25	BB	2101	A	C4-C5-C6	-12.55	110.72	117.00
25	BB	2049	G	C5-C6-N1	12.55	117.77	111.50
25	BB	2484	G	N1-C6-O6	-12.54	112.37	119.90
9	AH	88	ARG	NE-CZ-NH1	12.54	126.57	120.30
3	A1	115	G	C1'-O4'-C4'	-12.54	99.87	109.90
3	A1	1317	C	N3-C4-C5	12.54	126.92	121.90
3	A1	629	A	N1-C6-N6	-12.54	111.08	118.60
25	BB	2590	A	N1-C6-N6	-12.54	111.08	118.60
25	BB	2682	A	C5-C6-N1	12.54	123.97	117.70
3	A1	1011	C	N3-C2-O2	-12.53	113.13	121.90
25	BB	1656	C	C2-N3-C4	-12.53	113.64	119.90
20	AU	52	ARG	NE-CZ-NH1	12.53	126.56	120.30
25	BB	236	C	N3-C2-O2	-12.53	113.13	121.90
3	A1	1379	G	O4'-C1'-N9	12.52	118.22	108.20
25	BB	1459	G	N9-C4-C5	12.52	110.41	105.40
1	AP	5	A	N1-C6-N6	-12.52	111.09	118.60
3	A1	1404	C	N3-C4-N4	-12.52	109.24	118.00
25	BB	466	A	C5-C6-N1	12.52	123.96	117.70
25	BB	2090	A	N1-C6-N6	-12.52	111.09	118.60
25	BB	1555	G	N1-C6-O6	-12.51	112.39	119.90
25	BB	6	A	N1-C6-N6	-12.51	111.09	118.60
25	BB	1806	C	N3-C4-C5	12.51	126.90	121.90
23	AX	31	ARG	NE-CZ-NH1	12.51	126.55	120.30
25	BB	2205	A	C4-C5-C6	-12.51	110.75	117.00
25	BB	2247	A	C5-C6-N1	12.50	123.95	117.70
26	BC	19	ARG	NE-CZ-NH1	12.50	126.55	120.30
31	BH	25	ARG	NE-CZ-NH1	12.50	126.55	120.30
49	BZ	105	ARG	NE-CZ-NH1	12.50	126.55	120.30
3	A1	1482	G	N3-C4-C5	-12.50	122.35	128.60
3	A1	1004	A	C4-C5-C6	-12.50	110.75	117.00
25	BB	599	A	O4'-C1'-N9	12.50	118.20	108.20
1	AE	31	A	C5-C6-N1	12.49	123.95	117.70
3	A1	889	A	N1-C6-N6	-12.49	111.11	118.60
24	BA	60	C	N3-C4-C5	12.49	126.90	121.90
5	AC	68	ARG	NE-CZ-NH1	12.49	126.54	120.30
25	BB	2598	A	N1-C6-N6	-12.49	111.11	118.60
1	AE	74	C	N3-C4-N4	-12.48	109.26	118.00
3	A1	519	C	C2-N3-C4	-12.48	113.66	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1265	C	N3-C4-C5	12.48	126.89	121.90
3	A1	1141	C	N3-C4-C5	12.48	126.89	121.90
25	BB	631	A	C4-C5-C6	-12.48	110.76	117.00
3	A1	267	C	N3-C4-C5	12.48	126.89	121.90
25	BB	1098	A	N1-C6-N6	-12.48	111.11	118.60
25	BB	1261	C	N3-C2-O2	-12.48	113.17	121.90
25	BB	240	C	C6-N1-C2	-12.47	115.31	120.30
25	BB	7	G	O4'-C1'-N9	12.47	118.18	108.20
3	A1	462	G	O4'-C1'-N9	12.47	118.17	108.20
1	AP	25	C	N3-C4-N4	-12.46	109.28	118.00
25	BB	1040	A	N1-C6-N6	-12.46	111.12	118.60
3	A1	1502	A	N1-C6-N6	-12.46	111.12	118.60
3	A1	607	A	C5-C6-N1	12.46	123.93	117.70
17	AR	69	ARG	NE-CZ-NH1	12.46	126.53	120.30
3	A1	547	A	C4-C5-C6	-12.45	110.77	117.00
25	BB	910	A	N1-C6-N6	-12.45	111.13	118.60
25	BB	1739	A	N1-C6-N6	-12.45	111.13	118.60
3	A1	28	A	N1-C6-N6	-12.45	111.13	118.60
3	A1	197	A	C4-C5-C6	-12.45	110.78	117.00
25	BB	305	C	N3-C2-O2	-12.45	113.19	121.90
3	A1	581	G	N1-C6-O6	-12.44	112.43	119.90
25	BB	1086	A	C5-C6-N1	12.44	123.92	117.70
25	BB	2019	A	N1-C6-N6	-12.44	111.14	118.60
25	BB	2037	A	C5-C6-N1	12.44	123.92	117.70
25	BB	63	A	N1-C6-N6	-12.44	111.14	118.60
25	BB	1600	C	N3-C2-O2	-12.44	113.19	121.90
3	A1	78	A	C5-C6-N1	12.44	123.92	117.70
3	A1	110	C	C2-N3-C4	-12.44	113.68	119.90
25	BB	2807	U	C2-N3-C4	-12.44	119.54	127.00
25	BB	20	C	N3-C4-C5	12.43	126.87	121.90
25	BB	561	G	N1-C6-O6	-12.43	112.44	119.90
24	BA	69	G	N1-C6-O6	-12.43	112.44	119.90
25	BB	412	A	C4-C5-C6	-12.43	110.78	117.00
25	BB	2558	C	C5-C6-N1	-12.43	114.78	121.00
3	A1	386	C	C2-N3-C4	-12.43	113.69	119.90
25	BB	1580	A	C5-C6-N1	12.43	123.91	117.70
25	BB	38	A	N1-C6-N6	-12.42	111.15	118.60
25	BB	2173	A	C5-C6-N1	12.42	123.91	117.70
3	A1	1289	A	N1-C6-N6	-12.42	111.15	118.60
25	BB	650	C	N3-C4-N4	-12.42	109.31	118.00
25	BB	2870	C	N3-C2-O2	-12.42	113.21	121.90
3	A1	149	A	N1-C6-N6	-12.41	111.15	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	839	U	N3-C2-O2	-12.41	113.51	122.20
25	BB	1286	A	C5-C6-N1	12.41	123.91	117.70
25	BB	2606	C	N3-C4-N4	-12.40	109.32	118.00
3	A1	175	C	N3-C4-C5	12.40	126.86	121.90
25	BB	320	A	O4'-C1'-N9	12.40	118.12	108.20
25	BB	1057	A	C5-C6-N1	12.40	123.90	117.70
25	BB	1685	C	N3-C2-O2	-12.40	113.22	121.90
25	BB	2636	C	C2-N3-C4	-12.40	113.70	119.90
25	BB	599	A	C5-C6-N1	12.40	123.90	117.70
25	BB	1606	C	N3-C4-C5	12.40	126.86	121.90
25	BB	1885	A	C4-C5-C6	-12.40	110.80	117.00
3	A1	285	C	N1-C2-O2	12.40	126.34	118.90
25	BB	1579	A	C4-C5-C6	-12.39	110.80	117.00
25	BB	1737	G	C8-N9-C4	-12.39	101.44	106.40
25	BB	2148	G	N1-C6-O6	-12.39	112.47	119.90
1	AE	64	A	C5-C6-N1	12.39	123.89	117.70
25	BB	1189	A	N1-C6-N6	-12.39	111.17	118.60
25	BB	1686	C	N3-C4-N4	-12.39	109.33	118.00
25	BB	1890	A	C5-C6-N1	12.39	123.89	117.70
24	BA	47	C	N3-C2-O2	-12.39	113.23	121.90
25	BB	2471	A	C6-C5-N7	12.38	140.97	132.30
25	BB	269	C	N3-C2-O2	-12.38	113.24	121.90
2	AM	8	U	C4-C5-C6	12.38	127.12	119.70
3	A1	171	A	N1-C6-N6	-12.37	111.18	118.60
25	BB	130	C	N3-C4-N4	-12.38	109.34	118.00
55	B6	9	GLU	OE1-CD-OE2	-12.37	108.45	123.30
1	AA	34	G	N3-C2-N2	-12.37	111.24	119.90
3	A1	143	A	C4-C5-C6	-12.37	110.82	117.00
24	BA	46	A	C5-C6-N1	12.37	123.89	117.70
25	BB	889	C	C2-N3-C4	-12.37	113.72	119.90
25	BB	196	A	N1-C6-N6	-12.37	111.18	118.60
25	BB	1089	A	O4'-C1'-N9	12.37	118.09	108.20
1	AA	53	G	C5-C6-N1	12.36	117.68	111.50
3	A1	71	A	C4-C5-C6	-12.36	110.82	117.00
25	BB	1045	C	C2-N3-C4	-12.36	113.72	119.90
25	BB	1204	A	N1-C6-N6	-12.36	111.18	118.60
25	BB	11	C	C6-N1-C2	-12.36	115.36	120.30
3	A1	923	A	C4-C5-C6	-12.36	110.82	117.00
3	A1	982	U	N3-C2-O2	-12.36	113.55	122.20
15	AO	106	ARG	NE-CZ-NH1	12.36	126.48	120.30
25	BB	362	A	C4-C5-C6	-12.35	110.82	117.00
25	BB	568	U	O4'-C1'-N1	12.35	118.08	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	52	A	N1-C6-N6	-12.35	111.19	118.60
42	BS	49	ARG	NE-CZ-NH1	12.35	126.48	120.30
28	BE	60	ARG	NE-CZ-NH1	12.35	126.47	120.30
25	BB	50	U	C5-C6-N1	-12.35	116.53	122.70
25	BB	1067	A	N7-C8-N9	12.35	119.97	113.80
25	BB	1087	G	C4-C5-N7	-12.35	105.86	110.80
25	BB	1744	A	N1-C6-N6	-12.35	111.19	118.60
25	BB	2766	A	C4-C5-C6	-12.35	110.83	117.00
25	BB	253	C	N1-C2-O2	12.34	126.31	118.90
25	BB	886	A	N1-C6-N6	-12.34	111.19	118.60
3	A1	613	C	N3-C4-C5	12.34	126.84	121.90
25	BB	182	A	C5-C6-N1	12.34	123.87	117.70
3	A1	1344	C	O4'-C1'-N1	12.33	118.07	108.20
3	A1	578	C	N3-C2-O2	-12.33	113.27	121.90
17	AR	127	ARG	NE-CZ-NH1	12.33	126.46	120.30
25	BB	2169	A	C4-C5-C6	-12.33	110.83	117.00
3	A1	564	C	N1-C2-O2	12.33	126.30	118.90
25	BB	127	A	N1-C6-N6	-12.33	111.20	118.60
25	BB	1809	A	C4-C5-C6	-12.33	110.84	117.00
3	A1	1092	A	N1-C6-N6	-12.32	111.21	118.60
3	A1	80	A	N1-C6-N6	-12.32	111.21	118.60
25	BB	323	C	O4'-C1'-N1	12.32	118.06	108.20
25	BB	1088	A	C5-C6-N1	12.32	123.86	117.70
25	BB	1749	A	N1-C6-N6	-12.32	111.21	118.60
3	A1	10	A	C4-C5-C6	-12.31	110.84	117.00
25	BB	204	A	N1-C6-N6	-12.31	111.21	118.60
1	AA	61	C	N3-C4-C5	12.31	126.83	121.90
3	A1	279	A	C5-C6-N1	12.31	123.86	117.70
25	BB	804	A	C4-C5-C6	-12.31	110.84	117.00
25	BB	2352	A	C5-C6-N1	12.31	123.85	117.70
25	BB	2862	G	N1-C6-O6	-12.31	112.52	119.90
1	AP	5	A	C5-C6-N1	12.30	123.85	117.70
3	A1	572	A	C4-C5-C6	-12.30	110.85	117.00
24	BA	33	G	N3-C2-N2	-12.31	111.28	119.90
3	A1	1145	A	N1-C6-N6	-12.30	111.22	118.60
25	BB	792	A	C4-C5-C6	-12.30	110.85	117.00
25	BB	896	A	N1-C6-N6	-12.30	111.22	118.60
3	A1	728	A	C5-C6-N1	12.30	123.85	117.70
25	BB	95	A	N1-C6-N6	-12.30	111.22	118.60
25	BB	730	A	N1-C6-N6	-12.30	111.22	118.60
25	BB	1028	A	C5-C6-N1	12.30	123.85	117.70
25	BB	1825	U	C1'-O4'-C4'	-12.30	100.06	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	228	A	C5-C6-N1	12.29	123.85	117.70
3	A1	608	A	C5-C6-N1	12.30	123.85	117.70
3	A1	663	A	C5-C6-N1	12.30	123.85	117.70
3	A1	1218	C	O4'-C1'-N1	12.29	118.03	108.20
25	BB	179	C	N3-C4-N4	-12.29	109.39	118.00
25	BB	1462	C	C1'-O4'-C4'	-12.29	100.06	109.90
25	BB	2524	G	C5-C6-N1	12.29	117.64	111.50
25	BB	2676	C	N1-C2-O2	12.29	126.27	118.90
25	BB	1307	A	C5-C6-N1	12.29	123.84	117.70
25	BB	1471	G	C5-C6-N1	12.29	117.64	111.50
3	A1	81	A	N1-C6-N6	-12.29	111.23	118.60
25	BB	731	C	N3-C2-O2	-12.28	113.30	121.90
25	BB	2632	A	C4-C5-C6	-12.28	110.86	117.00
3	A1	175	C	N3-C4-N4	-12.28	109.40	118.00
25	BB	428	A	C4-C5-C6	-12.28	110.86	117.00
3	A1	569	C	N3-C4-C5	12.28	126.81	121.90
3	A1	901	A	N1-C6-N6	-12.28	111.23	118.60
3	A1	1494	G	C5'-C4'-O4'	12.28	123.83	109.10
25	BB	83	A	O4'-C1'-N9	12.28	118.02	108.20
25	BB	1786	A	C5-C6-N1	12.28	123.84	117.70
25	BB	2158	A	N1-C6-N6	-12.27	111.24	118.60
23	AX	89	ARG	NE-CZ-NH1	12.27	126.43	120.30
25	BB	84	A	C5-C6-N1	12.27	123.83	117.70
25	BB	104	A	C5-C6-N1	12.27	123.83	117.70
3	A1	1409	C	C3'-C2'-C1'	12.26	111.31	101.50
3	A1	1013	G	O4'-C1'-N9	12.26	118.01	108.20
25	BB	1884	G	N1-C6-O6	-12.26	112.55	119.90
8	AG	52	ARG	NE-CZ-NH1	12.26	126.43	120.30
25	BB	1786	A	C4-C5-C6	-12.26	110.87	117.00
3	A1	1509	C	C6-N1-C2	-12.25	115.40	120.30
25	BB	975	A	O4'-C1'-N9	12.25	118.00	108.20
6	AD	30	ARG	NE-CZ-NH1	12.25	126.42	120.30
25	BB	1265	A	C5-C6-N1	12.25	123.83	117.70
3	A1	924	C	C6-N1-C2	-12.25	115.40	120.30
25	BB	165	A	N1-C6-N6	-12.25	111.25	118.60
25	BB	2879	A	N1-C6-N6	-12.25	111.25	118.60
3	A1	831	A	C4-C5-C6	-12.25	110.88	117.00
3	A1	1141	C	N3-C2-O2	-12.24	113.33	121.90
25	BB	1320	C	C2-N3-C4	-12.24	113.78	119.90
25	BB	478	A	N1-C6-N6	-12.24	111.26	118.60
25	BB	2009	A	N1-C6-N6	-12.24	111.26	118.60
3	A1	478	A	C4-C5-C6	-12.24	110.88	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	645	C	N3-C4-N4	-12.23	109.44	118.00
3	A1	1132	C	N3-C2-O2	-12.23	113.34	121.90
25	BB	438	G	O4'-C1'-N9	12.23	117.99	108.20
25	BB	672	C	N1-C2-O2	12.23	126.24	118.90
25	BB	2797	U	N3-C2-O2	-12.23	113.64	122.20
25	BB	1694	C	N3-C4-N4	-12.23	109.44	118.00
3	A1	941	G	N1-C6-O6	-12.23	112.56	119.90
3	A1	1007	U	N1-C2-N3	12.23	122.24	114.90
25	BB	1998	A	C4-C5-C6	-12.23	110.89	117.00
25	BB	2857	G	O4'-C1'-N9	12.23	117.98	108.20
14	AN	24	ARG	NE-CZ-NH1	12.22	126.41	120.30
25	BB	719	C	N3-C4-C5	12.22	126.79	121.90
25	BB	2184	A	C5-C6-N1	12.22	123.81	117.70
25	BB	2258	C	N3-C4-C5	12.22	126.79	121.90
25	BB	2305	U	N3-C2-O2	-12.22	113.65	122.20
25	BB	1026	G	N1-C6-O6	-12.21	112.57	119.90
3	A1	288	A	N1-C6-N6	-12.21	111.27	118.60
25	BB	2646	C	N1-C2-O2	12.21	126.23	118.90
3	A1	910	C	N3-C4-C5	12.21	126.78	121.90
25	BB	783	A	N1-C6-N6	-12.21	111.28	118.60
25	BB	2451	A	N1-C6-N6	-12.20	111.28	118.60
25	BB	242	G	C5-C6-N1	12.20	117.60	111.50
3	A1	1503	A	C5-C6-N1	12.20	123.80	117.70
25	BB	2661	G	N1-C6-O6	-12.20	112.58	119.90
25	BB	2142	A	C5-C6-N1	12.19	123.79	117.70
35	BL	78	GLU	OE1-CD-OE2	-12.19	108.68	123.30
3	A1	498	A	N1-C6-N6	-12.18	111.29	118.60
25	BB	705	A	N1-C6-N6	-12.18	111.29	118.60
3	A1	537	G	N1-C6-O6	-12.18	112.59	119.90
25	BB	1066	U	C4-C5-C6	12.18	127.01	119.70
25	BB	121	G	C3'-C2'-C1'	12.17	111.23	101.50
25	BB	2781	A	C5-C6-N1	12.17	123.78	117.70
3	A1	202	G	N1-C6-O6	-12.17	112.60	119.90
3	A1	509	A	C4-C5-C6	-12.17	110.92	117.00
25	BB	2137	U	N3-C2-O2	-12.16	113.69	122.20
25	BB	1722	A	N1-C6-N6	-12.16	111.30	118.60
25	BB	1853	A	C5-C6-N1	12.16	123.78	117.70
25	BB	2870	C	N1-C2-O2	12.16	126.19	118.90
25	BB	764	A	C5-C6-N1	12.16	123.78	117.70
25	BB	2298	A	N1-C6-N6	-12.16	111.31	118.60
25	BB	2691	C	N3-C2-O2	-12.16	113.39	121.90
3	A1	156	C	N3-C4-C5	12.16	126.76	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1164	C	N3-C4-C5	12.15	126.76	121.90
3	A1	507	C	C6-N1-C2	-12.15	115.44	120.30
25	BB	382	A	N1-C6-N6	-12.15	111.31	118.60
25	BB	1366	A	C4-C5-C6	-12.15	110.93	117.00
3	A1	1104	G	C5-C6-N1	12.14	117.57	111.50
1	AE	38	A	N1-C6-N6	-12.14	111.32	118.60
24	BA	113	C	C2-N3-C4	-12.14	113.83	119.90
3	A1	719	C	N3-C4-C5	12.13	126.75	121.90
32	BI	71	ARG	NE-CZ-NH1	12.13	126.36	120.30
25	BB	316	C	N3-C2-O2	-12.12	113.41	121.90
25	BB	1483	G	N1-C6-O6	-12.12	112.62	119.90
36	BM	42	GLU	OE1-CD-OE2	-12.12	108.75	123.30
25	BB	374	A	C5-C6-N1	12.12	123.76	117.70
25	BB	1771	C	N3-C2-O2	-12.12	113.41	121.90
53	B4	68	ARG	NE-CZ-NH1	12.12	126.36	120.30
25	BB	2171	A	C5-C6-N1	12.12	123.76	117.70
25	BB	2331	G	N1-C6-O6	-12.12	112.63	119.90
25	BB	2711	A	C4-C5-C6	-12.12	110.94	117.00
25	BB	2887	A	N1-C6-N6	-12.12	111.33	118.60
24	BA	56	G	N1-C6-O6	-12.11	112.63	119.90
25	BB	34	U	C1'-O4'-C4'	-12.11	100.21	109.90
25	BB	2247	A	C4-C5-C6	-12.11	110.94	117.00
25	BB	2261	C	O4'-C1'-N1	12.11	117.89	108.20
24	BA	105	G	N1-C6-O6	-12.11	112.63	119.90
25	BB	2198	A	O4'-C1'-N9	12.11	117.89	108.20
25	BB	2463	C	N3-C2-O2	-12.11	113.42	121.90
3	A1	243	A	N1-C6-N6	-12.11	111.34	118.60
25	BB	181	A	N1-C6-N6	-12.10	111.34	118.60
25	BB	1924	C	C2-N3-C4	-12.10	113.85	119.90
25	BB	2599	G	C5-C6-N1	12.10	117.55	111.50
3	A1	48	C	N3-C2-O2	-12.09	113.44	121.90
3	A1	931	C	C2-N3-C4	-12.09	113.85	119.90
3	A1	706	A	C4-C5-C6	-12.09	110.95	117.00
3	A1	63	C	N3-C2-O2	-12.09	113.44	121.90
3	A1	719	C	N3-C4-N4	-12.09	109.54	118.00
25	BB	2208	C	C6-N1-C2	-12.08	115.47	120.30
25	BB	1402	U	N3-C2-O2	-12.07	113.75	122.20
25	BB	2826	A	C4-C5-C6	-12.07	110.96	117.00
25	BB	905	A	C4-C5-C6	-12.07	110.96	117.00
25	BB	1223	G	N1-C6-O6	-12.07	112.66	119.90
25	BB	1802	A	C4-C5-C6	-12.07	110.96	117.00
25	BB	2021	C	N3-C2-O2	-12.07	113.45	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2660	A	N1-C6-N6	-12.07	111.36	118.60
3	A1	1509	C	N3-C2-O2	-12.06	113.45	121.90
25	BB	2184	A	C4-C5-C6	-12.06	110.97	117.00
25	BB	1211	C	O4'-C1'-N1	12.06	117.85	108.20
25	BB	2197	U	O4'-C1'-N1	12.06	117.85	108.20
3	A1	454	G	N1-C6-O6	-12.05	112.67	119.90
25	BB	1096	A	N1-C6-N6	-12.05	111.37	118.60
25	BB	1327	A	N1-C6-N6	-12.05	111.37	118.60
25	BB	1612	C	O4'-C1'-N1	12.05	117.84	108.20
25	BB	2196	C	N3-C4-C5	12.05	126.72	121.90
25	BB	2327	A	C2-N3-C4	12.05	116.63	110.60
3	A1	1469	C	N3-C4-C5	12.05	126.72	121.90
25	BB	1744	A	C4-C5-C6	-12.05	110.97	117.00
25	BB	176	A	C4-C5-C6	-12.05	110.98	117.00
25	BB	2773	C	N3-C4-N4	-12.05	109.57	118.00
25	BB	317	G	C5-C6-N1	12.05	117.52	111.50
24	BA	99	A	C5-C6-N1	12.04	123.72	117.70
3	A1	825	A	N1-C6-N6	-12.04	111.37	118.60
17	AR	80	ARG	CD-NE-CZ	12.04	140.46	123.60
1	AE	29	A	C4-C5-C6	-12.04	110.98	117.00
25	BB	1096	A	C5-C6-N1	12.04	123.72	117.70
25	BB	2791	G	C6-C5-N7	12.04	137.62	130.40
25	BB	190	A	C4-C5-C6	-12.04	110.98	117.00
6	AD	13	ARG	NE-CZ-NH2	12.04	126.32	120.30
3	A1	1346	A	N1-C6-N6	-12.03	111.38	118.60
25	BB	538	A	N1-C6-N6	-12.03	111.38	118.60
25	BB	1127	A	N1-C6-N6	-12.03	111.38	118.60
30	BG	69	ARG	NE-CZ-NH1	12.03	126.32	120.30
46	BW	44	ARG	NE-CZ-NH1	12.03	126.32	120.30
3	A1	958	A	N1-C6-N6	-12.03	111.38	118.60
3	A1	1428	A	N1-C6-N6	-12.03	111.38	118.60
25	BB	330	A	O4'-C1'-N9	12.03	117.82	108.20
25	BB	1074	G	C1'-O4'-C4'	-12.02	100.28	109.90
25	BB	1077	A	N1-C6-N6	-12.02	111.39	118.60
25	BB	1392	A	C4-C5-C6	-12.02	110.99	117.00
3	A1	1042	A	C4-C5-C6	-12.02	110.99	117.00
25	BB	502	A	C4-C5-C6	-12.02	110.99	117.00
45	BV	35	ARG	NE-CZ-NH1	12.02	126.31	120.30
25	BB	361	G	C5-C6-N1	12.01	117.51	111.50
3	A1	1049	U	C5-C4-O4	12.01	133.11	125.90
3	A1	236	A	C5-C6-N1	12.01	123.70	117.70
25	BB	332	A	C4-C5-C6	-12.01	111.00	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1046	A	C5-C6-N1	12.01	123.70	117.70
25	BB	655	A	C4-C5-C6	-12.00	111.00	117.00
25	BB	803	U	O4'-C1'-N1	12.00	117.80	108.20
3	A1	1446	A	N1-C6-N6	-12.00	111.40	118.60
25	BB	1502	A	C4-C5-C6	-12.00	111.00	117.00
25	BB	2558	C	N3-C4-N4	-12.00	109.60	118.00
3	A1	365	U	N3-C2-O2	-12.00	113.80	122.20
3	A1	1239	A	C4-C5-C6	-12.00	111.00	117.00
8	AG	58	ARG	NE-CZ-NH2	12.00	126.30	120.30
25	BB	538	A	C5-C6-N1	12.00	123.70	117.70
25	BB	1069	A	C4-C5-C6	-11.99	111.00	117.00
3	A1	397	A	C5-C6-N1	11.99	123.70	117.70
3	A1	765	G	O4'-C1'-N9	11.99	117.79	108.20
3	A1	914	A	C1'-O4'-C4'	-11.99	100.31	109.90
25	BB	57	C	N3-C4-C5	11.99	126.69	121.90
25	BB	2291	U	N3-C2-O2	-11.99	113.81	122.20
3	A1	1403	C	N3-C4-N4	-11.99	109.61	118.00
24	BA	60	C	N3-C2-O2	-11.99	113.51	121.90
25	BB	668	A	N1-C6-N6	-11.99	111.41	118.60
25	BB	1359	A	N1-C6-N6	-11.99	111.41	118.60
3	A1	634	C	N3-C4-N4	-11.98	109.61	118.00
25	BB	1848	A	C4-C5-C6	-11.98	111.01	117.00
25	BB	1854	A	C5-C6-N1	11.98	123.69	117.70
25	BB	2763	G	N1-C6-O6	-11.98	112.71	119.90
3	A1	734	G	N1-C6-O6	-11.98	112.71	119.90
25	BB	2781	A	N1-C6-N6	-11.97	111.42	118.60
3	A1	104	G	N1-C6-O6	-11.97	112.72	119.90
3	A1	1026	G	N3-C2-N2	-11.97	111.52	119.90
3	A1	1507	A	C5-C6-N1	11.97	123.69	117.70
25	BB	2454	G	N1-C6-O6	-11.97	112.72	119.90
3	A1	622	A	C5-C6-N1	11.97	123.68	117.70
25	BB	2052	A	N1-C6-N6	-11.97	111.42	118.60
25	BB	2230	G	C5-C6-N1	11.97	117.48	111.50
25	BB	2888	C	C2-N3-C4	-11.97	113.92	119.90
3	A1	1533	C	N3-C4-C5	11.97	126.69	121.90
25	BB	1628	G	N1-C6-O6	-11.96	112.72	119.90
3	A1	759	A	C4-C5-C6	-11.96	111.02	117.00
25	BB	624	C	N3-C4-C5	11.96	126.68	121.90
25	BB	1028	A	C4-C5-C6	-11.96	111.02	117.00
25	BB	1088	A	O4'-C1'-N9	11.96	117.77	108.20
25	BB	515	A	C4-C5-C6	-11.96	111.02	117.00
25	BB	2146	C	C2-N3-C4	-11.96	113.92	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	466	A	C4-C5-C6	-11.96	111.02	117.00
25	BB	1966	A	C4-C5-C6	-11.96	111.02	117.00
3	A1	679	C	N1-C2-O2	11.95	126.07	118.90
25	BB	2652	C	N3-C4-C5	11.96	126.68	121.90
25	BB	13	A	N1-C6-N6	-11.95	111.43	118.60
25	BB	1475	G	C5-C6-N1	11.95	117.47	111.50
3	A1	1234	C	N3-C4-C5	11.95	126.68	121.90
25	BB	181	A	C4-C5-C6	-11.94	111.03	117.00
25	BB	2114	A	C5-C6-N1	11.94	123.67	117.70
3	A1	272	C	N3-C2-O2	-11.94	113.54	121.90
3	A1	1454	G	N1-C2-N3	11.94	131.06	123.90
3	A1	1383	C	N3-C2-O2	-11.93	113.55	121.90
25	BB	882	G	C6-N1-C2	-11.93	117.94	125.10
25	BB	1591	A	C4-C5-C6	-11.93	111.03	117.00
3	A1	1476	A	N1-C6-N6	-11.93	111.44	118.60
25	BB	2330	G	N9-C4-C5	11.93	110.17	105.40
25	BB	2793	C	N3-C4-C5	11.93	126.67	121.90
25	BB	2726	A	C5-C6-N1	11.93	123.66	117.70
3	A1	1180	A	C5-C6-N1	11.93	123.66	117.70
3	A1	1429	A	N1-C6-N6	-11.92	111.44	118.60
25	BB	1912	A	N1-C6-N6	-11.92	111.45	118.60
3	A1	719	C	C2-N3-C4	-11.92	113.94	119.90
3	A1	1197	A	N1-C6-N6	-11.92	111.45	118.60
25	BB	205	G	O4'-C1'-C2'	-11.92	93.88	105.80
24	BA	42	C	C1'-O4'-C4'	-11.91	100.37	109.90
25	BB	670	A	N1-C6-N6	-11.91	111.45	118.60
25	BB	419	U	O4'-C1'-N1	11.91	117.73	108.20
25	BB	752	A	N1-C6-N6	-11.91	111.45	118.60
25	BB	1474	U	N3-C2-O2	-11.91	113.86	122.20
1	AE	74	C	O4'-C1'-N1	11.91	117.72	108.20
3	A1	535	A	C5-C6-N1	11.91	123.65	117.70
16	AQ	38	GLU	OE1-CD-OE2	-11.91	109.01	123.30
25	BB	706	A	N1-C6-N6	-11.91	111.46	118.60
25	BB	1214	A	C5-C6-N1	11.91	123.65	117.70
3	A1	366	A	C4-C5-C6	-11.90	111.05	117.00
3	A1	1001	C	O4'-C1'-N1	11.90	117.72	108.20
25	BB	1847	A	C5-C6-N1	11.90	123.65	117.70
3	A1	151	A	N1-C6-N6	-11.90	111.46	118.60
3	A1	356	A	C5-C6-N1	11.90	123.65	117.70
22	AW	108	ARG	NE-CZ-NH1	11.90	126.25	120.30
1	AA	4	G	C2-N3-C4	-11.90	105.95	111.90
3	A1	187	G	N1-C6-O6	-11.90	112.76	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1790	C	N3-C2-O2	-11.90	113.57	121.90
25	BB	2145	C	C2-N3-C4	-11.90	113.95	119.90
25	BB	2753	A	C4-C5-C6	-11.90	111.05	117.00
3	A1	285	C	N3-C2-O2	-11.89	113.57	121.90
25	BB	2564	A	N1-C6-N6	-11.89	111.46	118.60
25	BB	988	A	N1-C6-N6	-11.89	111.47	118.60
25	BB	1947	C	N1-C2-O2	11.89	126.03	118.90
3	A1	92	U	O4'-C1'-N1	11.89	117.71	108.20
25	BB	911	A	O4'-C1'-N9	11.88	117.71	108.20
25	BB	1354	A	N1-C6-N6	-11.88	111.47	118.60
25	BB	340	A	N1-C6-N6	-11.88	111.47	118.60
1	AA	35	A	N1-C6-N6	-11.88	111.47	118.60
25	BB	1885	A	C5-C6-N1	11.88	123.64	117.70
3	A1	1532	U	O4'-C1'-N1	11.88	117.70	108.20
25	BB	1902	C	N3-C2-O2	-11.88	113.58	121.90
25	BB	2557	G	N3-C2-N2	-11.88	111.58	119.90
1	AA	46	G	O4'-C1'-N9	11.88	117.70	108.20
25	BB	652	U	N1-C2-N3	11.87	122.03	114.90
25	BB	486	C	N3-C4-N4	-11.87	109.69	118.00
3	A1	408	A	N1-C6-N6	-11.87	111.48	118.60
3	A1	962	C	C5-C6-N1	-11.87	115.06	121.00
25	BB	1459	G	C5-C6-O6	11.87	135.72	128.60
25	BB	2221	G	N1-C6-O6	-11.87	112.78	119.90
25	BB	2553	G	O4'-C1'-N9	11.87	117.70	108.20
3	A1	1188	A	C4-C5-C6	-11.87	111.07	117.00
25	BB	1086	A	C2-N3-C4	11.86	116.53	110.60
3	A1	1251	A	C4-C5-C6	-11.86	111.07	117.00
25	BB	930	G	N3-C2-N2	-11.86	111.60	119.90
25	BB	1342	A	C4-C5-C6	-11.86	111.07	117.00
25	BB	2660	A	C4-C5-C6	-11.86	111.07	117.00
25	BB	1754	A	N1-C6-N6	-11.85	111.49	118.60
25	BB	2337	G	N1-C6-O6	-11.85	112.79	119.90
25	BB	2888	C	N3-C2-O2	-11.85	113.60	121.90
3	A1	76	G	C8-N9-C4	-11.85	101.66	106.40
3	A1	607	A	N1-C6-N6	-11.84	111.50	118.60
25	BB	2311	A	C5-C6-N1	11.84	123.62	117.70
25	BB	84	A	N1-C6-N6	-11.83	111.50	118.60
25	BB	1912	A	C5-C6-N1	11.83	123.62	117.70
3	A1	957	U	C1'-O4'-C4'	-11.83	100.44	109.90
25	BB	1320	C	N3-C4-C5	11.83	126.63	121.90
25	BB	1045	C	O4'-C1'-N1	11.83	117.66	108.20
25	BB	2872	A	N1-C6-N6	-11.83	111.50	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AE	56	C	N3-C2-O2	-11.82	113.62	121.90
51	B2	111	ARG	NE-CZ-NH2	11.82	126.21	120.30
3	A1	663	A	C4-C5-C6	-11.82	111.09	117.00
3	A1	1220	G	N3-C2-N2	-11.82	111.62	119.90
25	BB	751	A	C5-C6-N1	11.82	123.61	117.70
25	BB	287	G	C5-C6-O6	11.82	135.69	128.60
3	A1	1196	A	N1-C6-N6	-11.82	111.51	118.60
25	BB	1226	A	C5-C6-N1	11.82	123.61	117.70
25	BB	1957	C	N3-C4-C5	11.82	126.63	121.90
25	BB	2179	C	O4'-C1'-N1	11.82	117.65	108.20
25	BB	1459	G	C8-N9-C4	-11.81	101.67	106.40
25	BB	2104	C	N3-C4-N4	-11.81	109.73	118.00
25	BB	2407	A	C5-C6-N1	11.81	123.60	117.70
1	AA	62	A	N1-C6-N6	-11.80	111.52	118.60
25	BB	31	C	N3-C2-O2	-11.80	113.64	121.90
36	BM	76	ARG	NE-CZ-NH1	11.80	126.20	120.30
3	A1	1514	G	N1-C6-O6	-11.80	112.82	119.90
3	A1	1395	C	O4'-C1'-N1	11.79	117.64	108.20
24	BA	61	G	N3-C2-N2	-11.79	111.64	119.90
7	AF	78	ARG	NE-CZ-NH1	11.79	126.20	120.30
25	BB	1701	A	C5-C6-N1	11.79	123.59	117.70
3	A1	998	C	N3-C2-O2	-11.78	113.66	121.90
25	BB	415	A	N1-C6-N6	-11.78	111.53	118.60
25	BB	771	G	N1-C6-O6	-11.78	112.83	119.90
25	BB	2104	C	O4'-C1'-N1	11.78	117.62	108.20
25	BB	208	C	N3-C2-O2	-11.78	113.66	121.90
25	BB	2150	C	C6-N1-C2	-11.78	115.59	120.30
25	BB	2421	G	N3-C4-C5	-11.77	122.71	128.60
1	AA	43	G	C8-N9-C4	-11.77	101.69	106.40
3	A1	864	A	C4-C5-C6	-11.77	111.12	117.00
3	A1	995	C	N3-C4-C5	11.77	126.61	121.90
25	BB	2538	C	C2-N3-C4	-11.77	114.02	119.90
25	BB	2734	A	C4-C5-C6	-11.77	111.12	117.00
25	BB	2740	A	N1-C6-N6	-11.77	111.54	118.60
25	BB	120	U	N3-C2-O2	-11.76	113.97	122.20
25	BB	2644	G	N3-C2-N2	-11.76	111.67	119.90
3	A1	1476	A	C4-C5-C6	-11.76	111.12	117.00
25	BB	2163	A	C4-C5-C6	-11.76	111.12	117.00
25	BB	2171	A	C4-C5-C6	-11.76	111.12	117.00
25	BB	1646	C	C2-N3-C4	-11.76	114.02	119.90
25	BB	1724	G	N9-C4-C5	11.76	110.10	105.40
1	AA	51	G	N3-C2-N2	-11.76	111.67	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	528	C	N3-C2-O2	-11.76	113.67	121.90
3	A1	1011	C	C2-N3-C4	-11.76	114.02	119.90
25	BB	2294	G	N1-C6-O6	-11.76	112.85	119.90
3	A1	145	G	N1-C6-O6	-11.75	112.85	119.90
25	BB	377	G	N1-C6-O6	-11.75	112.85	119.90
3	A1	1518	A	N1-C6-N6	-11.75	111.55	118.60
25	BB	53	A	C5-C6-N1	11.75	123.57	117.70
25	BB	2825	G	N1-C6-O6	-11.75	112.85	119.90
25	BB	1289	C	N3-C2-O2	-11.74	113.68	121.90
3	A1	1389	C	N3-C2-O2	-11.74	113.68	121.90
25	BB	480	A	N1-C6-N6	-11.74	111.56	118.60
32	BI	52	ARG	NE-CZ-NH1	11.74	126.17	120.30
25	BB	775	G	N1-C6-O6	-11.73	112.86	119.90
3	A1	560	A	C5-C6-N1	11.73	123.56	117.70
12	AK	56	ARG	NE-CZ-NH1	11.73	126.17	120.30
25	BB	160	A	N1-C6-N6	-11.73	111.56	118.60
3	A1	1410	A	C4-C5-C6	-11.72	111.14	117.00
15	AO	87	ARG	NE-CZ-NH1	11.72	126.16	120.30
25	BB	80	G	N1-C6-O6	-11.72	112.87	119.90
25	BB	2555	U	C5-C6-N1	-11.72	116.84	122.70
3	A1	372	C	C3'-C2'-C1'	-11.72	92.12	101.50
3	A1	634	C	N3-C4-C5	11.72	126.59	121.90
25	BB	32	C	C2-N3-C4	-11.72	114.04	119.90
25	BB	1471	G	C5-N7-C8	-11.72	98.44	104.30
25	BB	1503	A	N1-C6-N6	-11.72	111.57	118.60
3	A1	790	A	N1-C6-N6	-11.71	111.57	118.60
9	AH	62	ARG	NE-CZ-NH2	-11.71	114.44	120.30
25	BB	131	A	C5'-C4'-O4'	11.71	123.16	109.10
25	BB	414	C	N3-C4-N4	-11.71	109.80	118.00
25	BB	1606	C	O4'-C1'-N1	-11.71	98.83	108.20
25	BB	2604	U	O4'-C1'-N1	11.71	117.57	108.20
3	A1	1390	U	O4'-C1'-N1	11.71	117.57	108.20
3	A1	1216	A	N1-C6-N6	-11.71	111.58	118.60
25	BB	508	A	C5-C6-N1	11.71	123.56	117.70
3	A1	1380	U	N3-C2-O2	-11.71	114.00	122.20
25	BB	1987	A	C4-C5-C6	-11.71	111.15	117.00
44	BU	27	ARG	NE-CZ-NH1	11.71	126.15	120.30
3	A1	890	G	N1-C6-O6	-11.71	112.88	119.90
25	BB	2096	C	N3-C4-N4	-11.71	109.81	118.00
25	BB	2346	A	C5-C6-N1	11.71	123.55	117.70
25	BB	2104	C	N3-C4-C5	11.70	126.58	121.90
3	A1	309	A	N1-C6-N6	-11.70	111.58	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2170	A	N1-C6-N6	-11.70	111.58	118.60
3	A1	179	A	C5-C6-N1	11.70	123.55	117.70
3	A1	640	A	N1-C6-N6	-11.70	111.58	118.60
3	A1	990	C	N3-C2-O2	-11.70	113.71	121.90
25	BB	2670	A	C4-C5-C6	-11.70	111.15	117.00
25	BB	2592	G	C5-C6-N1	11.70	117.35	111.50
30	BG	64	ARG	NE-CZ-NH1	11.70	126.15	120.30
25	BB	2253	G	N1-C6-O6	-11.69	112.88	119.90
1	AA	37	G	N7-C8-N9	11.69	118.95	113.10
27	BD	49	ARG	NE-CZ-NH1	11.69	126.15	120.30
3	A1	509	A	C5-C6-N1	11.69	123.54	117.70
25	BB	311	A	C5-C6-N1	11.68	123.54	117.70
3	A1	421	U	O4'-C4'-C3'	11.68	115.68	104.00
1	AA	38	A	C5-C6-N1	11.68	123.54	117.70
25	BB	2479	U	N3-C2-O2	-11.68	114.02	122.20
3	A1	1042	A	N1-C6-N6	-11.68	111.59	118.60
25	BB	2517	C	C2-N3-C4	-11.68	114.06	119.90
3	A1	486	U	O4'-C1'-N1	11.68	117.54	108.20
3	A1	1434	A	N1-C6-N6	-11.68	111.59	118.60
25	BB	2295	C	N3-C2-O2	-11.68	113.73	121.90
25	BB	655	A	N1-C6-N6	-11.67	111.60	118.60
25	BB	749	A	C4-C5-C6	-11.67	111.16	117.00
25	BB	1134	A	C5-C6-N1	11.67	123.54	117.70
3	A1	699	C	N3-C4-N4	-11.67	109.83	118.00
19	AT	86	ARG	NE-CZ-NH2	11.67	126.14	120.30
25	BB	507	A	N1-C6-N6	-11.67	111.60	118.60
25	BB	2534	A	C5-C6-N1	11.67	123.53	117.70
3	A1	161	A	C4-C5-C6	-11.67	111.17	117.00
25	BB	1314	C	N3-C2-O2	-11.67	113.73	121.90
25	BB	1710	G	N1-C6-O6	-11.67	112.90	119.90
3	A1	1219	A	C5-C6-N1	11.66	123.53	117.70
25	BB	2551	C	N3-C2-O2	-11.66	113.74	121.90
25	BB	393	C	N3-C2-O2	-11.66	113.74	121.90
22	AW	79	ARG	NE-CZ-NH1	11.66	126.13	120.30
25	BB	2541	A	N1-C6-N6	-11.66	111.61	118.60
3	A1	990	C	C6-N1-C2	-11.66	115.64	120.30
3	A1	1236	A	C5-C6-N1	11.65	123.53	117.70
3	A1	840	C	O4'-C1'-N1	11.65	117.52	108.20
25	BB	1483	G	N9-C4-C5	11.65	110.06	105.40
3	A1	1530	G	N1-C6-O6	-11.65	112.91	119.90
31	BH	94	ARG	NE-CZ-NH1	11.65	126.13	120.30
1	AE	28	C	N3-C4-C5	11.65	126.56	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	539	G	C5-N7-C8	-11.65	98.48	104.30
25	BB	265	A	N1-C6-N6	-11.65	111.61	118.60
29	BF	55	ARG	NH1-CZ-NH2	-11.65	106.59	119.40
3	A1	1045	C	N3-C4-N4	-11.64	109.85	118.00
25	BB	2727	A	N1-C6-N6	-11.64	111.61	118.60
3	A1	139	A	C4-C5-C6	-11.64	111.18	117.00
3	A1	351	G	N1-C6-O6	-11.64	112.92	119.90
1	AP	72	C	C5-C4-N4	-11.63	112.06	120.20
3	A1	1397	C	C2-N3-C4	-11.63	114.08	119.90
1	AA	24	G	C8-N9-C4	-11.63	101.75	106.40
25	BB	1564	C	N3-C2-O2	-11.63	113.76	121.90
25	BB	1153	C	N3-C4-C5	11.63	126.55	121.90
3	A1	968	A	N1-C6-N6	-11.63	111.62	118.60
9	AH	62	ARG	NE-CZ-NH1	11.63	126.11	120.30
25	BB	2126	A	N1-C6-N6	-11.63	111.62	118.60
24	BA	52	A	N1-C6-N6	-11.62	111.63	118.60
25	BB	1593	A	N1-C6-N6	-11.62	111.63	118.60
3	A1	1487	G	N1-C6-O6	-11.62	112.93	119.90
25	BB	472	A	C4-C5-C6	-11.62	111.19	117.00
25	BB	1459	G	N1-C2-N3	11.62	130.87	123.90
25	BB	1517	G	N9-C4-C5	11.62	110.05	105.40
25	BB	2807	U	C5-C6-N1	-11.62	116.89	122.70
25	BB	1964	G	C5-C6-N1	11.61	117.31	111.50
25	BB	2644	G	N9-C4-C5	11.62	110.05	105.40
42	BS	11	GLU	OE1-CD-OE2	-11.62	109.36	123.30
3	A1	518	C	C3'-C2'-C1'	-11.61	92.21	101.50
25	BB	892	A	N1-C6-N6	-11.61	111.63	118.60
25	BB	2594	C	N3-C2-O2	-11.61	113.77	121.90
3	A1	794	A	C4-C5-C6	-11.61	111.20	117.00
3	A1	1444	U	O4'-C1'-N1	11.61	117.49	108.20
20	AU	9	ARG	NE-CZ-NH1	11.61	126.10	120.30
3	A1	433	G	N1-C6-O6	-11.61	112.94	119.90
3	A1	100	G	C1'-O4'-C4'	-11.60	100.62	109.90
25	BB	1784	A	C5-C6-N1	11.60	123.50	117.70
3	A1	1136	C	O4'-C1'-N1	11.60	117.48	108.20
25	BB	160	A	C5-C6-N1	11.60	123.50	117.70
3	A1	430	A	C5-C6-N1	11.59	123.50	117.70
3	A1	931	C	N3-C4-C5	11.59	126.54	121.90
3	A1	1407	C	N3-C4-C5	11.59	126.54	121.90
25	BB	1322	A	C5-C6-N1	11.59	123.49	117.70
25	BB	1935	G	N1-C6-O6	-11.59	112.95	119.90
3	A1	712	A	C5-C6-N1	11.59	123.49	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2547	A	N1-C6-N6	-11.59	111.65	118.60
25	BB	2811	G	C8-N9-C4	-11.59	101.77	106.40
25	BB	2614	A	C4-C5-C6	-11.58	111.21	117.00
50	B1	67	ARG	NE-CZ-NH1	11.58	126.09	120.30
25	BB	443	A	C5-C6-N1	11.58	123.49	117.70
25	BB	489	G	C5-C6-N1	11.58	117.29	111.50
45	BV	3	ARG	NE-CZ-NH1	11.58	126.09	120.30
3	A1	320	A	C4-C5-C6	-11.58	111.21	117.00
3	A1	459	A	N1-C6-N6	-11.58	111.65	118.60
25	BB	172	A	C4-C5-C6	-11.58	111.21	117.00
25	BB	1530	G	N1-C6-O6	-11.58	112.95	119.90
3	A1	844	G	C5-C6-N1	11.57	117.29	111.50
3	A1	1096	C	N3-C4-C5	11.57	126.53	121.90
25	BB	833	A	C5-C6-N1	11.57	123.49	117.70
25	BB	1486	U	C5-C4-O4	-11.57	118.96	125.90
25	BB	2043	C	N3-C4-N4	-11.57	109.90	118.00
25	BB	961	C	N3-C4-C5	11.57	126.53	121.90
25	BB	2044	C	N3-C4-C5	11.57	126.53	121.90
25	BB	257	C	O4'-C1'-N1	11.57	117.45	108.20
25	BB	1522	A	N1-C6-N6	-11.57	111.66	118.60
25	BB	1669	A	C4-C5-C6	-11.57	111.22	117.00
25	BB	1809	A	C5-C6-N1	11.57	123.48	117.70
3	A1	926	G	C2-N3-C4	11.56	117.68	111.90
3	A1	1172	C	C5-C6-N1	-11.56	115.22	121.00
3	A1	750	C	N3-C2-O2	-11.56	113.81	121.90
25	BB	1618	A	N1-C6-N6	-11.56	111.66	118.60
25	BB	1021	A	N1-C6-N6	-11.56	111.66	118.60
25	BB	2375	G	N1-C6-O6	-11.56	112.96	119.90
25	BB	1698	A	N1-C6-N6	-11.56	111.66	118.60
25	BB	1383	A	C5-C6-N1	11.56	123.48	117.70
25	BB	1481	U	O4'-C1'-N1	11.56	117.44	108.20
3	A1	1209	C	N3-C4-C5	11.55	126.52	121.90
41	BR	37	ARG	NE-CZ-NH1	11.55	126.08	120.30
3	A1	453	G	N1-C6-O6	-11.55	112.97	119.90
25	BB	79	C	N3-C4-N4	-11.55	109.92	118.00
55	B6	69	ARG	NE-CZ-NH1	11.55	126.07	120.30
3	A1	946	A	N1-C6-N6	-11.54	111.67	118.60
25	BB	2537	U	O4'-C1'-N1	11.54	117.44	108.20
1	AA	29	A	C5-C6-N6	11.54	132.93	123.70
25	BB	595	C	O4'-C1'-N1	11.54	117.43	108.20
25	BB	1241	A	C8-N9-C4	-11.54	101.18	105.80
3	A1	964	A	C4-C5-C6	-11.54	111.23	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	198	C	N3-C2-O2	-11.54	113.82	121.90
25	BB	541	A	C4-C5-C6	-11.54	111.23	117.00
25	BB	1860	G	N3-C2-N2	-11.54	111.82	119.90
27	BD	17	ARG	NE-CZ-NH1	11.54	126.07	120.30
3	A1	1374	A	C5-C6-N1	11.53	123.47	117.70
25	BB	305	C	C6-N1-C2	-11.53	115.69	120.30
35	BL	110	ARG	NE-CZ-NH2	11.53	126.07	120.30
25	BB	1067	A	C8-N9-C4	-11.53	101.19	105.80
52	B3	169	ARG	NE-CZ-NH1	11.53	126.06	120.30
25	BB	614	A	N1-C6-N6	-11.53	111.69	118.60
3	A1	1207	G	C5-N7-C8	-11.52	98.54	104.30
25	BB	332	A	C5-C6-N1	11.52	123.46	117.70
3	A1	746	A	C4-C5-C6	-11.52	111.24	117.00
25	BB	2425	A	C4-C5-C6	-11.52	111.24	117.00
3	A1	56	U	N3-C2-O2	-11.51	114.14	122.20
3	A1	1249	C	N3-C4-C5	11.51	126.50	121.90
25	BB	1268	A	O4'-C1'-N9	11.51	117.41	108.20
25	BB	2281	A	N1-C6-N6	-11.51	111.69	118.60
1	AE	20	G	C6-C5-N7	11.51	137.30	130.40
3	A1	569	C	N3-C2-O2	-11.51	113.84	121.90
25	BB	1494	A	C4-C5-C6	-11.51	111.25	117.00
3	A1	197	A	C5-C6-N1	11.51	123.45	117.70
3	A1	1139	G	N3-C4-C5	-11.51	122.85	128.60
25	BB	2721	A	N1-C6-N6	-11.51	111.70	118.60
3	A1	642	A	N1-C6-N6	-11.50	111.70	118.60
3	A1	835	U	N3-C2-O2	-11.50	114.15	122.20
1	AA	28	C	N3-C4-N4	-11.50	109.95	118.00
25	BB	475	C	N3-C4-C5	11.50	126.50	121.90
25	BB	768	G	C1'-O4'-C4'	-11.50	100.70	109.90
1	AP	9	A	C4-C5-C6	-11.50	111.25	117.00
3	A1	456	A	C5-C6-N1	11.50	123.45	117.70
3	A1	1110	A	C5-C6-N1	11.50	123.45	117.70
3	A1	1111	A	C4-C5-C6	-11.50	111.25	117.00
3	A1	1191	A	N1-C6-N6	-11.50	111.70	118.60
10	AI	8	ARG	NE-CZ-NH1	-11.50	114.55	120.30
25	BB	1226	A	C4-C5-C6	-11.50	111.25	117.00
25	BB	2858	C	C6-N1-C2	-11.50	115.70	120.30
25	BB	1763	G	C5-C6-O6	11.49	135.50	128.60
25	BB	1631	G	N1-C6-O6	-11.49	113.00	119.90
25	BB	693	A	C4-C5-C6	-11.49	111.25	117.00
3	A1	1207	G	N1-C6-O6	-11.49	113.01	119.90
25	BB	951	C	C2-N3-C4	-11.49	114.16	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2539	C	N1-C2-O2	11.49	125.79	118.90
3	A1	1172	C	C2-N3-C4	-11.48	114.16	119.90
3	A1	1398	A	C4-C5-C6	-11.48	111.26	117.00
25	BB	304	U	C3'-C2'-C1'	11.48	110.69	101.50
3	A1	10	A	N1-C6-N6	-11.48	111.71	118.60
33	BJ	54	ARG	NE-CZ-NH2	11.48	126.04	120.30
1	AE	21	A	C4-C5-C6	-11.48	111.26	117.00
24	BA	61	G	C8-N9-C4	-11.48	101.81	106.40
1	AA	55	U	N3-C2-O2	-11.48	114.17	122.20
1	AE	70	C	N1-C2-O2	11.48	125.79	118.90
25	BB	1048	A	C4-C5-C6	-11.48	111.26	117.00
25	BB	2893	A	C8-N9-C4	11.48	110.39	105.80
37	BN	220	ARG	NE-CZ-NH1	11.48	126.04	120.30
3	A1	1261	A	C5-C6-N1	11.47	123.44	117.70
13	AL	35	ARG	NE-CZ-NH1	11.47	126.04	120.30
25	BB	457	A	C4-C5-C6	-11.47	111.26	117.00
25	BB	2471	A	N1-C6-N6	-11.47	111.72	118.60
25	BB	2488	G	O4'-C1'-N9	11.47	117.38	108.20
25	BB	116	C	N3-C2-O2	-11.47	113.87	121.90
25	BB	1585	C	N3-C4-N4	-11.47	109.97	118.00
3	A1	371	A	C5-C6-N1	11.47	123.43	117.70
3	A1	1005	A	C4-C5-C6	-11.47	111.27	117.00
25	BB	1144	A	C4-C5-C6	-11.47	111.27	117.00
25	BB	1735	A	C5-C6-N1	11.47	123.43	117.70
1	AE	9	A	N1-C6-N6	-11.46	111.72	118.60
3	A1	706	A	C5-C6-N1	11.46	123.43	117.70
25	BB	1287	A	C5-C6-N1	11.46	123.43	117.70
3	A1	1319	A	C5-C6-N1	11.45	123.43	117.70
25	BB	2284	A	C5-C6-N1	11.45	123.43	117.70
25	BB	2670	A	O4'-C1'-N9	11.45	117.36	108.20
3	A1	1287	A	C5-C6-N1	11.45	123.43	117.70
25	BB	182	A	C4-C5-C6	-11.45	111.28	117.00
25	BB	1786	A	O4'-C1'-N9	11.45	117.36	108.20
25	BB	2462	C	N3-C4-N4	-11.45	109.98	118.00
25	BB	1387	A	C4-C5-C6	-11.45	111.28	117.00
1	AA	35	A	C4-C5-C6	-11.44	111.28	117.00
25	BB	1289	C	C6-N1-C2	-11.44	115.72	120.30
30	BG	8	ARG	NE-CZ-NH2	11.44	126.02	120.30
1	AA	66	A	C5-C6-N6	11.44	132.85	123.70
3	A1	533	A	C5-C6-N1	11.44	123.42	117.70
25	BB	242	G	C6-N1-C2	-11.44	118.23	125.10
25	BB	1552	A	C5-C6-N1	11.44	123.42	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
40	BQ	47	ARG	NE-CZ-NH2	11.44	126.02	120.30
24	BA	79	G	O4'-C1'-N9	11.44	117.35	108.20
25	BB	772	C	N3-C2-O2	-11.44	113.89	121.90
25	BB	1691	C	N1-C2-O2	11.44	125.76	118.90
25	BB	1960	A	C4-C5-C6	-11.44	111.28	117.00
3	A1	1093	A	C5-C6-N1	11.44	123.42	117.70
3	A1	1502	A	C5-C6-N1	11.44	123.42	117.70
17	AR	110	ARG	NE-CZ-NH1	11.44	126.02	120.30
1	AA	36	A	C5-C6-N1	11.43	123.42	117.70
3	A1	163	C	N3-C2-O2	-11.43	113.90	121.90
25	BB	151	C	C6-N1-C2	-11.43	115.73	120.30
25	BB	392	U	O4'-C1'-N1	11.43	117.35	108.20
3	A1	52	C	C6-N1-C2	-11.43	115.73	120.30
25	BB	526	A	C5-C6-N1	11.43	123.42	117.70
25	BB	2646	C	C1'-O4'-C4'	-11.43	100.75	109.90
25	BB	893	C	N3-C4-C5	11.43	126.47	121.90
25	BB	2361	G	N3-C2-N2	-11.43	111.90	119.90
1	AA	75	C	C2-N3-C4	-11.43	114.19	119.90
3	A1	246	A	O5'-P-OP1	-11.43	95.42	105.70
3	A1	781	A	C5-C6-N6	11.43	132.84	123.70
25	BB	1434	A	C5-C6-N1	11.43	123.41	117.70
25	BB	1625	C	N3-C4-N4	-11.43	110.00	118.00
25	BB	917	A	N1-C6-N6	-11.42	111.75	118.60
25	BB	2062	A	C4-C5-C6	-11.42	111.29	117.00
25	BB	789	A	C5-C6-N1	11.42	123.41	117.70
25	BB	2042	A	C5-C6-N1	11.42	123.41	117.70
25	BB	1030	C	N3-C2-O2	-11.42	113.91	121.90
3	A1	460	A	C4-C5-C6	-11.42	111.29	117.00
25	BB	1641	A	C4-C5-C6	-11.41	111.29	117.00
25	BB	767	U	N3-C2-O2	-11.41	114.21	122.20
25	BB	1784	A	C4-C5-C6	-11.41	111.29	117.00
25	BB	2873	A	C5-C6-N1	11.41	123.41	117.70
25	BB	2794	C	N3-C2-O2	-11.41	113.91	121.90
3	A1	19	A	N1-C6-N6	-11.41	111.75	118.60
25	BB	270	A	C5-C6-N1	11.41	123.40	117.70
25	BB	701	G	N3-C2-N2	-11.41	111.91	119.90
3	A1	574	A	C5-C6-N1	11.40	123.40	117.70
25	BB	2822	G	OP1-P-OP2	-11.40	102.49	119.60
25	BB	2471	A	C5-C6-N1	11.40	123.40	117.70
25	BB	492	A	C5-C6-N1	11.40	123.40	117.70
25	BB	2317	A	C5-C6-N6	11.40	132.82	123.70
3	A1	602	A	N1-C6-N6	-11.40	111.76	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	266	G	N1-C6-O6	-11.40	113.06	119.90
23	AX	48	ARG	NE-CZ-NH2	11.40	126.00	120.30
25	BB	861	A	C4-C5-C6	-11.40	111.30	117.00
25	BB	2229	U	O4'-C1'-N1	11.40	117.32	108.20
25	BB	2533	U	O4'-C1'-N1	11.39	117.32	108.20
25	BB	1142	A	N1-C6-N6	-11.39	111.77	118.60
3	A1	228	A	C4-C5-C6	-11.39	111.31	117.00
25	BB	689	A	C5-C6-N1	11.39	123.39	117.70
25	BB	838	C	N3-C4-N4	-11.39	110.03	118.00
25	BB	982	C	N3-C2-O2	-11.39	113.93	121.90
25	BB	2023	C	N1-C2-O2	11.39	125.73	118.90
3	A1	101	A	N1-C6-N6	-11.39	111.77	118.60
25	BB	126	A	N1-C6-N6	-11.39	111.77	118.60
3	A1	1031	C	C1'-O4'-C4'	-11.38	100.79	109.90
3	A1	1448	C	N3-C2-O2	-11.38	113.93	121.90
25	BB	275	C	N3-C2-O2	-11.38	113.93	121.90
25	BB	2829	A	C4-C5-C6	-11.38	111.31	117.00
25	BB	10	A	C5-C6-N1	11.38	123.39	117.70
25	BB	1510	G	C6-C5-N7	11.38	137.23	130.40
3	A1	1124	G	N1-C6-O6	-11.38	113.07	119.90
3	A1	1519	A	C5-C6-N1	11.37	123.39	117.70
25	BB	664	G	C5-C6-N1	11.37	117.19	111.50
3	A1	498	A	C4-C5-C6	-11.37	111.31	117.00
3	A1	937	A	C5-C6-N1	11.37	123.38	117.70
25	BB	1907	G	N9-C4-C5	11.37	109.95	105.40
1	AA	65	G	C5-C6-N1	11.37	117.18	111.50
1	AA	55	U	C1'-O4'-C4'	-11.36	100.81	109.90
3	A1	1230	C	N3-C4-C5	11.36	126.45	121.90
25	BB	939	G	N3-C2-N2	-11.36	111.94	119.90
25	BB	2637	U	C3'-C2'-C1'	11.36	110.59	101.50
37	BN	213	ARG	NE-CZ-NH1	11.36	125.98	120.30
3	A1	164	G	C8-N9-C4	-11.36	101.86	106.40
3	A1	1203	C	N3-C4-C5	11.36	126.44	121.90
3	A1	510	A	C5-C6-N1	11.36	123.38	117.70
3	A1	1332	A	C6-C5-N7	11.36	140.25	132.30
25	BB	515	A	C5-C6-N1	11.36	123.38	117.70
25	BB	1247	A	C5-C6-N1	11.35	123.38	117.70
25	BB	1901	A	C4-C5-C6	-11.35	111.32	117.00
25	BB	1525	A	C5-C6-N1	11.35	123.38	117.70
24	BA	47	C	N1-C2-O2	11.35	125.71	118.90
25	BB	1953	A	C4-C5-C6	-11.35	111.33	117.00
25	BB	2658	C	N3-C2-O2	-11.35	113.96	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2676	C	N3-C2-O2	-11.35	113.95	121.90
3	A1	1325	C	C6-N1-C2	-11.35	115.76	120.30
24	BA	15	A	N1-C6-N6	-11.35	111.79	118.60
25	BB	2612	C	N1-C2-O2	11.35	125.71	118.90
25	BB	1771	C	N1-C2-O2	11.34	125.70	118.90
3	A1	1441	A	N1-C6-N6	-11.34	111.80	118.60
3	A1	1508	A	C5-C6-N1	11.34	123.37	117.70
25	BB	1441	G	N1-C6-O6	-11.34	113.10	119.90
25	BB	2498	C	N3-C2-O2	-11.34	113.97	121.90
25	BB	788	A	C5-C6-N6	11.33	132.77	123.70
3	A1	1147	C	O4'-C1'-N1	11.33	117.26	108.20
3	A1	459	A	C5-C6-N1	11.32	123.36	117.70
25	BB	1924	C	O4'-C1'-N1	11.32	117.26	108.20
25	BB	2462	C	N3-C4-C5	11.32	126.43	121.90
3	A1	284	C	N3-C4-N4	-11.32	110.08	118.00
3	A1	1250	A	C5-C6-N1	11.32	123.36	117.70
25	BB	972	A	C5-C6-N1	11.32	123.36	117.70
3	A1	182	A	N1-C6-N6	-11.31	111.81	118.60
3	A1	345	C	C4'-C3'-C2'	-11.31	91.28	102.60
3	A1	522	C	N3-C2-O2	-11.31	113.98	121.90
3	A1	1261	A	N1-C6-N6	-11.31	111.81	118.60
3	A1	705	G	N1-C6-O6	-11.31	113.11	119.90
25	BB	2281	A	C5-C6-N1	11.31	123.36	117.70
25	BB	922	C	C6-N1-C2	-11.31	115.78	120.30
21	AV	76	ARG	NE-CZ-NH2	11.30	125.95	120.30
3	A1	1071	C	N3-C4-C5	11.30	126.42	121.90
25	BB	820	A	N1-C6-N6	-11.30	111.82	118.60
25	BB	825	A	C4-C5-C6	-11.30	111.35	117.00
25	BB	1247	A	N1-C6-N6	-11.30	111.82	118.60
25	BB	1680	U	O4'-C1'-N1	11.30	117.24	108.20
25	BB	1731	G	C6-C5-N7	11.30	137.18	130.40
25	BB	2402	U	C5-C6-N1	-11.30	117.05	122.70
2	AM	8	U	C5-C6-N1	-11.30	117.05	122.70
3	A1	881	G	N1-C6-O6	-11.30	113.12	119.90
3	A1	1112	C	O4'-C1'-N1	11.30	117.24	108.20
25	BB	103	A	C4-C5-C6	-11.30	111.35	117.00
25	BB	654	A	C5-C6-N1	11.30	123.35	117.70
3	A1	28	A	C5-C6-N1	11.29	123.35	117.70
3	A1	79	G	N1-C6-O6	-11.29	113.12	119.90
25	BB	1945	G	C5-C6-N1	11.29	117.15	111.50
25	BB	2118	U	O4'-C1'-N1	11.29	117.23	108.20
25	BB	94	A	C4-C5-C6	-11.29	111.36	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	BN	42	ARG	NE-CZ-NH1	11.29	125.94	120.30
25	BB	1806	C	N3-C2-O2	-11.29	114.00	121.90
3	A1	423	G	N1-C6-O6	-11.28	113.13	119.90
3	A1	469	C	C6-N1-C2	-11.28	115.79	120.30
25	BB	1890	A	C4-C5-C6	-11.28	111.36	117.00
3	A1	274	A	N1-C6-N6	-11.28	111.83	118.60
3	A1	497	G	N1-C6-O6	-11.28	113.13	119.90
3	A1	1274	A	C4-C5-C6	-11.28	111.36	117.00
25	BB	732	C	O4'-C1'-N1	11.28	117.22	108.20
25	BB	1384	A	C4-C5-N7	11.28	116.34	110.70
25	BB	2808	G	C5-C6-N1	11.28	117.14	111.50
25	BB	797	G	OP1-P-OP2	-11.27	102.69	119.60
25	BB	861	A	N1-C6-N6	-11.27	111.83	118.60
25	BB	1985	C	N3-C2-O2	-11.27	114.01	121.90
25	BB	279	A	C4-C5-C6	-11.27	111.36	117.00
3	A1	194	C	C2-N3-C4	-11.27	114.27	119.90
25	BB	1471	G	C4'-C3'-C2'	-11.27	91.33	102.60
25	BB	1654	A	N1-C6-N6	-11.27	111.84	118.60
25	BB	1616	A	C5-C6-N1	11.27	123.33	117.70
3	A1	818	G	C6-N1-C2	-11.26	118.34	125.10
25	BB	2560	A	C4-C5-C6	-11.26	111.37	117.00
25	BB	1645	G	N1-C6-O6	-11.26	113.14	119.90
25	BB	1731	G	C4-C5-N7	-11.26	106.30	110.80
3	A1	419	C	C5-C4-N4	-11.26	112.32	120.20
25	BB	2893	A	C4-C5-C6	-11.26	111.37	117.00
3	A1	1033	G	N1-C6-O6	-11.25	113.15	119.90
3	A1	1324	A	N1-C6-N6	-11.25	111.85	118.60
25	BB	1121	C	N3-C2-O2	-11.25	114.02	121.90
3	A1	81	A	C5-C6-N1	11.25	123.33	117.70
25	BB	172	A	C5-C6-N1	11.25	123.33	117.70
25	BB	1072	C	N3-C4-N4	-11.24	110.13	118.00
25	BB	1354	A	C4-C5-C6	-11.24	111.38	117.00
3	A1	1179	A	C5-C6-N6	11.24	132.69	123.70
25	BB	749	A	C5-C6-N1	11.24	123.32	117.70
25	BB	979	A	C5-C6-N1	11.24	123.32	117.70
25	BB	1929	G	C3'-C2'-C1'	11.24	110.49	101.50
3	A1	669	G	N1-C6-O6	-11.23	113.16	119.90
25	BB	2376	A	C5-C6-N1	11.23	123.32	117.70
3	A1	660	C	C2-N3-C4	-11.23	114.28	119.90
3	A1	764	C	N3-C2-O2	-11.23	114.04	121.90
3	A1	818	G	N3-C2-N2	-11.23	112.04	119.90
25	BB	2896	C	N3-C4-N4	-11.23	110.14	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	649	A	C5-C6-N1	11.23	123.31	117.70
23	AX	7	ARG	NE-CZ-NH1	11.23	125.91	120.30
25	BB	208	C	N1-C2-O2	11.23	125.64	118.90
25	BB	783	A	C5-C6-N1	11.23	123.31	117.70
25	BB	2176	A	N1-C6-N6	-11.23	111.86	118.60
3	A1	258	G	N1-C6-O6	-11.22	113.17	119.90
3	A1	502	A	C4-C5-C6	-11.22	111.39	117.00
3	A1	1207	G	C5-C6-N1	11.22	117.11	111.50
3	A1	560	A	C5-C6-N6	11.22	132.68	123.70
25	BB	837	C	N3-C2-O2	-11.22	114.05	121.90
25	BB	2059	A	C5-C6-N1	11.22	123.31	117.70
3	A1	1498	U	C3'-C2'-C1'	11.21	110.47	101.50
24	BA	50	A	C5-C6-N1	11.21	123.31	117.70
25	BB	780	G	C5-C6-N1	11.21	117.11	111.50
25	BB	1413	A	C3'-C2'-C1'	-11.21	92.53	101.50
8	AG	68	ARG	NE-CZ-NH2	11.21	125.91	120.30
25	BB	632	A	C4-C5-C6	-11.21	111.39	117.00
3	A1	925	G	N1-C6-O6	-11.21	113.17	119.90
3	A1	1401	G	C6-C5-N7	11.21	137.12	130.40
25	BB	2030	A	N1-C6-N6	-11.21	111.87	118.60
3	A1	825	A	C5-C6-N1	11.21	123.30	117.70
3	A1	967	C	N3-C4-C5	11.21	126.38	121.90
50	B1	170	ARG	NE-CZ-NH2	11.20	125.90	120.30
3	A1	938	A	C4-C5-C6	-11.20	111.40	117.00
3	A1	1039	G	N3-C2-N2	-11.20	112.06	119.90
3	A1	1225	A	C4-C5-C6	-11.20	111.40	117.00
3	A1	1363	A	C5-C6-N6	11.20	132.66	123.70
24	BA	18	G	N1-C2-N3	11.20	130.62	123.90
25	BB	876	C	O4'-C1'-N1	11.20	117.16	108.20
48	BY	33	ARG	NE-CZ-NH1	11.20	125.90	120.30
25	BB	1952	A	C5-C6-N1	11.20	123.30	117.70
3	A1	643	C	C6-N1-C2	-11.20	115.82	120.30
3	A1	856	C	C2-N3-C4	-11.20	114.30	119.90
25	BB	449	A	C5-C6-N1	11.20	123.30	117.70
25	BB	1730	C	N3-C2-O2	-11.20	114.06	121.90
3	A1	609	A	N1-C6-N6	-11.20	111.88	118.60
25	BB	2610	C	N3-C2-O2	-11.20	114.06	121.90
11	AJ	39	ARG	NE-CZ-NH2	-11.19	114.70	120.30
25	BB	1679	A	C4-C5-C6	-11.20	111.40	117.00
5	AC	97	ARG	NE-CZ-NH2	-11.19	114.70	120.30
3	A1	1339	A	C5-C6-N6	11.19	132.65	123.70
3	A1	1208	C	N3-C2-O2	-11.19	114.07	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	759	A	O4'-C1'-N9	11.19	117.15	108.20
3	A1	873	A	C4-C5-C6	-11.19	111.41	117.00
3	A1	1086	U	O4'-C1'-N1	11.19	117.15	108.20
25	BB	1126	A	C5-C6-N1	11.19	123.29	117.70
3	A1	1489	G	C3'-C2'-C1'	11.18	110.44	101.50
25	BB	413	C	C3'-C2'-C1'	11.18	110.45	101.50
25	BB	1466	U	C5-C6-N1	-11.18	117.11	122.70
25	BB	2225	A	C4-C5-C6	-11.18	111.41	117.00
25	BB	2488	G	C5-C6-N1	11.18	117.09	111.50
3	A1	199	A	N1-C6-N6	-11.18	111.89	118.60
3	A1	574	A	C4-C5-C6	-11.18	111.41	117.00
25	BB	689	A	C4-C5-C6	-11.18	111.41	117.00
25	BB	873	C	N3-C4-N4	-11.18	110.18	118.00
25	BB	1086	A	N1-C6-N6	-11.18	111.89	118.60
25	BB	1853	A	C4-C5-C6	-11.18	111.41	117.00
1	AP	29	A	N1-C6-N6	-11.17	111.90	118.60
25	BB	2900	A	C4-C5-C6	-11.17	111.41	117.00
10	AI	23	ASP	CB-CG-OD2	11.17	128.35	118.30
3	A1	412	A	C5-C6-N1	11.17	123.28	117.70
25	BB	1985	C	N3-C4-C5	11.17	126.37	121.90
3	A1	443	C	N3-C4-N4	-11.17	110.18	118.00
3	A1	1493	A	C5-C6-N1	11.17	123.28	117.70
3	A1	1520	C	C2-N3-C4	-11.17	114.32	119.90
25	BB	272	A	N1-C6-N6	-11.17	111.90	118.60
25	BB	1129	A	N1-C6-N6	-11.17	111.90	118.60
25	BB	928	A	C5-C6-N1	11.16	123.28	117.70
3	A1	170	U	O4'-C1'-N1	11.16	117.13	108.20
3	A1	412	A	O4'-C1'-N9	11.16	117.13	108.20
3	A1	1028	C	C6-N1-C2	-11.16	115.84	120.30
3	A1	679	C	N3-C4-C5	11.16	126.36	121.90
1	AE	66	A	C5-C6-N1	11.16	123.28	117.70
25	BB	2668	G	C1'-O4'-C4'	-11.16	100.97	109.90
25	BB	2788	C	N3-C4-C5	11.16	126.36	121.90
28	BE	59	ARG	NE-CZ-NH1	11.16	125.88	120.30
25	BB	2014	A	C4-C5-C6	-11.15	111.42	117.00
3	A1	908	A	C4-C5-C6	-11.15	111.42	117.00
24	BA	12	C	N1-C2-O2	11.15	125.59	118.90
25	BB	951	C	N1-C2-O2	11.15	125.59	118.90
25	BB	1354	A	C5-C6-N1	11.15	123.28	117.70
25	BB	2205	A	C5-C6-N1	11.15	123.28	117.70
3	A1	946	A	C5-C6-N1	11.15	123.27	117.70
25	BB	1530	G	C6-C5-N7	11.15	137.09	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2901	C	N3-C4-N4	-11.15	110.20	118.00
25	BB	1264	A	N1-C6-N6	-11.14	111.91	118.60
25	BB	2146	C	N3-C2-O2	-11.14	114.10	121.90
1	AE	60	C	N3-C4-N4	-11.14	110.20	118.00
25	BB	528	A	C5-C6-N1	11.14	123.27	117.70
25	BB	876	C	N3-C4-C5	11.14	126.36	121.90
25	BB	1010	A	N1-C6-N6	-11.14	111.92	118.60
3	A1	1277	C	N1-C2-O2	11.13	125.58	118.90
3	A1	889	A	C5-C6-N1	11.13	123.27	117.70
25	BB	1425	G	C5-C6-N1	11.13	117.07	111.50
1	AP	25	C	N3-C2-O2	-11.13	114.11	121.90
3	A1	1492	A	C5-C6-N1	11.13	123.26	117.70
25	BB	854	C	N3-C4-C5	11.12	126.35	121.90
25	BB	1677	A	N1-C6-N6	-11.13	111.92	118.60
25	BB	2706	A	C5-C6-N1	11.12	123.26	117.70
25	BB	599	A	N1-C6-N6	-11.12	111.93	118.60
25	BB	1498	C	N3-C4-C5	11.12	126.35	121.90
41	BR	30	ARG	NE-CZ-NH1	11.12	125.86	120.30
25	BB	936	A	N1-C6-N6	-11.11	111.93	118.60
49	BZ	131	ARG	NE-CZ-NH1	11.11	125.86	120.30
3	A1	433	G	C5-C6-O6	11.11	135.27	128.60
3	A1	614	C	N3-C2-O2	-11.11	114.12	121.90
25	BB	2102	G	N1-C6-O6	-11.11	113.23	119.90
25	BB	2636	C	N3-C4-C5	11.11	126.34	121.90
25	BB	2712	C	N3-C2-O2	-11.11	114.12	121.90
25	BB	2654	A	C4-C5-C6	-11.11	111.45	117.00
1	AE	19	G	C5-C6-O6	11.11	135.26	128.60
25	BB	1273	U	N3-C2-O2	-11.11	114.42	122.20
3	A1	313	A	C5-C6-N1	11.11	123.25	117.70
25	BB	2761	A	N1-C6-N6	-11.11	111.94	118.60
27	BD	108	ARG	NH1-CZ-NH2	-11.11	107.18	119.40
1	AA	19	G	N1-C6-O6	-11.10	113.24	119.90
25	BB	2814	A	C4-C5-C6	-11.10	111.45	117.00
3	A1	1383	C	N3-C4-N4	-11.10	110.23	118.00
3	A1	357	G	N1-C6-O6	-11.10	113.24	119.90
3	A1	73	C	C6-N1-C2	-11.10	115.86	120.30
3	A1	1482	G	C4-C5-N7	-11.09	106.36	110.80
3	A1	513	C	O4'-C1'-N1	11.09	117.07	108.20
3	A1	1270	G	N3-C2-N2	-11.09	112.14	119.90
25	BB	1083	U	O4'-C1'-N1	11.09	117.07	108.20
25	BB	1118	C	N3-C4-C5	11.09	126.33	121.90
25	BB	2766	A	C5-C6-N1	11.09	123.24	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2486	C	C1'-O4'-C4'	-11.08	101.03	109.90
1	AP	21	A	C4-C5-C6	-11.08	111.46	117.00
3	A1	105	G	N1-C6-O6	-11.08	113.25	119.90
3	A1	534	U	N3-C2-O2	-11.08	114.45	122.20
21	AV	116	ARG	NE-CZ-NH2	11.08	125.84	120.30
25	BB	1213	A	C4-C5-C6	-11.08	111.46	117.00
41	BR	44	ARG	NE-CZ-NH2	-11.08	114.76	120.30
1	AE	76	A	C4-C5-C6	-11.07	111.46	117.00
3	A1	120	A	C1'-O4'-C4'	-11.07	101.04	109.90
10	AI	56	ARG	NE-CZ-NH1	11.07	125.84	120.30
25	BB	2716	C	N3-C4-N4	-11.07	110.25	118.00
25	BB	1968	G	N3-C2-N2	-11.07	112.15	119.90
3	A1	987	G	N9-C4-C5	11.07	109.83	105.40
25	BB	1195	G	N1-C6-O6	-11.07	113.26	119.90
25	BB	2062	A	C5-C6-N1	11.07	123.23	117.70
3	A1	70	U	C5-C4-O4	-11.06	119.26	125.90
8	AG	84	ARG	NE-CZ-NH1	11.06	125.83	120.30
25	BB	477	A	C5-C6-N1	11.06	123.23	117.70
36	BM	6	ARG	NE-CZ-NH1	11.06	125.83	120.30
25	BB	601	C	N3-C2-O2	-11.06	114.16	121.90
25	BB	1693	U	N3-C2-O2	-11.06	114.46	122.20
3	A1	373	A	C5-C6-N1	11.06	123.23	117.70
25	BB	1420	A	N1-C6-N6	-11.06	111.96	118.60
25	BB	1669	A	C5-C6-N1	11.06	123.23	117.70
25	BB	2789	C	O4'-C1'-N1	11.06	117.05	108.20
3	A1	156	C	C5'-C4'-O4'	11.05	122.37	109.10
25	BB	1123	C	N3-C4-C5	11.05	126.32	121.90
25	BB	2792	A	N1-C6-N6	-11.05	111.97	118.60
3	A1	1297	G	O4'-C1'-N9	11.05	117.04	108.20
3	A1	212	G	C5-C6-N1	11.05	117.03	111.50
25	BB	626	A	C5-C6-N1	11.05	123.22	117.70
25	BB	1020	A	N1-C6-N6	-11.05	111.97	118.60
25	BB	1433	A	N1-C6-N6	-11.05	111.97	118.60
29	BF	81	ARG	NE-CZ-NH2	11.05	125.83	120.30
3	A1	592	G	N3-C2-N2	-11.05	112.17	119.90
3	A1	611	C	C4-C5-C6	11.05	122.92	117.40
25	BB	344	A	C5-C6-N1	11.05	123.22	117.70
25	BB	90	U	C5-C4-O4	-11.04	119.27	125.90
25	BB	402	A	N1-C6-N6	-11.04	111.97	118.60
25	BB	432	A	C5-C6-N1	11.04	123.22	117.70
25	BB	2850	A	C5-C6-N1	11.04	123.22	117.70
1	AA	60	C	N3-C4-C5	11.04	126.32	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AE	31	A	N1-C6-N6	-11.04	111.98	118.60
1	AE	68	U	O4'-C1'-N1	11.04	117.03	108.20
24	BA	105	G	C5-C6-N1	11.04	117.02	111.50
25	BB	2006	C	N3-C2-O2	-11.04	114.17	121.90
3	A1	491	G	C8-N9-C4	-11.03	101.99	106.40
3	A1	655	A	N1-C6-N6	-11.03	111.98	118.60
25	BB	1054	A	N1-C6-N6	-11.03	111.98	118.60
3	A1	381	C	N3-C2-O2	-11.03	114.18	121.90
3	A1	48	C	N1-C2-O2	11.03	125.52	118.90
25	BB	197	A	N1-C6-N6	-11.03	111.98	118.60
25	BB	2043	C	O4'-C1'-N1	11.03	117.02	108.20
3	A1	480	U	O4'-C1'-N1	-11.03	99.38	108.20
25	BB	501	A	O4'-C1'-N9	11.03	117.02	108.20
25	BB	661	A	C5-C6-N1	11.02	123.21	117.70
25	BB	847	U	N3-C2-O2	-11.02	114.48	122.20
25	BB	1752	C	N1-C2-O2	11.02	125.52	118.90
3	A1	1225	A	C5-C6-N6	11.02	132.52	123.70
25	BB	299	A	C5-C6-N1	11.02	123.21	117.70
25	BB	1328	A	C5-C6-N1	11.02	123.21	117.70
25	BB	2433	A	C4-C5-C6	-11.02	111.49	117.00
3	A1	1104	G	C6-N1-C2	-11.02	118.49	125.10
3	A1	1298	U	N3-C2-O2	-11.02	114.49	122.20
3	A1	1396	A	C4-C5-C6	-11.02	111.49	117.00
25	BB	900	A	C4-C5-C6	-11.02	111.49	117.00
3	A1	713	G	N3-C2-N2	11.02	127.61	119.90
3	A1	1512	U	N3-C2-O2	-11.02	114.49	122.20
25	BB	2351	G	N1-C6-O6	-11.02	113.29	119.90
3	A1	1504	G	N1-C6-O6	-11.02	113.29	119.90
25	BB	2710	C	N3-C4-C5	11.02	126.31	121.90
24	BA	109	A	N1-C6-N6	-11.01	111.99	118.60
25	BB	1474	U	O4'-C4'-C3'	11.01	115.01	104.00
3	A1	609	A	C5-N7-C8	-11.01	98.40	103.90
3	A1	1152	A	C4-C5-C6	-11.01	111.50	117.00
25	BB	2008	C	N3-C4-C5	11.01	126.31	121.90
3	A1	529	G	N9-C4-C5	11.01	109.80	105.40
25	BB	1032	A	N1-C6-N6	-11.01	112.00	118.60
25	BB	2467	C	N3-C4-N4	-11.01	110.29	118.00
25	BB	300	A	C5-C6-N6	11.01	132.50	123.70
25	BB	1559	U	O4'-C1'-N1	11.01	117.00	108.20
25	BB	1781	U	O4'-C1'-N1	11.01	117.00	108.20
3	A1	924	C	C2-N3-C4	-11.00	114.40	119.90
3	A1	560	A	C4-C5-C6	-11.00	111.50	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	893	C	N3-C4-C5	11.00	126.30	121.90
3	A1	1146	A	N1-C6-N6	-11.00	112.00	118.60
25	BB	489	G	N1-C6-O6	-11.00	113.30	119.90
25	BB	2234	G	C5-C6-O6	11.00	135.20	128.60
25	BB	1244	A	N1-C6-N6	-11.00	112.00	118.60
3	A1	125	U	O4'-C1'-N1	10.99	117.00	108.20
3	A1	1120	C	N3-C4-C5	10.99	126.30	121.90
25	BB	556	A	C5-C6-N1	10.99	123.20	117.70
25	BB	1089	A	C4-C5-C6	-10.99	111.50	117.00
24	BA	88	C	N3-C2-O2	-10.99	114.21	121.90
25	BB	1100	C	N3-C2-O2	-10.99	114.20	121.90
25	BB	2761	A	C5-C6-N1	10.99	123.20	117.70
13	AL	79	TYR	CB-CG-CD2	-10.99	114.41	121.00
47	BX	24	ARG	NE-CZ-NH1	10.99	125.80	120.30
24	BA	39	A	N1-C6-N6	-10.99	112.01	118.60
25	BB	544	C	O4'-C1'-N1	10.99	116.99	108.20
25	BB	1080	A	C4-C5-C6	-10.99	111.51	117.00
27	BD	30	ARG	CD-NE-CZ	10.99	138.98	123.60
3	A1	328	C	C1'-O4'-C4'	-10.98	101.11	109.90
25	BB	127	A	C3'-C2'-C1'	10.98	110.29	101.50
25	BB	737	C	N3-C2-O2	-10.98	114.21	121.90
25	BB	922	C	N3-C2-O2	-10.98	114.21	121.90
25	BB	1785	A	C5-C6-N1	10.98	123.19	117.70
25	BB	1965	C	C2-N3-C4	-10.98	114.41	119.90
1	AE	23	A	C5-C6-N1	10.98	123.19	117.70
3	A1	1298	U	O4'-C1'-N1	10.98	116.99	108.20
25	BB	204	A	C5-C6-N1	10.98	123.19	117.70
25	BB	2125	G	N1-C6-O6	-10.98	113.31	119.90
25	BB	2264	C	N3-C2-O2	-10.98	114.22	121.90
3	A1	328	C	N3-C2-O2	-10.97	114.22	121.90
25	BB	987	C	N3-C4-N4	-10.97	110.32	118.00
3	A1	101	A	C4-C5-C6	-10.97	111.51	117.00
3	A1	1211	U	N1-C2-N3	10.97	121.48	114.90
25	BB	141	G	C5-C6-N1	10.97	116.98	111.50
25	BB	191	A	N1-C6-N6	-10.97	112.02	118.60
25	BB	1583	A	C4-C5-C6	-10.97	111.52	117.00
3	A1	784	A	C4-C5-C6	-10.97	111.52	117.00
25	BB	564	C	N3-C4-N4	-10.97	110.32	118.00
1	AE	21	A	N1-C6-N6	-10.97	112.02	118.60
3	A1	1147	C	N3-C4-C5	10.97	126.29	121.90
1	AP	11	C	C2-N3-C4	-10.96	114.42	119.90
3	A1	559	A	O4'-C1'-N9	10.96	116.97	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	819	A	C5-C6-N1	10.96	123.18	117.70
25	BB	1212	G	O4'-C1'-N9	-10.96	99.43	108.20
3	A1	999	C	N3-C2-O2	-10.96	114.23	121.90
24	BA	42	C	N1-C2-O2	10.96	125.48	118.90
25	BB	644	A	C5-C6-N1	10.96	123.18	117.70
25	BB	917	A	C5-C6-N1	10.96	123.18	117.70
25	BB	1143	A	C4-C5-C6	-10.96	111.52	117.00
25	BB	1934	C	N3-C2-O2	-10.96	114.23	121.90
3	A1	683	G	N1-C6-O6	-10.96	113.33	119.90
25	BB	1817	G	N1-C6-O6	-10.96	113.32	119.90
3	A1	1251	A	C5-C6-N1	10.96	123.18	117.70
25	BB	343	C	N3-C2-O2	-10.96	114.23	121.90
25	BB	550	C	N3-C4-C5	10.96	126.28	121.90
25	BB	2178	C	N3-C4-C5	10.96	126.28	121.90
25	BB	1221	C	N3-C4-C5	10.95	126.28	121.90
25	BB	2053	G	N1-C6-O6	-10.96	113.33	119.90
1	AE	58	A	C5-C6-N1	10.95	123.18	117.70
3	A1	10	A	C5-C6-N1	10.95	123.17	117.70
25	BB	944	C	N3-C2-O2	-10.95	114.24	121.90
25	BB	1130	U	O4'-C1'-N1	10.95	116.96	108.20
25	BB	271	G	N1-C6-O6	-10.95	113.33	119.90
1	AE	58	A	C4-C5-C6	-10.95	111.53	117.00
3	A1	145	G	C5-C6-N1	10.95	116.97	111.50
3	A1	728	A	C4-C5-C6	-10.94	111.53	117.00
3	A1	967	C	N3-C4-N4	-10.95	110.34	118.00
25	BB	1609	A	C4-C5-C6	-10.95	111.53	117.00
3	A1	1027	C	N3-C2-O2	-10.94	114.24	121.90
25	BB	1913	A	C4-C5-C6	-10.95	111.53	117.00
25	BB	1407	G	N3-C2-N2	-10.94	112.24	119.90
25	BB	2751	G	O4'-C1'-N9	10.94	116.95	108.20
3	A1	193	C	N3-C4-C5	10.94	126.28	121.90
25	BB	472	A	C5-C6-N1	10.94	123.17	117.70
25	BB	2610	C	N1-C2-O2	10.94	125.46	118.90
16	AQ	32	ARG	NE-CZ-NH1	10.93	125.77	120.30
3	A1	1021	A	N1-C6-N6	-10.93	112.04	118.60
25	BB	336	C	N3-C4-N4	-10.93	110.35	118.00
25	BB	1084	A	C1'-O4'-C4'	-10.93	101.16	109.90
25	BB	484	C	C1'-O4'-C4'	-10.93	101.16	109.90
3	A1	344	A	O4'-C1'-N9	-10.92	99.46	108.20
3	A1	1062	U	C5-C6-N1	-10.92	117.24	122.70
24	BA	27	C	C6-N1-C2	-10.92	115.93	120.30
25	BB	308	G	C5-C6-N1	10.92	116.96	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	AF	69	ARG	NE-CZ-NH2	10.92	125.76	120.30
3	A1	421	U	C3'-C2'-C1'	10.92	110.23	101.50
25	BB	108	G	C5-C6-N1	10.92	116.96	111.50
25	BB	1289	C	C2-N3-C4	-10.91	114.44	119.90
24	BA	19	C	N3-C4-C5	10.91	126.27	121.90
25	BB	190	A	C5-C6-N1	10.91	123.16	117.70
25	BB	1512	C	N3-C4-C5	10.91	126.27	121.90
37	BN	51	ARG	NE-CZ-NH2	10.91	125.76	120.30
37	BN	166	ARG	NE-CZ-NH1	10.91	125.76	120.30
1	AA	36	A	C4-C5-C6	-10.91	111.55	117.00
3	A1	262	A	N1-C6-N6	-10.91	112.05	118.60
3	A1	1299	A	C4-C5-C6	-10.91	111.55	117.00
3	A1	808	C	C2-N3-C4	-10.91	114.45	119.90
24	BA	91	C	N3-C2-O2	-10.91	114.27	121.90
46	BW	7	ARG	NE-CZ-NH2	10.91	125.75	120.30
3	A1	246	A	C4-C5-C6	-10.90	111.55	117.00
3	A1	348	G	N1-C2-N3	10.90	130.44	123.90
3	A1	990	C	O4'-C1'-N1	10.90	116.92	108.20
25	BB	2047	C	N3-C4-C5	10.90	126.26	121.90
29	BF	38	ARG	NE-CZ-NH1	10.90	125.75	120.30
3	A1	1520	C	N3-C4-N4	-10.90	110.37	118.00
25	BB	412	A	C5-C6-N1	10.90	123.15	117.70
25	BB	881	G	C6-N1-C2	-10.90	118.56	125.10
25	BB	740	C	N1-C2-O2	10.90	125.44	118.90
3	A1	1151	A	C4-C5-C6	-10.90	111.55	117.00
3	A1	1465	A	C4-C5-C6	-10.90	111.55	117.00
48	BY	179	ARG	NE-CZ-NH1	10.90	125.75	120.30
3	A1	848	C	N3-C4-C5	10.89	126.26	121.90
3	A1	1256	A	C4-C5-C6	-10.89	111.55	117.00
25	BB	1156	A	C5-C6-N1	10.89	123.15	117.70
25	BB	1515	A	C5-C6-N1	10.89	123.15	117.70
25	BB	2234	G	N1-C6-O6	-10.89	113.36	119.90
25	BB	1186	G	N1-C6-O6	-10.89	113.37	119.90
25	BB	176	A	O4'-C1'-N9	10.89	116.91	108.20
25	BB	433	C	N3-C2-O2	-10.89	114.28	121.90
25	BB	1614	A	C5-C6-N1	10.89	123.14	117.70
25	BB	2604	U	N3-C2-O2	-10.89	114.58	122.20
25	BB	652	U	C4-C5-C6	10.89	126.23	119.70
25	BB	2600	A	C4-C5-C6	-10.89	111.56	117.00
25	BB	342	A	C4-C5-C6	-10.88	111.56	117.00
27	BD	30	ARG	NE-CZ-NH1	10.88	125.74	120.30
48	BY	141	ARG	NE-CZ-NH1	-10.88	114.86	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	722	G	N3-C2-N2	-10.88	112.28	119.90
25	BB	1607	C	N3-C4-C5	10.88	126.25	121.90
3	A1	69	G	O4'-C1'-N9	10.88	116.90	108.20
3	A1	1277	C	N3-C2-O2	-10.88	114.28	121.90
25	BB	1422	G	N1-C6-O6	-10.88	113.37	119.90
43	BT	16	ARG	NE-CZ-NH1	-10.88	114.86	120.30
25	BB	794	A	C5-C6-N1	10.88	123.14	117.70
25	BB	921	C	N3-C4-C5	10.88	126.25	121.90
25	BB	2697	G	O4'-C1'-N9	10.88	116.90	108.20
25	BB	1805	A	N1-C6-N6	-10.87	112.08	118.60
3	A1	79	G	N3-C4-C5	-10.87	123.16	128.60
25	BB	2388	A	N1-C6-N6	-10.87	112.08	118.60
24	BA	45	A	C5-C6-N1	10.87	123.14	117.70
3	A1	415	A	N1-C6-N6	-10.87	112.08	118.60
3	A1	65	A	C6-C5-N7	10.87	139.91	132.30
15	AO	125	ARG	NE-CZ-NH1	10.87	125.73	120.30
3	A1	491	G	N7-C8-N9	10.87	118.53	113.10
3	A1	923	A	C5-C6-N1	10.87	123.13	117.70
3	A1	1183	U	C4'-C3'-C2'	-10.87	91.73	102.60
25	BB	1167	C	N3-C4-C5	10.86	126.25	121.90
25	BB	2309	A	C2-N3-C4	10.86	116.03	110.60
25	BB	2497	A	C4-C5-C6	-10.86	111.57	117.00
50	B1	102	ARG	NE-CZ-NH1	10.86	125.73	120.30
25	BB	352	A	C4-C5-C6	-10.86	111.57	117.00
25	BB	2572	A	N1-C6-N6	-10.86	112.08	118.60
38	BO	21	ARG	NE-CZ-NH1	10.86	125.73	120.30
25	BB	490	C	N1-C2-O2	10.86	125.41	118.90
25	BB	1146	C	N3-C2-O2	-10.86	114.30	121.90
3	A1	872	A	N1-C6-N6	-10.85	112.09	118.60
25	BB	1999	C	N3-C2-O2	-10.85	114.30	121.90
25	BB	1367	A	C5-C6-N1	10.85	123.13	117.70
25	BB	2379	G	N1-C6-O6	-10.85	113.39	119.90
3	A1	1347	G	O4'-C1'-N9	10.85	116.88	108.20
25	BB	267	C	C2-N3-C4	-10.85	114.48	119.90
25	BB	621	A	N1-C6-N6	-10.85	112.09	118.60
3	A1	979	C	N1-C2-O2	10.85	125.41	118.90
25	BB	1870	C	N3-C4-N4	-10.85	110.41	118.00
1	AP	1	G	N1-C6-O6	-10.84	113.39	119.90
25	BB	863	A	N1-C6-N6	-10.84	112.09	118.60
3	A1	986	U	N3-C2-O2	-10.84	114.61	122.20
25	BB	1584	U	N3-C2-O2	-10.84	114.61	122.20
3	A1	1054	C	N3-C4-C5	10.84	126.24	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AE	62	A	N1-C6-N6	-10.84	112.10	118.60
25	BB	1730	C	C2-N3-C4	-10.84	114.48	119.90
3	A1	559	A	C4-C5-C6	-10.84	111.58	117.00
25	BB	147	C	N3-C2-O2	-10.84	114.31	121.90
25	BB	764	A	C4-C5-C6	-10.84	111.58	117.00
25	BB	983	A	N1-C6-N6	-10.84	112.10	118.60
2	AM	2	U	O4'-C1'-N1	10.83	116.87	108.20
3	A1	984	C	C2-N3-C4	-10.83	114.48	119.90
25	BB	400	G	N1-C6-O6	-10.83	113.40	119.90
25	BB	501	A	C5-C6-N1	10.83	123.12	117.70
25	BB	1603	A	C5-C6-N1	10.83	123.12	117.70
3	A1	655	A	C5-C6-N1	10.83	123.11	117.70
3	A1	660	C	N3-C2-O2	-10.83	114.32	121.90
3	A1	1168	U	P-O3'-C3'	10.82	132.69	119.70
3	A1	246	A	C5-C6-N1	10.82	123.11	117.70
25	BB	1383	A	C5-C6-N6	10.82	132.36	123.70
25	BB	2173	A	C4-C5-C6	-10.82	111.59	117.00
25	BB	2530	A	N1-C6-N6	-10.82	112.11	118.60
3	A1	1480	A	N1-C6-N6	-10.82	112.11	118.60
25	BB	2421	G	C5-C6-N1	10.82	116.91	111.50
25	BB	81	G	C5-C6-O6	10.82	135.09	128.60
25	BB	840	C	N3-C4-N4	-10.82	110.43	118.00
25	BB	116	C	N1-C2-O2	10.82	125.39	118.90
3	A1	660	C	N3-C4-C5	10.81	126.23	121.90
3	A1	694	A	C5-C6-N1	10.81	123.11	117.70
3	A1	1340	A	C2'-C3'-O3'	10.81	133.29	109.50
3	A1	862	C	O4'-C1'-N1	10.81	116.85	108.20
45	BV	21	ARG	NE-CZ-NH1	10.81	125.70	120.30
25	BB	2644	G	C4-C5-N7	-10.81	106.48	110.80
25	BB	1156	A	O4'-C1'-N9	10.81	116.85	108.20
25	BB	2846	G	N1-C6-O6	-10.81	113.42	119.90
25	BB	1210	G	C5-C6-N1	10.81	116.90	111.50
25	BB	1672	A	C5-C6-N1	10.80	123.10	117.70
25	BB	2807	U	N1-C2-N3	10.80	121.38	114.90
1	AP	8	U	N3-C2-O2	-10.80	114.64	122.20
25	BB	435	C	N3-C2-O2	-10.80	114.34	121.90
25	BB	343	C	C6-N1-C2	-10.80	115.98	120.30
25	BB	523	C	N3-C4-C5	10.80	126.22	121.90
25	BB	1057	A	C4-C5-C6	-10.80	111.60	117.00
25	BB	1428	C	N3-C2-O2	-10.80	114.34	121.90
1	AA	50	U	O4'-C1'-N1	10.79	116.84	108.20
3	A1	513	C	C2-N3-C4	-10.79	114.50	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	845	A	C4-C5-C6	-10.79	111.60	117.00
25	BB	2308	G	O4'-C1'-N9	10.79	116.83	108.20
25	BB	163	C	O4'-C1'-N1	10.79	116.83	108.20
3	A1	143	A	C6-N1-C2	-10.79	112.13	118.60
3	A1	1280	A	O4'-C1'-N9	10.79	116.83	108.20
3	A1	1391	U	O4'-C1'-N1	10.79	116.83	108.20
8	AG	80	ARG	NH1-CZ-NH2	-10.79	107.53	119.40
25	BB	181	A	C5-C6-N1	10.79	123.09	117.70
25	BB	2700	A	C5-C6-N1	10.79	123.09	117.70
3	A1	1219	A	C4-C5-C6	-10.79	111.61	117.00
25	BB	299	A	C4-C5-C6	-10.79	111.61	117.00
25	BB	743	A	N1-C6-N6	-10.79	112.13	118.60
25	BB	2387	U	N3-C2-O2	-10.79	114.65	122.20
25	BB	186	G	N3-C2-N2	10.79	127.45	119.90
25	BB	982	C	N1-C2-O2	10.79	125.37	118.90
25	BB	2091	C	N3-C2-O2	-10.79	114.35	121.90
25	BB	2298	A	C5-C6-N1	10.79	123.09	117.70
25	BB	1572	A	C4-C5-C6	-10.78	111.61	117.00
25	BB	2726	A	C4-C5-C6	-10.78	111.61	117.00
1	AE	39	U	C3'-C2'-C1'	-10.78	92.88	101.50
3	A1	466	A	O4'-C1'-N9	10.78	116.82	108.20
3	A1	935	A	C5-C6-N1	10.78	123.09	117.70
25	BB	886	A	C5-C6-N1	10.78	123.09	117.70
25	BB	800	A	C4-C5-C6	-10.78	111.61	117.00
25	BB	2896	C	O4'-C1'-N1	10.77	116.82	108.20
3	A1	1310	G	N1-C6-O6	-10.77	113.44	119.90
25	BB	745	G	OP1-P-OP2	-10.77	103.44	119.60
25	BB	2534	A	C4-C5-C6	-10.77	111.61	117.00
3	A1	337	G	N3-C4-C5	-10.77	123.22	128.60
3	A1	502	A	C5-C6-N1	10.77	123.08	117.70
24	BA	21	G	N1-C6-O6	-10.77	113.44	119.90
25	BB	165	A	C5-C6-N1	10.77	123.08	117.70
25	BB	1386	C	N3-C4-C5	10.77	126.21	121.90
3	A1	1322	C	C6-N1-C2	-10.77	115.99	120.30
4	AB	20	ARG	NE-CZ-NH2	-10.77	114.92	120.30
25	BB	1937	A	C4-C5-C6	-10.77	111.62	117.00
25	BB	2752	C	N3-C4-N4	-10.77	110.46	118.00
25	BB	91	A	C5-C6-N1	10.76	123.08	117.70
1	AP	38	A	N1-C6-N6	-10.76	112.14	118.60
25	BB	213	A	C4-C5-C6	-10.76	111.62	117.00
25	BB	1276	A	N1-C6-N6	-10.76	112.14	118.60
25	BB	2846	G	C5-C6-N1	10.76	116.88	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2516	A	C4-C5-C6	-10.76	111.62	117.00
25	BB	2523	G	C5-C6-N1	10.76	116.88	111.50
3	A1	71	A	C5-C6-N1	10.75	123.08	117.70
3	A1	954	G	O4'-C1'-N9	10.75	116.80	108.20
25	BB	217	A	C4-C5-C6	-10.75	111.62	117.00
25	BB	426	C	C2-N3-C4	-10.75	114.52	119.90
25	BB	1144	A	C5-C6-N1	10.75	123.08	117.70
25	BB	2354	C	N3-C4-C5	10.75	126.20	121.90
3	A1	59	A	C8-N9-C4	-10.75	101.50	105.80
3	A1	335	C	C4'-C3'-C2'	-10.75	91.85	102.60
3	A1	530	G	N1-C6-O6	-10.75	113.45	119.90
4	AB	62	ARG	NE-CZ-NH1	10.75	125.67	120.30
25	BB	182	A	N1-C6-N6	-10.75	112.15	118.60
25	BB	866	A	C5-C6-N1	10.75	123.07	117.70
25	BB	1254	A	C5-C6-N1	10.75	123.07	117.70
3	A1	412	A	C3'-C2'-C1'	-10.74	92.91	101.50
3	A1	914	A	C4-C5-C6	-10.74	111.63	117.00
1	AP	70	C	C6-N1-C2	-10.74	116.00	120.30
3	A1	1196	A	C1'-O4'-C4'	-10.74	101.31	109.90
25	BB	1459	G	C4-C5-N7	-10.74	106.50	110.80
25	BB	1687	G	N1-C6-O6	-10.74	113.46	119.90
25	BB	2377	A	C6-C5-N7	10.74	139.82	132.30
1	AP	72	C	C2-N3-C4	-10.74	114.53	119.90
3	A1	1087	G	C4-C5-N7	-10.74	106.50	110.80
5	AC	12	ARG	NE-CZ-NH1	10.74	125.67	120.30
25	BB	33	C	O4'-C1'-N1	10.74	116.79	108.20
25	BB	1785	A	C4-C5-C6	-10.74	111.63	117.00
3	A1	60	A	C5-N7-C8	-10.73	98.53	103.90
3	A1	1340	A	C3'-C2'-C1'	10.73	110.09	101.50
25	BB	294	A	C5-C6-N1	10.73	123.07	117.70
25	BB	2003	A	C5-C6-N1	10.73	123.07	117.70
3	A1	872	A	C6-C5-N7	10.73	139.81	132.30
25	BB	544	C	N3-C4-C5	10.73	126.19	121.90
3	A1	857	C	N3-C2-O2	-10.73	114.39	121.90
25	BB	223	A	C5-C6-N1	10.73	123.06	117.70
3	A1	1412	C	N3-C4-C5	10.73	126.19	121.90
25	BB	748	G	O4'-C1'-N9	10.73	116.78	108.20
25	BB	1958	C	C2-N3-C4	-10.73	114.54	119.90
25	BB	2238	G	O4'-C1'-N9	10.73	116.78	108.20
3	A1	110	C	C5-C6-N1	-10.72	115.64	121.00
3	A1	1005	A	C5-C6-N1	10.72	123.06	117.70
3	A1	1405	G	N1-C6-O6	-10.72	113.47	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1775	U	N3-C2-O2	-10.72	114.69	122.20
25	BB	2529	G	C4-C5-N7	-10.72	106.51	110.80
25	BB	251	A	N1-C6-N6	-10.72	112.17	118.60
25	BB	1608	A	N1-C6-N6	-10.72	112.17	118.60
25	BB	2111	U	N3-C2-O2	-10.72	114.70	122.20
25	BB	2207	C	N3-C4-C5	10.72	126.19	121.90
25	BB	2385	C	N3-C2-O2	-10.72	114.39	121.90
25	BB	2425	A	C5-C6-N6	10.72	132.28	123.70
25	BB	1270	C	C1'-O4'-C4'	-10.72	101.33	109.90
25	BB	1584	U	O4'-C1'-N1	10.72	116.78	108.20
25	BB	1891	G	N1-C6-O6	-10.72	113.47	119.90
25	BB	2277	G	C5-C6-N1	10.72	116.86	111.50
25	BB	2542	A	N1-C6-N6	-10.72	112.17	118.60
33	BJ	50	ARG	NE-CZ-NH1	10.72	125.66	120.30
3	A1	1163	A	C4-C5-C6	-10.71	111.64	117.00
25	BB	2358	A	C4-C5-C6	-10.72	111.64	117.00
3	A1	611	C	N3-C2-O2	-10.71	114.40	121.90
24	BA	23	G	N1-C6-O6	-10.71	113.47	119.90
25	BB	1956	U	C5-C6-N1	-10.71	117.34	122.70
3	A1	156	C	O4'-C1'-N1	10.71	116.77	108.20
3	A1	356	A	C4-C5-C6	-10.71	111.65	117.00
3	A1	479	U	N3-C2-O2	-10.71	114.70	122.20
25	BB	2439	A	C5-C6-N1	10.71	123.05	117.70
3	A1	486	U	N3-C2-O2	-10.71	114.71	122.20
3	A1	18	C	N3-C4-N4	-10.70	110.51	118.00
25	BB	1659	G	N1-C6-O6	-10.71	113.48	119.90
3	A1	338	A	C4-C5-C6	-10.70	111.65	117.00
1	AP	50	U	C5-C6-N1	-10.70	117.35	122.70
25	BB	2661	G	C8-N9-C4	-10.70	102.12	106.40
3	A1	1027	C	N1-C2-O2	10.70	125.32	118.90
25	BB	1480	C	N1-C2-O2	10.70	125.32	118.90
25	BB	2744	G	N1-C6-O6	-10.70	113.48	119.90
25	BB	1210	G	C8-N9-C4	-10.70	102.12	106.40
25	BB	2860	A	C5-C6-N1	10.70	123.05	117.70
3	A1	1101	A	C5-C6-N1	10.69	123.05	117.70
25	BB	1927	A	C4-C5-C6	-10.69	111.65	117.00
25	BB	1111	A	C1'-O4'-C4'	-10.69	101.35	109.90
3	A1	1398	A	O4'-C1'-N9	10.69	116.75	108.20
25	BB	940	G	N3-C2-N2	-10.69	112.42	119.90
25	BB	1275	A	C5-C6-N1	10.69	123.05	117.70
1	AE	48	C	N3-C2-O2	-10.69	114.42	121.90
3	A1	364	A	N1-C6-N6	-10.69	112.19	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	675	A	C5-C6-N1	10.69	123.04	117.70
25	BB	582	A	C5-C6-N1	10.69	123.04	117.70
25	BB	866	A	O4'-C1'-N9	10.69	116.75	108.20
25	BB	1274	A	C5-C6-N1	10.69	123.04	117.70
3	A1	1385	G	N1-C6-O6	-10.68	113.49	119.90
25	BB	1990	C	N3-C2-O2	-10.68	114.42	121.90
45	BV	28	ARG	NE-CZ-NH1	10.68	125.64	120.30
3	A1	1046	A	C6-N1-C2	-10.68	112.19	118.60
25	BB	788	A	C5-C6-N1	10.68	123.04	117.70
25	BB	248	G	O4'-C1'-N9	10.68	116.74	108.20
25	BB	1705	A	C6-C5-N7	10.68	139.77	132.30
25	BB	2009	A	C4-C5-C6	-10.68	111.66	117.00
25	BB	428	A	C6-C5-N7	10.67	139.77	132.30
3	A1	336	A	C4-C5-C6	-10.67	111.67	117.00
3	A1	1196	A	C4-C5-C6	-10.67	111.67	117.00
25	BB	540	C	N3-C4-C5	10.67	126.17	121.90
25	BB	1403	A	C5-C6-N1	10.67	123.03	117.70
25	BB	616	A	C5-C6-N1	10.67	123.03	117.70
25	BB	2524	G	C6-N1-C2	-10.67	118.70	125.10
3	A1	1401	G	O4'-C1'-N9	10.67	116.73	108.20
25	BB	2260	C	N3-C2-O2	-10.67	114.43	121.90
25	BB	2806	C	C2-N3-C4	-10.67	114.57	119.90
25	BB	1617	C	N3-C4-C5	10.66	126.17	121.90
3	A1	1316	G	C6-C5-N7	10.66	136.80	130.40
25	BB	1103	A	C5-C6-N1	10.66	123.03	117.70
1	AA	41	U	O4'-C1'-N1	10.66	116.73	108.20
25	BB	2255	G	C5-N7-C8	-10.66	98.97	104.30
25	BB	2614	A	C5-C6-N1	10.66	123.03	117.70
39	BP	10	ARG	NE-CZ-NH2	10.66	125.63	120.30
25	BB	574	A	N1-C6-N6	-10.66	112.20	118.60
25	BB	2716	C	N3-C2-O2	-10.66	114.44	121.90
3	A1	841	C	N3-C4-C5	10.66	126.16	121.90
6	AD	113	ARG	NE-CZ-NH1	10.66	125.63	120.30
25	BB	788	A	C4-C5-C6	-10.66	111.67	117.00
25	BB	2714	G	N1-C6-O6	-10.66	113.51	119.90
25	BB	2808	G	C6-N1-C2	-10.66	118.70	125.10
3	A1	266	G	C8-N9-C4	-10.65	102.14	106.40
3	A1	431	A	C2-N3-C4	10.65	115.93	110.60
3	A1	513	C	N3-C4-C5	10.65	126.16	121.90
3	A1	749	A	C5-C6-N1	10.65	123.03	117.70
3	A1	884	U	O4'-C1'-N1	10.65	116.72	108.20
3	A1	649	A	C4-C5-C6	-10.65	111.67	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1483	A	OP1-P-OP2	-10.65	103.63	119.60
25	BB	909	A	C5-C6-N1	10.65	123.03	117.70
25	BB	6	A	C5-C6-N1	10.65	123.02	117.70
25	BB	962	G	N1-C6-O6	-10.65	113.51	119.90
3	A1	909	A	C5-C6-N1	10.65	123.02	117.70
3	A1	1319	A	C4-C5-C6	-10.65	111.68	117.00
1	AA	21	A	C5-C6-N1	10.64	123.02	117.70
1	AE	23	A	N1-C6-N6	-10.64	112.21	118.60
3	A1	1451	U	N1-C2-N3	10.64	121.29	114.90
25	BB	2321	U	C5-C6-N1	-10.64	117.38	122.70
25	BB	1295	C	N3-C2-O2	-10.64	114.45	121.90
25	BB	1485	U	O4'-C1'-N1	10.64	116.72	108.20
3	A1	1421	G	N1-C6-O6	-10.64	113.52	119.90
3	A1	536	C	N3-C2-O2	-10.64	114.45	121.90
25	BB	1235	G	N1-C6-O6	-10.64	113.52	119.90
25	BB	1954	G	N3-C2-N2	-10.64	112.45	119.90
25	BB	2238	G	OP1-P-OP2	-10.64	103.64	119.60
25	BB	2685	G	N1-C6-O6	-10.64	113.52	119.90
24	BA	99	A	C4-C5-C6	-10.63	111.68	117.00
25	BB	1739	A	C4-C5-C6	-10.63	111.69	117.00
25	BB	2339	C	N3-C2-O2	-10.63	114.46	121.90
25	BB	2418	A	C5-C6-N1	10.63	123.02	117.70
3	A1	17	U	O4'-C1'-N1	10.63	116.70	108.20
3	A1	478	A	N1-C6-N6	-10.63	112.22	118.60
3	A1	959	A	C3'-C2'-C1'	10.62	110.00	101.50
25	BB	2205	A	N1-C6-N6	-10.62	112.22	118.60
25	BB	2407	A	C4-C5-C6	-10.62	111.69	117.00
25	BB	2792	A	N9-C1'-C2'	-10.62	100.19	114.00
25	BB	1459	G	C6-N1-C2	-10.62	118.73	125.10
25	BB	2341	G	C5-C6-N1	10.62	116.81	111.50
3	A1	382	A	C4-C5-C6	-10.62	111.69	117.00
3	A1	999	C	C6-N1-C2	-10.62	116.05	120.30
25	BB	357	C	N3-C4-C5	10.62	126.15	121.90
25	BB	2090	A	C5-C6-N1	10.62	123.01	117.70
25	BB	537	G	C5-C6-N1	10.62	116.81	111.50
25	BB	1871	A	C6-C5-N7	10.62	139.73	132.30
25	BB	2411	A	C5-C6-N1	10.62	123.01	117.70
25	BB	1717	A	N1-C6-N6	-10.62	112.23	118.60
25	BB	1801	A	C2-N3-C4	10.62	115.91	110.60
25	BB	2492	U	O4'-C1'-N1	10.62	116.69	108.20
25	BB	2560	A	C5-C6-N1	10.61	123.01	117.70
3	A1	155	A	C5-C6-N1	10.61	123.00	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	602	A	N1-C2-N3	-10.61	124.00	129.30
25	BB	2662	A	C4-C5-C6	-10.61	111.70	117.00
3	A1	718	A	C4-C5-C6	-10.61	111.70	117.00
3	A1	814	A	N1-C6-N6	-10.61	112.24	118.60
3	A1	962	C	C4-C5-C6	10.61	122.70	117.40
3	A1	1066	C	O4'-C1'-N1	10.61	116.68	108.20
25	BB	652	U	N3-C2-O2	-10.61	114.78	122.20
1	AE	60	C	N3-C2-O2	-10.60	114.48	121.90
3	A1	51	A	C2-N3-C4	10.60	115.90	110.60
3	A1	1204	A	C5-C6-N1	10.60	123.00	117.70
25	BB	1847	A	O4'-C1'-N9	10.60	116.68	108.20
25	BB	2733	A	C5-C6-N1	10.60	123.00	117.70
25	BB	2749	A	C5-C6-N1	10.60	123.00	117.70
3	A1	1362	A	C4-C5-C6	-10.60	111.70	117.00
25	BB	556	A	O4'-C1'-N9	10.60	116.68	108.20
25	BB	2602	A	C4-C5-C6	-10.60	111.70	117.00
25	BB	469	G	N1-C6-O6	-10.60	113.54	119.90
25	BB	2517	C	N3-C4-C5	10.60	126.14	121.90
25	BB	461	C	N3-C2-O2	-10.60	114.48	121.90
3	A1	1492	A	C4-C5-C6	-10.60	111.70	117.00
25	BB	1058	U	N3-C2-O2	-10.60	114.78	122.20
3	A1	266	G	C5-C6-N1	10.59	116.80	111.50
25	BB	490	C	N3-C2-O2	-10.59	114.48	121.90
3	A1	47	C	N3-C4-C5	10.59	126.14	121.90
3	A1	975	A	C4-C5-C6	-10.59	111.70	117.00
25	BB	384	A	C5-C6-N1	10.59	123.00	117.70
25	BB	1907	G	N3-C2-N2	-10.59	112.49	119.90
25	BB	2412	A	C5-C6-N1	10.59	123.00	117.70
3	A1	364	A	C6-C5-N7	10.59	139.71	132.30
3	A1	443	C	N3-C2-O2	-10.59	114.49	121.90
3	A1	1493	A	C8-N9-C4	-10.59	101.57	105.80
25	BB	173	A	N1-C6-N6	-10.59	112.25	118.60
25	BB	346	A	C1'-O4'-C4'	-10.59	101.43	109.90
3	A1	335	C	N1-C2-O2	10.58	125.25	118.90
25	BB	176	A	C5-C6-N1	10.58	122.99	117.70
25	BB	32	C	N3-C4-C5	10.58	126.13	121.90
25	BB	1325	U	N1-C2-N3	10.58	121.25	114.90
3	A1	316	C	C2-N3-C4	-10.58	114.61	119.90
3	A1	1172	C	N3-C2-O2	-10.58	114.50	121.90
25	BB	38	A	C6-C5-N7	10.58	139.71	132.30
25	BB	213	A	N1-C6-N6	-10.58	112.25	118.60
25	BB	901	C	N3-C4-C5	10.58	126.13	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1491	G	N1-C6-O6	-10.57	113.56	119.90
25	BB	1625	C	N3-C4-C5	10.57	126.13	121.90
25	BB	2872	A	C5-C6-N1	10.57	122.99	117.70
25	BB	702	U	C1'-O4'-C4'	-10.57	101.44	109.90
25	BB	1492	G	N1-C6-O6	-10.57	113.56	119.90
25	BB	2171	A	C1'-O4'-C4'	-10.57	101.44	109.90
3	A1	443	C	N3-C4-C5	10.57	126.13	121.90
3	A1	1446	A	C5-C6-N1	10.57	122.98	117.70
25	BB	1569	A	C5-C6-N1	10.57	122.99	117.70
25	BB	1888	G	N1-C6-O6	-10.57	113.56	119.90
3	A1	956	U	N3-C2-O2	-10.57	114.80	122.20
25	BB	2110	G	N3-C4-C5	-10.57	123.32	128.60
25	BB	730	A	C5-C6-N1	10.56	122.98	117.70
3	A1	1483	A	C5-C6-N1	10.56	122.98	117.70
25	BB	2255	G	N7-C8-N9	10.56	118.38	113.10
3	A1	434	U	O4'-C1'-N1	10.56	116.65	108.20
25	BB	1285	A	C8-N9-C4	-10.56	101.58	105.80
3	A1	300	A	C5-C6-N1	10.56	122.98	117.70
3	A1	569	C	N3-C4-N4	-10.56	110.61	118.00
25	BB	174	U	O4'-C1'-N1	10.56	116.65	108.20
25	BB	513	A	C5-C6-N1	10.56	122.98	117.70
3	A1	495	A	C4-C5-C6	-10.56	111.72	117.00
25	BB	362	A	C6-C5-N7	10.56	139.69	132.30
25	BB	526	A	C4-C5-C6	-10.56	111.72	117.00
3	A1	784	A	C5-C6-N1	10.55	122.98	117.70
5	AC	97	ARG	NE-CZ-NH1	10.55	125.58	120.30
21	AV	83	ARG	NE-CZ-NH1	10.55	125.58	120.30
25	BB	1474	U	C3'-C2'-C1'	10.55	109.94	101.50
25	BB	1789	A	C4-C5-C6	-10.55	111.72	117.00
25	BB	2576	G	N1-C6-O6	-10.55	113.57	119.90
3	A1	193	C	N3-C2-O2	-10.55	114.51	121.90
3	A1	648	A	C5-C6-N1	10.55	122.98	117.70
3	A1	739	C	N1-C1'-C2'	-10.55	100.28	114.00
3	A1	1378	C	C5'-C4'-O4'	10.55	121.76	109.10
3	A1	1403	C	C5-C4-N4	10.55	127.59	120.20
25	BB	3	U	N3-C2-O2	-10.55	114.81	122.20
25	BB	217	A	O4'-C1'-N9	10.55	116.64	108.20
25	BB	947	A	N1-C6-N6	-10.55	112.27	118.60
3	A1	255	G	N3-C2-N2	-10.55	112.52	119.90
3	A1	1026	G	C5-C6-N1	10.55	116.77	111.50
25	BB	2135	A	N1-C6-N6	-10.55	112.27	118.60
25	BB	2369	A	O4'-C1'-N9	-10.55	99.76	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	167	A	C4-C5-C6	-10.54	111.73	117.00
3	A1	583	A	C5-C6-N1	10.54	122.97	117.70
3	A1	613	C	N3-C2-O2	-10.54	114.52	121.90
3	A1	537	G	C5-C6-N1	10.54	116.77	111.50
25	BB	1924	C	N3-C2-O2	-10.54	114.52	121.90
25	BB	2879	A	C5-C6-N1	10.54	122.97	117.70
3	A1	198	G	C4'-C3'-C2'	-10.54	92.06	102.60
3	A1	174	A	C4-C5-C6	-10.54	111.73	117.00
25	BB	11	C	N3-C4-N4	-10.54	110.62	118.00
25	BB	1399	C	N3-C4-N4	-10.54	110.63	118.00
25	BB	2372	U	O4'-C1'-N1	10.54	116.63	108.20
3	A1	159	G	C1'-O4'-C4'	-10.53	101.47	109.90
3	A1	372	C	C2-N3-C4	-10.53	114.63	119.90
25	BB	775	G	N3-C2-N2	-10.53	112.53	119.90
25	BB	1397	U	N3-C2-O2	-10.53	114.83	122.20
3	A1	384	G	N3-C2-N2	-10.53	112.53	119.90
3	A1	660	C	C5-C4-N4	10.53	127.57	120.20
3	A1	1172	C	O4'-C1'-N1	10.53	116.62	108.20
25	BB	66	C	C5-C4-N4	-10.53	112.83	120.20
25	BB	98	G	O4'-C1'-N9	10.53	116.62	108.20
25	BB	101	A	C5-C6-N1	10.53	122.97	117.70
25	BB	2252	G	C5-C6-N1	10.53	116.76	111.50
25	BB	2513	A	N1-C6-N6	-10.53	112.28	118.60
3	A1	1395	C	N3-C2-O2	-10.53	114.53	121.90
25	BB	1239	G	C5-C6-N1	10.53	116.76	111.50
1	AP	51	G	N3-C2-N2	-10.53	112.53	119.90
3	A1	652	U	O4'-C1'-N1	10.53	116.62	108.20
25	BB	1048	A	C5-C6-N1	10.53	122.96	117.70
1	AA	57	G	O4'-C1'-N9	10.52	116.62	108.20
25	BB	269	C	N1-C2-O2	10.52	125.21	118.90
3	A1	1223	C	N3-C4-C5	10.52	126.11	121.90
25	BB	2099	U	C5-C6-N1	-10.52	117.44	122.70
25	BB	2829	A	C5-C6-N1	10.52	122.96	117.70
24	BA	71	C	N3-C2-O2	-10.52	114.54	121.90
2	AM	14	U	N3-C2-O2	-10.52	114.84	122.20
3	A1	1356	G	N3-C4-C5	-10.52	123.34	128.60
25	BB	965	C	N3-C4-C5	10.52	126.11	121.90
25	BB	1320	C	N3-C4-N4	-10.52	110.64	118.00
3	A1	389	A	C5-C6-N6	10.52	132.11	123.70
3	A1	520	A	N1-C6-N6	-10.52	112.29	118.60
48	BY	184	ARG	NE-CZ-NH1	10.52	125.56	120.30
3	A1	1469	C	O4'-C1'-N1	10.51	116.61	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1230	A	C5-C6-N1	10.51	122.96	117.70
25	BB	1285	A	N1-C6-N6	-10.51	112.29	118.60
25	BB	2607	G	O4'-C1'-N9	10.51	116.61	108.20
3	A1	1430	A	O4'-C1'-N9	10.51	116.61	108.20
24	BA	76	G	N1-C6-O6	-10.51	113.59	119.90
25	BB	1822	C	N3-C2-O2	-10.51	114.54	121.90
25	BB	2051	A	N1-C6-N6	-10.51	112.29	118.60
25	BB	2479	U	N1-C2-N3	10.51	121.21	114.90
25	BB	513	A	C4-C5-C6	-10.51	111.75	117.00
3	A1	628	G	C5-C6-N1	10.51	116.75	111.50
25	BB	717	C	N3-C4-C5	10.51	126.10	121.90
25	BB	1427	A	C5-C6-N1	10.51	122.95	117.70
25	BB	1169	A	C5-C6-N1	10.51	122.95	117.70
25	BB	1207	C	N3-C4-C5	10.50	126.10	121.90
3	A1	442	G	N1-C6-O6	-10.50	113.60	119.90
25	BB	2097	A	N1-C6-N6	-10.50	112.30	118.60
25	BB	1364	G	N1-C6-O6	-10.50	113.60	119.90
1	AE	14	A	C5-C6-N1	10.49	122.95	117.70
1	AP	71	G	N1-C6-O6	-10.49	113.60	119.90
24	BA	7	G	N1-C6-O6	-10.49	113.60	119.90
3	A1	293	G	N1-C6-O6	-10.49	113.61	119.90
25	BB	2380	C	C2-N3-C4	-10.49	114.65	119.90
25	BB	2734	A	C5-C6-N1	10.49	122.95	117.70
25	BB	1298	C	N3-C4-C5	10.49	126.10	121.90
24	BA	67	G	N7-C8-N9	10.49	118.34	113.10
25	BB	2313	C	N3-C4-C5	10.49	126.10	121.90
25	BB	2327	A	O4'-C1'-N9	10.49	116.59	108.20
25	BB	1242	U	C5-C6-N1	-10.49	117.46	122.70
25	BB	1675	C	N1-C2-O2	10.49	125.19	118.90
25	BB	1874	C	C6-N1-C2	-10.49	116.11	120.30
25	BB	1922	G	N1-C6-O6	-10.49	113.61	119.90
3	A1	880	C	N3-C2-O2	-10.48	114.56	121.90
25	BB	1797	G	N1-C6-O6	-10.48	113.61	119.90
3	A1	479	U	C2-N3-C4	-10.48	120.71	127.00
3	A1	892	A	C5-C6-N1	10.48	122.94	117.70
25	BB	320	A	C4-C5-C6	-10.48	111.76	117.00
25	BB	892	A	C6-N1-C2	-10.48	112.31	118.60
1	AA	27	C	N3-C4-C5	10.48	126.09	121.90
3	A1	130	A	C5-C6-N1	10.48	122.94	117.70
3	A1	431	A	C6-C5-N7	10.48	139.63	132.30
3	A1	452	A	C4-C5-C6	-10.48	111.76	117.00
3	A1	956	U	N3-C4-C5	-10.48	108.31	114.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	900	A	C6-C5-N7	10.48	139.63	132.30
3	A1	816	A	N1-C2-N3	-10.47	124.06	129.30
3	A1	1016	A	C4-C5-C6	-10.47	111.76	117.00
25	BB	793	A	N1-C6-N6	-10.47	112.32	118.60
25	BB	2071	A	C5-C6-N1	10.47	122.94	117.70
3	A1	1352	C	N3-C2-O2	-10.47	114.57	121.90
25	BB	229	C	N1-C2-O2	10.47	125.18	118.90
25	BB	1386	C	C2-N3-C4	-10.47	114.67	119.90
25	BB	2104	C	C2-N3-C4	-10.47	114.67	119.90
25	BB	2503	A	C5-C6-N1	10.47	122.93	117.70
3	A1	907	A	C5-C6-N1	10.47	122.93	117.70
25	BB	2442	C	N3-C2-O2	-10.46	114.58	121.90
3	A1	563	A	C5-C6-N1	10.46	122.93	117.70
3	A1	645	G	N9-C4-C5	10.46	109.58	105.40
25	BB	532	A	C4-C5-C6	-10.46	111.77	117.00
25	BB	926	G	N1-C6-O6	-10.46	113.62	119.90
25	BB	1093	G	N1-C6-O6	-10.46	113.62	119.90
25	BB	896	A	C5-C6-N1	10.46	122.93	117.70
25	BB	1051	G	C5-C6-N1	10.46	116.73	111.50
25	BB	1788	C	N3-C4-N4	-10.46	110.68	118.00
25	BB	2594	C	C6-N1-C2	-10.46	116.12	120.30
36	BM	3	ARG	NE-CZ-NH2	-10.46	115.07	120.30
3	A1	35	G	N1-C6-O6	-10.46	113.63	119.90
3	A1	702	A	C5-N7-C8	-10.46	98.67	103.90
3	A1	802	A	N1-C6-N6	-10.45	112.33	118.60
3	A1	912	C	N3-C2-O2	-10.46	114.58	121.90
25	BB	308	G	N1-C6-O6	-10.46	113.63	119.90
25	BB	2207	C	C5-C4-N4	10.46	127.52	120.20
25	BB	771	G	O4'-C1'-N9	10.45	116.56	108.20
25	BB	1847	A	C5-C6-N6	10.46	132.06	123.70
25	BB	2065	C	N3-C4-N4	-10.46	110.68	118.00
25	BB	2886	A	C5-N7-C8	-10.46	98.67	103.90
3	A1	1025	U	O4'-C4'-C3'	10.45	114.46	106.10
3	A1	1534	A	C5-C6-N1	10.45	122.93	117.70
25	BB	1053	C	N3-C4-C5	10.45	126.08	121.90
25	BB	1952	A	C5-C6-N6	10.45	132.06	123.70
25	BB	637	A	C1'-O4'-C4'	-10.45	101.54	109.90
25	BB	1903	G	N1-C6-O6	-10.45	113.63	119.90
25	BB	1398	C	N3-C4-N4	-10.45	110.69	118.00
25	BB	1552	A	C4-C5-C6	-10.45	111.78	117.00
3	A1	272	C	N1-C2-O2	10.45	125.17	118.90
25	BB	100	U	O4'-C1'-N1	10.45	116.56	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1309	G	N1-C6-O6	-10.45	113.63	119.90
25	BB	1791	A	C5-C6-N1	10.44	122.92	117.70
1	AA	29	A	C5-N7-C8	10.44	109.12	103.90
25	BB	265	A	O4'-C1'-N9	10.44	116.55	108.20
25	BB	2736	A	C4-C5-C6	-10.44	111.78	117.00
25	BB	979	A	C4-C5-C6	-10.44	111.78	117.00
25	BB	1106	G	N9-C4-C5	10.44	109.57	105.40
3	A1	1478	U	N3-C2-O2	-10.43	114.90	122.20
3	A1	135	C	N3-C2-O2	-10.43	114.60	121.90
3	A1	1105	A	C4-C5-C6	-10.43	111.78	117.00
25	BB	1320	C	N3-C2-O2	-10.43	114.60	121.90
7	AF	91	ARG	NE-CZ-NH1	10.43	125.51	120.30
25	BB	270	A	C4-C5-C6	-10.43	111.78	117.00
25	BB	346	A	N1-C6-N6	-10.43	112.34	118.60
25	BB	1062	G	C3'-C2'-C1'	10.43	109.84	101.50
25	BB	2050	C	N3-C2-O2	-10.43	114.60	121.90
25	BB	2107	G	N1-C6-O6	-10.43	113.64	119.90
3	A1	76	G	N3-C4-C5	-10.43	123.39	128.60
3	A1	452	A	N1-C6-N6	-10.43	112.34	118.60
3	A1	526	C	C2-N3-C4	-10.43	114.69	119.90
25	BB	1161	C	N3-C4-C5	10.43	126.07	121.90
3	A1	807	A	C5-C6-N1	10.42	122.91	117.70
3	A1	1026	G	N1-C2-N2	10.42	125.58	116.20
25	BB	643	A	C5-N7-C8	-10.42	98.69	103.90
13	AL	31	ARG	NE-CZ-NH1	10.42	125.51	120.30
25	BB	2449	U	N3-C2-O2	-10.42	114.91	122.20
1	AP	70	C	N3-C2-O2	-10.42	114.61	121.90
24	BA	73	A	N1-C6-N6	-10.42	112.35	118.60
25	BB	119	A	O4'-C1'-N9	10.42	116.53	108.20
25	BB	1291	C	N3-C2-O2	-10.42	114.61	121.90
25	BB	1493	C	N3-C2-O2	-10.42	114.61	121.90
24	BA	73	A	C4-C5-C6	-10.41	111.79	117.00
3	A1	514	C	C3'-C2'-C1'	10.41	109.83	101.50
25	BB	1529	G	N1-C6-O6	-10.41	113.65	119.90
25	BB	2066	C	N3-C2-O2	-10.41	114.61	121.90
25	BB	396	G	N1-C6-O6	-10.41	113.65	119.90
25	BB	992	C	N1-C2-O2	10.41	125.15	118.90
3	A1	179	A	C4-C5-C6	-10.41	111.80	117.00
3	A1	1276	G	C8-N9-C4	-10.41	102.24	106.40
9	AH	76	ARG	NE-CZ-NH1	10.41	125.50	120.30
25	BB	1272	A	C4-C5-C6	-10.41	111.80	117.00
25	BB	876	C	N1-C2-O2	10.41	125.14	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1537	G	C2-N3-C4	10.41	117.10	111.90
25	BB	1957	C	N1-C2-O2	10.41	125.14	118.90
3	A1	1014	A	N1-C6-N6	-10.40	112.36	118.60
3	A1	417	G	N3-C4-C5	-10.40	123.40	128.60
3	A1	1054	C	N1-C2-O2	10.40	125.14	118.90
25	BB	1123	C	N3-C4-N4	-10.40	110.72	118.00
3	A1	45	G	N9-C4-C5	10.40	109.56	105.40
25	BB	480	A	C5-C6-N1	10.40	122.90	117.70
25	BB	1960	A	C5-C6-N1	10.40	122.90	117.70
25	BB	1534	U	O4'-C1'-N1	10.39	116.51	108.20
1	AA	14	A	C4-C5-C6	-10.39	111.81	117.00
1	AE	75	C	N3-C2-O2	-10.39	114.63	121.90
3	A1	445	G	O4'-C1'-N9	10.39	116.51	108.20
25	BB	1544	A	C4-C5-C6	-10.39	111.81	117.00
1	AA	56	C	N3-C4-N4	-10.39	110.73	118.00
25	BB	736	C	N3-C2-O2	-10.39	114.63	121.90
25	BB	1280	G	N1-C6-O6	-10.39	113.67	119.90
25	BB	1248	G	O4'-C1'-N9	10.39	116.51	108.20
3	A1	132	C	C2-N3-C4	-10.38	114.71	119.90
3	A1	701	U	N1-C2-N3	10.38	121.13	114.90
25	BB	2663	G	C5-C6-N1	10.38	116.69	111.50
3	A1	363	A	O4'-C4'-C3'	10.38	114.40	106.10
3	A1	509	A	C1'-O4'-C4'	-10.38	101.60	109.90
25	BB	2003	A	C4-C5-C6	-10.38	111.81	117.00
25	BB	2442	C	O4'-C1'-N1	10.38	116.50	108.20
3	A1	514	C	C2-N3-C4	-10.38	114.71	119.90
3	A1	808	C	N3-C4-C5	10.38	126.05	121.90
25	BB	1545	A	C4-C5-C6	-10.37	111.81	117.00
25	BB	2439	A	C3'-C2'-C1'	10.38	109.80	101.50
25	BB	2710	C	O4'-C1'-N1	10.38	116.50	108.20
3	A1	982	U	C5-C6-N1	-10.37	117.51	122.70
25	BB	1102	C	N3-C2-O2	-10.37	114.64	121.90
24	BA	12	C	N3-C2-O2	-10.37	114.64	121.90
3	A1	1203	C	N3-C2-O2	-10.37	114.64	121.90
25	BB	149	A	C4-C5-C6	-10.37	111.81	117.00
1	AA	44	A	N1-C6-N6	-10.37	112.38	118.60
25	BB	644	A	C4-C5-C6	-10.37	111.82	117.00
3	A1	1410	A	C5-C6-N1	10.37	122.88	117.70
25	BB	2480	C	C5-C6-N1	-10.36	115.82	121.00
25	BB	361	G	N1-C6-O6	-10.36	113.68	119.90
25	BB	1393	A	C5-C6-N1	10.36	122.88	117.70
25	BB	1632	A	C5-C6-N1	10.36	122.88	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	BI	92	ARG	NE-CZ-NH1	10.36	125.48	120.30
3	A1	836	G	N1-C6-O6	-10.36	113.68	119.90
25	BB	152	A	C5-C6-N1	10.36	122.88	117.70
25	BB	2611	C	N1-C2-O2	10.36	125.12	118.90
25	BB	1687	G	C6-N1-C2	-10.36	118.89	125.10
3	A1	529	G	N1-C6-O6	-10.36	113.69	119.90
5	AC	121	ARG	NE-CZ-NH1	10.36	125.48	120.30
3	A1	385	C	C2-N3-C4	-10.36	114.72	119.90
3	A1	610	U	O4'-C1'-N1	10.36	116.48	108.20
3	A1	912	C	C6-N1-C2	-10.36	116.16	120.30
25	BB	921	C	C2-N3-C4	-10.36	114.72	119.90
50	B1	40	ARG	NE-CZ-NH1	10.36	125.48	120.30
3	A1	794	A	C5-C6-N1	10.35	122.88	117.70
3	A1	29	U	N3-C2-O2	-10.35	114.96	122.20
25	BB	1095	A	N1-C6-N6	-10.35	112.39	118.60
25	BB	1148	U	O4'-C1'-N1	10.35	116.48	108.20
3	A1	161	A	C5-C6-N1	10.34	122.87	117.70
25	BB	99	U	N3-C2-O2	-10.34	114.96	122.20
25	BB	1986	C	N3-C2-O2	-10.34	114.66	121.90
25	BB	2703	C	N3-C2-O2	-10.34	114.66	121.90
1	AP	64	A	C4-C5-C6	-10.34	111.83	117.00
3	A1	1042	A	C5-N7-C8	-10.34	98.73	103.90
3	A1	1252	A	N1-C6-N6	-10.34	112.40	118.60
25	BB	2226	C	N3-C4-C5	10.34	126.03	121.90
3	A1	28	A	C4-C5-C6	-10.34	111.83	117.00
3	A1	754	C	N1-C2-O2	10.34	125.10	118.90
3	A1	754	C	N3-C4-C5	10.34	126.03	121.90
25	BB	308	G	N3-C4-C5	-10.34	123.43	128.60
25	BB	1112	G	O4'-C1'-N9	10.34	116.47	108.20
3	A1	501	C	N3-C2-O2	-10.33	114.67	121.90
3	A1	970	C	C1'-O4'-C4'	-10.33	101.63	109.90
25	BB	1803	A	C4-C5-C6	-10.33	111.83	117.00
25	BB	2380	C	N3-C4-C5	10.33	126.03	121.90
3	A1	1248	A	N1-C6-N6	-10.33	112.40	118.60
3	A1	1409	C	O4'-C1'-N1	10.33	116.46	108.20
25	BB	366	C	N3-C2-O2	-10.33	114.67	121.90
25	BB	701	G	N1-C6-O6	-10.33	113.70	119.90
25	BB	1941	C	C5-C4-N4	10.33	127.43	120.20
25	BB	2539	C	N3-C2-O2	-10.33	114.67	121.90
3	A1	416	G	N3-C2-N2	-10.32	112.67	119.90
3	A1	554	A	C4-C5-C6	-10.32	111.84	117.00
3	A1	1262	C	N3-C4-C5	10.32	126.03	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	62	A	C5-N7-C8	-10.32	98.74	103.90
1	AP	31	A	C5'-C4'-O4'	10.32	121.48	109.10
3	A1	745	G	C5'-C4'-O4'	10.32	121.48	109.10
25	BB	229	C	N3-C2-O2	-10.32	114.68	121.90
25	BB	877	A	C5-C6-N1	10.32	122.86	117.70
25	BB	1453	A	C4-C5-C6	-10.32	111.84	117.00
25	BB	1695	G	N1-C6-O6	-10.32	113.71	119.90
3	A1	1338	G	N3-C2-N2	-10.32	112.68	119.90
25	BB	81	G	N1-C6-O6	-10.32	113.71	119.90
25	BB	883	G	N1-C6-O6	-10.32	113.71	119.90
25	BB	1170	C	N1-C2-O2	10.32	125.09	118.90
25	BB	1807	G	N3-C4-C5	-10.32	123.44	128.60
25	BB	2835	A	N1-C6-N6	-10.32	112.41	118.60
25	BB	2054	A	N1-C6-N6	-10.32	112.41	118.60
25	BB	2847	U	OP1-P-OP2	-10.32	104.12	119.60
3	A1	1270	G	O4'-C1'-N9	10.32	116.45	108.20
25	BB	586	A	C5-C6-N1	10.32	122.86	117.70
3	A1	493	A	C5-C6-N1	10.31	122.86	117.70
3	A1	645	G	C4-C5-N7	-10.31	106.67	110.80
3	A1	716	A	C4-C5-C6	-10.31	111.84	117.00
3	A1	1009	U	C1'-O4'-C4'	-10.31	101.65	109.90
3	A1	1434	A	C5-C6-N1	10.31	122.86	117.70
25	BB	94	A	C6-C5-N7	10.31	139.52	132.30
25	BB	1571	A	C5-C6-N1	10.31	122.86	117.70
32	BI	87	ARG	NE-CZ-NH1	10.31	125.46	120.30
3	A1	1122	U	N3-C2-O2	-10.31	114.98	122.20
25	BB	1353	A	C5-C6-N1	10.31	122.86	117.70
25	BB	1468	U	O4'-C1'-N1	10.31	116.45	108.20
29	BF	16	ARG	NE-CZ-NH1	10.31	125.45	120.30
25	BB	80	G	C3'-C2'-C1'	10.31	109.75	101.50
25	BB	1262	A	C4-C5-C6	-10.31	111.85	117.00
3	A1	676	A	C4-C5-C6	-10.30	111.85	117.00
25	BB	279	A	C6-C5-N7	10.30	139.51	132.30
25	BB	2645	G	C8-N9-C4	-10.30	102.28	106.40
3	A1	73	C	N3-C2-O2	-10.30	114.69	121.90
25	BB	423	A	N1-C6-N6	-10.30	112.42	118.60
3	A1	279	A	C6-C5-N7	10.30	139.51	132.30
3	A1	902	G	N1-C6-O6	-10.30	113.72	119.90
3	A1	1156	G	C5-C6-N1	10.30	116.65	111.50
25	BB	1133	A	C5-C6-N1	10.30	122.85	117.70
25	BB	2564	A	C4-C5-C6	-10.30	111.85	117.00
25	BB	940	G	N3-C4-C5	-10.30	123.45	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	936	C	N3-C2-O2	-10.29	114.69	121.90
25	BB	1271	G	N3-C2-N2	-10.29	112.69	119.90
25	BB	1646	C	C5-C4-N4	-10.29	113.00	120.20
1	AA	75	C	N3-C2-O2	-10.29	114.69	121.90
1	AP	35	A	C4-C5-C6	-10.29	111.85	117.00
3	A1	716	A	C5-C6-N1	10.29	122.85	117.70
25	BB	2752	C	N3-C2-O2	-10.29	114.69	121.90
25	BB	2765	A	N1-C6-N6	-10.29	112.42	118.60
3	A1	1514	G	N3-C2-N2	-10.29	112.70	119.90
25	BB	1416	G	C5-C6-N1	10.29	116.65	111.50
25	BB	1701	A	C4-C5-C6	-10.29	111.85	117.00
31	BH	64	TYR	CB-CG-CD1	-10.29	114.83	121.00
3	A1	907	A	C4-C5-C6	-10.29	111.86	117.00
25	BB	761	A	C4-C5-C6	-10.29	111.86	117.00
25	BB	1571	A	C6-C5-N7	10.29	139.50	132.30
25	BB	1694	C	C3'-C2'-C1'	-10.29	93.27	101.50
3	A1	1363	A	O4'-C1'-N9	10.29	116.43	108.20
25	BB	274	C	C2-N3-C4	-10.28	114.76	119.90
25	BB	2329	U	C5-C6-N1	-10.28	117.56	122.70
3	A1	87	C	N3-C4-C5	10.28	126.01	121.90
3	A1	895	G	C5-C6-N1	10.28	116.64	111.50
25	BB	247	G	N9-C4-C5	10.28	109.51	105.40
25	BB	2659	G	C6-N1-C2	-10.28	118.93	125.10
25	BB	330	A	C5-C6-N1	10.28	122.84	117.70
25	BB	1791	A	C4-C5-C6	-10.28	111.86	117.00
3	A1	341	C	N1-C2-O2	10.28	125.07	118.90
25	BB	205	G	C5-C6-N1	10.28	116.64	111.50
3	A1	1505	G	N3-C2-N2	-10.27	112.71	119.90
25	BB	820	A	C5-C6-N1	10.27	122.84	117.70
25	BB	2534	A	C6-C5-N7	10.27	139.49	132.30
25	BB	158	U	O4'-C1'-N1	10.27	116.42	108.20
25	BB	1360	G	C8-N9-C4	-10.27	102.29	106.40
25	BB	1800	C	C1'-O4'-C4'	-10.27	101.68	109.90
3	A1	1318	A	C5-C6-N6	10.27	131.92	123.70
25	BB	1241	A	N7-C8-N9	10.27	118.93	113.80
3	A1	23	C	O4'-C1'-N1	10.27	116.41	108.20
3	A1	308	C	N3-C2-O2	-10.27	114.71	121.90
25	BB	100	U	N3-C2-O2	-10.27	115.01	122.20
3	A1	702	A	C4-C5-C6	-10.27	111.87	117.00
3	A1	1489	G	C4'-C3'-C2'	-10.27	92.33	102.60
25	BB	1741	C	N1-C2-O2	10.27	125.06	118.90
25	BB	1780	A	O4'-C1'-N9	10.27	116.41	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1925	C	O4'-C1'-N1	10.27	116.41	108.20
3	A1	349	A	C4-C5-C6	-10.26	111.87	117.00
25	BB	693	A	C6-C5-N7	10.26	139.48	132.30
25	BB	2311	A	C4-C5-C6	-10.26	111.87	117.00
3	A1	77	A	C4-C5-C6	-10.26	111.87	117.00
24	BA	24	G	N1-C6-O6	-10.26	113.74	119.90
25	BB	481	G	N1-C6-O6	-10.26	113.74	119.90
25	BB	1330	C	O4'-C1'-N1	10.26	116.41	108.20
25	BB	152	A	C6-C5-N7	10.26	139.48	132.30
25	BB	1323	C	N1-C2-O2	10.26	125.05	118.90
25	BB	1872	A	N1-C6-N6	-10.26	112.45	118.60
25	BB	2265	U	N3-C2-O2	-10.26	115.02	122.20
3	A1	58	C	C6-N1-C2	-10.25	116.20	120.30
3	A1	1183	U	N3-C2-O2	-10.25	115.02	122.20
25	BB	1892	C	N3-C2-O2	-10.25	114.72	121.90
34	BK	79	ARG	NE-CZ-NH1	10.25	125.43	120.30
3	A1	926	G	N3-C4-C5	-10.25	123.47	128.60
24	BA	53	A	N1-C6-N6	-10.25	112.45	118.60
3	A1	1430	A	C5-C6-N1	10.25	122.82	117.70
25	BB	387	U	N3-C2-O2	-10.25	115.03	122.20
25	BB	1348	C	N3-C2-O2	-10.25	114.72	121.90
39	BP	24	ARG	NE-CZ-NH2	10.25	125.42	120.30
3	A1	132	C	N3-C2-O2	-10.25	114.73	121.90
24	BA	90	C	N1-C2-O2	10.25	125.05	118.90
25	BB	2520	C	N1-C2-O2	10.25	125.05	118.90
3	A1	1067	A	C4-C5-C6	-10.24	111.88	117.00
25	BB	2101	A	N1-C6-N6	-10.24	112.45	118.60
25	BB	1297	C	N3-C2-O2	-10.24	114.73	121.90
3	A1	200	G	O4'-C1'-N9	10.24	116.39	108.20
3	A1	873	A	C5-C6-N6	10.24	131.89	123.70
25	BB	1717	A	C5-C6-N1	10.24	122.82	117.70
25	BB	2451	A	C5-C6-N1	10.24	122.82	117.70
25	BB	1905	C	N3-C2-O2	-10.24	114.73	121.90
25	BB	572	A	C5-C6-N1	10.23	122.82	117.70
25	BB	1925	C	N3-C4-C5	10.23	125.99	121.90
25	BB	1411	U	C5-C6-N1	-10.23	117.58	122.70
25	BB	1752	C	C2-N3-C4	-10.23	114.78	119.90
1	AE	73	A	C4-C5-C6	-10.23	111.88	117.00
3	A1	415	A	C5-C6-N1	10.23	122.82	117.70
3	A1	1390	U	C1'-O4'-C4'	-10.23	101.71	109.90
25	BB	164	C	C5-C6-N1	-10.23	115.89	121.00
1	AE	69	U	O4'-C1'-N1	10.23	116.38	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	326	G	O4'-C1'-N9	10.23	116.38	108.20
25	BB	96	C	O4'-C1'-N1	10.23	116.38	108.20
24	BA	2	G	N3-C4-C5	-10.23	123.49	128.60
25	BB	912	C	C5-C6-N1	-10.23	115.89	121.00
25	BB	1437	C	N3-C2-O2	-10.23	114.74	121.90
25	BB	105	C	C5-C6-N1	-10.22	115.89	121.00
25	BB	223	A	O4'-C1'-N9	10.22	116.38	108.20
25	BB	1347	A	N1-C6-N6	-10.22	112.47	118.60
3	A1	938	A	C5-C6-N1	10.22	122.81	117.70
3	A1	75	G	N1-C6-O6	-10.22	113.77	119.90
25	BB	195	A	C4-C5-C6	-10.22	111.89	117.00
25	BB	1150	C	C5'-C4'-O4'	10.22	121.36	109.10
25	BB	981	A	C6-N1-C2	-10.22	112.47	118.60
25	BB	1175	A	C4'-C3'-C2'	-10.22	92.38	102.60
3	A1	472	U	C5-C6-N1	-10.22	117.59	122.70
3	A1	891	U	N3-C2-O2	-10.21	115.05	122.20
3	A1	1520	C	N1-C2-O2	10.22	125.03	118.90
25	BB	1383	A	C6-C5-N7	10.21	139.45	132.30
25	BB	1630	A	C5-C6-N1	10.21	122.81	117.70
25	BB	1650	A	C5-C6-N1	10.21	122.81	117.70
3	A1	902	G	N3-C4-C5	-10.21	123.50	128.60
25	BB	2666	C	N3-C2-O2	-10.21	114.75	121.90
3	A1	1141	C	N3-C4-N4	-10.21	110.85	118.00
25	BB	873	C	C2-N3-C4	-10.21	114.80	119.90
25	BB	1499	C	N3-C2-O2	-10.21	114.75	121.90
25	BB	2160	C	N1-C2-O2	10.21	125.02	118.90
25	BB	5	A	C6-C5-N7	10.21	139.44	132.30
25	BB	2430	A	C5-C6-N1	10.21	122.80	117.70
3	A1	895	G	C2-N3-C4	10.20	117.00	111.90
3	A1	1497	G	C5-C6-N1	10.20	116.60	111.50
3	A1	1531	A	N1-C6-N6	-10.20	112.48	118.60
25	BB	253	C	N3-C2-O2	-10.20	114.76	121.90
25	BB	614	A	C5-C6-N1	10.20	122.80	117.70
25	BB	854	C	C2-N3-C4	-10.20	114.80	119.90
25	BB	1459	G	N3-C4-C5	-10.20	123.50	128.60
3	A1	733	G	O4'-C1'-N9	10.20	116.36	108.20
25	BB	2136	G	C8-N9-C4	-10.20	102.32	106.40
25	BB	2370	G	N1-C6-O6	-10.20	113.78	119.90
3	A1	987	G	N1-C6-O6	-10.20	113.78	119.90
3	A1	1482	G	N9-C4-C5	10.20	109.48	105.40
25	BB	483	A	N1-C6-N6	-10.20	112.48	118.60
24	BA	94	A	N1-C6-N6	-10.20	112.48	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2606	C	N3-C2-O2	-10.20	114.76	121.90
25	BB	435	C	N3-C4-C5	10.19	125.98	121.90
25	BB	2644	G	N1-C2-N3	10.19	130.02	123.90
25	BB	163	C	N1-C2-O2	10.19	125.02	118.90
25	BB	800	A	C5-C6-N1	10.19	122.80	117.70
25	BB	1382	G	N1-C6-O6	-10.19	113.78	119.90
25	BB	352	A	N1-C6-N6	-10.19	112.49	118.60
25	BB	2787	C	O4'-C1'-N1	10.19	116.35	108.20
3	A1	995	C	N3-C2-O2	-10.19	114.77	121.90
25	BB	557	C	C3'-C2'-C1'	10.19	109.65	101.50
25	BB	1907	G	C6-C5-N7	10.19	136.51	130.40
3	A1	217	C	C6-N1-C2	-10.18	116.23	120.30
3	A1	306	A	N1-C6-N6	-10.18	112.49	118.60
3	A1	1345	U	N3-C2-O2	-10.18	115.07	122.20
25	BB	488	G	C8-N9-C4	-10.18	102.33	106.40
25	BB	1432	G	N3-C2-N2	-10.18	112.77	119.90
25	BB	2071	A	OP1-P-OP2	-10.18	104.33	119.60
3	A1	781	A	C5-C6-N1	10.18	122.79	117.70
3	A1	1488	G	C3'-C2'-C1'	-10.18	93.36	101.50
25	BB	1675	C	C6-N1-C2	-10.18	116.23	120.30
25	BB	2145	C	C5-C4-N4	-10.18	113.08	120.20
1	AA	57	G	N1-C6-O6	-10.18	113.79	119.90
3	A1	503	C	N3-C4-N4	-10.18	110.88	118.00
25	BB	1139	G	C5-C6-N1	10.18	116.59	111.50
25	BB	2237	G	N1-C6-O6	-10.18	113.79	119.90
3	A1	855	U	N3-C2-O2	-10.18	115.08	122.20
25	BB	662	G	N3-C2-N2	-10.18	112.78	119.90
25	BB	2260	C	C5-C4-N4	10.18	127.32	120.20
25	BB	1374	G	O4'-C1'-N9	10.17	116.34	108.20
3	A1	101	A	C5-C6-N1	10.17	122.79	117.70
3	A1	768	A	C5-C6-N1	10.17	122.79	117.70
2	AM	17	U	N3-C4-O4	-10.17	112.28	119.40
25	BB	56	A	C5-C6-N1	10.17	122.79	117.70
25	BB	1953	A	C6-C5-N7	10.17	139.42	132.30
25	BB	401	A	C5-C6-N6	10.17	131.84	123.70
25	BB	1253	A	C5-C6-N1	10.17	122.78	117.70
25	BB	2497	A	C2-N3-C4	10.17	115.69	110.60
25	BB	2116	G	O4'-C1'-N9	10.17	116.33	108.20
24	BA	70	C	N3-C4-N4	-10.17	110.88	118.00
25	BB	322	A	C5-C6-N6	10.16	131.83	123.70
25	BB	333	G	N1-C6-O6	-10.16	113.80	119.90
25	BB	489	G	N3-C4-C5	-10.16	123.52	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	19	G	C5-C6-N1	10.16	116.58	111.50
25	BB	1106	G	C4-C5-N7	-10.16	106.73	110.80
25	BB	1957	C	C4-C5-C6	-10.16	112.32	117.40
3	A1	260	G	C5-C6-N1	10.16	116.58	111.50
3	A1	1049	U	N3-C4-O4	-10.16	112.29	119.40
25	BB	317	G	N1-C6-O6	-10.16	113.80	119.90
25	BB	344	A	N1-C6-N6	-10.16	112.50	118.60
3	A1	430	A	N1-C6-N6	-10.16	112.51	118.60
25	BB	1561	C	N3-C2-O2	-10.16	114.79	121.90
25	BB	1800	C	N3-C4-N4	-10.16	110.89	118.00
25	BB	1991	U	C5-C6-N1	-10.16	117.62	122.70
25	BB	2375	G	O4'-C1'-N9	10.16	116.33	108.20
3	A1	1396	A	C2-N3-C4	10.15	115.68	110.60
25	BB	1530	G	C4-C5-C6	-10.15	112.71	118.80
3	A1	747	A	C5-C6-N1	10.15	122.78	117.70
25	BB	42	A	C5-C6-N1	10.15	122.78	117.70
25	BB	987	C	N1-C2-O2	10.15	124.99	118.90
25	BB	1780	A	C5-C6-N1	10.15	122.78	117.70
25	BB	2102	G	O4'-C1'-N9	10.15	116.32	108.20
25	BB	2318	G	C5-N7-C8	-10.15	99.22	104.30
25	BB	1610	A	C4-C5-C6	-10.15	111.92	117.00
25	BB	1744	A	C5-C6-N1	10.15	122.78	117.70
3	A1	258	G	N9-C4-C5	10.15	109.46	105.40
3	A1	1052	U	N3-C2-O2	-10.15	115.10	122.20
25	BB	152	A	O4'-C1'-N9	10.15	116.32	108.20
25	BB	1382	G	C6-C5-N7	10.14	136.49	130.40
25	BB	2791	G	C4-C5-C6	-10.14	112.71	118.80
3	A1	1513	A	C4-C5-C6	-10.14	111.93	117.00
25	BB	791	C	N3-C2-O2	-10.14	114.80	121.90
25	BB	522	A	C5-C6-N6	10.14	131.81	123.70
3	A1	519	C	O4'-C1'-N1	10.14	116.31	108.20
3	A1	892	A	N1-C6-N6	-10.14	112.52	118.60
25	BB	1503	A	C5-C6-N1	10.14	122.77	117.70
25	BB	1561	C	C2-N3-C4	-10.14	114.83	119.90
25	BB	1579	A	C5-C6-N1	10.14	122.77	117.70
3	A1	816	A	C4-C5-C6	-10.14	111.93	117.00
25	BB	372	G	N1-C6-O6	-10.14	113.82	119.90
3	A1	373	A	C4-C5-C6	-10.14	111.93	117.00
25	BB	1787	A	C5-C6-N1	10.14	122.77	117.70
25	BB	2481	G	N3-C4-C5	-10.14	123.53	128.60
25	BB	2626	C	C5-C4-N4	-10.14	113.10	120.20
3	A1	93	U	C5-C6-N1	-10.13	117.63	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	819	A	C4-C5-C6	-10.13	111.93	117.00
3	A1	1369	C	N3-C2-O2	-10.13	114.81	121.90
25	BB	390	U	C5-C6-N1	-10.13	117.63	122.70
25	BB	2011	U	O4'-C1'-N1	10.13	116.31	108.20
3	A1	1168	U	C2-N3-C4	-10.13	120.92	127.00
3	A1	960	U	N3-C2-O2	-10.13	115.11	122.20
3	A1	1359	C	C2-N3-C4	-10.13	114.83	119.90
3	A1	1464	U	C4-C5-C6	10.13	125.78	119.70
25	BB	2590	A	C4-C5-C6	-10.13	111.93	117.00
25	BB	2054	A	C5-C6-N1	10.13	122.77	117.70
24	BA	85	G	N1-C6-O6	-10.13	113.82	119.90
3	A1	826	C	C1'-O4'-C4'	-10.13	101.80	109.90
25	BB	86	G	C6-C5-N7	10.13	136.48	130.40
25	BB	1623	G	N1-C6-O6	-10.13	113.82	119.90
25	BB	1957	C	N3-C2-O2	-10.13	114.81	121.90
25	BB	2833	U	N3-C2-O2	-10.13	115.11	122.20
25	BB	63	A	C5-C6-N1	10.13	122.76	117.70
25	BB	71	A	O4'-C1'-N9	10.13	116.30	108.20
25	BB	974	G	N1-C6-O6	-10.12	113.83	119.90
25	BB	1090	A	N1-C6-N6	-10.12	112.53	118.60
3	A1	182	A	O4'-C1'-C2'	-10.12	95.68	105.80
3	A1	816	A	N1-C6-N6	-10.12	112.53	118.60
25	BB	804	A	C6-C5-N7	10.12	139.38	132.30
25	BB	2111	U	C2-N3-C4	-10.12	120.93	127.00
25	BB	2185	U	N3-C2-O2	-10.12	115.11	122.20
25	BB	303	G	N1-C2-N3	10.12	129.97	123.90
25	BB	725	G	N3-C4-C5	-10.12	123.54	128.60
25	BB	1359	A	C5-C6-N1	10.12	122.76	117.70
1	AA	4	G	N7-C8-N9	10.12	118.16	113.10
3	A1	21	G	N1-C6-O6	-10.12	113.83	119.90
3	A1	65	A	N1-C2-N3	-10.12	124.24	129.30
3	A1	90	C	C6-N1-C2	-10.12	116.25	120.30
3	A1	768	A	C4-C5-C6	-10.12	111.94	117.00
3	A1	1049	U	O4'-C1'-N1	10.12	116.29	108.20
25	BB	499	U	O4'-C1'-N1	10.12	116.29	108.20
25	BB	2511	U	O4'-C1'-N1	10.12	116.29	108.20
33	BJ	52	ARG	NE-CZ-NH2	10.11	125.36	120.30
3	A1	821	G	C6-C5-N7	10.11	136.47	130.40
25	BB	637	A	N1-C6-N6	-10.11	112.53	118.60
25	BB	992	C	C6-N1-C2	-10.11	116.25	120.30
25	BB	1527	G	C5-C6-N1	10.11	116.56	111.50
3	A1	56	U	N1-C2-N3	10.11	120.97	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	962	C	C2-N3-C4	-10.11	114.84	119.90
25	BB	1223	G	C5-C6-N1	10.11	116.56	111.50
25	BB	1703	G	N1-C6-O6	-10.11	113.83	119.90
24	BA	98	G	C2-N3-C4	-10.11	106.85	111.90
25	BB	1319	C	N3-C4-N4	-10.11	110.92	118.00
25	BB	1705	A	C4-C5-C6	-10.11	111.95	117.00
25	BB	2634	A	N1-C6-N6	-10.11	112.54	118.60
3	A1	43	C	N3-C4-N4	-10.10	110.93	118.00
3	A1	147	G	O5'-P-OP2	-10.10	96.61	105.70
3	A1	1120	C	C2-N3-C4	-10.10	114.85	119.90
3	A1	942	G	N1-C6-O6	-10.10	113.84	119.90
25	BB	152	A	C4-C5-C6	-10.10	111.95	117.00
25	BB	1000	A	N9-C4-C5	10.10	109.84	105.80
25	BB	2728	U	C5-C6-N1	-10.10	117.65	122.70
25	BB	2748	A	C5-C6-N6	10.10	131.78	123.70
1	AA	15	G	N3-C2-N2	-10.10	112.83	119.90
1	AE	28	C	N3-C4-N4	-10.10	110.93	118.00
8	AG	64	ARG	NE-CZ-NH1	10.10	125.35	120.30
25	BB	767	U	C1'-O4'-C4'	-10.10	101.82	109.90
25	BB	2538	C	N3-C2-O2	-10.10	114.83	121.90
3	A1	805	C	N3-C4-N4	-10.10	110.93	118.00
25	BB	528	A	C4-C5-C6	-10.10	111.95	117.00
25	BB	1066	U	C5-C6-N1	-10.10	117.65	122.70
25	BB	1207	C	N1-C2-O2	10.10	124.96	118.90
2	AM	6	U	N3-C2-O2	-10.10	115.13	122.20
25	BB	2499	C	N3-C4-C5	10.10	125.94	121.90
3	A1	969	A	C5-C6-N1	10.10	122.75	117.70
25	BB	1308	A	N1-C6-N6	-10.10	112.54	118.60
3	A1	133	U	O4'-C1'-N1	10.09	116.28	108.20
25	BB	1622	G	N9-C4-C5	10.09	109.44	105.40
25	BB	2676	C	C5-C6-N1	-10.09	115.95	121.00
3	A1	988	G	N1-C6-O6	-10.09	113.85	119.90
3	A1	1105	A	C5-C6-N1	10.09	122.75	117.70
25	BB	740	C	C6-N1-C2	-10.09	116.27	120.30
25	BB	1135	C	N3-C2-O2	-10.09	114.84	121.90
25	BB	2341	G	C6-C5-N7	10.09	136.45	130.40
25	BB	52	A	C5-C6-N1	10.09	122.74	117.70
25	BB	361	G	C6-N1-C2	-10.09	119.05	125.10
3	A1	355	C	N3-C4-C5	10.09	125.93	121.90
25	BB	394	C	N3-C2-O2	-10.09	114.84	121.90
3	A1	243	A	C4-C5-C6	-10.08	111.96	117.00
25	BB	2058	A	C4-C5-C6	-10.08	111.96	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	78	A	C2-N3-C4	10.08	115.64	110.60
25	BB	2014	A	C5-C6-N6	10.08	131.76	123.70
25	BB	2418	A	C4-C5-C6	-10.08	111.96	117.00
3	A1	962	C	C3'-C2'-C1'	-10.08	93.44	101.50
25	BB	1006	C	C6-N1-C2	-10.08	116.27	120.30
25	BB	1205	A	C5-C6-N1	10.08	122.74	117.70
25	BB	2610	C	N3-C4-N4	-10.08	110.95	118.00
25	BB	2896	C	C2-N3-C4	-10.08	114.86	119.90
3	A1	77	A	C6-C5-N7	10.07	139.35	132.30
3	A1	1067	A	C5-C6-N1	10.07	122.73	117.70
25	BB	2270	A	C5-C6-N1	10.07	122.73	117.70
25	BB	2704	C	C3'-C2'-C1'	10.07	109.56	101.50
3	A1	747	A	C4-C5-C6	-10.07	111.97	117.00
30	BG	71	ARG	NE-CZ-NH1	10.07	125.33	120.30
25	BB	2365	G	N1-C6-O6	-10.07	113.86	119.90
3	A1	56	U	N3-C4-C5	-10.07	108.56	114.60
25	BB	768	G	N1-C6-O6	-10.07	113.86	119.90
25	BB	1211	C	C2-N3-C4	-10.07	114.87	119.90
2	AM	9	U	C5-C4-O4	-10.06	119.86	125.90
25	BB	2429	G	N1-C6-O6	-10.06	113.86	119.90
24	BA	113	C	N3-C2-O2	-10.06	114.86	121.90
25	BB	528	A	C5-C6-N6	10.06	131.75	123.70
25	BB	1164	C	N3-C2-O2	-10.06	114.86	121.90
25	BB	2498	C	O4'-C1'-N1	10.06	116.25	108.20
25	BB	823	C	N3-C2-O2	-10.06	114.86	121.90
25	BB	1010	A	O4'-C1'-N9	10.06	116.25	108.20
45	BV	12	ARG	NE-CZ-NH1	-10.06	115.27	120.30
25	BB	12	U	N3-C4-C5	-10.06	108.56	114.60
25	BB	1453	A	O4'-C1'-N9	10.06	116.25	108.20
38	BO	5	ARG	NE-CZ-NH1	10.06	125.33	120.30
3	A1	285	C	C5-C6-N1	-10.05	115.97	121.00
25	BB	1873	G	N9-C4-C5	10.05	109.42	105.40
25	BB	2275	C	N3-C4-C5	10.05	125.92	121.90
3	A1	230	G	C4-C5-N7	-10.05	106.78	110.80
3	A1	457	G	N1-C6-O6	-10.05	113.87	119.90
3	A1	781	A	C4-C5-C6	-10.05	111.97	117.00
25	BB	41	C	N1-C2-N3	10.05	126.23	119.20
1	AA	28	C	N3-C4-C5	10.05	125.92	121.90
3	A1	282	A	C5-C6-N1	10.05	122.72	117.70
25	BB	222	A	C8-N9-C4	-10.04	101.78	105.80
25	BB	2165	C	C2-N3-C4	-10.04	114.88	119.90
3	A1	403	C	N3-C4-C5	10.04	125.92	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	921	C	C3'-C2'-C1'	10.04	109.53	101.50
25	BB	1052	C	N3-C4-C5	10.04	125.92	121.90
25	BB	2477	U	C5-C6-N1	-10.04	117.68	122.70
25	BB	473	G	C5-C6-N1	10.04	116.52	111.50
3	A1	226	G	N3-C4-C5	-10.04	123.58	128.60
25	BB	1165	A	C5-C6-N1	10.04	122.72	117.70
3	A1	1082	A	C5-C6-N1	10.04	122.72	117.70
3	A1	816	A	O4'-C1'-N9	-10.04	100.17	108.20
3	A1	1458	G	N1-C6-O6	-10.04	113.88	119.90
25	BB	846	U	O4'-C1'-N1	10.03	116.23	108.20
25	BB	878	A	C4-C5-C6	-10.04	111.98	117.00
25	BB	1718	G	C4-C5-N7	-10.04	106.79	110.80
25	BB	980	A	N1-C6-N6	-10.03	112.58	118.60
25	BB	2060	A	C4-C5-C6	-10.04	111.98	117.00
3	A1	1155	A	C8-N9-C4	10.03	109.81	105.80
25	BB	443	A	C4-C5-C6	-10.03	111.98	117.00
25	BB	1064	C	O4'-C1'-N1	10.03	116.23	108.20
25	BB	2825	G	O4'-C1'-N9	10.03	116.22	108.20
3	A1	1346	A	C5-C6-N1	10.03	122.72	117.70
25	BB	1700	A	C5-C6-N1	10.03	122.72	117.70
3	A1	1524	C	N3-C4-N4	-10.03	110.98	118.00
25	BB	825	A	C1'-O4'-C4'	-10.03	101.88	109.90
54	B5	95	ASP	CB-CG-OD1	10.03	127.33	118.30
1	AE	34	G	C3'-C2'-C1'	10.03	109.52	101.50
25	BB	1597	A	C5-C6-N6	10.03	131.72	123.70
3	A1	640	A	C2-N3-C4	10.03	115.61	110.60
25	BB	2246	G	N1-C6-O6	-10.03	113.89	119.90
28	BE	33	ARG	NE-CZ-NH1	10.03	125.31	120.30
3	A1	211	G	C2-N3-C4	10.02	116.91	111.90
25	BB	53	A	N1-C6-N6	-10.02	112.59	118.60
1	AP	23	A	N1-C2-N3	-10.02	124.29	129.30
3	A1	714	G	N9-C4-C5	10.02	109.41	105.40
3	A1	865	A	N1-C6-N6	-10.02	112.59	118.60
10	AI	25	ARG	NE-CZ-NH2	10.02	125.31	120.30
25	BB	2773	C	C5-C4-N4	10.02	127.22	120.20
25	BB	9	G	O4'-C1'-N9	10.02	116.22	108.20
25	BB	2160	C	N3-C4-C5	10.02	125.91	121.90
25	BB	448	U	N1-C2-O2	10.02	129.81	122.80
25	BB	2024	G	C8-N9-C4	-10.02	102.39	106.40
3	A1	621	A	C5-C6-N6	10.02	131.71	123.70
25	BB	1995	U	N3-C2-O2	-10.02	115.19	122.20
25	BB	2043	C	N1-C2-O2	10.02	124.91	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2549	G	N1-C6-O6	-10.02	113.89	119.90
25	BB	527	C	N3-C4-C5	10.01	125.91	121.90
25	BB	1713	A	N1-C6-N6	-10.01	112.59	118.60
25	BB	1009	A	C5-C6-N1	10.01	122.71	117.70
3	A1	193	C	N1-C2-O2	10.01	124.91	118.90
3	A1	339	C	N3-C2-O2	-10.01	114.89	121.90
25	BB	926	G	C5-C6-N1	10.01	116.50	111.50
3	A1	282	A	C4-C5-C6	-10.01	112.00	117.00
3	A1	769	G	N3-C2-N2	-10.01	112.90	119.90
25	BB	460	A	C5-C6-N1	10.01	122.70	117.70
25	BB	2558	C	C2-N3-C4	-10.01	114.90	119.90
1	AP	20	G	N9-C4-C5	10.00	109.40	105.40
3	A1	167	A	C5-C6-N1	10.00	122.70	117.70
25	BB	197	A	C5-C6-N1	10.00	122.70	117.70
25	BB	973	A	C5-C6-N1	10.00	122.70	117.70
15	AO	58	ARG	NE-CZ-NH1	10.00	125.30	120.30
25	BB	1514	G	N1-C6-O6	-10.00	113.90	119.90
25	BB	1855	U	C5-C6-N1	-10.00	117.70	122.70
3	A1	162	A	C4-C5-C6	-10.00	112.00	117.00
25	BB	341	C	N3-C2-O2	-10.00	114.90	121.90
25	BB	2049	G	N3-C4-C5	-10.00	123.60	128.60
25	BB	2703	C	C6-N1-C2	-10.00	116.30	120.30
25	BB	676	A	C4-C5-C6	-9.99	112.00	117.00
3	A1	987	G	C4-C5-N7	-9.99	106.80	110.80
25	BB	369	U	O4'-C1'-N1	9.99	116.19	108.20
25	BB	582	A	C4-C5-C6	-9.99	112.00	117.00
25	BB	655	A	N3-C4-N9	-9.99	119.41	127.40
25	BB	1494	A	C5-C6-N6	9.99	131.69	123.70
25	BB	1978	A	C5-C6-N1	9.99	122.70	117.70
25	BB	1216	G	N1-C6-O6	-9.99	113.91	119.90
25	BB	2721	A	C5-C6-N1	9.99	122.69	117.70
2	AM	12	U	C5-C6-N1	-9.99	117.71	122.70
3	A1	1132	C	N1-C2-O2	9.99	124.89	118.90
3	A1	1484	C	O4'-C1'-N1	9.99	116.19	108.20
22	AW	98	ARG	NE-CZ-NH1	9.99	125.29	120.30
25	BB	2730	C	N3-C4-C5	9.99	125.89	121.90
3	A1	1190	G	O4'-C1'-N9	9.98	116.19	108.20
25	BB	345	A	C5-C6-N1	9.98	122.69	117.70
25	BB	2136	G	N9-C4-C5	9.98	109.39	105.40
1	AP	43	G	C8-N9-C4	-9.98	102.41	106.40
25	BB	561	G	C6-N1-C2	-9.98	119.11	125.10
25	BB	1515	A	C4-C5-C6	-9.98	112.01	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1	G	C4'-C3'-C2'	-9.98	92.62	102.60
25	BB	1148	U	N3-C2-O2	-9.98	115.22	122.20
25	BB	1965	C	C6-N1-C2	-9.98	116.31	120.30
48	BY	124	ARG	NE-CZ-NH1	9.98	125.29	120.30
2	AM	15	U	C5-C6-N1	-9.98	117.71	122.70
3	A1	1491	G	C5-C6-O6	9.98	134.59	128.60
25	BB	1905	C	N1-C2-O2	9.98	124.89	118.90
25	BB	603	A	C6-C5-N7	9.97	139.28	132.30
39	BP	38	ARG	NE-CZ-NH1	9.97	125.29	120.30
1	AP	31	A	C3'-C2'-C1'	9.97	109.48	101.50
25	BB	2473	U	C5-C6-N1	-9.97	117.71	122.70
3	A1	522	C	N3-C4-C5	9.97	125.89	121.90
25	BB	5	A	C4-C5-C6	-9.97	112.02	117.00
25	BB	1913	A	C6-C5-N7	9.97	139.28	132.30
25	BB	2645	G	N9-C4-C5	9.97	109.39	105.40
3	A1	29	U	N1-C2-N3	9.97	120.88	114.90
25	BB	1027	A	C5-C6-N1	9.97	122.68	117.70
3	A1	485	U	O4'-C1'-N1	9.96	116.17	108.20
3	A1	1317	C	N1-C2-O2	9.97	124.88	118.90
25	BB	422	A	C5-C6-N1	9.96	122.68	117.70
25	BB	957	C	N1-C2-N3	9.97	126.18	119.20
25	BB	863	A	C4-C5-C6	-9.96	112.02	117.00
25	BB	1353	A	N1-C6-N6	-9.96	112.62	118.60
25	BB	2161	C	N3-C4-N4	-9.96	111.03	118.00
25	BB	2149	U	N3-C2-O2	-9.96	115.23	122.20
3	A1	432	A	C2-N3-C4	9.96	115.58	110.60
25	BB	844	A	O4'-C1'-N9	9.96	116.17	108.20
3	A1	935	A	C4-C5-C6	-9.96	112.02	117.00
3	A1	1103	C	N3-C4-C5	9.96	125.88	121.90
25	BB	1452	G	N3-C2-N2	-9.96	112.93	119.90
3	A1	897	C	C6-N1-C2	-9.96	116.32	120.30
25	BB	1603	A	C4-C5-C6	-9.96	112.02	117.00
25	BB	1207	C	C2-N3-C4	-9.96	114.92	119.90
25	BB	1210	G	N1-C2-N2	9.96	125.16	116.20
25	BB	1456	G	N3-C2-N2	9.96	126.87	119.90
25	BB	1494	A	C5-C6-N1	9.96	122.68	117.70
3	A1	670	G	N3-C2-N2	-9.95	112.93	119.90
3	A1	1249	C	N3-C2-O2	-9.95	114.93	121.90
25	BB	2169	A	C5-C6-N1	9.95	122.68	117.70
25	BB	2406	A	C5-C6-N1	9.95	122.68	117.70
25	BB	2547	A	C4-C5-C6	-9.95	112.03	117.00
25	BB	2856	A	C5-C6-N1	9.95	122.68	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1420	A	C5-C6-N1	9.95	122.67	117.70
25	BB	1878	G	N7-C8-N9	9.95	118.07	113.10
25	BB	2090	A	C4-C5-C6	-9.95	112.03	117.00
1	AP	2	C	N3-C2-O2	-9.95	114.94	121.90
3	A1	524	G	C8-N9-C4	-9.95	102.42	106.40
3	A1	609	A	C4-C5-N7	9.95	115.67	110.70
3	A1	982	U	C4-C5-C6	9.95	125.67	119.70
25	BB	1465	G	N1-C6-O6	-9.95	113.93	119.90
25	BB	2515	C	N3-C2-O2	-9.95	114.94	121.90
9	AH	52	ARG	NH1-CZ-NH2	-9.94	108.46	119.40
25	BB	1965	C	N1-C2-N3	9.95	126.16	119.20
25	BB	2196	C	C2-N3-C4	-9.94	114.93	119.90
3	A1	411	A	C5-C6-N1	9.94	122.67	117.70
24	BA	54	G	O4'-C4'-C3'	9.94	114.05	106.10
3	A1	827	U	O4'-C1'-N1	9.94	116.15	108.20
3	A1	946	A	C4-C5-C6	-9.94	112.03	117.00
25	BB	735	A	C4-C5-C6	-9.94	112.03	117.00
25	BB	911	A	C5-C6-N1	9.94	122.67	117.70
25	BB	1010	A	C5-C6-N1	9.94	122.67	117.70
3	A1	416	G	C4-C5-N7	-9.94	106.83	110.80
25	BB	236	C	N1-C2-O2	9.94	124.86	118.90
25	BB	368	A	C6-C5-N7	9.93	139.25	132.30
25	BB	2428	G	N1-C6-O6	-9.93	113.94	119.90
3	A1	1268	G	N1-C6-O6	-9.93	113.94	119.90
25	BB	1517	G	C6-C5-N7	9.93	136.36	130.40
25	BB	1528	A	C8-N9-C4	9.93	109.77	105.80
25	BB	447	A	C4-C5-C6	-9.93	112.04	117.00
25	BB	1550	C	N3-C2-O2	-9.93	114.95	121.90
25	BB	1810	A	C4-C5-C6	-9.93	112.04	117.00
25	BB	1864	U	O4'-C1'-N1	9.93	116.14	108.20
25	BB	2252	G	O4'-C1'-N9	9.93	116.14	108.20
1	AE	35	A	C5-C6-N1	9.92	122.66	117.70
3	A1	348	G	C5'-C4'-O4'	9.92	121.01	109.10
3	A1	791	G	C5-C6-N1	9.92	116.46	111.50
25	BB	779	U	C5-C6-N1	-9.92	117.74	122.70
25	BB	2793	C	C2-N3-C4	-9.92	114.94	119.90
3	A1	306	A	O4'-C1'-N9	9.92	116.14	108.20
25	BB	193	U	C5-C6-N1	-9.92	117.74	122.70
25	BB	1828	G	N1-C6-O6	-9.92	113.95	119.90
3	A1	133	U	C5-C6-N1	-9.92	117.74	122.70
3	A1	506	G	N1-C6-O6	-9.92	113.95	119.90
25	BB	746	U	N3-C2-O2	-9.92	115.26	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	904	G	N9-C4-C5	9.92	109.37	105.40
25	BB	1451	C	N3-C2-O2	-9.92	114.96	121.90
36	BM	69	ARG	NE-CZ-NH2	9.92	125.26	120.30
25	BB	2856	A	N1-C6-N6	-9.91	112.65	118.60
25	BB	89	A	O4'-C1'-N9	9.91	116.13	108.20
25	BB	1426	G	N1-C6-O6	-9.91	113.95	119.90
25	BB	2377	A	C5-C6-N1	9.91	122.66	117.70
25	BB	374	A	C4-C5-C6	-9.91	112.05	117.00
25	BB	697	G	N1-C6-O6	-9.91	113.95	119.90
1	AE	6	U	N1-C2-N3	9.91	120.84	114.90
3	A1	1311	A	C4-C5-C6	-9.91	112.05	117.00
26	BC	79	ARG	NE-CZ-NH1	9.91	125.25	120.30
3	A1	23	C	C6-N1-C2	-9.91	116.34	120.30
3	A1	1499	A	C4-C5-C6	-9.91	112.05	117.00
25	BB	1570	A	C5-C6-N6	9.91	131.62	123.70
31	BH	30	ARG	NH1-CZ-NH2	-9.91	108.50	119.40
25	BB	1660	G	C8-N9-C4	-9.91	102.44	106.40
25	BB	1927	A	O4'-C4'-C3'	9.91	114.03	106.10
25	BB	2095	A	O4'-C1'-N9	9.91	116.13	108.20
3	A1	1238	A	C4-C5-C6	-9.90	112.05	117.00
3	A1	1484	C	O5'-P-OP1	-9.90	96.79	105.70
25	BB	1259	G	C8-N9-C4	-9.90	102.44	106.40
25	BB	1612	C	N3-C2-O2	-9.90	114.97	121.90
25	BB	1427	A	N1-C6-N6	-9.90	112.66	118.60
25	BB	2110	G	C8-N9-C4	-9.90	102.44	106.40
25	BB	2819	G	C5-C6-N1	9.90	116.45	111.50
25	BB	1873	G	C4-C5-N7	-9.90	106.84	110.80
3	A1	1399	C	O4'-C1'-N1	9.90	116.12	108.20
25	BB	1300	G	O4'-C1'-N9	9.90	116.12	108.20
25	BB	2157	G	C5-C6-O6	9.90	134.54	128.60
24	BA	92	C	N3-C2-O2	-9.90	114.97	121.90
3	A1	729	A	N1-C6-N6	-9.90	112.66	118.60
3	A1	915	A	C5-C6-N1	9.90	122.65	117.70
25	BB	412	A	N1-C2-N3	-9.90	124.35	129.30
25	BB	981	A	C4-C5-C6	-9.90	112.05	117.00
25	BB	1462	C	O4'-C4'-C3'	9.90	114.02	106.10
25	BB	2421	G	C6-N1-C2	-9.90	119.16	125.10
25	BB	2472	G	N1-C6-O6	-9.90	113.96	119.90
3	A1	746	A	N1-C2-N3	-9.89	124.35	129.30
25	BB	908	C	C2-N3-C4	-9.89	114.95	119.90
25	BB	1745	A	C4-C5-C6	-9.89	112.05	117.00
25	BB	1819	A	N1-C6-N6	-9.89	112.66	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	73	A	C4-C5-C6	-9.89	112.05	117.00
3	A1	924	C	N3-C4-N4	-9.89	111.08	118.00
3	A1	1013	G	N9-C1'-C2'	-9.89	101.12	112.00
54	B5	133	ARG	NE-CZ-NH1	9.89	125.25	120.30
25	BB	1525	A	C2-N3-C4	9.89	115.55	110.60
25	BB	2819	G	N1-C6-O6	-9.89	113.97	119.90
3	A1	841	C	C2-N3-C4	-9.89	114.95	119.90
3	A1	1501	C	N3-C2-O2	-9.89	114.98	121.90
25	BB	1208	C	N3-C4-C5	9.89	125.86	121.90
3	A1	175	C	N3-C2-O2	-9.89	114.98	121.90
3	A1	600	A	C4-C5-C6	-9.88	112.06	117.00
3	A1	1081	A	C5'-C4'-O4'	9.89	120.96	109.10
25	BB	213	A	N1-C2-N3	-9.89	124.36	129.30
25	BB	1072	C	N3-C4-C5	9.88	125.85	121.90
25	BB	1762	A	C4-C5-C6	-9.88	112.06	117.00
48	BY	46	ARG	NE-CZ-NH1	9.88	125.24	120.30
3	A1	840	C	C2-N3-C4	-9.88	114.96	119.90
25	BB	1868	C	N3-C2-O2	-9.88	114.98	121.90
25	BB	802	A	C6-C5-N7	9.88	139.22	132.30
25	BB	2064	C	N1-C2-O2	9.88	124.83	118.90
25	BB	1394	U	O4'-C1'-N1	9.88	116.10	108.20
3	A1	1020	G	N1-C6-O6	-9.88	113.97	119.90
25	BB	2057	G	N3-C2-N2	-9.88	112.99	119.90
25	BB	2178	C	N3-C4-N4	-9.88	111.08	118.00
3	A1	1220	G	C8-N9-C4	-9.88	102.45	106.40
25	BB	1849	G	N1-C6-O6	-9.87	113.98	119.90
3	A1	108	G	N1-C6-O6	-9.87	113.98	119.90
3	A1	577	G	N1-C6-O6	-9.87	113.98	119.90
3	A1	1206	G	C5'-C4'-C3'	-9.87	100.21	116.00
25	BB	1074	G	N1-C6-O6	-9.87	113.98	119.90
25	BB	1385	A	C5-C6-N1	9.87	122.64	117.70
25	BB	1504	A	C4-C5-C6	-9.87	112.06	117.00
25	BB	1274	A	C4-C5-C6	-9.87	112.07	117.00
25	BB	1616	A	C4-C5-C6	-9.87	112.06	117.00
25	BB	2142	A	N1-C6-N6	-9.87	112.68	118.60
25	BB	2227	A	C5-C6-N1	9.87	122.64	117.70
25	BB	1989	G	N1-C6-O6	-9.87	113.98	119.90
25	BB	447	A	C5-C6-N1	9.87	122.63	117.70
25	BB	1479	G	C5-C6-N1	9.87	116.43	111.50
25	BB	2225	A	N1-C6-N6	-9.86	112.68	118.60
25	BB	2811	G	N9-C4-C5	9.86	109.34	105.40
3	A1	1242	G	C5-C6-N1	9.86	116.43	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	378	C	N3-C4-N4	-9.86	111.10	118.00
25	BB	1949	G	N3-C4-C5	-9.86	123.67	128.60
37	BN	228	ASP	CB-CG-OD1	9.86	127.17	118.30
25	BB	2512	C	C2-N3-C4	-9.86	114.97	119.90
3	A1	33	A	C4-C5-C6	-9.86	112.07	117.00
25	BB	2053	G	C5-C6-N1	9.86	116.43	111.50
3	A1	43	C	N3-C4-C5	9.86	125.84	121.90
3	A1	500	G	O4'-C1'-N9	9.86	116.08	108.20
3	A1	882	C	N3-C2-O2	-9.86	115.00	121.90
25	BB	930	G	N1-C2-N3	9.86	129.81	123.90
25	BB	2539	C	N3-C4-C5	9.86	125.84	121.90
3	A1	55	A	C4-C5-C6	-9.85	112.07	117.00
3	A1	214	C	N3-C2-O2	-9.85	115.00	121.90
3	A1	580	C	N3-C4-C5	9.85	125.84	121.90
25	BB	216	A	C5-C6-N6	9.85	131.58	123.70
25	BB	1226	A	O4'-C1'-N9	9.85	116.08	108.20
3	A1	1501	C	N1-C2-O2	9.85	124.81	118.90
22	AW	118	ARG	NE-CZ-NH2	-9.85	115.38	120.30
25	BB	247	G	N3-C2-N2	-9.85	113.01	119.90
25	BB	2791	G	N3-C2-N2	-9.85	113.00	119.90
25	BB	38	A	C4-C5-C6	-9.85	112.08	117.00
3	A1	1515	G	C8-N9-C4	-9.85	102.46	106.40
7	AF	108	ARG	NE-CZ-NH2	9.85	125.22	120.30
25	BB	476	G	C5-C6-N1	9.85	116.42	111.50
25	BB	1425	G	N1-C6-O6	-9.85	113.99	119.90
25	BB	2327	A	C6-C5-N7	9.85	139.19	132.30
25	BB	2674	G	N1-C6-O6	-9.85	113.99	119.90
25	BB	2329	U	O4'-C1'-N1	9.84	116.08	108.20
3	A1	755	G	N3-C2-N2	-9.84	113.01	119.90
25	BB	601	C	N1-C2-O2	9.84	124.81	118.90
25	BB	1309	G	C5-C6-N1	9.84	116.42	111.50
25	BB	1396	U	N3-C2-O2	-9.84	115.31	122.20
25	BB	2241	A	N1-C6-N6	-9.84	112.69	118.60
25	BB	2590	A	C1'-O4'-C4'	-9.84	102.03	109.90
25	BB	920	A	C4-C5-C6	-9.84	112.08	117.00
25	BB	66	C	N3-C2-O2	-9.84	115.01	121.90
25	BB	851	C	N3-C2-O2	-9.84	115.01	121.90
51	B2	147	ARG	NE-CZ-NH1	9.84	125.22	120.30
25	BB	278	A	C4-C5-C6	-9.84	112.08	117.00
25	BB	897	C	N3-C2-O2	-9.84	115.01	121.90
25	BB	982	C	O4'-C1'-N1	9.84	116.07	108.20
25	BB	108	G	N3-C2-N2	-9.84	113.02	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1358	G	C5-C6-N1	9.84	116.42	111.50
1	AP	37	G	C5-N7-C8	-9.83	99.38	104.30
25	BB	1974	C	N3-C4-N4	-9.83	111.12	118.00
3	A1	1086	U	C4-C5-C6	9.83	125.60	119.70
3	A1	1191	A	C5-C6-N1	9.83	122.62	117.70
25	BB	197	A	C4-C5-C6	-9.83	112.08	117.00
25	BB	367	G	C4-C5-N7	-9.83	106.87	110.80
25	BB	436	C	N3-C2-O2	-9.83	115.02	121.90
25	BB	544	C	N3-C4-N4	-9.83	111.12	118.00
25	BB	1143	A	N1-C6-N6	-9.83	112.70	118.60
25	BB	679	C	N3-C2-O2	-9.83	115.02	121.90
3	A1	1418	A	N1-C2-N3	-9.83	124.39	129.30
25	BB	471	A	C4-C5-C6	-9.83	112.09	117.00
25	BB	1852	U	N1-C1'-C2'	9.83	126.78	114.00
25	BB	2516	A	C5-C6-N1	9.83	122.61	117.70
3	A1	486	U	N1-C2-N3	9.83	120.80	114.90
3	A1	1358	U	N3-C2-O2	-9.82	115.32	122.20
25	BB	203	A	C4-C5-C6	-9.82	112.09	117.00
1	AP	27	C	C5-C6-N1	-9.82	116.09	121.00
25	BB	1655	A	C5-C6-N1	9.82	122.61	117.70
3	A1	366	A	C5-C6-N1	9.82	122.61	117.70
3	A1	431	A	C4-C5-C6	-9.82	112.09	117.00
25	BB	422	A	C4-C5-C6	-9.82	112.09	117.00
3	A1	832	G	N9-C4-C5	9.82	109.33	105.40
3	A1	1315	U	C5-C6-N1	-9.82	117.79	122.70
25	BB	1315	C	C2-N3-C4	-9.82	114.99	119.90
3	A1	1153	G	N3-C4-C5	-9.82	123.69	128.60
24	BA	92	C	N1-C2-O2	9.82	124.79	118.90
25	BB	980	A	C5-C6-N1	9.82	122.61	117.70
1	AA	72	C	O4'-C1'-N1	9.82	116.05	108.20
3	A1	1434	A	C4-C5-C6	-9.82	112.09	117.00
25	BB	330	A	C4-C5-C6	-9.82	112.09	117.00
25	BB	1741	C	N3-C4-N4	-9.82	111.13	118.00
25	BB	2145	C	N3-C2-O2	-9.82	115.03	121.90
1	AE	57	G	N1-C6-O6	-9.81	114.01	119.90
3	A1	379	C	O4'-C1'-N1	9.81	116.05	108.20
25	BB	1592	C	N3-C2-O2	-9.81	115.03	121.90
25	BB	1896	G	N3-C4-C5	-9.81	123.69	128.60
25	BB	718	A	C8-N9-C4	-9.81	101.88	105.80
3	A1	1457	G	C8-N9-C4	-9.81	102.48	106.40
24	BA	58	A	N1-C6-N6	-9.81	112.71	118.60
25	BB	2211	A	C4-C5-C6	-9.81	112.09	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	545	C	C5'-C4'-O4'	9.81	120.87	109.10
25	BB	1949	G	N1-C6-O6	-9.81	114.02	119.90
1	AE	44	A	C5-C6-N1	9.80	122.60	117.70
3	A1	841	C	N3-C2-O2	-9.80	115.04	121.90
25	BB	2512	C	N3-C4-C5	9.80	125.82	121.90
3	A1	980	C	C6-N1-C2	-9.80	116.38	120.30
25	BB	33	C	N3-C2-O2	-9.80	115.04	121.90
25	BB	108	G	C6-N1-C2	-9.80	119.22	125.10
25	BB	1301	A	C4-C5-C6	-9.80	112.10	117.00
25	BB	1632	A	O4'-C1'-N9	9.80	116.04	108.20
25	BB	2825	G	C5-C6-O6	9.80	134.48	128.60
3	A1	102	G	N3-C4-C5	-9.80	123.70	128.60
3	A1	840	C	N3-C2-O2	-9.80	115.04	121.90
3	A1	1260	G	O4'-C1'-N9	-9.80	100.36	108.20
25	BB	711	G	C5-C6-O6	9.80	134.48	128.60
25	BB	2202	U	C5-C6-N1	-9.80	117.80	122.70
25	BB	1300	G	N3-C2-N2	-9.80	113.04	119.90
1	AA	42	G	C4'-C3'-C2'	-9.79	92.81	102.60
25	BB	986	C	N3-C4-C5	9.80	125.82	121.90
30	BG	103	ARG	NE-CZ-NH2	9.80	125.20	120.30
3	A1	1256	A	C5-C6-N1	9.79	122.60	117.70
25	BB	540	C	C4-C5-C6	-9.79	112.50	117.40
25	BB	856	G	C5-C6-N1	9.79	116.40	111.50
31	BH	16	ARG	NE-CZ-NH1	9.79	125.20	120.30
3	A1	1451	U	C2-N3-C4	-9.79	121.13	127.00
25	BB	89	A	C5-C6-N1	9.79	122.59	117.70
25	BB	880	G	C1'-O4'-C4'	-9.79	102.07	109.90
25	BB	1172	C	N3-C4-N4	-9.79	111.15	118.00
25	BB	1907	G	N1-C6-O6	-9.79	114.03	119.90
25	BB	2538	C	N3-C4-C5	9.79	125.81	121.90
3	A1	664	G	N1-C6-O6	-9.79	114.03	119.90
17	AR	62	ARG	NE-CZ-NH1	9.79	125.19	120.30
25	BB	947	A	C5-C6-N1	9.79	122.59	117.70
25	BB	1400	U	O4'-C1'-N1	9.78	116.03	108.20
37	BN	237	ARG	NE-CZ-NH1	9.78	125.19	120.30
1	AE	1	G	C2-N3-C4	9.78	116.79	111.90
3	A1	899	C	O4'-C1'-N1	9.78	116.03	108.20
25	BB	1630	A	C4-C5-C6	-9.78	112.11	117.00
25	BB	1901	A	C6-C5-N7	9.78	139.15	132.30
25	BB	2509	G	N3-C2-N2	-9.78	113.05	119.90
1	AE	58	A	C5-C6-N6	9.78	131.52	123.70
3	A1	511	C	N1-C2-O2	9.78	124.77	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	895	G	N3-C4-C5	-9.78	123.71	128.60
25	BB	144	A	C4-C5-C6	-9.78	112.11	117.00
25	BB	438	G	C5'-C4'-O4'	9.78	120.83	109.10
25	BB	599	A	C4-C5-C6	-9.78	112.11	117.00
25	BB	1670	C	N3-C2-O2	-9.78	115.06	121.90
3	A1	321	A	C4-C5-C6	-9.78	112.11	117.00
25	BB	1724	G	C8-N9-C4	-9.78	102.49	106.40
25	BB	1572	A	C1'-O4'-C4'	-9.78	102.08	109.90
25	BB	2458	G	C3'-C2'-C1'	9.78	109.32	101.50
25	BB	2772	C	N3-C4-N4	-9.78	111.16	118.00
32	BI	102	ARG	NE-CZ-NH1	9.78	125.19	120.30
1	AA	38	A	C2-N3-C4	9.77	115.49	110.60
3	A1	370	C	O4'-C1'-N1	9.77	116.02	108.20
3	A1	747	A	C6-C5-N7	9.77	139.14	132.30
3	A1	1296	C	N3-C2-O2	-9.77	115.06	121.90
25	BB	2358	A	C5-C6-N1	9.77	122.59	117.70
25	BB	265	A	C1'-O4'-C4'	-9.77	102.08	109.90
25	BB	2284	A	C4-C5-C6	-9.77	112.11	117.00
55	B6	35	ARG	NE-CZ-NH1	9.77	125.19	120.30
25	BB	1317	G	C5-C6-N1	9.77	116.39	111.50
25	BB	2467	C	N3-C4-C5	9.77	125.81	121.90
37	BN	68	ARG	NE-CZ-NH1	9.77	125.19	120.30
25	BB	2486	C	C2-N3-C4	-9.77	115.02	119.90
3	A1	1037	C	C6-N1-C2	-9.77	116.39	120.30
25	BB	568	U	C1'-O4'-C4'	-9.77	102.09	109.90
25	BB	1854	A	C4-C5-C6	-9.77	112.12	117.00
3	A1	640	A	C6-C5-N7	9.76	139.13	132.30
25	BB	2577	A	C4'-C3'-C2'	-9.76	92.84	102.60
3	A1	1418	A	C6-C5-N7	9.76	139.13	132.30
3	A1	1466	C	O4'-C1'-N1	9.76	116.01	108.20
25	BB	1966	A	C5-C6-N1	9.76	122.58	117.70
25	BB	1504	A	C5-C6-N1	9.76	122.58	117.70
43	BT	9	ARG	NE-CZ-NH2	9.76	125.18	120.30
25	BB	490	C	N3-C4-C5	9.76	125.80	121.90
25	BB	670	A	C4-C5-C6	-9.76	112.12	117.00
25	BB	1025	G	C3'-C2'-C1'	9.76	109.31	101.50
25	BB	1600	C	N1-C2-O2	9.76	124.75	118.90
25	BB	702	U	C5-C6-N1	-9.76	117.82	122.70
25	BB	1974	C	N3-C4-C5	9.76	125.80	121.90
25	BB	975	A	C4-C5-C6	-9.76	112.12	117.00
25	BB	1931	U	N3-C2-O2	-9.76	115.37	122.20
25	BB	2820	A	C4-C5-C6	-9.76	112.12	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2856	A	C4-C5-C6	-9.76	112.12	117.00
3	A1	56	U	C6-N1-C2	-9.75	115.15	121.00
3	A1	301	G	N3-C4-C5	-9.75	123.72	128.60
3	A1	328	C	N1-C2-O2	9.75	124.75	118.90
3	A1	1306	A	C4'-C3'-C2'	-9.75	92.85	102.60
25	BB	545	U	C1'-O4'-C4'	-9.75	102.10	109.90
25	BB	609	A	C5-C6-N1	9.75	122.58	117.70
25	BB	1503	A	C4-C5-C6	-9.75	112.12	117.00
25	BB	1806	C	C2-N3-C4	-9.75	115.02	119.90
25	BB	199	A	C5-C6-N1	9.75	122.58	117.70
25	BB	1409	U	O4'-C1'-N1	9.75	116.00	108.20
3	A1	688	G	N1-C2-N3	9.75	129.75	123.90
3	A1	1346	A	C4-C5-C6	-9.75	112.13	117.00
24	BA	96	G	N3-C2-N2	-9.75	113.08	119.90
25	BB	439	A	N1-C6-N6	-9.75	112.75	118.60
25	BB	1446	C	N3-C2-O2	-9.75	115.08	121.90
25	BB	2069	G	N1-C6-O6	-9.75	114.05	119.90
25	BB	2313	C	C2-N3-C4	-9.75	115.03	119.90
3	A1	212	G	N1-C6-O6	-9.74	114.06	119.90
25	BB	564	C	N3-C4-C5	9.74	125.80	121.90
25	BB	1470	A	C5-C6-N6	9.74	131.50	123.70
25	BB	1517	G	C8-N9-C4	-9.74	102.50	106.40
25	BB	2361	G	C5-N7-C8	-9.74	99.43	104.30
3	A1	315	A	N1-C6-N6	-9.74	112.76	118.60
3	A1	859	G	C5-C6-N1	9.74	116.37	111.50
25	BB	2524	G	N3-C2-N2	-9.74	113.08	119.90
3	A1	388	G	N3-C4-C5	-9.74	123.73	128.60
3	A1	1242	G	N1-C6-O6	-9.74	114.06	119.90
25	BB	18	U	N3-C2-O2	-9.74	115.38	122.20
25	BB	796	C	N3-C4-N4	-9.74	111.18	118.00
25	BB	1755	A	C5-C6-N1	9.74	122.57	117.70
3	A1	833	G	C4'-C3'-C2'	-9.73	92.87	102.60
25	BB	1384	A	C4-C5-C6	-9.73	112.13	117.00
25	BB	1848	A	N1-C2-N3	-9.73	124.43	129.30
25	BB	457	A	C5-C6-N1	9.73	122.57	117.70
25	BB	1877	A	N1-C6-N6	-9.73	112.76	118.60
25	BB	766	U	C5-C6-N1	-9.73	117.83	122.70
3	A1	1176	A	C4-C5-C6	-9.73	112.14	117.00
3	A1	1346	A	C1'-O4'-C4'	-9.73	102.12	109.90
25	BB	2198	A	N1-C6-N6	-9.73	112.76	118.60
25	BB	1663	G	C3'-C2'-C1'	9.73	109.28	101.50
25	BB	1800	C	O4'-C1'-N1	9.73	115.98	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1085	U	O4'-C1'-N1	9.72	115.98	108.20
3	A1	63	C	N1-C2-O2	9.72	124.73	118.90
24	BA	68	C	O4'-C1'-N1	9.72	115.98	108.20
25	BB	835	C	N3-C2-O2	-9.72	115.09	121.90
3	A1	34	C	N3-C4-C5	9.72	125.79	121.90
25	BB	1496	A	C5-C6-N1	9.72	122.56	117.70
25	BB	1801	A	C5-C6-N1	9.72	122.56	117.70
25	BB	2137	U	C5-C4-O4	-9.72	120.07	125.90
25	BB	2858	C	C5-C4-N4	9.72	127.00	120.20
3	A1	970	C	C5-C4-N4	9.72	127.00	120.20
25	BB	440	C	N3-C2-O2	-9.72	115.10	121.90
25	BB	563	A	C4-C5-C6	-9.72	112.14	117.00
25	BB	851	C	N3-C4-N4	-9.72	111.20	118.00
25	BB	1768	C	N3-C2-O2	-9.72	115.10	121.90
3	A1	923	A	C5'-C4'-C3'	-9.71	100.45	116.00
25	BB	1929	G	N3-C2-N2	-9.72	113.10	119.90
25	BB	199	A	C1'-O4'-C4'	-9.71	102.13	109.90
25	BB	1915	U	N1-C2-N3	9.71	120.73	114.90
25	BB	2256	G	N3-C2-N2	-9.71	113.10	119.90
3	A1	1373	G	N1-C6-O6	-9.71	114.07	119.90
25	BB	134	G	C5-C6-N1	9.71	116.36	111.50
25	BB	1462	C	C6-N1-C2	-9.71	116.42	120.30
25	BB	1133	A	C4-C5-C6	-9.71	112.14	117.00
25	BB	2533	U	C5-C6-N1	-9.71	117.84	122.70
25	BB	125	A	C5-C6-N6	9.71	131.47	123.70
25	BB	1147	A	C4-C5-C6	-9.71	112.14	117.00
25	BB	2530	A	C5-C6-N1	9.71	122.55	117.70
25	BB	2592	G	N1-C6-O6	-9.71	114.07	119.90
3	A1	1250	A	C4-C5-C6	-9.71	112.15	117.00
25	BB	2410	G	N3-C4-C5	-9.71	123.75	128.60
25	BB	2440	C	C2-N3-C4	-9.71	115.05	119.90
3	A1	475	C	O4'-C1'-N1	9.70	115.96	108.20
25	BB	2268	A	C4-C5-C6	-9.70	112.15	117.00
3	A1	287	U	C5'-C4'-O4'	9.70	120.74	109.10
3	A1	468	A	C5-C6-N1	9.70	122.55	117.70
25	BB	484	C	N1-C2-O2	9.70	124.72	118.90
25	BB	1932	A	C4-C5-C6	-9.70	112.15	117.00
33	BJ	12	ARG	NE-CZ-NH1	9.70	125.15	120.30
3	A1	1053	G	C5-C6-N1	9.70	116.35	111.50
3	A1	280	C	N3-C4-C5	9.70	125.78	121.90
25	BB	386	G	N1-C6-O6	-9.70	114.08	119.90
25	BB	708	G	C5-C6-N1	9.70	116.35	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1600	C	N3-C4-C5	9.70	125.78	121.90
25	BB	2367	G	N1-C6-O6	-9.70	114.08	119.90
25	BB	2858	C	C3'-C2'-C1'	9.70	109.26	101.50
3	A1	25	C	N3-C4-N4	-9.70	111.21	118.00
25	BB	388	G	C5-C6-O6	9.70	134.42	128.60
25	BB	2132	U	C5-C6-N1	-9.70	117.85	122.70
1	AE	37	G	C3'-C2'-C1'	9.70	109.26	101.50
3	A1	890	G	O4'-C1'-N9	-9.69	100.44	108.20
25	BB	1134	A	O4'-C1'-N9	9.69	115.95	108.20
25	BB	1172	C	C1'-O4'-C4'	-9.69	102.14	109.90
3	A1	1016	A	C5-C6-N1	9.69	122.55	117.70
24	BA	50	A	C4-C5-C6	-9.69	112.15	117.00
25	BB	1538	G	N1-C2-N3	9.69	129.72	123.90
25	BB	2541	A	C4-C5-C6	-9.69	112.15	117.00
25	BB	11	C	N3-C2-O2	-9.69	115.12	121.90
25	BB	101	A	C4-C5-C6	-9.69	112.15	117.00
25	BB	2728	U	O4'-C1'-N1	9.69	115.95	108.20
3	A1	424	G	N3-C2-N2	-9.69	113.12	119.90
24	BA	110	C	N3-C2-O2	-9.69	115.12	121.90
25	BB	734	A	C4-C5-C6	-9.69	112.16	117.00
25	BB	1416	G	C6-N1-C2	-9.69	119.29	125.10
25	BB	288	U	N3-C2-O2	-9.69	115.42	122.20
3	A1	1214	C	N3-C2-O2	-9.68	115.12	121.90
25	BB	2219	U	O4'-C1'-N1	9.68	115.95	108.20
25	BB	2551	C	N1-C2-O2	9.68	124.71	118.90
1	AA	73	A	C5-C6-N1	9.68	122.54	117.70
3	A1	68	G	C3'-C2'-C1'	-9.68	93.76	101.50
3	A1	89	U	C2-N3-C4	-9.68	121.19	127.00
11	AJ	39	ARG	NE-CZ-NH1	9.68	125.14	120.30
25	BB	1246	A	C4-C5-C6	-9.68	112.16	117.00
3	A1	827	U	N1-C2-O2	9.68	129.57	122.80
25	BB	709	U	N3-C2-O2	-9.68	115.42	122.20
25	BB	1732	C	C2-N3-C4	-9.68	115.06	119.90
3	A1	1453	G	N3-C4-N9	9.68	131.81	126.00
25	BB	972	A	N1-C6-N6	-9.68	112.79	118.60
25	BB	1682	G	N1-C6-O6	-9.68	114.09	119.90
25	BB	2900	A	C5-C6-N1	9.68	122.54	117.70
3	A1	362	G	N1-C6-O6	-9.67	114.10	119.90
25	BB	648	G	C8-N9-C4	-9.67	102.53	106.40
25	BB	738	G	N1-C6-O6	-9.67	114.10	119.90
25	BB	1782	U	O4'-C1'-N1	9.67	115.94	108.20
25	BB	2107	G	N3-C2-N2	-9.67	113.13	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AE	29	A	C6-C5-N7	9.67	139.07	132.30
3	A1	61	G	N3-C2-N2	-9.67	113.13	119.90
3	A1	131	A	C5-C6-N1	9.67	122.53	117.70
4	AB	138	ARG	NE-CZ-NH1	9.67	125.13	120.30
25	BB	1561	C	N1-C2-O2	9.67	124.70	118.90
25	BB	1654	A	C4-C5-C6	-9.67	112.17	117.00
25	BB	1857	G	N1-C6-O6	-9.67	114.10	119.90
25	BB	1262	A	C5-C6-N1	9.67	122.53	117.70
25	BB	1393	A	C1'-O4'-C4'	-9.67	102.17	109.90
25	BB	1608	A	O4'-C1'-N9	9.67	115.93	108.20
25	BB	2023	C	N3-C4-C5	9.67	125.77	121.90
25	BB	2230	G	N1-C6-O6	-9.67	114.10	119.90
25	BB	513	A	C6-C5-N7	9.66	139.06	132.30
25	BB	786	C	N1-C2-O2	9.66	124.70	118.90
25	BB	446	G	C5-C6-N1	9.66	116.33	111.50
25	BB	1265	A	C4-C5-C6	-9.66	112.17	117.00
3	A1	913	A	C5-C6-N1	9.66	122.53	117.70
25	BB	1774	C	O4'-C1'-N1	9.66	115.93	108.20
1	AE	5	A	N1-C6-N6	-9.66	112.81	118.60
25	BB	1278	C	N3-C4-C5	9.66	125.76	121.90
25	BB	1656	C	N1-C2-O2	9.66	124.69	118.90
3	A1	665	A	C1'-O4'-C4'	-9.66	102.17	109.90
25	BB	2109	U	N3-C2-O2	-9.66	115.44	122.20
3	A1	831	A	N1-C6-N6	-9.65	112.81	118.60
3	A1	1378	C	N3-C4-C5	9.65	125.76	121.90
24	BA	25	U	N3-C2-O2	-9.65	115.44	122.20
25	BB	69	C	N3-C2-O2	-9.65	115.14	121.90
25	BB	330	A	N1-C6-N6	-9.65	112.81	118.60
25	BB	719	C	N3-C4-N4	-9.65	111.24	118.00
25	BB	1252	G	N3-C2-N2	-9.65	113.14	119.90
25	BB	2483	C	C2-N3-C4	-9.65	115.07	119.90
3	A1	199	A	C5-C6-N1	9.65	122.53	117.70
25	BB	1204	A	C5-C6-N1	9.65	122.53	117.70
25	BB	1571	A	C4-C5-C6	-9.65	112.17	117.00
3	A1	57	G	C6-C5-N7	9.65	136.19	130.40
3	A1	1503	A	O5'-P-OP2	-9.65	97.02	105.70
25	BB	2252	G	N1-C6-O6	-9.65	114.11	119.90
1	AE	64	A	C6-C5-N7	9.65	139.05	132.30
25	BB	653	U	C5-C6-N1	-9.65	117.88	122.70
25	BB	964	C	N3-C4-N4	-9.65	111.25	118.00
25	BB	1194	A	C5-C6-N1	9.65	122.52	117.70
29	BF	38	ARG	NE-CZ-NH2	9.65	125.12	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
50	B1	79	ARG	NE-CZ-NH1	9.65	125.12	120.30
3	A1	1201	A	N1-C6-N6	-9.64	112.81	118.60
3	A1	743	A	C5-C6-N6	9.64	131.41	123.70
3	A1	934	C	N3-C4-C5	9.64	125.76	121.90
3	A1	1066	C	C2-N3-C4	-9.64	115.08	119.90
25	BB	1925	C	N3-C4-N4	-9.64	111.25	118.00
24	BA	27	C	C3'-C2'-C1'	9.64	109.21	101.50
25	BB	1128	G	N1-C6-O6	-9.64	114.12	119.90
25	BB	1816	C	N3-C2-O2	-9.64	115.15	121.90
25	BB	2020	A	C5-C6-N1	9.64	122.52	117.70
1	AP	33	U	C2-N3-C4	-9.64	121.22	127.00
3	A1	365	U	O4'-C1'-N1	9.64	115.91	108.20
3	A1	1072	G	N1-C6-O6	-9.64	114.12	119.90
25	BB	335	C	N3-C4-C5	9.64	125.75	121.90
25	BB	2287	A	N1-C6-N6	-9.64	112.82	118.60
3	A1	660	C	O4'-C1'-N1	9.64	115.91	108.20
25	BB	483	A	C5-C6-N1	9.64	122.52	117.70
3	A1	1053	G	O4'-C1'-N9	9.63	115.91	108.20
3	A1	1279	G	C4-C5-N7	9.63	114.65	110.80
25	BB	1368	G	N1-C6-O6	-9.63	114.12	119.90
34	BK	84	ARG	NE-CZ-NH1	9.63	125.12	120.30
1	AE	61	C	C3'-C2'-C1'	-9.63	93.79	101.50
3	A1	253	A	C5-C6-N1	9.63	122.52	117.70
3	A1	706	A	C1'-O4'-C4'	-9.63	102.19	109.90
3	A1	1464	U	N3-C2-O2	-9.63	115.46	122.20
24	BA	34	A	C4-C5-C6	-9.63	112.18	117.00
25	BB	1041	G	O4'-C1'-N9	-9.63	100.49	108.20
1	AE	20	G	C4-C5-N7	-9.63	106.95	110.80
3	A1	1302	C	N3-C4-C5	9.63	125.75	121.90
15	AO	142	ARG	NE-CZ-NH2	-9.63	115.48	120.30
25	BB	320	A	C6-C5-N7	9.63	139.04	132.30
25	BB	449	A	C4-C5-C6	-9.63	112.19	117.00
25	BB	1966	A	N9-C4-C5	-9.63	101.95	105.80
3	A1	203	G	N3-C2-N2	-9.63	113.16	119.90
25	BB	127	A	C5-C6-N1	9.63	122.51	117.70
3	A1	514	C	C5-C6-N1	-9.63	116.19	121.00
25	BB	925	A	C5-C6-N1	9.63	122.51	117.70
3	A1	301	G	N1-C6-O6	-9.62	114.12	119.90
16	AQ	33	ARG	CD-NE-CZ	9.62	137.07	123.60
3	A1	301	G	C5-C6-N1	9.62	116.31	111.50
3	A1	745	G	C8-N9-C4	-9.62	102.55	106.40
3	A1	937	A	N1-C6-N6	-9.62	112.83	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1097	C	C2-N3-C4	-9.62	115.09	119.90
24	BA	110	C	N3-C4-C5	9.62	125.75	121.90
25	BB	2577	A	C4-C5-C6	-9.62	112.19	117.00
25	BB	41	C	C1'-O4'-C4'	-9.62	102.20	109.90
25	BB	1889	A	C4-C5-C6	-9.62	112.19	117.00
1	AP	23	A	N1-C6-N6	-9.62	112.83	118.60
3	A1	888	G	N1-C6-O6	-9.62	114.13	119.90
25	BB	2067	G	C3'-C2'-C1'	-9.62	93.81	101.50
25	BB	2111	U	O4'-C1'-N1	9.62	115.89	108.20
25	BB	2301	C	C3'-C2'-C1'	9.62	109.19	101.50
25	BB	2647	U	C5'-C4'-O4'	9.62	120.64	109.10
3	A1	475	C	C2-N3-C4	-9.62	115.09	119.90
3	A1	882	C	C2-N3-C4	-9.61	115.09	119.90
25	BB	1281	G	N1-C6-O6	-9.62	114.13	119.90
25	BB	1520	U	C3'-C2'-C1'	9.62	109.19	101.50
25	BB	1585	C	N3-C4-C5	9.61	125.75	121.90
25	BB	2385	C	P-O3'-C3'	9.62	131.24	119.70
3	A1	1519	A	C4-C5-C6	-9.61	112.19	117.00
25	BB	27	G	N3-C2-N2	-9.61	113.17	119.90
25	BB	1455	G	N3-C2-N2	-9.61	113.17	119.90
25	BB	1295	C	C6-N1-C2	-9.61	116.46	120.30
25	BB	1523	U	C4'-C3'-C2'	-9.61	92.99	102.60
25	BB	1792	G	C5-C6-N1	9.61	116.31	111.50
25	BB	149	A	C5-C6-N1	9.61	122.50	117.70
25	BB	893	C	C2-N3-C4	-9.61	115.09	119.90
25	BB	957	C	P-O3'-C3'	9.61	131.23	119.70
25	BB	2270	A	C4-C5-C6	-9.61	112.19	117.00
25	BB	2271	G	N3-C4-C5	-9.61	123.80	128.60
3	A1	722	G	N1-C6-O6	-9.61	114.14	119.90
3	A1	1258	G	C5'-C4'-O4'	9.61	120.63	109.10
25	BB	2063	C	N3-C4-N4	-9.61	111.28	118.00
25	BB	2463	C	C6-N1-C2	-9.61	116.46	120.30
25	BB	797	G	C5-C6-O6	9.60	134.36	128.60
25	BB	1593	A	C6-C5-N7	9.60	139.02	132.30
25	BB	2411	A	C4-C5-C6	-9.60	112.20	117.00
3	A1	614	C	N1-C2-O2	9.60	124.66	118.90
25	BB	2014	A	C6-C5-N7	9.60	139.02	132.30
25	BB	2335	A	C4-C5-C6	-9.60	112.20	117.00
3	A1	361	G	C5-C6-N1	9.60	116.30	111.50
3	A1	1401	G	C1'-O4'-C4'	-9.60	102.22	109.90
25	BB	632	A	C6-C5-N7	9.60	139.02	132.30
25	BB	782	A	N1-C6-N6	-9.60	112.84	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2426	A	N1-C6-N6	-9.60	112.84	118.60
25	BB	2794	C	O4'-C1'-N1	9.60	115.88	108.20
3	A1	1371	G	N1-C6-O6	-9.59	114.14	119.90
24	BA	98	G	N1-C2-N3	9.59	129.66	123.90
25	BB	2081	U	O4'-C1'-N1	9.59	115.88	108.20
1	AP	29	A	O4'-C4'-C3'	9.59	113.77	106.10
3	A1	851	G	C6-C5-N7	9.59	136.16	130.40
3	A1	1211	U	C4-C5-C6	9.59	125.46	119.70
25	BB	1565	C	N3-C4-C5	9.59	125.74	121.90
3	A1	558	G	N1-C6-O6	-9.59	114.15	119.90
3	A1	1341	U	C5-C6-N1	-9.59	117.91	122.70
7	AF	106	ARG	NE-CZ-NH2	-9.59	115.50	120.30
25	BB	933	A	C5-C6-N1	9.59	122.50	117.70
25	BB	1457	U	N3-C2-O2	-9.59	115.49	122.20
25	BB	2191	A	C5-C6-N1	9.59	122.50	117.70
25	BB	1292	G	N1-C6-O6	-9.59	114.15	119.90
25	BB	2854	G	N1-C6-O6	-9.59	114.15	119.90
3	A1	1104	G	N3-C2-N2	-9.59	113.19	119.90
23	AX	37	ARG	NE-CZ-NH1	9.59	125.09	120.30
25	BB	2377	A	N1-C6-N6	-9.59	112.85	118.60
3	A1	727	G	N3-C2-N2	-9.59	113.19	119.90
3	A1	1417	G	N7-C8-N9	9.59	117.89	113.10
3	A1	817	C	C6-N1-C2	-9.58	116.47	120.30
3	A1	348	G	N1-C6-O6	-9.58	114.15	119.90
3	A1	381	C	N3-C4-C5	9.58	125.73	121.90
3	A1	808	C	N3-C2-O2	-9.58	115.19	121.90
15	AO	168	ARG	NE-CZ-NH1	9.58	125.09	120.30
25	BB	2340	A	C5-C6-N1	9.58	122.49	117.70
3	A1	93	U	N3-C2-O2	-9.58	115.49	122.20
3	A1	1316	G	C5-C6-N1	9.58	116.29	111.50
2	AM	5	U	OP1-P-OP2	-9.58	105.23	119.60
3	A1	922	G	N7-C8-N9	9.58	117.89	113.10
3	A1	1245	C	N3-C4-C5	9.58	125.73	121.90
25	BB	154	U	N3-C2-O2	-9.58	115.49	122.20
25	BB	497	A	C4-C5-C6	-9.58	112.21	117.00
25	BB	504	A	C2-N3-C4	9.58	115.39	110.60
25	BB	1570	A	C6-C5-N7	9.58	139.01	132.30
1	AA	31	A	N1-C6-N6	-9.58	112.85	118.60
3	A1	261	U	C5-C6-N1	-9.58	117.91	122.70
3	A1	1454	G	C6-N1-C2	-9.58	119.36	125.10
3	A1	1457	G	N9-C4-C5	9.58	109.23	105.40
25	BB	1617	C	C2-N3-C4	-9.58	115.11	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	547	A	C8-N9-C4	-9.57	101.97	105.80
1	AP	38	A	C5-C6-N1	9.57	122.49	117.70
3	A1	64	G	N1-C6-O6	-9.57	114.16	119.90
3	A1	67	C	N3-C2-O2	-9.57	115.20	121.90
25	BB	943	A	C5-C6-N1	9.57	122.49	117.70
25	BB	2678	C	O4'-C1'-N1	9.57	115.86	108.20
25	BB	2837	A	N1-C6-N6	-9.57	112.86	118.60
25	BB	448	U	O4'-C1'-N1	9.57	115.86	108.20
25	BB	1494	A	C3'-C2'-C1'	9.57	109.16	101.50
25	BB	1404	C	N3-C4-C5	9.57	125.73	121.90
25	BB	2305	U	N1-C2-N3	9.57	120.64	114.90
3	A1	1318	A	C5-C6-N1	9.57	122.48	117.70
25	BB	1285	A	C2-N3-C4	9.57	115.38	110.60
25	BB	2369	A	C5-C6-N1	9.57	122.48	117.70
52	B3	34	ARG	NE-CZ-NH1	9.56	125.08	120.30
25	BB	920	A	C5-C6-N1	9.56	122.48	117.70
25	BB	925	A	C4-C5-C6	-9.56	112.22	117.00
25	BB	1910	G	C4-C5-N7	-9.56	106.97	110.80
25	BB	2794	C	C6-N1-C2	-9.56	116.47	120.30
3	A1	1036	A	C5-C6-N6	9.56	131.35	123.70
24	BA	11	C	N3-C4-C5	9.56	125.72	121.90
25	BB	100	U	N3-C4-O4	-9.56	112.71	119.40
3	A1	181	A	C6-N1-C2	-9.56	112.86	118.60
25	BB	2330	G	C4-C5-N7	-9.56	106.98	110.80
25	BB	798	G	C3'-C2'-C1'	-9.56	93.85	101.50
1	AP	50	U	C4-C5-C6	9.55	125.43	119.70
3	A1	888	G	N1-C2-N3	9.55	129.63	123.90
3	A1	984	C	C6-N1-C2	-9.55	116.48	120.30
3	A1	1163	A	C5-C6-N1	9.55	122.48	117.70
25	BB	325	G	C5-C6-N1	9.55	116.28	111.50
7	AF	92	ARG	NE-CZ-NH1	9.55	125.08	120.30
25	BB	613	A	N1-C6-N6	-9.55	112.87	118.60
25	BB	1687	G	C5'-C4'-C3'	9.55	131.29	116.00
3	A1	169	C	C1'-O4'-C4'	-9.55	102.26	109.90
3	A1	1129	C	N3-C4-C5	9.55	125.72	121.90
25	BB	1866	A	C5-C6-N6	9.55	131.34	123.70
1	AA	69	U	O4'-C1'-N1	9.55	115.84	108.20
3	A1	274	A	C5-C6-N1	9.55	122.47	117.70
25	BB	390	U	N1-C2-O2	9.55	129.49	122.80
37	BN	174	ARG	NE-CZ-NH1	9.55	125.08	120.30
3	A1	381	C	N3-C4-N4	-9.55	111.32	118.00
3	A1	1510	C	N3-C2-O2	-9.55	115.22	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	857	C	C2-N3-C4	-9.55	115.13	119.90
3	A1	1378	C	N3-C4-N4	-9.55	111.32	118.00
3	A1	1521	C	N3-C2-O2	-9.55	115.22	121.90
25	BB	2635	A	C6-C5-N7	9.55	138.98	132.30
30	BG	118	ARG	NE-CZ-NH1	9.55	125.07	120.30
25	BB	1643	G	O4'-C1'-N9	9.55	115.84	108.20
3	A1	1058	G	N1-C2-N3	9.54	129.63	123.90
3	A1	1468	A	C4-C5-C6	-9.54	112.23	117.00
25	BB	675	A	C4-C5-C6	-9.54	112.23	117.00
25	BB	1795	C	C2-N3-C4	-9.54	115.13	119.90
3	A1	549	C	N3-C4-C5	9.54	125.72	121.90
3	A1	292	G	N1-C6-O6	-9.54	114.18	119.90
3	A1	1044	A	C5-C6-N6	9.54	131.33	123.70
3	A1	1511	G	N3-C2-N2	-9.54	113.22	119.90
25	BB	179	C	N3-C2-O2	-9.54	115.22	121.90
25	BB	648	G	N3-C4-C5	-9.54	123.83	128.60
25	BB	1549	A	C4-C5-C6	-9.54	112.23	117.00
25	BB	2787	C	N3-C4-C5	9.54	125.72	121.90
25	BB	1718	G	C8-N9-C4	-9.54	102.58	106.40
25	BB	2094	A	C5-C6-N6	9.54	131.33	123.70
25	BB	1489	C	N3-C4-C5	9.54	125.72	121.90
25	BB	1604	C	N3-C4-N4	-9.54	111.32	118.00
25	BB	1696	G	N3-C2-N2	-9.54	113.22	119.90
1	AA	43	G	N9-C4-C5	9.53	109.21	105.40
3	A1	792	A	C4-C5-C6	-9.54	112.23	117.00
25	BB	158	U	C4'-C3'-C2'	-9.54	93.06	102.60
25	BB	462	C	N3-C2-O2	-9.54	115.22	121.90
25	BB	1366	A	C5-C6-N1	9.54	122.47	117.70
25	BB	2071	A	C4-C5-C6	-9.54	112.23	117.00
24	BA	29	A	C1'-O4'-C4'	-9.53	102.27	109.90
25	BB	280	U	O4'-C1'-N1	9.53	115.83	108.20
25	BB	458	G	O4'-C1'-N9	9.53	115.83	108.20
25	BB	2127	G	N1-C6-O6	-9.53	114.18	119.90
1	AP	27	C	N3-C2-O2	-9.53	115.23	121.90
3	A1	1413	A	C5-C6-N1	9.53	122.47	117.70
25	BB	750	A	C5-C6-N6	9.53	131.32	123.70
25	BB	2268	A	C6-C5-N7	9.53	138.97	132.30
3	A1	1356	G	C5-C6-N1	9.53	116.26	111.50
25	BB	191	A	C5-C6-N1	9.53	122.46	117.70
25	BB	1281	G	N7-C8-N9	9.53	117.86	113.10
25	BB	2262	U	O4'-C1'-N1	9.53	115.82	108.20
25	BB	2809	A	C6-N1-C2	-9.53	112.88	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	189	A	C5-C6-N1	9.52	122.46	117.70
25	BB	13	A	N1-C2-N3	-9.52	124.54	129.30
25	BB	66	C	N3-C4-C5	9.52	125.71	121.90
25	BB	387	U	O4'-C1'-N1	9.52	115.82	108.20
25	BB	1427	A	C6-C5-N7	9.52	138.97	132.30
25	BB	308	G	N3-C4-N9	9.52	131.71	126.00
25	BB	436	C	C2-N3-C4	-9.52	115.14	119.90
25	BB	960	A	C4-C5-C6	-9.52	112.24	117.00
25	BB	1112	G	N7-C8-N9	9.52	117.86	113.10
25	BB	2143	C	N3-C4-C5	9.52	125.71	121.90
3	A1	160	A	C1'-O4'-C4'	-9.52	102.28	109.90
3	A1	1403	C	C5-C6-N1	-9.52	116.24	121.00
25	BB	1161	C	O4'-C1'-N1	9.52	115.81	108.20
4	AB	221	ARG	NH1-CZ-NH2	-9.52	108.93	119.40
35	BL	110	ARG	NH1-CZ-NH2	-9.52	108.93	119.40
3	A1	919	A	C5-C6-N6	9.51	131.31	123.70
25	BB	485	C	N3-C2-O2	-9.51	115.24	121.90
1	AA	37	G	N9-C4-C5	9.51	109.20	105.40
1	AP	42	G	C4-C5-N7	-9.51	107.00	110.80
3	A1	715	A	C5-C6-N6	9.51	131.31	123.70
25	BB	488	G	O4'-C4'-C3'	9.51	113.71	106.10
25	BB	631	A	C6-C5-N7	9.51	138.96	132.30
25	BB	1538	G	C3'-C2'-C1'	9.51	109.11	101.50
25	BB	1859	U	O4'-C1'-N1	9.51	115.81	108.20
25	BB	2378	A	N1-C6-N6	-9.51	112.89	118.60
29	BF	51	ARG	NE-CZ-NH2	9.51	125.06	120.30
25	BB	2679	A	C4-C5-C6	-9.51	112.25	117.00
3	A1	485	U	C4-C5-C6	9.51	125.40	119.70
25	BB	794	A	C4-C5-C6	-9.51	112.25	117.00
3	A1	998	C	N3-C4-C5	9.51	125.70	121.90
3	A1	1482	G	N3-C2-N2	-9.51	113.25	119.90
25	BB	941	A	C4-C5-C6	-9.51	112.25	117.00
25	BB	2168	G	O4'-C1'-N9	9.51	115.81	108.20
25	BB	207	A	C4-C5-C6	-9.51	112.25	117.00
1	AP	5	A	C4-C5-C6	-9.50	112.25	117.00
3	A1	681	A	C5-C6-N1	9.50	122.45	117.70
3	A1	1138	G	C6-C5-N7	9.50	136.10	130.40
25	BB	654	A	C4-C5-C6	-9.50	112.25	117.00
25	BB	1230	A	C4-C5-C6	-9.50	112.25	117.00
25	BB	1533	C	N3-C4-C5	9.50	125.70	121.90
25	BB	2452	C	N3-C2-O2	-9.50	115.25	121.90
3	A1	342	C	N1-C2-N3	9.50	125.85	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	580	C	C3'-C2'-C1'	9.50	109.10	101.50
3	A1	934	C	N3-C2-O2	-9.50	115.25	121.90
3	A1	1098	C	N3-C2-O2	-9.50	115.25	121.90
25	BB	1535	A	C4-C5-C6	-9.50	112.25	117.00
25	BB	2585	U	OP1-P-OP2	-9.50	105.35	119.60
3	A1	57	G	C4-C5-N7	-9.50	107.00	110.80
25	BB	1425	G	O4'-C1'-N9	9.50	115.80	108.20
25	BB	2850	A	C4-C5-C6	-9.50	112.25	117.00
52	B3	162	ARG	NE-CZ-NH1	9.50	125.05	120.30
3	A1	1182	G	C5-C6-N1	9.49	116.25	111.50
25	BB	1598	A	N1-C6-N6	-9.49	112.90	118.60
1	AP	44	A	C4-C5-C6	-9.49	112.25	117.00
3	A1	1110	A	C4-C5-C6	-9.49	112.25	117.00
25	BB	2330	G	C6-C5-N7	9.49	136.09	130.40
25	BB	2385	C	C6-N1-C2	-9.49	116.50	120.30
29	BF	38	ARG	NH1-CZ-NH2	-9.49	108.96	119.40
1	AP	14	A	C5-C6-N1	9.49	122.44	117.70
25	BB	1693	U	N1-C2-O2	9.49	129.44	122.80
25	BB	2758	A	C4-C5-C6	-9.49	112.26	117.00
1	AE	3	G	C5-C6-N1	9.49	116.24	111.50
3	A1	671	G	N1-C6-O6	-9.49	114.21	119.90
25	BB	574	A	C4-C5-C6	-9.49	112.26	117.00
3	A1	1280	A	C4-C5-C6	-9.48	112.26	117.00
3	A1	1531	A	C4-C5-C6	-9.48	112.26	117.00
7	AF	89	ARG	NE-CZ-NH1	9.48	125.04	120.30
25	BB	231	A	C5-C6-N1	9.48	122.44	117.70
25	BB	677	A	N1-C6-N6	-9.48	112.91	118.60
3	A1	1392	G	N3-C2-N2	-9.48	113.26	119.90
25	BB	900	A	C5-C6-N1	9.48	122.44	117.70
25	BB	2852	G	C5'-C4'-O4'	9.48	120.48	109.10
25	BB	1900	A	N1-C6-N6	-9.48	112.91	118.60
1	AP	71	G	C5-C6-N1	9.48	116.24	111.50
3	A1	130	A	C4-C5-C6	-9.48	112.26	117.00
25	BB	137	U	C5-C4-O4	-9.48	120.21	125.90
25	BB	935	C	N3-C4-C5	9.48	125.69	121.90
3	A1	826	C	N3-C2-O2	-9.48	115.27	121.90
1	AA	71	G	C5-C6-N1	9.47	116.24	111.50
2	AM	1	U	O4'-C1'-N1	9.47	115.78	108.20
3	A1	831	A	C5-C6-N1	9.47	122.44	117.70
3	A1	1102	A	C5-C6-N1	9.47	122.44	117.70
24	BA	37	C	N3-C4-C5	9.47	125.69	121.90
25	BB	383	C	N3-C2-O2	-9.47	115.27	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	753	A	C4-C5-C6	-9.47	112.26	117.00
25	BB	1336	A	C4-C5-C6	-9.47	112.26	117.00
25	BB	2294	G	C5-C6-N1	9.47	116.24	111.50
3	A1	335	C	N3-C4-N4	-9.47	111.37	118.00
3	A1	522	C	N3-C4-N4	-9.47	111.37	118.00
25	BB	1472	C	N3-C2-O2	-9.47	115.27	121.90
25	BB	1824	G	N1-C6-O6	-9.47	114.22	119.90
3	A1	348	G	C6-N1-C2	-9.47	119.42	125.10
3	A1	1372	U	N3-C2-O2	-9.47	115.57	122.20
25	BB	1391	U	C5'-C4'-O4'	9.47	120.46	109.10
25	BB	2712	C	C6-N1-C2	-9.47	116.51	120.30
3	A1	788	U	C2-N3-C4	-9.46	121.32	127.00
25	BB	108	G	N1-C6-O6	-9.46	114.22	119.90
25	BB	2333	A	C5'-C4'-O4'	9.46	120.46	109.10
3	A1	908	A	C5-C6-N6	9.46	131.27	123.70
25	BB	602	A	C3'-C2'-C1'	9.46	109.07	101.50
25	BB	1150	C	N3-C2-O2	-9.46	115.28	121.90
1	AE	51	G	N1-C6-O6	-9.46	114.22	119.90
3	A1	225	C	N3-C4-C5	9.46	125.68	121.90
3	A1	604	G	C5'-C4'-O4'	9.46	120.45	109.10
6	AD	85	ARG	NE-CZ-NH1	9.46	125.03	120.30
24	BA	13	G	N1-C6-O6	-9.46	114.22	119.90
25	BB	218	A	N1-C6-N6	-9.46	112.92	118.60
25	BB	633	A	C5-C6-N1	9.46	122.43	117.70
3	A1	338	A	C5-C6-N1	9.46	122.43	117.70
3	A1	745	G	N1-C6-O6	-9.46	114.23	119.90
3	A1	1222	G	N1-C6-O6	-9.46	114.23	119.90
25	BB	417	C	C6-N1-C2	-9.46	116.52	120.30
6	AD	88	ASP	CB-CG-OD1	9.45	126.81	118.30
25	BB	2309	A	C5-C6-N1	9.45	122.43	117.70
3	A1	412	A	C5-C6-N6	9.45	131.26	123.70
25	BB	273	G	N3-C2-N2	-9.45	113.28	119.90
25	BB	762	U	O4'-C1'-N1	9.45	115.76	108.20
25	BB	504	A	C4-C5-C6	-9.45	112.27	117.00
25	BB	730	A	C4-C5-C6	-9.45	112.27	117.00
25	BB	1030	C	O4'-C1'-N1	9.45	115.76	108.20
25	BB	1807	G	N1-C6-O6	-9.45	114.23	119.90
25	BB	1172	C	N3-C4-C5	9.45	125.68	121.90
3	A1	174	A	C6-C5-N7	9.45	138.91	132.30
3	A1	787	A	C6-C5-N7	9.45	138.91	132.30
3	A1	1429	A	C5-C6-N1	9.45	122.42	117.70
25	BB	624	C	N3-C4-N4	-9.45	111.39	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2158	A	C4-C5-C6	-9.45	112.28	117.00
25	BB	2730	C	N1-C2-O2	9.45	124.57	118.90
25	BB	631	A	C5-C6-N1	9.45	122.42	117.70
25	BB	1159	U	N3-C2-O2	-9.45	115.59	122.20
25	BB	1453	A	C5-C6-N6	9.45	131.26	123.70
3	A1	744	C	N1-C2-O2	9.45	124.57	118.90
25	BB	8	C	C2-N3-C4	-9.45	115.18	119.90
25	BB	309	A	C5-C6-N1	9.45	122.42	117.70
25	BB	1468	U	N3-C2-O2	-9.45	115.59	122.20
25	BB	2246	G	N3-C2-N2	-9.45	113.29	119.90
3	A1	436	C	N3-C2-O2	-9.44	115.29	121.90
3	A1	1068	G	N1-C6-O6	-9.45	114.23	119.90
3	A1	1153	G	N1-C6-O6	-9.44	114.23	119.90
3	A1	1491	G	O4'-C1'-N9	9.44	115.75	108.20
25	BB	354	A	C2-N3-C4	9.45	115.32	110.60
25	BB	1512	C	N3-C4-N4	-9.45	111.39	118.00
25	BB	1638	C	N3-C2-O2	-9.44	115.29	121.90
3	A1	715	A	O4'-C1'-C2'	-9.44	96.36	105.80
3	A1	1462	C	N3-C2-O2	-9.44	115.29	121.90
25	BB	455	C	N3-C4-C5	9.44	125.68	121.90
3	A1	320	A	C5-C6-N1	9.44	122.42	117.70
3	A1	609	A	C3'-C2'-C1'	-9.44	93.95	101.50
25	BB	1618	A	C5-C6-N1	9.44	122.42	117.70
25	BB	1146	C	N1-C2-O2	9.44	124.56	118.90
25	BB	1211	C	C5-C6-N1	-9.44	116.28	121.00
25	BB	1937	A	C5-C6-N1	9.44	122.42	117.70
26	BC	9	ARG	NE-CZ-NH2	-9.44	115.58	120.30
3	A1	1419	G	N3-C4-N9	9.44	131.66	126.00
3	A1	795	C	N3-C4-C5	9.43	125.67	121.90
1	AA	64	A	C6-C5-N7	9.43	138.90	132.30
25	BB	118	A	O4'-C1'-N9	9.43	115.75	108.20
25	BB	592	A	C5-C6-N6	9.43	131.25	123.70
25	BB	968	C	O4'-C1'-N1	9.43	115.75	108.20
25	BB	1092	C	O4'-C1'-N1	9.43	115.75	108.20
25	BB	192	C	N3-C4-N4	-9.43	111.40	118.00
25	BB	1876	A	C5-C6-N1	9.43	122.42	117.70
25	BB	2821	A	C5-C6-N1	9.43	122.42	117.70
3	A1	206	C	N3-C4-C5	9.43	125.67	121.90
25	BB	2144	G	C4-C5-N7	-9.43	107.03	110.80
3	A1	341	C	N3-C2-O2	-9.42	115.30	121.90
3	A1	457	G	N3-C2-N2	-9.42	113.30	119.90
25	BB	977	G	C5-C6-N1	9.42	116.21	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	8	C	N3-C4-C5	9.42	125.67	121.90
25	BB	390	U	C4-C5-C6	9.42	125.35	119.70
25	BB	2275	C	N1-C2-O2	9.42	124.55	118.90
25	BB	2629	U	C1'-O4'-C4'	-9.42	102.36	109.90
25	BB	561	G	C5-C6-N1	9.42	116.21	111.50
1	AA	57	G	O5'-P-OP2	-9.42	97.22	105.70
25	BB	1189	A	C5-C6-N1	9.42	122.41	117.70
36	BM	77	ARG	NE-CZ-NH1	9.42	125.01	120.30
3	A1	276	G	C8-N9-C4	-9.42	102.63	106.40
25	BB	242	G	N3-C4-C5	-9.42	123.89	128.60
25	BB	783	A	O4'-C1'-N9	9.42	115.73	108.20
25	BB	1026	G	C5-C6-N1	9.42	116.21	111.50
25	BB	1244	A	C4-C5-C6	-9.42	112.29	117.00
25	BB	166	U	O4'-C1'-N1	9.41	115.73	108.20
25	BB	225	C	N3-C2-O2	-9.41	115.31	121.90
25	BB	2813	A	C4-C5-C6	-9.41	112.29	117.00
3	A1	395	C	N3-C2-O2	-9.41	115.31	121.90
3	A1	760	G	N1-C6-O6	-9.41	114.25	119.90
25	BB	332	A	N1-C6-N6	-9.41	112.95	118.60
3	A1	1399	C	C2-N3-C4	-9.41	115.20	119.90
25	BB	1829	A	N1-C6-N6	-9.41	112.95	118.60
25	BB	2330	G	N1-C6-O6	-9.41	114.25	119.90
1	AE	46	G	C3'-C2'-C1'	9.41	109.03	101.50
3	A1	82	G	C5-C6-O6	9.41	134.24	128.60
25	BB	639	U	O4'-C1'-N1	9.41	115.73	108.20
25	BB	1145	C	N3-C2-O2	-9.41	115.31	121.90
25	BB	1590	A	C5-C6-N1	9.41	122.40	117.70
3	A1	1401	G	C5-C6-N1	9.41	116.20	111.50
6	AD	37	TYR	CB-CG-CD2	-9.41	115.36	121.00
25	BB	2268	A	C5-C6-N1	9.41	122.40	117.70
1	AE	45	G	O4'-C1'-N9	9.40	115.72	108.20
3	A1	369	G	N7-C8-N9	9.40	117.80	113.10
24	BA	11	C	N3-C2-O2	-9.40	115.32	121.90
25	BB	1028	A	C6-C5-N7	9.40	138.88	132.30
25	BB	1773	A	C5-C6-N1	9.40	122.40	117.70
25	BB	1827	U	O4'-C1'-N1	9.40	115.72	108.20
25	BB	2096	C	C5-C6-N1	-9.40	116.30	121.00
3	A1	120	A	C5-C6-N1	9.40	122.40	117.70
1	AA	14	A	C6-C5-N7	9.40	138.88	132.30
3	A1	511	C	C3'-C2'-C1'	-9.40	93.98	101.50
25	BB	278	A	N9-C4-C5	9.40	109.56	105.80
25	BB	672	C	O4'-C1'-N1	9.40	115.72	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2037	A	C4-C5-C6	-9.40	112.30	117.00
25	BB	2126	A	C4-C5-C6	-9.40	112.30	117.00
3	A1	754	C	N3-C4-N4	-9.40	111.42	118.00
24	BA	111	U	O4'-C1'-N1	9.40	115.72	108.20
25	BB	677	A	C5-C6-N1	9.40	122.40	117.70
25	BB	1251	C	N1-C2-O2	9.40	124.54	118.90
25	BB	1755	A	C4-C5-C6	-9.40	112.30	117.00
25	BB	2058	A	C5-C6-N1	9.40	122.40	117.70
25	BB	2851	A	C4-C5-C6	-9.40	112.30	117.00
3	A1	342	C	C6-N1-C2	-9.39	116.54	120.30
25	BB	294	A	C4-C5-C6	-9.39	112.30	117.00
2	AM	12	U	O4'-C1'-N1	9.39	115.72	108.20
3	A1	1500	A	O4'-C1'-N9	9.39	115.72	108.20
25	BB	788	A	C6-C5-N7	9.39	138.88	132.30
25	BB	2052	A	C5-C6-N1	9.39	122.40	117.70
1	AA	74	C	C6-N1-C2	-9.39	116.54	120.30
3	A1	1081	A	C6-C5-N7	9.39	138.87	132.30
25	BB	563	A	C5-C6-N1	9.39	122.39	117.70
25	BB	1006	C	N1-C2-O2	9.39	124.53	118.90
25	BB	1126	A	C4-C5-C6	-9.39	112.30	117.00
25	BB	2401	U	O4'-C1'-N1	9.39	115.71	108.20
25	BB	1392	A	C8-N9-C4	-9.39	102.04	105.80
25	BB	1698	A	N7-C8-N9	9.39	118.50	113.80
25	BB	2448	A	N1-C6-N6	-9.39	112.97	118.60
25	BB	1027	A	N1-C6-N6	-9.39	112.97	118.60
25	BB	2093	G	N7-C8-N9	9.39	117.79	113.10
1	AP	27	C	N3-C4-N4	-9.38	111.43	118.00
3	A1	986	U	C1'-O4'-C4'	-9.38	102.39	109.90
25	BB	1410	G	N3-C2-N2	-9.39	113.33	119.90
25	BB	2533	U	C4-C5-C6	9.39	125.33	119.70
3	A1	1004	A	C6-C5-N7	9.38	138.87	132.30
3	A1	1506	U	O4'-C1'-N1	9.38	115.71	108.20
3	A1	1287	A	C4-C5-C6	-9.38	112.31	117.00
25	BB	570	G	O4'-C1'-N9	9.38	115.70	108.20
25	BB	1289	C	N3-C4-N4	-9.38	111.43	118.00
25	BB	2271	G	N3-C4-N9	9.38	131.63	126.00
3	A1	639	G	N1-C6-O6	-9.38	114.27	119.90
3	A1	986	U	N1-C2-N3	9.38	120.53	114.90
3	A1	1288	A	N1-C6-N6	-9.38	112.97	118.60
25	BB	394	C	O4'-C1'-N1	9.38	115.70	108.20
25	BB	1358	G	N1-C6-O6	-9.38	114.27	119.90
25	BB	2645	G	C5-C6-N1	9.38	116.19	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	432	A	C4-C5-C6	-9.37	112.31	117.00
3	A1	515	G	N1-C6-O6	-9.38	114.28	119.90
3	A1	993	G	C8-N9-C4	-9.38	102.65	106.40
25	BB	90	U	O4'-C1'-N1	9.37	115.70	108.20
25	BB	746	U	O4'-C1'-N1	9.37	115.70	108.20
25	BB	915	C	C5'-C4'-O4'	9.38	120.35	109.10
25	BB	1210	G	C6-N1-C2	-9.37	119.47	125.10
17	AR	80	ARG	NH1-CZ-NH2	-9.37	109.09	119.40
25	BB	73	A	C5-C6-N1	9.37	122.39	117.70
25	BB	2265	U	C5-C6-N1	-9.37	118.01	122.70
3	A1	134	G	N1-C6-O6	-9.37	114.28	119.90
3	A1	474	G	O4'-C1'-N9	9.37	115.70	108.20
20	AU	78	ARG	NE-CZ-NH2	9.37	124.98	120.30
1	AP	9	A	C6-C5-N7	9.37	138.86	132.30
25	BB	273	G	N1-C6-O6	-9.37	114.28	119.90
3	A1	60	A	O4'-C1'-N9	9.37	115.69	108.20
25	BB	839	U	N1-C2-N3	9.37	120.52	114.90
25	BB	1308	A	C5-C6-N1	9.37	122.39	117.70
25	BB	2327	A	N1-C2-N3	-9.37	124.61	129.30
3	A1	1529	G	N3-C4-N9	9.37	131.62	126.00
25	BB	327	G	O4'-C1'-N9	-9.37	100.71	108.20
25	BB	1260	A	C5-C6-N1	9.37	122.38	117.70
25	BB	2564	A	C2-N3-C4	9.37	115.28	110.60
25	BB	2843	G	C8-N9-C4	-9.37	102.65	106.40
25	BB	851	C	C6-N1-C2	-9.37	116.55	120.30
25	BB	2780	G	OP1-P-OP2	-9.37	105.55	119.60
3	A1	211	G	C8-N9-C4	-9.36	102.66	106.40
3	A1	1037	C	N3-C2-O2	-9.36	115.35	121.90
3	A1	1199	U	C5'-C4'-O4'	9.36	120.33	109.10
25	BB	691	C	O4'-C1'-N1	9.36	115.69	108.20
24	BA	67	G	C5-N7-C8	-9.36	99.62	104.30
25	BB	818	G	C5-C6-N1	9.36	116.18	111.50
25	BB	1257	C	N3-C4-C5	9.36	125.64	121.90
25	BB	1587	G	C5-C6-O6	9.36	134.22	128.60
25	BB	1871	A	N1-C2-N3	-9.36	124.62	129.30
25	BB	432	A	O4'-C1'-N9	9.36	115.69	108.20
25	BB	1030	C	N1-C2-O2	9.36	124.52	118.90
3	A1	418	C	C3'-C2'-C1'	9.36	108.99	101.50
3	A1	542	G	N1-C6-O6	-9.36	114.28	119.90
25	BB	1572	A	C4'-C3'-C2'	-9.36	93.24	102.60
25	BB	1786	A	C6-C5-N7	9.36	138.85	132.30
25	BB	1954	G	P-O3'-C3'	9.36	130.93	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1954	G	C5-C6-N1	9.36	116.18	111.50
37	BN	216	ARG	NE-CZ-NH1	9.36	124.98	120.30
3	A1	59	A	C4-C5-C6	-9.36	112.32	117.00
25	BB	646	U	C1'-O4'-C4'	-9.36	102.41	109.90
3	A1	1330	U	O4'-C1'-N1	9.36	115.68	108.20
25	BB	1001	A	C4-C5-C6	-9.36	112.32	117.00
3	A1	468	A	C4-C5-C6	-9.35	112.32	117.00
3	A1	696	A	C5-C6-N6	9.35	131.18	123.70
3	A1	1193	G	C5-C6-N1	9.35	116.18	111.50
25	BB	2225	A	N1-C2-N3	-9.35	124.62	129.30
24	BA	4	C	N3-C4-N4	-9.35	111.45	118.00
25	BB	82	U	N3-C2-O2	-9.35	115.65	122.20
25	BB	126	A	C5-C6-N1	9.35	122.38	117.70
25	BB	587	C	C2-N3-C4	-9.35	115.22	119.90
25	BB	1762	A	C2-N3-C4	9.35	115.28	110.60
25	BB	2191	A	N1-C6-N6	-9.35	112.99	118.60
25	BB	2629	U	OP1-P-OP2	-9.35	105.57	119.60
25	BB	214	G	C5-C6-N1	9.35	116.17	111.50
3	A1	56	U	C4-C5-C6	9.35	125.31	119.70
8	AG	62	ARG	NE-CZ-NH1	9.35	124.97	120.30
25	BB	445	C	C6-N1-C2	-9.35	116.56	120.30
25	BB	1084	A	C4-C5-C6	-9.35	112.33	117.00
25	BB	1167	C	C5'-C4'-O4'	9.35	120.32	109.10
25	BB	1838	C	N1-C2-O2	9.35	124.51	118.90
25	BB	2253	G	C5-C6-O6	9.35	134.21	128.60
51	B2	177	ARG	NE-CZ-NH2	9.35	124.97	120.30
25	BB	731	C	N3-C4-C5	9.35	125.64	121.90
25	BB	2318	G	N1-C6-O6	-9.35	114.29	119.90
4	AB	224	ARG	NH1-CZ-NH2	-9.34	109.12	119.40
25	BB	848	C	N3-C4-C5	9.34	125.64	121.90
3	A1	297	G	C5-N7-C8	-9.34	99.63	104.30
3	A1	335	C	N3-C2-O2	-9.34	115.36	121.90
3	A1	490	C	N1-C2-O2	9.34	124.50	118.90
25	BB	242	G	N1-C6-O6	-9.34	114.30	119.90
3	A1	754	C	N3-C2-O2	-9.34	115.36	121.90
3	A1	1375	A	C4-C5-C6	-9.34	112.33	117.00
35	BL	110	ARG	NE-CZ-NH1	9.34	124.97	120.30
3	A1	1087	G	O4'-C1'-N9	-9.34	100.73	108.20
3	A1	1344	C	N3-C4-C5	9.34	125.63	121.90
25	BB	2760	C	C5-C6-N1	-9.34	116.33	121.00
3	A1	530	G	N3-C2-N2	-9.33	113.37	119.90
3	A1	1380	U	N1-C2-N3	9.33	120.50	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1349	C	N3-C2-O2	-9.33	115.37	121.90
25	BB	262	A	C5-C6-N1	9.33	122.37	117.70
25	BB	1533	C	N3-C2-O2	-9.33	115.37	121.90
25	BB	1970	A	N1-C6-N6	-9.33	113.00	118.60
25	BB	2429	G	C5-C6-N1	9.33	116.17	111.50
25	BB	2886	A	C5-C6-N6	9.33	131.17	123.70
25	BB	1003	G	N3-C2-N2	-9.33	113.37	119.90
3	A1	530	G	C4-C5-C6	-9.33	113.20	118.80
3	A1	1129	C	C2-N3-C4	-9.33	115.23	119.90
3	A1	905	U	O4'-C1'-N1	9.33	115.66	108.20
25	BB	2525	G	N1-C6-O6	-9.33	114.30	119.90
3	A1	630	A	N1-C6-N6	-9.33	113.00	118.60
25	BB	2309	A	C6-C5-N7	9.33	138.83	132.30
25	BB	2387	U	N3-C4-O4	-9.33	112.87	119.40
25	BB	299	A	C2-N3-C4	9.32	115.26	110.60
1	AA	46	G	N3-C4-C5	-9.32	123.94	128.60
3	A1	80	A	C5-C6-N1	9.32	122.36	117.70
3	A1	523	A	C4-C5-C6	-9.32	112.34	117.00
25	BB	495	G	C8-N9-C4	-9.32	102.67	106.40
25	BB	1207	C	C4'-C3'-C2'	-9.32	93.28	102.60
25	BB	1650	A	C6-C5-N7	9.32	138.83	132.30
3	A1	549	C	N3-C4-N4	-9.32	111.47	118.00
3	A1	1043	G	N1-C6-O6	-9.32	114.31	119.90
25	BB	2791	G	N1-C6-O6	-9.32	114.31	119.90
25	BB	2350	C	N3-C2-O2	-9.32	115.38	121.90
25	BB	2621	G	N3-C2-N2	-9.32	113.38	119.90
25	BB	2897	U	N3-C2-O2	-9.32	115.68	122.20
37	BN	220	ARG	NH1-CZ-NH2	-9.32	109.15	119.40
3	A1	1104	G	C5-C6-O6	-9.32	123.01	128.60
3	A1	528	C	C6-N1-C2	-9.32	116.57	120.30
3	A1	1138	G	N1-C6-O6	-9.31	114.31	119.90
25	BB	12	U	C4-C5-C6	9.31	125.29	119.70
25	BB	1754	A	C4-C5-C6	-9.31	112.34	117.00
1	AP	69	U	C5-C6-N1	-9.31	118.04	122.70
3	A1	35	G	N9-C4-C5	9.31	109.12	105.40
25	BB	1721	G	C3'-C2'-C1'	9.31	108.95	101.50
3	A1	1197	A	C4-C5-C6	-9.31	112.35	117.00
25	BB	133	U	N3-C2-O2	-9.31	115.68	122.20
3	A1	1443	C	N3-C2-O2	-9.31	115.39	121.90
3	A1	1101	A	C4-C5-C6	-9.31	112.35	117.00
3	A1	327	A	C3'-C2'-C1'	-9.30	94.06	101.50
3	A1	1289	A	C5-C6-N1	9.30	122.35	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1458	G	C5-C6-N1	9.30	116.15	111.50
25	BB	217	A	N7-C8-N9	9.31	118.45	113.80
25	BB	471	A	C5-C6-N1	9.30	122.35	117.70
25	BB	1235	G	C5-C6-O6	9.30	134.18	128.60
25	BB	2660	A	O4'-C1'-N9	9.30	115.64	108.20
3	A1	973	G	N3-C4-C5	-9.30	123.95	128.60
3	A1	1000	A	N1-C6-N6	-9.30	113.02	118.60
23	AX	9	ARG	NE-CZ-NH1	9.30	124.95	120.30
24	BA	105	G	O4'-C1'-N9	9.30	115.64	108.20
25	BB	1896	G	N1-C6-O6	-9.30	114.32	119.90
25	BB	2808	G	N3-C2-N2	-9.30	113.39	119.90
3	A1	1045	C	C5-C4-N4	9.30	126.71	120.20
3	A1	1433	A	C5-C6-N1	9.30	122.35	117.70
25	BB	566	U	N3-C2-O2	-9.30	115.69	122.20
25	BB	762	U	C5-C6-N1	-9.30	118.05	122.70
25	BB	2054	A	C4-C5-C6	-9.30	112.35	117.00
3	A1	119	A	C5-C6-N1	9.30	122.35	117.70
3	A1	422	C	N3-C4-N4	-9.30	111.49	118.00
1	AA	24	G	C5-N7-C8	-9.29	99.65	104.30
25	BB	111	A	C5-C6-N1	9.29	122.35	117.70
25	BB	758	C	C5-C4-N4	-9.29	113.69	120.20
25	BB	1147	A	C5-C6-N1	9.29	122.35	117.70
25	BB	1917	U	C5-C6-N1	-9.30	118.05	122.70
25	BB	763	G	N3-C2-N2	-9.29	113.39	119.90
25	BB	861	A	C5-C6-N1	9.29	122.35	117.70
25	BB	1981	A	C5-C6-N1	9.29	122.35	117.70
25	BB	2278	A	N1-C6-N6	-9.29	113.02	118.60
3	A1	835	U	C5-C6-N1	-9.29	118.06	122.70
3	A1	953	G	C2-N3-C4	9.29	116.54	111.90
25	BB	1714	U	C1'-O4'-C4'	-9.29	102.47	109.90
25	BB	1892	C	N3-C4-N4	-9.29	111.50	118.00
25	BB	2669	G	N3-C2-N2	-9.29	113.40	119.90
3	A1	1179	A	C4-C5-C6	-9.29	112.36	117.00
3	A1	879	C	N3-C2-O2	-9.28	115.40	121.90
25	BB	198	C	C3'-C2'-C1'	9.28	108.93	101.50
25	BB	677	A	C4-C5-C6	-9.29	112.36	117.00
25	BB	1528	A	C4-C5-C6	-9.29	112.36	117.00
27	BD	80	ASP	CB-CG-OD1	9.28	126.66	118.30
3	A1	1230	C	N1-C2-O2	9.28	124.47	118.90
25	BB	1703	G	C5-C6-N1	9.28	116.14	111.50
39	BP	54	ARG	CD-NE-CZ	9.28	136.60	123.60
25	BB	2450	A	C5-C6-N1	9.28	122.34	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2531	A	C5-C6-N1	9.28	122.34	117.70
3	A1	138	G	N1-C6-O6	-9.28	114.33	119.90
3	A1	914	A	C6-C5-N7	9.28	138.80	132.30
3	A1	1207	G	C4-C5-N7	9.28	114.51	110.80
3	A1	1394	A	N1-C6-N6	-9.28	113.03	118.60
3	A1	1494	G	N7-C8-N9	9.28	117.74	113.10
25	BB	1404	C	C2-N3-C4	-9.28	115.26	119.90
28	BE	2	ARG	NE-CZ-NH1	9.28	124.94	120.30
3	A1	1431	A	C8-N9-C4	-9.28	102.09	105.80
3	A1	257	G	C6-N1-C2	-9.28	119.53	125.10
25	BB	725	G	N3-C4-N9	9.28	131.56	126.00
25	BB	2293	G	N1-C6-O6	-9.28	114.33	119.90
25	BB	2758	A	C5-C6-N1	9.28	122.34	117.70
3	A1	106	C	N1-C2-O2	9.27	124.46	118.90
3	A1	1249	C	N3-C4-N4	-9.27	111.51	118.00
25	BB	1771	C	O4'-C1'-N1	9.27	115.62	108.20
25	BB	2652	C	O4'-C4'-C3'	9.27	113.52	106.10
3	A1	924	C	C5-C6-N1	-9.27	116.36	121.00
25	BB	318	C	N3-C4-N4	-9.27	111.51	118.00
25	BB	504	A	C5-C6-N1	9.27	122.34	117.70
25	BB	1907	G	C8-N9-C4	-9.27	102.69	106.40
25	BB	2521	C	N3-C2-O2	-9.27	115.41	121.90
25	BB	2590	A	O4'-C1'-N9	9.27	115.62	108.20
1	AA	40	C	O4'-C1'-N1	9.27	115.62	108.20
3	A1	744	C	C4-C5-C6	-9.27	112.77	117.40
10	AI	70	ARG	NE-CZ-NH1	9.27	124.94	120.30
25	BB	245	G	O4'-C1'-N9	9.27	115.62	108.20
25	BB	901	C	N3-C4-N4	-9.27	111.51	118.00
25	BB	1179	G	C1'-O4'-C4'	-9.27	102.48	109.90
25	BB	3	U	C5'-C4'-O4'	9.27	120.22	109.10
1	AP	25	C	C2-N3-C4	-9.27	115.27	119.90
3	A1	606	G	C5-C6-N1	9.27	116.13	111.50
25	BB	434	U	C3'-C2'-C1'	-9.27	94.09	101.50
25	BB	323	C	N3-C2-O2	-9.27	115.42	121.90
25	BB	478	A	C4-C5-C6	-9.27	112.37	117.00
25	BB	792	A	C1'-O4'-C4'	-9.27	102.49	109.90
25	BB	1793	C	N3-C4-C5	9.27	125.61	121.90
25	BB	1205	A	C4-C5-C6	-9.27	112.37	117.00
25	BB	2481	G	C2-N3-C4	9.27	116.53	111.90
3	A1	74	A	C4-C5-C6	-9.26	112.37	117.00
3	A1	590	U	O4'-C1'-N1	9.26	115.61	108.20
3	A1	301	G	C6-N1-C2	-9.26	119.54	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	382	A	C4-C5-C6	-9.26	112.37	117.00
25	BB	652	U	C5-C6-N1	-9.26	118.07	122.70
25	BB	1192	G	N1-C6-O6	-9.26	114.34	119.90
25	BB	1490	A	C5-C6-N1	9.26	122.33	117.70
25	BB	2705	A	C5-C6-N1	9.26	122.33	117.70
3	A1	181	A	O4'-C4'-C3'	9.26	113.51	106.10
24	BA	66	A	C5-N7-C8	-9.26	99.27	103.90
25	BB	1846	G	N3-C2-N2	-9.26	113.42	119.90
25	BB	322	A	C4-C5-C6	-9.26	112.37	117.00
3	A1	1058	G	C6-N1-C2	-9.26	119.55	125.10
25	BB	49	A	C4-C5-C6	-9.26	112.37	117.00
3	A1	1453	G	N9-C4-C5	-9.26	101.70	105.40
25	BB	1061	U	O4'-C1'-N1	9.26	115.61	108.20
25	BB	1395	A	C5-C6-N1	9.26	122.33	117.70
25	BB	1408	G	N1-C2-N3	9.26	129.45	123.90
25	BB	1937	A	C5-C6-N6	9.26	131.11	123.70
25	BB	1746	A	C5-C6-N1	9.26	122.33	117.70
3	A1	499	A	C4-C5-C6	-9.25	112.37	117.00
3	A1	530	G	O4'-C4'-C3'	9.25	113.50	106.10
3	A1	622	A	C4-C5-C6	-9.25	112.37	117.00
21	AV	79	ARG	NE-CZ-NH1	9.25	124.93	120.30
25	BB	5	A	C5-C6-N1	9.25	122.33	117.70
25	BB	141	G	C3'-C2'-C1'	9.25	108.90	101.50
1	AA	48	C	N3-C4-C5	9.25	125.60	121.90
1	AE	1	G	N3-C4-N9	9.25	131.55	126.00
3	A1	465	A	C5-C6-N1	9.25	122.33	117.70
25	BB	840	C	N3-C4-C5	9.25	125.60	121.90
3	A1	479	U	N1-C2-N3	9.25	120.45	114.90
25	BB	1098	A	C5-C6-N1	9.25	122.33	117.70
25	BB	1251	C	N3-C2-O2	-9.25	115.42	121.90
25	BB	2331	G	C5-C6-N1	9.25	116.12	111.50
1	AA	54	U	O4'-C1'-N1	9.25	115.60	108.20
3	A1	1376	U	O4'-C1'-N1	9.25	115.60	108.20
25	BB	427	U	O4'-C1'-N1	9.25	115.60	108.20
25	BB	1668	A	N1-C6-N6	-9.25	113.05	118.60
25	BB	1947	C	C5-C4-N4	9.25	126.67	120.20
25	BB	2644	G	C6-N1-C2	-9.25	119.55	125.10
3	A1	153	C	N3-C2-O2	-9.24	115.43	121.90
3	A1	262	A	C4-C5-C6	-9.24	112.38	117.00
3	A1	538	G	N7-C8-N9	9.24	117.72	113.10
25	BB	236	C	N3-C4-N4	-9.24	111.53	118.00
3	A1	230	G	C5-C6-O6	9.24	134.14	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	649	A	P-O3'-C3'	9.24	130.79	119.70
25	BB	627	A	N1-C6-N6	-9.24	113.06	118.60
25	BB	796	C	O5'-P-OP1	-9.24	97.38	105.70
25	BB	1506	U	N1-C2-N3	9.24	120.44	114.90
25	BB	1923	U	O4'-C1'-N1	9.24	115.59	108.20
25	BB	2357	G	C8-N9-C4	-9.24	102.70	106.40
25	BB	2476	A	C5-C6-N1	9.24	122.32	117.70
25	BB	2691	C	C6-N1-C2	-9.24	116.60	120.30
3	A1	918	A	C5-C6-N1	9.24	122.32	117.70
25	BB	368	A	C8-N9-C4	9.24	109.50	105.80
25	BB	1302	A	N1-C2-N3	-9.24	124.68	129.30
25	BB	1575	C	N3-C2-O2	-9.24	115.43	121.90
25	BB	1710	G	C5-C6-N1	9.24	116.12	111.50
25	BB	1852	U	N3-C2-O2	-9.24	115.73	122.20
3	A1	45	G	C8-N9-C4	-9.23	102.71	106.40
3	A1	362	G	N3-C4-C5	-9.23	123.98	128.60
25	BB	278	A	C6-C5-N7	9.23	138.76	132.30
25	BB	581	C	C2-N3-C4	-9.23	115.28	119.90
25	BB	670	A	C2-N3-C4	9.23	115.22	110.60
25	BB	751	A	C2-N3-C4	9.23	115.22	110.60
25	BB	1152	C	C5-C6-N1	-9.23	116.38	121.00
25	BB	1259	G	N3-C4-C5	-9.23	123.98	128.60
25	BB	1741	C	N3-C2-O2	-9.23	115.44	121.90
3	A1	440	C	N3-C2-O2	-9.23	115.44	121.90
3	A1	913	A	C4-C5-C6	-9.23	112.38	117.00
15	AO	10	ARG	NE-CZ-NH2	9.23	124.92	120.30
25	BB	393	C	N1-C2-O2	9.23	124.44	118.90
25	BB	1034	G	N1-C6-O6	-9.23	114.36	119.90
25	BB	2036	C	C5'-C4'-O4'	9.23	120.18	109.10
25	BB	2581	G	O4'-C1'-N9	9.23	115.58	108.20
3	A1	288	A	C5-C6-N1	9.23	122.31	117.70
3	A1	885	G	O4'-C1'-N9	9.23	115.58	108.20
3	A1	1051	C	C4'-C3'-C2'	-9.23	93.37	102.60
25	BB	907	G	C5-C6-O6	9.23	134.14	128.60
25	BB	1594	U	N3-C4-O4	-9.23	112.94	119.40
25	BB	1866	A	N1-C2-N3	-9.23	124.69	129.30
25	BB	1977	A	C5-C6-N1	9.23	122.31	117.70
27	BD	64	ARG	NE-CZ-NH2	-9.23	115.69	120.30
3	A1	823	C	C2-N3-C4	-9.23	115.29	119.90
3	A1	1282	C	N3-C2-O2	-9.23	115.44	121.90
18	AS	44	ARG	NE-CZ-NH2	9.23	124.91	120.30
25	BB	1244	A	C4'-C3'-C2'	-9.23	93.37	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	983	A	N1-C6-N6	-9.22	113.07	118.60
3	A1	1412	C	N3-C2-O2	-9.22	115.44	121.90
25	BB	389	G	N3-C2-N2	-9.22	113.44	119.90
25	BB	776	G	C5-C6-O6	9.22	134.13	128.60
25	BB	1289	C	N3-C4-C5	9.22	125.59	121.90
25	BB	1905	C	N3-C4-N4	-9.22	111.54	118.00
51	B2	79	ARG	NE-CZ-NH1	9.22	124.91	120.30
3	A1	450	G	N1-C6-O6	-9.22	114.37	119.90
3	A1	510	A	C4-C5-C6	-9.22	112.39	117.00
3	A1	1505	G	N1-C6-O6	-9.22	114.37	119.90
11	AJ	76	ARG	NE-CZ-NH2	-9.22	115.69	120.30
25	BB	707	G	C5-C6-N1	9.22	116.11	111.50
25	BB	1036	G	N3-C4-C5	-9.22	123.99	128.60
25	BB	1690	A	O4'-C1'-N9	9.22	115.58	108.20
3	A1	225	C	N3-C4-N4	-9.22	111.55	118.00
25	BB	1642	G	C8-N9-C4	-9.22	102.71	106.40
1	AE	19	G	C4-C5-C6	-9.21	113.27	118.80
3	A1	359	G	C5'-C4'-O4'	9.22	120.16	109.10
3	A1	1426	G	O4'-C1'-N9	9.22	115.57	108.20
25	BB	1260	A	C4-C5-C6	-9.22	112.39	117.00
25	BB	280	U	C5-C6-N1	-9.21	118.09	122.70
25	BB	1517	G	C4-C5-N7	-9.21	107.11	110.80
25	BB	2013	A	C5-C6-N1	9.21	122.31	117.70
25	BB	2018	G	O4'-C1'-N9	9.21	115.57	108.20
25	BB	2440	C	N3-C4-C5	9.22	125.59	121.90
3	A1	298	A	N1-C6-N6	-9.21	113.07	118.60
3	A1	459	A	C4-C5-C6	-9.21	112.39	117.00
3	A1	1261	A	C4-C5-C6	-9.21	112.39	117.00
25	BB	1598	A	C6-C5-N7	9.21	138.75	132.30
3	A1	65	A	C2-N3-C4	9.21	115.20	110.60
25	BB	2619	C	C2-N3-C4	-9.21	115.30	119.90
3	A1	517	G	N9-C4-C5	-9.21	101.72	105.40
3	A1	779	C	N3-C4-C5	9.21	125.58	121.90
3	A1	1033	G	C5-C6-O6	9.21	134.12	128.60
3	A1	1146	A	C5-C6-N1	9.21	122.31	117.70
25	BB	1050	A	N1-C6-N6	-9.21	113.08	118.60
1	AE	66	A	C4-C5-C6	-9.20	112.40	117.00
3	A1	202	G	N1-C2-N3	9.21	129.42	123.90
25	BB	1470	A	O4'-C1'-N9	9.21	115.56	108.20
25	BB	1558	C	N3-C4-C5	9.20	125.58	121.90
3	A1	296	U	N1-C2-N3	9.20	120.42	114.90
3	A1	1218	C	N3-C2-O2	-9.20	115.46	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1961	C	C5-C6-N1	-9.20	116.40	121.00
25	BB	1970	A	C4-C5-C6	-9.20	112.40	117.00
25	BB	2506	U	O4'-C1'-N1	9.20	115.56	108.20
3	A1	160	A	C5-C6-N6	9.20	131.06	123.70
3	A1	471	U	N1-C2-N3	9.20	120.42	114.90
25	BB	188	G	O4'-C1'-N9	9.20	115.56	108.20
25	BB	1534	U	N3-C2-O2	-9.20	115.76	122.20
25	BB	2512	C	N3-C2-O2	-9.20	115.46	121.90
3	A1	60	A	C5-C6-N1	9.20	122.30	117.70
3	A1	533	A	C6-C5-N7	9.20	138.74	132.30
25	BB	711	G	C5-C6-N1	9.20	116.10	111.50
25	BB	2683	C	N3-C4-N4	-9.20	111.56	118.00
1	AE	36	A	C5-C6-N1	9.19	122.30	117.70
25	BB	383	C	C2-N3-C4	-9.19	115.30	119.90
25	BB	1488	C	N3-C4-N4	-9.19	111.56	118.00
25	BB	1626	A	O4'-C1'-C2'	-9.20	96.61	105.80
3	A1	1411	C	N3-C2-O2	-9.19	115.47	121.90
25	BB	1136	G	N1-C6-O6	-9.19	114.38	119.90
3	A1	1202	U	C5'-C4'-O4'	9.19	120.13	109.10
25	BB	692	C	N1-C2-O2	9.19	124.42	118.90
25	BB	1378	A	N1-C6-N6	-9.19	113.09	118.60
25	BB	1809	A	C6-C5-N7	9.19	138.73	132.30
25	BB	2263	C	C5'-C4'-O4'	9.19	120.13	109.10
34	BK	68	ARG	NE-CZ-NH2	-9.19	115.70	120.30
3	A1	661	G	N3-C4-N9	9.19	131.51	126.00
24	BA	60	C	N1-C2-N3	9.19	125.63	119.20
25	BB	484	C	N3-C4-C5	9.19	125.58	121.90
25	BB	2009	A	C5-C6-N1	9.19	122.29	117.70
25	BB	2705	A	C4-C5-C6	-9.19	112.41	117.00
1	AA	36	A	N1-C2-N3	-9.19	124.71	129.30
3	A1	1515	G	N9-C4-C5	9.19	109.08	105.40
3	A1	1155	A	N9-C4-C5	-9.19	102.13	105.80
24	BA	29	A	C5-C6-N6	9.19	131.05	123.70
25	BB	455	C	N3-C2-O2	-9.19	115.47	121.90
25	BB	1673	G	C4'-C3'-C2'	-9.19	93.41	102.60
3	A1	239	U	N3-C2-O2	-9.18	115.77	122.20
25	BB	506	G	C5-C6-N1	9.18	116.09	111.50
25	BB	1367	A	C4-C5-C6	-9.18	112.41	117.00
25	BB	1424	G	N1-C6-O6	-9.18	114.39	119.90
25	BB	1915	U	C6-N1-C2	-9.18	115.49	121.00
3	A1	1243	C	N3-C4-N4	-9.18	111.57	118.00
25	BB	71	A	C4-C5-C6	-9.18	112.41	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1937	A	C6-C5-N7	9.18	138.73	132.30
25	BB	2078	C	N3-C4-C5	9.18	125.57	121.90
3	A1	1443	C	C4'-C3'-C2'	-9.18	93.42	102.60
25	BB	717	C	N3-C4-N4	-9.18	111.58	118.00
25	BB	729	G	O4'-C1'-N9	9.18	115.54	108.20
25	BB	1505	A	N1-C6-N6	-9.18	113.09	118.60
25	BB	1510	G	C5-C6-N1	9.18	116.09	111.50
25	BB	1803	A	C5-C6-N6	9.18	131.04	123.70
3	A1	419	C	C2-N3-C4	-9.18	115.31	119.90
3	A1	463	U	O4'-C1'-N1	9.18	115.54	108.20
3	A1	1516	G	N3-C2-N2	-9.18	113.48	119.90
24	BA	82	U	O4'-C1'-N1	9.18	115.54	108.20
25	BB	343	C	N3-C4-N4	-9.18	111.58	118.00
25	BB	1470	A	C5-C6-N1	9.17	122.29	117.70
3	A1	857	C	N1-C2-O2	9.17	124.40	118.90
25	BB	874	G	N1-C6-O6	-9.17	114.40	119.90
25	BB	1492	G	C8-N9-C4	-9.17	102.73	106.40
25	BB	1665	A	C5-C6-N1	9.17	122.29	117.70
25	BB	2385	C	C2-N3-C4	-9.17	115.31	119.90
25	BB	1246	A	N1-C6-N6	-9.17	113.10	118.60
25	BB	1543	G	C5-N7-C8	-9.17	99.71	104.30
3	A1	714	G	C8-N9-C4	-9.17	102.73	106.40
25	BB	147	C	N3-C4-N4	-9.17	111.58	118.00
25	BB	885	C	N3-C4-C5	9.17	125.57	121.90
25	BB	2301	C	N3-C2-O2	-9.17	115.48	121.90
25	BB	2352	A	C2-N3-C4	9.17	115.19	110.60
3	A1	526	C	N3-C2-O2	-9.17	115.48	121.90
3	A1	1221	G	C6-N1-C2	-9.17	119.60	125.10
3	A1	1388	C	N3-C2-O2	-9.17	115.48	121.90
25	BB	61	C	C1'-O4'-C4'	-9.17	102.56	109.90
3	A1	100	G	C4'-C3'-C2'	-9.17	93.43	102.60
3	A1	730	G	N3-C2-N2	-9.17	113.48	119.90
3	A1	822	U	O4'-C1'-N1	9.17	115.53	108.20
3	A1	1151	A	N1-C6-N6	-9.17	113.10	118.60
3	A1	1173	U	N3-C2-O2	-9.17	115.78	122.20
25	BB	367	G	C6-C5-N7	9.17	135.90	130.40
25	BB	1973	G	N1-C2-N3	9.17	129.40	123.90
25	BB	2102	G	C5-C6-O6	9.17	134.10	128.60
25	BB	2354	C	C2-N3-C4	-9.17	115.32	119.90
25	BB	2773	C	C6-N1-C2	-9.17	116.63	120.30
3	A1	736	C	N3-C4-C5	9.16	125.57	121.90
3	A1	1464	U	N1-C2-N3	9.16	120.40	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1563	U	C5-C6-N1	-9.16	118.12	122.70
25	BB	1927	A	C5-C6-N1	9.16	122.28	117.70
3	A1	845	A	N1-C2-N3	-9.16	124.72	129.30
25	BB	1023	U	N3-C2-O2	-9.16	115.79	122.20
3	A1	620	C	N1-C2-O2	9.16	124.39	118.90
25	BB	877	A	C4-C5-C6	-9.16	112.42	117.00
25	BB	40	U	C5-C4-O4	-9.16	120.41	125.90
25	BB	911	A	C4-C5-C6	-9.16	112.42	117.00
25	BB	968	C	N3-C4-C5	9.16	125.56	121.90
25	BB	1402	U	N1-C2-N3	9.16	120.39	114.90
25	BB	1857	G	C5-C6-N1	9.16	116.08	111.50
25	BB	2704	C	N3-C4-N4	-9.16	111.59	118.00
25	BB	1194	A	C5-C6-N6	9.15	131.02	123.70
25	BB	2308	G	N3-C2-N2	-9.15	113.49	119.90
25	BB	2412	A	C4-C5-C6	-9.15	112.42	117.00
25	BB	2217	G	N1-C6-O6	-9.15	114.41	119.90
3	A1	1234	C	C2-N3-C4	-9.15	115.33	119.90
25	BB	101	A	C1'-O4'-C4'	-9.15	102.58	109.90
25	BB	736	C	C2-N3-C4	-9.15	115.33	119.90
25	BB	871	U	C4-C5-C6	9.15	125.19	119.70
25	BB	2091	C	C1'-O4'-C4'	-9.15	102.58	109.90
25	BB	2813	A	N1-C2-N3	-9.15	124.72	129.30
3	A1	665	A	N1-C6-N6	-9.15	113.11	118.60
25	BB	274	C	C4'-C3'-C2'	-9.15	93.45	102.60
25	BB	583	G	N1-C6-O6	-9.15	114.41	119.90
25	BB	670	A	C5-C6-N1	9.15	122.27	117.70
25	BB	797	G	C4-C5-N7	-9.15	107.14	110.80
25	BB	1697	G	N1-C2-N3	9.15	129.39	123.90
25	BB	2013	A	C4-C5-C6	-9.15	112.43	117.00
3	A1	362	G	C6-N1-C2	-9.14	119.61	125.10
25	BB	371	A	C5-C6-N6	9.14	131.02	123.70
25	BB	824	U	C1'-O4'-C4'	-9.14	102.58	109.90
3	A1	823	C	N3-C4-C5	9.14	125.56	121.90
25	BB	2422	C	N3-C2-O2	-9.14	115.50	121.90
3	A1	38	G	C5-C6-N1	9.14	116.07	111.50
25	BB	1472	C	N3-C4-C5	9.14	125.56	121.90
25	BB	1698	A	C8-N9-C4	-9.14	102.14	105.80
25	BB	2126	A	C5-C6-N1	9.14	122.27	117.70
25	BB	2778	A	N1-C6-N6	-9.14	113.12	118.60
1	AE	73	A	N1-C6-N6	-9.14	113.12	118.60
3	A1	573	A	N9-C4-C5	-9.14	102.14	105.80
25	BB	2168	G	N9-C4-C5	-9.14	101.75	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AE	74	C	C5-C4-N4	9.14	126.59	120.20
3	A1	1012	A	C4-C5-C6	-9.13	112.43	117.00
24	BA	62	C	N3-C4-N4	-9.14	111.61	118.00
25	BB	1	G	N3-C4-C5	-9.13	124.03	128.60
25	BB	932	U	N3-C2-O2	-9.14	115.81	122.20
47	BX	12	ARG	NE-CZ-NH1	9.14	124.87	120.30
25	BB	1069	A	C2-N3-C4	9.13	115.17	110.60
3	A1	376	G	N1-C6-O6	-9.13	114.42	119.90
3	A1	696	A	C5-C6-N1	9.13	122.27	117.70
1	AE	20	G	C5-C6-N1	9.13	116.06	111.50
3	A1	782	A	C5-C6-N1	9.13	122.27	117.70
3	A1	1242	G	N3-C2-N2	-9.13	113.51	119.90
25	BB	977	G	N1-C6-O6	-9.13	114.42	119.90
3	A1	1085	U	C5-C6-N1	-9.13	118.14	122.70
25	BB	882	G	C5-C6-N1	9.13	116.06	111.50
25	BB	508	A	C5-C6-N6	9.13	131.00	123.70
25	BB	2077	A	C5-C6-N1	9.13	122.26	117.70
25	BB	2287	A	C4-C5-C6	-9.13	112.44	117.00
25	BB	2726	A	N1-C6-N6	-9.13	113.12	118.60
3	A1	51	A	C4'-C3'-C2'	-9.12	93.47	102.60
3	A1	601	G	N3-C4-C5	-9.13	124.04	128.60
25	BB	68	G	N3-C4-C5	-9.13	124.04	128.60
25	BB	757	G	C6-N1-C2	-9.13	119.62	125.10
3	A1	100	G	O4'-C1'-N9	9.12	115.50	108.20
3	A1	625	U	C4'-C3'-C2'	-9.12	93.47	102.60
25	BB	1364	G	C5-C6-O6	9.12	134.07	128.60
25	BB	2656	U	N1-C2-N3	9.12	120.38	114.90
25	BB	2675	A	C5-C6-N1	9.13	122.26	117.70
25	BB	2885	G	C4'-C3'-C2'	-9.12	93.47	102.60
3	A1	1136	C	N3-C2-O2	-9.12	115.52	121.90
25	BB	1996	C	N3-C4-C5	9.12	125.55	121.90
3	A1	354	G	C5-N7-C8	-9.12	99.74	104.30
3	A1	574	A	C6-C5-N7	9.12	138.68	132.30
3	A1	1297	G	C5-C6-N1	9.12	116.06	111.50
3	A1	1470	U	O4'-C1'-N1	9.12	115.50	108.20
25	BB	629	G	N1-C6-O6	-9.12	114.43	119.90
25	BB	1105	U	C5-C6-N1	-9.12	118.14	122.70
25	BB	1491	G	N3-C4-C5	-9.12	124.04	128.60
25	BB	2036	C	N3-C4-C5	9.12	125.55	121.90
3	A1	63	C	N3-C4-C5	9.12	125.55	121.90
2	AM	2	U	N3-C2-O2	-9.11	115.82	122.20
3	A1	94	G	C4-C5-N7	-9.11	107.16	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	266	G	N7-C8-N9	9.12	117.66	113.10
3	A1	872	A	C2-N3-C4	9.12	115.16	110.60
3	A1	922	G	N9-C4-C5	9.12	109.05	105.40
3	A1	937	A	C4-C5-C6	-9.12	112.44	117.00
25	BB	247	G	C8-N9-C4	-9.12	102.75	106.40
25	BB	1699	G	C3'-C2'-C1'	9.12	108.79	101.50
25	BB	2873	A	C4-C5-C6	-9.12	112.44	117.00
3	A1	285	C	N3-C4-C5	9.11	125.55	121.90
3	A1	369	G	C8-N9-C4	-9.11	102.75	106.40
25	BB	780	G	N1-C6-O6	-9.12	114.43	119.90
25	BB	1585	C	C2-N3-C4	-9.11	115.34	119.90
25	BB	1760	C	N3-C4-N4	-9.11	111.62	118.00
1	AP	59	U	O4'-C1'-N1	9.11	115.49	108.20
25	BB	378	C	N1-C2-O2	9.11	124.37	118.90
25	BB	1949	G	C2-N3-C4	9.11	116.45	111.90
25	BB	234	U	N3-C2-O2	-9.11	115.83	122.20
25	BB	995	C	N3-C2-O2	-9.11	115.52	121.90
25	BB	1163	G	N1-C2-N2	9.11	124.40	116.20
25	BB	1450	G	N1-C6-O6	-9.11	114.44	119.90
25	BB	1646	C	N3-C2-O2	-9.11	115.52	121.90
25	BB	2549	G	C5-C6-N1	9.11	116.05	111.50
3	A1	211	G	N9-C4-C5	9.11	109.04	105.40
3	A1	1442	G	O4'-C1'-N9	9.11	115.49	108.20
3	A1	1198	G	N3-C2-N2	-9.11	113.53	119.90
3	A1	1525	G	N3-C2-N2	-9.11	113.53	119.90
25	BB	547	A	C5'-C4'-O4'	9.11	120.03	109.10
25	BB	1052	C	N3-C2-O2	-9.11	115.53	121.90
25	BB	2158	A	C6-C5-N7	9.11	138.68	132.30
25	BB	1754	A	C5-C6-N1	9.11	122.25	117.70
25	BB	2253	G	C3'-C2'-C1'	9.11	108.78	101.50
1	AE	67	A	C4-C5-C6	-9.10	112.45	117.00
25	BB	1021	A	C4-C5-C6	-9.10	112.45	117.00
25	BB	2186	G	N1-C6-O6	-9.10	114.44	119.90
25	BB	2209	G	N3-C2-N2	-9.10	113.53	119.90
3	A1	1127	G	N1-C6-O6	-9.10	114.44	119.90
25	BB	10	A	C4-C5-C6	-9.10	112.45	117.00
25	BB	731	C	N1-C2-O2	9.10	124.36	118.90
25	BB	848	C	O4'-C1'-N1	9.10	115.48	108.20
25	BB	2730	C	C5-C6-N1	-9.10	116.45	121.00
25	BB	824	U	C5-C6-N1	-9.10	118.15	122.70
3	A1	1079	G	N1-C6-O6	-9.10	114.44	119.90
25	BB	318	C	N3-C2-O2	-9.10	115.53	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1570	A	N9-C4-C5	9.10	109.44	105.80
25	BB	2256	G	N1-C6-O6	-9.10	114.44	119.90
25	BB	1550	C	C6-N1-C2	-9.10	116.66	120.30
25	BB	1759	A	C6-C5-N7	9.10	138.67	132.30
3	A1	237	G	N3-C4-C5	-9.10	124.05	128.60
3	A1	1160	G	C5-C6-O6	9.10	134.06	128.60
25	BB	1471	G	N7-C8-N9	9.10	117.65	113.10
35	BL	18	ARG	NE-CZ-NH1	9.10	124.85	120.30
3	A1	1227	A	C2-N3-C4	9.09	115.15	110.60
24	BA	66	A	N7-C8-N9	9.09	118.35	113.80
3	A1	75	G	N3-C4-C5	-9.09	124.06	128.60
25	BB	432	A	C2-N3-C4	9.09	115.14	110.60
25	BB	559	G	C5-C6-N1	9.09	116.04	111.50
25	BB	608	A	C4-C5-C6	-9.09	112.45	117.00
25	BB	2556	C	C5'-C4'-O4'	9.09	120.01	109.10
3	A1	330	C	N3-C2-O2	-9.09	115.54	121.90
3	A1	678	U	C4-C5-C6	9.09	125.15	119.70
3	A1	852	G	C5'-C4'-O4'	9.09	120.00	109.10
3	A1	1504	G	C5-C6-N1	9.09	116.04	111.50
25	BB	344	A	C4-C5-C6	-9.09	112.46	117.00
25	BB	363	G	C6-C5-N7	9.09	135.85	130.40
25	BB	1422	G	C8-N9-C4	-9.09	102.77	106.40
25	BB	1687	G	N3-C2-N2	-9.09	113.54	119.90
25	BB	2157	G	N9-C4-C5	9.09	109.03	105.40
25	BB	2495	G	N1-C6-O6	-9.09	114.45	119.90
25	BB	2716	C	C4-C5-C6	-9.09	112.86	117.40
25	BB	647	G	N1-C6-O6	-9.08	114.45	119.90
25	BB	1206	G	C5-C6-N1	9.08	116.04	111.50
25	BB	1336	A	C5-C6-N1	9.08	122.24	117.70
1	AE	75	C	N1-C2-O2	9.08	124.35	118.90
25	BB	2466	C	N3-C4-N4	-9.08	111.64	118.00
3	A1	726	C	O4'-C1'-N1	9.08	115.46	108.20
25	BB	1480	C	C5'-C4'-O4'	9.08	120.00	109.10
25	BB	2154	A	O4'-C1'-N9	9.08	115.46	108.20
25	BB	2545	G	C3'-C2'-C1'	9.08	108.76	101.50
25	BB	400	G	C4'-C3'-C2'	-9.08	93.52	102.60
3	A1	411	A	N1-C6-N6	-9.08	113.15	118.60
25	BB	436	C	N3-C4-C5	9.08	125.53	121.90
25	BB	1719	G	N1-C6-O6	-9.08	114.45	119.90
25	BB	1918	A	C4-C5-C6	-9.08	112.46	117.00
25	BB	2804	U	C5-C6-N1	-9.08	118.16	122.70
3	A1	968	A	C5-C6-N1	9.07	122.24	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	AO	131	ARG	NE-CZ-NH1	9.07	124.84	120.30
25	BB	772	C	O4'-C4'-C3'	9.07	113.36	106.10
25	BB	1018	U	N1-C2-N3	9.07	120.34	114.90
25	BB	98	G	N3-C2-N2	-9.07	113.55	119.90
25	BB	1711	A	C6-C5-N7	9.07	138.65	132.30
25	BB	2289	G	C5-N7-C8	-9.07	99.76	104.30
3	A1	340	U	O5'-P-OP2	-9.07	97.53	105.70
25	BB	2181	U	N3-C2-O2	-9.07	115.85	122.20
3	A1	166	U	N1-C2-O2	9.07	129.15	122.80
3	A1	736	C	C2-N3-C4	-9.07	115.36	119.90
3	A1	1249	C	C2-N3-C4	-9.07	115.37	119.90
3	A1	1413	A	C6-C5-N7	9.07	138.65	132.30
25	BB	2547	A	C5-C6-N1	9.07	122.23	117.70
25	BB	2646	C	N3-C4-C5	9.07	125.53	121.90
3	A1	238	A	O4'-C1'-N9	9.06	115.45	108.20
25	BB	611	C	N3-C2-O2	-9.06	115.56	121.90
25	BB	691	C	C5-C4-N4	9.06	126.55	120.20
25	BB	1045	C	N3-C4-C5	9.06	125.53	121.90
25	BB	1415	U	O4'-C1'-N1	9.06	115.45	108.20
3	A1	242	G	N1-C6-O6	-9.06	114.46	119.90
3	A1	745	G	O4'-C1'-N9	9.06	115.45	108.20
25	BB	322	A	C5-C6-N1	9.06	122.23	117.70
25	BB	705	A	C4-C5-C6	-9.06	112.47	117.00
25	BB	1382	G	C4-C5-N7	-9.06	107.17	110.80
25	BB	1938	A	C5-C6-N1	9.06	122.23	117.70
25	BB	2103	C	C6-N1-C2	-9.06	116.67	120.30
25	BB	928	A	O4'-C1'-N9	9.06	115.44	108.20
25	BB	1434	A	C4-C5-C6	-9.06	112.47	117.00
25	BB	2364	C	N3-C2-O2	-9.06	115.56	121.90
3	A1	1188	A	C6-C5-N7	9.06	138.64	132.30
3	A1	996	A	N1-C6-N6	-9.05	113.17	118.60
25	BB	194	G	O4'-C4'-C3'	9.05	113.34	106.10
25	BB	220	G	C5-N7-C8	-9.05	99.77	104.30
25	BB	2480	C	O4'-C1'-N1	9.05	115.44	108.20
3	A1	1229	A	N1-C6-N6	-9.05	113.17	118.60
25	BB	502	A	C6-C5-N7	9.05	138.64	132.30
25	BB	2287	A	C5-C6-N1	9.05	122.23	117.70
25	BB	2738	A	C5-C6-N1	9.05	122.23	117.70
1	AP	75	C	N3-C2-O2	-9.05	115.56	121.90
3	A1	661	G	N3-C4-C5	-9.05	124.07	128.60
3	A1	1080	A	C5-C6-N1	9.05	122.23	117.70
25	BB	761	A	C6-C5-N7	9.05	138.64	132.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1459	G	C1'-O4'-C4'	-9.05	102.66	109.90
25	BB	1475	G	C2-N3-C4	9.05	116.43	111.90
25	BB	2135	A	C4-C5-C6	-9.05	112.47	117.00
49	BZ	87	ARG	NE-CZ-NH1	9.05	124.83	120.30
3	A1	412	A	C4-C5-C6	-9.05	112.48	117.00
25	BB	37	C	N3-C2-O2	-9.05	115.57	121.90
3	A1	803	G	N3-C2-N2	-9.05	113.57	119.90
3	A1	1110	A	C6-N1-C2	-9.04	113.17	118.60
25	BB	1850	G	O4'-C1'-N9	9.05	115.44	108.20
25	BB	1959	G	N3-C2-N2	-9.04	113.57	119.90
25	BB	183	C	N3-C2-O2	-9.04	115.57	121.90
25	BB	270	A	C1'-O4'-C4'	-9.04	102.67	109.90
25	BB	1680	U	N3-C2-O2	-9.04	115.87	122.20
25	BB	2015	A	C5-C6-N1	9.04	122.22	117.70
3	A1	796	C	N3-C4-C5	9.04	125.52	121.90
24	BA	17	C	C6-N1-C2	-9.04	116.68	120.30
25	BB	2537	U	C6-N1-C2	-9.04	115.58	121.00
2	AM	13	U	C2-N3-C4	-9.04	121.58	127.00
3	A1	918	A	C4-C5-C6	-9.04	112.48	117.00
3	A1	965	U	C1'-O4'-C4'	-9.04	102.67	109.90
25	BB	31	C	C2-N3-C4	-9.04	115.38	119.90
25	BB	1506	U	C2-N3-C4	-9.04	121.58	127.00
25	BB	2152	G	N3-C4-C5	-9.04	124.08	128.60
25	BB	2492	U	C2-N3-C4	-9.04	121.58	127.00
25	BB	2527	C	N3-C2-O2	-9.04	115.57	121.90
3	A1	972	C	N3-C2-O2	-9.04	115.58	121.90
25	BB	897	C	N1-C2-O2	9.04	124.32	118.90
3	A1	1405	G	C1'-O4'-C4'	-9.03	102.67	109.90
25	BB	1477	A	N1-C6-N6	-9.03	113.18	118.60
25	BB	1502	A	C5-C6-N1	9.04	122.22	117.70
25	BB	1896	G	C8-N9-C4	-9.04	102.79	106.40
25	BB	1689	A	C5-C6-N1	9.03	122.22	117.70
3	A1	1217	C	N3-C4-C5	9.03	125.51	121.90
25	BB	1392	A	C6-N1-C2	-9.03	113.18	118.60
3	A1	1295	U	C3'-C2'-C1'	9.03	108.72	101.50
25	BB	1974	C	C1'-O4'-C4'	-9.03	102.67	109.90
25	BB	2448	A	C5-C6-N1	9.03	122.22	117.70
25	BB	2863	C	C2-N3-C4	-9.03	115.38	119.90
48	BY	128	ARG	NE-CZ-NH1	9.03	124.82	120.30
1	AA	32	C	O4'-C1'-N1	9.03	115.42	108.20
3	A1	651	C	N1-C2-O2	9.03	124.32	118.90
25	BB	1684	G	N3-C2-N2	-9.03	113.58	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2538	C	N1-C1'-C2'	9.03	125.74	114.00
3	A1	482	A	C4-C5-C6	-9.03	112.49	117.00
3	A1	1413	A	C4-C5-C6	-9.03	112.49	117.00
25	BB	612	G	C3'-C2'-C1'	9.03	108.72	101.50
3	A1	617	G	N1-C6-O6	-9.03	114.48	119.90
25	BB	1089	A	N1-C6-N6	-9.03	113.18	118.60
25	BB	2222	C	C5-C4-N4	-9.03	113.88	120.20
37	BN	220	ARG	NE-CZ-NH2	9.03	124.81	120.30
1	AA	42	G	C2'-C3'-O3'	9.02	129.35	109.50
3	A1	35	G	C6-C5-N7	9.02	135.81	130.40
3	A1	708	C	N3-C2-O2	-9.02	115.58	121.90
6	AD	30	ARG	NE-CZ-NH2	-9.02	115.79	120.30
6	AD	120	ARG	NE-CZ-NH2	9.02	124.81	120.30
25	BB	51	G	N1-C6-O6	-9.02	114.49	119.90
25	BB	1962	C	N3-C4-C5	9.02	125.51	121.90
25	BB	2063	C	C4'-C3'-C2'	-9.02	93.58	102.60
3	A1	48	C	N3-C4-C5	9.02	125.51	121.90
25	BB	1986	C	N3-C4-N4	-9.02	111.69	118.00
1	AA	15	G	C5-N7-C8	-9.02	99.79	104.30
25	BB	227	A	C4-C5-C6	-9.02	112.49	117.00
25	BB	462	C	N3-C4-N4	-9.02	111.69	118.00
25	BB	506	G	N1-C6-O6	-9.02	114.49	119.90
2	AM	13	U	O4'-C1'-N1	9.02	115.41	108.20
3	A1	1187	G	C5-C6-O6	9.02	134.01	128.60
25	BB	928	A	C4-C5-C6	-9.02	112.49	117.00
25	BB	1928	A	C6-C5-N7	9.02	138.61	132.30
25	BB	2177	C	O4'-C1'-N1	9.02	115.42	108.20
25	BB	1414	C	N3-C4-C5	9.02	125.51	121.90
1	AP	43	G	C4-C5-N7	-9.02	107.19	110.80
3	A1	569	C	O4'-C1'-N1	9.02	115.41	108.20
3	A1	588	G	C5-C6-N1	9.02	116.01	111.50
3	A1	771	G	N3-C2-N2	-9.02	113.59	119.90
3	A1	864	A	C2-N3-C4	9.02	115.11	110.60
25	BB	2573	C	N3-C4-N4	-9.02	111.69	118.00
3	A1	577	G	C5-N7-C8	-9.02	99.79	104.30
3	A1	856	C	C5-C6-N1	-9.02	116.49	121.00
17	AR	114	ARG	NE-CZ-NH2	9.02	124.81	120.30
24	BA	13	G	C6-N1-C2	-9.02	119.69	125.10
25	BB	2364	C	C6-N1-C2	-9.02	116.69	120.30
1	AP	15	G	N3-C2-N2	-9.01	113.59	119.90
3	A1	122	G	N1-C2-N3	9.01	129.31	123.90
3	A1	449	G	N7-C8-N9	9.01	117.61	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	631	C	N3-C4-C5	9.01	125.51	121.90
25	BB	323	C	O4'-C1'-C2'	-9.01	96.79	105.80
3	A1	498	A	C5-C6-N1	9.01	122.21	117.70
3	A1	1090	U	N3-C2-O2	-9.01	115.89	122.20
25	BB	827	U	C5-C6-N1	-9.01	118.19	122.70
25	BB	1144	A	C6-C5-N7	9.01	138.61	132.30
25	BB	1574	C	N3-C4-C5	9.01	125.50	121.90
25	BB	2841	C	N3-C4-C5	9.01	125.50	121.90
3	A1	288	A	C4-C5-C6	-9.01	112.50	117.00
3	A1	991	U	N1-C2-N3	9.01	120.31	114.90
3	A1	1279	G	N3-C4-N9	9.01	131.41	126.00
25	BB	92	U	N3-C2-O2	-9.01	115.89	122.20
25	BB	1427	A	C4-C5-C6	-9.01	112.49	117.00
3	A1	1275	A	C5'-C4'-O4'	9.01	119.91	109.10
3	A1	1435	G	O4'-C1'-N9	9.01	115.41	108.20
25	BB	764	A	C6-C5-N7	9.01	138.61	132.30
25	BB	1580	A	C4-C5-C6	-9.01	112.50	117.00
25	BB	2048	G	N1-C6-O6	-9.01	114.49	119.90
25	BB	2900	A	N1-C2-N3	-9.01	124.80	129.30
1	AA	43	G	N3-C4-C5	-9.01	124.10	128.60
1	AE	21	A	C6-C5-N7	9.01	138.60	132.30
25	BB	1879	C	C5'-C4'-O4'	9.01	119.91	109.10
25	BB	2420	C	O4'-C1'-N1	9.01	115.41	108.20
24	BA	4	C	O4'-C1'-N1	9.01	115.40	108.20
25	BB	1538	G	N1-C6-O6	-9.01	114.50	119.90
25	BB	2314	A	C5-C6-N1	9.01	122.20	117.70
25	BB	2760	C	N3-C4-C5	9.01	125.50	121.90
3	A1	421	U	C1'-O4'-C4'	-9.00	102.70	109.90
3	A1	1151	A	C1'-O4'-C4'	-9.00	102.70	109.90
25	BB	1962	C	N3-C4-N4	-9.00	111.70	118.00
25	BB	694	U	C5-C6-N1	-9.00	118.20	122.70
25	BB	1778	U	C1'-O4'-C4'	-9.00	102.70	109.90
25	BB	1860	G	N1-C2-N3	9.00	129.30	123.90
25	BB	1954	G	C5-C6-O6	9.00	134.00	128.60
3	A1	534	U	C5-C6-N1	-9.00	118.20	122.70
3	A1	976	G	N3-C2-N2	-9.00	113.60	119.90
3	A1	1003	G	O4'-C1'-N9	9.00	115.40	108.20
25	BB	1889	A	C5-C6-N1	9.00	122.20	117.70
24	BA	21	G	C5-C6-O6	9.00	134.00	128.60
25	BB	650	C	N1-C2-O2	9.00	124.30	118.90
25	BB	1236	G	N1-C6-O6	-9.00	114.50	119.90
25	BB	1545	A	C5-C6-N6	9.00	130.90	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	940	C	C2-N3-C4	-9.00	115.40	119.90
25	BB	1237	A	C6-C5-N7	9.00	138.60	132.30
25	BB	1508	A	C4-C5-C6	-9.00	112.50	117.00
3	A1	986	U	C5-C6-N1	-9.00	118.20	122.70
25	BB	1080	A	C5-C6-N1	9.00	122.20	117.70
25	BB	1105	U	O4'-C1'-N1	9.00	115.40	108.20
25	BB	1902	C	N3-C4-N4	-9.00	111.70	118.00
25	BB	2334	U	C5'-C4'-O4'	9.00	119.90	109.10
3	A1	1051	C	N3-C2-O2	-8.99	115.60	121.90
25	BB	575	A	C5-C6-N1	8.99	122.20	117.70
25	BB	2451	A	C4-C5-C6	-8.99	112.50	117.00
25	BB	2858	C	N3-C2-O2	-8.99	115.61	121.90
3	A1	346	G	O4'-C1'-N9	8.99	115.39	108.20
3	A1	1080	A	N1-C6-N6	-8.99	113.21	118.60
25	BB	2119	A	C5-C6-N6	8.99	130.89	123.70
2	AM	5	U	C6-N1-C2	-8.99	115.61	121.00
3	A1	1345	U	N1-C2-N3	8.99	120.29	114.90
25	BB	346	A	C5-C6-N1	8.99	122.19	117.70
25	BB	2543	G	C8-N9-C4	-8.99	102.80	106.40
25	BB	819	A	C1'-O4'-C4'	-8.99	102.71	109.90
25	BB	2202	U	N3-C2-O2	-8.99	115.91	122.20
25	BB	2773	C	N3-C2-O2	-8.99	115.61	121.90
3	A1	1346	A	C6-C5-N7	8.98	138.59	132.30
25	BB	35	G	C3'-C2'-C1'	8.98	108.69	101.50
25	BB	1537	G	C5-C6-N1	8.98	115.99	111.50
25	BB	2456	C	O4'-C1'-N1	8.98	115.39	108.20
3	A1	553	A	C1'-O4'-C4'	-8.98	102.71	109.90
3	A1	1117	A	C5-C6-N1	8.98	122.19	117.70
25	BB	94	A	C5-C6-N1	8.98	122.19	117.70
3	A1	258	G	C6-C5-N7	8.98	135.79	130.40
3	A1	888	G	C5-C6-N1	8.98	115.99	111.50
25	BB	557	C	N3-C4-C5	8.98	125.49	121.90
25	BB	1666	G	C5'-C4'-O4'	8.98	119.88	109.10
25	BB	1805	A	C4-C5-C6	-8.98	112.51	117.00
3	A1	315	A	C5-C6-N1	8.98	122.19	117.70
3	A1	485	U	N3-C4-O4	8.98	125.68	119.40
3	A1	700	G	C5-C6-N1	8.98	115.99	111.50
3	A1	864	A	C6-C5-N7	8.98	138.59	132.30
3	A1	1400	C	C6-N1-C2	-8.98	116.71	120.30
25	BB	47	C	N3-C4-N4	-8.98	111.72	118.00
25	BB	2336	A	C4-C5-C6	-8.98	112.51	117.00
3	A1	189	A	N1-C6-N6	-8.97	113.22	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1220	G	N7-C8-N9	8.97	117.59	113.10
25	BB	2158	A	C5-C6-N1	8.97	122.19	117.70
3	A1	1130	A	C8-N9-C4	-8.97	102.21	105.80
3	A1	1224	U	N3-C2-O2	-8.97	115.92	122.20
3	A1	1469	C	C2-N3-C4	-8.97	115.41	119.90
3	A1	1508	A	C4-C5-C6	-8.97	112.51	117.00
25	BB	1684	G	C5-C6-N1	8.97	115.99	111.50
25	BB	2253	G	O4'-C4'-C3'	8.97	113.28	106.10
25	BB	1431	A	C5-C6-N6	8.97	130.88	123.70
1	AE	7	U	O4'-C1'-N1	8.97	115.38	108.20
25	BB	1221	C	C2-N3-C4	-8.97	115.42	119.90
25	BB	1804	C	N3-C4-C5	8.97	125.49	121.90
25	BB	1887	C	N3-C2-O2	-8.97	115.62	121.90
1	AP	37	G	N7-C8-N9	8.97	117.58	113.10
3	A1	380	G	N1-C6-O6	-8.96	114.52	119.90
25	BB	285	G	N1-C6-O6	-8.96	114.52	119.90
25	BB	561	G	N3-C2-N2	-8.97	113.62	119.90
25	BB	676	A	C5-C6-N1	8.96	122.18	117.70
25	BB	1987	A	C6-C5-N7	8.96	138.57	132.30
3	A1	57	G	N9-C4-C5	8.96	108.98	105.40
3	A1	269	C	C2-N3-C4	-8.96	115.42	119.90
3	A1	910	C	N3-C2-O2	-8.96	115.63	121.90
24	BA	13	G	N3-C4-C5	-8.96	124.12	128.60
25	BB	1087	G	N1-C2-N3	8.96	129.28	123.90
25	BB	1634	A	C3'-C2'-C1'	8.96	108.67	101.50
25	BB	1685	C	N1-C2-O2	8.96	124.28	118.90
25	BB	2114	A	C6-C5-N7	8.96	138.57	132.30
25	BB	2720	U	C5-C6-N1	-8.96	118.22	122.70
1	AE	76	A	C2-N3-C4	8.96	115.08	110.60
25	BB	196	A	C4-C5-C6	-8.96	112.52	117.00
25	BB	198	C	C6-N1-C2	-8.96	116.72	120.30
25	BB	687	C	O4'-C1'-N1	8.96	115.37	108.20
24	BA	59	A	N1-C6-N6	-8.96	113.23	118.60
24	BA	73	A	C5-C6-N1	8.96	122.18	117.70
25	BB	1405	U	N3-C2-O2	-8.96	115.93	122.20
25	BB	1961	C	N3-C4-N4	-8.96	111.73	118.00
25	BB	2739	U	O4'-C1'-N1	8.96	115.36	108.20
3	A1	243	A	N1-C2-N3	-8.95	124.82	129.30
3	A1	812	G	C5-C6-N1	8.96	115.98	111.50
3	A1	818	G	C5-C6-N1	8.96	115.98	111.50
25	BB	2086	U	O4'-C1'-N1	-8.96	101.04	108.20
25	BB	2424	C	O4'-C1'-N1	8.95	115.36	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AP	51	G	N1-C2-N3	8.95	129.27	123.90
3	A1	703	G	O4'-C4'-C3'	8.95	113.26	106.10
25	BB	359	G	N3-C2-N2	-8.95	113.63	119.90
25	BB	1533	C	N1-C2-O2	8.95	124.27	118.90
30	BG	12	ARG	NE-CZ-NH1	8.95	124.78	120.30
3	A1	634	C	N3-C2-O2	-8.95	115.64	121.90
1	AE	33	U	N3-C4-O4	8.95	125.67	119.40
3	A1	724	G	N1-C2-N3	8.95	129.27	123.90
3	A1	788	U	N3-C2-O2	-8.95	115.94	122.20
3	A1	984	C	N1-C2-N3	8.95	125.46	119.20
3	A1	1096	C	N3-C2-O2	-8.95	115.64	121.90
3	A1	1218	C	N3-C4-N4	-8.95	111.73	118.00
3	A1	1276	G	N9-C4-C5	8.95	108.98	105.40
25	BB	737	C	C2-N3-C4	-8.95	115.42	119.90
25	BB	2485	G	O4'-C1'-N9	8.95	115.36	108.20
10	AI	23	ASP	OD1-CG-OD2	-8.95	106.30	123.30
25	BB	1873	G	C6-C5-N7	8.95	135.77	130.40
3	A1	437	U	N3-C2-O2	-8.95	115.94	122.20
3	A1	749	A	C4-C5-C6	-8.95	112.53	117.00
25	BB	1100	C	C2-N3-C4	-8.95	115.43	119.90
25	BB	1280	G	C5-C6-N1	8.95	115.97	111.50
25	BB	1446	C	C2-N3-C4	-8.95	115.43	119.90
25	BB	1825	U	C5'-C4'-O4'	8.95	119.84	109.10
25	BB	2761	A	C4-C5-C6	-8.95	112.53	117.00
25	BB	2861	U	N3-C2-O2	-8.95	115.94	122.20
3	A1	342	C	C5-C4-N4	8.94	126.46	120.20
3	A1	1269	A	C5-C6-N1	8.94	122.17	117.70
25	BB	1399	C	N3-C2-O2	-8.95	115.64	121.90
25	BB	1731	G	N9-C4-C5	8.95	108.98	105.40
1	AE	37	G	C4'-C3'-C2'	-8.94	93.66	102.60
3	A1	895	G	C6-N1-C2	-8.94	119.73	125.10
25	BB	2428	G	C3'-C2'-C1'	-8.94	94.34	101.50
25	BB	131	A	C5-C6-N1	8.94	122.17	117.70
25	BB	1290	C	N3-C2-O2	-8.94	115.64	121.90
47	BX	36	ARG	NE-CZ-NH1	8.94	124.77	120.30
48	BY	13	ARG	NE-CZ-NH2	-8.94	115.83	120.30
1	AP	46	G	P-O3'-C3'	8.94	130.43	119.70
3	A1	89	U	N1-C2-N3	8.94	120.26	114.90
3	A1	789	U	N1-C2-N3	8.94	120.26	114.90
25	BB	1724	G	N1-C6-O6	-8.94	114.54	119.90
25	BB	449	A	N1-C6-N6	-8.94	113.24	118.60
25	BB	476	G	C4-C5-C6	-8.94	113.44	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1507	C	N3-C4-C5	8.94	125.47	121.90
25	BB	288	U	C5-C6-N1	-8.94	118.23	122.70
25	BB	1044	C	O4'-C1'-N1	8.94	115.35	108.20
25	BB	1474	U	N1-C2-O2	8.94	129.06	122.80
25	BB	2019	A	C5-C6-N1	8.94	122.17	117.70
3	A1	923	A	C6-C5-N7	8.93	138.55	132.30
25	BB	2051	A	C5-C6-N1	8.93	122.17	117.70
25	BB	1253	A	C4-C5-C6	-8.93	112.53	117.00
1	AE	62	A	C5-C6-N1	8.93	122.17	117.70
3	A1	6	G	N1-C6-O6	-8.93	114.54	119.90
3	A1	362	G	N3-C2-N2	-8.93	113.65	119.90
3	A1	1279	G	O4'-C1'-N9	8.93	115.34	108.20
3	A1	1425	U	N1-C2-N3	8.93	120.26	114.90
25	BB	458	G	N7-C8-N9	8.93	117.56	113.10
25	BB	1678	A	N1-C6-N6	-8.93	113.24	118.60
25	BB	2722	G	C3'-C2'-C1'	-8.93	94.36	101.50
3	A1	412	A	N1-C2-N3	-8.93	124.84	129.30
25	BB	1605	C	N3-C4-N4	-8.93	111.75	118.00
3	A1	849	G	C5-C6-N1	8.93	115.96	111.50
3	A1	1297	G	N1-C6-O6	-8.93	114.54	119.90
25	BB	1596	A	C5-C6-N6	8.93	130.84	123.70
25	BB	1763	G	C1'-O4'-C4'	-8.93	102.76	109.90
25	BB	2585	U	N3-C2-O2	-8.93	115.95	122.20
3	A1	25	C	C2-N3-C4	-8.92	115.44	119.90
3	A1	230	G	C6-C5-N7	8.92	135.75	130.40
3	A1	1302	C	O4'-C1'-N1	8.92	115.34	108.20
25	BB	908	C	N3-C2-O2	-8.92	115.65	121.90
25	BB	1021	A	C6-C5-N7	8.92	138.55	132.30
25	BB	2724	U	O4'-C1'-N1	8.92	115.34	108.20
3	A1	60	A	C4-C5-C6	-8.92	112.54	117.00
3	A1	290	C	N3-C4-C5	8.92	125.47	121.90
3	A1	827	U	C5'-C4'-O4'	8.92	119.80	109.10
3	A1	1046	A	C4-C5-C6	-8.92	112.54	117.00
25	BB	671	C	N3-C4-C5	8.92	125.47	121.90
25	BB	1918	A	C3'-C2'-C1'	-8.92	94.36	101.50
25	BB	2716	C	N1-C2-O2	8.92	124.25	118.90
39	BP	54	ARG	NE-CZ-NH2	8.92	124.76	120.30
41	BR	15	ARG	NE-CZ-NH2	8.92	124.76	120.30
1	AA	25	C	C6-N1-C2	-8.92	116.73	120.30
3	A1	1114	C	N3-C4-N4	-8.92	111.76	118.00
25	BB	220	G	N1-C6-O6	-8.92	114.55	119.90
25	BB	1938	A	N9-C4-C5	8.92	109.37	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	732	C	C6-N1-C2	-8.92	116.73	120.30
3	A1	1049	U	C3'-C2'-C1'	8.92	108.63	101.50
3	A1	1092	A	N1-C2-N3	-8.92	124.84	129.30
3	A1	1531	A	C5-C6-N1	8.92	122.16	117.70
25	BB	127	A	C4-C5-C6	-8.92	112.54	117.00
25	BB	2632	A	C6-C5-N7	8.92	138.54	132.30
3	A1	52	C	N3-C4-C5	8.91	125.47	121.90
3	A1	381	C	N1-C2-O2	8.91	124.25	118.90
3	A1	390	U	N3-C2-O2	-8.91	115.96	122.20
3	A1	530	G	C3'-C2'-C1'	8.91	108.63	101.50
3	A1	1471	U	N3-C2-O2	-8.91	115.96	122.20
25	BB	629	G	C5-C6-N1	8.91	115.96	111.50
3	A1	419	C	O4'-C1'-N1	8.91	115.33	108.20
3	A1	596	A	N1-C6-N6	-8.91	113.25	118.60
3	A1	1265	C	C2-N3-C4	-8.91	115.44	119.90
3	A1	152	A	C5-C6-N6	8.91	130.83	123.70
1	AP	11	C	N3-C4-C5	8.91	125.46	121.90
3	A1	1350	A	C5-C6-N1	8.91	122.16	117.70
25	BB	297	G	N9-C4-C5	8.91	108.96	105.40
25	BB	845	A	C4'-C3'-C2'	-8.91	93.69	102.60
25	BB	1745	A	C5-C6-N1	8.91	122.15	117.70
25	BB	1787	A	C4-C5-C6	-8.91	112.55	117.00
25	BB	2412	A	N1-C6-N6	-8.91	113.26	118.60
25	BB	2539	C	C5-C6-N1	-8.91	116.55	121.00
3	A1	198	G	C1'-O4'-C4'	-8.90	102.78	109.90
25	BB	540	C	N3-C4-N4	-8.90	111.77	118.00
3	A1	731	G	N9-C4-C5	8.90	108.96	105.40
3	A1	851	G	N1-C6-O6	-8.90	114.56	119.90
25	BB	656	G	N1-C6-O6	-8.90	114.56	119.90
25	BB	131	A	C4-C5-C6	-8.90	112.55	117.00
25	BB	146	A	N1-C6-N6	-8.90	113.26	118.60
25	BB	438	G	N1-C6-O6	-8.90	114.56	119.90
25	BB	1483	G	C8-N9-C4	-8.90	102.84	106.40
3	A1	468	A	C5-C6-N6	8.90	130.82	123.70
3	A1	1374	A	C4-C5-C6	-8.90	112.55	117.00
3	A1	772	U	C5-C6-N1	-8.90	118.25	122.70
25	BB	326	G	O4'-C1'-N9	8.90	115.32	108.20
25	BB	633	A	C4-C5-C6	-8.90	112.55	117.00
25	BB	2108	A	C6-C5-N7	8.90	138.53	132.30
25	BB	615	U	O4'-C1'-N1	8.90	115.32	108.20
25	BB	1335	C	N3-C2-O2	-8.90	115.67	121.90
3	A1	1413	A	C5-C6-N6	8.90	130.82	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1428	C	C6-N1-C2	-8.90	116.74	120.30
25	BB	1673	G	C8-N9-C4	-8.90	102.84	106.40
25	BB	2408	U	O4'-C1'-N1	8.90	115.32	108.20
3	A1	1509	C	N1-C2-N3	8.90	125.43	119.20
25	BB	1337	G	C5-C6-N1	8.90	115.95	111.50
25	BB	1373	A	N1-C6-N6	-8.90	113.26	118.60
25	BB	1608	A	C5-C6-N1	8.90	122.15	117.70
25	BB	1772	A	C5-C6-N1	8.90	122.15	117.70
25	BB	2208	C	N3-C2-O2	-8.90	115.67	121.90
25	BB	2893	A	O4'-C1'-N9	8.90	115.32	108.20
3	A1	403	C	N3-C4-N4	-8.89	111.78	118.00
3	A1	613	C	N1-C2-O2	8.89	124.24	118.90
3	A1	673	A	C4-C5-C6	-8.89	112.55	117.00
3	A1	1292	G	N1-C6-O6	-8.89	114.56	119.90
25	BB	1241	A	C5-C6-N1	8.89	122.15	117.70
25	BB	1568	G	N3-C4-C5	-8.89	124.15	128.60
25	BB	2886	A	P-O3'-C3'	8.89	130.37	119.70
25	BB	495	G	O4'-C1'-N9	8.89	115.31	108.20
25	BB	2532	G	N1-C6-O6	-8.89	114.56	119.90
25	BB	2131	U	C5-C4-O4	-8.89	120.57	125.90
25	BB	2900	A	N1-C6-N6	-8.89	113.27	118.60
1	AP	42	G	N9-C4-C5	8.89	108.95	105.40
1	AE	46	G	N3-C2-N2	-8.89	113.68	119.90
25	BB	1748	C	N3-C2-O2	-8.89	115.68	121.90
25	BB	97	C	N1-C2-O2	8.89	124.23	118.90
25	BB	2060	A	O4'-C1'-N9	8.89	115.31	108.20
25	BB	2292	U	N3-C2-O2	-8.89	115.98	122.20
3	A1	250	A	C6-N1-C2	-8.88	113.27	118.60
3	A1	1349	A	N1-C6-N6	-8.88	113.27	118.60
25	BB	1170	C	N3-C2-O2	-8.88	115.68	121.90
25	BB	1759	A	C4-C5-C6	-8.88	112.56	117.00
29	BF	50	ARG	NH1-CZ-NH2	-8.89	109.62	119.40
1	AP	10	G	N1-C6-O6	-8.88	114.57	119.90
3	A1	149	A	C4-C5-C6	-8.88	112.56	117.00
24	BA	46	A	C4-C5-C6	-8.88	112.56	117.00
25	BB	162	U	N3-C2-O2	-8.88	115.98	122.20
25	BB	440	C	N1-C2-O2	8.88	124.23	118.90
25	BB	1316	U	C1'-O4'-C4'	-8.88	102.79	109.90
3	A1	296	U	N3-C2-O2	-8.88	115.98	122.20
3	A1	850	U	C1'-O4'-C4'	-8.88	102.80	109.90
25	BB	517	C	C6-N1-C2	-8.88	116.75	120.30
25	BB	2197	U	N3-C2-O2	-8.88	115.98	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	BA	18	G	N3-C2-N2	-8.88	113.68	119.90
25	BB	706	A	C4-C5-C6	-8.88	112.56	117.00
35	BL	95	ARG	NE-CZ-NH1	8.88	124.74	120.30
1	AA	14	A	O3'-P-O5'	-8.88	87.13	104.00
25	BB	476	G	C5-C6-O6	8.88	133.93	128.60
25	BB	1640	A	C4-C5-C6	-8.88	112.56	117.00
3	A1	108	G	N3-C2-N2	-8.88	113.69	119.90
25	BB	217	A	C5-N7-C8	-8.88	99.46	103.90
25	BB	438	G	C1'-O4'-C4'	-8.87	102.80	109.90
25	BB	741	U	O4'-C1'-N1	8.87	115.30	108.20
25	BB	1147	A	C5-C6-N6	8.87	130.80	123.70
25	BB	1641	A	C1'-O4'-C4'	8.87	117.00	109.90
25	BB	1672	A	C4-C5-C6	-8.87	112.56	117.00
8	AG	23	ARG	NE-CZ-NH1	8.87	124.74	120.30
25	BB	1502	A	C6-C5-N7	8.87	138.51	132.30
1	AP	47	U	C5-C6-N1	-8.87	118.26	122.70
3	A1	258	G	C4-C5-N7	-8.87	107.25	110.80
3	A1	1107	C	N3-C4-C5	8.87	125.45	121.90
25	BB	1107	G	C5-C6-O6	8.87	133.92	128.60
25	BB	2266	A	O4'-C1'-N9	8.87	115.30	108.20
25	BB	2631	G	N3-C2-N2	-8.87	113.69	119.90
3	A1	587	G	N1-C2-N2	-8.87	108.22	116.20
25	BB	805	G	O4'-C1'-N9	8.87	115.30	108.20
3	A1	1401	G	C4-C5-N7	-8.87	107.25	110.80
25	BB	987	C	C6-N1-C2	-8.87	116.75	120.30
25	BB	1675	C	N3-C4-N4	-8.87	111.79	118.00
25	BB	1873	G	O4'-C1'-N9	8.87	115.29	108.20
25	BB	1907	G	C4-C5-N7	-8.87	107.25	110.80
25	BB	2543	G	N1-C6-O6	-8.87	114.58	119.90
46	BW	41	ARG	NE-CZ-NH1	8.87	124.73	120.30
1	AA	28	C	C2-N3-C4	-8.87	115.47	119.90
3	A1	40	C	N3-C4-C5	8.87	125.45	121.90
25	BB	1557	C	C2-N3-C4	-8.87	115.47	119.90
1	AA	50	U	N3-C2-O2	-8.86	116.00	122.20
25	BB	1637	A	C5-C6-N6	8.86	130.79	123.70
25	BB	2148	G	N7-C8-N9	8.86	117.53	113.10
25	BB	2206	C	C6-N1-C2	-8.86	116.75	120.30
25	BB	2745	C	N3-C4-C5	8.86	125.44	121.90
3	A1	36	C	C2-N3-C4	-8.86	115.47	119.90
3	A1	529	G	C5-C6-O6	8.86	133.91	128.60
25	BB	203	A	N1-C6-N6	-8.86	113.28	118.60
25	BB	631	A	C5-C6-N6	8.86	130.79	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1969	A	C6-N1-C2	-8.86	113.28	118.60
25	BB	2211	A	C2-N3-C4	8.86	115.03	110.60
25	BB	2281	A	C6-N1-C2	-8.86	113.28	118.60
25	BB	2528	U	N3-C4-O4	-8.86	113.20	119.40
25	BB	2785	C	C2-N3-C4	-8.86	115.47	119.90
3	A1	26	A	C5-C6-N6	8.86	130.78	123.70
3	A1	524	G	N3-C4-C5	-8.86	124.17	128.60
3	A1	1129	C	N3-C2-O2	-8.86	115.70	121.90
3	A1	1360	A	C6-C5-N7	8.86	138.50	132.30
25	BB	335	C	C2-N3-C4	-8.86	115.47	119.90
25	BB	844	A	C5-N7-C8	-8.86	99.47	103.90
25	BB	1100	C	N3-C4-N4	-8.86	111.80	118.00
25	BB	1761	C	C2-N3-C4	-8.86	115.47	119.90
25	BB	2126	A	C5'-C4'-O4'	8.86	119.73	109.10
25	BB	2420	C	N3-C2-O2	-8.86	115.70	121.90
3	A1	492	C	C3'-C2'-C1'	8.85	108.58	101.50
3	A1	1324	A	C5-C6-N1	8.85	122.13	117.70
25	BB	706	A	C5-C6-N1	8.85	122.13	117.70
25	BB	1489	C	C2-N3-C4	-8.85	115.47	119.90
25	BB	2781	A	C4-C5-C6	-8.85	112.57	117.00
3	A1	917	G	N1-C2-N3	8.85	129.21	123.90
3	A1	1052	U	C5-C6-N1	-8.85	118.27	122.70
3	A1	1218	C	C2-N3-C4	-8.85	115.47	119.90
25	BB	1107	G	C6-C5-N7	8.85	135.71	130.40
21	AV	87	ARG	NE-CZ-NH1	8.85	124.73	120.30
25	BB	47	C	N3-C2-O2	-8.85	115.70	121.90
25	BB	1432	G	C5-C6-N1	8.85	115.92	111.50
25	BB	1528	A	C5-C6-N1	8.85	122.13	117.70
25	BB	2239	G	N1-C6-O6	-8.85	114.59	119.90
25	BB	2752	C	N3-C4-C5	8.85	125.44	121.90
31	BH	15	ARG	NE-CZ-NH1	8.85	124.73	120.30
3	A1	258	G	C5-C6-O6	8.85	133.91	128.60
3	A1	603	U	C3'-C2'-C1'	8.85	108.58	101.50
25	BB	2041	U	C5-C6-N1	-8.85	118.28	122.70
3	A1	175	C	C2-N3-C4	-8.85	115.48	119.90
3	A1	535	A	C2-N3-C4	8.85	115.02	110.60
3	A1	832	G	C4-C5-N7	-8.85	107.26	110.80
3	A1	909	A	C4-C5-C6	-8.85	112.58	117.00
25	BB	66	C	C2-N3-C4	-8.85	115.47	119.90
34	BK	21	ARG	NE-CZ-NH1	8.85	124.72	120.30
25	BB	234	U	C3'-C2'-C1'	8.85	108.58	101.50
25	BB	1948	G	O4'-C1'-N9	-8.85	101.12	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AE	18	G	N9-C4-C5	8.85	108.94	105.40
3	A1	279	A	C5-C6-N6	8.85	130.78	123.70
25	BB	1486	U	N3-C4-O4	8.85	125.59	119.40
25	BB	2045	C	N3-C2-O2	-8.85	115.71	121.90
25	BB	2886	A	C5-C6-N1	8.85	122.12	117.70
1	AP	27	C	C2-N3-C4	-8.84	115.48	119.90
1	AE	16	U	C5-C4-O4	8.84	131.21	125.90
3	A1	693	G	O4'-C4'-C3'	8.84	113.17	106.10
3	A1	713	G	N1-C6-O6	-8.84	114.59	119.90
3	A1	715	A	C6-C5-N7	8.84	138.49	132.30
3	A1	1176	A	C5-N7-C8	-8.84	99.48	103.90
25	BB	2652	C	C2-N3-C4	-8.84	115.48	119.90
3	A1	736	C	N3-C4-N4	-8.84	111.81	118.00
25	BB	1228	G	N1-C2-N3	8.84	129.21	123.90
25	BB	2063	C	N3-C2-O2	-8.84	115.71	121.90
25	BB	2868	A	C5-C6-N1	8.84	122.12	117.70
3	A1	344	A	C4'-C3'-C2'	-8.84	93.76	102.60
25	BB	391	A	C5-C6-N1	8.84	122.12	117.70
25	BB	713	G	C3'-C2'-C1'	8.84	108.57	101.50
25	BB	1145	C	O4'-C4'-C3'	8.84	113.17	106.10
36	BM	76	ARG	CD-NE-CZ	8.84	135.98	123.60
3	A1	110	C	N3-C2-O2	-8.84	115.71	121.90
24	BA	38	C	C2-N3-C4	-8.84	115.48	119.90
25	BB	652	U	C5'-C4'-O4'	8.84	119.71	109.10
25	BB	1863	G	C5-C6-N1	8.84	115.92	111.50
25	BB	2008	C	C2-N3-C4	-8.84	115.48	119.90
25	BB	2479	U	C6-N1-C2	-8.84	115.70	121.00
25	BB	2741	A	C4-C5-C6	-8.84	112.58	117.00
3	A1	76	G	C4'-C3'-C2'	-8.84	93.76	102.60
3	A1	519	C	N1-C2-N3	8.84	125.39	119.20
3	A1	804	U	O4'-C1'-N1	8.84	115.27	108.20
3	A1	1088	G	C3'-C2'-C1'	-8.84	94.43	101.50
3	A1	960	U	C3'-C2'-C1'	-8.84	94.43	101.50
24	BA	8	C	N3-C4-N4	-8.84	111.81	118.00
25	BB	452	G	N1-C6-O6	-8.84	114.60	119.90
25	BB	2749	A	C6-C5-N7	8.84	138.49	132.30
25	BB	195	A	C5-C6-N1	8.84	122.12	117.70
25	BB	1330	C	N3-C2-O2	-8.84	115.71	121.90
24	BA	90	C	N3-C2-O2	-8.83	115.72	121.90
25	BB	1370	C	O4'-C1'-N1	8.83	115.27	108.20
25	BB	2535	G	N1-C6-O6	-8.83	114.60	119.90
25	BB	2890	G	C3'-C2'-C1'	8.83	108.57	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	40	C	C2-N3-C4	-8.83	115.48	119.90
3	A1	1017	U	C5-C6-N1	-8.83	118.28	122.70
3	A1	1079	G	C8-N9-C4	-8.83	102.87	106.40
3	A1	1435	G	C5-N7-C8	-8.83	99.89	104.30
25	BB	2130	U	N3-C2-O2	-8.83	116.02	122.20
25	BB	2457	U	O4'-C1'-N1	8.83	115.26	108.20
49	BZ	201	ARG	NE-CZ-NH1	8.83	124.72	120.30
3	A1	129	A	C4-C5-C6	-8.83	112.59	117.00
25	BB	61	C	N3-C4-N4	-8.83	111.82	118.00
25	BB	155	A	N1-C6-N6	-8.83	113.30	118.60
25	BB	1916	A	C4-C5-C6	-8.83	112.59	117.00
3	A1	536	C	C6-N1-C2	-8.83	116.77	120.30
3	A1	974	A	C4-C5-C6	-8.83	112.59	117.00
25	BB	1112	G	N1-C6-O6	-8.83	114.60	119.90
25	BB	2673	G	O4'-C1'-N9	-8.83	101.14	108.20
1	AP	69	U	N3-C2-O2	-8.82	116.02	122.20
3	A1	1156	G	C4-C5-N7	8.82	114.33	110.80
25	BB	394	C	N1-C2-O2	8.82	124.19	118.90
3	A1	1333	A	C5-C6-N1	8.82	122.11	117.70
25	BB	495	G	N1-C6-O6	-8.82	114.61	119.90
25	BB	675	A	O4'-C1'-N9	8.82	115.26	108.20
25	BB	707	G	N1-C2-N3	8.82	129.19	123.90
25	BB	890	C	C6-N1-C2	-8.82	116.77	120.30
25	BB	985	C	N3-C4-C5	8.82	125.43	121.90
25	BB	2334	U	O4'-C1'-N1	-8.82	101.14	108.20
25	BB	2785	C	N3-C4-N4	-8.82	111.82	118.00
24	BA	118	C	O4'-C1'-N1	8.82	115.26	108.20
25	BB	1899	A	C4-C5-C6	-8.82	112.59	117.00
3	A1	155	A	C4-C5-C6	-8.82	112.59	117.00
3	A1	702	A	C5-C6-N1	8.82	122.11	117.70
25	BB	2137	U	N1-C2-O2	8.82	128.97	122.80
3	A1	1157	A	C5-C6-N1	8.82	122.11	117.70
25	BB	692	C	C1'-O4'-C4'	-8.82	102.84	109.90
25	BB	910	A	C5-C6-N1	8.82	122.11	117.70
3	A1	609	A	N7-C8-N9	8.82	118.21	113.80
2	AM	8	U	N1-C2-N3	8.82	120.19	114.90
3	A1	676	A	C6-C5-N7	8.82	138.47	132.30
25	BB	255	A	N1-C6-N6	-8.82	113.31	118.60
25	BB	694	U	N3-C2-O2	-8.82	116.03	122.20
25	BB	2127	G	N3-C4-C5	-8.82	124.19	128.60
25	BB	529	A	C5-C6-N1	8.81	122.11	117.70
25	BB	650	C	N3-C4-C5	8.81	125.42	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	718	A	C5-C6-N1	8.81	122.11	117.70
25	BB	1483	G	C4-C5-N7	-8.81	107.27	110.80
25	BB	1813	G	N3-C2-N2	-8.81	113.73	119.90
25	BB	2321	U	O4'-C1'-N1	8.81	115.25	108.20
25	BB	1302	A	C5-C6-N6	8.81	130.75	123.70
25	BB	1638	C	N3-C4-C5	8.81	125.42	121.90
25	BB	2225	A	C6-C5-N7	8.81	138.47	132.30
3	A1	1285	A	C5-C6-N1	8.81	122.11	117.70
20	AU	77	ARG	NE-CZ-NH1	8.81	124.70	120.30
25	BB	338	G	N3-C2-N2	-8.81	113.73	119.90
25	BB	888	C	C2-N3-C4	-8.81	115.50	119.90
25	BB	2594	C	O4'-C1'-C2'	-8.81	96.99	105.80
3	A1	1352	C	N1-C2-O2	8.81	124.19	118.90
3	A1	401	C	N1-C2-N3	8.81	125.36	119.20
3	A1	726	C	N1-C2-O2	8.81	124.19	118.90
25	BB	796	C	N3-C2-O2	-8.81	115.73	121.90
25	BB	1468	U	C5-C6-N1	-8.81	118.30	122.70
25	BB	1396	U	O4'-C1'-N1	8.81	115.24	108.20
3	A1	880	C	C2-N3-C4	-8.80	115.50	119.90
25	BB	372	G	C6-C5-N7	8.80	135.68	130.40
25	BB	650	C	N3-C2-O2	-8.80	115.74	121.90
25	BB	1302	A	C4-C5-C6	-8.80	112.60	117.00
25	BB	1328	A	C4-C5-C6	-8.80	112.60	117.00
25	BB	2679	A	C5-C6-N1	8.80	122.10	117.70
3	A1	595	A	C5-C6-N6	8.80	130.74	123.70
3	A1	1295	U	C5-C4-O4	8.80	131.18	125.90
25	BB	184	C	C6-N1-C2	-8.80	116.78	120.30
25	BB	456	C	N3-C4-C5	8.80	125.42	121.90
25	BB	742	A	C4-C5-C6	-8.80	112.60	117.00
25	BB	947	A	C4-C5-C6	-8.80	112.60	117.00
25	BB	2164	C	N3-C2-O2	-8.80	115.74	121.90
25	BB	810	U	O4'-C1'-N1	8.80	115.24	108.20
25	BB	1389	G	N3-C2-N2	-8.80	113.74	119.90
25	BB	1687	G	N3-C4-C5	-8.80	124.20	128.60
25	BB	1877	A	C4-C5-C6	-8.80	112.60	117.00
25	BB	2293	G	C3'-C2'-C1'	-8.80	94.46	101.50
36	BM	6	ARG	NE-CZ-NH2	-8.80	115.90	120.30
24	BA	38	C	N3-C4-C5	8.80	125.42	121.90
24	BA	69	G	C5-C6-N1	8.80	115.90	111.50
25	BB	1947	C	C6-N1-C2	-8.80	116.78	120.30
25	BB	2074	U	O4'-C1'-N1	8.80	115.24	108.20
25	BB	2078	C	N3-C2-O2	-8.80	115.74	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	667	G	C5'-C4'-O4'	8.79	119.65	109.10
25	BB	40	U	N3-C4-O4	8.79	125.56	119.40
25	BB	258	G	N7-C8-N9	8.79	117.50	113.10
25	BB	1016	G	C5-C6-N1	8.79	115.90	111.50
25	BB	1985	C	N1-C2-O2	8.79	124.18	118.90
3	A1	21	G	O4'-C1'-N9	8.79	115.23	108.20
3	A1	1370	G	N1-C6-O6	-8.79	114.62	119.90
25	BB	554	U	C5-C6-N1	-8.79	118.30	122.70
25	BB	775	G	C8-N9-C4	-8.79	102.88	106.40
25	BB	1113	U	O4'-C1'-N1	8.79	115.23	108.20
25	BB	1671	U	O4'-C1'-N1	8.79	115.23	108.20
25	BB	2084	C	C5-C4-N4	-8.79	114.05	120.20
25	BB	2365	G	C3'-C2'-C1'	-8.79	94.47	101.50
3	A1	627	G	C4'-C3'-C2'	-8.79	93.81	102.60
25	BB	703	U	O4'-C1'-N1	8.79	115.23	108.20
3	A1	1158	C	N1-C2-O2	8.79	124.17	118.90
3	A1	187	G	C5-C6-O6	8.79	133.87	128.60
22	AW	123	ARG	NE-CZ-NH2	8.79	124.69	120.30
35	BL	88	ARG	NE-CZ-NH1	8.79	124.69	120.30
3	A1	527	G	C5-C6-N1	8.78	115.89	111.50
3	A1	1362	A	C2-N3-C4	8.78	114.99	110.60
25	BB	310	A	C5-C6-N1	8.78	122.09	117.70
25	BB	2613	U	N3-C2-O2	-8.79	116.05	122.20
3	A1	955	U	C4-C5-C6	8.78	124.97	119.70
25	BB	726	G	N1-C6-O6	-8.78	114.63	119.90
25	BB	1803	A	O4'-C4'-C3'	8.78	113.13	106.10
3	A1	183	C	C6-N1-C2	-8.78	116.79	120.30
3	A1	1368	A	C5-C6-N6	8.78	130.72	123.70
25	BB	1412	U	C5-C6-N1	-8.78	118.31	122.70
25	BB	1627	G	N1-C6-O6	-8.78	114.63	119.90
25	BB	2266	A	C3'-C2'-C1'	8.78	108.53	101.50
1	AE	30	G	N1-C6-O6	-8.78	114.63	119.90
25	BB	1662	U	C1'-O4'-C4'	-8.78	102.88	109.90
25	BB	2603	G	N3-C2-N2	-8.78	113.75	119.90
25	BB	2813	A	C5-C6-N1	8.78	122.09	117.70
3	A1	998	C	C6-N1-C2	-8.78	116.79	120.30
3	A1	1053	G	N1-C6-O6	-8.78	114.63	119.90
25	BB	710	U	C5'-C4'-O4'	8.78	119.63	109.10
25	BB	2527	C	O4'-C1'-N1	8.78	115.22	108.20
25	BB	2595	G	N3-C2-N2	-8.78	113.76	119.90
25	BB	1490	A	C4-C5-C6	-8.78	112.61	117.00
3	A1	1447	A	C5-C6-N1	8.77	122.09	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2831	G	N1-C6-O6	-8.77	114.64	119.90
25	BB	2858	C	N3-C4-N4	-8.77	111.86	118.00
1	AP	23	A	C5'-C4'-O4'	8.77	119.62	109.10
3	A1	479	U	O4'-C1'-N1	8.77	115.22	108.20
3	A1	1058	G	N3-C4-C5	-8.77	124.21	128.60
25	BB	1621	U	O4'-C1'-N1	8.77	115.22	108.20
25	BB	1952	A	C4-C5-C6	-8.77	112.61	117.00
3	A1	217	C	N3-C2-O2	-8.77	115.76	121.90
25	BB	719	C	C2-N3-C4	-8.77	115.52	119.90
25	BB	859	G	C8-N9-C4	-8.77	102.89	106.40
25	BB	1876	A	C4-C5-C6	-8.77	112.61	117.00
25	BB	1929	G	O4'-C1'-N9	8.77	115.21	108.20
25	BB	2316	G	N1-C2-N3	8.77	129.16	123.90
25	BB	2719	G	C8-N9-C4	-8.77	102.89	106.40
3	A1	253	A	C3'-C2'-C1'	8.77	108.51	101.50
3	A1	363	A	C3'-C2'-C1'	8.77	108.51	101.50
3	A1	563	A	C4-C5-C6	-8.77	112.62	117.00
3	A1	1207	G	N7-C8-N9	8.77	117.48	113.10
3	A1	1429	A	C4-C5-C6	-8.77	112.62	117.00
24	BA	49	C	N3-C2-O2	-8.77	115.76	121.90
24	BA	68	C	N1-C2-O2	8.77	124.16	118.90
25	BB	1104	C	C3'-C2'-C1'	8.77	108.51	101.50
25	BB	2101	A	C5-C6-N1	8.77	122.08	117.70
25	BB	2128	G	C5-C6-N1	8.77	115.88	111.50
25	BB	2461	A	O4'-C4'-C3'	8.77	113.11	106.10
1	AE	58	A	C6-C5-N7	8.76	138.44	132.30
25	BB	305	C	O4'-C1'-N1	8.76	115.21	108.20
25	BB	2749	A	C4-C5-C6	-8.76	112.62	117.00
3	A1	1295	U	O4'-C4'-C3'	8.76	113.11	106.10
25	BB	642	U	C4'-C3'-C2'	-8.76	93.84	102.60
25	BB	2730	C	C2-N3-C4	-8.76	115.52	119.90
25	BB	1762	A	C6-C5-N7	8.76	138.43	132.30
1	AA	44	A	C5-C6-N1	8.76	122.08	117.70
3	A1	199	A	C4-C5-C6	-8.76	112.62	117.00
3	A1	330	C	C3'-C2'-C1'	8.76	108.51	101.50
3	A1	424	G	N1-C6-O6	-8.76	114.64	119.90
3	A1	635	A	C4-C5-C6	-8.76	112.62	117.00
3	A1	792	A	OP1-P-OP2	-8.76	106.46	119.60
3	A1	965	U	C3'-C2'-C1'	-8.76	94.49	101.50
25	BB	1804	C	C2-N3-C4	-8.76	115.52	119.90
25	BB	2587	A	C5-C6-N1	8.76	122.08	117.70
3	A1	828	U	N3-C2-O2	-8.76	116.07	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1162	C	N3-C2-O2	-8.76	115.77	121.90
3	A1	1291	U	O4'-C1'-N1	8.76	115.21	108.20
3	A1	1492	A	C8-N9-C4	-8.76	102.30	105.80
25	BB	1958	C	N1-C2-N3	8.76	125.33	119.20
25	BB	2422	C	N3-C4-N4	-8.76	111.87	118.00
3	A1	34	C	N3-C4-N4	-8.76	111.87	118.00
3	A1	501	C	C2-N3-C4	-8.76	115.52	119.90
3	A1	1327	C	C3'-C2'-C1'	8.76	108.51	101.50
37	BN	13	ARG	CD-NE-CZ	8.76	135.86	123.60
3	A1	236	A	C4-C5-C6	-8.76	112.62	117.00
3	A1	966	G	N1-C2-N3	8.76	129.15	123.90
3	A1	1029	U	C1'-O4'-C4'	-8.76	102.89	109.90
3	A1	1155	A	C4-C5-C6	-8.76	112.62	117.00
3	A1	1218	C	C5-C6-N1	-8.76	116.62	121.00
3	A1	1494	G	C5'-C4'-C3'	-8.76	101.99	116.00
25	BB	786	C	C2-N3-C4	-8.76	115.52	119.90
25	BB	922	C	N3-C4-C5	8.76	125.40	121.90
25	BB	1408	G	C5-C6-N1	8.76	115.88	111.50
25	BB	1984	G	C1'-O4'-C4'	-8.76	102.89	109.90
25	BB	2212	A	C5-C6-N6	8.76	130.71	123.70
25	BB	2316	G	N3-C2-N2	-8.76	113.77	119.90
25	BB	2525	G	C5-C6-N1	8.76	115.88	111.50
25	BB	2567	G	N1-C6-O6	-8.76	114.65	119.90
3	A1	893	C	N3-C4-N4	-8.75	111.87	118.00
3	A1	951	G	C3'-C2'-C1'	-8.75	94.50	101.50
3	A1	1120	C	N3-C4-N4	-8.75	111.87	118.00
3	A1	189	A	C4-C5-C6	-8.75	112.62	117.00
3	A1	425	G	C5-C6-N1	8.75	115.88	111.50
3	A1	802	A	C4-C5-C6	-8.75	112.62	117.00
25	BB	538	A	C4-C5-C6	-8.75	112.62	117.00
25	BB	540	C	N1-C2-O2	8.75	124.15	118.90
25	BB	721	A	C5-C6-N1	8.75	122.08	117.70
25	BB	1247	A	C4-C5-C6	-8.75	112.62	117.00
25	BB	1321	A	C4-C5-C6	-8.75	112.62	117.00
25	BB	1928	A	C5-C6-N1	8.75	122.08	117.70
25	BB	587	C	N3-C4-C5	8.75	125.40	121.90
25	BB	1381	G	N1-C6-O6	-8.75	114.65	119.90
25	BB	2084	C	N3-C2-O2	-8.75	115.78	121.90
3	A1	878	A	C5-C6-N6	8.75	130.70	123.70
25	BB	1221	C	C5-C4-N4	-8.75	114.08	120.20
25	BB	1925	C	C4'-C3'-C2'	-8.75	93.85	102.60
3	A1	832	G	N1-C6-O6	-8.75	114.65	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1187	G	N1-C6-O6	-8.75	114.65	119.90
25	BB	297	G	C4-C5-N7	-8.75	107.30	110.80
25	BB	1562	U	O4'-C1'-N1	8.75	115.20	108.20
3	A1	922	G	N3-C2-N2	-8.75	113.78	119.90
25	BB	1737	G	N7-C8-N9	8.75	117.47	113.10
25	BB	2453	A	C5-C6-N1	8.75	122.07	117.70
25	BB	2806	C	C5-C6-N1	-8.75	116.63	121.00
3	A1	919	A	C4-C5-C6	-8.74	112.63	117.00
3	A1	982	U	N1-C2-O2	8.74	128.92	122.80
25	BB	27	G	C5-C6-N1	8.74	115.87	111.50
25	BB	1153	C	C2-N3-C4	-8.74	115.53	119.90
25	BB	1261	C	C2-N3-C4	-8.74	115.53	119.90
25	BB	1522	A	O4'-C4'-C3'	8.74	113.09	106.10
3	A1	726	C	N3-C2-O2	-8.74	115.78	121.90
25	BB	397	U	C5-C6-N1	-8.74	118.33	122.70
25	BB	1196	C	C5-C6-N1	-8.74	116.63	121.00
25	BB	2681	C	N3-C2-O2	-8.74	115.78	121.90
25	BB	484	C	C5-C4-N4	8.74	126.32	120.20
24	BA	31	C	C2-N3-C4	-8.74	115.53	119.90
25	BB	1109	C	C6-N1-C2	-8.74	116.81	120.30
25	BB	1609	A	C5-C6-N1	8.74	122.07	117.70
25	BB	2084	C	N1-C2-O2	8.74	124.14	118.90
25	BB	655	A	N9-C4-C5	8.73	109.29	105.80
25	BB	2833	U	N1-C2-O2	8.73	128.91	122.80
3	A1	511	C	N3-C2-O2	-8.73	115.79	121.90
25	BB	1661	G	O4'-C1'-N9	8.73	115.19	108.20
25	BB	1773	A	C4-C5-C6	-8.73	112.63	117.00
25	BB	2540	C	N3-C4-N4	-8.73	111.89	118.00
25	BB	1339	G	C5-C6-N1	8.73	115.87	111.50
3	A1	35	G	C4-C5-N7	-8.73	107.31	110.80
3	A1	344	A	N1-C6-N6	-8.73	113.36	118.60
25	BB	876	C	N3-C2-O2	-8.73	115.79	121.90
3	A1	364	A	C5-C6-N1	8.73	122.06	117.70
25	BB	1789	A	C5-C6-N6	8.73	130.68	123.70
25	BB	2661	G	C5-C6-N1	8.73	115.86	111.50
3	A1	821	G	C4-C5-C6	-8.73	113.56	118.80
3	A1	1255	G	N1-C6-O6	-8.73	114.66	119.90
25	BB	957	C	C5'-C4'-O4'	8.73	119.58	109.10
25	BB	2089	C	N3-C2-O2	-8.73	115.79	121.90
3	A1	704	A	C4-C5-C6	-8.73	112.64	117.00
3	A1	1257	A	C5-C6-N1	8.73	122.06	117.70
25	BB	151	C	O4'-C1'-N1	8.73	115.18	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1980	G	C5-C6-N1	8.73	115.86	111.50
25	BB	1463	C	N3-C4-N4	-8.72	111.89	118.00
3	A1	971	G	C5-C6-O6	8.72	133.83	128.60
3	A1	1170	A	C6-N1-C2	-8.72	113.36	118.60
25	BB	331	C	O4'-C1'-N1	8.72	115.18	108.20
25	BB	1475	G	N3-C2-N2	8.72	126.01	119.90
25	BB	2459	A	C1'-O4'-C4'	-8.72	102.92	109.90
52	B3	162	ARG	NE-CZ-NH2	8.72	124.66	120.30
3	A1	1123	U	C5-C6-N1	-8.72	118.34	122.70
25	BB	1982	U	C3'-C2'-C1'	8.72	108.48	101.50
25	BB	2430	A	C4-C5-C6	-8.72	112.64	117.00
1	AA	70	C	N1-C1'-C2'	-8.72	102.41	112.00
2	AM	3	U	C5-C6-N1	-8.72	118.34	122.70
3	A1	546	A	N1-C6-N6	-8.72	113.37	118.60
3	A1	1302	C	C6-N1-C2	-8.72	116.81	120.30
25	BB	2134	A	C5-C6-N1	8.72	122.06	117.70
25	BB	2631	G	N1-C2-N3	8.72	129.13	123.90
25	BB	2741	A	C5-C6-N1	8.72	122.06	117.70
25	BB	2869	G	N3-C4-C5	-8.72	124.24	128.60
3	A1	577	G	C5-C6-N1	8.72	115.86	111.50
24	BA	71	C	C6-N1-C2	-8.72	116.81	120.30
25	BB	671	C	N3-C2-O2	-8.72	115.80	121.90
1	AP	25	C	N3-C4-C5	8.71	125.39	121.90
1	AE	37	G	C5-C6-O6	8.71	133.83	128.60
25	BB	141	G	N1-C6-O6	-8.71	114.67	119.90
25	BB	280	U	C4-C5-C6	8.71	124.93	119.70
25	BB	679	C	C3'-C2'-C1'	8.72	108.47	101.50
25	BB	919	U	N1-C2-N3	8.71	120.13	114.90
25	BB	1403	A	C4-C5-C6	-8.71	112.64	117.00
3	A1	738	C	N1-C2-O2	8.71	124.13	118.90
3	A1	1227	A	C5-C6-N6	8.71	130.67	123.70
24	BA	61	G	N3-C4-C5	-8.71	124.24	128.60
1	AP	10	G	C1'-O4'-C4'	-8.71	102.93	109.90
25	BB	88	G	N9-C4-C5	-8.71	101.92	105.40
25	BB	176	A	C5-N7-C8	-8.71	99.54	103.90
25	BB	386	G	C4'-C3'-C2'	-8.71	93.89	102.60
25	BB	855	G	N1-C2-N3	8.71	129.13	123.90
37	BN	181	ARG	NE-CZ-NH2	8.71	124.66	120.30
25	BB	2154	A	N1-C6-N6	-8.71	113.37	118.60
25	BB	2191	A	O4'-C1'-N9	8.71	115.17	108.20
3	A1	414	A	N1-C6-N6	-8.71	113.38	118.60
3	A1	484	G	N1-C6-O6	-8.71	114.67	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	798	U	O4'-C1'-N1	8.71	115.17	108.20
25	BB	915	C	N3-C4-C5	8.71	125.38	121.90
25	BB	1325	U	N3-C2-O2	-8.71	116.10	122.20
3	A1	1147	C	C2-N3-C4	-8.71	115.55	119.90
3	A1	1428	A	C5'-C4'-O4'	8.71	119.55	109.10
3	A1	1497	G	C2'-C3'-O3'	8.71	128.66	109.50
25	BB	179	C	C5-C4-N4	8.71	126.30	120.20
25	BB	263	G	O4'-C1'-N9	8.71	115.17	108.20
25	BB	1214	A	O4'-C1'-N9	8.71	115.17	108.20
25	BB	1745	A	C6-C5-N7	8.71	138.40	132.30
25	BB	1233	C	N3-C4-C5	8.71	125.38	121.90
3	A1	1181	G	N3-C2-N2	-8.70	113.81	119.90
25	BB	1698	A	OP1-P-OP2	-8.70	106.54	119.60
25	BB	239	C	C6-N1-C2	-8.70	116.82	120.30
25	BB	484	C	N3-C2-O2	-8.70	115.81	121.90
25	BB	509	C	N3-C4-C5	8.70	125.38	121.90
25	BB	1117	C	N3-C2-O2	-8.70	115.81	121.90
25	BB	1429	G	N1-C6-O6	-8.70	114.68	119.90
25	BB	1504	A	C6-C5-N7	8.70	138.39	132.30
25	BB	1713	A	C4-C5-C6	-8.70	112.65	117.00
25	BB	2169	A	C6-C5-N7	8.70	138.39	132.30
25	BB	2480	C	C4-C5-C6	8.70	121.75	117.40
25	BB	2665	A	C5-C6-N1	8.70	122.05	117.70
3	A1	1430	A	C6-C5-N7	8.70	138.39	132.30
25	BB	632	A	C5-C6-N1	8.70	122.05	117.70
3	A1	664	G	O4'-C1'-N9	8.70	115.16	108.20
25	BB	504	A	N1-C2-N3	-8.70	124.95	129.30
25	BB	590	A	C5-C6-N1	8.70	122.05	117.70
25	BB	1564	C	N1-C2-O2	8.70	124.12	118.90
25	BB	2080	A	C4-C5-C6	-8.70	112.65	117.00
25	BB	2823	A	O4'-C1'-N9	8.70	115.16	108.20
25	BB	193	U	N3-C2-O2	-8.70	116.11	122.20
1	AA	61	C	N3-C4-N4	-8.70	111.91	118.00
1	AP	44	A	C5-C6-N6	8.70	130.66	123.70
1	AE	39	U	C5'-C4'-O4'	8.70	119.53	109.10
3	A1	207	C	N3-C2-O2	-8.70	115.81	121.90
25	BB	300	A	C8-N9-C4	-8.69	102.32	105.80
25	BB	1037	G	N3-C4-C5	-8.69	124.25	128.60
25	BB	1641	A	C5-C6-N1	8.69	122.05	117.70
25	BB	2330	G	C8-N9-C4	-8.69	102.92	106.40
25	BB	2710	C	N3-C4-N4	-8.70	111.91	118.00
1	AA	48	C	N3-C2-O2	-8.69	115.81	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1196	A	C2-N3-C4	8.69	114.95	110.60
25	BB	402	A	C5-C6-N6	8.69	130.65	123.70
25	BB	2460	U	N3-C2-O2	-8.69	116.12	122.20
3	A1	1353	G	N3-C4-C5	-8.69	124.25	128.60
25	BB	760	G	N1-C6-O6	-8.69	114.69	119.90
25	BB	2076	U	O4'-C1'-C2'	-8.69	97.11	105.80
3	A1	491	G	N1-C6-O6	-8.69	114.69	119.90
3	A1	615	G	N1-C6-O6	-8.69	114.69	119.90
3	A1	715	A	C4-C5-N7	-8.69	106.36	110.70
3	A1	830	G	N1-C6-O6	-8.69	114.69	119.90
3	A1	1132	C	N3-C4-N4	-8.69	111.92	118.00
25	BB	1631	G	C5-C6-N1	8.69	115.84	111.50
25	BB	1656	C	N1-C2-N3	8.69	125.28	119.20
25	BB	1918	A	N1-C6-N6	-8.69	113.39	118.60
25	BB	2860	A	N1-C6-N6	-8.69	113.39	118.60
3	A1	154	U	C5-C6-N1	-8.68	118.36	122.70
1	AE	67	A	C5-C6-N1	8.68	122.04	117.70
3	A1	374	A	N1-C6-N6	-8.68	113.39	118.60
3	A1	524	G	N7-C8-N9	8.68	117.44	113.10
25	BB	433	C	O4'-C1'-N1	8.68	115.15	108.20
25	BB	853	C	N3-C4-C5	8.68	125.37	121.90
25	BB	1013	C	N3-C4-N4	-8.68	111.92	118.00
25	BB	1362	C	N3-C2-O2	-8.68	115.82	121.90
25	BB	1901	A	C5-C6-N1	8.68	122.04	117.70
25	BB	1986	C	C2-N3-C4	-8.68	115.56	119.90
25	BB	2203	U	C5-C6-N1	-8.68	118.36	122.70
25	BB	2295	C	O4'-C1'-N1	8.68	115.15	108.20
25	BB	2633	G	O4'-C4'-C3'	8.68	113.05	106.10
1	AE	11	C	N3-C2-O2	-8.68	115.82	121.90
3	A1	401	C	C2-N3-C4	-8.68	115.56	119.90
3	A1	646	G	N3-C4-C5	-8.68	124.26	128.60
25	BB	1142	A	C5-C6-N1	8.68	122.04	117.70
25	BB	1151	A	C5-C6-N6	8.68	130.65	123.70
3	A1	341	C	N3-C4-C5	8.68	125.37	121.90
3	A1	703	G	C5'-C4'-O4'	-8.68	98.69	109.10
3	A1	1211	U	N3-C2-O2	-8.68	116.12	122.20
25	BB	1477	A	C5-C6-N1	8.68	122.04	117.70
3	A1	1322	C	N3-C2-O2	-8.68	115.83	121.90
25	BB	945	A	C4-C5-C6	-8.68	112.66	117.00
25	BB	2216	G	O4'-C1'-N9	8.68	115.14	108.20
3	A1	55	A	C5-C6-N1	8.68	122.04	117.70
3	A1	302	G	C8-N9-C4	-8.68	102.93	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	305	G	C8-N9-C4	-8.68	102.93	106.40
3	A1	956	U	C6-N1-C2	-8.68	115.80	121.00
3	A1	1017	U	N1-C2-N3	8.68	120.11	114.90
9	AH	57	ARG	NE-CZ-NH1	8.68	124.64	120.30
25	BB	91	A	C4-C5-C6	-8.68	112.66	117.00
25	BB	173	A	C4-C5-C6	-8.68	112.66	117.00
25	BB	273	G	N1-C2-N3	8.68	129.10	123.90
25	BB	904	G	C6-C5-N7	8.68	135.60	130.40
25	BB	1466	U	N3-C2-O2	-8.68	116.13	122.20
25	BB	1547	C	N3-C4-N4	-8.68	111.93	118.00
3	A1	122	G	C6-N1-C2	-8.67	119.89	125.10
3	A1	846	G	C8-N9-C4	-8.67	102.93	106.40
25	BB	1420	A	C4-C5-C6	-8.67	112.66	117.00
25	BB	1507	C	C2-N3-C4	-8.67	115.56	119.90
25	BB	2820	A	C5-C6-N6	8.67	130.64	123.70
2	AM	9	U	C2-N3-C4	-8.67	121.80	127.00
3	A1	419	C	C5'-C4'-O4'	8.67	119.50	109.10
3	A1	762	U	O4'-C1'-N1	8.67	115.14	108.20
3	A1	1408	A	N1-C6-N6	-8.67	113.40	118.60
3	A1	1482	G	C6-N1-C2	-8.67	119.90	125.10
25	BB	329	G	N1-C2-N3	8.67	129.10	123.90
1	AP	16	U	N3-C2-O2	-8.67	116.13	122.20
3	A1	776	G	N9-C1'-C2'	-8.67	102.47	112.00
25	BB	624	C	C2-N3-C4	-8.67	115.57	119.90
25	BB	847	U	C5-C6-N1	-8.67	118.37	122.70
25	BB	1152	C	N3-C2-O2	-8.67	115.83	121.90
25	BB	2567	G	C1'-O4'-C4'	-8.67	102.97	109.90
3	A1	441	A	C3'-C2'-C1'	8.66	108.43	101.50
3	A1	470	C	O4'-C1'-N1	8.66	115.13	108.20
3	A1	765	G	N9-C4-C5	8.66	108.87	105.40
3	A1	1353	G	C3'-C2'-C1'	8.66	108.43	101.50
3	A1	1503	A	C4-C5-C6	-8.66	112.67	117.00
3	A1	1512	U	O4'-C1'-N1	8.66	115.13	108.20
25	BB	161	A	C5-C6-N1	8.66	122.03	117.70
25	BB	198	C	O4'-C1'-N1	8.66	115.13	108.20
25	BB	247	G	N1-C6-O6	-8.66	114.70	119.90
25	BB	899	A	N1-C6-N6	-8.66	113.40	118.60
25	BB	903	C	C5-C6-N1	-8.66	116.67	121.00
3	A1	290	C	O4'-C1'-N1	8.66	115.13	108.20
25	BB	1302	A	C6-C5-N7	8.66	138.36	132.30
25	BB	1385	A	C4-C5-C6	-8.66	112.67	117.00
3	A1	517	G	N3-C4-N9	8.66	131.20	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1242	G	C1'-O4'-C4'	-8.66	102.97	109.90
25	BB	1223	G	C1'-O4'-C4'	-8.66	102.97	109.90
25	BB	2594	C	N1-C2-N3	8.66	125.26	119.20
3	A1	1019	A	C5-C6-N1	8.66	122.03	117.70
25	BB	100	U	C5-C4-O4	8.66	131.10	125.90
25	BB	523	C	N3-C2-O2	-8.66	115.84	121.90
25	BB	2092	U	C5-C6-N1	-8.66	118.37	122.70
33	BJ	10	ARG	NE-CZ-NH2	8.66	124.63	120.30
25	BB	2400	G	N3-C4-C5	-8.66	124.27	128.60
3	A1	280	C	N3-C2-O2	-8.66	115.84	121.90
3	A1	812	G	C8-N9-C4	-8.66	102.94	106.40
3	A1	932	C	N3-C2-O2	-8.66	115.84	121.90
1	AP	68	U	C3'-C2'-C1'	-8.66	94.58	101.50
25	BB	819	A	C4-C5-C6	-8.66	112.67	117.00
25	BB	1681	G	O4'-C1'-N9	8.66	115.12	108.20
45	BV	35	ARG	NH1-CZ-NH2	-8.66	109.88	119.40
25	BB	1051	G	C4-C5-C6	-8.65	113.61	118.80
3	A1	352	C	O4'-C1'-N1	-8.65	101.28	108.20
3	A1	741	G	C5-C6-N1	8.65	115.83	111.50
3	A1	1362	A	C6-C5-N7	8.65	138.36	132.30
25	BB	323	C	N3-C4-C5	8.65	125.36	121.90
25	BB	467	G	C1'-O4'-C4'	-8.65	102.98	109.90
25	BB	919	U	N3-C2-O2	-8.65	116.14	122.20
25	BB	692	C	N3-C4-C5	8.65	125.36	121.90
3	A1	1169	A	N1-C6-N6	-8.65	113.41	118.60
3	A1	1171	A	N1-C6-N6	-8.65	113.41	118.60
3	A1	836	G	C8-N9-C4	-8.65	102.94	106.40
25	BB	124	G	N7-C8-N9	8.65	117.43	113.10
25	BB	685	A	C4-C5-C6	-8.65	112.67	117.00
25	BB	1377	G	O4'-C1'-N9	8.65	115.12	108.20
25	BB	1901	A	C5-C6-N6	8.65	130.62	123.70
3	A1	940	C	N3-C4-N4	-8.65	111.95	118.00
3	A1	1232	U	N3-C2-O2	-8.65	116.15	122.20
25	BB	640	C	N3-C2-O2	-8.65	115.85	121.90
25	BB	1290	C	N3-C4-N4	-8.65	111.95	118.00
25	BB	2579	C	N3-C4-C5	8.65	125.36	121.90
25	BB	2499	C	C5-C4-N4	-8.65	114.15	120.20
25	BB	2633	G	N1-C6-O6	-8.65	114.71	119.90
28	BE	132	ARG	CD-NE-CZ	8.65	135.71	123.60
3	A1	211	G	N3-C4-C5	-8.64	124.28	128.60
25	BB	940	G	N3-C4-N9	8.64	131.19	126.00
25	BB	1451	C	C5-C6-N1	-8.64	116.68	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	BG	22	ARG	NE-CZ-NH1	8.64	124.62	120.30
1	AE	1	G	N3-C4-C5	-8.64	124.28	128.60
3	A1	759	A	C6-C5-N7	8.64	138.35	132.30
3	A1	1166	G	N3-C2-N2	-8.64	113.85	119.90
1	AE	24	G	C5'-C4'-O4'	8.64	119.47	109.10
3	A1	35	G	N3-C2-N2	-8.64	113.85	119.90
3	A1	220	G	C5-C6-N1	8.64	115.82	111.50
18	AS	64	GLU	OE1-CD-OE2	-8.64	112.93	123.30
24	BA	31	C	N3-C2-O2	-8.64	115.85	121.90
24	BA	37	C	C5-C4-N4	-8.64	114.15	120.20
25	BB	163	C	N3-C2-O2	-8.64	115.85	121.90
25	BB	2086	U	N3-C2-O2	-8.64	116.15	122.20
3	A1	440	C	O4'-C1'-N1	8.64	115.11	108.20
3	A1	1266	G	C2-N3-C4	-8.64	107.58	111.90
25	BB	2682	A	C4-C5-C6	-8.64	112.68	117.00
3	A1	166	U	C5'-C4'-C3'	-8.64	102.18	116.00
3	A1	238	A	C3'-C2'-C1'	8.64	108.41	101.50
24	BA	3	C	N3-C4-C5	8.64	125.36	121.90
25	BB	710	U	O4'-C1'-N1	8.64	115.11	108.20
25	BB	843	G	N1-C2-N3	8.64	129.08	123.90
1	AA	29	A	C4-C5-N7	-8.64	106.38	110.70
1	AP	27	C	N1-C2-N3	8.63	125.25	119.20
3	A1	743	A	C3'-C2'-C1'	8.63	108.41	101.50
25	BB	361	G	O4'-C1'-N9	8.64	115.11	108.20
1	AA	30	G	C5-C6-O6	8.63	133.78	128.60
1	AP	36	A	C4'-C3'-C2'	-8.63	93.97	102.60
1	AP	42	G	C8-N9-C4	-8.63	102.95	106.40
1	AP	73	A	N1-C6-N6	-8.63	113.42	118.60
3	A1	59	A	N7-C8-N9	8.63	118.12	113.80
3	A1	573	A	C4-C5-C6	-8.63	112.68	117.00
3	A1	311	C	C6-N1-C2	-8.63	116.85	120.30
13	AL	63	ASP	CB-CG-OD2	8.63	126.07	118.30
25	BB	2301	C	N1-C2-O2	8.63	124.08	118.90
25	BB	2621	G	N1-C6-O6	-8.63	114.72	119.90
3	A1	318	G	N1-C2-N2	-8.63	108.43	116.20
3	A1	455	G	C4-C5-C6	-8.63	113.62	118.80
25	BB	1690	A	C4-C5-C6	-8.63	112.68	117.00
3	A1	790	A	C5-C6-N1	8.63	122.02	117.70
3	A1	1100	C	N3-C4-N4	-8.63	111.96	118.00
3	A1	419	C	N3-C2-O2	-8.63	115.86	121.90
3	A1	488	C	N3-C2-O2	-8.63	115.86	121.90
25	BB	66	C	C6-N1-C2	-8.63	116.85	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	731	C	C2-N3-C4	-8.63	115.59	119.90
25	BB	1383	A	C2-N3-C4	8.63	114.91	110.60
25	BB	1945	G	C4-C5-C6	-8.63	113.62	118.80
25	BB	2241	A	C4-C5-C6	-8.63	112.69	117.00
25	BB	2712	C	N1-C2-O2	8.63	124.08	118.90
3	A1	332	G	N1-C6-O6	-8.62	114.72	119.90
3	A1	342	C	N3-C2-O2	-8.62	115.86	121.90
3	A1	379	C	C5-C6-N1	-8.62	116.69	121.00
3	A1	666	G	C5-C6-N1	8.63	115.81	111.50
3	A1	1519	A	C5-C6-N6	8.62	130.60	123.70
25	BB	64	A	O4'-C1'-N9	8.63	115.10	108.20
25	BB	1761	C	N3-C2-O2	-8.63	115.86	121.90
25	BB	2761	A	C1'-O4'-C4'	-8.62	103.00	109.90
3	A1	172	A	C4-C5-C6	-8.62	112.69	117.00
3	A1	420	U	C5-C6-N1	-8.62	118.39	122.70
3	A1	1023	U	N3-C2-O2	-8.62	116.17	122.20
25	BB	550	C	N1-C2-O2	8.62	124.07	118.90
25	BB	1241	A	N1-C6-N6	-8.62	113.43	118.60
25	BB	1637	A	C5-C6-N1	8.62	122.01	117.70
3	A1	1133	G	C5-C6-N1	8.62	115.81	111.50
25	BB	1501	G	N1-C6-O6	-8.62	114.73	119.90
25	BB	1590	A	C4-C5-C6	-8.62	112.69	117.00
3	A1	895	G	C4-C5-N7	-8.62	107.35	110.80
25	BB	936	A	C5-C6-N1	8.62	122.01	117.70
25	BB	2418	A	O4'-C1'-N9	8.62	115.09	108.20
25	BB	428	A	C5-C6-N1	8.62	122.01	117.70
25	BB	751	A	N1-C6-N6	-8.62	113.43	118.60
25	BB	1323	C	O4'-C1'-N1	8.62	115.09	108.20
25	BB	2557	G	N1-C2-N3	8.62	129.07	123.90
25	BB	2566	A	C5-C6-N1	8.62	122.01	117.70
25	BB	2899	A	C5-C6-N1	8.62	122.01	117.70
3	A1	122	G	O4'-C4'-C3'	8.62	112.99	106.10
3	A1	454	G	C5-C6-O6	8.62	133.77	128.60
3	A1	889	A	C4-C5-C6	-8.61	112.69	117.00
3	A1	1239	A	C2-N3-C4	8.62	114.91	110.60
25	BB	208	C	C3'-C2'-C1'	8.62	108.39	101.50
25	BB	1281	G	C3'-C2'-C1'	8.62	108.39	101.50
3	A1	59	A	N9-C4-C5	8.61	109.25	105.80
24	BA	56	G	C3'-C2'-C1'	8.61	108.39	101.50
25	BB	847	U	O4'-C1'-N1	8.61	115.09	108.20
25	BB	1908	C	C2-N3-C4	-8.61	115.59	119.90
3	A1	428	G	N3-C2-N2	-8.61	113.87	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2090	A	N1-C2-N3	-8.61	124.99	129.30
25	BB	2537	U	N3-C2-O2	-8.61	116.17	122.20
25	BB	2604	U	N1-C2-N3	8.61	120.07	114.90
3	A1	20	U	N3-C2-O2	-8.61	116.17	122.20
3	A1	403	C	N3-C2-O2	-8.61	115.87	121.90
3	A1	476	U	C5-C6-N1	-8.61	118.40	122.70
3	A1	629	A	C4-C5-C6	-8.61	112.70	117.00
25	BB	475	C	C6-N1-C2	-8.61	116.86	120.30
25	BB	539	G	C4-C5-N7	8.61	114.24	110.80
3	A1	1509	C	N3-C4-N4	-8.61	111.97	118.00
3	A1	295	C	O4'-C1'-N1	8.61	115.08	108.20
3	A1	80	A	C4-C5-C6	-8.61	112.70	117.00
3	A1	580	C	N3-C2-O2	-8.61	115.88	121.90
3	A1	1112	C	C2-N3-C4	-8.61	115.60	119.90
3	A1	1269	A	N1-C6-N6	-8.61	113.44	118.60
3	A1	1383	C	N1-C2-O2	8.61	124.06	118.90
3	A1	651	C	C2-N3-C4	-8.60	115.60	119.90
3	A1	1316	G	C4-C5-C6	-8.60	113.64	118.80
3	A1	1420	U	C5-C6-N1	-8.60	118.40	122.70
25	BB	592	A	C5-C6-N1	8.60	122.00	117.70
25	BB	1558	C	N3-C2-O2	-8.60	115.88	121.90
25	BB	1567	G	N1-C6-O6	-8.60	114.74	119.90
25	BB	2633	G	C5-C6-N1	8.60	115.80	111.50
1	AA	13	C	N3-C2-O2	-8.60	115.88	121.90
3	A1	528	C	N3-C4-C5	8.60	125.34	121.90
25	BB	723	C	C6-N1-C2	-8.60	116.86	120.30
25	BB	2125	G	C5-C6-N1	8.60	115.80	111.50
3	A1	265	G	C5-C6-N1	8.60	115.80	111.50
3	A1	332	G	N3-C2-N2	-8.60	113.88	119.90
3	A1	1349	A	C5-C6-N1	8.60	122.00	117.70
3	A1	1482	G	C1'-O4'-C4'	-8.60	103.02	109.90
25	BB	2824	C	N3-C4-C5	8.60	125.34	121.90
1	AE	13	C	N3-C4-C5	8.60	125.34	121.90
3	A1	367	U	N3-C2-O2	-8.60	116.18	122.20
25	BB	60	G	N1-C2-N2	-8.60	108.46	116.20
25	BB	227	A	C5-C6-N1	8.60	122.00	117.70
25	BB	1029	A	C1'-O4'-C4'	-8.60	103.02	109.90
25	BB	1680	U	P-O5'-C5'	8.60	134.66	120.90
25	BB	266	G	C5-C6-N1	8.59	115.80	111.50
25	BB	433	C	C2-N3-C4	-8.59	115.60	119.90
25	BB	1132	U	N3-C2-O2	-8.59	116.18	122.20
25	BB	412	A	C2-N3-C4	8.59	114.90	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	507	A	C5-C6-N1	8.59	122.00	117.70
25	BB	832	U	N3-C2-O2	-8.59	116.19	122.20
25	BB	1200	C	C1'-O4'-C4'	-8.59	103.03	109.90
25	BB	1803	A	C6-C5-N7	8.59	138.31	132.30
25	BB	2508	G	N3-C2-N2	-8.59	113.89	119.90
3	A1	1068	G	N3-C4-C5	-8.59	124.31	128.60
3	A1	1495	U	N3-C2-O2	-8.59	116.19	122.20
25	BB	2222	C	C2-N3-C4	-8.59	115.61	119.90
24	BA	73	A	C5'-C4'-C3'	-8.59	102.26	116.00
25	BB	3	U	N1-C2-N3	8.59	120.05	114.90
25	BB	1381	G	C5-C6-N1	8.59	115.80	111.50
25	BB	2482	A	C4-C5-C6	-8.59	112.70	117.00
3	A1	872	A	N1-C2-N3	-8.59	125.01	129.30
3	A1	1460	C	N3-C2-O2	-8.59	115.89	121.90
25	BB	106	C	N3-C2-O2	-8.59	115.89	121.90
25	BB	1326	U	N3-C4-O4	8.59	125.41	119.40
25	BB	2314	A	C4-C5-C6	-8.59	112.71	117.00
3	A1	1047	G	N1-C6-O6	-8.59	114.75	119.90
3	A1	1369	C	N1-C2-O2	8.59	124.05	118.90
25	BB	124	G	C5-N7-C8	-8.59	100.01	104.30
25	BB	1307	A	C4-C5-C6	-8.58	112.71	117.00
25	BB	2638	G	C6-C5-N7	8.58	135.55	130.40
25	BB	2538	C	C5-C4-N4	-8.58	114.19	120.20
3	A1	312	C	C2-N3-C4	-8.58	115.61	119.90
3	A1	993	G	C5-C6-O6	8.58	133.75	128.60
3	A1	998	C	C2-N3-C4	-8.58	115.61	119.90
3	A1	1017	U	C4-C5-C6	8.58	124.85	119.70
3	A1	1087	G	N9-C4-C5	8.58	108.83	105.40
3	A1	1289	A	C2-N3-C4	8.58	114.89	110.60
25	BB	996	A	C5'-C4'-O4'	8.58	119.40	109.10
25	BB	1555	G	C5-C6-N1	8.58	115.79	111.50
1	AA	37	G	N3-C4-C5	-8.58	124.31	128.60
24	BA	41	G	N3-C2-N2	-8.58	113.90	119.90
25	BB	153	U	C6-N1-C2	-8.58	115.85	121.00
3	A1	530	G	C6-C5-N7	8.58	135.55	130.40
25	BB	278	A	C8-N9-C4	-8.58	102.37	105.80
25	BB	968	C	N3-C2-O2	-8.58	115.90	121.90
1	AA	30	G	N1-C6-O6	-8.57	114.76	119.90
3	A1	105	G	N3-C4-C5	-8.57	124.31	128.60
3	A1	529	G	N3-C2-N2	-8.57	113.90	119.90
3	A1	583	A	C6-N1-C2	-8.57	113.45	118.60
25	BB	742	A	C5-C6-N1	8.57	121.99	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1870	C	N1-C2-O2	8.57	124.04	118.90
25	BB	2144	G	C5-C6-O6	8.57	133.74	128.60
25	BB	2558	C	N1-C2-N3	8.57	125.20	119.20
3	A1	597	G	N3-C2-N2	-8.57	113.90	119.90
25	BB	1051	G	O4'-C1'-N9	8.57	115.06	108.20
25	BB	1454	C	N3-C2-O2	-8.57	115.90	121.90
25	BB	2033	A	C5-C6-N1	8.57	121.99	117.70
1	AP	29	A	C1'-O4'-C4'	-8.57	103.05	109.90
25	BB	1106	G	N3-C2-N2	-8.57	113.90	119.90
25	BB	2669	G	C6-C5-N7	8.57	135.54	130.40
44	BU	20	TYR	CB-CG-CD2	-8.57	115.86	121.00
25	BB	1954	G	O4'-C1'-N9	8.57	115.06	108.20
3	A1	1117	A	C4-C5-C6	-8.57	112.72	117.00
3	A1	1497	G	N1-C6-O6	-8.57	114.76	119.90
25	BB	1088	A	C8-N9-C4	-8.57	102.37	105.80
25	BB	1108	U	C5-C6-N1	-8.57	118.42	122.70
25	BB	2008	C	N3-C4-N4	-8.57	112.00	118.00
1	AE	6	U	N3-C2-O2	-8.56	116.20	122.20
1	AE	61	C	N3-C2-O2	-8.56	115.91	121.90
3	A1	9	G	C5-C6-N1	8.56	115.78	111.50
3	A1	651	C	N3-C4-C5	8.56	125.33	121.90
3	A1	942	G	C6-C5-N7	8.56	135.54	130.40
25	BB	335	C	N1-C2-O2	8.56	124.04	118.90
25	BB	1567	G	N9-C4-C5	8.56	108.83	105.40
3	A1	1219	A	C6-C5-N7	8.56	138.29	132.30
24	BA	26	C	C1'-O4'-C4'	-8.56	103.05	109.90
25	BB	996	A	C5-C6-N1	8.56	121.98	117.70
3	A1	1206	G	N3-C4-N9	8.56	131.14	126.00
25	BB	237	C	N3-C4-N4	-8.56	112.01	118.00
25	BB	1547	C	N3-C4-C5	8.56	125.32	121.90
25	BB	1954	G	C6-N1-C2	-8.56	119.97	125.10
25	BB	1981	A	O4'-C1'-N9	8.56	115.05	108.20
25	BB	2092	U	C5'-C4'-C3'	-8.56	102.31	116.00
25	BB	2260	C	O4'-C1'-N1	8.56	115.05	108.20
25	BB	2654	A	O4'-C4'-C3'	8.56	112.95	106.10
25	BB	2705	A	C3'-C2'-C1'	8.56	108.35	101.50
25	BB	2458	G	C5-C6-N1	8.56	115.78	111.50
3	A1	316	C	C5-C6-N1	-8.56	116.72	121.00
3	A1	712	A	C4-C5-C6	-8.56	112.72	117.00
3	A1	327	A	C4-C5-C6	-8.55	112.72	117.00
24	BA	104	A	N1-C6-N6	-8.55	113.47	118.60
24	BA	117	G	C5-C6-N1	8.55	115.78	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	718	A	O4'-C1'-N9	8.55	115.04	108.20
25	BB	977	G	N9-C4-C5	8.55	108.82	105.40
25	BB	2183	A	C4-C5-C6	-8.55	112.72	117.00
25	BB	1923	U	N1-C2-N3	8.55	120.03	114.90
25	BB	2629	U	N3-C2-O2	-8.55	116.21	122.20
25	BB	474	G	N1-C6-O6	-8.55	114.77	119.90
25	BB	2598	A	C5-C6-N1	8.55	121.97	117.70
3	A1	1532	U	N3-C2-O2	-8.55	116.22	122.20
25	BB	2557	G	C6-N1-C2	-8.55	119.97	125.10
25	BB	207	A	O4'-C1'-N9	-8.55	101.36	108.20
25	BB	946	C	N3-C2-O2	-8.55	115.92	121.90
3	A1	963	G	C5'-C4'-O4'	8.54	119.35	109.10
25	BB	128	C	N3-C2-O2	-8.54	115.92	121.90
25	BB	233	A	C4-C5-C6	-8.54	112.73	117.00
25	BB	574	A	C5-C6-N1	8.54	121.97	117.70
25	BB	2766	A	C6-C5-N7	8.54	138.28	132.30
25	BB	407	G	N1-C6-O6	-8.54	114.78	119.90
25	BB	814	C	N3-C4-C5	8.54	125.32	121.90
25	BB	830	G	N3-C2-N2	-8.54	113.92	119.90
25	BB	841	G	N1-C6-O6	-8.54	114.78	119.90
25	BB	1001	A	C6-C5-N7	8.54	138.28	132.30
25	BB	1079	C	N3-C4-C5	8.54	125.32	121.90
25	BB	1100	C	C5-C6-N1	-8.54	116.73	121.00
25	BB	1481	U	C5-C6-N1	-8.54	118.43	122.70
25	BB	1494	A	C6-C5-N7	8.54	138.28	132.30
25	BB	1809	A	N1-C2-N3	-8.54	125.03	129.30
25	BB	2603	G	O4'-C1'-N9	8.54	115.03	108.20
1	AA	55	U	C5-C6-N1	-8.54	118.43	122.70
3	A1	446	G	C5'-C4'-O4'	8.54	119.35	109.10
25	BB	445	C	N3-C2-O2	-8.54	115.92	121.90
25	BB	1658	C	N3-C4-C5	8.54	125.32	121.90
3	A1	478	A	C8-N9-C4	8.54	109.22	105.80
25	BB	1410	G	N1-C2-N3	8.54	129.02	123.90
25	BB	2076	U	N3-C2-O2	-8.54	116.22	122.20
25	BB	1852	U	C4-C5-C6	8.54	124.82	119.70
3	A1	1092	A	N9-C4-C5	-8.54	102.39	105.80
25	BB	2459	A	C4-C5-C6	-8.54	112.73	117.00
24	BA	91	C	N3-C4-N4	-8.53	112.03	118.00
25	BB	602	A	C6-C5-N7	8.53	138.27	132.30
25	BB	2070	A	C4-C5-C6	-8.53	112.73	117.00
3	A1	1257	A	N1-C6-N6	-8.53	113.48	118.60
25	BB	1206	G	C1'-O4'-C4'	-8.53	103.07	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2228	G	O4'-C1'-N9	8.53	115.03	108.20
3	A1	623	C	C5-C4-N4	-8.53	114.23	120.20
3	A1	675	A	C4-C5-C6	-8.53	112.73	117.00
25	BB	1323	C	N3-C2-O2	-8.53	115.93	121.90
25	BB	2111	U	C5-C6-N1	-8.53	118.43	122.70
25	BB	1960	A	O3'-P-O5'	8.53	120.21	104.00
1	AE	72	C	N1-C2-O2	8.53	124.02	118.90
25	BB	1923	U	N3-C2-O2	-8.53	116.23	122.20
25	BB	23	G	O5'-P-OP1	-8.53	98.03	105.70
25	BB	623	C	N3-C4-N4	-8.53	112.03	118.00
25	BB	1557	C	N3-C2-O2	-8.53	115.93	121.90
25	BB	1603	A	C5-C6-N6	8.53	130.52	123.70
25	BB	2201	G	C6-C5-N7	8.53	135.52	130.40
25	BB	2884	U	N3-C2-O2	-8.53	116.23	122.20
3	A1	477	C	C4'-C3'-C2'	-8.52	94.08	102.60
25	BB	1158	C	C6-N1-C2	-8.52	116.89	120.30
24	BA	43	C	N3-C4-N4	-8.52	112.03	118.00
25	BB	623	C	N3-C4-C5	8.52	125.31	121.90
25	BB	1040	A	C4-C5-C6	-8.52	112.74	117.00
25	BB	1318	U	C5'-C4'-C3'	-8.52	102.37	116.00
25	BB	1509	A	C5-C6-N1	8.52	121.96	117.70
25	BB	1767	G	N1-C2-N2	-8.52	108.53	116.20
3	A1	192	A	C4-C5-C6	-8.52	112.74	117.00
3	A1	1203	C	C5-C4-N4	8.52	126.16	120.20
25	BB	1001	A	N9-C4-C5	8.52	109.21	105.80
25	BB	1908	C	C6-N1-C2	-8.52	116.89	120.30
25	BB	2468	A	C5-C6-N1	8.52	121.96	117.70
25	BB	903	C	C5'-C4'-O4'	8.52	119.32	109.10
3	A1	362	G	C5-C6-N1	8.52	115.76	111.50
3	A1	569	C	C2-N3-C4	-8.52	115.64	119.90
25	BB	238	C	C2-N3-C4	-8.52	115.64	119.90
25	BB	1243	C	N1-C2-O2	8.52	124.01	118.90
3	A1	845	A	C2-N3-C4	8.52	114.86	110.60
24	BA	79	G	C5-C6-N1	8.52	115.76	111.50
25	BB	264	C	C2-N3-C4	-8.52	115.64	119.90
25	BB	425	G	O4'-C1'-C2'	-8.52	97.28	105.80
25	BB	2154	A	C5-C6-N1	8.52	121.96	117.70
25	BB	15	G	N7-C8-N9	8.52	117.36	113.10
25	BB	988	A	C4-C5-C6	-8.52	112.74	117.00
3	A1	194	C	C5-C4-N4	-8.51	114.24	120.20
3	A1	423	G	C5-C6-O6	8.51	133.71	128.60
3	A1	958	A	C5-C6-N1	8.51	121.96	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1302	C	N1-C2-N3	8.51	125.16	119.20
3	A1	1303	C	N3-C4-C5	8.51	125.31	121.90
25	BB	540	C	O4'-C1'-N1	8.51	115.01	108.20
25	BB	1055	G	N1-C2-N3	8.51	129.01	123.90
25	BB	1957	C	C5-C4-N4	8.51	126.16	120.20
25	BB	2901	C	N3-C2-O2	-8.51	115.94	121.90
25	BB	1343	G	N3-C4-C5	-8.51	124.34	128.60
25	BB	1711	A	C5-C6-N6	8.51	130.51	123.70
25	BB	2799	A	C6-C5-N7	8.51	138.26	132.30
25	BB	2564	A	C5'-C4'-O4'	8.51	119.31	109.10
18	AS	53	ARG	NE-CZ-NH1	8.51	124.56	120.30
3	A1	679	C	C3'-C2'-C1'	8.51	108.31	101.50
25	BB	1031	G	N1-C6-O6	-8.51	114.79	119.90
25	BB	1376	C	N3-C4-C5	8.51	125.30	121.90
25	BB	2382	G	N1-C2-N3	8.51	129.01	123.90
3	A1	489	C	C4-C5-C6	8.51	121.65	117.40
3	A1	803	G	N1-C2-N3	8.51	129.00	123.90
3	A1	936	C	O4'-C1'-N1	8.51	115.01	108.20
3	A1	1178	G	C5-N7-C8	-8.51	100.05	104.30
3	A1	267	C	N3-C2-O2	-8.51	115.95	121.90
25	BB	74	A	C4-C5-C6	-8.51	112.75	117.00
25	BB	542	C	N3-C4-C5	8.51	125.30	121.90
25	BB	1589	U	C4'-C3'-C2'	-8.51	94.09	102.60
25	BB	1522	A	C4-C5-C6	-8.51	112.75	117.00
25	BB	1687	G	C3'-C2'-C1'	8.51	108.31	101.50
25	BB	1897	G	O4'-C1'-N9	-8.51	101.39	108.20
25	BB	2330	G	C5'-C4'-O4'	8.51	119.31	109.10
25	BB	2707	U	N1-C2-N3	8.51	120.00	114.90
25	BB	2810	A	C5-C6-N1	8.51	121.95	117.70
25	BB	2833	U	O4'-C4'-C3'	8.51	112.91	106.10
3	A1	1179	A	C6-C5-N7	8.50	138.25	132.30
3	A1	662	U	O4'-C1'-N1	8.50	115.00	108.20
3	A1	1128	C	N3-C4-N4	-8.50	112.05	118.00
25	BB	74	A	C5-C6-N1	8.50	121.95	117.70
25	BB	831	G	N1-C6-O6	-8.50	114.80	119.90
25	BB	1088	A	N9-C4-C5	8.50	109.20	105.80
25	BB	1445	G	N7-C8-N9	8.50	117.35	113.10
25	BB	1871	A	C2-N3-C4	8.50	114.85	110.60
25	BB	2516	A	O4'-C4'-C3'	8.50	112.90	106.10
3	A1	645	G	C6-C5-N7	8.50	135.50	130.40
3	A1	1187	G	N7-C8-N9	8.50	117.35	113.10
25	BB	1257	C	C2-N3-C4	-8.50	115.65	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	28	C	O4'-C1'-N1	8.50	115.00	108.20
3	A1	107	G	C5-C6-O6	8.50	133.70	128.60
25	BB	1090	A	C4-C5-C6	-8.50	112.75	117.00
3	A1	78	A	C4-C5-C6	-8.50	112.75	117.00
3	A1	196	A	C5-C6-N1	8.50	121.95	117.70
3	A1	457	G	C5-C6-O6	8.50	133.70	128.60
25	BB	866	A	C5-N7-C8	-8.50	99.65	103.90
25	BB	1222	U	C1'-O4'-C4'	-8.50	103.10	109.90
25	BB	2260	C	N3-C4-C5	8.50	125.30	121.90
25	BB	2365	G	C4-C5-N7	-8.50	107.40	110.80
25	BB	1430	G	N9-C4-C5	8.49	108.80	105.40
25	BB	242	G	N3-C2-N2	-8.49	113.95	119.90
25	BB	605	G	C5-C6-N1	8.49	115.75	111.50
25	BB	641	U	O4'-C1'-N1	8.49	115.00	108.20
25	BB	776	G	N3-C4-N9	8.49	131.10	126.00
25	BB	1146	C	N3-C4-C5	8.49	125.30	121.90
25	BB	1732	C	N3-C4-C5	8.49	125.30	121.90
25	BB	2141	G	O4'-C1'-N9	8.49	115.00	108.20
1	AP	48	C	N3-C4-N4	-8.49	112.06	118.00
1	AA	50	U	C3'-C2'-C1'	8.49	108.29	101.50
2	AM	4	U	O4'-C1'-N1	8.49	114.99	108.20
3	A1	68	G	N1-C6-O6	-8.49	114.81	119.90
3	A1	446	G	N1-C6-O6	-8.49	114.81	119.90
3	A1	1122	U	N1-C2-N3	8.49	119.99	114.90
8	AG	74	ARG	NH1-CZ-NH2	-8.49	110.06	119.40
25	BB	1129	A	N9-C4-C5	8.49	109.20	105.80
25	BB	1989	G	C5-C6-N1	8.49	115.75	111.50
25	BB	2846	G	C6-N1-C2	-8.49	120.00	125.10
25	BB	2158	A	C1'-O4'-C4'	-8.49	103.11	109.90
25	BB	1127	A	C4-C5-C6	-8.49	112.76	117.00
1	AE	44	A	C4-C5-C6	-8.49	112.76	117.00
3	A1	53	A	C4-C5-C6	-8.49	112.76	117.00
3	A1	118	U	N3-C2-O2	-8.49	116.26	122.20
3	A1	285	C	N3-C4-N4	-8.49	112.06	118.00
25	BB	839	U	C4-C5-C6	8.49	124.79	119.70
25	BB	219	A	C5-C6-N6	8.49	130.49	123.70
25	BB	546	U	C5'-C4'-O4'	8.49	119.28	109.10
25	BB	549	G	C8-N9-C4	-8.49	103.00	106.40
25	BB	723	C	N3-C2-O2	-8.49	115.96	121.90
25	BB	1367	A	C2-N3-C4	8.49	114.84	110.60
3	A1	874	G	N1-C6-O6	-8.48	114.81	119.90
3	A1	1303	C	O4'-C1'-N1	8.48	114.99	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	734	G	N3-C4-C5	-8.48	124.36	128.60
25	BB	2367	G	N3-C4-C5	-8.48	124.36	128.60
3	A1	315	A	C1'-O4'-C4'	-8.48	103.12	109.90
25	BB	1642	G	N7-C8-N9	8.48	117.34	113.10
25	BB	2709	G	N3-C4-C5	-8.48	124.36	128.60
3	A1	966	G	N3-C2-N2	-8.48	113.96	119.90
25	BB	1560	G	C5-C6-N1	8.48	115.74	111.50
25	BB	1588	G	N3-C2-N2	-8.48	113.96	119.90
25	BB	2291	U	C1'-O4'-C4'	-8.48	103.12	109.90
1	AA	58	A	C4-C5-C6	-8.48	112.76	117.00
3	A1	207	C	O4'-C1'-N1	8.48	114.98	108.20
3	A1	529	G	N3-C4-C5	-8.48	124.36	128.60
3	A1	997	U	O4'-C1'-N1	-8.48	101.42	108.20
25	BB	1391	U	N3-C2-O2	-8.48	116.27	122.20
25	BB	1694	C	N3-C2-O2	-8.48	115.97	121.90
3	A1	458	U	C5-C6-N1	-8.47	118.46	122.70
3	A1	1004	A	C2-N3-C4	8.47	114.84	110.60
3	A1	1444	U	C5-C6-N1	-8.47	118.46	122.70
25	BB	431	U	C4-C5-C6	8.47	124.78	119.70
25	BB	1249	U	C5-C6-N1	-8.47	118.46	122.70
25	BB	1499	C	C6-N1-C2	-8.47	116.91	120.30
25	BB	2322	A	C3'-C2'-C1'	-8.47	94.72	101.50
25	BB	2346	A	C5'-C4'-O4'	8.47	119.27	109.10
25	BB	655	A	C5-C6-N6	8.47	130.48	123.70
3	A1	1505	G	N9-C4-C5	8.47	108.79	105.40
24	BA	11	C	N3-C4-N4	-8.47	112.07	118.00
25	BB	523	C	N1-C2-O2	8.47	123.98	118.90
25	BB	2476	A	C4-C5-C6	-8.47	112.77	117.00
25	BB	2641	G	C8-N9-C4	-8.47	103.01	106.40
25	BB	2642	G	N1-C6-O6	-8.47	114.82	119.90
1	AE	10	G	C5-C6-N1	8.47	115.73	111.50
3	A1	435	A	C4-C5-C6	-8.47	112.77	117.00
25	BB	521	U	C2-N3-C4	-8.47	121.92	127.00
25	BB	994	C	N1-C2-O2	8.47	123.98	118.90
25	BB	1052	C	C6-N1-C2	-8.47	116.91	120.30
25	BB	1375	U	C5-C6-N1	-8.47	118.47	122.70
1	AA	33	U	O4'-C1'-N1	8.46	114.97	108.20
3	A1	1064	G	C6-C5-N7	8.47	135.48	130.40
3	A1	529	G	C6-C5-N7	8.46	135.48	130.40
4	AB	94	ARG	NE-CZ-NH1	8.46	124.53	120.30
25	BB	219	A	C6-C5-N7	8.46	138.22	132.30
25	BB	1445	G	C2-N3-C4	-8.46	107.67	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1680	U	O4'-C1'-C2'	-8.46	97.33	105.80
3	A1	35	G	C5-C6-N1	8.46	115.73	111.50
3	A1	53	A	N1-C2-N3	-8.46	125.07	129.30
3	A1	127	G	C6-N1-C2	-8.46	120.02	125.10
3	A1	538	G	C5-N7-C8	-8.46	100.07	104.30
25	BB	1041	G	N1-C6-O6	-8.46	114.82	119.90
25	BB	1889	A	N1-C2-N3	-8.46	125.07	129.30
25	BB	2082	A	C5-C6-N1	8.46	121.93	117.70
1	AP	42	G	N3-C4-C5	-8.46	124.37	128.60
3	A1	201	G	C5-C6-N1	8.46	115.73	111.50
25	BB	1705	A	C5-C6-N1	8.46	121.93	117.70
25	BB	2168	G	C4-C5-N7	8.46	114.19	110.80
3	A1	436	C	C2-N3-C4	-8.46	115.67	119.90
25	BB	1045	C	N1-C2-N3	8.46	125.12	119.20
25	BB	1357	C	C5-C6-N1	-8.46	116.77	121.00
25	BB	1752	C	C4'-C3'-C2'	-8.46	94.14	102.60
25	BB	2261	C	N3-C2-O2	-8.46	115.98	121.90
25	BB	2611	C	C6-N1-C2	-8.46	116.92	120.30
3	A1	229	U	N3-C2-O2	-8.46	116.28	122.20
3	A1	642	A	C5-C6-N1	8.46	121.93	117.70
3	A1	1262	C	C2-N3-C4	-8.46	115.67	119.90
3	A1	1380	U	C6-N1-C2	-8.46	115.92	121.00
25	BB	21	A	C5-C6-N1	8.46	121.93	117.70
25	BB	218	A	C5-C6-N1	8.46	121.93	117.70
25	BB	319	G	C6-N1-C2	-8.46	120.03	125.10
25	BB	325	G	N3-C4-N9	8.46	131.07	126.00
25	BB	2582	G	N1-C6-O6	-8.46	114.83	119.90
30	BG	86	ARG	NH1-CZ-NH2	-8.46	110.10	119.40
1	AP	44	A	C6-C5-N7	8.46	138.22	132.30
3	A1	842	U	N3-C4-O4	-8.46	113.48	119.40
3	A1	1058	G	C5-C6-N1	8.46	115.73	111.50
3	A1	1242	G	N1-C2-N3	8.46	128.97	123.90
3	A1	248	C	O4'-C1'-N1	8.45	114.96	108.20
3	A1	297	G	C4-C5-N7	8.45	114.18	110.80
3	A1	602	A	C4-C5-C6	-8.46	112.77	117.00
3	A1	971	G	N1-C6-O6	-8.46	114.83	119.90
25	BB	1154	G	N1-C6-O6	-8.46	114.83	119.90
25	BB	2618	G	N1-C6-O6	-8.45	114.83	119.90
3	A1	81	A	C2-N3-C4	8.45	114.83	110.60
3	A1	149	A	C5-C6-N1	8.45	121.93	117.70
3	A1	727	G	C8-N9-C4	-8.45	103.02	106.40
3	A1	958	A	C4-C5-C6	-8.45	112.77	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1141	C	N1-C2-N3	8.45	125.12	119.20
24	BA	14	U	N3-C2-O2	-8.45	116.28	122.20
25	BB	2594	C	C4-C5-C6	8.45	121.63	117.40
3	A1	879	C	O4'-C1'-N1	8.45	114.96	108.20
3	A1	1102	A	C4-C5-C6	-8.45	112.78	117.00
3	A1	1461	G	C5-N7-C8	-8.45	100.08	104.30
25	BB	678	C	C3'-C2'-C1'	8.45	108.26	101.50
25	BB	334	C	N3-C2-O2	-8.45	115.99	121.90
25	BB	521	U	N1-C2-N3	8.45	119.97	114.90
25	BB	625	G	N1-C6-O6	-8.45	114.83	119.90
25	BB	1069	A	N1-C2-N3	-8.45	125.08	129.30
25	BB	1156	A	C2-N3-C4	8.45	114.82	110.60
25	BB	1973	G	C5-C6-N1	8.45	115.72	111.50
25	BB	2072	C	O4'-C1'-N1	8.45	114.96	108.20
25	BB	2242	G	C5-N7-C8	-8.45	100.08	104.30
1	AE	31	A	C4-C5-C6	-8.45	112.78	117.00
25	BB	2424	C	C1'-O4'-C4'	-8.45	103.14	109.90
25	BB	2801	G	C6-C5-N7	8.45	135.47	130.40
25	BB	97	C	N3-C2-O2	-8.44	115.99	121.90
25	BB	1484	U	C5-C6-N1	-8.45	118.48	122.70
29	BF	75	GLU	OE1-CD-OE2	-8.45	113.16	123.30
3	A1	196	A	C4-C5-C6	-8.44	112.78	117.00
3	A1	910	C	C2-N3-C4	-8.44	115.68	119.90
1	AE	54	U	N3-C2-O2	-8.44	116.29	122.20
3	A1	776	G	N7-C8-N9	8.44	117.32	113.10
25	BB	274	C	N3-C4-N4	-8.44	112.09	118.00
25	BB	278	A	C5-C6-N1	8.44	121.92	117.70
3	A1	410	G	C8-N9-C4	-8.44	103.02	106.40
25	BB	370	G	N3-C4-C5	-8.44	124.38	128.60
25	BB	865	C	N3-C2-O2	-8.44	115.99	121.90
25	BB	1844	C	O4'-C1'-N1	8.44	114.95	108.20
25	BB	2437	G	C5-C6-N1	8.44	115.72	111.50
25	BB	2599	G	C6-N1-C2	-8.44	120.04	125.10
25	BB	2606	C	C2-N3-C4	-8.44	115.68	119.90
25	BB	2856	A	N9-C4-C5	-8.44	102.42	105.80
3	A1	895	G	N3-C2-N2	-8.44	113.99	119.90
25	BB	218	A	P-O3'-C3'	8.44	129.82	119.70
25	BB	353	C	N3-C4-N4	-8.44	112.09	118.00
37	BN	257	ARG	NE-CZ-NH1	8.44	124.52	120.30
3	A1	1154	G	N3-C2-N2	-8.44	114.00	119.90
25	BB	249	C	N1-C2-O2	8.44	123.96	118.90
25	BB	1783	A	C4-C5-C6	-8.44	112.78	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2581	G	N1-C6-O6	-8.44	114.84	119.90
31	BH	55	GLU	OE1-CD-OE2	-8.44	113.18	123.30
25	BB	899	A	C6-C5-N7	8.43	138.20	132.30
3	A1	253	A	N1-C6-N6	-8.43	113.54	118.60
3	A1	779	C	C2-N3-C4	-8.43	115.68	119.90
25	BB	1926	U	C1'-O4'-C4'	-8.43	103.15	109.90
25	BB	2828	G	O4'-C1'-N9	8.43	114.95	108.20
3	A1	746	A	N1-C6-N6	-8.43	113.54	118.60
3	A1	542	G	O4'-C1'-N9	8.43	114.94	108.20
3	A1	713	G	C5-C6-O6	8.43	133.66	128.60
25	BB	1334	G	O4'-C1'-N9	8.43	114.94	108.20
24	BA	41	G	N1-C6-O6	-8.43	114.84	119.90
25	BB	31	C	N3-C4-N4	-8.43	112.10	118.00
3	A1	205	A	C8-N9-C4	-8.43	102.43	105.80
3	A1	1035	A	O4'-C1'-N9	8.43	114.94	108.20
25	BB	21	A	N1-C2-N3	8.43	133.51	129.30
25	BB	899	A	C1'-O4'-C4'	-8.43	103.16	109.90
25	BB	1096	A	C4'-C3'-C2'	-8.43	94.17	102.60
25	BB	1715	G	C4'-C3'-C2'	-8.43	94.17	102.60
3	A1	526	C	N1-C2-N3	8.43	125.10	119.20
3	A1	1049	U	P-O3'-C3'	8.43	129.81	119.70
25	BB	175	G	N1-C2-N2	-8.43	108.62	116.20
25	BB	980	A	C2-N3-C4	8.43	114.81	110.60
25	BB	2373	G	C8-N9-C4	-8.43	103.03	106.40
25	BB	2019	A	C4-C5-C6	-8.43	112.79	117.00
25	BB	2441	U	O4'-C1'-N1	8.43	114.94	108.20
25	BB	2852	G	N1-C6-O6	-8.43	114.84	119.90
25	BB	1394	U	N3-C2-O2	-8.42	116.30	122.20
25	BB	1490	A	N1-C2-N3	-8.42	125.09	129.30
3	A1	503	C	C2-N3-C4	-8.42	115.69	119.90
3	A1	934	C	N1-C2-O2	8.42	123.95	118.90
3	A1	976	G	O4'-C1'-N9	8.42	114.94	108.20
3	A1	1169	A	C5'-C4'-C3'	-8.42	102.52	116.00
25	BB	168	G	N3-C2-N2	-8.42	114.00	119.90
25	BB	666	A	C4-C5-C6	-8.42	112.79	117.00
25	BB	1551	A	N1-C2-N3	-8.42	125.09	129.30
25	BB	2558	C	C5-C4-N4	8.42	126.09	120.20
1	AP	48	C	C2-N3-C4	-8.42	115.69	119.90
1	AE	10	G	N3-C4-C5	-8.42	124.39	128.60
25	BB	1345	C	N3-C2-O2	-8.42	116.00	121.90
25	BB	1386	C	C5-C6-N1	-8.42	116.79	121.00
25	BB	2280	G	C4-C5-N7	-8.42	107.43	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	764	C	N3-C4-C5	8.42	125.27	121.90
25	BB	1440	U	C2-N3-C4	-8.42	121.95	127.00
25	BB	2168	G	N3-C4-N9	8.42	131.05	126.00
25	BB	2538	C	O4'-C1'-C2'	-8.42	97.38	105.80
25	BB	2629	U	O4'-C4'-C3'	8.42	112.83	106.10
25	BB	2654	A	C3'-C2'-C1'	8.42	108.23	101.50
3	A1	833	G	O4'-C4'-C3'	8.42	112.83	106.10
25	BB	7	G	N1-C6-O6	-8.42	114.85	119.90
25	BB	1938	A	C5-C6-N6	8.42	130.43	123.70
25	BB	2309	A	C4-C5-C6	-8.42	112.79	117.00
25	BB	1550	C	N3-C4-N4	-8.42	112.11	118.00
1	AA	6	U	C2-N3-C4	-8.41	121.95	127.00
3	A1	109	A	O4'-C1'-N9	8.41	114.93	108.20
25	BB	311	A	C5'-C4'-O4'	8.41	119.20	109.10
25	BB	2323	G	O4'-C1'-N9	8.41	114.93	108.20
25	BB	2523	G	N1-C6-O6	-8.41	114.85	119.90
3	A1	163	C	C2-N3-C4	-8.41	115.69	119.90
3	A1	1182	G	C6-N1-C2	-8.41	120.05	125.10
25	BB	613	A	C5-C6-N1	8.41	121.91	117.70
25	BB	718	A	N7-C8-N9	8.41	118.01	113.80
25	BB	1070	A	O4'-C1'-N9	8.41	114.93	108.20
3	A1	1425	U	N3-C2-O2	-8.41	116.31	122.20
25	BB	901	C	C2-N3-C4	-8.41	115.69	119.90
3	A1	737	C	N3-C4-N4	-8.41	112.11	118.00
3	A1	1109	C	N3-C4-C5	8.41	125.26	121.90
25	BB	978	G	C5-C6-N1	8.41	115.70	111.50
2	AM	3	U	N3-C2-O2	-8.41	116.31	122.20
3	A1	328	C	O4'-C1'-N1	8.41	114.93	108.20
3	A1	218	U	N3-C2-O2	-8.41	116.32	122.20
3	A1	1432	G	P-O3'-C3'	8.41	129.79	119.70
25	BB	127	A	O4'-C1'-N9	8.41	114.93	108.20
25	BB	589	U	O4'-C1'-N1	-8.41	101.47	108.20
25	BB	975	A	C5-C6-N1	8.41	121.90	117.70
25	BB	1157	G	N3-C4-C5	-8.41	124.40	128.60
25	BB	1505	A	O5'-P-OP2	-8.41	98.14	105.70
25	BB	1852	U	C3'-C2'-C1'	-8.41	94.77	101.50
25	BB	2691	C	N1-C2-O2	8.41	123.94	118.90
1	AA	5	A	C4-C5-N7	8.40	114.90	110.70
1	AP	18	G	N3-C4-N9	8.40	131.04	126.00
3	A1	780	A	N1-C2-N3	-8.40	125.10	129.30
3	A1	1206	G	N9-C4-C5	-8.40	102.04	105.40
3	A1	1489	G	O4'-C4'-C3'	8.40	112.82	106.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	154	U	N1-C2-N3	8.40	119.94	114.90
25	BB	1527	G	C6-C5-N7	8.40	135.44	130.40
25	BB	2092	U	N3-C4-C5	8.40	119.64	114.60
25	BB	2518	A	C5-C6-N1	8.40	121.90	117.70
25	BB	2556	C	C4'-C3'-C2'	-8.40	94.20	102.60
3	A1	426	U	O4'-C1'-N1	8.40	114.92	108.20
3	A1	523	A	O4'-C4'-C3'	8.40	112.82	106.10
3	A1	586	C	N1-C2-O2	8.40	123.94	118.90
3	A1	60	A	O4'-C1'-C2'	-8.40	97.40	105.80
3	A1	678	U	N1-C2-N3	8.40	119.94	114.90
3	A1	920	U	N3-C2-O2	-8.40	116.32	122.20
6	AD	24	GLU	OE1-CD-OE2	-8.40	113.22	123.30
25	BB	10	A	C3'-C2'-C1'	8.40	108.22	101.50
25	BB	148	U	C1'-O4'-C4'	8.40	116.62	109.90
25	BB	172	A	C8-N9-C4	-8.40	102.44	105.80
25	BB	933	A	O4'-C1'-N9	-8.40	101.48	108.20
25	BB	1074	G	O4'-C1'-N9	8.40	114.92	108.20
25	BB	1660	G	N1-C6-O6	-8.40	114.86	119.90
25	BB	2306	C	O4'-C1'-N1	8.40	114.92	108.20
25	BB	2338	C	N3-C2-O2	-8.40	116.02	121.90
1	AA	29	A	N9-C4-C5	8.40	109.16	105.80
3	A1	162	A	N1-C2-N3	-8.40	125.10	129.30
3	A1	493	A	C4-C5-C6	-8.40	112.80	117.00
3	A1	731	G	C8-N9-C4	-8.40	103.04	106.40
25	BB	145	C	C2-N3-C4	-8.40	115.70	119.90
25	BB	971	G	C5-C6-N1	8.40	115.70	111.50
25	BB	2631	G	O4'-C4'-C3'	8.40	112.82	106.10
1	AA	74	C	C4'-C3'-C2'	-8.40	94.20	102.60
3	A1	599	C	N3-C2-O2	-8.40	116.02	121.90
3	A1	1092	A	C4-C5-C6	-8.40	112.80	117.00
25	BB	1724	G	C4-C5-N7	-8.40	107.44	110.80
25	BB	2066	C	N3-C4-N4	-8.40	112.12	118.00
1	AP	24	G	N3-C2-N2	-8.39	114.02	119.90
3	A1	942	G	C5-C6-N1	8.39	115.70	111.50
25	BB	1042	G	N1-C6-O6	-8.39	114.86	119.90
25	BB	1606	C	N3-C4-N4	-8.39	112.12	118.00
25	BB	2733	A	C4-C5-C6	-8.39	112.80	117.00
3	A1	517	G	N1-C2-N2	8.39	123.75	116.20
25	BB	1527	G	C6-N1-C2	-8.39	120.06	125.10
25	BB	2222	C	C3'-C2'-C1'	8.39	108.22	101.50
25	BB	2592	G	N3-C4-N9	8.39	131.04	126.00
25	BB	2820	A	C5-C6-N1	8.39	121.90	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	AO	178	ARG	NE-CZ-NH2	-8.39	116.10	120.30
25	BB	1350	C	N3-C4-N4	-8.39	112.13	118.00
3	A1	342	C	C2-N3-C4	-8.39	115.70	119.90
3	A1	1487	G	C5-C6-O6	8.39	133.63	128.60
25	BB	360	U	O4'-C1'-N1	8.39	114.91	108.20
25	BB	2030	A	C5-C6-N1	8.39	121.90	117.70
25	BB	2843	G	N3-C4-C5	-8.39	124.40	128.60
1	AA	10	G	C5-C6-N1	8.39	115.69	111.50
1	AA	33	U	N3-C2-O2	-8.39	116.33	122.20
3	A1	252	U	O4'-C1'-N1	8.39	114.91	108.20
3	A1	539	A	C4-C5-C6	-8.39	112.81	117.00
3	A1	600	A	C3'-C2'-C1'	8.39	108.21	101.50
25	BB	482	A	C5-C6-N6	8.39	130.41	123.70
25	BB	1805	A	C2-N3-C4	8.39	114.80	110.60
25	BB	1213	A	C6-C5-N7	8.39	138.17	132.30
25	BB	1769	U	O4'-C1'-N1	8.39	114.91	108.20
25	BB	2893	A	N7-C8-N9	-8.39	109.61	113.80
3	A1	60	A	N1-C6-N6	-8.38	113.57	118.60
3	A1	733	G	N1-C6-O6	-8.39	114.87	119.90
3	A1	879	C	C6-N1-C2	-8.38	116.95	120.30
3	A1	1156	G	C5-N7-C8	-8.39	100.11	104.30
3	A1	1461	G	N1-C6-O6	-8.39	114.87	119.90
25	BB	2769	U	O4'-C1'-N1	8.39	114.91	108.20
3	A1	1438	G	C6-C5-N7	8.38	135.43	130.40
25	BB	26	G	N3-C4-C5	-8.38	124.41	128.60
25	BB	1060	U	C2-N3-C4	-8.38	121.97	127.00
3	A1	972	C	C3'-C2'-C1'	8.38	108.20	101.50
3	A1	1178	G	C5-C6-N1	8.38	115.69	111.50
25	BB	832	U	O4'-C1'-N1	8.38	114.91	108.20
25	BB	1056	G	C5-N7-C8	-8.38	100.11	104.30
25	BB	1598	A	C4-C5-C6	-8.38	112.81	117.00
1	AP	48	C	C5'-C4'-C3'	-8.38	102.59	116.00
3	A1	50	A	C6-N1-C2	-8.38	113.57	118.60
25	BB	759	G	N1-C2-N2	-8.38	108.66	116.20
25	BB	1232	G	C8-N9-C4	-8.38	103.05	106.40
25	BB	1378	A	N1-C2-N3	-8.38	125.11	129.30
3	A1	223	A	C4-C5-C6	-8.38	112.81	117.00
3	A1	344	A	N9-C4-C5	8.38	109.15	105.80
3	A1	293	G	C5-C6-N1	8.38	115.69	111.50
3	A1	1410	A	C6-C5-N7	8.38	138.16	132.30
25	BB	82	U	C5-C6-N1	-8.38	118.51	122.70
25	BB	601	C	O4'-C1'-N1	8.38	114.90	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1161	C	N3-C2-O2	-8.38	116.04	121.90
25	BB	1196	C	C5'-C4'-C3'	-8.38	102.59	116.00
25	BB	2562	U	C5-C6-N1	-8.38	118.51	122.70
25	BB	2616	C	N3-C2-O2	-8.38	116.03	121.90
25	BB	6	A	C4-C5-C6	-8.38	112.81	117.00
25	BB	316	C	N1-C2-O2	8.38	123.93	118.90
25	BB	2012	G	O4'-C1'-N9	8.38	114.90	108.20
25	BB	1289	C	N1-C2-N3	8.37	125.06	119.20
2	AM	16	U	O4'-C1'-N1	8.37	114.90	108.20
3	A1	255	G	C8-N9-C4	-8.37	103.05	106.40
3	A1	354	G	N1-C6-O6	-8.37	114.88	119.90
3	A1	773	G	N3-C4-C5	-8.37	124.41	128.60
3	A1	1329	A	C5-C6-N1	8.37	121.89	117.70
3	A1	1344	C	N3-C4-N4	-8.37	112.14	118.00
24	BA	17	C	N3-C2-O2	-8.37	116.04	121.90
24	BA	96	G	C5'-C4'-C3'	-8.37	102.61	116.00
25	BB	345	A	C4-C5-C6	-8.37	112.81	117.00
25	BB	1285	A	C4-C5-C6	-8.37	112.81	117.00
25	BB	1981	A	C4-C5-C6	-8.37	112.81	117.00
25	BB	2815	C	N3-C2-O2	-8.37	116.04	121.90
1	AA	45	G	O4'-C1'-N9	8.37	114.90	108.20
3	A1	432	A	N1-C2-N3	-8.37	125.11	129.30
3	A1	779	C	N1-C2-O2	8.37	123.92	118.90
25	BB	340	A	C4-C5-C6	-8.37	112.81	117.00
25	BB	1635	A	C4-C5-C6	-8.37	112.81	117.00
25	BB	351	C	N3-C4-C5	8.37	125.25	121.90
25	BB	623	C	C2-N3-C4	-8.37	115.72	119.90
25	BB	1150	C	C5-C6-N1	-8.37	116.81	121.00
25	BB	2171	A	O4'-C4'-C3'	8.37	112.80	106.10
25	BB	1864	U	C5-C6-N1	-8.37	118.52	122.70
25	BB	1876	A	C1'-O4'-C4'	-8.37	103.21	109.90
3	A1	1015	G	C6-N1-C2	-8.37	120.08	125.10
3	A1	1352	C	N3-C4-N4	-8.37	112.14	118.00
25	BB	307	G	C6-C5-N7	8.37	135.42	130.40
25	BB	624	C	N3-C2-O2	-8.37	116.04	121.90
25	BB	2531	A	C8-N9-C4	-8.37	102.45	105.80
3	A1	1452	C	N3-C2-O2	-8.36	116.05	121.90
25	BB	203	A	C5-C6-N1	8.36	121.88	117.70
25	BB	467	G	N1-C6-O6	-8.36	114.88	119.90
25	BB	2137	U	O4'-C1'-N1	8.36	114.89	108.20
51	B2	101	ARG	NE-CZ-NH1	8.36	124.48	120.30
1	AA	73	A	N1-C6-N6	-8.36	113.58	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	118	U	N3-C4-O4	-8.36	113.55	119.40
25	BB	293	U	N3-C2-O2	-8.36	116.35	122.20
25	BB	461	C	N1-C2-O2	8.36	123.92	118.90
25	BB	819	A	C5-C6-N1	8.36	121.88	117.70
25	BB	2251	G	C1'-O4'-C4'	-8.36	103.21	109.90
42	BS	63	ARG	NH1-CZ-NH2	-8.36	110.20	119.40
3	A1	165	G	N1-C6-O6	-8.36	114.88	119.90
3	A1	218	U	N3-C4-O4	-8.36	113.55	119.40
3	A1	398	U	C5-C6-N1	-8.36	118.52	122.70
25	BB	881	G	O4'-C1'-N9	-8.36	101.51	108.20
25	BB	1103	A	C4-C5-C6	-8.36	112.82	117.00
25	BB	2248	C	N3-C4-C5	8.36	125.24	121.90
25	BB	2785	C	N3-C2-O2	-8.36	116.05	121.90
3	A1	1203	C	N1-C2-O2	8.36	123.92	118.90
25	BB	2543	G	C5-C6-N1	8.36	115.68	111.50
25	BB	2662	A	C6-C5-N7	8.36	138.15	132.30
25	BB	2849	U	C1'-O4'-C4'	-8.36	103.21	109.90
25	BB	345	A	C5'-C4'-O4'	8.36	119.13	109.10
25	BB	1220	G	N1-C6-O6	-8.36	114.89	119.90
25	BB	1973	G	C6-N1-C2	-8.36	120.09	125.10
34	BK	80	ARG	NE-CZ-NH2	8.36	124.48	120.30
3	A1	142	G	N1-C6-O6	-8.36	114.89	119.90
25	BB	695	G	C6-N1-C2	-8.36	120.09	125.10
25	BB	2286	G	C3'-C2'-C1'	8.36	108.18	101.50
25	BB	2463	C	N3-C4-C5	8.36	125.24	121.90
25	BB	2581	G	C5-C6-N1	8.36	115.68	111.50
53	B4	27	ARG	NE-CZ-NH2	8.36	124.48	120.30
1	AE	60	C	C2-N3-C4	-8.35	115.72	119.90
25	BB	223	A	C6-N1-C2	-8.35	113.59	118.60
17	AR	61	ARG	NE-CZ-NH2	8.35	124.48	120.30
24	BA	64	G	C5-C6-N1	8.35	115.68	111.50
25	BB	781	A	C1'-O4'-C4'	-8.35	103.22	109.90
25	BB	1488	C	N3-C4-C5	8.35	125.24	121.90
25	BB	1506	U	C5-C6-N1	-8.35	118.52	122.70
25	BB	1543	G	C4-C5-N7	8.35	114.14	110.80
25	BB	1975	G	N1-C6-O6	-8.35	114.89	119.90
30	BG	12	ARG	CD-NE-CZ	8.35	135.30	123.60
25	BB	2600	A	C5-C6-N6	8.35	130.38	123.70
1	AP	22	G	C5'-C4'-O4'	8.35	119.12	109.10
3	A1	1162	C	N1-C2-O2	8.35	123.91	118.90
3	A1	1395	C	N1-C2-O2	8.35	123.91	118.90
25	BB	2336	A	C5-C6-N1	8.35	121.88	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	BH	102	ARG	CD-NE-CZ	8.35	135.29	123.60
3	A1	343	U	O4'-C1'-N1	8.35	114.88	108.20
3	A1	377	G	C8-N9-C4	-8.35	103.06	106.40
3	A1	1242	G	C6-N1-C2	-8.35	120.09	125.10
25	BB	95	A	C4-C5-C6	-8.35	112.83	117.00
25	BB	459	U	N3-C2-O2	-8.35	116.36	122.20
25	BB	1041	G	C5-C6-N1	8.35	115.67	111.50
25	BB	1854	A	C4'-C3'-C2'	-8.35	94.25	102.60
1	AA	66	A	C3'-C2'-C1'	8.35	108.18	101.50
52	B3	162	ARG	NH1-CZ-NH2	-8.35	110.22	119.40
25	BB	173	A	C5-C6-N1	8.35	121.87	117.70
25	BB	347	A	C5-C6-N6	8.35	130.38	123.70
25	BB	2267	A	C2-N3-C4	8.35	114.77	110.60
25	BB	2530	A	C1'-O4'-C4'	-8.35	103.22	109.90
3	A1	336	A	C6-C5-N7	8.34	138.14	132.30
3	A1	1072	G	C5'-C4'-O4'	8.34	119.11	109.10
25	BB	1000	A	C8-N9-C4	-8.34	102.46	105.80
25	BB	1162	G	N1-C6-O6	-8.34	114.89	119.90
25	BB	1201	U	C1'-O4'-C4'	-8.34	103.23	109.90
25	BB	2400	G	N3-C2-N2	-8.34	114.06	119.90
25	BB	2411	A	N1-C6-N6	-8.34	113.59	118.60
25	BB	2280	G	N9-C4-C5	8.34	108.74	105.40
25	BB	2880	C	C5-C4-N4	-8.34	114.36	120.20
25	BB	341	C	O4'-C1'-N1	8.34	114.87	108.20
25	BB	816	C	C6-N1-C2	-8.34	116.96	120.30
25	BB	2173	A	C5'-C4'-O4'	8.34	119.11	109.10
25	BB	2189	U	C5-C6-N1	-8.34	118.53	122.70
25	BB	2688	G	C5-N7-C8	-8.34	100.13	104.30
25	BB	2660	A	C5-C6-N1	8.34	121.87	117.70
25	BB	557	C	C4'-C3'-C2'	-8.34	94.26	102.60
25	BB	839	U	C5-C6-N1	-8.34	118.53	122.70
25	BB	1585	C	N3-C2-O2	-8.34	116.06	121.90
3	A1	1050	G	C1'-O4'-C4'	-8.34	103.23	109.90
3	A1	1182	G	N3-C4-C5	-8.34	124.43	128.60
25	BB	576	U	N3-C2-O2	-8.34	116.36	122.20
25	BB	2266	A	C4-C5-C6	-8.34	112.83	117.00
25	BB	167	A	N1-C6-N6	-8.34	113.60	118.60
25	BB	309	A	C4-C5-C6	-8.34	112.83	117.00
25	BB	1095	A	O4'-C1'-N9	8.34	114.87	108.20
25	BB	1758	U	O4'-C1'-N1	8.34	114.87	108.20
25	BB	2157	G	C8-N9-C4	-8.34	103.06	106.40
44	BU	43	ARG	CD-NE-CZ	8.34	135.27	123.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	76	G	N7-C8-N9	8.33	117.27	113.10
3	A1	144	G	N1-C2-N3	8.33	128.90	123.90
3	A1	776	G	C5-N7-C8	-8.33	100.13	104.30
3	A1	1007	U	C2-N3-C4	-8.33	122.00	127.00
25	BB	1569	A	C4-C5-C6	-8.33	112.83	117.00
25	BB	2052	A	C4-C5-C6	-8.33	112.83	117.00
25	BB	2226	C	C2-N3-C4	-8.33	115.73	119.90
3	A1	1481	U	N3-C2-O2	-8.33	116.37	122.20
25	BB	1310	G	N1-C6-O6	-8.33	114.90	119.90
3	A1	137	U	O4'-C1'-N1	8.33	114.86	108.20
24	BA	51	G	N1-C6-O6	-8.33	114.90	119.90
25	BB	881	G	C5-C6-N1	8.33	115.66	111.50
25	BB	1378	A	C4-C5-C6	-8.33	112.84	117.00
25	BB	1855	U	C2-N3-C4	-8.33	122.00	127.00
25	BB	2723	C	N3-C2-O2	-8.33	116.07	121.90
25	BB	1779	U	N3-C2-O2	-8.33	116.37	122.20
3	A1	220	G	C6-N1-C2	-8.32	120.11	125.10
25	BB	512	G	N9-C4-C5	8.32	108.73	105.40
3	A1	648	A	C4-C5-C6	-8.32	112.84	117.00
25	BB	257	C	N3-C2-O2	-8.32	116.07	121.90
25	BB	547	A	C5-C6-N1	8.32	121.86	117.70
25	BB	550	C	C2-N3-C4	-8.32	115.74	119.90
25	BB	2093	G	C5-N7-C8	-8.32	100.14	104.30
25	BB	2600	A	C5-C6-N1	8.32	121.86	117.70
1	AA	65	G	N3-C4-C5	-8.32	124.44	128.60
3	A1	1197	A	C2'-C3'-O3'	8.32	127.81	109.50
25	BB	281	C	N1-C2-O2	8.32	123.89	118.90
25	BB	700	G	C1'-O4'-C4'	-8.32	103.24	109.90
25	BB	1123	C	C2-N3-C4	-8.32	115.74	119.90
25	BB	1314	C	O4'-C1'-N1	8.32	114.86	108.20
25	BB	1452	G	N1-C6-O6	-8.32	114.91	119.90
3	A1	1210	C	C3'-C2'-C1'	8.32	108.16	101.50
25	BB	566	U	N1-C2-N3	8.32	119.89	114.90
25	BB	968	C	C2-N3-C4	-8.32	115.74	119.90
1	AP	66	A	C5-C6-N1	8.32	121.86	117.70
3	A1	111	G	N1-C2-N3	8.32	128.89	123.90
3	A1	137	U	N1-C2-N3	8.32	119.89	114.90
25	BB	1821	A	C5-C6-N1	8.32	121.86	117.70
25	BB	2075	U	N3-C2-O2	-8.32	116.38	122.20
3	A1	1035	A	C3'-C2'-C1'	8.31	108.15	101.50
3	A1	1177	G	C5-C6-N1	8.31	115.66	111.50
3	A1	1498	U	C6-N1-C2	-8.31	116.01	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1285	A	N9-C4-C5	8.31	109.13	105.80
25	BB	1510	G	C4-C5-C6	-8.31	113.81	118.80
25	BB	2593	U	N3-C2-O2	-8.31	116.38	122.20
3	A1	856	C	N3-C4-N4	-8.31	112.18	118.00
25	BB	204	A	C4-C5-C6	-8.31	112.84	117.00
25	BB	196	A	C3'-C2'-C1'	8.31	108.15	101.50
25	BB	482	A	O4'-C1'-N9	8.31	114.85	108.20
25	BB	521	U	C4-C5-C6	8.31	124.69	119.70
25	BB	1523	U	C3'-C2'-C1'	8.31	108.15	101.50
25	BB	1820	U	C1'-O4'-C4'	-8.31	103.25	109.90
25	BB	2246	G	N3-C4-C5	-8.31	124.44	128.60
3	A1	775	G	N3-C4-C5	-8.31	124.45	128.60
3	A1	932	C	C2-N3-C4	-8.31	115.75	119.90
25	BB	2651	C	N3-C4-C5	8.31	125.22	121.90
3	A1	542	G	C6-C5-N7	8.31	135.38	130.40
25	BB	889	C	N1-C2-N3	8.31	125.02	119.20
25	BB	2896	C	C4'-C3'-C2'	-8.31	94.29	102.60
25	BB	1210	G	N7-C8-N9	8.31	117.25	113.10
25	BB	1480	C	N3-C2-O2	-8.31	116.08	121.90
25	BB	1566	A	N1-C6-N6	-8.31	113.61	118.60
3	A1	206	C	C2-N3-C4	-8.30	115.75	119.90
25	BB	1686	C	N3-C4-C5	8.31	125.22	121.90
3	A1	501	C	C5-C6-N1	-8.30	116.85	121.00
25	BB	1069	A	O5'-P-OP2	-8.30	98.23	105.70
3	A1	765	G	N1-C6-O6	-8.30	114.92	119.90
25	BB	2023	C	N1-C2-N3	8.30	125.01	119.20
1	AE	37	G	N1-C6-O6	-8.30	114.92	119.90
3	A1	255	G	N9-C4-C5	8.30	108.72	105.40
3	A1	1236	A	C4-C5-C6	-8.30	112.85	117.00
25	BB	1454	C	N3-C4-N4	-8.30	112.19	118.00
25	BB	1892	C	N1-C2-O2	8.30	123.88	118.90
25	BB	2136	G	N3-C4-C5	-8.30	124.45	128.60
37	BN	132	ARG	NE-CZ-NH1	8.30	124.45	120.30
1	AP	48	C	N3-C4-C5	8.30	125.22	121.90
25	BB	216	A	C4-C5-C6	-8.30	112.85	117.00
3	A1	767	A	C4-C5-C6	-8.30	112.85	117.00
3	A1	809	G	C5-C6-N1	8.30	115.65	111.50
3	A1	1016	A	N1-C2-N3	-8.30	125.15	129.30
3	A1	1487	G	N3-C2-N2	-8.30	114.09	119.90
25	BB	57	C	N3-C4-N4	-8.30	112.19	118.00
3	A1	28	A	C4-C5-N7	8.30	114.85	110.70
3	A1	1292	G	N1-C2-N3	8.29	128.88	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	28	A	C5-C6-N1	8.30	121.85	117.70
25	BB	308	G	C2-N3-C4	8.30	116.05	111.90
25	BB	1463	C	C2-N3-C4	-8.29	115.75	119.90
25	BB	1708	C	C2-N3-C4	-8.30	115.75	119.90
25	BB	2551	C	N3-C4-C5	8.30	125.22	121.90
3	A1	235	C	N1-C2-O2	8.29	123.88	118.90
3	A1	631	C	C3'-C2'-C1'	8.29	108.13	101.50
25	BB	2499	C	C2-N3-C4	-8.29	115.75	119.90
3	A1	294	U	O4'-C1'-N1	8.29	114.83	108.20
3	A1	1040	U	C5'-C4'-O4'	8.29	119.05	109.10
3	A1	1154	G	O4'-C1'-N9	-8.29	101.57	108.20
3	A1	1300	G	N3-C4-N9	8.29	130.97	126.00
3	A1	1430	A	C4-C5-C6	-8.29	112.85	117.00
25	BB	151	C	N3-C2-O2	-8.29	116.10	121.90
25	BB	287	G	C4'-C3'-C2'	-8.29	94.31	102.60
25	BB	2069	G	C5-C6-N1	8.29	115.65	111.50
25	BB	2071	A	C6-C5-N7	8.29	138.10	132.30
25	BB	2192	U	O4'-C1'-N1	8.29	114.83	108.20
25	BB	2705	A	C5-C6-N6	8.29	130.33	123.70
25	BB	2804	U	O4'-C1'-N1	8.29	114.83	108.20
30	BG	63	ARG	NE-CZ-NH2	8.29	124.45	120.30
3	A1	486	U	C2-N3-C4	-8.29	122.03	127.00
3	A1	499	A	C5-C6-N1	8.29	121.84	117.70
25	BB	614	A	O4'-C1'-N9	8.29	114.83	108.20
25	BB	664	G	N1-C6-O6	-8.29	114.93	119.90
25	BB	2499	C	N3-C2-O2	-8.29	116.10	121.90
3	A1	462	G	C3'-C2'-C1'	8.29	108.13	101.50
3	A1	811	C	N3-C2-O2	-8.29	116.10	121.90
3	A1	1522	U	N1-C2-N3	8.29	119.87	114.90
25	BB	1032	A	O4'-C1'-N9	8.29	114.83	108.20
25	BB	1151	A	C5-C6-N1	8.29	121.84	117.70
25	BB	1886	U	C3'-C2'-C1'	8.29	108.13	101.50
25	BB	1967	C	N3-C2-O2	-8.29	116.10	121.90
25	BB	2857	G	N3-C4-C5	-8.29	124.46	128.60
25	BB	545	U	O4'-C4'-C3'	8.29	112.73	106.10
3	A1	1158	C	N3-C2-O2	-8.28	116.10	121.90
20	AU	43	TYR	CB-CG-CD1	-8.29	116.03	121.00
25	BB	588	U	C5-C6-N1	-8.29	118.56	122.70
25	BB	1053	C	N3-C4-N4	-8.28	112.20	118.00
25	BB	1162	G	N3-C4-C5	-8.29	124.46	128.60
25	BB	1290	C	C6-N1-C2	-8.29	116.99	120.30
25	BB	2121	G	N1-C6-O6	-8.29	114.93	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1551	A	C5-C6-N1	8.28	121.84	117.70
25	BB	2803	G	N7-C8-N9	8.29	117.24	113.10
25	BB	2807	U	N3-C2-O2	-8.28	116.40	122.20
25	BB	2831	G	O4'-C4'-C3'	8.28	112.73	106.10
3	A1	507	C	N3-C2-O2	-8.28	116.10	121.90
3	A1	1069	C	N3-C2-O2	-8.28	116.10	121.90
3	A1	1181	G	C5-C6-N1	8.28	115.64	111.50
3	A1	1385	G	N3-C4-C5	-8.28	124.46	128.60
24	BA	12	C	N3-C4-C5	8.28	125.21	121.90
25	BB	124	G	C8-N9-C4	-8.28	103.09	106.40
25	BB	1048	A	C6-C5-N7	8.28	138.10	132.30
25	BB	1532	A	C5-C6-N1	8.28	121.84	117.70
25	BB	329	G	N1-C6-O6	-8.28	114.93	119.90
2	AM	16	U	C5'-C4'-O4'	8.28	119.03	109.10
3	A1	621	A	C4-C5-C6	-8.28	112.86	117.00
3	A1	1447	A	N1-C6-N6	-8.28	113.63	118.60
3	A1	1458	G	O4'-C1'-N9	8.28	114.82	108.20
25	BB	367	G	N9-C4-C5	8.28	108.71	105.40
25	BB	1182	G	N3-C4-C5	-8.28	124.46	128.60
25	BB	1497	U	N1-C2-N3	8.28	119.87	114.90
25	BB	1538	G	N7-C8-N9	8.28	117.24	113.10
25	BB	2256	G	C5-C6-N1	8.28	115.64	111.50
25	BB	2660	A	N1-C2-N3	-8.28	125.16	129.30
3	A1	1089	G	C3'-C2'-C1'	8.28	108.12	101.50
24	BA	23	G	C5-N7-C8	-8.28	100.16	104.30
25	BB	1112	G	C8-N9-C4	-8.28	103.09	106.40
25	BB	273	G	C6-C5-N7	8.28	135.37	130.40
25	BB	980	A	C4-C5-C6	-8.28	112.86	117.00
25	BB	1356	G	C3'-C2'-C1'	8.28	108.12	101.50
25	BB	1598	A	C5-C6-N1	8.28	121.84	117.70
3	A1	427	U	C5-C6-N1	-8.27	118.56	122.70
3	A1	893	C	O4'-C1'-N1	8.27	114.82	108.20
25	BB	373	U	O4'-C1'-N1	8.27	114.82	108.20
25	BB	700	G	N3-C4-C5	-8.27	124.46	128.60
3	A1	12	U	C4-C5-C6	8.27	124.66	119.70
3	A1	72	A	C5-C6-N1	8.27	121.84	117.70
3	A1	215	C	N3-C4-C5	8.27	125.21	121.90
3	A1	692	U	N1-C2-N3	8.27	119.86	114.90
25	BB	950	G	N1-C6-O6	-8.27	114.94	119.90
25	BB	1817	G	C5-C6-O6	8.27	133.56	128.60
25	BB	2863	C	O4'-C4'-C3'	8.27	112.72	106.10
3	A1	92	U	C5-C6-N1	-8.27	118.56	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	11	C	C5-C4-N4	8.27	125.99	120.20
25	BB	604	G	C6-N1-C2	-8.27	120.14	125.10
25	BB	1885	A	C3'-C2'-C1'	8.27	108.11	101.50
25	BB	2023	C	C5-C6-N1	-8.27	116.87	121.00
25	BB	2652	C	N3-C2-O2	-8.27	116.11	121.90
25	BB	2702	G	C5-C6-N1	8.27	115.64	111.50
25	BB	2794	C	N1-C2-N3	8.27	124.99	119.20
3	A1	1205	U	C1'-O4'-C4'	8.27	116.51	109.90
25	BB	1586	A	N1-C6-N6	-8.27	113.64	118.60
3	A1	79	G	C5-C6-N1	8.27	115.63	111.50
25	BB	777	G	N1-C6-O6	-8.27	114.94	119.90
25	BB	987	C	N3-C4-C5	8.27	125.21	121.90
25	BB	1178	C	N3-C2-O2	-8.27	116.11	121.90
25	BB	1916	A	C5-C6-N1	8.27	121.83	117.70
25	BB	2004	G	N7-C8-N9	8.27	117.23	113.10
25	BB	2313	C	N3-C4-N4	-8.27	112.21	118.00
25	BB	2704	C	O4'-C1'-N1	8.27	114.81	108.20
3	A1	696	A	C4-C5-C6	-8.26	112.87	117.00
3	A1	1389	C	N1-C2-O2	8.26	123.86	118.90
3	A1	970	C	C6-N1-C2	-8.26	117.00	120.30
25	BB	130	C	O4'-C1'-N1	8.26	114.81	108.20
25	BB	394	C	N3-C4-N4	-8.26	112.22	118.00
25	BB	923	G	N1-C6-O6	-8.26	114.94	119.90
25	BB	1095	A	C4-C5-C6	-8.26	112.87	117.00
25	BB	1958	C	C6-N1-C2	-8.26	117.00	120.30
25	BB	2056	G	C1'-O4'-C4'	-8.26	103.29	109.90
25	BB	2098	U	C1'-O4'-C4'	-8.26	103.29	109.90
25	BB	2095	A	C8-N9-C4	-8.26	102.50	105.80
25	BB	2318	G	C4-C5-C6	-8.26	113.84	118.80
25	BB	2847	U	O4'-C1'-N1	8.26	114.81	108.20
25	BB	620	G	C6-N1-C2	-8.26	120.14	125.10
3	A1	1025	U	C1'-O4'-C4'	-8.26	103.29	109.90
25	BB	949	G	N1-C6-O6	-8.26	114.94	119.90
25	BB	1691	C	C2-N3-C4	-8.26	115.77	119.90
25	BB	2569	G	N3-C4-C5	-8.26	124.47	128.60
25	BB	2703	C	N1-C2-O2	8.26	123.86	118.90
1	AE	32	C	N3-C4-C5	8.26	125.20	121.90
7	AF	69	ARG	NH1-CZ-NH2	-8.26	110.32	119.40
25	BB	678	C	N3-C2-O2	-8.26	116.12	121.90
25	BB	1008	A	C4-C5-C6	-8.26	112.87	117.00
25	BB	1322	A	C4-C5-C6	-8.26	112.87	117.00
25	BB	1491	G	C8-N9-C4	-8.26	103.10	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2897	U	O4'-C1'-N1	8.26	114.81	108.20
2	AM	10	U	C5-C6-N1	-8.26	118.57	122.70
3	A1	928	G	C8-N9-C4	-8.26	103.10	106.40
24	BA	54	G	N3-C2-N2	-8.26	114.12	119.90
25	BB	1961	C	C6-N1-C2	8.26	123.60	120.30
25	BB	2062	A	C6-C5-N7	8.26	138.08	132.30
3	A1	289	G	O4'-C4'-C3'	8.25	112.70	106.10
3	A1	397	A	N1-C6-N6	-8.25	113.65	118.60
3	A1	694	A	C2-N3-C4	8.25	114.73	110.60
1	AA	8	U	C5'-C4'-O4'	8.25	119.00	109.10
3	A1	421	U	C5-C6-N1	-8.25	118.57	122.70
24	BA	94	A	C5-C6-N1	8.25	121.83	117.70
25	BB	61	C	N3-C4-C5	8.25	125.20	121.90
25	BB	1772	A	C4-C5-C6	-8.25	112.87	117.00
25	BB	1994	C	O4'-C1'-N1	8.25	114.80	108.20
25	BB	2049	G	N3-C4-N9	8.25	130.95	126.00
1	AP	64	A	C5-C6-N6	8.25	130.30	123.70
3	A1	1274	A	C6-C5-N7	8.25	138.07	132.30
25	BB	604	G	C5-C6-N1	8.25	115.63	111.50
25	BB	637	A	C2-N3-C4	8.25	114.72	110.60
25	BB	1437	C	N3-C4-C5	8.25	125.20	121.90
25	BB	1800	C	C4'-C3'-C2'	-8.25	94.35	102.60
25	BB	1912	A	C4-C5-C6	-8.25	112.88	117.00
25	BB	2133	G	N3-C4-C5	-8.25	124.47	128.60
25	BB	2757	A	C6-N1-C2	-8.25	113.65	118.60
30	BG	46	ARG	NE-CZ-NH1	8.25	124.42	120.30
3	A1	119	A	C4-C5-C6	-8.25	112.88	117.00
25	BB	771	G	C5-C6-O6	8.25	133.55	128.60
25	BB	2846	G	C6-C5-N7	8.25	135.35	130.40
25	BB	192	C	N3-C2-O2	-8.25	116.13	121.90
25	BB	600	G	N1-C6-O6	-8.25	114.95	119.90
25	BB	2157	G	C6-C5-N7	8.25	135.35	130.40
37	BN	211	ARG	NE-CZ-NH2	8.25	124.42	120.30
25	BB	2446	G	N1-C6-O6	-8.25	114.95	119.90
25	BB	2539	C	O4'-C4'-C3'	8.25	112.70	106.10
3	A1	949	A	C5-C6-N1	8.24	121.82	117.70
1	AE	18	G	C8-N9-C4	-8.24	103.10	106.40
3	A1	512	U	O4'-C1'-N1	8.24	114.79	108.20
3	A1	608	A	O4'-C1'-N9	8.24	114.80	108.20
4	AB	207	ARG	NE-CZ-NH1	8.24	124.42	120.30
25	BB	324	A	C5-C6-N6	8.24	130.29	123.70
25	BB	350	G	N9-C4-C5	8.24	108.70	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1395	A	C4-C5-C6	-8.24	112.88	117.00
25	BB	766	U	C2-N3-C4	-8.24	122.05	127.00
25	BB	1100	C	N1-C2-N3	8.24	124.97	119.20
25	BB	1274	A	C6-C5-N7	8.24	138.07	132.30
25	BB	2743	U	C1'-O4'-C4'	-8.24	103.31	109.90
3	A1	271	C	O4'-C1'-N1	8.24	114.79	108.20
3	A1	807	A	C6-C5-N7	8.24	138.07	132.30
3	A1	927	G	N1-C6-O6	-8.24	114.95	119.90
24	BA	98	G	C6-N1-C2	-8.24	120.16	125.10
25	BB	954	G	N1-C6-O6	-8.24	114.96	119.90
25	BB	976	G	N1-C6-O6	-8.24	114.96	119.90
25	BB	1614	A	C4-C5-C6	-8.24	112.88	117.00
25	BB	2006	C	N3-C4-N4	-8.24	112.23	118.00
25	BB	2322	A	N1-C6-N6	-8.24	113.66	118.60
1	AA	3	G	C3'-C2'-C1'	8.24	108.09	101.50
1	AA	58	A	C5'-C4'-O4'	-8.24	99.21	109.10
1	AE	41	U	O4'-C1'-N1	8.24	114.79	108.20
3	A1	177	G	O4'-C1'-N9	8.24	114.79	108.20
3	A1	284	C	N3-C2-O2	-8.24	116.13	121.90
3	A1	927	G	C5-C6-N1	8.24	115.62	111.50
3	A1	1366	C	N3-C2-O2	-8.24	116.13	121.90
3	A1	1401	G	N9-C4-C5	8.24	108.69	105.40
24	BA	89	U	C3'-C2'-C1'	8.24	108.09	101.50
25	BB	1528	A	N1-C6-N6	-8.24	113.66	118.60
1	AA	15	G	O4'-C1'-N9	8.23	114.79	108.20
1	AE	34	G	O4'-C4'-C3'	8.23	112.69	106.10
3	A1	540	G	N3-C2-N2	-8.23	114.14	119.90
3	A1	1211	U	C5-C6-N1	-8.23	118.58	122.70
25	BB	1867	G	N3-C4-C5	-8.23	124.48	128.60
25	BB	2095	A	C1'-O4'-C4'	-8.23	103.31	109.90
3	A1	1143	G	N1-C6-O6	-8.23	114.96	119.90
3	A1	1214	C	C6-N1-C2	-8.23	117.01	120.30
1	AP	54	U	O4'-C1'-N1	8.23	114.78	108.20
24	BA	19	C	N3-C2-O2	-8.23	116.14	121.90
25	BB	141	G	C6-C5-N7	8.23	135.34	130.40
25	BB	336	C	N3-C2-O2	-8.23	116.14	121.90
25	BB	522	A	C4-C5-C6	-8.23	112.89	117.00
25	BB	1471	G	N1-C6-O6	-8.23	114.96	119.90
25	BB	1510	G	C3'-C2'-C1'	-8.23	94.92	101.50
25	BB	1836	C	N3-C2-O2	-8.23	116.14	121.90
25	BB	2044	C	C2-N3-C4	-8.23	115.78	119.90
25	BB	2394	C	N3-C2-O2	-8.23	116.14	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	171	A	C5-C6-N1	8.23	121.81	117.70
25	BB	1807	G	C1'-O4'-C4'	-8.23	103.32	109.90
25	BB	2712	C	C5'-C4'-O4'	8.23	118.97	109.10
3	A1	757	U	O4'-C1'-N1	8.23	114.78	108.20
3	A1	1308	U	N3-C2-O2	-8.23	116.44	122.20
25	BB	282	A	C4-C5-C6	-8.23	112.89	117.00
25	BB	369	U	N3-C2-O2	-8.23	116.44	122.20
25	BB	1735	A	C4-C5-C6	-8.23	112.89	117.00
25	BB	776	G	N1-C2-N2	-8.23	108.80	116.20
25	BB	1518	C	C2-N3-C4	-8.23	115.79	119.90
25	BB	1899	A	C5-C6-N1	8.23	121.81	117.70
25	BB	2771	C	C6-N1-C2	-8.23	117.01	120.30
25	BB	1020	A	C8-N9-C4	-8.22	102.51	105.80
25	BB	2152	G	C8-N9-C4	-8.22	103.11	106.40
25	BB	2178	C	C1'-O4'-C4'	-8.22	103.32	109.90
3	A1	810	C	O4'-C1'-N1	-8.22	101.62	108.20
25	BB	301	G	O4'-C1'-N9	8.22	114.78	108.20
25	BB	726	G	C8-N9-C4	-8.22	103.11	106.40
25	BB	809	G	O4'-C1'-N9	8.22	114.78	108.20
25	BB	873	C	N3-C2-O2	-8.22	116.14	121.90
25	BB	979	A	C5'-C4'-O4'	8.22	118.97	109.10
35	BL	84	ARG	NE-CZ-NH1	8.22	124.41	120.30
25	BB	363	G	N1-C6-O6	-8.22	114.97	119.90
25	BB	118	A	C5-C6-N1	8.22	121.81	117.70
25	BB	2131	U	O4'-C1'-N1	8.22	114.78	108.20
3	A1	984	C	N3-C4-N4	-8.22	112.25	118.00
3	A1	1206	G	C5-N7-C8	-8.22	100.19	104.30
25	BB	2291	U	N1-C2-O2	8.22	128.55	122.80
1	AE	74	C	C6-N1-C2	-8.22	117.01	120.30
3	A1	944	G	C5-C6-N1	8.22	115.61	111.50
25	BB	486	C	C5-C4-N4	8.22	125.95	120.20
25	BB	754	U	N1-C2-N3	8.22	119.83	114.90
25	BB	1131	G	N3-C2-N2	-8.22	114.15	119.90
25	BB	1538	G	C4'-C3'-C2'	-8.22	94.38	102.60
25	BB	1828	G	C5-C6-O6	8.22	133.53	128.60
3	A1	156	C	C6-N1-C2	8.22	123.59	120.30
3	A1	536	C	C5-C4-N4	8.21	125.95	120.20
25	BB	67	U	C5-C6-N1	-8.22	118.59	122.70
25	BB	1094	U	C5-C6-N1	-8.22	118.59	122.70
25	BB	2005	A	C4-C5-C6	-8.22	112.89	117.00
3	A1	139	A	C5-N7-C8	-8.21	99.79	103.90
3	A1	788	U	C4'-C3'-C2'	-8.21	94.39	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1441	A	C5-C6-N1	8.21	121.81	117.70
25	BB	921	C	N3-C2-O2	-8.21	116.15	121.90
25	BB	2203	U	O4'-C1'-N1	8.21	114.77	108.20
3	A1	788	U	N1-C2-N3	8.21	119.83	114.90
3	A1	893	C	C1'-O4'-C4'	8.21	116.47	109.90
3	A1	1050	G	N9-C1'-C2'	-8.21	102.97	112.00
3	A1	1170	A	C4-C5-C6	-8.21	112.89	117.00
25	BB	541	A	N1-C2-N3	-8.21	125.19	129.30
25	BB	645	C	N1-C2-O2	8.21	123.83	118.90
25	BB	722	A	C5-C6-N1	8.21	121.81	117.70
25	BB	2211	A	C6-N1-C2	-8.21	113.67	118.60
25	BB	1102	C	N3-C4-C5	8.21	125.18	121.90
25	BB	1349	C	N1-C2-O2	8.21	123.83	118.90
30	BG	103	ARG	NE-CZ-NH1	-8.21	116.19	120.30
55	B6	69	ARG	NH1-CZ-NH2	-8.21	110.37	119.40
1	AA	42	G	N1-C2-N2	8.21	123.59	116.20
3	A1	1069	C	C6-N1-C2	-8.21	117.02	120.30
25	BB	461	C	C6-N1-C2	-8.21	117.02	120.30
25	BB	2728	U	N3-C2-O2	-8.21	116.45	122.20
25	BB	2784	U	N3-C2-O2	-8.21	116.45	122.20
24	BA	29	A	C4-C5-C6	-8.21	112.90	117.00
25	BB	692	C	N3-C4-N4	-8.21	112.25	118.00
25	BB	2431	U	P-O3'-C3'	8.21	129.55	119.70
25	BB	2673	G	C5-C6-N1	8.21	115.60	111.50
25	BB	2770	G	N3-C2-N2	-8.21	114.15	119.90
25	BB	2888	C	C5-C6-N1	-8.21	116.90	121.00
3	A1	8	A	C5-C6-N1	8.21	121.80	117.70
3	A1	584	G	C5-C6-N1	8.21	115.60	111.50
3	A1	1254	A	C2-N3-C4	8.21	114.70	110.60
3	A1	49	U	C5-C6-N1	-8.20	118.60	122.70
24	BA	85	G	N3-C2-N2	-8.21	114.16	119.90
25	BB	713	G	N3-C2-N2	-8.21	114.16	119.90
25	BB	845	A	C5-C6-N6	8.21	130.26	123.70
25	BB	1208	C	C2-N3-C4	-8.20	115.80	119.90
25	BB	2325	G	N3-C4-C5	-8.20	124.50	128.60
25	BB	2466	C	N3-C2-O2	-8.20	116.16	121.90
29	BF	114	ARG	NH1-CZ-NH2	-8.21	110.38	119.40
37	BN	261	ARG	NE-CZ-NH1	8.20	124.40	120.30
3	A1	1524	C	C5-C4-N4	8.20	125.94	120.20
25	BB	1073	A	C5-C6-N1	8.20	121.80	117.70
25	BB	1159	U	C4'-C3'-C2'	-8.20	94.40	102.60
25	BB	2387	U	N1-C2-O2	8.20	128.54	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
44	BU	5	ARG	NE-CZ-NH1	8.20	124.40	120.30
1	AA	25	C	O4'-C4'-C3'	8.20	112.66	106.10
25	BB	190	A	O4'-C4'-C3'	-8.20	95.80	104.00
1	AP	39	U	C5'-C4'-O4'	8.20	118.94	109.10
3	A1	542	G	N3-C2-N2	-8.20	114.16	119.90
25	BB	739	A	N1-C6-N6	-8.20	113.68	118.60
25	BB	846	U	N3-C2-O2	-8.20	116.46	122.20
25	BB	2546	U	C1'-O4'-C4'	8.20	116.46	109.90
3	A1	79	G	C2-N3-C4	8.20	116.00	111.90
25	BB	1473	G	N3-C2-N2	-8.20	114.16	119.90
25	BB	1926	U	N1-C2-N3	8.20	119.82	114.90
3	A1	23	C	C4'-C3'-C2'	-8.19	94.41	102.60
3	A1	901	A	C5-C6-N1	8.20	121.80	117.70
25	BB	754	U	N3-C2-O2	-8.20	116.46	122.20
25	BB	881	G	C8-N9-C4	-8.20	103.12	106.40
25	BB	1621	U	N3-C2-O2	-8.20	116.46	122.20
25	BB	2396	G	N3-C4-N9	8.20	130.92	126.00
37	BN	188	ARG	NE-CZ-NH1	8.19	124.40	120.30
3	A1	1339	A	C4-C5-C6	-8.19	112.90	117.00
25	BB	881	G	N1-C2-N3	8.19	128.82	123.90
25	BB	1959	G	N1-C6-O6	-8.19	114.98	119.90
25	BB	2209	G	C5-C6-N1	8.19	115.60	111.50
1	AA	46	G	C3'-C2'-C1'	-8.19	94.95	101.50
3	A1	135	C	N3-C4-N4	-8.19	112.27	118.00
3	A1	337	G	N3-C4-N9	8.19	130.91	126.00
25	BB	1483	G	C6-C5-N7	8.19	135.31	130.40
25	BB	2711	A	C6-C5-N7	8.19	138.03	132.30
1	AA	26	G	C5-C6-N1	8.19	115.59	111.50
3	A1	278	G	N1-C6-O6	-8.19	114.99	119.90
3	A1	1313	U	N3-C2-O2	-8.19	116.47	122.20
25	BB	19	A	C4-C5-C6	-8.19	112.91	117.00
25	BB	252	G	N1-C6-O6	-8.19	114.99	119.90
25	BB	423	A	C4-C5-C6	-8.19	112.91	117.00
1	AP	73	A	C5-C6-N1	8.19	121.79	117.70
3	A1	995	C	N1-C2-O2	8.19	123.81	118.90
3	A1	1140	C	N1-C2-O2	8.19	123.81	118.90
3	A1	1442	G	C5-C6-N1	8.19	115.59	111.50
25	BB	357	C	O4'-C1'-N1	8.19	114.75	108.20
3	A1	924	C	C5-C4-N4	8.18	125.93	120.20
3	A1	1104	G	N3-C4-C5	-8.18	124.51	128.60
25	BB	1889	A	C5'-C4'-O4'	-8.18	99.28	109.10
25	BB	324	A	C4-C5-C6	-8.18	112.91	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1696	G	C8-N9-C4	-8.18	103.13	106.40
25	BB	1958	C	N3-C4-N4	-8.18	112.27	118.00
25	BB	2045	C	C5-C4-N4	-8.18	114.47	120.20
3	A1	192	A	C5-C6-N1	8.18	121.79	117.70
3	A1	487	A	C5-C6-N1	8.18	121.79	117.70
3	A1	784	A	O4'-C1'-N9	8.18	114.74	108.20
24	BA	101	A	C5-C6-N6	8.18	130.24	123.70
25	BB	1431	A	N9-C4-C5	8.18	109.07	105.80
25	BB	1795	C	N3-C2-O2	-8.18	116.17	121.90
25	BB	1945	G	C6-C5-N7	8.18	135.31	130.40
25	BB	1958	C	O4'-C1'-N1	8.18	114.75	108.20
25	BB	2483	C	N1-C2-O2	8.18	123.81	118.90
3	A1	1453	G	N1-C6-O6	-8.18	114.99	119.90
25	BB	1726	C	N3-C4-C5	8.18	125.17	121.90
25	BB	33	C	C6-N1-C2	-8.18	117.03	120.30
3	A1	1436	U	C2-N3-C4	-8.18	122.09	127.00
25	BB	87	U	C5-C6-N1	-8.18	118.61	122.70
25	BB	1339	G	N1-C6-O6	-8.18	115.00	119.90
25	BB	1815	A	C5-C6-N1	8.18	121.79	117.70
25	BB	2079	U	O4'-C1'-N1	8.18	114.74	108.20
25	BB	2286	G	N3-C2-N2	-8.18	114.18	119.90
3	A1	50	A	C3'-C2'-C1'	8.17	108.04	101.50
3	A1	1489	G	C1'-O4'-C4'	-8.17	103.36	109.90
25	BB	1076	C	N3-C2-O2	-8.17	116.18	121.90
25	BB	2097	A	C5-C6-N1	8.17	121.79	117.70
25	BB	2160	C	N3-C2-O2	-8.17	116.18	121.90
25	BB	2361	G	C4-C5-N7	8.17	114.07	110.80
25	BB	2471	A	O4'-C1'-N9	8.17	114.74	108.20
3	A1	17	U	N1-C2-N3	8.17	119.80	114.90
3	A1	161	A	C6-C5-N7	8.17	138.02	132.30
3	A1	1155	A	C5-C6-N1	8.17	121.78	117.70
3	A1	1221	G	N1-C2-N3	8.17	128.80	123.90
3	A1	1359	C	N3-C4-C5	8.17	125.17	121.90
24	BA	52	A	N1-C2-N3	-8.17	125.22	129.30
25	BB	645	C	O4'-C4'-C3'	8.17	112.64	106.10
25	BB	892	A	C5'-C4'-O4'	8.17	118.90	109.10
25	BB	1017	G	C5'-C4'-O4'	8.17	118.91	109.10
25	BB	2381	A	O4'-C1'-N9	8.17	114.74	108.20
25	BB	2717	C	N3-C4-N4	-8.17	112.28	118.00
25	BB	2879	A	C4-C5-C6	-8.17	112.92	117.00
3	A1	1401	G	C6-N1-C2	-8.17	120.20	125.10
3	A1	395	C	C2-N3-C4	-8.17	115.82	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	122	G	N1-C6-O6	-8.17	115.00	119.90
25	BB	223	A	C6-C5-N7	8.17	138.02	132.30
25	BB	2713	U	C5-C6-N1	-8.17	118.62	122.70
25	BB	1165	A	C4-C5-C6	-8.17	112.92	117.00
25	BB	2344	U	C5-C6-N1	-8.17	118.62	122.70
25	BB	1935	G	C5-C6-O6	8.16	133.50	128.60
25	BB	2846	G	N3-C2-N2	-8.16	114.19	119.90
1	AA	61	C	N1-C2-O2	8.16	123.80	118.90
1	AP	33	U	N1-C2-N3	8.16	119.80	114.90
24	BA	18	G	C6-N1-C2	-8.16	120.20	125.10
25	BB	1215	G	C5'-C4'-O4'	-8.16	99.30	109.10
25	BB	1678	A	C4-C5-C6	-8.16	112.92	117.00
3	A1	683	G	C5-C6-O6	8.16	133.50	128.60
3	A1	1141	C	C6-N1-C2	-8.16	117.03	120.30
3	A1	1176	A	N7-C8-N9	8.16	117.88	113.80
25	BB	335	C	C1'-O4'-C4'	-8.16	103.37	109.90
25	BB	547	A	C5-C6-N6	8.16	130.23	123.70
25	BB	1366	A	C4'-C3'-C2'	-8.16	94.44	102.60
25	BB	1723	G	C4-C5-N7	-8.16	107.53	110.80
25	BB	2764	A	C5-C6-N1	8.16	121.78	117.70
29	BF	44	ARG	NE-CZ-NH1	8.16	124.38	120.30
1	AE	60	C	N3-C4-C5	8.16	125.16	121.90
3	A1	424	G	C8-N9-C4	-8.16	103.14	106.40
3	A1	1021	A	N1-C2-N3	-8.16	125.22	129.30
25	BB	154	U	C6-N1-C2	-8.16	116.10	121.00
3	A1	1229	A	C1'-O4'-C4'	-8.16	103.37	109.90
25	BB	16	C	C2-N3-C4	-8.16	115.82	119.90
25	BB	206	U	O4'-C1'-N1	8.16	114.73	108.20
25	BB	209	C	N3-C4-C5	8.16	125.16	121.90
25	BB	488	G	N9-C4-C5	8.16	108.66	105.40
25	BB	1077	A	C4-C5-C6	-8.16	112.92	117.00
25	BB	2793	C	C5'-C4'-O4'	8.16	118.89	109.10
3	A1	379	C	N3-C4-C5	8.16	125.16	121.90
3	A1	502	A	C3'-C2'-C1'	8.16	108.03	101.50
3	A1	1337	G	N1-C6-O6	-8.16	115.00	119.90
25	BB	767	U	O4'-C1'-N1	8.16	114.73	108.20
25	BB	2241	A	C5-C6-N1	8.16	121.78	117.70
25	BB	2818	U	O4'-C1'-N1	8.16	114.72	108.20
3	A1	926	G	N9-C4-C5	8.15	108.66	105.40
3	A1	1011	C	O4'-C1'-N1	8.15	114.72	108.20
12	AK	60	ARG	NE-CZ-NH1	8.15	124.38	120.30
25	BB	366	C	C5-C6-N1	-8.15	116.92	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	418	C	N3-C4-C5	8.15	125.16	121.90
25	BB	786	C	O5'-P-OP1	-8.15	98.36	105.70
25	BB	837	C	N3-C4-N4	-8.15	112.29	118.00
3	A1	437	U	C6-N1-C2	-8.15	116.11	121.00
25	BB	1416	G	N1-C2-N3	8.15	128.79	123.90
25	BB	2707	U	C4-C5-C6	8.15	124.59	119.70
25	BB	2082	A	N1-C6-N6	-8.15	113.71	118.60
3	A1	182	A	C4-C5-C6	-8.15	112.92	117.00
3	A1	1003	G	C5'-C4'-O4'	8.15	118.88	109.10
25	BB	153	U	N3-C2-O2	-8.15	116.49	122.20
25	BB	1254	A	C4-C5-C6	-8.15	112.92	117.00
25	BB	2373	G	C3'-C2'-C1'	-8.15	94.98	101.50
25	BB	2671	G	N3-C2-N2	-8.15	114.19	119.90
25	BB	1058	U	C5-C6-N1	-8.15	118.62	122.70
49	BZ	63	ARG	NE-CZ-NH1	8.15	124.38	120.30
1	AE	47	U	C2-N3-C4	-8.15	122.11	127.00
3	A1	475	C	N3-C4-C5	8.15	125.16	121.90
3	A1	638	U	O4'-C1'-N1	8.15	114.72	108.20
3	A1	1442	G	C5-N7-C8	-8.15	100.23	104.30
25	BB	316	C	C6-N1-C2	-8.15	117.04	120.30
25	BB	2543	G	N1-C2-N3	8.15	128.79	123.90
3	A1	1317	C	N3-C2-O2	-8.15	116.20	121.90
25	BB	86	G	C4-C5-N7	-8.15	107.54	110.80
25	BB	1765	U	O4'-C1'-N1	8.15	114.72	108.20
25	BB	2675	A	C4-C5-C6	-8.15	112.93	117.00
3	A1	104	G	C5-C6-O6	8.14	133.49	128.60
3	A1	158	G	N3-C2-N2	-8.14	114.20	119.90
3	A1	795	C	C2-N3-C4	-8.14	115.83	119.90
25	BB	1959	G	C5'-C4'-O4'	8.14	118.87	109.10
3	A1	844	G	C6-N1-C2	-8.14	120.21	125.10
3	A1	976	G	C5-C6-N1	8.14	115.57	111.50
25	BB	207	A	C5-C6-N1	8.14	121.77	117.70
25	BB	977	G	C6-C5-N7	8.14	135.29	130.40
25	BB	2113	U	O4'-C1'-N1	8.14	114.72	108.20
25	BB	2140	G	C5-C6-N1	8.14	115.57	111.50
3	A1	1492	A	P-O3'-C3'	8.14	129.47	119.70
25	BB	1439	A	C4-C5-C6	-8.14	112.93	117.00
3	A1	720	C	C2-N3-C4	-8.14	115.83	119.90
3	A1	955	U	N3-C4-O4	8.14	125.10	119.40
25	BB	1545	A	C4'-C3'-C2'	-8.14	94.46	102.60
25	BB	1673	G	N7-C8-N9	8.14	117.17	113.10
25	BB	2036	C	O4'-C1'-N1	8.14	114.71	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2050	C	C2-N3-C4	-8.14	115.83	119.90
25	BB	2229	U	C3'-C2'-C1'	8.14	108.01	101.50
25	BB	2556	C	C6-N1-C2	-8.14	117.04	120.30
3	A1	201	G	C8-N9-C4	-8.14	103.14	106.40
3	A1	255	G	O4'-C4'-C3'	8.14	112.61	106.10
3	A1	523	A	C6-C5-N7	8.14	138.00	132.30
3	A1	1533	C	N3-C2-O2	-8.14	116.20	121.90
25	BB	351	C	N3-C2-O2	-8.14	116.20	121.90
25	BB	838	C	N3-C4-C5	8.14	125.16	121.90
25	BB	2797	U	N1-C2-O2	8.14	128.50	122.80
3	A1	515	G	C5'-C4'-O4'	8.14	118.86	109.10
25	BB	1103	A	C8-N9-C4	-8.14	102.55	105.80
33	BJ	49	ARG	NE-CZ-NH1	-8.14	116.23	120.30
42	BS	63	ARG	NE-CZ-NH2	8.14	124.37	120.30
25	BB	2264	C	O4'-C4'-C3'	-8.14	95.86	104.00
25	BB	902	C	N3-C4-N4	-8.13	112.31	118.00
1	AA	1	G	O4'-C4'-C3'	8.13	112.61	106.10
3	A1	36	C	C5-C4-N4	8.13	125.89	120.20
3	A1	87	C	C5'-C4'-O4'	8.13	118.86	109.10
3	A1	1093	A	C4-C5-C6	-8.13	112.93	117.00
16	AQ	20	ARG	CD-NE-CZ	8.13	134.98	123.60
25	BB	2097	A	N9-C4-C5	-8.13	102.55	105.80
25	BB	2884	U	C5-C6-N1	-8.13	118.63	122.70
25	BB	155	A	C4-C5-C6	-8.13	112.94	117.00
25	BB	208	C	N3-C4-C5	8.13	125.15	121.90
25	BB	1732	C	N3-C2-O2	-8.13	116.21	121.90
25	BB	2293	G	C5-C6-N1	8.13	115.57	111.50
25	BB	2600	A	C6-C5-N7	8.13	137.99	132.30
25	BB	2653	U	C4-C5-C6	8.13	124.58	119.70
3	A1	294	U	C5-C6-N1	-8.13	118.64	122.70
3	A1	826	C	N3-C4-C5	8.13	125.15	121.90
1	AE	29	A	C2-N3-C4	8.13	114.66	110.60
3	A1	1099	G	C5-C6-N1	8.13	115.56	111.50
25	BB	344	A	C5-N7-C8	-8.13	99.84	103.90
25	BB	226	A	N1-C2-N3	-8.13	125.24	129.30
25	BB	2128	G	C4-C5-C6	-8.13	113.92	118.80
25	BB	2148	G	C5-N7-C8	-8.13	100.24	104.30
3	A1	215	C	C2-N3-C4	-8.12	115.84	119.90
3	A1	247	G	N1-C6-O6	-8.12	115.03	119.90
3	A1	938	A	C6-C5-N7	8.12	137.99	132.30
25	BB	261	G	N1-C6-O6	-8.12	115.03	119.90
25	BB	612	G	C5-C6-N1	8.12	115.56	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	703	U	C4'-C3'-C2'	-8.12	94.48	102.60
25	BB	737	C	C5-C6-N1	-8.12	116.94	121.00
25	BB	1003	G	N9-C4-C5	8.13	108.65	105.40
25	BB	1385	A	O4'-C1'-N9	8.12	114.70	108.20
25	BB	2331	G	N7-C8-N9	8.12	117.16	113.10
25	BB	2674	G	N3-C4-C5	-8.12	124.54	128.60
3	A1	218	U	O4'-C1'-N1	8.12	114.70	108.20
25	BB	290	U	N1-C2-N3	8.12	119.77	114.90
3	A1	237	G	C5-C6-O6	-8.12	123.73	128.60
3	A1	637	C	N3-C2-O2	-8.12	116.22	121.90
25	BB	836	G	C1'-O4'-C4'	-8.12	103.40	109.90
25	BB	1118	C	C5'-C4'-O4'	8.12	118.85	109.10
25	BB	1310	G	O4'-C1'-N9	8.12	114.70	108.20
3	A1	101	A	O4'-C1'-N9	8.12	114.69	108.20
3	A1	574	A	C5-C6-N6	8.12	130.19	123.70
3	A1	1327	C	N3-C4-N4	-8.12	112.32	118.00
25	BB	2792	A	C5-C6-N1	8.12	121.76	117.70
3	A1	1097	C	C5-C6-N1	-8.12	116.94	121.00
3	A1	1508	A	C6-C5-N7	8.12	137.98	132.30
25	BB	118	A	C5-C6-N6	8.12	130.19	123.70
25	BB	210	C	N3-C4-N4	-8.12	112.32	118.00
25	BB	1055	G	N1-C6-O6	-8.12	115.03	119.90
25	BB	1538	G	C5-C6-O6	8.12	133.47	128.60
25	BB	2120	G	C4'-C3'-C2'	-8.12	94.48	102.60
25	BB	2685	G	C5-C6-N1	8.12	115.56	111.50
25	BB	900	A	C3'-C2'-C1'	-8.12	95.01	101.50
25	BB	1899	A	C6-C5-N7	8.12	137.98	132.30
25	BB	2648	G	C3'-C2'-C1'	8.12	107.99	101.50
25	BB	2718	G	N3-C2-N2	-8.12	114.22	119.90
1	AP	9	A	N9-C4-C5	8.12	109.05	105.80
25	BB	524	G	C2-N3-C4	8.12	115.96	111.90
3	A1	47	C	N3-C4-N4	-8.11	112.32	118.00
3	A1	887	G	N9-C4-C5	8.12	108.65	105.40
3	A1	1245	C	C5-C4-N4	-8.12	114.52	120.20
24	BA	68	C	N3-C2-O2	-8.11	116.22	121.90
25	BB	317	G	C4-C5-C6	-8.12	113.93	118.80
25	BB	1151	A	C4-C5-C6	-8.12	112.94	117.00
25	BB	958	U	N3-C2-O2	-8.11	116.52	122.20
25	BB	1283	G	C8-N9-C4	-8.11	103.15	106.40
25	BB	1610	A	C1'-O4'-C4'	-8.12	103.41	109.90
25	BB	1831	G	N1-C6-O6	-8.12	115.03	119.90
1	AA	2	C	N3-C2-O2	-8.11	116.22	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AE	22	G	C5-N7-C8	-8.11	100.24	104.30
25	BB	556	A	C4-C5-C6	-8.11	112.94	117.00
25	BB	1990	C	N1-C2-O2	8.11	123.77	118.90
1	AE	52	U	N3-C2-O2	-8.11	116.52	122.20
3	A1	529	G	C5-N7-C8	8.11	108.36	104.30
3	A1	1062	U	C4'-C3'-C2'	-8.11	94.49	102.60
25	BB	743	A	C5-C6-N1	8.11	121.76	117.70
25	BB	830	G	N9-C1'-C2'	-8.11	103.08	112.00
25	BB	2529	G	O4'-C4'-C3'	8.11	112.59	106.10
25	BB	2699	C	N3-C4-C5	8.11	125.14	121.90
3	A1	1465	A	C5-N7-C8	-8.11	99.84	103.90
45	BV	41	ARG	NE-CZ-NH1	-8.11	116.24	120.30
3	A1	472	U	N3-C2-O2	-8.11	116.52	122.20
3	A1	1523	G	O4'-C1'-N9	8.11	114.69	108.20
25	BB	324	A	O4'-C1'-N9	8.11	114.69	108.20
25	BB	1012	U	C4-C5-C6	8.11	124.56	119.70
25	BB	2660	A	C6-C5-N7	8.11	137.98	132.30
25	BB	2698	U	C1'-O4'-C4'	-8.11	103.41	109.90
25	BB	1118	C	N3-C4-N4	-8.11	112.33	118.00
25	BB	1589	U	C1'-O4'-C4'	-8.11	103.41	109.90
25	BB	1766	G	C3'-C2'-C1'	8.11	107.99	101.50
25	BB	2727	A	C5-C6-N1	8.11	121.75	117.70
25	BB	2800	A	C5-C6-N1	8.11	121.75	117.70
3	A1	303	A	C5-C6-N6	8.11	130.19	123.70
25	BB	493	G	N1-C6-O6	-8.11	115.04	119.90
25	BB	958	U	O4'-C1'-N1	8.11	114.69	108.20
25	BB	1022	G	C5'-C4'-O4'	8.11	118.83	109.10
25	BB	2135	A	C6-C5-N7	8.11	137.97	132.30
25	BB	2659	G	N1-C2-N3	8.11	128.76	123.90
34	BK	90	ARG	NE-CZ-NH1	8.11	124.35	120.30
3	A1	1279	G	N9-C4-C5	-8.10	102.16	105.40
3	A1	120	A	O4'-C4'-C3'	8.10	112.58	106.10
3	A1	338	A	C6-C5-N7	8.10	137.97	132.30
3	A1	519	C	C5-C6-N1	-8.10	116.95	121.00
3	A1	761	G	C5-C6-N1	8.10	115.55	111.50
3	A1	905	U	C1'-O4'-C4'	-8.10	103.42	109.90
3	A1	1050	G	O4'-C1'-N9	8.10	114.68	108.20
25	BB	130	C	C4-C5-C6	-8.10	113.35	117.40
25	BB	552	U	P-O3'-C3'	8.10	129.42	119.70
25	BB	676	A	C5-C6-N6	8.10	130.18	123.70
25	BB	655	A	N1-C2-N3	-8.10	125.25	129.30
25	BB	998	C	N3-C4-C5	8.10	125.14	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1085	A	C5-C6-N1	8.10	121.75	117.70
25	BB	1337	G	C6-C5-N7	8.10	135.26	130.40
25	BB	1331	G	N1-C6-O6	-8.10	115.04	119.90
25	BB	2355	G	N1-C6-O6	-8.10	115.04	119.90
3	A1	689	C	N3-C4-C5	8.10	125.14	121.90
3	A1	802	A	C5-C6-N1	8.10	121.75	117.70
24	BA	16	G	N9-C4-C5	8.10	108.64	105.40
25	BB	854	C	C5-C6-N1	-8.10	116.95	121.00
25	BB	928	A	C6-C5-N7	8.10	137.97	132.30
25	BB	1052	C	O4'-C1'-N1	8.10	114.68	108.20
25	BB	1719	G	C5-C6-N1	8.10	115.55	111.50
25	BB	2487	G	C5-C6-N1	8.10	115.55	111.50
25	BB	2562	U	O4'-C1'-C2'	-8.10	97.70	105.80
25	BB	2566	A	C4-C5-C6	-8.10	112.95	117.00
25	BB	2601	C	C2-N3-C4	-8.10	115.85	119.90
43	BT	16	ARG	NE-CZ-NH2	8.10	124.35	120.30
1	AA	37	G	C6-N1-C2	-8.10	120.24	125.10
1	AA	51	G	N1-C2-N3	8.10	128.76	123.90
3	A1	204	G	C1'-O4'-C4'	-8.10	103.42	109.90
25	BB	2573	C	N3-C4-C5	8.10	125.14	121.90
3	A1	307	C	N1-C2-O2	8.10	123.76	118.90
25	BB	840	C	C6-N1-C2	-8.10	117.06	120.30
25	BB	1384	A	N9-C4-C5	-8.10	102.56	105.80
25	BB	2696	U	C5'-C4'-O4'	8.10	118.81	109.10
1	AP	43	G	C6-C5-N7	8.09	135.26	130.40
37	BN	13	ARG	NE-CZ-NH1	8.09	124.35	120.30
1	AA	18	G	C5-C6-O6	8.09	133.46	128.60
1	AP	38	A	C4-C5-C6	-8.09	112.95	117.00
25	BB	963	U	C5'-C4'-C3'	-8.09	103.05	116.00
25	BB	1357	C	N1-C1'-C2'	-8.09	103.10	112.00
25	BB	2232	C	C2-N3-C4	-8.09	115.85	119.90
25	BB	2262	U	C5-C6-N1	-8.09	118.65	122.70
3	A1	313	A	C4-C5-C6	-8.09	112.95	117.00
3	A1	1370	G	C5-C6-N1	8.09	115.55	111.50
25	BB	2395	C	N3-C4-C5	8.09	125.14	121.90
3	A1	1231	G	N3-C2-N2	-8.09	114.24	119.90
25	BB	1013	C	N1-C2-O2	8.09	123.75	118.90
25	BB	1548	A	C8-N9-C4	8.09	109.04	105.80
25	BB	2155	U	C3'-C2'-C1'	8.09	107.97	101.50
3	A1	320	A	C6-C5-N7	8.09	137.96	132.30
3	A1	864	A	C1'-O4'-C4'	-8.09	103.43	109.90
3	A1	104	G	C3'-C2'-C1'	-8.09	95.03	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1476	A	C1'-O4'-C4'	-8.09	103.43	109.90
25	BB	339	U	C3'-C2'-C1'	8.09	107.97	101.50
25	BB	1328	A	O4'-C1'-N9	-8.09	101.73	108.20
25	BB	660	C	N3-C4-N4	-8.09	112.34	118.00
25	BB	727	A	C4-C5-C6	-8.09	112.96	117.00
25	BB	1010	A	C4-C5-C6	-8.09	112.96	117.00
25	BB	1096	A	C6-C5-N7	8.09	137.96	132.30
25	BB	2777	G	N7-C8-N9	8.09	117.14	113.10
3	A1	115	G	N3-C4-C5	-8.08	124.56	128.60
3	A1	740	U	N1-C2-N3	8.08	119.75	114.90
25	BB	126	A	C4-C5-C6	-8.08	112.96	117.00
25	BB	1433	A	C4-C5-C6	-8.08	112.96	117.00
25	BB	1928	A	C4-C5-C6	-8.08	112.96	117.00
14	AN	9	ARG	NH1-CZ-NH2	-8.08	110.51	119.40
3	A1	427	U	C3'-C2'-C1'	8.08	107.96	101.50
25	BB	205	G	C6-N1-C2	-8.08	120.25	125.10
25	BB	1080	A	C5-N7-C8	-8.08	99.86	103.90
25	BB	1164	C	C3'-C2'-C1'	8.08	107.96	101.50
25	BB	1583	A	C6-C5-N7	8.08	137.96	132.30
25	BB	2050	C	N3-C4-C5	8.08	125.13	121.90
25	BB	1337	G	N1-C6-O6	-8.08	115.05	119.90
3	A1	1187	G	C8-N9-C4	-8.08	103.17	106.40
3	A1	1203	C	C2-N3-C4	-8.08	115.86	119.90
24	BA	87	U	P-O3'-C3'	8.08	129.39	119.70
25	BB	51	G	C5-C6-O6	8.08	133.45	128.60
25	BB	905	A	C6-C5-N7	8.08	137.95	132.30
51	B2	147	ARG	NH1-CZ-NH2	-8.08	110.52	119.40
3	A1	353	A	C5-C6-N1	8.07	121.74	117.70
25	BB	2669	G	N1-C6-O6	-8.07	115.06	119.90
3	A1	1090	U	C5-C6-N1	-8.07	118.66	122.70
3	A1	1256	A	C5-N7-C8	-8.07	99.86	103.90
25	BB	53	A	C4-C5-C6	-8.07	112.96	117.00
25	BB	495	G	C5-C6-N1	8.07	115.54	111.50
25	BB	1228	G	C2-N3-C4	-8.07	107.86	111.90
25	BB	1375	U	C3'-C2'-C1'	8.07	107.96	101.50
25	BB	1481	U	N3-C2-O2	-8.07	116.55	122.20
25	BB	1870	C	C4-C5-C6	-8.07	113.36	117.40
3	A1	74	A	O4'-C1'-N9	8.07	114.66	108.20
25	BB	1957	C	C3'-C2'-C1'	8.07	107.96	101.50
3	A1	649	A	C5-C6-N6	8.07	130.16	123.70
24	BA	110	C	C5'-C4'-O4'	8.07	118.78	109.10
25	BB	2049	G	C6-N1-C2	-8.07	120.26	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2341	G	N9-C4-C5	8.07	108.63	105.40
1	AE	12	U	C5'-C4'-O4'	8.07	118.78	109.10
2	AM	14	U	C5-C6-N1	-8.07	118.67	122.70
3	A1	144	G	N1-C6-O6	-8.07	115.06	119.90
3	A1	410	G	N3-C4-C5	-8.07	124.57	128.60
24	BA	28	C	N3-C2-O2	-8.07	116.25	121.90
25	BB	2583	G	N3-C2-N2	-8.07	114.25	119.90
25	BB	114	U	N1-C2-N3	8.07	119.74	114.90
25	BB	1258	U	C4'-C3'-C2'	-8.07	94.53	102.60
25	BB	2565	A	O4'-C4'-C3'	8.07	112.55	106.10
25	BB	2733	A	C6-C5-N7	8.07	137.95	132.30
28	BE	69	ARG	NE-CZ-NH2	-8.07	116.27	120.30
1	AE	72	C	N3-C4-N4	-8.06	112.36	118.00
25	BB	580	U	O4'-C1'-N1	8.06	114.65	108.20
25	BB	1287	A	O4'-C1'-N9	8.06	114.65	108.20
25	BB	1334	G	C8-N9-C4	-8.06	103.17	106.40
25	BB	1615	C	C6-N1-C2	-8.06	117.07	120.30
25	BB	1445	G	N1-C6-O6	-8.06	115.06	119.90
25	BB	1718	G	N3-C2-N2	-8.06	114.26	119.90
25	BB	2262	U	N3-C2-O2	-8.06	116.56	122.20
1	AA	9	A	C3'-C2'-C1'	8.06	107.95	101.50
3	A1	1454	G	C8-N9-C4	-8.06	103.18	106.40
24	BA	88	C	N1-C2-O2	8.06	123.74	118.90
25	BB	366	C	O4'-C1'-N1	8.06	114.65	108.20
25	BB	416	U	C5'-C4'-O4'	-8.06	99.43	109.10
25	BB	648	G	C5-C6-N1	8.06	115.53	111.50
25	BB	1607	C	O4'-C4'-C3'	8.06	112.55	106.10
25	BB	1884	G	C5-C6-O6	8.06	133.44	128.60
3	A1	1173	U	C5-C6-N1	-8.06	118.67	122.70
25	BB	1389	G	N1-C6-O6	-8.06	115.06	119.90
25	BB	2357	G	N7-C8-N9	8.06	117.13	113.10
25	BB	2454	G	C5-C6-N1	8.06	115.53	111.50
25	BB	2663	G	C4-C5-C6	-8.06	113.97	118.80
3	A1	174	A	C5-C6-N6	8.06	130.15	123.70
3	A1	580	C	N1-C2-O2	8.05	123.73	118.90
3	A1	858	G	C5-C6-N1	8.05	115.53	111.50
25	BB	637	A	C4-C5-C6	-8.06	112.97	117.00
25	BB	1009	A	C4-C5-C6	-8.05	112.97	117.00
25	BB	1290	C	C2-N3-C4	-8.06	115.87	119.90
25	BB	1763	G	C3'-C2'-C1'	-8.05	95.06	101.50
25	BB	2309	A	C5-C6-N6	8.05	130.14	123.70
25	BB	2467	C	C2-N3-C4	-8.06	115.87	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2895	G	C5-C6-O6	8.05	133.43	128.60
1	AA	27	C	C1'-O4'-C4'	-8.05	103.46	109.90
3	A1	740	U	C2-N3-C4	-8.05	122.17	127.00
3	A1	799	G	C8-N9-C4	-8.05	103.18	106.40
25	BB	1071	G	C6-N1-C2	-8.05	120.27	125.10
1	AP	44	A	C3'-C2'-C1'	8.05	107.94	101.50
1	AE	16	U	P-O3'-C3'	8.05	129.36	119.70
3	A1	495	A	C6-C5-N7	8.05	137.94	132.30
3	A1	1365	G	N1-C6-O6	-8.05	115.07	119.90
25	BB	284	U	N3-C2-O2	-8.05	116.56	122.20
25	BB	2063	C	N1-C2-O2	8.05	123.73	118.90
25	BB	2236	U	C4-C5-C6	8.05	124.53	119.70
25	BB	2301	C	C5'-C4'-C3'	-8.05	103.12	116.00
25	BB	2302	U	N1-C2-N3	8.05	119.73	114.90
3	A1	1263	C	N3-C2-O2	-8.05	116.27	121.90
1	AE	33	U	N3-C2-O2	-8.05	116.57	122.20
3	A1	688	G	C2-N3-C4	-8.05	107.88	111.90
3	A1	732	C	C5-C6-N1	-8.05	116.98	121.00
3	A1	923	A	C5'-C4'-O4'	8.05	118.76	109.10
3	A1	1373	G	C5-C6-O6	8.05	133.43	128.60
25	BB	57	C	C2-N3-C4	-8.05	115.88	119.90
25	BB	391	A	C8-N9-C4	-8.05	102.58	105.80
25	BB	1319	C	N1-C2-O2	8.05	123.73	118.90
25	BB	1359	A	C5-N7-C8	-8.05	99.88	103.90
25	BB	1806	C	C1'-O4'-C4'	-8.05	103.46	109.90
25	BB	2350	C	C2-N3-C4	-8.05	115.88	119.90
25	BB	2365	G	C6-C5-N7	8.05	135.23	130.40
25	BB	2404	U	C5'-C4'-O4'	8.05	118.76	109.10
25	BB	2643	G	N1-C6-O6	-8.05	115.07	119.90
25	BB	2673	G	N1-C6-O6	-8.05	115.07	119.90
1	AP	64	A	N1-C2-N3	-8.04	125.28	129.30
3	A1	318	G	C1'-O4'-C4'	-8.04	103.46	109.90
3	A1	523	A	C6-N1-C2	-8.05	113.77	118.60
25	BB	274	C	C3'-C2'-C1'	8.05	107.94	101.50
25	BB	549	G	N1-C2-N2	8.05	123.44	116.20
25	BB	1518	C	N3-C4-C5	8.05	125.12	121.90
25	BB	1714	U	O4'-C1'-N1	-8.05	101.76	108.20
3	A1	1229	A	C3'-C2'-C1'	8.04	107.94	101.50
3	A1	1532	U	C5'-C4'-C3'	-8.04	103.13	116.00
24	BA	90	C	C5-C4-N4	-8.04	114.57	120.20
25	BB	1878	G	C5-N7-C8	-8.04	100.28	104.30
25	BB	1980	G	N1-C6-O6	-8.04	115.07	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	365	U	C5-C6-N1	-8.04	118.68	122.70
25	BB	564	C	C2-N3-C4	-8.04	115.88	119.90
25	BB	1227	G	N3-C2-N2	-8.04	114.27	119.90
25	BB	2008	C	O4'-C1'-N1	8.04	114.63	108.20
25	BB	1056	G	N7-C8-N9	8.04	117.12	113.10
25	BB	1307	A	C2-N3-C4	8.04	114.62	110.60
25	BB	1655	A	C4-C5-C6	-8.04	112.98	117.00
25	BB	2644	G	C8-N9-C4	-8.04	103.18	106.40
3	A1	267	C	C2-N3-C4	-8.04	115.88	119.90
3	A1	753	A	C4-C5-C6	-8.04	112.98	117.00
3	A1	1193	G	C5'-C4'-O4'	8.04	118.75	109.10
3	A1	1353	G	C5-C6-N1	8.04	115.52	111.50
24	BA	103	U	N3-C2-O2	-8.04	116.57	122.20
25	BB	1134	A	C4-C5-C6	-8.04	112.98	117.00
25	BB	2432	A	O4'-C1'-N9	8.04	114.63	108.20
3	A1	549	C	O4'-C1'-N1	8.04	114.63	108.20
3	A1	1306	A	O4'-C4'-C3'	8.04	112.53	106.10
3	A1	1395	C	N3-C4-N4	-8.04	112.37	118.00
24	BA	29	A	C5-C6-N1	8.04	121.72	117.70
25	BB	549	G	N3-C4-C5	-8.04	124.58	128.60
25	BB	2657	A	C6-C5-N7	8.04	137.93	132.30
25	BB	1146	C	C6-N1-C2	-8.04	117.08	120.30
3	A1	449	G	C5-N7-C8	-8.04	100.28	104.30
3	A1	888	G	C6-C5-N7	8.04	135.22	130.40
24	BA	110	C	N1-C2-O2	8.04	123.72	118.90
25	BB	249	C	N3-C2-O2	-8.04	116.28	121.90
25	BB	1917	U	O4'-C1'-N1	8.03	114.63	108.20
3	A1	765	G	C2-N3-C4	8.03	115.92	111.90
3	A1	6	G	N3-C4-C5	-8.03	124.58	128.60
3	A1	581	G	C5-C6-N1	8.03	115.52	111.50
10	AI	28	ARG	NH1-CZ-NH2	-8.03	110.56	119.40
25	BB	2796	U	C4'-C3'-C2'	-8.03	94.57	102.60
3	A1	716	A	C6-C5-N7	8.03	137.92	132.30
3	A1	1424	U	O4'-C1'-N1	8.03	114.62	108.20
25	BB	1492	G	N3-C4-C5	-8.03	124.58	128.60
25	BB	1735	A	C5-C6-N6	8.03	130.12	123.70
25	BB	706	A	C3'-C2'-C1'	8.03	107.92	101.50
25	BB	1300	G	N1-C2-N3	8.03	128.72	123.90
25	BB	1625	C	N3-C2-O2	-8.03	116.28	121.90
3	A1	131	A	C4-C5-C6	-8.03	112.99	117.00
3	A1	193	C	C6-N1-C2	-8.03	117.09	120.30
3	A1	1400	C	O4'-C1'-N1	8.03	114.62	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	837	C	C5-C6-N1	8.03	125.01	121.00
25	BB	1520	U	N3-C2-O2	-8.03	116.58	122.20
25	BB	553	G	N1-C6-O6	-8.03	115.08	119.90
25	BB	749	A	C6-C5-N7	8.03	137.92	132.30
25	BB	1947	C	C3'-C2'-C1'	-8.03	95.08	101.50
25	BB	1967	C	C6-N1-C2	-8.03	117.09	120.30
25	BB	2875	C	N3-C2-O2	-8.03	116.28	121.90
30	BG	96	ARG	NE-CZ-NH1	8.03	124.31	120.30
3	A1	520	A	C5-C6-N1	8.02	121.71	117.70
3	A1	865	A	C4-C5-C6	-8.02	112.99	117.00
3	A1	1087	G	C6-C5-N7	8.02	135.21	130.40
3	A1	1123	U	N1-C2-N3	8.02	119.71	114.90
3	A1	1368	A	C5-N7-C8	-8.02	99.89	103.90
3	A1	1460	C	C2-N3-C4	-8.02	115.89	119.90
25	BB	83	A	C5-C6-N1	8.02	121.71	117.70
25	BB	164	C	N3-C2-O2	-8.02	116.28	121.90
25	BB	214	G	N1-C6-O6	-8.02	115.09	119.90
3	A1	1521	C	C2-N3-C4	-8.02	115.89	119.90
25	BB	2066	C	O4'-C4'-C3'	8.02	112.52	106.10
40	BQ	47	ARG	NH1-CZ-NH2	-8.02	110.58	119.40
52	B3	152	ARG	CD-NE-CZ	8.02	134.83	123.60
25	BB	2295	C	N1-C2-O2	8.02	123.71	118.90
25	BB	2336	A	C6-C5-N7	8.02	137.91	132.30
3	A1	400	C	C3'-C2'-C1'	-8.02	95.08	101.50
3	A1	1099	G	C6-N1-C2	-8.02	120.29	125.10
24	BA	26	C	O4'-C1'-N1	8.02	114.62	108.20
25	BB	510	C	C4'-C3'-C2'	-8.02	94.58	102.60
25	BB	811	U	N3-C2-O2	-8.02	116.59	122.20
25	BB	2870	C	C1'-O4'-C4'	-8.02	103.48	109.90
25	BB	603	A	N1-C2-N3	-8.02	125.29	129.30
25	BB	1292	G	N7-C8-N9	8.02	117.11	113.10
34	BK	37	GLU	OE1-CD-OE2	-8.02	113.68	123.30
25	BB	1365	A	N1-C2-N3	-8.02	125.29	129.30
25	BB	2120	G	N1-C6-O6	-8.02	115.09	119.90
25	BB	2736	A	C5-C6-N1	8.02	121.71	117.70
1	AP	74	C	OP1-P-O3'	-8.02	87.57	105.20
3	A1	107	G	C5-C6-N1	8.02	115.51	111.50
3	A1	107	G	C6-C5-N7	8.02	135.21	130.40
3	A1	1243	C	C5-C4-N4	8.02	125.81	120.20
25	BB	1480	C	N3-C4-N4	-8.02	112.39	118.00
25	BB	1915	U	C4-C5-C6	8.02	124.51	119.70
25	BB	2658	C	C6-N1-C2	-8.02	117.09	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2897	U	C4-C5-C6	8.02	124.51	119.70
3	A1	49	U	N1-C2-N3	8.01	119.71	114.90
3	A1	496	A	N9-C4-C5	-8.01	102.59	105.80
3	A1	567	G	N1-C6-O6	-8.01	115.09	119.90
3	A1	799	G	O4'-C1'-N9	8.01	114.61	108.20
3	A1	1340	A	O4'-C4'-C3'	8.01	112.51	106.10
1	AP	70	C	C1'-O4'-C4'	-8.01	103.49	109.90
3	A1	19	A	C5-C6-N1	8.01	121.71	117.70
3	A1	309	A	C4-C5-C6	-8.01	112.99	117.00
3	A1	406	G	N3-C4-C5	-8.01	124.59	128.60
3	A1	925	G	O4'-C1'-N9	8.01	114.61	108.20
24	BA	31	C	N3-C4-N4	-8.01	112.39	118.00
25	BB	699	A	C4-C5-C6	-8.01	112.99	117.00
25	BB	1033	U	N3-C2-O2	-8.01	116.59	122.20
25	BB	1089	A	C3'-C2'-C1'	8.01	107.91	101.50
25	BB	1361	G	C5'-C4'-C3'	-8.01	103.18	116.00
25	BB	2072	C	C2-N3-C4	-8.01	115.89	119.90
3	A1	990	C	N1-C2-N3	8.01	124.81	119.20
3	A1	631	C	N3-C4-N4	-8.01	112.39	118.00
3	A1	1266	G	C5-C6-O6	8.01	133.41	128.60
3	A1	1396	A	C3'-C2'-C1'	-8.01	95.09	101.50
25	BB	2288	A	P-O3'-C3'	8.01	129.31	119.70
25	BB	2407	A	C6-C5-N7	8.01	137.91	132.30
25	BB	44	A	C5-C6-N1	8.01	121.70	117.70
25	BB	961	C	N3-C2-O2	-8.01	116.29	121.90
25	BB	1391	U	N1-C2-O2	8.01	128.41	122.80
25	BB	1716	U	C5'-C4'-O4'	8.01	118.71	109.10
25	BB	1983	G	C4'-C3'-C2'	8.01	110.61	102.60
25	BB	2128	G	C6-C5-N7	8.01	135.21	130.40
25	BB	2215	C	N3-C4-N4	-8.01	112.39	118.00
25	BB	2725	A	C6-C5-N7	8.01	137.91	132.30
1	AP	16	U	O4'-C1'-N1	-8.01	101.79	108.20
25	BB	1294	U	O4'-C1'-N1	8.01	114.61	108.20
3	A1	599	C	N1-C2-O2	8.01	123.70	118.90
3	A1	1086	U	C5-C6-N1	-8.01	118.70	122.70
3	A1	1269	A	C4-C5-C6	-8.01	113.00	117.00
25	BB	2628	C	C6-N1-C2	-8.01	117.10	120.30
25	BB	1007	C	C6-N1-C2	-8.01	117.10	120.30
25	BB	2827	C	N3-C2-O2	-8.01	116.30	121.90
1	AA	42	G	C5-C6-N1	8.00	115.50	111.50
1	AP	56	C	C2-N3-C4	-8.00	115.90	119.90
3	A1	706	A	C5'-C4'-O4'	8.00	118.70	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	737	C	O4'-C1'-N1	8.00	114.60	108.20
25	BB	1543	G	N1-C6-O6	-8.00	115.10	119.90
3	A1	276	G	N7-C8-N9	8.00	117.10	113.10
3	A1	838	G	N3-C4-C5	-8.00	124.60	128.60
3	A1	859	G	N1-C6-O6	-8.00	115.10	119.90
3	A1	1336	C	N3-C4-N4	-8.00	112.40	118.00
24	BA	114	C	O4'-C4'-C3'	8.00	112.50	106.10
25	BB	869	G	C4-C5-N7	-8.00	107.60	110.80
25	BB	1005	C	N3-C2-O2	-8.00	116.30	121.90
25	BB	2533	U	P-O3'-C3'	8.00	129.31	119.70
25	BB	1836	C	N3-C4-N4	-8.00	112.40	118.00
25	BB	2418	A	C5'-C4'-O4'	8.00	118.70	109.10
25	BB	2629	U	P-O3'-C3'	8.00	129.30	119.70
1	AE	28	C	O4'-C1'-N1	8.00	114.60	108.20
3	A1	1103	C	N1-C2-O2	8.00	123.70	118.90
3	A1	1389	C	N3-C4-C5	8.00	125.10	121.90
25	BB	1138	G	N3-C4-C5	-8.00	124.60	128.60
25	BB	1721	G	N3-C4-C5	-8.00	124.60	128.60
3	A1	152	A	C5-C6-N1	8.00	121.70	117.70
3	A1	1195	C	N3-C2-O2	-8.00	116.30	121.90
3	A1	1267	C	C1'-O4'-C4'	-8.00	103.50	109.90
25	BB	776	G	N3-C4-C5	-8.00	124.60	128.60
25	BB	1223	G	C6-C5-N7	8.00	135.20	130.40
25	BB	1950	G	C5'-C4'-O4'	8.00	118.70	109.10
25	BB	2567	G	C6-C5-N7	8.00	135.20	130.40
1	AA	4	G	N1-C6-O6	-8.00	115.10	119.90
3	A1	150	U	C2-N3-C4	-8.00	122.20	127.00
25	BB	556	A	N9-C1'-C2'	-8.00	103.20	112.00
25	BB	875	G	C5-C6-N1	8.00	115.50	111.50
25	BB	1963	U	O4'-C4'-C3'	-8.00	96.00	104.00
25	BB	1994	C	N1-C2-O2	8.00	123.70	118.90
3	A1	249	U	N1-C1'-C2'	-8.00	103.21	112.00
3	A1	32	A	C5-C6-N1	7.99	121.70	117.70
25	BB	1581	G	C4-C5-C6	-7.99	114.00	118.80
25	BB	1726	C	N3-C2-O2	-7.99	116.31	121.90
25	BB	2763	G	C5-C6-O6	7.99	133.40	128.60
8	AG	53	ASP	CB-CG-OD1	7.99	125.49	118.30
25	BB	508	A	C1'-O4'-C4'	-7.99	103.51	109.90
25	BB	770	G	C8-N9-C4	-7.99	103.20	106.40
3	A1	1061	G	O4'-C1'-N9	7.99	114.59	108.20
3	A1	1270	G	C5-C6-N1	7.99	115.50	111.50
25	BB	879	G	C5-N7-C8	-7.99	100.31	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1107	G	C5-C6-N1	7.99	115.50	111.50
25	BB	1756	G	C5'-C4'-C3'	-7.99	103.22	116.00
3	A1	373	A	C6-C5-N7	7.99	137.89	132.30
25	BB	1255	U	O4'-C1'-N1	7.99	114.59	108.20
25	BB	2183	A	C5-C6-N6	7.99	130.09	123.70
25	BB	2311	A	O4'-C1'-N9	-7.99	101.81	108.20
25	BB	2670	A	C6-C5-N7	7.99	137.89	132.30
25	BB	2875	C	C2-N3-C4	-7.99	115.91	119.90
25	BB	1960	A	O5'-P-OP2	-7.99	98.51	105.70
3	A1	11	G	C8-N9-C4	-7.99	103.21	106.40
3	A1	397	A	C4-C5-C6	-7.99	113.01	117.00
3	A1	724	G	C5-C6-O6	7.99	133.39	128.60
25	BB	159	G	N7-C8-N9	7.99	117.09	113.10
25	BB	2777	G	N1-C6-O6	-7.99	115.11	119.90
25	BB	2811	G	N7-C8-N9	7.99	117.09	113.10
25	BB	1169	A	C4-C5-C6	-7.98	113.01	117.00
25	BB	1192	G	N7-C8-N9	7.98	117.09	113.10
3	A1	684	U	C1'-O4'-C4'	-7.98	103.51	109.90
25	BB	1376	C	N3-C2-O2	-7.98	116.31	121.90
25	BB	1911	U	C5-C6-N1	-7.98	118.71	122.70
25	BB	2659	G	N1-C6-O6	-7.98	115.11	119.90
3	A1	1087	G	C3'-C2'-C1'	7.98	107.88	101.50
3	A1	1437	A	C5-C6-N1	7.98	121.69	117.70
24	BA	62	C	N1-C2-O2	7.98	123.69	118.90
25	BB	15	G	C5-N7-C8	-7.98	100.31	104.30
25	BB	723	C	C4-C5-C6	7.98	121.39	117.40
25	BB	931	U	N1-C2-N3	7.98	119.69	114.90
25	BB	1628	G	C5-C6-O6	7.98	133.39	128.60
25	BB	1934	C	C6-N1-C2	-7.98	117.11	120.30
25	BB	2168	G	C5-N7-C8	-7.98	100.31	104.30
25	BB	2557	G	O4'-C1'-N9	7.98	114.58	108.20
3	A1	263	A	C5-C6-N6	7.98	130.08	123.70
3	A1	798	U	N3-C2-O2	-7.98	116.61	122.20
3	A1	970	C	C4-C5-C6	-7.98	113.41	117.40
25	BB	999	U	C5-C6-N1	-7.98	118.71	122.70
25	BB	1572	A	C5-C6-N6	7.98	130.08	123.70
25	BB	2669	G	C4-C5-N7	-7.98	107.61	110.80
1	AP	14	A	C4-C5-C6	-7.98	113.01	117.00
1	AP	58	A	C4-C5-C6	-7.98	113.01	117.00
3	A1	426	U	N1-C2-N3	7.98	119.69	114.90
3	A1	1087	G	N3-C2-N2	-7.98	114.32	119.90
3	A1	1417	G	C5-N7-C8	-7.98	100.31	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1164	C	C2-N3-C4	-7.98	115.91	119.90
25	BB	1479	G	C4-C5-N7	7.98	113.99	110.80
25	BB	1654	A	C5-C6-N1	7.98	121.69	117.70
1	AA	29	A	O4'-C4'-C3'	7.98	112.48	106.10
25	BB	594	U	C5-C4-O4	-7.98	121.11	125.90
25	BB	674	G	N1-C6-O6	-7.98	115.11	119.90
25	BB	1055	G	C4'-C3'-C2'	-7.98	94.62	102.60
25	BB	2669	G	C5'-C4'-C3'	-7.98	103.24	116.00
52	B3	2	ARG	NE-CZ-NH1	7.98	124.29	120.30
25	BB	314	C	N3-C2-O2	-7.97	116.32	121.90
25	BB	1913	A	O4'-C1'-N9	7.97	114.58	108.20
25	BB	2547	A	N1-C2-N3	-7.97	125.31	129.30
3	A1	487	A	N1-C6-N6	-7.97	113.82	118.60
3	A1	988	G	C5-C6-O6	7.97	133.38	128.60
25	BB	964	C	N3-C4-C5	7.97	125.09	121.90
25	BB	2330	G	N3-C4-N9	-7.97	121.22	126.00
25	BB	1482	G	N3-C4-N9	7.97	130.78	126.00
25	BB	1918	A	N1-C2-N3	-7.97	125.31	129.30
3	A1	118	U	C3'-C2'-C1'	7.97	107.88	101.50
3	A1	288	A	C5'-C4'-O4'	-7.97	99.54	109.10
25	BB	2048	G	C5-C6-N1	7.97	115.48	111.50
25	BB	2668	G	O4'-C1'-N9	7.97	114.58	108.20
3	A1	519	C	N3-C4-C5	7.97	125.09	121.90
3	A1	1074	G	N1-C6-O6	-7.97	115.12	119.90
3	A1	1195	C	O4'-C1'-N1	7.97	114.57	108.20
8	AG	40	ARG	NE-CZ-NH2	-7.97	116.32	120.30
25	BB	315	G	N3-C2-N2	-7.97	114.32	119.90
25	BB	2172	U	N3-C2-O2	-7.97	116.62	122.20
1	AP	65	G	C5-C6-N1	7.96	115.48	111.50
10	AI	56	ARG	NH1-CZ-NH2	-7.96	110.64	119.40
25	BB	1139	G	N9-C1'-C2'	7.96	124.35	114.00
25	BB	1437	C	N1-C2-O2	7.96	123.68	118.90
25	BB	1689	A	C5-C6-N6	7.96	130.07	123.70
25	BB	2144	G	N1-C6-O6	-7.96	115.12	119.90
25	BB	2320	U	C4-C5-C6	7.96	124.48	119.70
25	BB	2336	A	C5-C6-N6	7.96	130.07	123.70
1	AE	32	C	C6-N1-C2	-7.96	117.12	120.30
3	A1	1282	C	N3-C4-N4	-7.96	112.43	118.00
25	BB	602	A	C4'-C3'-C2'	-7.96	94.64	102.60
25	BB	1205	A	N9-C4-C5	-7.96	102.62	105.80
25	BB	2153	C	N3-C2-O2	-7.96	116.33	121.90
3	A1	1404	C	N3-C4-C5	7.96	125.08	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	31	C	N3-C4-C5	7.96	125.08	121.90
25	BB	2463	C	C2-N3-C4	-7.96	115.92	119.90
1	AA	25	C	N1-C2-O2	7.96	123.67	118.90
3	A1	374	A	C5-C6-N1	7.96	121.68	117.70
3	A1	797	C	N3-C4-C5	7.96	125.08	121.90
3	A1	987	G	N3-C4-N9	-7.96	121.22	126.00
3	A1	999	C	N1-C2-O2	7.96	123.67	118.90
3	A1	1281	C	C2-N3-C4	-7.96	115.92	119.90
3	A1	1500	A	C5-C6-N1	7.96	121.68	117.70
25	BB	2288	A	C2-N3-C4	7.96	114.58	110.60
25	BB	2479	U	O4'-C1'-N1	7.96	114.57	108.20
3	A1	631	C	N3-C2-O2	-7.96	116.33	121.90
25	BB	1100	C	C5-C4-N4	7.96	125.77	120.20
25	BB	1304	A	C5-C6-N6	7.96	130.07	123.70
25	BB	1624	U	O4'-C1'-N1	7.96	114.57	108.20
25	BB	1737	G	N9-C4-C5	7.96	108.58	105.40
25	BB	2678	C	N3-C2-O2	-7.96	116.33	121.90
25	BB	2790	U	O4'-C1'-N1	7.96	114.56	108.20
3	A1	1225	A	C6-C5-N7	7.96	137.87	132.30
3	A1	1318	A	C4-C5-C6	-7.96	113.02	117.00
25	BB	1499	C	O4'-C1'-N1	7.96	114.56	108.20
3	A1	299	G	C1'-O4'-C4'	7.95	116.26	109.90
24	BA	21	G	N7-C8-N9	7.95	117.08	113.10
25	BB	1042	G	C4-C5-N7	-7.95	107.62	110.80
25	BB	1738	G	C5-C6-O6	7.95	133.37	128.60
25	BB	2752	C	N1-C2-O2	7.95	123.67	118.90
29	BF	51	ARG	CD-NE-CZ	7.95	134.73	123.60
3	A1	53	A	C6-C5-N7	7.95	137.87	132.30
3	A1	311	C	N3-C2-O2	-7.95	116.33	121.90
3	A1	496	A	C2-N3-C4	7.95	114.58	110.60
3	A1	831	A	N1-C2-N3	-7.95	125.33	129.30
25	BB	1947	C	N3-C4-C5	7.95	125.08	121.90
25	BB	1987	A	C8-N9-C4	-7.95	102.62	105.80
25	BB	2601	C	O4'-C1'-N1	7.95	114.56	108.20
3	A1	744	C	N3-C4-N4	-7.95	112.44	118.00
3	A1	1208	C	C5-C6-N1	-7.95	117.03	121.00
3	A1	1084	G	N1-C6-O6	-7.95	115.13	119.90
3	A1	1206	G	C4-C5-N7	7.95	113.98	110.80
25	BB	1376	C	C2-N3-C4	-7.95	115.93	119.90
25	BB	261	G	C1'-O4'-C4'	-7.95	103.54	109.90
25	BB	865	C	C2-N3-C4	-7.95	115.93	119.90
25	BB	904	G	C8-N9-C4	-7.95	103.22	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1003	G	O4'-C4'-C3'	7.95	112.46	106.10
25	BB	1283	G	N1-C6-O6	-7.95	115.13	119.90
25	BB	1663	G	C4'-C3'-C2'	-7.95	94.65	102.60
25	BB	1939	U	N3-C2-O2	-7.95	116.64	122.20
25	BB	2329	U	O3'-P-O5'	7.95	119.10	104.00
25	BB	2585	U	O4'-C1'-N1	7.95	114.56	108.20
40	BQ	7	ARG	NE-CZ-NH2	-7.95	116.33	120.30
3	A1	1395	C	C2-N3-C4	-7.94	115.93	119.90
25	BB	1242	U	C4-C5-C6	7.94	124.47	119.70
3	A1	331	G	N3-C2-N2	-7.94	114.34	119.90
25	BB	803	U	C5-C6-N1	-7.94	118.73	122.70
25	BB	1208	C	N3-C2-O2	-7.94	116.34	121.90
25	BB	1326	U	C1'-O4'-C4'	-7.94	103.55	109.90
25	BB	1605	C	N3-C4-C5	7.94	125.08	121.90
25	BB	1866	A	C5-C6-N1	7.94	121.67	117.70
25	BB	2728	U	O4'-C1'-C2'	-7.94	97.86	105.80
25	BB	205	G	C8-N9-C4	-7.94	103.22	106.40
25	BB	225	C	C2-N3-C4	-7.94	115.93	119.90
25	BB	702	U	C4-C5-C6	7.94	124.46	119.70
25	BB	2097	A	C4-C5-C6	-7.94	113.03	117.00
25	BB	2587	A	C4'-C3'-C2'	-7.94	94.66	102.60
25	BB	2832	U	C5-C6-N1	-7.94	118.73	122.70
3	A1	702	A	C3'-C2'-C1'	7.94	107.85	101.50
25	BB	2201	G	C4-C5-N7	-7.94	107.62	110.80
3	A1	644	U	N3-C2-O2	-7.94	116.64	122.20
3	A1	778	G	C8-N9-C4	-7.94	103.22	106.40
25	BB	119	A	C4-C5-C6	-7.94	113.03	117.00
25	BB	1325	U	C4-C5-C6	7.94	124.46	119.70
25	BB	1553	A	N1-C6-N6	-7.94	113.84	118.60
25	BB	2059	A	C4-C5-C6	-7.94	113.03	117.00
25	BB	2793	C	O4'-C1'-N1	7.94	114.55	108.20
3	A1	187	G	C8-N9-C4	-7.94	103.23	106.40
3	A1	763	G	N3-C2-N2	-7.93	114.34	119.90
3	A1	925	G	C3'-C2'-C1'	7.93	107.85	101.50
25	BB	327	G	C8-N9-C4	-7.93	103.23	106.40
25	BB	392	U	N3-C2-O2	-7.93	116.64	122.20
25	BB	844	A	N7-C8-N9	7.93	117.77	113.80
25	BB	1126	A	C2-N3-C4	7.93	114.57	110.60
25	BB	2383	G	C8-N9-C4	-7.93	103.23	106.40
25	BB	2811	G	C5'-C4'-C3'	-7.93	103.31	116.00
3	A1	685	G	C1'-O4'-C4'	-7.93	103.55	109.90
3	A1	987	G	C5-C6-O6	7.93	133.36	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1393	U	N3-C2-O2	-7.93	116.65	122.20
25	BB	194	G	C1'-O4'-C4'	-7.93	103.56	109.90
25	BB	479	A	C5-C6-N6	7.93	130.04	123.70
25	BB	680	C	N3-C2-O2	-7.93	116.35	121.90
25	BB	734	A	C5-C6-N1	7.93	121.67	117.70
25	BB	848	C	C2-N3-C4	-7.93	115.93	119.90
3	A1	667	G	N9-C4-C5	7.93	108.57	105.40
3	A1	794	A	C6-C5-N7	7.93	137.85	132.30
25	BB	47	C	C5-C6-N1	-7.93	117.03	121.00
1	AP	18	G	C3'-C2'-C1'	-7.93	95.16	101.50
3	A1	88	U	N3-C4-O4	-7.93	113.85	119.40
3	A1	848	C	C2-N3-C4	-7.93	115.94	119.90
3	A1	912	C	C4'-C3'-C2'	-7.93	94.67	102.60
25	BB	1785	A	C5-C6-N6	7.93	130.04	123.70
25	BB	2755	C	N3-C4-N4	-7.93	112.45	118.00
25	BB	739	A	C1'-O4'-C4'	-7.93	103.56	109.90
25	BB	1125	G	C6-N1-C2	-7.93	120.34	125.10
25	BB	1475	G	C4'-C3'-C2'	-7.93	94.67	102.60
25	BB	2174	C	N3-C2-O2	-7.93	116.35	121.90
1	AA	55	U	C4'-C3'-C2'	-7.93	94.67	102.60
25	BB	2021	C	C2-N3-C4	-7.93	115.94	119.90
25	BB	2550	G	C4'-C3'-C2'	-7.93	94.67	102.60
3	A1	449	G	C8-N9-C4	-7.92	103.23	106.40
3	A1	1282	C	C2-N3-C4	-7.92	115.94	119.90
25	BB	35	G	O4'-C1'-N9	7.92	114.54	108.20
25	BB	507	A	C6-C5-N7	7.92	137.85	132.30
25	BB	960	A	O4'-C1'-N9	7.92	114.54	108.20
25	BB	2806	C	C5-C4-N4	-7.92	114.65	120.20
3	A1	506	G	C5-C6-O6	7.92	133.35	128.60
3	A1	1522	U	N3-C2-O2	-7.92	116.65	122.20
1	AP	26	G	C5-C6-O6	7.92	133.35	128.60
3	A1	201	G	N1-C6-O6	-7.92	115.15	119.90
3	A1	540	G	C8-N9-C4	-7.92	103.23	106.40
3	A1	779	C	N3-C4-N4	-7.92	112.45	118.00
3	A1	1113	C	N3-C2-O2	-7.92	116.36	121.90
3	A1	1365	G	C8-N9-C4	-7.92	103.23	106.40
3	A1	1457	G	N1-C2-N3	7.92	128.65	123.90
25	BB	1261	C	N3-C4-C5	7.92	125.07	121.90
25	BB	1538	G	O4'-C4'-C3'	7.92	112.44	106.10
25	BB	1852	U	N1-C2-N3	7.92	119.65	114.90
25	BB	1958	C	N3-C4-C5	7.92	125.07	121.90
25	BB	2508	G	O4'-C1'-N9	7.92	114.54	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2599	G	N1-C6-O6	-7.92	115.15	119.90
3	A1	82	G	N3-C4-C5	-7.92	124.64	128.60
3	A1	1173	U	N1-C2-O2	7.92	128.34	122.80
25	BB	1174	U	O4'-C1'-N1	7.92	114.54	108.20
25	BB	2108	A	C3'-C2'-C1'	-7.92	95.16	101.50
32	BI	88	ARG	NE-CZ-NH2	7.92	124.26	120.30
3	A1	773	G	C5-C6-N1	7.92	115.46	111.50
3	A1	1492	A	C6-C5-N7	7.92	137.84	132.30
25	BB	249	C	N3-C4-N4	-7.92	112.46	118.00
25	BB	1099	G	C5-N7-C8	-7.92	100.34	104.30
25	BB	1614	A	C5-C6-N6	7.92	130.03	123.70
25	BB	1784	A	C6-C5-N7	7.92	137.84	132.30
3	A1	26	A	C6-C5-N7	7.92	137.84	132.30
25	BB	1640	A	C2-N3-C4	7.92	114.56	110.60
1	AP	22	G	N1-C6-O6	-7.92	115.15	119.90
3	A1	578	C	N3-C4-C5	7.92	125.07	121.90
3	A1	1290	G	N3-C2-N2	-7.92	114.36	119.90
25	BB	1	G	C5-C6-N1	7.92	115.46	111.50
25	BB	1538	G	C1'-O4'-C4'	-7.92	103.57	109.90
25	BB	2673	G	N3-C2-N2	-7.92	114.36	119.90
3	A1	170	U	O4'-C1'-C2'	-7.91	97.89	105.80
3	A1	349	A	C2-N3-C4	7.91	114.56	110.60
3	A1	1294	G	C5-C6-N1	7.91	115.46	111.50
24	BA	117	G	C4-C5-C6	-7.91	114.05	118.80
25	BB	106	C	C4-C5-C6	7.91	121.36	117.40
25	BB	200	U	C3'-C2'-C1'	7.91	107.83	101.50
25	BB	1748	C	N3-C4-C5	7.91	125.06	121.90
25	BB	2182	U	N3-C4-O4	-7.91	113.86	119.40
25	BB	287	G	C1'-O4'-C4'	-7.91	103.57	109.90
25	BB	541	A	C2-N3-C4	7.91	114.56	110.60
25	BB	1637	A	C4-C5-C6	-7.91	113.04	117.00
25	BB	2060	A	C1'-O4'-C4'	-7.91	103.57	109.90
1	AA	29	A	C6-C5-N7	7.91	137.84	132.30
1	AE	72	C	N3-C2-O2	-7.91	116.36	121.90
3	A1	293	G	N3-C4-C5	-7.91	124.64	128.60
3	A1	682	G	N1-C6-O6	-7.91	115.15	119.90
3	A1	1298	U	C5-C6-N1	-7.91	118.74	122.70
25	BB	266	G	C2-N3-C4	7.91	115.86	111.90
25	BB	852	U	C5-C6-N1	-7.91	118.75	122.70
25	BB	1680	U	C4-C5-C6	7.91	124.45	119.70
25	BB	2217	G	C5-C6-N1	7.91	115.45	111.50
25	BB	2619	C	N1-C2-N3	7.91	124.74	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AP	8	U	N1-C2-O2	7.91	128.34	122.80
3	A1	641	U	N3-C2-O2	-7.91	116.66	122.20
3	A1	1227	A	C1'-O4'-C4'	-7.91	103.57	109.90
25	BB	139	U	N3-C2-O2	-7.91	116.67	122.20
25	BB	1544	A	C6-C5-N7	7.91	137.84	132.30
25	BB	2182	U	C5-C4-O4	7.91	130.65	125.90
3	A1	746	A	C5-C6-N1	7.91	121.65	117.70
25	BB	230	G	N1-C6-O6	-7.91	115.16	119.90
25	BB	868	U	O4'-C1'-N1	7.91	114.53	108.20
25	BB	933	A	C4-C5-C6	-7.91	113.05	117.00
25	BB	2268	A	C5'-C4'-C3'	-7.91	103.35	116.00
25	BB	2278	A	C5-C6-N1	7.91	121.65	117.70
3	A1	147	G	O4'-C1'-N9	7.91	114.52	108.20
3	A1	676	A	C5-C6-N1	7.91	121.65	117.70
3	A1	771	G	C5-C6-N1	7.91	115.45	111.50
3	A1	911	U	C4'-C3'-C2'	-7.91	94.69	102.60
3	A1	1267	C	N3-C4-C5	7.91	125.06	121.90
3	A1	1468	A	C6-C5-N7	7.91	137.83	132.30
15	AO	58	ARG	NE-CZ-NH2	-7.91	116.35	120.30
25	BB	1800	C	N3-C2-O2	-7.91	116.37	121.90
25	BB	2112	G	C6-C5-N7	7.91	135.14	130.40
25	BB	2356	U	N3-C2-O2	-7.91	116.67	122.20
25	BB	132	G	N1-C6-O6	-7.90	115.16	119.90
25	BB	1630	A	C6-C5-N7	7.90	137.83	132.30
25	BB	1797	G	C5-C6-N1	7.90	115.45	111.50
49	BZ	49	ARG	NE-CZ-NH2	-7.90	116.35	120.30
3	A1	504	C	C5-C6-N1	-7.90	117.05	121.00
3	A1	632	U	O4'-C1'-N1	7.90	114.52	108.20
25	BB	1	G	C8-N9-C4	-7.90	103.24	106.40
25	BB	314	C	C5'-C4'-O4'	7.90	118.58	109.10
25	BB	756	A	C5-C6-N1	7.90	121.65	117.70
25	BB	1194	A	C4-C5-C6	-7.90	113.05	117.00
25	BB	2308	G	C4-C5-N7	-7.90	107.64	110.80
25	BB	2753	A	C5'-C4'-O4'	7.90	118.58	109.10
3	A1	451	A	C5-C6-N1	7.90	121.65	117.70
3	A1	618	C	C3'-C2'-C1'	7.90	107.82	101.50
3	A1	1297	G	C8-N9-C4	-7.90	103.24	106.40
3	A1	1406	U	C5-C4-O4	7.90	130.64	125.90
25	BB	236	C	N3-C4-C5	7.90	125.06	121.90
25	BB	869	G	N9-C4-C5	7.90	108.56	105.40
25	BB	1097	U	N3-C2-O2	-7.90	116.67	122.20
25	BB	1299	G	N1-C6-O6	-7.90	115.16	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1656	C	N3-C4-C5	7.90	125.06	121.90
25	BB	2700	A	C2-N3-C4	7.90	114.55	110.60
29	BF	18	ARG	NE-CZ-NH2	7.90	124.25	120.30
3	A1	325	A	N1-C6-N6	-7.90	113.86	118.60
25	BB	1863	G	N1-C2-N3	7.90	128.64	123.90
3	A1	808	C	N3-C4-N4	-7.90	112.47	118.00
3	A1	1183	U	C3'-C2'-C1'	7.90	107.82	101.50
25	BB	196	A	C5-C6-N1	7.90	121.65	117.70
25	BB	1746	A	O4'-C4'-C3'	-7.90	96.10	104.00
25	BB	1953	A	N9-C4-C5	7.90	108.96	105.80
3	A1	502	A	C1'-O4'-C4'	-7.90	103.58	109.90
25	BB	470	A	C5-C6-N6	7.90	130.02	123.70
25	BB	526	A	C6-C5-N7	7.90	137.83	132.30
25	BB	2184	A	C6-C5-N7	7.90	137.83	132.30
3	A1	759	A	C2-N3-C4	7.89	114.55	110.60
16	AQ	33	ARG	C-N-CA	7.89	141.43	121.70
25	BB	362	A	C4'-C3'-C2'	-7.89	94.70	102.60
25	BB	1834	U	N1-C2-N3	7.89	119.64	114.90
25	BB	2459	A	C5-C6-N1	7.89	121.65	117.70
25	BB	2590	A	C6-C5-N7	7.89	137.83	132.30
3	A1	880	C	C4'-C3'-C2'	-7.89	94.71	102.60
25	BB	812	C	N3-C2-O2	-7.89	116.38	121.90
25	BB	1036	G	N1-C6-O6	-7.89	115.16	119.90
25	BB	1296	G	N1-C6-O6	-7.89	115.16	119.90
25	BB	1922	G	C6-C5-N7	7.89	135.13	130.40
25	BB	2425	A	C6-C5-N7	7.89	137.82	132.30
25	BB	2539	C	C4'-C3'-C2'	-7.89	94.71	102.60
3	A1	164	G	C5-C6-N1	7.89	115.44	111.50
3	A1	111	G	C8-N9-C4	-7.89	103.24	106.40
25	BB	541	A	O4'-C1'-N9	7.89	114.51	108.20
25	BB	569	U	N3-C2-O2	-7.89	116.68	122.20
25	BB	226	A	C5-C6-N6	7.89	130.01	123.70
25	BB	706	A	N1-C2-N3	-7.89	125.36	129.30
3	A1	23	C	C2-N3-C4	-7.89	115.96	119.90
3	A1	810	C	N3-C2-O2	-7.89	116.38	121.90
3	A1	941	G	C5-C6-O6	7.89	133.33	128.60
24	BA	63	C	N3-C2-O2	-7.89	116.38	121.90
25	BB	80	G	C5-C6-N1	7.89	115.44	111.50
25	BB	314	C	C6-N1-C2	-7.89	117.14	120.30
25	BB	662	G	N1-C6-O6	-7.89	115.17	119.90
25	BB	1172	C	N3-C2-O2	-7.89	116.38	121.90
25	BB	1260	A	C1'-O4'-C4'	-7.89	103.59	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1955	U	C5-C6-N1	-7.89	118.76	122.70
25	BB	2706	A	O4'-C4'-C3'	7.89	112.41	106.10
3	A1	1048	G	C4-C5-C6	-7.88	114.07	118.80
6	AD	53	ARG	NE-CZ-NH2	7.88	124.24	120.30
25	BB	134	G	N1-C6-O6	-7.88	115.17	119.90
25	BB	669	G	C5-C6-N1	7.88	115.44	111.50
25	BB	1065	U	C1'-O4'-C4'	-7.88	103.59	109.90
25	BB	1847	A	C5'-C4'-C3'	-7.88	103.39	116.00
25	BB	2273	A	N1-C6-N6	-7.88	113.87	118.60
25	BB	2520	C	C6-N1-C2	-7.88	117.15	120.30
25	BB	2886	A	C4-C5-N7	7.88	114.64	110.70
3	A1	956	U	C5-C4-O4	7.88	130.63	125.90
3	A1	1402	C	C5-C4-N4	-7.88	114.68	120.20
3	A1	1482	G	C8-N9-C4	-7.88	103.25	106.40
3	A1	352	C	C5'-C4'-O4'	7.88	118.56	109.10
3	A1	402	G	C5-C6-N1	7.88	115.44	111.50
3	A1	451	A	C5-C6-N6	7.88	130.01	123.70
3	A1	1245	C	C5'-C4'-O4'	7.88	118.56	109.10
3	A1	1449	C	N3-C4-C5	7.88	125.05	121.90
24	BA	25	U	C2-N3-C4	-7.88	122.27	127.00
25	BB	484	C	O4'-C4'-C3'	7.88	112.40	106.10
25	BB	648	G	C6-N1-C2	-7.88	120.37	125.10
25	BB	1589	U	O4'-C4'-C3'	7.88	112.40	106.10
25	BB	2043	C	C1'-O4'-C4'	7.88	116.20	109.90
25	BB	455	C	N1-C2-O2	7.88	123.63	118.90
25	BB	2478	A	C5-C6-N6	7.88	130.00	123.70
25	BB	2564	A	C6-N1-C2	-7.88	113.87	118.60
3	A1	758	C	O4'-C1'-N1	7.88	114.50	108.20
3	A1	843	U	C5'-C4'-O4'	7.88	118.55	109.10
25	BB	111	A	O4'-C1'-N9	7.88	114.50	108.20
25	BB	435	C	N1-C2-O2	7.88	123.63	118.90
25	BB	1066	U	N3-C2-O2	-7.88	116.69	122.20
25	BB	1528	A	N7-C8-N9	-7.88	109.86	113.80
25	BB	1583	A	C8-N9-C4	7.88	108.95	105.80
25	BB	1724	G	C6-C5-N7	7.88	135.13	130.40
25	BB	2158	A	C3'-C2'-C1'	7.88	107.80	101.50
25	BB	2435	A	N1-C6-N6	-7.88	113.87	118.60
1	AA	4	G	N9-C1'-C2'	-7.88	103.34	112.00
3	A1	436	C	C5-C6-N1	-7.88	117.06	121.00
8	AG	12	ARG	CD-NE-CZ	7.88	134.63	123.60
25	BB	53	A	O4'-C4'-C3'	7.88	112.40	106.10
25	BB	244	A	C4-C5-C6	-7.88	113.06	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2443	C	P-O3'-C3'	7.88	129.15	119.70
25	BB	1863	G	C6-N1-C2	-7.88	120.38	125.10
25	BB	2753	A	C5-N7-C8	-7.88	99.96	103.90
2	AM	4	U	C1'-O4'-C4'	-7.87	103.60	109.90
3	A1	1056	U	C2'-C3'-O3'	7.87	126.82	109.50
3	A1	1355	G	N3-C2-N2	-7.87	114.39	119.90
25	BB	290	U	C5-C4-O4	7.87	130.62	125.90
25	BB	778	G	N3-C2-N2	-7.87	114.39	119.90
25	BB	1283	G	N7-C8-N9	7.87	117.04	113.10
25	BB	1890	A	C6-C5-N7	7.87	137.81	132.30
25	BB	2708	G	N3-C2-N2	-7.87	114.39	119.90
25	BB	551	G	C5'-C4'-O4'	7.87	118.55	109.10
25	BB	1903	G	C5-C6-O6	7.87	133.32	128.60
25	BB	2788	C	C2-N3-C4	-7.87	115.96	119.90
3	A1	536	C	N3-C4-C5	7.87	125.05	121.90
3	A1	1433	A	C4-C5-C6	-7.87	113.07	117.00
25	BB	732	C	N3-C4-C5	7.87	125.05	121.90
25	BB	1675	C	O4'-C1'-N1	-7.87	101.91	108.20
25	BB	2064	C	O4'-C1'-N1	7.87	114.50	108.20
25	BB	2886	A	N9-C4-C5	-7.87	102.65	105.80
25	BB	1083	U	C5-C6-N1	-7.87	118.77	122.70
25	BB	1919	A	C5-C6-N1	7.87	121.63	117.70
25	BB	2780	G	C5-C6-N1	7.87	115.43	111.50
1	AA	73	A	O4'-C1'-N9	7.87	114.49	108.20
3	A1	781	A	C6-C5-N7	7.87	137.81	132.30
3	A1	1374	A	C6-C5-N7	7.87	137.81	132.30
12	AK	47	ARG	NE-CZ-NH2	7.87	124.23	120.30
25	BB	638	G	C5-C6-N1	7.87	115.43	111.50
25	BB	1595	C	C2-N3-C4	-7.87	115.97	119.90
25	BB	1858	A	C4-C5-C6	-7.87	113.07	117.00
25	BB	1875	G	N7-C8-N9	7.87	117.03	113.10
3	A1	149	A	C6-C5-N7	7.86	137.80	132.30
3	A1	266	G	C5-N7-C8	-7.86	100.37	104.30
3	A1	475	C	N1-C1'-C2'	-7.86	103.35	112.00
25	BB	187	G	C3'-C2'-C1'	7.86	107.79	101.50
25	BB	2166	U	C5-C6-N1	-7.86	118.77	122.70
25	BB	2283	C	C5-C6-N1	-7.86	117.07	121.00
51	B2	21	TYR	CB-CG-CD2	-7.86	116.28	121.00
25	BB	1284	A	N1-C6-N6	-7.86	113.88	118.60
25	BB	1545	A	C5-C6-N1	7.86	121.63	117.70
25	BB	2678	C	N3-C4-N4	-7.86	112.50	118.00
1	AE	67	A	C6-C5-N7	7.86	137.80	132.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	737	C	O4'-C1'-N1	7.86	114.49	108.20
3	A1	855	U	N1-C2-O2	7.86	128.30	122.80
3	A1	1317	C	C5-C4-N4	-7.86	114.70	120.20
25	BB	281	C	N3-C4-N4	-7.86	112.50	118.00
25	BB	496	G	C5-C6-N1	7.86	115.43	111.50
25	BB	760	G	O4'-C1'-N9	7.86	114.49	108.20
25	BB	957	C	C2-N3-C4	-7.86	115.97	119.90
25	BB	1874	C	N3-C2-O2	-7.86	116.40	121.90
3	A1	1264	U	O4'-C1'-N1	7.86	114.49	108.20
1	AA	61	C	C2-N3-C4	-7.86	115.97	119.90
3	A1	1191	A	C4-C5-C6	-7.86	113.07	117.00
3	A1	1355	G	N1-C6-O6	-7.86	115.19	119.90
3	A1	1385	G	O4'-C1'-N9	7.86	114.49	108.20
25	BB	1362	C	N1-C2-O2	7.86	123.61	118.90
25	BB	1793	C	C1'-O4'-C4'	-7.86	103.61	109.90
25	BB	1926	U	N3-C2-O2	-7.86	116.70	122.20
3	A1	681	A	C4-C5-C6	-7.86	113.07	117.00
24	BA	76	G	C5-C6-N1	7.86	115.43	111.50
25	BB	1008	A	C5-C6-N1	7.86	121.63	117.70
25	BB	1603	A	C6-C5-N7	7.86	137.80	132.30
25	BB	2224	G	N1-C6-O6	-7.86	115.19	119.90
25	BB	2363	G	C8-N9-C4	-7.86	103.26	106.40
25	BB	2548	U	C5-C6-N1	-7.86	118.77	122.70
3	A1	809	G	O4'-C1'-N9	7.85	114.48	108.20
3	A1	900	A	C5-C6-N6	7.85	129.98	123.70
3	A1	1206	G	C5'-C4'-O4'	7.85	118.53	109.10
25	BB	2392	A	C5-C6-N6	7.85	129.98	123.70
3	A1	66	A	C5-C6-N1	7.85	121.63	117.70
3	A1	645	G	C8-N9-C4	-7.85	103.26	106.40
3	A1	1191	A	C8-N9-C4	-7.85	102.66	105.80
10	AI	5	ARG	NE-CZ-NH1	7.85	124.23	120.30
11	AJ	5	ARG	NE-CZ-NH1	7.85	124.23	120.30
25	BB	417	C	N3-C2-O2	-7.85	116.40	121.90
25	BB	665	U	N3-C2-O2	-7.85	116.70	122.20
25	BB	908	C	N3-C4-N4	-7.85	112.50	118.00
25	BB	1167	C	N3-C4-N4	-7.85	112.50	118.00
25	BB	1255	U	C1'-O4'-C4'	-7.85	103.62	109.90
25	BB	2548	U	O4'-C4'-C3'	7.85	112.38	106.10
25	BB	2691	C	O4'-C1'-N1	7.85	114.48	108.20
1	AE	23	A	C4-C5-C6	-7.85	113.08	117.00
25	BB	227	A	C5-C6-N6	7.85	129.98	123.70
25	BB	382	A	C5-C6-N1	7.85	121.62	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1508	A	C5-C6-N1	7.85	121.63	117.70
25	BB	2803	G	C5-C6-N1	7.85	115.42	111.50
1	AA	74	C	N3-C2-O2	-7.85	116.41	121.90
1	AP	44	A	C5-C6-N1	7.85	121.62	117.70
1	AE	11	C	C4'-C3'-C2'	-7.85	94.75	102.60
3	A1	1063	C	N3-C2-O2	-7.85	116.41	121.90
3	A1	1068	G	C4-C5-N7	-7.85	107.66	110.80
3	A1	1113	C	N3-C4-N4	-7.85	112.51	118.00
25	BB	88	G	C5-C6-N1	7.85	115.42	111.50
25	BB	617	G	C4'-C3'-C2'	7.85	110.45	102.60
25	BB	1369	G	N1-C6-O6	-7.85	115.19	119.90
25	BB	1678	A	C5'-C4'-O4'	-7.85	99.68	109.10
25	BB	1731	G	C5-C6-N1	7.85	115.42	111.50
25	BB	1909	C	N3-C4-N4	-7.85	112.50	118.00
25	BB	2778	A	C5-C6-N1	7.85	121.62	117.70
1	AE	2	C	N3-C2-O2	-7.85	116.41	121.90
3	A1	66	A	C4-C5-C6	-7.85	113.08	117.00
3	A1	302	G	N9-C4-C5	7.85	108.54	105.40
3	A1	578	C	C2-N3-C4	-7.85	115.98	119.90
25	BB	45	G	O4'-C1'-N9	7.85	114.48	108.20
25	BB	227	A	C5-N7-C8	-7.85	99.98	103.90
25	BB	884	U	C5-C6-N1	-7.85	118.78	122.70
25	BB	1841	U	N3-C2-O2	-7.85	116.71	122.20
25	BB	2488	G	C8-N9-C4	-7.85	103.26	106.40
31	BH	36	TYR	CB-CG-CD1	-7.85	116.29	121.00
3	A1	93	U	O4'-C1'-N1	7.85	114.48	108.20
3	A1	355	C	P-O3'-C3'	7.85	129.12	119.70
3	A1	1038	C	N3-C2-O2	-7.85	116.41	121.90
3	A1	44	A	C6-C5-N7	7.84	137.79	132.30
3	A1	398	U	N3-C2-O2	-7.84	116.71	122.20
3	A1	855	U	C5-C6-N1	-7.84	118.78	122.70
3	A1	1309	G	O4'-C1'-N9	7.84	114.48	108.20
25	BB	403	U	O4'-C1'-N1	7.84	114.48	108.20
3	A1	147	G	C3'-C2'-C1'	7.84	107.78	101.50
25	BB	131	A	C1'-O4'-C4'	-7.84	103.62	109.90
25	BB	2380	C	O4'-C1'-N1	7.84	114.47	108.20
25	BB	2415	G	N1-C6-O6	-7.84	115.19	119.90
3	A1	102	G	N1-C2-N3	7.84	128.60	123.90
3	A1	130	A	C5-N7-C8	-7.84	99.98	103.90
3	A1	470	C	C5-C6-N1	-7.84	117.08	121.00
3	A1	833	G	O4'-C1'-N9	7.84	114.47	108.20
3	A1	850	U	O4'-C1'-N1	7.84	114.47	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1488	G	N7-C8-N9	7.84	117.02	113.10
25	BB	496	G	N1-C6-O6	-7.84	115.19	119.90
25	BB	1035	U	C5-C6-N1	-7.84	118.78	122.70
25	BB	1153	C	N3-C2-O2	-7.84	116.41	121.90
25	BB	2623	G	N1-C6-O6	-7.84	115.20	119.90
20	AU	4	ARG	CD-NE-CZ	7.84	134.58	123.60
25	BB	176	A	N1-C6-N6	-7.84	113.90	118.60
25	BB	2570	G	N1-C6-O6	-7.84	115.20	119.90
3	A1	377	G	C5-C6-N1	7.84	115.42	111.50
3	A1	1460	C	C5-C6-N1	-7.84	117.08	121.00
25	BB	279	A	C5-C6-N1	7.84	121.62	117.70
25	BB	1588	G	N1-C6-O6	-7.84	115.20	119.90
25	BB	2481	G	N1-C6-O6	-7.84	115.20	119.90
49	BZ	87	ARG	NH1-CZ-NH2	-7.84	110.78	119.40
3	A1	1502	A	C4-C5-C6	-7.84	113.08	117.00
25	BB	17	G	C5'-C4'-C3'	-7.84	103.46	116.00
25	BB	578	G	N3-C2-N2	-7.84	114.41	119.90
25	BB	2268	A	C2-N3-C4	7.84	114.52	110.60
1	AE	47	U	N3-C4-O4	-7.83	113.92	119.40
3	A1	416	G	N9-C4-C5	7.83	108.53	105.40
19	AT	86	ARG	NH1-CZ-NH2	-7.83	110.78	119.40
25	BB	83	A	C4-C5-C6	-7.83	113.08	117.00
25	BB	2337	G	C8-N9-C4	-7.83	103.27	106.40
25	BB	2809	A	C3'-C2'-C1'	7.83	107.77	101.50
1	AA	57	G	C4'-C3'-C2'	-7.83	94.77	102.60
3	A1	191	G	C5-C6-N1	7.83	115.42	111.50
3	A1	1456	A	C5-C6-N1	7.83	121.62	117.70
25	BB	15	G	N3-C2-N2	-7.83	114.42	119.90
25	BB	463	G	O4'-C1'-N9	7.83	114.47	108.20
25	BB	1449	G	C2-N3-C4	7.83	115.82	111.90
25	BB	2823	A	C5-C6-N1	7.83	121.62	117.70
3	A1	1066	C	N3-C4-C5	7.83	125.03	121.90
3	A1	1239	A	C6-C5-N7	7.83	137.78	132.30
25	BB	536	G	N1-C6-O6	-7.83	115.20	119.90
25	BB	1319	C	N3-C4-C5	7.83	125.03	121.90
25	BB	1426	G	C5-C6-O6	7.83	133.30	128.60
25	BB	2246	G	C5-C6-N1	7.83	115.42	111.50
25	BB	2773	C	N1-C2-N3	7.83	124.68	119.20
3	A1	157	U	C5-C4-O4	-7.83	121.20	125.90
9	AH	16	ARG	NH1-CZ-NH2	-7.83	110.79	119.40
25	BB	191	A	C4-C5-C6	-7.83	113.08	117.00
25	BB	693	A	C2-N3-C4	7.83	114.52	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1927	A	C6-C5-N7	7.83	137.78	132.30
25	BB	2876	G	C8-N9-C4	-7.83	103.27	106.40
3	A1	676	A	N1-C6-N6	-7.83	113.90	118.60
3	A1	1142	G	N3-C2-N2	-7.83	114.42	119.90
3	A1	1198	G	N9-C4-C5	7.83	108.53	105.40
25	BB	1454	C	N1-C2-O2	7.83	123.60	118.90
25	BB	1454	C	N3-C4-C5	7.83	125.03	121.90
25	BB	1772	A	N1-C2-N3	-7.83	125.39	129.30
25	BB	2815	C	C6-N1-C2	-7.83	117.17	120.30
3	A1	722	G	N3-C4-C5	-7.83	124.69	128.60
25	BB	2280	G	C8-N9-C4	-7.83	103.27	106.40
25	BB	2644	G	C6-C5-N7	7.83	135.10	130.40
3	A1	332	G	C5-N7-C8	-7.83	100.39	104.30
3	A1	1079	G	N9-C4-C5	7.83	108.53	105.40
3	A1	1407	C	N3-C4-N4	-7.83	112.52	118.00
25	BB	510	C	N3-C2-O2	-7.83	116.42	121.90
25	BB	1999	C	N1-C2-O2	7.83	123.59	118.90
45	BV	14	ARG	NE-CZ-NH2	7.83	124.21	120.30
3	A1	884	U	N3-C2-O2	-7.82	116.72	122.20
3	A1	1075	U	O4'-C1'-N1	7.82	114.46	108.20
25	BB	2143	C	C2-N3-C4	-7.82	115.99	119.90
25	BB	2750	A	C6-C5-N7	7.82	137.78	132.30
3	A1	1094	G	C5-C6-O6	7.82	133.29	128.60
25	BB	755	U	N1-C2-N3	7.82	119.59	114.90
25	BB	1510	G	C8-N9-C4	-7.82	103.27	106.40
25	BB	1729	U	C5-C6-N1	-7.82	118.79	122.70
25	BB	2045	C	C4'-C3'-C2'	-7.82	94.78	102.60
25	BB	604	G	N3-C4-C5	-7.82	124.69	128.60
25	BB	1891	G	C5-C6-N1	7.82	115.41	111.50
25	BB	2011	U	C5-C4-O4	7.82	130.59	125.90
29	BF	6	ARG	NE-CZ-NH1	7.82	124.21	120.30
25	BB	1049	C	N3-C4-C5	7.82	125.03	121.90
25	BB	1600	C	C2-N3-C4	-7.82	115.99	119.90
25	BB	2688	G	N7-C8-N9	7.82	117.01	113.10
3	A1	1319	A	C6-C5-N7	7.82	137.77	132.30
25	BB	1090	A	C2'-C3'-O3'	7.82	126.70	109.50
25	BB	1487	U	N3-C2-O2	-7.82	116.73	122.20
25	BB	2659	G	C4-C5-N7	-7.82	107.67	110.80
1	AE	32	C	N3-C4-N4	-7.82	112.53	118.00
3	A1	334	C	N3-C4-C5	7.82	125.03	121.90
3	A1	831	A	C5-N7-C8	-7.82	99.99	103.90
3	A1	1257	A	C4-C5-C6	-7.82	113.09	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	BA	50	A	C6-C5-N7	7.82	137.77	132.30
25	BB	1218	G	N1-C6-O6	-7.82	115.21	119.90
25	BB	1433	A	C5-C6-N1	7.82	121.61	117.70
25	BB	1728	C	C2-N3-C4	-7.82	115.99	119.90
25	BB	2024	G	N3-C4-C5	-7.82	124.69	128.60
25	BB	2450	A	N1-C6-N6	-7.82	113.91	118.60
1	AE	9	A	O4'-C1'-N9	7.81	114.45	108.20
25	BB	1069	A	O4'-C1'-N9	7.81	114.45	108.20
25	BB	1240	U	N3-C2-O2	-7.81	116.73	122.20
25	BB	2488	G	N1-C6-O6	-7.81	115.21	119.90
3	A1	586	C	C4'-C3'-C2'	-7.81	94.79	102.60
3	A1	610	U	N3-C2-O2	-7.81	116.73	122.20
3	A1	887	G	C8-N9-C4	-7.81	103.28	106.40
3	A1	1122	U	C5-C6-N1	-7.81	118.79	122.70
25	BB	79	C	C5-C4-N4	7.81	125.67	120.20
25	BB	1555	G	O4'-C1'-N9	7.81	114.45	108.20
1	AP	26	G	N3-C2-N2	-7.81	114.43	119.90
46	BW	12	ARG	NE-CZ-NH1	7.81	124.20	120.30
3	A1	978	A	C4-C5-C6	-7.81	113.09	117.00
3	A1	1123	U	C2-N3-C4	-7.81	122.31	127.00
3	A1	1283	U	O5'-P-OP2	-7.81	98.67	105.70
25	BB	691	C	N3-C2-O2	-7.81	116.43	121.90
25	BB	1711	A	C4-C5-N7	-7.81	106.80	110.70
25	BB	1967	C	N3-C4-C5	7.81	125.02	121.90
25	BB	2718	G	N1-C6-O6	-7.81	115.22	119.90
1	AA	5	A	N9-C4-C5	-7.81	102.68	105.80
1	AE	49	C	O4'-C1'-N1	7.81	114.45	108.20
3	A1	55	A	C6-C5-N7	7.81	137.77	132.30
3	A1	74	A	C5-C6-N1	7.81	121.60	117.70
3	A1	490	C	C6-N1-C2	-7.81	117.18	120.30
3	A1	756	C	N3-C2-O2	-7.81	116.44	121.90
3	A1	1082	A	C4-C5-C6	-7.81	113.10	117.00
3	A1	1204	A	C5'-C4'-O4'	7.81	118.47	109.10
3	A1	1281	C	N3-C2-O2	-7.81	116.43	121.90
3	A1	1352	C	N3-C4-C5	7.81	125.02	121.90
25	BB	1424	G	C5-C6-N1	7.81	115.40	111.50
1	AA	57	G	C3'-C2'-C1'	7.81	107.74	101.50
1	AP	19	G	N1-C6-O6	-7.81	115.22	119.90
3	A1	240	G	C8-N9-C4	-7.81	103.28	106.40
3	A1	1054	C	C2-N3-C4	-7.81	116.00	119.90
3	A1	1275	A	C3'-C2'-C1'	7.81	107.75	101.50
25	BB	649	G	C5-C6-N1	7.81	115.40	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1512	C	O4'-C1'-N1	7.81	114.44	108.20
3	A1	760	G	C5-C6-O6	7.80	133.28	128.60
3	A1	915	A	C4'-C3'-C2'	-7.80	94.80	102.60
3	A1	1356	G	C2-N3-C4	7.80	115.80	111.90
3	A1	1455	G	C5-C6-N1	7.80	115.40	111.50
24	BA	47	C	C6-N1-C2	-7.80	117.18	120.30
25	BB	422	A	C6-C5-N7	7.80	137.76	132.30
25	BB	2526	G	O4'-C1'-N9	7.80	114.44	108.20
25	BB	2573	C	N3-C2-O2	-7.80	116.44	121.90
25	BB	2895	G	C3'-C2'-C1'	7.80	107.74	101.50
1	AA	45	G	N1-C6-O6	-7.80	115.22	119.90
3	A1	458	U	O4'-C1'-N1	7.80	114.44	108.20
3	A1	701	U	C2-N3-C4	-7.80	122.32	127.00
3	A1	1313	U	N1-C2-N3	7.80	119.58	114.90
25	BB	909	A	C6-N1-C2	-7.80	113.92	118.60
25	BB	1836	C	N3-C4-C5	7.80	125.02	121.90
25	BB	2087	G	N1-C6-O6	-7.80	115.22	119.90
25	BB	2683	C	N3-C2-O2	-7.80	116.44	121.90
3	A1	274	A	N9-C1'-C2'	-7.80	103.42	112.00
3	A1	860	A	C4-C5-C6	-7.80	113.10	117.00
10	AI	23	ASP	CB-CG-OD1	7.80	125.32	118.30
25	BB	733	G	N3-C4-C5	-7.80	124.70	128.60
25	BB	2642	G	O4'-C4'-C3'	7.80	112.34	106.10
53	B4	51	ARG	NE-CZ-NH1	7.80	124.20	120.30
3	A1	37	U	C6-N1-C2	-7.80	116.32	121.00
3	A1	307	C	N3-C2-O2	-7.80	116.44	121.90
3	A1	799	G	N1-C6-O6	-7.80	115.22	119.90
3	A1	838	G	N7-C8-N9	7.80	117.00	113.10
25	BB	653	U	O4'-C1'-N1	7.80	114.44	108.20
25	BB	944	C	N3-C4-N4	-7.80	112.54	118.00
25	BB	1340	U	C5-C6-N1	-7.80	118.80	122.70
1	AA	15	G	N7-C8-N9	7.80	117.00	113.10
3	A1	224	U	O4'-C1'-N1	7.80	114.44	108.20
3	A1	527	G	N1-C6-O6	-7.80	115.22	119.90
3	A1	529	G	C1'-O4'-C4'	-7.80	103.66	109.90
3	A1	1093	A	O4'-C1'-N9	7.80	114.44	108.20
3	A1	1134	G	N1-C2-N2	-7.80	109.18	116.20
3	A1	1462	C	O4'-C1'-N1	7.80	114.44	108.20
25	BB	1221	C	N3-C2-O2	-7.80	116.44	121.90
3	A1	207	C	C2-N3-C4	-7.80	116.00	119.90
3	A1	222	C	N3-C4-N4	-7.80	112.54	118.00
3	A1	499	A	C6-C5-N7	7.80	137.76	132.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	566	G	C6-C5-N7	7.80	135.08	130.40
3	A1	933	G	C5-C6-N1	7.80	115.40	111.50
25	BB	52	A	C4-C5-C6	-7.80	113.10	117.00
25	BB	63	A	C4-C5-C6	-7.80	113.10	117.00
25	BB	326	G	N7-C8-N9	7.80	117.00	113.10
1	AA	65	G	N1-C2-N3	7.79	128.58	123.90
3	A1	386	C	O4'-C1'-N1	7.79	114.44	108.20
3	A1	840	C	C3'-C2'-C1'	7.79	107.74	101.50
3	A1	1448	C	C5'-C4'-O4'	7.79	118.45	109.10
25	BB	886	A	N9-C4-C5	7.79	108.92	105.80
25	BB	2170	A	OP1-P-OP2	-7.79	107.91	119.60
3	A1	257	G	C6-C5-N7	7.79	135.08	130.40
3	A1	401	C	N3-C4-N4	-7.79	112.55	118.00
3	A1	647	C	C4-C5-C6	-7.79	113.50	117.40
3	A1	1090	U	N3-C4-O4	-7.79	113.94	119.40
25	BB	212	G	C5-C6-N1	7.79	115.40	111.50
25	BB	658	U	N3-C2-O2	-7.79	116.75	122.20
25	BB	943	A	C4-C5-C6	-7.79	113.10	117.00
25	BB	1966	A	C4-C5-N7	7.79	114.60	110.70
25	BB	2104	C	N3-C2-O2	-7.79	116.44	121.90
3	A1	1209	C	O4'-C1'-C2'	-7.79	98.01	105.80
25	BB	472	A	C5-C6-N6	7.79	129.93	123.70
25	BB	544	C	C6-N1-C2	-7.79	117.18	120.30
25	BB	1283	G	N9-C4-C5	7.79	108.52	105.40
25	BB	1342	A	C6-C5-N7	7.79	137.75	132.30
25	BB	1406	U	C3'-C2'-C1'	7.79	107.73	101.50
25	BB	1634	A	C5-C6-N1	7.79	121.60	117.70
25	BB	2553	G	C5-C6-N1	7.79	115.39	111.50
25	BB	2845	U	C3'-C2'-C1'	7.79	107.73	101.50
3	A1	1514	G	N9-C4-C5	7.79	108.52	105.40
25	BB	1357	C	C4'-C3'-C2'	-7.79	94.81	102.60
25	BB	1660	G	N7-C8-N9	7.79	116.99	113.10
25	BB	1984	G	C5-C6-N1	7.79	115.39	111.50
3	A1	335	C	C3'-C2'-C1'	7.79	107.73	101.50
24	BA	14	U	N1-C2-N3	7.79	119.57	114.90
25	BB	477	A	N1-C2-N3	-7.79	125.41	129.30
25	BB	1574	C	N3-C4-N4	-7.79	112.55	118.00
25	BB	2548	U	C1'-O4'-C4'	-7.79	103.67	109.90
1	AA	17	U	C2-N3-C4	-7.79	122.33	127.00
3	A1	1016	A	C6-C5-N7	7.79	137.75	132.30
3	A1	1109	C	N3-C2-O2	-7.79	116.45	121.90
25	BB	483	A	C4-C5-C6	-7.79	113.11	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	714	U	N3-C2-O2	-7.79	116.75	122.20
25	BB	2331	G	C5-N7-C8	-7.79	100.41	104.30
25	BB	2770	G	C5-C6-N1	7.79	115.39	111.50
25	BB	2837	A	C5-C6-N1	7.79	121.59	117.70
3	A1	832	G	C6-C5-N7	7.78	135.07	130.40
3	A1	901	A	C4-C5-C6	-7.78	113.11	117.00
3	A1	1150	A	C1'-O4'-C4'	-7.78	103.67	109.90
3	A1	1293	C	O4'-C1'-N1	7.78	114.43	108.20
3	A1	1407	C	C4-C5-C6	-7.78	113.51	117.40
24	BA	99	A	C5-N7-C8	-7.78	100.01	103.90
25	BB	2420	C	O4'-C1'-C2'	-7.78	98.02	105.80
25	BB	2776	A	C5-C6-N1	7.78	121.59	117.70
3	A1	200	G	C8-N9-C4	-7.78	103.29	106.40
3	A1	837	U	O4'-C1'-N1	7.78	114.43	108.20
3	A1	1181	G	C3'-C2'-C1'	7.78	107.73	101.50
3	A1	1429	A	O4'-C1'-N9	7.78	114.43	108.20
25	BB	838	C	O5'-P-OP1	-7.78	98.70	105.70
25	BB	1497	U	C5-C6-N1	-7.78	118.81	122.70
25	BB	1805	A	O4'-C1'-N9	7.78	114.42	108.20
25	BB	2791	G	N9-C4-C5	7.78	108.51	105.40
25	BB	2876	G	C4-C5-N7	-7.78	107.69	110.80
1	AP	51	G	C6-N1-C2	-7.78	120.43	125.10
3	A1	316	C	O5'-C5'-C4'	7.78	126.48	111.70
3	A1	393	A	C5-C6-N1	7.78	121.59	117.70
3	A1	606	G	N3-C4-C5	-7.78	124.71	128.60
3	A1	1258	G	C4-C5-N7	-7.78	107.69	110.80
25	BB	423	A	O4'-C1'-N9	7.78	114.42	108.20
25	BB	560	C	C4'-C3'-C2'	-7.78	94.82	102.60
25	BB	926	G	N3-C4-C5	-7.78	124.71	128.60
25	BB	1186	G	C5-C6-O6	7.78	133.27	128.60
25	BB	1757	A	C4-C5-C6	-7.78	113.11	117.00
25	BB	2024	G	C6-N1-C2	-7.78	120.43	125.10
25	BB	2436	G	C1'-O4'-C4'	-7.78	103.68	109.90
3	A1	441	A	O4'-C1'-N9	-7.78	101.98	108.20
3	A1	756	C	N3-C4-C5	7.78	125.01	121.90
25	BB	498	G	O4'-C1'-N9	7.78	114.42	108.20
1	AE	19	G	C5-C6-N1	7.78	115.39	111.50
3	A1	418	C	O4'-C4'-C3'	7.78	112.32	106.10
3	A1	755	G	C2'-C3'-O3'	7.78	126.61	109.50
3	A1	940	C	N3-C2-O2	-7.78	116.46	121.90
3	A1	1358	U	O4'-C1'-N1	7.78	114.42	108.20
3	A1	1404	C	C3'-C2'-C1'	7.78	107.72	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	62	U	C5-C6-N1	-7.78	118.81	122.70
25	BB	2594	C	C2-N3-C4	-7.78	116.01	119.90
25	BB	2614	A	C6-C5-N7	7.78	137.74	132.30
25	BB	2646	C	C2-N3-C4	-7.78	116.01	119.90
3	A1	226	G	N1-C6-O6	-7.78	115.23	119.90
3	A1	512	U	N3-C2-O2	-7.78	116.76	122.20
3	A1	700	G	C6-N1-C2	-7.78	120.44	125.10
3	A1	835	U	C4-C5-C6	7.78	124.36	119.70
3	A1	998	C	N1-C2-N3	7.78	124.64	119.20
25	BB	273	G	C5-C6-N1	7.78	115.39	111.50
25	BB	365	U	C5'-C4'-C3'	-7.78	103.56	116.00
25	BB	961	C	C2-N3-C4	-7.78	116.01	119.90
25	BB	2103	C	N3-C2-O2	-7.78	116.46	121.90
2	AM	19	U	C5-C6-N1	-7.77	118.81	122.70
25	BB	1119	U	N3-C2-O2	-7.77	116.76	122.20
25	BB	2266	A	C6-N1-C2	-7.77	113.94	118.60
1	AE	5	A	O4'-C1'-N9	7.77	114.42	108.20
3	A1	131	A	O4'-C1'-N9	7.77	114.42	108.20
25	BB	69	C	N3-C4-N4	-7.77	112.56	118.00
25	BB	1440	U	C5-C6-N1	-7.77	118.81	122.70
25	BB	1773	A	C5'-C4'-C3'	-7.77	103.56	116.00
25	BB	1815	A	C4-C5-C6	-7.77	113.11	117.00
25	BB	2032	G	N1-C6-O6	-7.77	115.24	119.90
25	BB	2177	C	C5-C4-N4	-7.77	114.76	120.20
3	A1	1210	C	C5'-C4'-O4'	7.77	118.42	109.10
3	A1	1339	A	C5-C6-N1	7.77	121.58	117.70
25	BB	220	G	N7-C8-N9	7.77	116.99	113.10
25	BB	1561	C	C5-C6-N1	-7.77	117.11	121.00
1	AA	53	G	C4'-C3'-C2'	-7.77	94.83	102.60
1	AP	4	G	O4'-C1'-N9	7.77	114.42	108.20
3	A1	426	U	C5-C6-N1	-7.77	118.81	122.70
3	A1	881	G	C5-C6-N1	7.77	115.39	111.50
3	A1	1182	G	N1-C2-N3	7.77	128.56	123.90
3	A1	1352	C	O4'-C1'-N1	7.77	114.42	108.20
25	BB	671	C	N3-C4-N4	-7.77	112.56	118.00
25	BB	753	A	C5-C6-N1	7.77	121.58	117.70
25	BB	1760	C	N3-C2-O2	-7.77	116.46	121.90
1	AP	68	U	C4'-C3'-C2'	7.77	110.37	102.60
3	A1	238	A	C4-C5-C6	-7.77	113.12	117.00
3	A1	414	A	O4'-C1'-N9	7.77	114.41	108.20
3	A1	667	G	C8-N9-C4	-7.77	103.29	106.40
3	A1	1011	C	N1-C2-O2	7.77	123.56	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1445	U	N3-C2-O2	-7.77	116.76	122.20
25	BB	222	A	C5-C6-N1	7.77	121.58	117.70
25	BB	311	A	C4-C5-C6	-7.77	113.12	117.00
25	BB	1049	C	N3-C2-O2	-7.77	116.46	121.90
25	BB	2346	A	C4-C5-C6	-7.77	113.12	117.00
3	A1	11	G	N3-C4-C5	-7.77	124.72	128.60
3	A1	639	G	C3'-C2'-C1'	7.77	107.71	101.50
25	BB	1049	C	N1-C2-O2	7.77	123.56	118.90
25	BB	2117	A	N1-C6-N6	-7.77	113.94	118.60
25	BB	2349	G	N1-C6-O6	-7.77	115.24	119.90
3	A1	803	G	N1-C6-O6	-7.76	115.24	119.90
3	A1	886	G	C5'-C4'-C3'	-7.76	103.58	116.00
3	A1	1211	U	C6-N1-C2	-7.76	116.34	121.00
19	AT	38	ARG	NE-CZ-NH2	7.76	124.18	120.30
25	BB	1253	A	OP1-P-OP2	-7.76	107.95	119.60
25	BB	1766	G	N3-C4-C5	-7.76	124.72	128.60
25	BB	203	A	C6-C5-N7	7.76	137.73	132.30
3	A1	40	C	N3-C4-N4	-7.76	112.57	118.00
3	A1	179	A	C6-C5-N7	7.76	137.73	132.30
3	A1	206	C	C5-C4-N4	-7.76	114.77	120.20
3	A1	727	G	N1-C6-O6	-7.76	115.24	119.90
3	A1	935	A	C3'-C2'-C1'	7.76	107.71	101.50
3	A1	1163	A	O4'-C1'-N9	7.76	114.41	108.20
22	AW	10	ARG	NE-CZ-NH1	7.76	124.18	120.30
25	BB	848	C	C5-C6-N1	-7.76	117.12	121.00
25	BB	2375	G	C5-C6-N1	7.76	115.38	111.50
3	A1	343	U	N1-C2-N3	7.76	119.56	114.90
25	BB	1020	A	N9-C4-C5	7.76	108.90	105.80
25	BB	1362	C	O4'-C1'-N1	7.76	114.41	108.20
25	BB	2205	A	C6-C5-N7	7.76	137.73	132.30
3	A1	387	U	N3-C2-O2	-7.76	116.77	122.20
3	A1	654	G	O4'-C1'-C2'	-7.76	98.04	105.80
25	BB	1622	G	C4-C5-N7	-7.76	107.70	110.80
25	BB	1949	G	C5'-C4'-C3'	-7.76	103.59	116.00
25	BB	2649	C	C5-C4-N4	7.76	125.63	120.20
3	A1	606	G	C6-N1-C2	-7.76	120.45	125.10
3	A1	1122	U	C4-C5-C6	7.76	124.35	119.70
24	BA	29	A	C6-C5-N7	7.76	137.73	132.30
25	BB	123	G	N3-C4-C5	-7.76	124.72	128.60
25	BB	211	C	C2-N3-C4	-7.76	116.02	119.90
25	BB	1200	C	N1-C2-O2	7.76	123.55	118.90
25	BB	2465	C	C5-C6-N1	-7.76	117.12	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	BN	42	ARG	NH1-CZ-NH2	-7.76	110.87	119.40
3	A1	846	G	N1-C6-O6	-7.75	115.25	119.90
3	A1	1376	U	N3-C2-O2	-7.75	116.77	122.20
25	BB	2714	G	N3-C4-C5	-7.75	124.72	128.60
1	AE	61	C	C6-N1-C2	-7.75	117.20	120.30
24	BA	36	C	N3-C4-C5	7.75	125.00	121.90
1	AA	26	G	O4'-C1'-N9	7.75	114.40	108.20
3	A1	1504	G	C1'-O4'-C4'	-7.75	103.70	109.90
25	BB	127	A	O4'-C4'-C3'	7.75	112.30	106.10
25	BB	323	C	C1'-O4'-C4'	7.75	116.10	109.90
25	BB	901	C	N3-C2-O2	-7.75	116.47	121.90
25	BB	2348	U	C3'-C2'-C1'	7.75	107.70	101.50
3	A1	66	A	C5'-C4'-O4'	7.75	118.40	109.10
3	A1	789	U	C4-C5-C6	7.75	124.35	119.70
25	BB	562	U	N3-C2-O2	-7.75	116.78	122.20
25	BB	1334	G	N3-C4-C5	-7.75	124.72	128.60
25	BB	1424	G	C4-C5-C6	-7.75	114.15	118.80
25	BB	2078	C	O4'-C4'-C3'	7.75	112.30	106.10
25	BB	2264	C	N1-C2-O2	7.75	123.55	118.90
3	A1	402	G	N7-C8-N9	7.75	116.97	113.10
3	A1	1157	A	C4-C5-C6	-7.75	113.12	117.00
3	A1	1429	A	P-O5'-C5'	7.75	133.30	120.90
24	BA	79	G	C5-N7-C8	-7.75	100.43	104.30
25	BB	355	U	C5-C4-O4	7.75	130.55	125.90
25	BB	1397	U	N1-C2-O2	7.75	128.22	122.80
25	BB	1606	C	N3-C2-O2	-7.75	116.48	121.90
25	BB	1689	A	C4-C5-C6	-7.75	113.12	117.00
25	BB	2134	A	C4-C5-C6	-7.75	113.12	117.00
25	BB	2707	U	N3-C2-O2	-7.75	116.78	122.20
3	A1	604	G	C5'-C4'-C3'	-7.75	103.61	116.00
3	A1	1334	G	N1-C6-O6	-7.75	115.25	119.90
25	BB	873	C	C6-N1-C2	-7.75	117.20	120.30
25	BB	918	A	C4'-C3'-C2'	-7.75	94.85	102.60
25	BB	1682	G	C5-C6-N1	7.75	115.37	111.50
25	BB	1917	U	O4'-C4'-C3'	-7.75	96.25	104.00
25	BB	2487	G	N1-C6-O6	-7.75	115.25	119.90
25	BB	2540	C	N3-C2-O2	-7.75	116.48	121.90
50	B1	88	ARG	NE-CZ-NH2	-7.75	116.43	120.30
25	BB	874	G	N7-C8-N9	7.75	116.97	113.10
25	BB	903	C	N3-C4-N4	-7.75	112.58	118.00
25	BB	908	C	O4'-C1'-N1	7.75	114.40	108.20
25	BB	909	A	O3'-P-O5'	7.75	118.72	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2266	A	O4'-C1'-C2'	-7.75	98.06	105.80
1	AA	46	G	C1'-O4'-C4'	-7.74	103.70	109.90
1	AA	75	C	N1-C2-N3	7.74	124.62	119.20
3	A1	360	G	C6-N1-C2	-7.74	120.45	125.10
3	A1	967	C	N1-C2-N3	7.74	124.62	119.20
3	A1	1394	A	O4'-C1'-N9	7.74	114.39	108.20
25	BB	789	A	C4-C5-C6	-7.74	113.13	117.00
25	BB	1283	G	C6-C5-N7	7.74	135.05	130.40
25	BB	2289	G	C4-C5-N7	7.74	113.90	110.80
25	BB	2871	U	N3-C2-O2	-7.74	116.78	122.20
1	AP	26	G	C8-N9-C4	-7.74	103.30	106.40
3	A1	1274	A	C2-N3-C4	7.74	114.47	110.60
25	BB	510	C	O4'-C4'-C3'	7.74	112.29	106.10
25	BB	1933	G	C6-C5-N7	7.74	135.04	130.40
25	BB	2061	G	C1'-O4'-C4'	-7.74	103.71	109.90
3	A1	560	A	C6-C5-N7	7.74	137.72	132.30
25	BB	643	A	P-O3'-C3'	7.74	128.99	119.70
25	BB	1440	U	O4'-C1'-N1	7.74	114.39	108.20
25	BB	1670	C	C2-N3-C4	-7.74	116.03	119.90
25	BB	1966	A	C5'-C4'-C3'	-7.74	103.61	116.00
25	BB	2809	A	O4'-C1'-N9	7.74	114.39	108.20
42	BS	63	ARG	NE-CZ-NH1	7.74	124.17	120.30
3	A1	719	C	N1-C2-O2	7.74	123.54	118.90
25	BB	85	G	C5'-C4'-O4'	7.74	118.39	109.10
25	BB	857	G	N1-C2-N3	7.74	128.54	123.90
25	BB	2394	C	O4'-C1'-N1	7.74	114.39	108.20
31	BH	9	ARG	NH1-CZ-NH2	-7.74	110.89	119.40
24	BA	72	G	N1-C6-O6	-7.74	115.26	119.90
25	BB	241	A	O4'-C1'-N9	7.74	114.39	108.20
25	BB	793	A	C5-C6-N1	7.74	121.57	117.70
25	BB	1698	A	C5-C6-N1	7.74	121.57	117.70
1	AP	35	A	P-O3'-C3'	7.74	128.98	119.70
3	A1	236	A	O4'-C4'-C3'	7.74	112.29	106.10
3	A1	1010	U	C5-C6-N1	-7.74	118.83	122.70
25	BB	187	G	C5-C6-N1	7.74	115.37	111.50
25	BB	764	A	C5-C6-N6	7.74	129.89	123.70
25	BB	934	U	C4'-C3'-C2'	-7.74	94.86	102.60
25	BB	1125	G	N1-C2-N3	7.74	128.54	123.90
25	BB	1694	C	N1-C2-O2	7.74	123.54	118.90
25	BB	1620	G	C5'-C4'-O4'	7.73	118.38	109.10
25	BB	2705	A	C6-C5-N7	7.73	137.71	132.30
1	AE	29	A	O4'-C1'-N9	7.73	114.39	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AE	31	A	C5'-C4'-O4'	7.73	118.38	109.10
3	A1	188	C	C1'-O4'-C4'	-7.73	103.71	109.90
3	A1	347	G	C8-N9-C4	-7.73	103.31	106.40
3	A1	721	G	C6-C5-N7	7.73	135.04	130.40
3	A1	860	A	C5-C6-N1	7.73	121.57	117.70
3	A1	1215	G	C3'-C2'-C1'	-7.73	95.31	101.50
3	A1	1431	A	C5-N7-C8	-7.73	100.03	103.90
25	BB	764	A	O4'-C1'-C2'	-7.73	98.07	105.80
25	BB	1124	G	N3-C2-N2	-7.73	114.49	119.90
25	BB	2833	U	C1'-O4'-C4'	-7.73	103.71	109.90
3	A1	114	U	N3-C2-O2	-7.73	116.79	122.20
3	A1	648	A	C5-N7-C8	-7.73	100.03	103.90
25	BB	412	A	C6-C5-N7	7.73	137.71	132.30
25	BB	1029	A	N1-C6-N6	-7.73	113.96	118.60
25	BB	1081	U	N3-C2-O2	-7.73	116.79	122.20
25	BB	1782	U	N3-C2-O2	-7.73	116.79	122.20
25	BB	1803	A	C5-C6-N1	7.73	121.56	117.70
25	BB	1811	G	N3-C4-C5	-7.73	124.73	128.60
25	BB	1997	C	N3-C2-O2	-7.73	116.49	121.90
1	AP	46	G	N3-C2-N2	-7.73	114.49	119.90
2	AM	4	U	O5'-C5'-C4'	7.73	126.38	111.70
3	A1	818	G	N1-C2-N3	7.73	128.54	123.90
3	A1	1153	G	C5-C6-N1	7.73	115.36	111.50
25	BB	275	C	C6-N1-C2	-7.73	117.21	120.30
25	BB	791	C	N3-C4-N4	-7.73	112.59	118.00
25	BB	1286	A	C2-N3-C4	7.73	114.46	110.60
25	BB	2135	A	N1-C2-N3	-7.73	125.44	129.30
2	AM	20	U	N3-C2-O2	-7.73	116.79	122.20
4	AB	212	TYR	CB-CG-CD2	-7.73	116.36	121.00
24	BA	69	G	C6-N1-C2	-7.73	120.46	125.10
25	BB	1293	C	C5-C6-N1	-7.73	117.14	121.00
25	BB	1611	C	N3-C4-C5	7.73	124.99	121.90
1	AP	11	C	N1-C2-N3	7.73	124.61	119.20
25	BB	299	A	C6-C5-N7	7.73	137.71	132.30
25	BB	2735	G	C5-N7-C8	-7.73	100.44	104.30
3	A1	66	A	C1'-O4'-C4'	-7.72	103.72	109.90
3	A1	415	A	C4-C5-C6	-7.72	113.14	117.00
3	A1	1492	A	N9-C4-C5	7.72	108.89	105.80
25	BB	937	C	N3-C4-C5	7.72	124.99	121.90
25	BB	2198	A	O4'-C4'-C3'	7.72	112.28	106.10
25	BB	2762	C	N3-C4-C5	7.72	124.99	121.90
25	BB	666	A	O4'-C4'-C3'	7.72	112.28	106.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	963	U	C5-C6-N1	-7.72	118.84	122.70
25	BB	1081	U	C5-C6-N1	-7.72	118.84	122.70
25	BB	1570	A	C4-C5-N7	-7.72	106.84	110.70
25	BB	1987	A	N9-C4-C5	7.72	108.89	105.80
25	BB	2031	A	C5-C6-N6	7.72	129.88	123.70
25	BB	2482	A	N1-C6-N6	-7.72	113.97	118.60
3	A1	1359	C	N3-C4-N4	-7.72	112.59	118.00
25	BB	613	A	C1'-O4'-C4'	-7.72	103.72	109.90
3	A1	528	C	N1-C2-O2	7.72	123.53	118.90
3	A1	654	G	C5'-C4'-O4'	7.72	118.36	109.10
3	A1	833	G	C3'-C2'-C1'	7.72	107.67	101.50
3	A1	835	U	N1-C2-N3	7.72	119.53	114.90
20	AU	3	ARG	NH1-CZ-NH2	-7.72	110.91	119.40
22	AW	122	ARG	NH1-CZ-NH2	-7.72	110.91	119.40
25	BB	42	A	C2-N3-C4	7.72	114.46	110.60
25	BB	470	A	O4'-C1'-N9	7.72	114.38	108.20
25	BB	643	A	C6-N1-C2	-7.72	113.97	118.60
25	BB	1863	G	N3-C2-N2	-7.72	114.50	119.90
25	BB	2363	G	N1-C6-O6	-7.72	115.27	119.90
25	BB	17	G	N1-C6-O6	-7.72	115.27	119.90
25	BB	132	G	C5'-C4'-C3'	-7.72	103.65	116.00
25	BB	350	G	C8-N9-C4	-7.72	103.31	106.40
25	BB	2196	C	N3-C4-N4	-7.72	112.60	118.00
3	A1	617	G	C5-C6-N1	7.71	115.36	111.50
3	A1	952	U	C3'-C2'-C1'	-7.71	95.33	101.50
3	A1	1048	G	C5-C6-N1	7.71	115.36	111.50
3	A1	1086	U	N3-C2-O2	-7.71	116.80	122.20
3	A1	1177	G	N1-C2-N3	7.71	128.53	123.90
25	BB	1874	C	C5'-C4'-O4'	7.71	118.36	109.10
25	BB	2148	G	C5-C6-O6	7.71	133.23	128.60
25	BB	2545	G	C5-N7-C8	-7.71	100.44	104.30
53	B4	68	ARG	NH1-CZ-NH2	-7.71	110.91	119.40
25	BB	1018	U	C5-C6-N1	-7.71	118.84	122.70
25	BB	1515	A	O4'-C1'-N9	7.71	114.37	108.20
25	BB	1657	U	N3-C2-O2	-7.71	116.80	122.20
25	BB	1873	G	N1-C2-N3	7.71	128.53	123.90
3	A1	1128	C	O4'-C1'-N1	7.71	114.37	108.20
3	A1	1489	G	N1-C6-O6	-7.71	115.27	119.90
25	BB	423	A	C6-N1-C2	-7.71	113.97	118.60
25	BB	514	A	C5'-C4'-O4'	7.71	118.35	109.10
25	BB	532	A	C5-C6-N1	7.71	121.56	117.70
25	BB	644	A	C5-C6-N6	7.71	129.87	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	908	C	N3-C4-C5	7.71	124.98	121.90
25	BB	1183	U	O4'-C1'-N1	7.71	114.37	108.20
25	BB	2263	C	N3-C4-N4	-7.71	112.60	118.00
25	BB	2638	G	C5-C6-N1	7.71	115.36	111.50
25	BB	2875	C	N3-C4-C5	7.71	124.98	121.90
24	BA	64	G	C5'-C4'-C3'	-7.71	103.66	116.00
1	AA	2	C	O4'-C1'-N1	7.71	114.37	108.20
3	A1	531	U	N3-C2-O2	-7.71	116.80	122.20
25	BB	232	G	N1-C6-O6	-7.71	115.28	119.90
25	BB	608	A	C5'-C4'-O4'	7.71	118.35	109.10
25	BB	1835	G	N1-C6-O6	-7.71	115.28	119.90
25	BB	2434	A	C5-C6-N1	7.71	121.55	117.70
33	BJ	91	ARG	NE-CZ-NH2	-7.71	116.45	120.30
1	AP	26	G	N7-C8-N9	7.71	116.95	113.10
25	BB	765	C	N3-C2-O2	-7.71	116.51	121.90
25	BB	945	A	P-O3'-C3'	7.71	128.95	119.70
25	BB	1052	C	N1-C2-O2	7.71	123.52	118.90
25	BB	1208	C	O4'-C1'-N1	7.71	114.36	108.20
25	BB	1564	C	C5-C4-N4	7.71	125.59	120.20
25	BB	2252	G	C6-N1-C2	-7.71	120.48	125.10
3	A1	115	G	N1-C6-O6	-7.71	115.28	119.90
25	BB	1761	C	N3-C4-C5	7.71	124.98	121.90
25	BB	2001	C	N3-C2-O2	-7.71	116.51	121.90
25	BB	2443	C	N1-C2-O2	7.71	123.52	118.90
3	A1	435	A	C2-N3-C4	7.70	114.45	110.60
3	A1	853	C	C6-N1-C2	-7.70	117.22	120.30
3	A1	1514	G	C6-C5-N7	7.70	135.02	130.40
25	BB	606	U	C5-C6-N1	-7.70	118.85	122.70
25	BB	2078	C	C2-N3-C4	-7.70	116.05	119.90
3	A1	1356	G	N1-C6-O6	-7.70	115.28	119.90
3	A1	1512	U	N1-C2-O2	7.70	128.19	122.80
25	BB	435	C	C2-N3-C4	-7.70	116.05	119.90
25	BB	469	G	O4'-C1'-N9	7.70	114.36	108.20
25	BB	1575	C	O4'-C1'-N1	7.70	114.36	108.20
25	BB	281	C	O4'-C1'-N1	7.70	114.36	108.20
25	BB	671	C	N1-C2-O2	7.70	123.52	118.90
25	BB	1033	U	N1-C2-N3	7.70	119.52	114.90
25	BB	1452	G	C5-C6-N1	7.70	115.35	111.50
25	BB	2027	G	C8-N9-C4	-7.70	103.32	106.40
3	A1	1292	G	C4'-C3'-C2'	-7.70	94.90	102.60
25	BB	1850	G	N1-C6-O6	-7.70	115.28	119.90
25	BB	2164	C	C5-C6-N1	-7.70	117.15	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2193	G	C5'-C4'-C3'	-7.70	103.68	116.00
3	A1	474	G	C6-C5-N7	7.70	135.02	130.40
3	A1	1531	A	N9-C1'-C2'	-7.70	103.53	112.00
3	A1	976	G	N7-C8-N9	7.70	116.95	113.10
3	A1	1452	C	N1-C2-O2	7.70	123.52	118.90
24	BA	21	G	C8-N9-C4	-7.70	103.32	106.40
25	BB	232	G	N3-C2-N2	-7.70	114.51	119.90
25	BB	883	G	O4'-C1'-C2'	7.70	114.53	107.60
25	BB	1250	G	C5-C6-N1	7.70	115.35	111.50
25	BB	1402	U	C5-C6-N1	-7.70	118.85	122.70
25	BB	2049	G	C5'-C4'-O4'	7.70	118.33	109.10
25	BB	2721	A	C4-C5-C6	-7.70	113.15	117.00
25	BB	2886	A	C4-C5-C6	-7.70	113.15	117.00
1	AA	62	A	C4-C5-C6	-7.69	113.15	117.00
3	A1	291	U	C5-C6-N1	-7.69	118.85	122.70
24	BA	15	A	C3'-C2'-C1'	7.69	107.66	101.50
25	BB	110	G	N3-C4-C5	-7.69	124.75	128.60
25	BB	1413	A	C5-C6-N6	7.69	129.85	123.70
25	BB	1564	C	C2-N3-C4	-7.69	116.05	119.90
25	BB	1855	U	N1-C2-N3	7.69	119.52	114.90
25	BB	2888	C	C4-C5-C6	7.69	121.25	117.40
3	A1	120	A	C5-C6-N6	7.69	129.85	123.70
3	A1	176	C	N3-C2-O2	-7.69	116.52	121.90
3	A1	268	U	N1-C2-O2	7.69	128.19	122.80
3	A1	448	A	C5-C6-N1	7.69	121.55	117.70
3	A1	466	A	C6-C5-N7	7.69	137.68	132.30
3	A1	993	G	C3'-C2'-C1'	7.69	107.65	101.50
25	BB	161	A	C4-C5-C6	-7.69	113.15	117.00
25	BB	371	A	C4-C5-C6	-7.69	113.15	117.00
25	BB	963	U	O4'-C1'-N1	7.69	114.35	108.20
25	BB	1112	G	C5-N7-C8	-7.69	100.45	104.30
25	BB	1833	C	C5'-C4'-O4'	7.69	118.33	109.10
25	BB	2266	A	C4'-C3'-C2'	-7.69	94.91	102.60
25	BB	2385	C	C1'-O4'-C4'	-7.69	103.75	109.90
25	BB	2726	A	C6-C5-N7	7.69	137.69	132.30
3	A1	491	G	N3-C4-C5	-7.69	124.75	128.60
3	A1	722	G	C5-C6-N1	7.69	115.34	111.50
3	A1	926	G	C6-C5-N7	7.69	135.01	130.40
3	A1	1044	A	C3'-C2'-C1'	7.69	107.65	101.50
3	A1	1377	A	C5-C6-N6	7.69	129.85	123.70
25	BB	798	G	C5-C6-N1	7.69	115.35	111.50
25	BB	1051	G	C2-N3-C4	7.69	115.75	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1618	A	C3'-C2'-C1'	7.69	107.65	101.50
25	BB	1727	C	N3-C4-N4	-7.69	112.62	118.00
25	BB	2288	A	N1-C6-N6	-7.69	113.98	118.60
25	BB	2851	A	C5-C6-N1	7.69	121.55	117.70
3	A1	509	A	C4'-C3'-C2'	-7.69	94.91	102.60
3	A1	948	C	N3-C4-N4	-7.69	112.62	118.00
25	BB	1206	G	P-O3'-C3'	7.69	128.93	119.70
3	A1	63	C	N3-C4-N4	-7.69	112.62	118.00
24	BA	79	G	C4-C5-C6	-7.69	114.19	118.80
25	BB	147	C	C5'-C4'-O4'	7.69	118.33	109.10
25	BB	1985	C	N3-C4-N4	-7.69	112.62	118.00
25	BB	2167	U	O4'-C1'-N1	7.69	114.35	108.20
25	BB	2423	U	C5-C4-O4	-7.69	121.29	125.90
25	BB	2529	G	C6-C5-N7	7.69	135.01	130.40
3	A1	186	C	N3-C2-O2	-7.69	116.52	121.90
3	A1	187	G	N9-C4-C5	7.69	108.47	105.40
25	BB	241	A	C5-C6-N1	7.69	121.54	117.70
25	BB	745	G	C5'-C4'-O4'	7.69	118.32	109.10
3	A1	466	A	C5-C6-N6	7.68	129.85	123.70
24	BA	3	C	C5-C4-N4	7.68	125.58	120.20
25	BB	1392	A	N7-C8-N9	7.68	117.64	113.80
25	BB	2176	A	C5-C6-N1	7.68	121.54	117.70
3	A1	331	G	N3-C4-C5	-7.68	124.76	128.60
3	A1	1380	U	C4-C5-C6	7.68	124.31	119.70
25	BB	422	A	O4'-C1'-N9	7.68	114.35	108.20
25	BB	1280	G	O4'-C1'-N9	7.68	114.35	108.20
25	BB	2210	U	C5-C6-N1	-7.68	118.86	122.70
38	BO	6	ARG	NE-CZ-NH1	7.68	124.14	120.30
3	A1	1388	C	N3-C4-C5	7.68	124.97	121.90
24	BA	14	U	C3'-C2'-C1'	-7.68	95.36	101.50
25	BB	400	G	C6-C5-N7	7.68	135.01	130.40
3	A1	214	C	C5-C6-N1	-7.68	117.16	121.00
3	A1	1230	C	C6-N1-C1'	-7.68	111.58	120.80
25	BB	430	A	O4'-C4'-C3'	7.68	112.24	106.10
25	BB	957	C	C6-N1-C2	-7.68	117.23	120.30
25	BB	979	A	N1-C6-N6	-7.68	113.99	118.60
25	BB	1062	G	N1-C2-N3	7.68	128.51	123.90
25	BB	2072	C	C5'-C4'-O4'	7.68	118.32	109.10
25	BB	2370	G	C6-C5-N7	7.68	135.01	130.40
25	BB	2416	C	P-O3'-C3'	7.68	128.91	119.70
25	BB	2473	U	C2-N3-C4	-7.68	122.39	127.00
25	BB	2678	C	N1-C2-O2	7.68	123.51	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	976	G	C5-C6-O6	7.68	133.21	128.60
1	AE	10	G	C2-N3-C4	7.68	115.74	111.90
3	A1	384	G	N1-C6-O6	-7.68	115.29	119.90
3	A1	611	C	N3-C4-C5	-7.68	118.83	121.90
3	A1	777	A	C5-C6-N1	7.68	121.54	117.70
3	A1	1018	G	N3-C2-N2	-7.68	114.53	119.90
3	A1	1385	G	C1'-O4'-C4'	-7.68	103.76	109.90
48	BY	141	ARG	NE-CZ-NH2	7.68	124.14	120.30
1	AA	47	U	C6-N1-C2	-7.67	116.39	121.00
3	A1	744	C	N3-C2-O2	-7.67	116.53	121.90
25	BB	1307	A	O4'-C1'-N9	7.67	114.34	108.20
25	BB	1430	G	C4-C5-N7	-7.67	107.73	110.80
25	BB	2399	G	N1-C6-O6	-7.67	115.30	119.90
3	A1	1059	C	C5'-C4'-C3'	-7.67	103.72	116.00
3	A1	1112	C	N3-C2-O2	-7.67	116.53	121.90
24	BA	25	U	N1-C2-N3	7.67	119.50	114.90
25	BB	399	U	C4-C5-C6	7.67	124.30	119.70
25	BB	599	A	C2-N3-C4	7.67	114.44	110.60
25	BB	1179	G	N1-C2-N3	7.67	128.50	123.90
25	BB	1281	G	C8-N9-C4	-7.67	103.33	106.40
25	BB	2137	U	N3-C4-O4	7.67	124.77	119.40
25	BB	2822	G	C3'-C2'-C1'	7.67	107.64	101.50
3	A1	212	G	C4-C5-C6	-7.67	114.20	118.80
25	BB	1168	G	C5-C6-N1	7.67	115.33	111.50
25	BB	1510	G	C5-C6-O6	7.67	133.20	128.60
3	A1	491	G	O4'-C1'-N9	-7.67	102.07	108.20
3	A1	1058	G	C8-N9-C4	-7.67	103.33	106.40
25	BB	213	A	C6-C5-N7	7.67	137.67	132.30
25	BB	1984	G	N1-C6-O6	-7.67	115.30	119.90
3	A1	205	A	N9-C4-C5	7.67	108.87	105.80
3	A1	567	G	N9-C1'-C2'	-7.67	103.57	112.00
3	A1	930	C	C4'-C3'-C2'	-7.67	94.94	102.60
3	A1	1415	G	C4-C5-N7	-7.67	107.73	110.80
25	BB	147	C	N1-C2-O2	7.67	123.50	118.90
25	BB	2592	G	C6-N1-C2	-7.67	120.50	125.10
25	BB	78	U	N3-C2-O2	-7.66	116.83	122.20
25	BB	1661	G	C8-N9-C4	-7.66	103.33	106.40
25	BB	2219	U	N1-C2-N3	7.66	119.50	114.90
25	BB	2666	C	O4'-C4'-C3'	7.66	112.23	106.10
3	A1	1496	C	N3-C2-O2	-7.66	116.54	121.90
24	BA	66	A	O4'-C4'-C3'	7.66	112.23	106.10
25	BB	104	A	C5'-C4'-O4'	7.66	118.29	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1680	U	N1-C1'-C2'	7.66	123.96	114.00
25	BB	1705	A	C5-C6-N6	7.66	129.83	123.70
25	BB	1854	A	C2'-C3'-O3'	7.66	126.36	109.50
1	AE	33	U	C4-C5-C6	7.66	124.30	119.70
3	A1	28	A	N9-C4-C5	-7.66	102.74	105.80
3	A1	893	C	C6-N1-C2	-7.66	117.24	120.30
25	BB	625	G	C3'-C2'-C1'	-7.66	95.37	101.50
25	BB	1589	U	O4'-C1'-C2'	-7.66	98.14	105.80
3	A1	17	U	C5-C6-N1	-7.66	118.87	122.70
3	A1	1295	U	C4'-C3'-C2'	-7.66	94.94	102.60
22	AW	44	ARG	NE-CZ-NH1	7.66	124.13	120.30
25	BB	132	G	C3'-C2'-C1'	7.66	107.63	101.50
25	BB	240	C	N3-C2-O2	-7.66	116.54	121.90
25	BB	1884	G	C6-C5-N7	7.66	135.00	130.40
3	A1	1400	C	N1-C2-O2	-7.66	114.31	118.90
25	BB	236	C	C5'-C4'-C3'	-7.66	103.75	116.00
25	BB	767	U	N1-C2-N3	7.66	119.49	114.90
55	B6	37	ARG	NE-CZ-NH1	7.66	124.13	120.30
3	A1	84	U	O4'-C1'-N1	7.66	114.32	108.20
25	BB	136	G	N7-C8-N9	7.66	116.93	113.10
25	BB	272	A	C2-N3-C4	7.66	114.43	110.60
25	BB	440	C	C3'-C2'-C1'	7.66	107.62	101.50
25	BB	1355	G	N1-C6-O6	-7.66	115.31	119.90
25	BB	1398	C	C5-C4-N4	7.66	125.56	120.20
25	BB	2439	A	C4-C5-C6	-7.66	113.17	117.00
1	AP	20	G	N7-C8-N9	7.65	116.93	113.10
3	A1	509	A	C6-C5-N7	7.65	137.66	132.30
3	A1	529	G	N1-C2-N3	7.65	128.49	123.90
25	BB	1687	G	N3-C4-N9	7.65	130.59	126.00
25	BB	2338	C	N1-C2-O2	7.65	123.49	118.90
1	AE	75	C	N3-C4-C5	7.65	124.96	121.90
3	A1	194	C	N3-C4-C5	7.65	124.96	121.90
3	A1	308	C	N1-C2-O2	7.65	123.49	118.90
3	A1	641	U	C1'-O4'-C4'	7.65	116.02	109.90
3	A1	804	U	N3-C2-O2	-7.65	116.84	122.20
3	A1	1177	G	N1-C6-O6	-7.65	115.31	119.90
3	A1	1368	A	C5'-C4'-O4'	7.65	118.28	109.10
25	BB	119	A	N1-C6-N6	-7.65	114.01	118.60
25	BB	149	A	C5'-C4'-O4'	7.65	118.28	109.10
25	BB	1039	A	C3'-C2'-C1'	7.65	107.62	101.50
25	BB	1062	G	N7-C8-N9	7.65	116.93	113.10
25	BB	1554	U	N3-C2-O2	-7.65	116.84	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1693	U	C5-C6-N1	-7.65	118.87	122.70
1	AA	25	C	C4'-C3'-C2'	-7.65	94.95	102.60
3	A1	1400	C	N1-C2-N3	7.65	124.56	119.20
25	BB	574	A	C5'-C4'-C3'	-7.65	103.76	116.00
25	BB	608	A	C2-N3-C4	7.65	114.43	110.60
25	BB	762	U	C4-C5-C6	7.65	124.29	119.70
25	BB	791	C	O4'-C1'-N1	7.65	114.32	108.20
1	AA	43	G	C4-C5-N7	-7.65	107.74	110.80
3	A1	694	A	C5-C6-N6	7.65	129.82	123.70
25	BB	1269	A	C5-C6-N1	7.65	121.52	117.70
1	AA	24	G	C5-C6-O6	-7.65	124.01	128.60
3	A1	70	U	C2-N3-C4	-7.65	122.41	127.00
3	A1	262	A	N7-C8-N9	7.65	117.62	113.80
3	A1	289	G	N1-C6-O6	-7.65	115.31	119.90
3	A1	718	A	N9-C4-C5	-7.65	102.74	105.80
3	A1	818	G	N1-C6-O6	-7.65	115.31	119.90
3	A1	1130	A	C5-C6-N1	7.65	121.52	117.70
24	BA	16	G	C4-C5-N7	-7.65	107.74	110.80
25	BB	1967	C	C2-N3-C4	-7.65	116.08	119.90
3	A1	1284	C	N3-C4-N4	-7.65	112.65	118.00
24	BA	6	G	N1-C6-O6	-7.65	115.31	119.90
25	BB	1445	G	N1-C2-N3	7.65	128.49	123.90
25	BB	2749	A	C2-N3-C4	7.65	114.42	110.60
1	AA	66	A	C8-N9-C4	-7.64	102.74	105.80
1	AP	22	G	O4'-C1'-C2'	-7.64	98.16	105.80
1	AP	31	A	C4-C5-C6	-7.64	113.18	117.00
3	A1	846	G	N1-C2-N2	-7.64	109.32	116.20
24	BA	67	G	C8-N9-C4	-7.64	103.34	106.40
25	BB	41	C	C5'-C4'-O4'	-7.64	99.93	109.10
25	BB	61	C	C5-C6-N1	-7.64	117.18	121.00
25	BB	1336	A	N1-C6-N6	-7.64	114.01	118.60
25	BB	2338	C	N3-C4-C5	7.64	124.96	121.90
1	AP	47	U	N3-C4-C5	-7.64	110.01	114.60
3	A1	373	A	C5-C6-N6	7.64	129.81	123.70
3	A1	1288	A	C5-C6-N1	7.64	121.52	117.70
25	BB	67	U	N3-C2-O2	-7.64	116.85	122.20
25	BB	707	G	C6-N1-C2	-7.64	120.52	125.10
25	BB	854	C	N3-C4-N4	-7.64	112.65	118.00
25	BB	1925	C	C4-C5-C6	-7.64	113.58	117.40
25	BB	2051	A	C4-C5-C6	-7.64	113.18	117.00
2	AM	14	U	N1-C2-N3	7.64	119.48	114.90
25	BB	654	A	C5-N7-C8	-7.64	100.08	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1239	G	N1-C6-O6	-7.64	115.31	119.90
3	A1	723	U	C5-C6-N1	-7.64	118.88	122.70
3	A1	1340	A	C4'-C3'-O3'	7.64	128.28	113.00
24	BA	25	U	C5'-C4'-O4'	-7.64	99.93	109.10
25	BB	1786	A	C2-N3-C4	7.64	114.42	110.60
25	BB	1802	A	C6-C5-N7	7.64	137.65	132.30
25	BB	2005	A	C5-C6-N1	7.64	121.52	117.70
25	BB	2078	C	C5-C6-N1	-7.64	117.18	121.00
25	BB	2095	A	C5-C6-N1	7.64	121.52	117.70
3	A1	164	G	N9-C4-C5	7.64	108.45	105.40
3	A1	437	U	N1-C2-N3	7.64	119.48	114.90
3	A1	914	A	C5-C6-N6	7.64	129.81	123.70
3	A1	1255	G	C5-C6-N1	7.64	115.32	111.50
25	BB	281	C	O4'-C4'-C3'	-7.64	96.36	104.00
25	BB	1213	A	C2-N3-C4	7.64	114.42	110.60
25	BB	1460	U	N1-C2-O2	7.64	128.15	122.80
51	B2	147	ARG	NE-CZ-NH2	7.64	124.12	120.30
2	AM	8	U	C2-N3-C4	-7.63	122.42	127.00
3	A1	244	U	N3-C2-O2	-7.63	116.86	122.20
25	BB	371	A	N1-C2-N3	-7.63	125.48	129.30
25	BB	530	G	O4'-C1'-N9	7.63	114.31	108.20
25	BB	619	G	O4'-C1'-N9	7.63	114.31	108.20
25	BB	814	C	P-O3'-C3'	7.63	128.86	119.70
25	BB	970	U	C5-C6-N1	-7.63	118.88	122.70
25	BB	1306	C	N3-C2-O2	-7.63	116.56	121.90
25	BB	1918	A	C5-N7-C8	-7.63	100.08	103.90
25	BB	2246	G	C6-N1-C2	-7.63	120.52	125.10
25	BB	2850	A	C8-N9-C4	-7.63	102.75	105.80
33	BJ	32	ARG	NE-CZ-NH1	7.63	124.12	120.30
1	AP	22	G	O4'-C1'-N9	7.63	114.31	108.20
1	AE	22	G	N7-C8-N9	7.63	116.92	113.10
24	BA	78	A	C5-C6-N1	7.63	121.52	117.70
25	BB	1399	C	O4'-C1'-N1	7.63	114.31	108.20
25	BB	2421	G	N3-C4-N9	7.63	130.58	126.00
25	BB	2547	A	C2-N3-C4	7.63	114.42	110.60
3	A1	145	G	C6-N1-C2	-7.63	120.52	125.10
3	A1	791	G	N1-C6-O6	-7.63	115.32	119.90
25	BB	1786	A	N1-C2-N3	-7.63	125.48	129.30
25	BB	1963	U	C2-N3-C4	-7.63	122.42	127.00
25	BB	1987	A	N7-C8-N9	7.63	117.62	113.80
25	BB	2363	G	N9-C4-C5	7.63	108.45	105.40
3	A1	254	G	O4'-C1'-N9	7.63	114.30	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	247	G	C4-C5-N7	-7.63	107.75	110.80
25	BB	336	C	C5-C4-N4	7.63	125.54	120.20
25	BB	1009	A	C5-N7-C8	-7.63	100.09	103.90
25	BB	2371	G	C6-C5-N7	7.63	134.98	130.40
25	BB	2414	G	C5-C6-N1	7.63	115.31	111.50
3	A1	5	U	O4'-C4'-C3'	7.63	112.20	106.10
25	BB	2058	A	C3'-C2'-C1'	7.63	107.60	101.50
33	BJ	47	ARG	NE-CZ-NH2	7.62	124.11	120.30
37	BN	228	ASP	OD1-CG-OD2	-7.62	108.81	123.30
1	AP	25	C	N1-C2-O2	7.62	123.47	118.90
3	A1	257	G	N9-C4-C5	7.62	108.45	105.40
3	A1	858	G	C6-N1-C2	-7.62	120.53	125.10
3	A1	1332	A	C2-N3-C4	7.62	114.41	110.60
25	BB	136	G	N3-C4-C5	-7.62	124.79	128.60
25	BB	169	G	N3-C2-N2	-7.62	114.56	119.90
25	BB	1515	A	C6-C5-N7	7.62	137.64	132.30
25	BB	1554	U	C5-C6-N1	-7.62	118.89	122.70
25	BB	2049	G	C2-N3-C4	7.62	115.71	111.90
25	BB	2082	A	C4-C5-C6	-7.62	113.19	117.00
25	BB	2364	C	O4'-C1'-N1	7.62	114.30	108.20
25	BB	2456	C	N3-C4-N4	-7.62	112.66	118.00
3	A1	25	C	C5'-C4'-O4'	7.62	118.25	109.10
3	A1	117	G	N1-C2-N2	7.62	123.06	116.20
3	A1	1039	G	C5-C6-N1	7.62	115.31	111.50
25	BB	358	U	O4'-C1'-N1	7.62	114.30	108.20
25	BB	2017	U	N3-C2-O2	-7.62	116.86	122.20
25	BB	2080	A	C6-C5-N7	7.62	137.63	132.30
43	BT	49	ARG	NE-CZ-NH1	7.62	124.11	120.30
3	A1	397	A	C8-N9-C4	-7.62	102.75	105.80
25	BB	136	G	O4'-C1'-N9	-7.62	102.10	108.20
25	BB	776	G	C1'-O4'-C4'	-7.62	103.80	109.90
25	BB	1697	G	N7-C8-N9	7.62	116.91	113.10
25	BB	2854	G	O4'-C1'-N9	7.62	114.30	108.20
1	AP	11	C	N3-C4-N4	-7.62	112.67	118.00
1	AE	62	A	C4-C5-C6	-7.62	113.19	117.00
3	A1	172	A	C2-N3-C4	7.62	114.41	110.60
3	A1	1266	G	N1-C2-N3	7.62	128.47	123.90
25	BB	222	A	C2-N3-C4	7.62	114.41	110.60
25	BB	668	A	C5-C6-N1	7.62	121.51	117.70
25	BB	772	C	N1-C2-O2	7.62	123.47	118.90
25	BB	1386	C	N3-C4-N4	-7.62	112.67	118.00
25	BB	1927	A	C5-C6-N6	7.62	129.80	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2035	G	C6-N1-C2	-7.62	120.53	125.10
3	A1	316	C	N1-C2-N3	7.62	124.53	119.20
3	A1	1284	C	N3-C4-C5	7.62	124.95	121.90
25	BB	103	A	C5-C6-N6	7.62	129.79	123.70
25	BB	187	G	C5-N7-C8	-7.62	100.49	104.30
25	BB	475	C	N1-C2-O2	7.62	123.47	118.90
25	BB	1101	U	N3-C2-O2	-7.62	116.87	122.20
25	BB	2320	U	N3-C4-O4	7.62	124.73	119.40
3	A1	6	G	O3'-P-O5'	-7.62	89.53	104.00
3	A1	54	C	C5-C4-N4	-7.62	114.87	120.20
3	A1	1163	A	C5-N7-C8	-7.62	100.09	103.90
25	BB	1393	A	O4'-C1'-N9	-7.62	102.11	108.20
25	BB	1542	U	N3-C2-O2	-7.62	116.87	122.20
25	BB	1568	G	N1-C6-O6	-7.62	115.33	119.90
3	A1	35	G	C8-N9-C4	-7.61	103.35	106.40
3	A1	45	G	O4'-C4'-C3'	7.61	112.19	106.10
3	A1	1281	C	N3-C4-N4	-7.61	112.67	118.00
25	BB	2190	G	N3-C2-N2	-7.61	114.57	119.90
1	AA	28	C	N3-C2-O2	-7.61	116.57	121.90
3	A1	766	A	C4'-C3'-C2'	-7.61	94.99	102.60
3	A1	990	C	N3-C4-N4	-7.61	112.67	118.00
3	A1	1368	A	C6-C5-N7	7.61	137.63	132.30
25	BB	1039	A	N1-C6-N6	-7.61	114.03	118.60
3	A1	124	C	N1-C2-O2	7.61	123.47	118.90
3	A1	1108	G	O4'-C1'-N9	7.61	114.29	108.20
3	A1	1408	A	C4-C5-C6	-7.61	113.19	117.00
25	BB	145	C	N3-C4-C5	7.61	124.94	121.90
38	BO	85	ARG	NE-CZ-NH1	7.61	124.11	120.30
25	BB	201	C	N3-C2-O2	-7.61	116.57	121.90
25	BB	1514	G	C5-C6-N1	7.61	115.30	111.50
31	BH	10	ARG	NE-CZ-NH1	7.61	124.11	120.30
3	A1	971	G	C8-N9-C4	-7.61	103.36	106.40
3	A1	1190	G	C5-C6-N1	7.61	115.30	111.50
25	BB	829	A	O4'-C1'-N9	7.61	114.28	108.20
25	BB	1101	U	N1-C2-N3	7.61	119.46	114.90
25	BB	1475	G	O4'-C1'-C2'	-7.61	98.19	105.80
25	BB	1714	U	C2-N3-C4	-7.61	122.44	127.00
25	BB	2166	U	N3-C2-O2	-7.61	116.87	122.20
25	BB	2565	A	C4-C5-C6	-7.61	113.20	117.00
3	A1	460	A	C6-N1-C2	-7.61	114.04	118.60
3	A1	838	G	C8-N9-C4	-7.61	103.36	106.40
3	A1	1206	G	N3-C2-N2	-7.61	114.58	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1156	A	C8-N9-C4	-7.61	102.76	105.80
3	A1	393	A	O4'-C1'-N9	7.60	114.28	108.20
25	BB	1053	C	N3-C2-O2	-7.60	116.58	121.90
25	BB	1387	A	C6-C5-N7	7.60	137.62	132.30
3	A1	1052	U	C2-N3-C4	-7.60	122.44	127.00
3	A1	1429	A	C5-N7-C8	-7.60	100.10	103.90
3	A1	1468	A	C5-C6-N1	7.60	121.50	117.70
25	BB	391	A	C4-C5-C6	-7.60	113.20	117.00
25	BB	936	A	O4'-C4'-C3'	7.60	112.18	106.10
25	BB	2318	G	N1-C2-N3	-7.60	119.34	123.90
25	BB	2331	G	N3-C4-C5	-7.60	124.80	128.60
25	BB	2502	G	N1-C6-O6	-7.60	115.34	119.90
25	BB	2844	G	O5'-P-OP2	-7.60	98.86	105.70
1	AE	63	C	O4'-C1'-N1	7.60	114.28	108.20
3	A1	985	C	N3-C4-C5	7.60	124.94	121.90
24	BA	70	C	O4'-C4'-C3'	7.60	112.18	106.10
3	A1	370	C	N3-C2-O2	-7.60	116.58	121.90
3	A1	1180	A	C5-C6-N6	7.60	129.78	123.70
24	BA	106	G	C5'-C4'-O4'	7.60	118.22	109.10
25	BB	413	C	C5'-C4'-O4'	7.60	118.22	109.10
25	BB	647	G	C5-C6-O6	7.60	133.16	128.60
25	BB	990	A	O3'-P-O5'	7.60	118.44	104.00
25	BB	1951	U	C5'-C4'-O4'	7.60	118.22	109.10
25	BB	2185	U	N1-C2-O2	7.60	128.12	122.80
3	A1	26	A	C4-C5-C6	-7.60	113.20	117.00
3	A1	220	G	N3-C2-N2	-7.60	114.58	119.90
3	A1	932	C	N3-C4-C5	7.60	124.94	121.90
25	BB	410	G	N3-C2-N2	-7.60	114.58	119.90
25	BB	756	A	C1'-O4'-C4'	-7.60	103.82	109.90
25	BB	994	C	N3-C2-O2	-7.60	116.58	121.90
25	BB	1262	A	C6-C5-N7	7.60	137.62	132.30
25	BB	1343	G	N9-C4-C5	7.60	108.44	105.40
25	BB	2280	G	N1-C2-N3	7.60	128.46	123.90
25	BB	2409	G	N3-C4-N9	7.60	130.56	126.00
3	A1	190	A	C4-C5-C6	-7.60	113.20	117.00
3	A1	691	G	N3-C2-N2	-7.60	114.58	119.90
25	BB	2131	U	C5'-C4'-O4'	7.60	118.22	109.10
3	A1	258	G	N3-C4-C5	-7.59	124.80	128.60
3	A1	369	G	C5-N7-C8	-7.59	100.50	104.30
3	A1	739	C	N3-C4-C5	7.59	124.94	121.90
3	A1	791	G	O4'-C1'-N9	7.59	114.28	108.20
3	A1	989	U	C3'-C2'-C1'	-7.59	95.42	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	BA	35	C	C1'-O4'-C4'	-7.59	103.82	109.90
24	BA	100	G	N7-C8-N9	7.59	116.90	113.10
25	BB	64	A	C1'-O4'-C4'	-7.59	103.82	109.90
25	BB	281	C	N3-C4-C5	7.59	124.94	121.90
25	BB	1625	C	C6-N1-C2	-7.59	117.26	120.30
25	BB	2230	G	C8-N9-C4	-7.59	103.36	106.40
2	AM	9	U	C3'-C2'-C1'	7.59	107.58	101.50
3	A1	1417	G	N3-C2-N2	-7.59	114.58	119.90
25	BB	431	U	N3-C4-O4	7.59	124.72	119.40
25	BB	441	U	C5-C6-N1	-7.59	118.90	122.70
25	BB	2486	C	C4-C5-C6	7.59	121.20	117.40
1	AE	39	U	O4'-C1'-N1	7.59	114.27	108.20
3	A1	351	G	C5-C6-O6	7.59	133.16	128.60
3	A1	635	A	C5-C6-N1	7.59	121.50	117.70
3	A1	936	C	N1-C2-O2	7.59	123.45	118.90
3	A1	1323	G	O4'-C1'-N9	-7.59	102.13	108.20
24	BA	85	G	C6-C5-N7	7.59	134.96	130.40
25	BB	229	C	N3-C4-N4	-7.59	112.69	118.00
25	BB	814	C	N3-C4-N4	-7.59	112.69	118.00
25	BB	2347	C	N3-C2-O2	-7.59	116.59	121.90
24	BA	60	C	O4'-C1'-N1	7.59	114.27	108.20
24	BA	72	G	O5'-P-OP1	-7.59	98.87	105.70
25	BB	809	G	N1-C6-O6	-7.59	115.35	119.90
25	BB	847	U	C4-C5-C6	7.59	124.25	119.70
25	BB	1625	C	C2-N3-C4	-7.59	116.11	119.90
34	BK	78	ARG	NE-CZ-NH2	7.59	124.09	120.30
25	BB	880	G	N3-C2-N2	-7.59	114.59	119.90
25	BB	1453	A	C5-C6-N1	7.59	121.49	117.70
1	AP	10	G	C5-C6-N1	7.59	115.29	111.50
3	A1	235	C	N3-C2-O2	-7.59	116.59	121.90
3	A1	518	C	N3-C4-N4	-7.59	112.69	118.00
3	A1	661	G	O4'-C1'-N9	-7.59	102.13	108.20
14	AN	59	ARG	NE-CZ-NH2	-7.59	116.51	120.30
25	BB	307	G	N3-C2-N2	-7.59	114.59	119.90
25	BB	1807	G	C5-C6-O6	7.59	133.15	128.60
25	BB	2043	C	C5-C6-N1	-7.59	117.21	121.00
3	A1	624	C	C4-C5-C6	-7.58	113.61	117.40
3	A1	968	A	O4'-C1'-N9	7.58	114.27	108.20
25	BB	1610	A	C5-C6-N6	7.58	129.77	123.70
25	BB	1876	A	C6-C5-N7	7.58	137.61	132.30
25	BB	2032	G	C1'-O4'-C4'	-7.58	103.83	109.90
25	BB	2050	C	N1-C2-O2	7.58	123.45	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2108	A	O4'-C1'-N9	7.58	114.27	108.20
25	BB	2255	G	C8-N9-C4	-7.58	103.37	106.40
25	BB	2360	G	O4'-C1'-N9	7.58	114.27	108.20
25	BB	2371	G	C4-C5-C6	-7.58	114.25	118.80
25	BB	2762	C	N3-C2-O2	-7.58	116.59	121.90
1	AP	75	C	N3-C4-N4	-7.58	112.69	118.00
3	A1	169	C	N3-C4-N4	-7.58	112.69	118.00
3	A1	1424	U	C5-C6-N1	-7.58	118.91	122.70
25	BB	230	G	O4'-C1'-N9	7.58	114.27	108.20
25	BB	1068	G	C3'-C2'-C1'	7.58	107.56	101.50
25	BB	1129	A	O4'-C4'-C3'	7.58	112.17	106.10
25	BB	1176	U	N1-C1'-C2'	-7.58	103.66	112.00
25	BB	2523	G	N3-C4-C5	-7.58	124.81	128.60
25	BB	2570	G	C6-C5-N7	7.58	134.95	130.40
1	AA	33	U	C4'-C3'-C2'	-7.58	95.02	102.60
25	BB	1314	C	C5'-C4'-O4'	7.58	118.20	109.10
25	BB	1690	A	N1-C2-N3	-7.58	125.51	129.30
25	BB	2192	U	C5-C6-N1	-7.58	118.91	122.70
25	BB	2490	G	O4'-C1'-N9	7.58	114.26	108.20
1	AA	10	G	N1-C6-O6	-7.58	115.35	119.90
3	A1	135	C	N1-C2-O2	7.58	123.45	118.90
3	A1	215	C	C5-C6-N1	-7.58	117.21	121.00
3	A1	936	C	N3-C4-N4	-7.58	112.69	118.00
3	A1	1300	G	C5-C6-N1	7.58	115.29	111.50
25	BB	998	C	C2-N3-C4	-7.58	116.11	119.90
25	BB	1232	G	N9-C4-C5	7.58	108.43	105.40
25	BB	1350	C	N3-C4-C5	7.58	124.93	121.90
25	BB	2316	G	C6-N1-C2	-7.58	120.55	125.10
25	BB	2375	G	N3-C4-C5	-7.58	124.81	128.60
3	A1	1022	A	N1-C6-N6	-7.58	114.05	118.60
3	A1	1510	C	N3-C4-N4	-7.58	112.70	118.00
25	BB	71	A	C3'-C2'-C1'	7.58	107.56	101.50
25	BB	271	G	N3-C4-C5	-7.58	124.81	128.60
25	BB	2731	G	C2'-C3'-O3'	7.58	126.17	109.50
3	A1	77	A	N9-C4-C5	7.58	108.83	105.80
3	A1	237	G	P-O3'-C3'	7.58	128.79	119.70
3	A1	822	U	C1'-O4'-C4'	-7.58	103.84	109.90
3	A1	1037	C	N1-C2-N3	7.58	124.50	119.20
25	BB	541	A	N9-C4-C5	-7.58	102.77	105.80
25	BB	1001	A	C5-C6-N1	7.58	121.49	117.70
25	BB	1865	U	C3'-C2'-C1'	7.58	107.56	101.50
25	BB	2020	A	C4-C5-C6	-7.58	113.21	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AE	11	C	N1-C2-O2	7.57	123.44	118.90
3	A1	952	U	C5-C6-N1	-7.57	118.91	122.70
3	A1	1507	A	C4-C5-C6	-7.57	113.21	117.00
25	BB	1043	C	N3-C4-C5	7.57	124.93	121.90
25	BB	1240	U	O4'-C1'-N1	7.57	114.26	108.20
25	BB	1730	C	N1-C2-N3	7.57	124.50	119.20
25	BB	1852	U	N3-C4-O4	7.57	124.70	119.40
25	BB	2794	C	C2-N3-C4	-7.57	116.11	119.90
5	AC	36	ARG	NE-CZ-NH2	7.57	124.09	120.30
1	AE	39	U	C1'-O4'-C4'	-7.57	103.84	109.90
3	A1	383	A	C5-C6-N1	7.57	121.48	117.70
25	BB	109	C	N3-C4-C5	7.57	124.93	121.90
25	BB	1108	U	N3-C2-O2	-7.57	116.90	122.20
25	BB	1730	C	C4-C5-C6	7.57	121.19	117.40
25	BB	1936	A	C6-N1-C2	-7.57	114.06	118.60
25	BB	2424	C	N3-C4-N4	-7.57	112.70	118.00
25	BB	2498	C	O3'-P-O5'	-7.57	89.62	104.00
25	BB	2769	U	C1'-O4'-C4'	-7.57	103.84	109.90
3	A1	780	A	C2-N3-C4	7.57	114.39	110.60
3	A1	1353	G	C4'-C3'-C2'	-7.57	95.03	102.60
3	A1	1405	G	O4'-C1'-N9	7.57	114.25	108.20
25	BB	1770	G	C5-C6-N1	7.57	115.28	111.50
25	BB	1866	A	C6-C5-N7	7.57	137.60	132.30
1	AA	37	G	N1-C6-O6	-7.57	115.36	119.90
3	A1	40	C	C5'-C4'-C3'	-7.57	103.89	116.00
3	A1	249	U	C5'-C4'-C3'	-7.57	103.89	116.00
25	BB	857	G	C6-N1-C2	-7.57	120.56	125.10
25	BB	1234	U	C5'-C4'-O4'	7.57	118.18	109.10
25	BB	1997	C	N1-C2-O2	7.57	123.44	118.90
25	BB	2190	G	N1-C2-N3	7.57	128.44	123.90
25	BB	2765	A	C5-C6-N1	7.57	121.48	117.70
3	A1	302	G	C4-C5-N7	-7.57	107.77	110.80
3	A1	638	U	C4-C5-C6	7.57	124.24	119.70
3	A1	826	C	C5-C6-N1	-7.57	117.22	121.00
3	A1	1501	C	C6-N1-C2	-7.57	117.27	120.30
25	BB	495	G	N7-C8-N9	7.57	116.88	113.10
25	BB	1366	A	C5-C6-N6	7.57	129.75	123.70
25	BB	1997	C	O4'-C1'-N1	7.57	114.25	108.20
3	A1	995	C	C2-N3-C4	-7.56	116.12	119.90
25	BB	121	G	C8-N9-C4	-7.56	103.37	106.40
25	BB	384	A	C4-C5-C6	-7.56	113.22	117.00
25	BB	604	G	C5'-C4'-O4'	7.56	118.18	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AE	51	G	C6-C5-N7	7.56	134.94	130.40
3	A1	134	G	O4'-C4'-C3'	7.56	112.15	106.10
25	BB	2096	C	C5-C4-N4	7.56	125.49	120.20
25	BB	2410	G	C8-N9-C4	-7.56	103.38	106.40
25	BB	2439	A	C8-N9-C4	-7.56	102.78	105.80
25	BB	2613	U	O4'-C1'-N1	7.56	114.25	108.20
25	BB	2813	A	O4'-C4'-C3'	7.56	112.15	106.10
1	AA	2	C	C6-N1-C2	-7.56	117.28	120.30
3	A1	130	A	N7-C8-N9	7.56	117.58	113.80
3	A1	534	U	N1-C2-O2	7.56	128.09	122.80
3	A1	202	G	C6-N1-C2	-7.56	120.56	125.10
3	A1	725	G	N1-C6-O6	-7.56	115.36	119.90
25	BB	1949	G	C5'-C4'-O4'	7.56	118.17	109.10
25	BB	2077	A	C5'-C4'-O4'	7.56	118.17	109.10
25	BB	2325	G	C6-N1-C2	-7.56	120.56	125.10
25	BB	2356	U	C5-C6-N1	-7.56	118.92	122.70
25	BB	2650	U	N3-C4-O4	-7.56	114.11	119.40
25	BB	2681	C	C2-N3-C4	-7.56	116.12	119.90
49	BZ	147	TYR	CB-CG-CD1	-7.56	116.46	121.00
3	A1	1039	G	N1-C6-O6	-7.56	115.37	119.90
25	BB	665	U	N1-C2-N3	7.56	119.43	114.90
25	BB	697	G	O4'-C1'-N9	7.56	114.25	108.20
25	BB	2595	G	C5'-C4'-C3'	-7.56	103.91	116.00
25	BB	2650	U	N3-C2-O2	-7.56	116.91	122.20
24	BA	58	A	C4-C5-C6	-7.56	113.22	117.00
25	BB	546	U	N1-C2-N3	7.56	119.43	114.90
25	BB	1360	G	N7-C8-N9	7.56	116.88	113.10
25	BB	2367	G	N3-C4-N9	7.56	130.53	126.00
3	A1	1428	A	C5-C6-N1	7.55	121.48	117.70
3	A1	1480	A	C5-C6-N1	7.55	121.48	117.70
25	BB	1314	C	C2-N3-C4	-7.55	116.12	119.90
25	BB	1449	G	C6-C5-N7	7.55	134.93	130.40
3	A1	365	U	N1-C2-N3	7.55	119.43	114.90
25	BB	33	C	N3-C4-N4	-7.55	112.71	118.00
1	AE	47	U	N1-C2-N3	7.55	119.43	114.90
3	A1	453	G	C4'-C3'-C2'	-7.55	95.05	102.60
3	A1	685	G	N3-C2-N2	-7.55	114.61	119.90
3	A1	1223	C	N3-C2-O2	-7.55	116.61	121.90
3	A1	1297	G	O4'-C1'-C2'	-7.55	98.25	105.80
25	BB	585	G	N1-C6-O6	-7.55	115.37	119.90
25	BB	1161	C	C5-C4-N4	7.55	125.49	120.20
25	BB	1234	U	O4'-C1'-N1	7.55	114.24	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1469	A	C5-C6-N6	7.55	129.74	123.70
25	BB	2135	A	C2-N3-C4	7.55	114.38	110.60
25	BB	2870	C	C2'-C3'-O3'	7.55	126.11	109.50
51	B2	114	ARG	CD-NE-CZ	7.55	134.17	123.60
3	A1	72	A	C5-C6-N6	7.55	129.74	123.70
3	A1	82	G	N9-C4-C5	7.55	108.42	105.40
3	A1	1391	U	C2'-C3'-O3'	7.55	126.11	109.50
8	AG	40	ARG	CD-NE-CZ	7.55	134.17	123.60
25	BB	1471	G	C8-N9-C4	-7.55	103.38	106.40
25	BB	1616	A	C6-C5-N7	7.55	137.58	132.30
25	BB	2073	C	N3-C2-O2	-7.55	116.61	121.90
25	BB	2176	A	C4-C5-C6	-7.55	113.22	117.00
25	BB	2275	C	C3'-C2'-C1'	7.55	107.54	101.50
3	A1	184	G	N1-C2-N2	-7.55	109.41	116.20
6	AD	93	ARG	NE-CZ-NH1	7.55	124.07	120.30
25	BB	164	C	C2-N3-C4	-7.55	116.13	119.90
25	BB	756	A	C4-C5-C6	-7.55	113.23	117.00
3	A1	643	C	N3-C2-O2	-7.55	116.62	121.90
25	BB	272	A	C4-C5-C6	-7.55	113.23	117.00
25	BB	1069	A	C6-C5-N7	7.55	137.58	132.30
25	BB	1296	G	C8-N9-C4	-7.55	103.38	106.40
25	BB	1635	A	C3'-C2'-C1'	7.55	107.54	101.50
25	BB	1902	C	N1-C2-O2	7.55	123.43	118.90
25	BB	2443	C	N3-C2-O2	-7.55	116.62	121.90
3	A1	457	G	C5'-C4'-O4'	7.54	118.15	109.10
3	A1	852	G	N9-C1'-C2'	-7.54	103.70	112.00
25	BB	1880	U	C5-C6-N1	-7.54	118.93	122.70
25	BB	2529	G	C5-C6-O6	7.54	133.13	128.60
1	AA	62	A	N1-C2-N3	-7.54	125.53	129.30
1	AE	38	A	C4-C5-C6	-7.54	113.23	117.00
3	A1	591	U	C5-C6-N1	-7.54	118.93	122.70
3	A1	1128	C	C2-N3-C4	-7.54	116.13	119.90
25	BB	294	A	C2-N3-C4	7.54	114.37	110.60
25	BB	822	G	C5-C6-N1	7.54	115.27	111.50
25	BB	861	A	N1-C2-N3	-7.54	125.53	129.30
25	BB	1431	A	C6-C5-N7	7.54	137.58	132.30
25	BB	1843	C	C2-N3-C4	-7.54	116.13	119.90
1	AP	55	U	C3'-C2'-C1'	7.54	107.53	101.50
1	AE	22	G	C5-C6-N1	7.54	115.27	111.50
3	A1	416	G	C6-C5-N7	7.54	134.92	130.40
3	A1	496	A	C4-C5-N7	7.54	114.47	110.70
3	A1	846	G	N1-C2-N3	7.54	128.43	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	922	G	N3-C4-C5	-7.54	124.83	128.60
3	A1	1100	C	C5-C4-N4	7.54	125.48	120.20
25	BB	105	C	N3-C2-O2	-7.54	116.62	121.90
25	BB	565	C	C2-N3-C4	-7.54	116.13	119.90
25	BB	606	U	C4-C5-C6	7.54	124.22	119.70
25	BB	1329	U	N3-C2-O2	-7.54	116.92	122.20
25	BB	1411	U	O5'-P-OP1	-7.54	98.91	105.70
25	BB	2049	G	O3'-P-O5'	7.54	118.33	104.00
25	BB	2112	G	N1-C6-O6	-7.54	115.38	119.90
25	BB	2886	A	N7-C8-N9	7.54	117.57	113.80
3	A1	259	G	N1-C6-O6	-7.54	115.38	119.90
25	BB	1196	C	C2-N3-C4	-7.54	116.13	119.90
25	BB	2157	G	O4'-C1'-N9	7.54	114.23	108.20
3	A1	550	G	N1-C6-O6	-7.54	115.38	119.90
3	A1	612	C	C6-N1-C2	-7.54	117.28	120.30
3	A1	1020	G	N3-C2-N2	-7.54	114.62	119.90
24	BA	91	C	N1-C2-O2	7.54	123.42	118.90
25	BB	71	A	C5-C6-N1	7.54	121.47	117.70
25	BB	725	G	C5-C6-N1	7.54	115.27	111.50
25	BB	1155	A	C4-C5-C6	-7.54	113.23	117.00
25	BB	1467	U	N3-C2-O2	-7.54	116.92	122.20
25	BB	1785	A	C6-C5-N7	7.54	137.58	132.30
25	BB	2034	U	N3-C2-O2	-7.54	116.92	122.20
25	BB	2332	C	N3-C2-O2	-7.54	116.62	121.90
25	BB	2820	A	O4'-C1'-N9	7.54	114.23	108.20
1	AA	23	A	C5-C6-N1	7.54	121.47	117.70
1	AP	26	G	N1-C6-O6	-7.54	115.38	119.90
3	A1	380	G	C5-C6-O6	7.54	133.12	128.60
3	A1	1281	C	O4'-C1'-N1	7.54	114.23	108.20
25	BB	1501	G	C5-C6-N1	7.54	115.27	111.50
25	BB	2700	A	N7-C8-N9	7.54	117.57	113.80
3	A1	269	C	N3-C2-O2	-7.54	116.63	121.90
25	BB	506	G	C3'-C2'-C1'	-7.54	95.47	101.50
25	BB	540	C	C1'-O4'-C4'	-7.54	103.87	109.90
25	BB	2294	G	C6-N1-C2	-7.54	120.58	125.10
25	BB	117	G	O4'-C4'-C3'	7.53	112.13	106.10
25	BB	401	A	C4-C5-C6	-7.53	113.23	117.00
25	BB	451	U	C5-C6-N1	-7.53	118.93	122.70
25	BB	572	A	C4-C5-C6	-7.53	113.23	117.00
25	BB	1699	G	O4'-C4'-C3'	7.53	112.13	106.10
25	BB	716	A	C5-C6-N6	7.53	129.73	123.70
25	BB	885	C	C2-N3-C4	-7.53	116.13	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2576	G	C8-N9-C4	-7.53	103.39	106.40
3	A1	752	G	N3-C2-N2	-7.53	114.63	119.90
3	A1	955	U	C5-C6-N1	-7.53	118.94	122.70
3	A1	1269	A	C8-N9-C4	-7.53	102.79	105.80
25	BB	506	G	C2-N3-C4	7.53	115.67	111.90
25	BB	1145	C	C3'-C2'-C1'	7.53	107.52	101.50
25	BB	2835	A	O4'-C4'-C3'	7.53	112.12	106.10
25	BB	2896	C	C4-C5-C6	-7.53	113.64	117.40
55	B6	95	ARG	NE-CZ-NH2	7.53	124.07	120.30
3	A1	276	G	N9-C4-C5	7.53	108.41	105.40
3	A1	867	G	C2'-C3'-O3'	7.53	126.06	109.50
25	BB	1643	G	C5-C6-N1	7.53	115.26	111.50
1	AP	60	C	N3-C4-C5	7.53	124.91	121.90
24	BA	72	G	O4'-C1'-N9	7.53	114.22	108.20
25	BB	1070	A	C5-C6-N6	7.53	129.72	123.70
25	BB	1344	U	C5-C6-N1	-7.53	118.94	122.70
25	BB	1543	G	N7-C8-N9	7.53	116.86	113.10
25	BB	1990	C	C2-N3-C4	-7.53	116.14	119.90
25	BB	904	G	C3'-C2'-C1'	7.53	107.52	101.50
25	BB	1098	A	C4-C5-C6	-7.53	113.24	117.00
25	BB	1589	U	O4'-C1'-N1	7.53	114.22	108.20
25	BB	2431	U	N1-C2-N3	7.53	119.42	114.90
1	AA	53	G	C6-N1-C2	-7.52	120.59	125.10
3	A1	52	C	C2-N3-C4	-7.52	116.14	119.90
3	A1	155	A	C5-C6-N6	7.52	129.72	123.70
3	A1	428	G	N7-C8-N9	7.52	116.86	113.10
3	A1	621	A	O4'-C1'-N9	7.52	114.22	108.20
25	BB	514	A	P-O3'-C3'	7.52	128.73	119.70
41	BR	37	ARG	NH1-CZ-NH2	-7.52	111.12	119.40
3	A1	1080	A	C3'-C2'-C1'	7.52	107.52	101.50
25	BB	95	A	C8-N9-C4	-7.52	102.79	105.80
25	BB	1378	A	C5-C6-N1	7.52	121.46	117.70
25	BB	2072	C	N3-C4-C5	7.52	124.91	121.90
1	AE	51	G	C5'-C4'-C3'	-7.52	103.97	116.00
3	A1	187	G	N3-C4-C5	-7.52	124.84	128.60
25	BB	695	G	C5-C6-N1	7.52	115.26	111.50
25	BB	1695	G	N3-C2-N2	-7.52	114.64	119.90
3	A1	50	A	P-O3'-C3'	7.52	128.72	119.70
3	A1	459	A	C4-C5-N7	7.52	114.46	110.70
25	BB	210	C	N3-C2-O2	-7.52	116.64	121.90
25	BB	1752	C	N3-C4-N4	-7.52	112.74	118.00
25	BB	2803	G	N9-C1'-C2'	-7.52	103.73	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2880	C	N3-C2-O2	-7.52	116.64	121.90
3	A1	783	C	N3-C2-O2	-7.52	116.64	121.90
3	A1	839	C	N3-C2-O2	-7.52	116.64	121.90
3	A1	1097	C	N3-C4-N4	-7.52	112.74	118.00
25	BB	51	G	N3-C2-N2	-7.52	114.64	119.90
25	BB	102	U	O4'-C1'-N1	7.52	114.21	108.20
25	BB	1026	G	C4'-C3'-C2'	-7.52	95.08	102.60
3	A1	1265	C	N3-C4-N4	-7.51	112.74	118.00
25	BB	151	C	C5'-C4'-C3'	-7.51	103.98	116.00
25	BB	817	C	N3-C2-O2	-7.51	116.64	121.90
25	BB	1374	G	N1-C6-O6	-7.51	115.39	119.90
25	BB	1627	G	C5-C6-N1	7.51	115.26	111.50
25	BB	2187	U	N3-C2-O2	-7.51	116.94	122.20
25	BB	2371	G	C5-C6-N1	7.51	115.26	111.50
3	A1	889	A	C6-C5-N7	7.51	137.56	132.30
8	AG	80	ARG	NE-CZ-NH2	7.51	124.06	120.30
25	BB	314	C	O4'-C1'-N1	7.51	114.21	108.20
3	A1	959	A	N1-C6-N6	-7.51	114.09	118.60
3	A1	1242	G	O4'-C1'-N9	7.51	114.21	108.20
3	A1	1448	C	C2-N3-C4	-7.51	116.14	119.90
25	BB	172	A	C6-C5-N7	7.51	137.56	132.30
25	BB	1358	G	C6-C5-N7	7.51	134.91	130.40
25	BB	1794	A	C4-C5-C6	-7.51	113.24	117.00
25	BB	2449	U	N1-C2-O2	7.51	128.06	122.80
1	AE	6	U	C4-C5-C6	7.51	124.20	119.70
3	A1	596	A	O4'-C1'-N9	7.51	114.21	108.20
3	A1	1090	U	C5-C4-O4	7.51	130.41	125.90
3	A1	1394	A	C8-N9-C4	-7.51	102.80	105.80
25	BB	429	A	N1-C6-N6	-7.51	114.09	118.60
25	BB	1384	A	N7-C8-N9	7.51	117.56	113.80
25	BB	1660	G	N9-C4-C5	7.51	108.40	105.40
3	A1	620	C	C2-N3-C4	-7.51	116.15	119.90
25	BB	175	G	C2-N3-C4	-7.51	108.15	111.90
25	BB	364	C	O4'-C1'-N1	7.51	114.21	108.20
25	BB	382	A	C5'-C4'-O4'	7.51	118.11	109.10
25	BB	608	A	C6-N1-C2	-7.51	114.09	118.60
25	BB	2289	G	N7-C8-N9	7.51	116.85	113.10
3	A1	76	G	N9-C4-C5	7.51	108.40	105.40
3	A1	442	G	C4'-C3'-C2'	-7.51	95.09	102.60
3	A1	487	A	C4-C5-C6	-7.51	113.25	117.00
3	A1	1446	A	C4-C5-C6	-7.51	113.25	117.00
3	A1	1514	G	O4'-C1'-N9	7.51	114.20	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	BA	113	C	C5-C4-N4	-7.51	114.95	120.20
25	BB	1837	C	C6-N1-C2	-7.51	117.30	120.30
25	BB	2633	G	C1'-O4'-C4'	-7.51	103.89	109.90
3	A1	678	U	C3'-C2'-C1'	7.50	107.50	101.50
25	BB	835	C	N1-C2-O2	7.50	123.40	118.90
25	BB	2761	A	C2-N3-C4	7.50	114.35	110.60
25	BB	260	G	N1-C6-O6	-7.50	115.40	119.90
25	BB	640	C	N1-C2-O2	7.50	123.40	118.90
25	BB	818	G	N1-C6-O6	-7.50	115.40	119.90
25	BB	1058	U	O4'-C1'-N1	7.50	114.20	108.20
25	BB	1367	A	C5'-C4'-C3'	-7.50	104.00	116.00
25	BB	1520	U	C4'-C3'-C2'	-7.50	95.10	102.60
25	BB	2265	U	N1-C2-O2	7.50	128.05	122.80
43	BT	51	ARG	NE-CZ-NH1	7.50	124.05	120.30
3	A1	79	G	C8-N9-C4	-7.50	103.40	106.40
3	A1	87	C	N1-C2-O2	7.50	123.40	118.90
25	BB	523	C	O4'-C1'-N1	7.50	114.20	108.20
25	BB	1241	A	C4-C5-C6	-7.50	113.25	117.00
3	A1	147	G	C5-C6-N1	7.50	115.25	111.50
3	A1	781	A	C1'-O4'-C4'	-7.50	103.90	109.90
24	BA	38	C	N3-C4-N4	-7.50	112.75	118.00
25	BB	48	G	C1'-O4'-C4'	-7.50	103.90	109.90
25	BB	541	A	C4'-C3'-C2'	-7.50	95.10	102.60
3	A1	427	U	O4'-C1'-N1	7.50	114.20	108.20
24	BA	57	A	C3'-C2'-C1'	7.50	107.50	101.50
24	BA	58	A	C5-C6-N1	7.50	121.45	117.70
25	BB	345	A	O5'-C5'-C4'	-7.50	97.45	111.70
25	BB	1888	G	N7-C8-N9	7.50	116.85	113.10
25	BB	2112	G	C8-N9-C4	-7.50	103.40	106.40
33	BJ	2	ARG	NE-CZ-NH1	7.50	124.05	120.30
3	A1	194	C	C5-C6-N1	-7.50	117.25	121.00
3	A1	537	G	C4-C5-C6	-7.50	114.30	118.80
3	A1	1426	G	N3-C4-C5	-7.50	124.85	128.60
7	AF	85	TYR	C-N-CA	7.50	140.44	121.70
25	BB	143	C	N3-C4-C5	7.50	124.90	121.90
25	BB	718	A	C2-N3-C4	7.50	114.35	110.60
25	BB	1316	U	N1-C2-N3	7.50	119.40	114.90
25	BB	1706	C	C5-C4-N4	-7.50	114.95	120.20
25	BB	2014	A	C5-C6-N1	7.50	121.45	117.70
25	BB	2078	C	N1-C2-O2	7.50	123.40	118.90
49	BZ	87	ARG	CD-NE-CZ	7.50	134.09	123.60
25	BB	1575	C	N1-C2-O2	7.50	123.40	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2060	A	C5-C6-N1	7.50	121.45	117.70
3	A1	136	C	N3-C2-O2	-7.49	116.66	121.90
3	A1	923	A	C5-C6-N6	7.49	129.69	123.70
25	BB	530	G	C8-N9-C4	-7.49	103.40	106.40
25	BB	615	U	C4-C5-C6	7.49	124.20	119.70
25	BB	1149	G	C5'-C4'-C3'	-7.49	104.01	116.00
25	BB	2258	C	C2-N3-C4	-7.49	116.15	119.90
25	BB	2554	U	P-O3'-C3'	7.49	128.69	119.70
25	BB	2754	U	C4-C5-C6	7.49	124.20	119.70
3	A1	1354	U	N3-C2-O2	-7.49	116.96	122.20
25	BB	1087	G	C5-N7-C8	7.49	108.05	104.30
25	BB	2782	G	N1-C6-O6	-7.49	115.41	119.90
3	A1	143	A	O4'-C1'-N9	-7.49	102.21	108.20
25	BB	83	A	N1-C6-N6	-7.49	114.11	118.60
25	BB	1102	C	C6-N1-C2	-7.49	117.30	120.30
25	BB	1458	U	C3'-C2'-C1'	-7.49	95.51	101.50
25	BB	1567	G	C8-N9-C4	-7.49	103.40	106.40
25	BB	2093	G	N1-C6-O6	-7.49	115.41	119.90
25	BB	2416	C	N3-C2-O2	-7.49	116.66	121.90
3	A1	140	U	N1-C2-N3	7.49	119.39	114.90
3	A1	198	G	N3-C4-C5	-7.49	124.86	128.60
3	A1	805	C	C2-N3-C4	-7.49	116.16	119.90
3	A1	896	C	N3-C4-C5	7.49	124.89	121.90
3	A1	1012	A	C6-C5-N7	7.49	137.54	132.30
3	A1	1526	G	C6-C5-N7	7.49	134.89	130.40
3	A1	1530	G	N3-C2-N2	-7.49	114.66	119.90
25	BB	882	G	N9-C4-C5	7.49	108.40	105.40
25	BB	1036	G	N9-C4-C5	7.49	108.40	105.40
25	BB	1546	G	N3-C2-N2	-7.49	114.66	119.90
25	BB	1876	A	O5'-P-OP2	-7.49	98.96	105.70
25	BB	2352	A	C6-C5-N7	7.49	137.54	132.30
25	BB	2459	A	C6-C5-N7	7.49	137.54	132.30
25	BB	2876	G	N9-C4-C5	7.49	108.40	105.40
37	BN	86	ARG	NE-CZ-NH2	7.49	124.04	120.30
1	AA	48	C	N1-C2-O2	7.49	123.39	118.90
1	AA	71	G	N1-C6-O6	-7.49	115.41	119.90
3	A1	387	U	C3'-C2'-C1'	7.49	107.49	101.50
3	A1	962	C	C5'-C4'-C3'	-7.49	104.02	116.00
7	AF	100	ARG	NE-CZ-NH2	7.49	124.04	120.30
25	BB	3	U	O4'-C1'-N1	7.49	114.19	108.20
25	BB	2642	G	C5-C6-N1	7.49	115.24	111.50
20	AU	4	ARG	NE-CZ-NH1	7.49	124.04	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	BA	25	U	C5-C4-O4	-7.49	121.41	125.90
25	BB	255	A	C4-C5-C6	-7.49	113.26	117.00
25	BB	1295	C	N1-C2-O2	7.49	123.39	118.90
25	BB	1862	G	N1-C6-O6	-7.49	115.41	119.90
25	BB	2005	A	C5-C6-N6	7.49	129.69	123.70
25	BB	2151	U	C5'-C4'-O4'	7.49	118.08	109.10
25	BB	2365	G	N9-C4-C5	7.49	108.39	105.40
1	AE	63	C	N3-C2-O2	-7.48	116.66	121.90
3	A1	101	A	C6-C5-N7	7.48	137.54	132.30
3	A1	1455	G	N3-C4-C5	-7.48	124.86	128.60
25	BB	143	C	O4'-C1'-N1	7.48	114.19	108.20
25	BB	454	A	C4-C5-C6	-7.48	113.26	117.00
25	BB	2845	U	O4'-C1'-N1	7.48	114.19	108.20
3	A1	648	A	N7-C8-N9	7.48	117.54	113.80
3	A1	926	G	C8-N9-C4	-7.48	103.41	106.40
3	A1	969	A	C6-C5-N7	7.48	137.54	132.30
3	A1	1051	C	N3-C4-C5	7.48	124.89	121.90
24	BA	6	G	O4'-C1'-N9	7.48	114.19	108.20
25	BB	143	C	N3-C2-O2	-7.48	116.66	121.90
25	BB	2530	A	C2-N3-C4	7.48	114.34	110.60
29	BF	59	ARG	NE-CZ-NH2	-7.48	116.56	120.30
24	BA	79	G	N3-C2-N2	-7.48	114.66	119.90
25	BB	1259	G	N9-C4-C5	7.48	108.39	105.40
25	BB	1572	A	C5-C6-N1	7.48	121.44	117.70
25	BB	1607	C	C4-C5-C6	-7.48	113.66	117.40
25	BB	2236	U	P-O3'-C3'	7.48	128.68	119.70
3	A1	357	G	N1-C2-N3	7.48	128.39	123.90
3	A1	1000	A	C5-C6-N1	7.48	121.44	117.70
3	A1	1035	A	C5-C6-N1	7.48	121.44	117.70
3	A1	1109	C	N1-C2-O2	7.48	123.39	118.90
25	BB	1346	G	C1'-O4'-C4'	-7.48	103.92	109.90
1	AP	47	U	C4-C5-C6	7.48	124.19	119.70
1	AE	60	C	C5'-C4'-O4'	7.48	118.07	109.10
3	A1	119	A	C1'-O4'-C4'	-7.48	103.92	109.90
3	A1	235	C	N3-C4-C5	7.48	124.89	121.90
3	A1	745	G	N9-C4-C5	7.48	108.39	105.40
25	BB	756	A	C2-N3-C4	7.48	114.34	110.60
25	BB	1879	C	C4-C5-C6	7.48	121.14	117.40
25	BB	2331	G	C6-N1-C2	-7.48	120.61	125.10
25	BB	2860	A	C4-C5-C6	-7.48	113.26	117.00
3	A1	190	A	C5-C6-N1	7.48	121.44	117.70
25	BB	1266	G	O4'-C1'-N9	7.48	114.18	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1462	C	N3-C2-O2	-7.48	116.67	121.90
3	A1	332	G	N1-C2-N3	7.47	128.38	123.90
25	BB	884	U	N3-C2-O2	-7.47	116.97	122.20
25	BB	1338	G	N1-C2-N3	7.47	128.38	123.90
25	BB	1461	C	O4'-C1'-C2'	-7.47	98.33	105.80
25	BB	1863	G	N1-C6-O6	-7.47	115.42	119.90
25	BB	2052	A	O4'-C1'-N9	-7.47	102.22	108.20
25	BB	2670	A	C5-C6-N6	7.47	129.68	123.70
3	A1	331	G	N7-C8-N9	7.47	116.84	113.10
25	BB	88	G	N1-C6-O6	-7.47	115.42	119.90
25	BB	350	G	O4'-C1'-N9	7.47	114.18	108.20
25	BB	557	C	C2-N3-C4	-7.47	116.16	119.90
25	BB	1703	G	C6-N1-C2	-7.47	120.62	125.10
25	BB	1906	G	C5-N7-C8	-7.47	100.56	104.30
25	BB	2648	G	C5-C6-N1	7.47	115.24	111.50
25	BB	2762	C	C4'-C3'-C2'	-7.47	95.13	102.60
25	BB	2763	G	O4'-C1'-N9	7.47	114.18	108.20
3	A1	1183	U	N1-C2-N3	7.47	119.38	114.90
25	BB	1863	G	N3-C4-C5	-7.47	124.86	128.60
3	A1	213	G	C5-C6-N1	7.47	115.23	111.50
3	A1	1410	A	C1'-O4'-C4'	-7.47	103.92	109.90
3	A1	1520	C	C3'-C2'-C1'	7.47	107.48	101.50
25	BB	899	A	C4-C5-C6	-7.47	113.27	117.00
25	BB	1363	C	N3-C2-O2	-7.47	116.67	121.90
25	BB	2573	C	C2-N3-C4	-7.47	116.17	119.90
3	A1	1093	A	C8-N9-C4	-7.47	102.81	105.80
25	BB	2353	G	O4'-C1'-N9	7.47	114.17	108.20
1	AP	27	C	C5'-C4'-O4'	7.47	118.06	109.10
2	AM	11	U	C4'-C3'-C2'	-7.47	95.13	102.60
3	A1	12	U	N3-C4-O4	7.47	124.63	119.40
3	A1	141	G	N1-C6-O6	-7.47	115.42	119.90
3	A1	1169	A	C6-N1-C2	-7.47	114.12	118.60
25	BB	1414	C	C5'-C4'-O4'	7.47	118.06	109.10
25	BB	1557	C	C5-C6-N1	-7.47	117.27	121.00
25	BB	1741	C	C5-C4-N4	7.47	125.43	120.20
3	A1	35	G	C6-N1-C2	-7.46	120.62	125.10
3	A1	847	G	C8-N9-C4	-7.46	103.41	106.40
3	A1	1358	U	C3'-C2'-C1'	7.46	107.47	101.50
25	BB	838	C	N1-C2-O2	7.46	123.38	118.90
25	BB	1175	A	C5-N7-C8	-7.46	100.17	103.90
25	BB	1332	G	N3-C4-C5	-7.46	124.87	128.60
25	BB	2695	U	N3-C2-O2	-7.46	116.97	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	496	A	N1-C2-N3	-7.46	125.57	129.30
25	BB	1597	A	C5-C6-N1	7.46	121.43	117.70
25	BB	2484	G	C5-C6-N1	7.46	115.23	111.50
3	A1	143	A	O4'-C1'-C2'	7.46	114.31	107.60
3	A1	591	U	C5-C4-O4	-7.46	121.42	125.90
3	A1	1178	G	N7-C8-N9	7.46	116.83	113.10
25	BB	146	A	C4-C5-C6	-7.46	113.27	117.00
25	BB	503	A	O4'-C1'-N9	7.46	114.17	108.20
25	BB	1147	A	C6-C5-N7	7.46	137.52	132.30
25	BB	1439	A	N1-C6-N6	-7.46	114.12	118.60
25	BB	2061	G	O5'-P-OP1	-7.46	98.98	105.70
25	BB	2101	A	C6-C5-N7	7.46	137.52	132.30
25	BB	2323	G	N3-C4-C5	-7.46	124.87	128.60
25	BB	2366	A	C5-C6-N1	7.46	121.43	117.70
3	A1	286	C	N3-C4-C5	7.46	124.88	121.90
3	A1	317	U	C5'-C4'-O4'	7.46	118.05	109.10
25	BB	75	G	O4'-C1'-N9	7.46	114.17	108.20
25	BB	843	G	C4-C5-N7	-7.46	107.82	110.80
25	BB	2709	G	N1-C2-N2	-7.46	109.49	116.20
1	AA	9	A	C5-C6-N6	7.46	129.67	123.70
3	A1	498	A	C6-C5-N7	7.46	137.52	132.30
3	A1	737	C	N3-C2-O2	-7.46	116.68	121.90
3	A1	805	C	N1-C2-N3	7.46	124.42	119.20
3	A1	1354	U	N1-C2-N3	7.46	119.38	114.90
3	A1	1405	G	N1-C2-N2	-7.46	109.49	116.20
25	BB	50	U	C5'-C4'-O4'	7.46	118.05	109.10
25	BB	565	C	C5-C6-N1	-7.46	117.27	121.00
25	BB	1421	G	O4'-C1'-N9	-7.46	102.23	108.20
25	BB	1908	C	O4'-C1'-C2'	-7.46	98.34	105.80
25	BB	2569	G	C5'-C4'-O4'	7.46	118.05	109.10
3	A1	792	A	N9-C4-C5	-7.46	102.82	105.80
3	A1	1503	A	C6-C5-N7	7.46	137.52	132.30
25	BB	861	A	C2'-C3'-O3'	7.46	125.91	109.50
25	BB	1119	U	N1-C2-N3	7.46	119.37	114.90
25	BB	1349	C	N3-C4-C5	7.46	124.88	121.90
25	BB	1604	C	N3-C2-O2	-7.46	116.68	121.90
25	BB	2754	U	C6-N1-C2	-7.46	116.53	121.00
3	A1	81	A	C4-C5-C6	-7.46	113.27	117.00
3	A1	770	C	N3-C2-O2	-7.46	116.68	121.90
3	A1	1449	C	C4'-C3'-C2'	-7.46	95.14	102.60
1	AE	72	C	C5'-C4'-O4'	7.45	118.04	109.10
3	A1	311	C	C4'-C3'-C2'	-7.45	95.15	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	325	A	C5-C6-N1	7.45	121.43	117.70
3	A1	443	C	N1-C2-O2	7.45	123.37	118.90
3	A1	607	A	C4-C5-C6	-7.45	113.27	117.00
3	A1	678	U	C5-C6-N1	-7.45	118.97	122.70
3	A1	727	G	N9-C4-C5	7.45	108.38	105.40
3	A1	979	C	N3-C4-C5	7.45	124.88	121.90
3	A1	1319	A	C5-C6-N6	7.45	129.66	123.70
3	A1	1411	C	N3-C4-N4	-7.45	112.78	118.00
3	A1	1498	U	N1-C2-N3	7.45	119.37	114.90
25	BB	65	U	C2-N3-C4	-7.45	122.53	127.00
25	BB	335	C	C4'-C3'-C2'	-7.45	95.15	102.60
25	BB	618	G	P-O3'-C3'	7.45	128.64	119.70
25	BB	618	G	N7-C8-N9	7.45	116.83	113.10
25	BB	1337	G	N3-C2-N2	-7.45	114.68	119.90
25	BB	1686	C	C5-C4-N4	7.45	125.42	120.20
25	BB	2858	C	N1-C2-N3	7.45	124.42	119.20
25	BB	2860	A	C4'-C3'-C2'	-7.45	95.15	102.60
24	BA	41	G	N9-C1'-C2'	-7.45	103.80	112.00
25	BB	722	A	C2-N3-C4	7.45	114.33	110.60
25	BB	1167	C	C4-C5-C6	-7.45	113.67	117.40
25	BB	1301	A	C6-N1-C2	-7.45	114.13	118.60
1	AP	33	U	C5-C6-N1	-7.45	118.97	122.70
3	A1	739	C	O4'-C1'-N1	7.45	114.16	108.20
3	A1	926	G	C6-N1-C2	-7.45	120.63	125.10
3	A1	1160	G	N1-C6-O6	-7.45	115.43	119.90
25	BB	2055	C	O4'-C1'-N1	7.45	114.16	108.20
25	BB	2278	A	C3'-C2'-C1'	-7.45	95.54	101.50
3	A1	193	C	N3-C4-N4	-7.45	112.79	118.00
25	BB	267	C	N3-C2-O2	-7.45	116.69	121.90
25	BB	387	U	N1-C2-N3	7.45	119.37	114.90
25	BB	1513	U	O4'-C1'-N1	7.45	114.16	108.20
25	BB	1697	G	C8-N9-C4	-7.45	103.42	106.40
3	A1	192	A	C6-C5-N7	7.45	137.51	132.30
3	A1	1035	A	C4-C5-C6	-7.45	113.28	117.00
3	A1	1047	G	C5-C6-N1	7.45	115.22	111.50
3	A1	1156	G	N1-C6-O6	-7.45	115.43	119.90
25	BB	319	G	N1-C2-N3	7.45	128.37	123.90
25	BB	1327	A	C4-C5-C6	-7.45	113.28	117.00
25	BB	1495	A	C5-C6-N1	7.45	121.42	117.70
25	BB	1690	A	C5-C6-N1	7.45	121.42	117.70
25	BB	1695	G	N3-C4-C5	-7.45	124.88	128.60
3	A1	372	C	N3-C4-C5	7.44	124.88	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1424	U	N1-C2-N3	7.44	119.37	114.90
25	BB	185	G	C6-N1-C2	-7.44	120.63	125.10
25	BB	816	C	N3-C4-C5	7.44	124.88	121.90
25	BB	1314	C	N1-C2-N3	7.44	124.41	119.20
25	BB	2890	G	C5-C6-O6	7.44	133.07	128.60
37	BN	202	ARG	NE-CZ-NH1	7.44	124.02	120.30
1	AP	61	C	N3-C2-O2	-7.44	116.69	121.90
3	A1	59	A	C6-C5-N7	7.44	137.51	132.30
3	A1	467	U	N1-C2-N3	7.44	119.36	114.90
3	A1	864	A	C5-C6-N6	7.44	129.65	123.70
3	A1	1316	G	C5'-C4'-C3'	-7.44	104.09	116.00
3	A1	1518	A	C5-C6-N1	7.44	121.42	117.70
25	BB	796	C	C5-C4-N4	7.44	125.41	120.20
25	BB	1461	C	C5'-C4'-O4'	7.44	118.03	109.10
25	BB	1860	G	N7-C8-N9	7.44	116.82	113.10
25	BB	2567	G	C4-C5-C6	-7.44	114.33	118.80
25	BB	2806	C	C4'-C3'-C2'	-7.44	95.16	102.60
48	BY	13	ARG	CD-NE-CZ	7.44	134.02	123.60
3	A1	124	C	N3-C2-O2	-7.44	116.69	121.90
3	A1	519	C	O3'-P-O5'	7.44	118.14	104.00
25	BB	394	C	N3-C4-C5	7.44	124.88	121.90
25	BB	1410	G	N1-C6-O6	-7.44	115.44	119.90
25	BB	1586	A	C4-C5-C6	-7.44	113.28	117.00
25	BB	1898	U	N1-C2-N3	7.44	119.36	114.90
25	BB	2135	A	C5-C6-N1	7.44	121.42	117.70
25	BB	2439	A	C5-N7-C8	-7.44	100.18	103.90
1	AE	16	U	N3-C4-O4	-7.44	114.19	119.40
1	AE	33	U	C5'-C4'-C3'	-7.44	104.10	116.00
3	A1	460	A	C5-N7-C8	-7.44	100.18	103.90
4	AB	224	ARG	NE-CZ-NH1	7.44	124.02	120.30
25	BB	584	C	N3-C2-O2	-7.44	116.69	121.90
25	BB	2031	A	C4-C5-C6	-7.44	113.28	117.00
25	BB	2455	G	O4'-C1'-N9	7.44	114.15	108.20
25	BB	2551	C	O4'-C4'-C3'	7.44	112.05	106.10
25	BB	2799	A	N1-C6-N6	-7.44	114.14	118.60
3	A1	475	C	N3-C2-O2	-7.44	116.69	121.90
3	A1	634	C	N1-C2-O2	7.44	123.36	118.90
3	A1	1028	C	N3-C2-O2	-7.44	116.69	121.90
3	A1	1263	C	N3-C4-N4	-7.44	112.79	118.00
25	BB	157	C	N1-C2-O2	7.44	123.36	118.90
25	BB	172	A	N7-C8-N9	7.44	117.52	113.80
25	BB	1514	G	N3-C4-C5	-7.44	124.88	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1703	G	C6-C5-N7	7.44	134.86	130.40
25	BB	2060	A	C6-C5-N7	7.44	137.51	132.30
25	BB	2373	G	N7-C8-N9	7.44	116.82	113.10
25	BB	2770	G	N1-C2-N3	7.44	128.36	123.90
3	A1	646	G	N1-C6-O6	-7.44	115.44	119.90
10	AI	51	ARG	NE-CZ-NH1	7.44	124.02	120.30
25	BB	748	G	C8-N9-C4	-7.44	103.43	106.40
25	BB	2396	G	N1-C6-O6	-7.44	115.44	119.90
25	BB	2516	A	C4'-C3'-C2'	-7.44	95.16	102.60
3	A1	107	G	N3-C4-C5	-7.43	124.88	128.60
3	A1	366	A	C5-N7-C8	-7.43	100.18	103.90
3	A1	792	A	C6-N1-C2	-7.43	114.14	118.60
3	A1	1108	G	N3-C2-N2	-7.43	114.70	119.90
3	A1	1494	G	C8-N9-C4	-7.43	103.43	106.40
25	BB	120	U	O4'-C1'-N1	7.43	114.15	108.20
25	BB	864	G	C5-C6-N1	7.43	115.22	111.50
25	BB	2040	G	N1-C6-O6	-7.43	115.44	119.90
1	AP	33	U	N1-C2-O2	-7.43	117.60	122.80
3	A1	646	G	C5-C6-N1	7.43	115.22	111.50
3	A1	1094	G	C1'-O4'-C4'	-7.43	103.95	109.90
25	BB	1359	A	C4-C5-C6	-7.43	113.28	117.00
25	BB	1547	C	C5'-C4'-C3'	-7.43	104.11	116.00
25	BB	1897	G	N1-C6-O6	-7.43	115.44	119.90
25	BB	2523	G	C6-N1-C2	-7.43	120.64	125.10
3	A1	455	G	C5-C6-N1	7.43	115.22	111.50
25	BB	933	A	N1-C6-N6	-7.43	114.14	118.60
25	BB	1410	G	C2-N3-C4	-7.43	108.19	111.90
3	A1	745	G	N1-C2-N3	7.43	128.36	123.90
3	A1	1489	G	N3-C4-C5	-7.43	124.89	128.60
25	BB	669	G	N3-C4-C5	-7.43	124.89	128.60
25	BB	1775	U	N1-C2-O2	7.43	128.00	122.80
3	A1	1302	C	N3-C4-N4	-7.43	112.80	118.00
25	BB	1401	G	C3'-C2'-C1'	7.43	107.44	101.50
25	BB	1728	C	N3-C2-O2	-7.43	116.70	121.90
3	A1	184	G	N3-C4-C5	-7.43	124.89	128.60
3	A1	420	U	C4-C5-C6	7.43	124.16	119.70
3	A1	1098	C	C1'-O4'-C4'	-7.43	103.96	109.90
25	BB	798	G	N1-C6-O6	-7.43	115.44	119.90
25	BB	1388	G	C8-N9-C4	-7.43	103.43	106.40
25	BB	1602	U	C5-C6-N1	-7.43	118.99	122.70
3	A1	272	C	C5'-C4'-O4'	7.42	118.01	109.10
3	A1	338	A	C5'-C4'-C3'	-7.42	104.12	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	372	C	C5-C6-N1	-7.42	117.29	121.00
3	A1	551	U	C5-C6-N1	-7.42	118.99	122.70
25	BB	172	A	C5-N7-C8	-7.42	100.19	103.90
25	BB	1779	U	N1-C2-N3	7.42	119.36	114.90
25	BB	2040	G	C5-C6-N1	7.42	115.21	111.50
25	BB	2632	A	N1-C2-N3	-7.42	125.59	129.30
3	A1	164	G	C2-N3-C4	7.42	115.61	111.90
3	A1	334	C	C4'-C3'-C2'	-7.42	95.18	102.60
25	BB	828	U	C5-C6-N1	-7.42	118.99	122.70
25	BB	1577	C	N3-C4-C5	7.42	124.87	121.90
25	BB	1685	C	N3-C4-C5	7.42	124.87	121.90
3	A1	492	C	N3-C4-C5	7.42	124.87	121.90
3	A1	628	G	C4-C5-C6	-7.42	114.35	118.80
3	A1	1398	A	C1'-O4'-C4'	-7.42	103.96	109.90
15	AO	87	ARG	NH1-CZ-NH2	-7.42	111.24	119.40
25	BB	1389	G	C4-C5-N7	7.42	113.77	110.80
25	BB	1829	A	C4-C5-C6	-7.42	113.29	117.00
25	BB	2063	C	C6-N1-C2	-7.42	117.33	120.30
25	BB	2353	G	C4-C5-C6	-7.42	114.35	118.80
25	BB	2388	A	C6-C5-N7	7.42	137.50	132.30
25	BB	2309	A	C5'-C4'-O4'	7.42	118.00	109.10
3	A1	23	C	N1-C2-O2	7.42	123.35	118.90
3	A1	206	C	C5-C6-N1	-7.42	117.29	121.00
3	A1	1279	G	C3'-C2'-C1'	7.42	107.44	101.50
25	BB	222	A	O4'-C1'-N9	7.42	114.14	108.20
25	BB	1399	C	N1-C2-O2	7.42	123.35	118.90
25	BB	2011	U	C3'-C2'-C1'	7.42	107.44	101.50
25	BB	2242	G	C5-C6-N1	7.42	115.21	111.50
25	BB	2543	G	C6-N1-C2	-7.42	120.65	125.10
25	BB	2636	C	N3-C2-O2	-7.42	116.71	121.90
3	A1	176	C	C2-N3-C4	-7.42	116.19	119.90
3	A1	1120	C	C5-C6-N1	-7.42	117.29	121.00
25	BB	271	G	N9-C4-C5	7.42	108.37	105.40
25	BB	635	C	N3-C4-C5	7.42	124.87	121.90
25	BB	972	A	C4-C5-C6	-7.42	113.29	117.00
30	BG	106	ASP	CB-CG-OD1	7.42	124.97	118.30
3	A1	1295	U	N3-C2-O2	-7.42	117.01	122.20
3	A1	1399	C	N3-C2-O2	-7.42	116.71	121.90
1	AP	10	G	O4'-C4'-C3'	7.41	112.03	106.10
3	A1	1300	G	C6-N1-C2	-7.41	120.65	125.10
25	BB	767	U	C2-N3-C4	-7.41	122.55	127.00
25	BB	1294	U	C5-C6-N1	-7.41	118.99	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1761	C	O4'-C1'-N1	7.41	114.13	108.20
25	BB	2100	G	N9-C4-C5	7.41	108.36	105.40
25	BB	2250	G	C5-C6-N1	7.41	115.21	111.50
25	BB	2383	G	N7-C8-N9	7.41	116.81	113.10
25	BB	2448	A	C4-C5-C6	-7.41	113.29	117.00
2	AM	7	U	C5-C6-N1	-7.41	118.99	122.70
3	A1	846	G	N9-C4-C5	7.41	108.36	105.40
3	A1	1384	C	N3-C2-O2	-7.41	116.71	121.90
25	BB	26	G	C5-C6-N1	7.41	115.21	111.50
25	BB	378	C	N3-C4-C5	7.41	124.86	121.90
25	BB	2759	G	N1-C6-O6	-7.41	115.45	119.90
1	AP	21	A	C6-C5-N7	7.41	137.49	132.30
3	A1	170	U	C1'-O4'-C4'	-7.41	103.97	109.90
3	A1	1134	G	N3-C2-N2	7.41	125.09	119.90
3	A1	1220	G	N1-C6-O6	-7.41	115.45	119.90
3	A1	1271	A	C5-C6-N1	7.41	121.41	117.70
3	A1	1495	U	N1-C1'-C2'	-7.41	103.85	112.00
25	BB	981	A	C6-C5-N7	7.41	137.49	132.30
25	BB	1206	G	C6-N1-C2	-7.41	120.65	125.10
25	BB	1667	G	C5-C6-N1	7.41	115.20	111.50
25	BB	1883	U	O4'-C1'-N1	7.41	114.13	108.20
25	BB	2202	U	N1-C2-O2	7.41	127.99	122.80
3	A1	47	C	C2-N3-C4	-7.41	116.20	119.90
3	A1	316	C	N3-C2-O2	-7.41	116.71	121.90
25	BB	837	C	O4'-C1'-N1	7.41	114.13	108.20
25	BB	1125	G	C5-C6-N1	7.41	115.20	111.50
25	BB	1148	U	N1-C2-N3	7.41	119.34	114.90
25	BB	1321	A	P-O3'-C3'	7.41	128.59	119.70
25	BB	2086	U	C5'-C4'-O4'	7.41	117.99	109.10
32	BI	102	ARG	NH1-CZ-NH2	-7.41	111.25	119.40
34	BK	79	ARG	NE-CZ-NH2	-7.41	116.60	120.30
53	B4	97	ARG	NE-CZ-NH2	7.41	124.00	120.30
25	BB	14	A	C5-C6-N1	7.41	121.40	117.70
25	BB	1664	A	C5-C6-N6	7.41	129.63	123.70
25	BB	1669	A	P-O3'-C3'	7.41	128.59	119.70
25	BB	2827	C	C3'-C2'-C1'	7.41	107.43	101.50
1	AA	51	G	C6-N1-C2	-7.41	120.66	125.10
1	AP	20	G	N1-C6-O6	-7.41	115.46	119.90
1	AP	74	C	N3-C2-O2	-7.41	116.72	121.90
3	A1	801	U	C5-C6-N1	-7.41	119.00	122.70
3	A1	1150	A	C4-C5-C6	-7.41	113.30	117.00
19	AT	44	ARG	NE-CZ-NH2	-7.41	116.60	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	20	C	N1-C2-N3	7.41	124.38	119.20
25	BB	516	C	C2-N3-C4	-7.41	116.20	119.90
25	BB	1483	G	C5-C6-O6	7.41	133.04	128.60
25	BB	1612	C	N1-C2-O2	7.41	123.34	118.90
25	BB	1635	A	C6-C5-N7	7.41	137.48	132.30
25	BB	1930	G	N1-C6-O6	-7.41	115.46	119.90
3	A1	917	G	C6-N1-C2	-7.40	120.66	125.10
3	A1	1025	U	N1-C2-N3	7.40	119.34	114.90
3	A1	1052	U	N1-C2-N3	7.40	119.34	114.90
25	BB	1404	C	O4'-C1'-N1	-7.40	102.28	108.20
1	AA	56	C	C2-N3-C4	-7.40	116.20	119.90
3	A1	354	G	N7-C8-N9	7.40	116.80	113.10
3	A1	410	G	N9-C4-C5	7.40	108.36	105.40
3	A1	616	G	C5-C6-N1	7.40	115.20	111.50
3	A1	714	G	C4-C5-N7	-7.40	107.84	110.80
3	A1	780	A	C6-C5-N7	7.40	137.48	132.30
14	AN	73	ARG	NH1-CZ-NH2	-7.40	111.26	119.40
24	BA	23	G	C5-C6-N1	7.40	115.20	111.50
25	BB	1673	G	C5-N7-C8	-7.40	100.60	104.30
25	BB	1950	G	N1-C6-O6	-7.40	115.46	119.90
25	BB	2127	G	C5-C6-O6	7.40	133.04	128.60
1	AE	26	G	N1-C2-N3	7.40	128.34	123.90
25	BB	72	U	C5-C6-N1	-7.40	119.00	122.70
25	BB	1226	A	C6-C5-N7	7.40	137.48	132.30
25	BB	2373	G	N1-C6-O6	-7.40	115.46	119.90
1	AE	40	C	N3-C4-C5	7.40	124.86	121.90
3	A1	51	A	C8-N9-C4	-7.40	102.84	105.80
24	BA	13	G	C4-C5-N7	-7.40	107.84	110.80
25	BB	2106	U	N3-C4-O4	-7.40	114.22	119.40
1	AA	37	G	C5-C6-N1	7.40	115.20	111.50
3	A1	609	A	N9-C4-C5	-7.40	102.84	105.80
3	A1	1110	A	O4'-C1'-N9	7.40	114.12	108.20
25	BB	1905	C	C3'-C2'-C1'	7.40	107.42	101.50
25	BB	1914	C	C5-C6-N1	-7.40	117.30	121.00
25	BB	2127	G	C8-N9-C4	-7.40	103.44	106.40
1	AA	65	G	C5-C6-O6	-7.40	124.16	128.60
3	A1	162	A	C2-N3-C4	7.40	114.30	110.60
3	A1	461	A	N1-C6-N6	-7.40	114.16	118.60
3	A1	1065	U	O4'-C1'-C2'	-7.40	98.40	105.80
25	BB	2474	U	O4'-C1'-N1	7.40	114.12	108.20
3	A1	777	A	C8-N9-C4	-7.39	102.84	105.80
3	A1	826	C	N3-C4-N4	-7.39	112.82	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	BA	41	G	C5'-C4'-O4'	7.39	117.97	109.10
25	BB	528	A	C6-C5-N7	7.39	137.48	132.30
25	BB	602	A	C5-C6-N1	7.39	121.40	117.70
25	BB	960	A	C5-C6-N6	7.39	129.62	123.70
25	BB	1058	U	C5'-C4'-O4'	7.39	117.97	109.10
25	BB	1526	C	N3-C4-C5	7.39	124.86	121.90
25	BB	2080	A	C5-C6-N6	7.39	129.62	123.70
25	BB	2470	G	C4-C5-N7	-7.39	107.84	110.80
25	BB	2483	C	O4'-C1'-C2'	-7.39	98.41	105.80
3	A1	1111	A	N1-C6-N6	-7.39	114.17	118.60
25	BB	385	C	N3-C2-O2	-7.39	116.72	121.90
25	BB	1246	A	C6-C5-N7	7.39	137.47	132.30
25	BB	2758	A	C5-C6-N6	7.39	129.61	123.70
3	A1	1399	C	N1-C2-N3	7.39	124.37	119.20
24	BA	113	C	O4'-C1'-N1	7.39	114.11	108.20
25	BB	458	G	C8-N9-C4	-7.39	103.44	106.40
25	BB	701	G	C5-C6-N1	7.39	115.20	111.50
25	BB	1099	G	N7-C8-N9	7.39	116.80	113.10
25	BB	1425	G	P-O3'-C3'	7.39	128.57	119.70
25	BB	1960	A	C6-C5-N7	7.39	137.47	132.30
25	BB	2225	A	C5-C6-N1	7.39	121.40	117.70
25	BB	2887	A	C5-C6-N6	7.39	129.61	123.70
3	A1	474	G	C4'-C3'-C2'	-7.39	95.21	102.60
3	A1	628	G	C5-N7-C8	-7.39	100.61	104.30
3	A1	1398	A	O4'-C4'-C3'	7.39	112.01	106.10
3	A1	1492	A	C2-N3-C4	7.39	114.30	110.60
25	BB	275	C	C2-N3-C4	-7.39	116.20	119.90
25	BB	745	G	C5-C6-N1	7.39	115.19	111.50
25	BB	878	A	C5-C6-N1	7.39	121.39	117.70
25	BB	961	C	O5'-P-OP2	-7.39	99.05	105.70
25	BB	1365	A	C4-C5-C6	-7.39	113.31	117.00
3	A1	154	U	N3-C2-O2	-7.39	117.03	122.20
3	A1	218	U	C5-C4-O4	7.39	130.33	125.90
3	A1	1204	A	C4-C5-C6	-7.39	113.31	117.00
25	BB	548	G	N1-C6-O6	-7.39	115.47	119.90
25	BB	2567	G	O4'-C4'-C3'	7.39	112.01	106.10
3	A1	450	G	N3-C2-N2	-7.39	114.73	119.90
3	A1	522	C	C2-N3-C4	-7.39	116.21	119.90
3	A1	531	U	O4'-C1'-N1	7.39	114.11	108.20
3	A1	579	A	C5-C6-N6	7.39	129.61	123.70
3	A1	724	G	N1-C6-O6	-7.39	115.47	119.90
3	A1	1281	C	C5-C6-N1	-7.39	117.31	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1336	C	C2-N3-C4	-7.39	116.21	119.90
3	A1	1396	A	N1-C2-N3	-7.39	125.61	129.30
25	BB	13	A	C5-C6-N1	7.39	121.39	117.70
25	BB	120	U	N1-C2-O2	7.39	127.97	122.80
25	BB	598	U	C5-C6-N1	-7.39	119.01	122.70
25	BB	1127	A	C5-C6-N1	7.39	121.39	117.70
25	BB	1699	G	C6-N1-C2	-7.39	120.67	125.10
25	BB	1861	G	O4'-C4'-C3'	7.39	112.01	106.10
25	BB	2525	G	N3-C4-C5	-7.39	124.91	128.60
3	A1	107	G	C4-C5-N7	-7.38	107.85	110.80
3	A1	1064	G	N1-C6-O6	-7.38	115.47	119.90
25	BB	86	G	N9-C4-C5	7.38	108.35	105.40
25	BB	615	U	N1-C2-N3	7.38	119.33	114.90
25	BB	818	G	C8-N9-C4	-7.38	103.45	106.40
25	BB	1389	G	C5-N7-C8	-7.38	100.61	104.30
25	BB	1668	A	C5-C6-N1	7.38	121.39	117.70
25	BB	2275	C	N3-C2-O2	-7.38	116.73	121.90
25	BB	2310	C	C2-N3-C4	-7.38	116.21	119.90
3	A1	1296	C	O4'-C1'-N1	7.38	114.11	108.20
25	BB	657	U	C1'-O4'-C4'	-7.38	103.99	109.90
25	BB	1100	C	C1'-O4'-C4'	7.38	115.81	109.90
25	BB	1707	G	C5-C6-N1	7.38	115.19	111.50
1	AE	60	C	C5'-C4'-C3'	-7.38	104.19	116.00
3	A1	95	C	N3-C2-O2	-7.38	116.73	121.90
15	AO	130	ARG	NE-CZ-NH2	7.38	123.99	120.30
25	BB	620	G	C5-C6-N1	7.38	115.19	111.50
39	BP	16	GLU	OE1-CD-OE2	-7.38	114.44	123.30
25	BB	1898	U	N3-C4-C5	-7.38	110.17	114.60
3	A1	274	A	C6-N1-C2	-7.38	114.17	118.60
3	A1	1415	G	N1-C6-O6	-7.38	115.47	119.90
25	BB	646	U	N1-C2-N3	7.38	119.33	114.90
25	BB	1331	G	C5-C6-N1	7.38	115.19	111.50
25	BB	2482	A	C5-C6-N1	7.38	121.39	117.70
25	BB	2572	A	C2-N3-C4	7.38	114.29	110.60
25	BB	2656	U	C6-N1-C2	-7.38	116.57	121.00
30	BG	45	ARG	NH1-CZ-NH2	-7.38	111.28	119.40
44	BU	43	ARG	NE-CZ-NH1	7.38	123.99	120.30
52	B3	68	ARG	NE-CZ-NH1	7.38	123.99	120.30
1	AA	74	C	O4'-C4'-C3'	7.38	112.00	106.10
1	AP	8	U	C4'-C3'-C2'	-7.38	95.22	102.60
3	A1	1330	U	C1'-O4'-C4'	-7.38	104.00	109.90
3	A1	1431	A	N7-C8-N9	7.38	117.49	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	185	G	C8-N9-C4	-7.38	103.45	106.40
25	BB	889	C	C4-C5-C6	7.38	121.09	117.40
25	BB	1427	A	N9-C4-C5	7.38	108.75	105.80
25	BB	1522	A	C4'-C3'-C2'	-7.38	95.22	102.60
25	BB	2155	U	C4'-C3'-C2'	-7.38	95.22	102.60
3	A1	77	A	O5'-P-OP1	-7.38	99.06	105.70
3	A1	315	A	C4-C5-C6	-7.38	113.31	117.00
3	A1	616	G	C1'-O4'-C4'	-7.38	104.00	109.90
25	BB	1374	G	N9-C4-C5	7.38	108.35	105.40
25	BB	1552	A	O4'-C1'-N9	7.38	114.10	108.20
50	B1	21	ARG	NH1-CZ-NH2	-7.38	111.29	119.40
3	A1	699	C	C5-C4-N4	7.37	125.36	120.20
3	A1	741	G	N3-C4-C5	-7.37	124.91	128.60
24	BA	77	U	O4'-C1'-N1	7.37	114.10	108.20
25	BB	768	G	C5-C6-N1	7.37	115.19	111.50
25	BB	820	A	C4-C5-C6	-7.37	113.31	117.00
25	BB	837	C	C6-N1-C2	-7.37	117.35	120.30
25	BB	1334	G	N1-C6-O6	-7.37	115.48	119.90
25	BB	1902	C	C2-N3-C4	-7.37	116.21	119.90
3	A1	1485	U	C2-N3-C4	-7.37	122.58	127.00
25	BB	384	A	C6-C5-N7	7.37	137.46	132.30
25	BB	1241	A	C5-N7-C8	-7.37	100.21	103.90
25	BB	1411	U	C4-C5-C6	7.37	124.12	119.70
37	BN	256	THR	CA-CB-CG2	7.37	122.72	112.40
25	BB	305	C	N1-C2-N3	7.37	124.36	119.20
25	BB	1642	G	O4'-C1'-N9	7.37	114.10	108.20
25	BB	1680	U	C5-C6-N1	-7.37	119.02	122.70
33	BJ	69	ARG	NE-CZ-NH2	7.37	123.98	120.30
1	AP	72	C	O4'-C1'-N1	7.37	114.09	108.20
3	A1	109	A	C2-N3-C4	7.37	114.28	110.60
3	A1	141	G	C3'-C2'-C1'	-7.37	95.60	101.50
3	A1	694	A	N1-C2-N3	-7.37	125.62	129.30
24	BA	118	C	C4-C5-C6	7.37	121.08	117.40
25	BB	259	G	N1-C6-O6	-7.37	115.48	119.90
25	BB	366	C	C4-C5-C6	7.37	121.08	117.40
25	BB	1268	A	C4-C5-C6	-7.37	113.32	117.00
25	BB	1893	C	C2-N3-C4	-7.37	116.22	119.90
25	BB	2103	C	N1-C2-O2	7.37	123.32	118.90
25	BB	2507	C	O4'-C1'-N1	7.37	114.09	108.20
25	BB	2549	G	C4-C5-C6	-7.37	114.38	118.80
25	BB	2661	G	C6-C5-N7	7.37	134.82	130.40
3	A1	360	G	N3-C2-N2	-7.37	114.74	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1419	G	N3-C4-C5	-7.37	124.92	128.60
22	AW	10	ARG	NH1-CZ-NH2	-7.37	111.30	119.40
25	BB	407	G	C5-C6-N1	7.37	115.18	111.50
25	BB	2345	G	N3-C4-C5	-7.37	124.92	128.60
3	A1	752	G	C6-N1-C2	-7.37	120.68	125.10
3	A1	1080	A	C4-C5-C6	-7.37	113.32	117.00
25	BB	904	G	C4-C5-N7	-7.37	107.85	110.80
25	BB	1386	C	P-O3'-C3'	7.37	128.54	119.70
25	BB	2775	G	C5-C6-O6	7.37	133.02	128.60
1	AA	9	A	C5-C6-N1	7.36	121.38	117.70
1	AE	5	A	C5-C6-N1	7.36	121.38	117.70
3	A1	538	G	C4-C5-C6	-7.36	114.38	118.80
3	A1	849	G	C4-C5-C6	-7.36	114.38	118.80
15	AO	167	TYR	CB-CG-CD2	-7.36	116.58	121.00
25	BB	485	C	N1-C2-O2	7.36	123.32	118.90
25	BB	2808	G	C5-N7-C8	-7.36	100.62	104.30
3	A1	527	G	C4'-C3'-C2'	-7.36	95.24	102.60
3	A1	1325	C	N3-C2-O2	-7.36	116.75	121.90
25	BB	1760	C	C5-C4-N4	7.36	125.35	120.20
25	BB	2639	A	C5-C6-N1	7.36	121.38	117.70
25	BB	2670	A	C2-N3-C4	7.36	114.28	110.60
25	BB	2892	G	N3-C4-N9	7.36	130.42	126.00
50	B1	114	ARG	NE-CZ-NH1	7.36	123.98	120.30
1	AE	27	C	C6-N1-C2	-7.36	117.36	120.30
1	AE	53	G	N1-C2-N3	7.36	128.32	123.90
3	A1	823	C	O4'-C1'-N1	7.36	114.09	108.20
3	A1	1195	C	N3-C4-C5	7.36	124.84	121.90
17	AR	183	ARG	CD-NE-CZ	7.36	133.90	123.60
25	BB	1055	G	O4'-C1'-N9	7.36	114.09	108.20
25	BB	1400	U	C1'-O4'-C4'	-7.36	104.01	109.90
25	BB	1706	C	N3-C4-C5	7.36	124.84	121.90
25	BB	2203	U	P-O3'-C3'	7.36	128.53	119.70
25	BB	2893	A	N9-C4-C5	-7.36	102.86	105.80
25	BB	739	A	C6-C5-N7	7.36	137.45	132.30
25	BB	2659	G	N9-C4-C5	7.36	108.34	105.40
3	A1	360	G	N3-C4-C5	-7.36	124.92	128.60
25	BB	75	G	N1-C6-O6	-7.36	115.48	119.90
25	BB	158	U	N3-C2-O2	-7.36	117.05	122.20
25	BB	1039	A	C6-C5-N7	7.36	137.45	132.30
25	BB	2307	G	C4'-C3'-C2'	-7.36	95.24	102.60
25	BB	2492	U	O5'-P-OP1	-7.36	99.08	105.70
3	A1	795	C	O4'-C1'-N1	7.36	114.08	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1499	A	C6-N1-C2	-7.36	114.19	118.60
25	BB	1146	C	N3-C4-N4	-7.36	112.85	118.00
25	BB	1790	C	C1'-O4'-C4'	-7.36	104.02	109.90
25	BB	2432	A	C5-C6-N6	7.36	129.59	123.70
25	BB	703	U	C6-N1-C2	-7.35	116.59	121.00
1	AA	16	U	O4'-C1'-N1	7.35	114.08	108.20
3	A1	36	C	N3-C2-O2	-7.35	116.75	121.90
3	A1	1172	C	C4-C5-C6	7.35	121.08	117.40
3	A1	1241	G	O3'-P-O5'	7.35	117.97	104.00
25	BB	1739	A	C5'-C4'-O4'	7.35	117.92	109.10
25	BB	2331	G	O5'-P-OP2	7.35	119.52	110.70
25	BB	2333	A	O4'-C1'-N9	7.35	114.08	108.20
3	A1	1056	U	N3-C2-O2	-7.35	117.05	122.20
25	BB	616	A	C6-N1-C2	-7.35	114.19	118.60
25	BB	1932	A	C2-N3-C4	7.35	114.28	110.60
1	AP	34	G	C5-C6-N1	7.35	115.17	111.50
3	A1	524	G	C5'-C4'-C3'	-7.35	104.24	116.00
3	A1	1303	C	N3-C4-N4	-7.35	112.86	118.00
25	BB	12	U	N1-C2-N3	7.35	119.31	114.90
25	BB	782	A	C5-C6-N1	7.35	121.38	117.70
25	BB	1506	U	O4'-C1'-N1	7.35	114.08	108.20
25	BB	1894	C	C6-N1-C2	-7.35	117.36	120.30
25	BB	1998	A	C6-C5-N7	7.35	137.44	132.30
25	BB	2097	A	C8-N9-C4	7.35	108.74	105.80
52	B3	94	ARG	NE-CZ-NH2	-7.35	116.62	120.30
1	AP	43	G	N3-C4-N9	-7.35	121.59	126.00
3	A1	933	G	N3-C2-N2	-7.35	114.76	119.90
3	A1	1000	A	C5-N7-C8	-7.35	100.23	103.90
25	BB	859	G	O4'-C1'-N9	7.35	114.08	108.20
25	BB	1514	G	C6-N1-C2	-7.35	120.69	125.10
25	BB	1540	G	C5-C6-O6	7.35	133.01	128.60
25	BB	2543	G	C3'-C2'-C1'	7.35	107.38	101.50
25	BB	2755	C	N1-C2-O2	7.35	123.31	118.90
3	A1	58	C	C5'-C4'-O4'	7.35	117.92	109.10
3	A1	93	U	C4-C5-C6	7.35	124.11	119.70
3	A1	181	A	C4-C5-C6	-7.35	113.33	117.00
3	A1	384	G	N9-C4-C5	7.35	108.34	105.40
3	A1	488	C	N1-C2-O2	7.35	123.31	118.90
3	A1	512	U	C5'-C4'-O4'	7.35	117.92	109.10
3	A1	624	C	N3-C4-N4	-7.35	112.86	118.00
3	A1	1362	A	N1-C2-N3	-7.35	125.63	129.30
25	BB	1810	A	C2-N3-C4	7.35	114.27	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2201	G	N1-C6-O6	-7.35	115.49	119.90
3	A1	385	C	C5-C6-N1	-7.34	117.33	121.00
3	A1	576	C	N3-C4-N4	-7.34	112.86	118.00
3	A1	1066	C	C4'-C3'-C2'	-7.34	95.26	102.60
25	BB	162	U	N1-C2-O2	7.34	127.94	122.80
25	BB	689	A	C2-N3-C4	7.34	114.27	110.60
25	BB	910	A	C4-C5-C6	-7.34	113.33	117.00
25	BB	1481	U	N1-C1'-C2'	-7.34	103.92	112.00
25	BB	1652	A	C5-C6-N6	7.34	129.57	123.70
25	BB	2294	G	C5'-C4'-O4'	7.34	117.91	109.10
25	BB	2668	G	C4'-C3'-C2'	-7.34	95.25	102.60
25	BB	2808	G	N1-C2-N3	7.34	128.31	123.90
24	BA	101	A	C6-C5-N7	7.34	137.44	132.30
25	BB	401	A	C4'-C3'-C2'	-7.34	95.26	102.60
25	BB	1794	A	C8-N9-C4	-7.34	102.86	105.80
25	BB	2542	A	C5-C6-N1	7.34	121.37	117.70
39	BP	54	ARG	NH1-CZ-NH2	-7.34	111.32	119.40
3	A1	825	A	O4'-C1'-N9	7.34	114.07	108.20
3	A1	1095	U	N1-C2-N3	7.34	119.30	114.90
25	BB	1121	C	C4-C5-C6	7.34	121.07	117.40
25	BB	1495	A	C4-C5-C6	-7.34	113.33	117.00
25	BB	1723	G	C6-C5-N7	7.34	134.81	130.40
25	BB	2524	G	C3'-C2'-C1'	7.34	107.37	101.50
25	BB	1778	U	C5'-C4'-O4'	7.34	117.91	109.10
25	BB	1986	C	C5-C6-N1	-7.34	117.33	121.00
25	BB	2548	U	O4'-C1'-C2'	7.34	114.21	107.60
25	BB	2672	U	O4'-C1'-N1	7.34	114.07	108.20
2	AM	9	U	N3-C4-C5	7.34	119.00	114.60
12	AK	62	ARG	NE-CZ-NH1	7.34	123.97	120.30
25	BB	227	A	N7-C8-N9	7.34	117.47	113.80
25	BB	1089	A	C6-N1-C2	-7.34	114.20	118.60
25	BB	1111	A	C5-C6-N1	7.34	121.37	117.70
25	BB	1954	G	N1-C2-N3	7.34	128.30	123.90
1	AA	55	U	N1-C2-N3	7.34	119.30	114.90
25	BB	84	A	O4'-C1'-N9	7.34	114.07	108.20
25	BB	198	C	N3-C4-N4	-7.34	112.86	118.00
25	BB	1279	G	N1-C6-O6	-7.34	115.50	119.90
25	BB	1665	A	C1'-O4'-C4'	-7.34	104.03	109.90
25	BB	1841	U	O4'-C1'-N1	7.34	114.07	108.20
25	BB	2386	A	C6-C5-N7	7.34	137.44	132.30
1	AP	46	G	C8-N9-C4	-7.33	103.47	106.40
3	A1	1332	A	N1-C2-N3	-7.33	125.63	129.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	684	G	N9-C4-C5	7.33	108.33	105.40
25	BB	844	A	C4-C5-C6	-7.33	113.33	117.00
25	BB	996	A	O4'-C1'-N9	7.33	114.07	108.20
25	BB	2324	U	O4'-C1'-C2'	-7.33	98.47	105.80
3	A1	202	G	C5-C6-O6	7.33	133.00	128.60
3	A1	224	U	C4-C5-C6	7.33	124.10	119.70
3	A1	848	C	N3-C2-O2	-7.33	116.77	121.90
25	BB	95	A	C6-C5-N7	7.33	137.43	132.30
25	BB	231	A	C4-C5-C6	-7.33	113.33	117.00
25	BB	1109	C	N3-C4-C5	7.33	124.83	121.90
25	BB	1802	A	C1'-O4'-C4'	-7.33	104.03	109.90
25	BB	1907	G	C5-C6-N1	7.33	115.17	111.50
25	BB	1994	C	N3-C4-C5	7.33	124.83	121.90
3	A1	15	G	N1-C2-N3	7.33	128.30	123.90
3	A1	232	G	N3-C4-C5	-7.33	124.93	128.60
25	BB	178	G	N1-C6-O6	-7.33	115.50	119.90
25	BB	2800	A	C2-N3-C4	7.33	114.27	110.60
1	AA	52	U	O4'-C1'-N1	7.33	114.06	108.20
25	BB	552	U	N3-C2-O2	-7.33	117.07	122.20
3	A1	1437	A	C4-C5-C6	-7.33	113.33	117.00
3	A1	1486	G	N3-C4-C5	-7.33	124.94	128.60
24	BA	85	G	C5-C6-O6	7.33	133.00	128.60
25	BB	434	U	N3-C2-O2	-7.33	117.07	122.20
25	BB	1077	A	C6-C5-N7	7.33	137.43	132.30
25	BB	1290	C	N1-C2-N3	7.33	124.33	119.20
25	BB	1668	A	C4-C5-C6	-7.33	113.33	117.00
25	BB	1934	C	N1-C2-O2	7.33	123.30	118.90
25	BB	2046	G	C5-C6-N1	7.33	115.17	111.50
25	BB	2400	G	O5'-P-OP1	-7.33	99.11	105.70
3	A1	1001	C	C5-C4-N4	-7.33	115.07	120.20
25	BB	1002	G	C5-C6-N1	7.33	115.16	111.50
25	BB	2274	A	C4-C5-C6	-7.33	113.34	117.00
1	AE	6	U	C5-C6-N1	-7.33	119.04	122.70
3	A1	331	G	N1-C6-O6	-7.33	115.50	119.90
3	A1	597	G	C8-N9-C4	-7.33	103.47	106.40
25	BB	337	C	N3-C4-N4	-7.33	112.87	118.00
25	BB	673	C	C1'-O4'-C4'	-7.33	104.04	109.90
25	BB	1046	A	C4-C5-C6	-7.33	113.34	117.00
25	BB	1523	U	C4-C5-C6	7.33	124.09	119.70
25	BB	2631	G	C6-N1-C2	-7.33	120.70	125.10
3	A1	111	G	P-O3'-C3'	7.32	128.49	119.70
3	A1	144	G	C6-N1-C2	-7.32	120.71	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	225	C	O4'-C1'-N1	7.32	114.06	108.20
3	A1	432	A	C5'-C4'-O4'	7.32	117.89	109.10
25	BB	332	A	C6-C5-N7	7.32	137.43	132.30
25	BB	641	U	N1-C2-O2	7.32	127.93	122.80
25	BB	1470	A	C4-C5-C6	-7.32	113.34	117.00
25	BB	1822	C	C5'-C4'-C3'	-7.32	104.28	116.00
3	A1	60	A	N7-C8-N9	7.32	117.46	113.80
3	A1	690	G	O5'-P-OP1	-7.32	99.11	105.70
24	BA	44	G	N1-C6-O6	-7.32	115.51	119.90
25	BB	179	C	N1-C2-O2	7.32	123.29	118.90
25	BB	275	C	N1-C2-N3	7.32	124.33	119.20
25	BB	471	A	C4'-C3'-C2'	-7.32	95.28	102.60
25	BB	2641	G	N3-C4-C5	-7.32	124.94	128.60
50	B1	44	ARG	NE-CZ-NH1	7.32	123.96	120.30
2	AM	19	U	C4-C5-C6	7.32	124.09	119.70
3	A1	339	C	C4-C5-C6	7.32	121.06	117.40
25	BB	554	U	C2-N3-C4	-7.32	122.61	127.00
25	BB	872	U	O5'-P-OP1	-7.32	99.11	105.70
25	BB	1001	A	C2-N3-C4	7.32	114.26	110.60
25	BB	1149	G	N3-C4-C5	-7.32	124.94	128.60
25	BB	1678	A	C5-C6-N1	7.32	121.36	117.70
25	BB	2409	G	N3-C4-C5	-7.32	124.94	128.60
3	A1	14	U	N3-C2-O2	-7.32	117.08	122.20
25	BB	1493	C	N1-C2-O2	7.32	123.29	118.90
25	BB	2487	G	C6-C5-N7	7.32	134.79	130.40
25	BB	2570	G	P-O3'-C3'	7.32	128.48	119.70
3	A1	1490	U	C6-N1-C2	-7.32	116.61	121.00
24	BA	103	U	C5-C6-N1	-7.32	119.04	122.70
25	BB	1268	A	C3'-C2'-C1'	7.32	107.35	101.50
25	BB	1432	G	C6-N1-C2	-7.32	120.71	125.10
25	BB	1889	A	C5-N7-C8	-7.32	100.24	103.90
25	BB	2028	U	N1-C2-N3	7.32	119.29	114.90
25	BB	2275	C	O4'-C1'-N1	7.32	114.05	108.20
25	BB	2451	A	C2-N3-C4	7.32	114.26	110.60
3	A1	347	G	N3-C4-C5	-7.32	124.94	128.60
25	BB	303	G	C6-N1-C2	-7.32	120.71	125.10
25	BB	716	A	C1'-O4'-C4'	-7.32	104.05	109.90
25	BB	1804	C	N3-C2-O2	-7.32	116.78	121.90
25	BB	2665	A	N1-C6-N6	-7.32	114.21	118.60
25	BB	2674	G	C2-N3-C4	7.32	115.56	111.90
25	BB	2856	A	C4-C5-N7	7.32	114.36	110.70
3	A1	793	U	N3-C2-O2	-7.31	117.08	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	866	C	N1-C2-O2	7.31	123.29	118.90
25	BB	174	U	N3-C2-O2	-7.31	117.08	122.20
25	BB	2388	A	C4-C5-C6	-7.31	113.34	117.00
25	BB	2685	G	O4'-C4'-C3'	7.31	111.95	106.10
25	BB	2895	G	N9-C4-C5	7.31	108.33	105.40
3	A1	1350	A	C5'-C4'-C3'	-7.31	104.30	116.00
25	BB	954	G	N1-C2-N3	7.31	128.29	123.90
25	BB	1187	G	N3-C4-C5	-7.31	124.94	128.60
25	BB	2373	G	C5-C6-O6	7.31	132.99	128.60
25	BB	2385	C	C5-C6-N1	-7.31	117.34	121.00
25	BB	2433	A	C6-C5-N7	7.31	137.42	132.30
25	BB	2519	U	O4'-C1'-N1	7.31	114.05	108.20
25	BB	2895	G	C6-C5-N7	7.31	134.79	130.40
3	A1	1182	G	N1-C2-N2	-7.31	109.62	116.20
25	BB	1558	C	C3'-C2'-C1'	7.31	107.35	101.50
2	AM	11	U	C3'-C2'-C1'	7.31	107.35	101.50
3	A1	601	G	C6-N1-C2	-7.31	120.72	125.10
3	A1	738	C	C4-C5-C6	-7.31	113.75	117.40
3	A1	782	A	O4'-C1'-N9	7.31	114.05	108.20
25	BB	800	A	C6-C5-N7	7.31	137.42	132.30
25	BB	942	G	N1-C6-O6	-7.31	115.51	119.90
25	BB	1545	A	N1-C2-N3	-7.31	125.64	129.30
25	BB	1875	G	N1-C2-N3	7.31	128.29	123.90
3	A1	159	G	N1-C2-N2	7.31	122.78	116.20
3	A1	425	G	N3-C4-C5	-7.31	124.95	128.60
11	AJ	64	ARG	NE-CZ-NH1	7.31	123.95	120.30
25	BB	389	G	N1-C2-N3	7.31	128.28	123.90
25	BB	603	A	C2-N3-C4	7.31	114.25	110.60
25	BB	643	A	N7-C8-N9	7.31	117.45	113.80
25	BB	1572	A	C6-C5-N7	7.31	137.41	132.30
25	BB	2435	A	C4-C5-C6	-7.31	113.35	117.00
1	AA	26	G	C6-N1-C2	-7.31	120.72	125.10
25	BB	628	G	N9-C1'-C2'	-7.31	103.96	112.00
25	BB	1243	C	N3-C2-O2	-7.31	116.79	121.90
25	BB	1530	G	C5-C6-N1	7.31	115.15	111.50
25	BB	2885	G	C6-C5-N7	7.31	134.78	130.40
3	A1	928	G	N7-C8-N9	7.30	116.75	113.10
3	A1	1425	U	C2-N3-C4	-7.30	122.62	127.00
3	A1	1450	U	O4'-C1'-N1	7.30	114.04	108.20
25	BB	337	C	N3-C2-O2	-7.30	116.79	121.90
25	BB	1610	A	N9-C1'-C2'	-7.30	103.96	112.00
25	BB	2212	A	C5'-C4'-C3'	-7.30	104.31	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2333	A	C4-C5-C6	-7.30	113.35	117.00
25	BB	2394	C	C5'-C4'-O4'	7.30	117.86	109.10
3	A1	188	C	C3'-C2'-C1'	-7.30	95.66	101.50
24	BA	66	A	C4-C5-N7	7.30	114.35	110.70
25	BB	371	A	C2-N3-C4	7.30	114.25	110.60
25	BB	1754	A	C6-C5-N7	7.30	137.41	132.30
25	BB	2004	G	C8-N9-C4	-7.30	103.48	106.40
3	A1	109	A	C4-C5-C6	-7.30	113.35	117.00
3	A1	421	U	C4'-C3'-C2'	-7.30	95.30	102.60
3	A1	599	C	C4'-C3'-C2'	-7.30	95.30	102.60
3	A1	915	A	O4'-C1'-N9	7.30	114.04	108.20
3	A1	1409	C	O4'-C1'-C2'	-7.30	98.50	105.80
25	BB	715	A	N1-C6-N6	-7.30	114.22	118.60
25	BB	985	C	N3-C2-O2	-7.30	116.79	121.90
25	BB	1172	C	C2-N3-C4	-7.30	116.25	119.90
25	BB	1837	C	C4-C5-C6	-7.30	113.75	117.40
25	BB	2361	G	N7-C8-N9	7.30	116.75	113.10
25	BB	2608	G	N3-C4-C5	-7.30	124.95	128.60
3	A1	1219	A	O4'-C4'-C3'	-7.30	96.70	104.00
3	A1	1374	A	C5-C6-N6	7.30	129.54	123.70
3	A1	1491	G	C8-N9-C4	-7.30	103.48	106.40
25	BB	847	U	N1-C2-O2	7.30	127.91	122.80
25	BB	1154	G	C5-C6-O6	7.30	132.98	128.60
25	BB	1195	G	C5'-C4'-C3'	-7.30	104.32	116.00
25	BB	1614	A	O4'-C4'-C3'	7.30	111.94	106.10
25	BB	1848	A	C5-C6-N1	7.30	121.35	117.70
25	BB	2430	A	C2-N3-C4	7.30	114.25	110.60
25	BB	2598	A	C3'-C2'-C1'	7.30	107.34	101.50
25	BB	2787	C	C5-C6-N1	-7.30	117.35	121.00
3	A1	1033	G	C3'-C2'-C1'	-7.30	95.66	101.50
25	BB	278	A	C5'-C4'-O4'	7.30	117.86	109.10
25	BB	849	A	C5-C6-N6	7.30	129.54	123.70
25	BB	2161	C	N3-C2-O2	-7.30	116.79	121.90
1	AE	53	G	N1-C6-O6	-7.30	115.52	119.90
25	BB	21	A	C6-N1-C2	-7.30	114.22	118.60
25	BB	100	U	C6-N1-C2	-7.30	116.62	121.00
25	BB	611	C	N1-C2-O2	7.30	123.28	118.90
25	BB	2074	U	C3'-C2'-C1'	7.30	107.34	101.50
25	BB	2110	G	O3'-P-O5'	-7.30	90.14	104.00
25	BB	2277	G	C2'-C3'-O3'	7.30	125.55	109.50
25	BB	2339	C	C2-N3-C4	-7.30	116.25	119.90
25	BB	2365	G	C5-C6-O6	7.30	132.98	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	132	C	C6-N1-C2	-7.29	117.38	120.30
3	A1	810	C	C2-N3-C4	-7.29	116.25	119.90
25	BB	863	A	C4'-C3'-C2'	-7.29	95.31	102.60
25	BB	1465	G	C5-C6-N1	7.29	115.15	111.50
25	BB	1696	G	C5-C6-N1	7.29	115.15	111.50
25	BB	2850	A	C5-C6-N6	7.29	129.54	123.70
1	AE	34	G	C5-N7-C8	-7.29	100.65	104.30
3	A1	319	G	N3-C2-N2	-7.29	114.79	119.90
3	A1	612	C	C2-N3-C4	-7.29	116.25	119.90
3	A1	901	A	O4'-C4'-C3'	-7.29	96.71	104.00
3	A1	915	A	C4-C5-C6	-7.29	113.35	117.00
3	A1	1181	G	O4'-C4'-C3'	7.29	111.94	106.10
9	AH	88	ARG	NE-CZ-NH2	-7.29	116.65	120.30
25	BB	1188	U	C5-C6-N1	-7.29	119.05	122.70
25	BB	2073	C	C2-N3-C4	-7.29	116.25	119.90
25	BB	2221	G	C5-C6-O6	7.29	132.98	128.60
25	BB	2554	U	C4-C5-C6	7.29	124.08	119.70
25	BB	2554	U	O4'-C1'-N1	7.29	114.03	108.20
1	AA	11	C	O4'-C1'-N1	7.29	114.03	108.20
3	A1	340	U	C6-N1-C2	-7.29	116.63	121.00
3	A1	478	A	C6-C5-N7	7.29	137.40	132.30
25	BB	318	C	C5-C4-N4	7.29	125.30	120.20
25	BB	946	C	N1-C2-O2	7.29	123.27	118.90
25	BB	1090	A	C4'-C3'-O3'	-7.29	94.09	109.40
25	BB	1189	A	C4-C5-C6	-7.29	113.35	117.00
3	A1	1210	C	N3-C4-C5	7.29	124.82	121.90
25	BB	413	C	C4'-C3'-C2'	-7.29	95.31	102.60
25	BB	1046	A	C6-C5-N7	7.29	137.40	132.30
25	BB	1108	U	N1-C2-O2	7.29	127.90	122.80
25	BB	2683	C	C5'-C4'-C3'	-7.29	104.34	116.00
3	A1	369	G	C4-C5-C6	-7.29	114.43	118.80
24	BA	115	A	C5-C6-N6	7.29	129.53	123.70
25	BB	1103	A	C6-C5-N7	7.29	137.40	132.30
25	BB	1129	A	C4-C5-N7	-7.29	107.06	110.70
25	BB	1361	G	O3'-P-O5'	-7.29	90.15	104.00
25	BB	1387	A	O4'-C4'-C3'	7.29	111.93	106.10
25	BB	1577	C	C2-N3-C4	-7.29	116.26	119.90
25	BB	1635	A	C4'-C3'-C2'	-7.29	95.31	102.60
25	BB	1679	A	C6-C5-N7	7.29	137.40	132.30
1	AA	44	A	O5'-P-OP1	7.29	119.44	110.70
25	BB	578	G	C5-C6-N1	7.29	115.14	111.50
51	B2	157	THR	CA-CB-CG2	7.29	122.60	112.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AE	2	C	C2-N3-C4	-7.29	116.26	119.90
3	A1	257	G	C5-C6-N1	7.29	115.14	111.50
3	A1	348	G	C5-C6-N1	7.29	115.14	111.50
25	BB	825	A	C5'-C4'-O4'	7.29	117.84	109.10
25	BB	1051	G	C5-N7-C8	-7.29	100.66	104.30
25	BB	1831	G	C5-C6-N1	7.29	115.14	111.50
25	BB	2439	A	N7-C8-N9	7.29	117.44	113.80
51	B2	70	ARG	NE-CZ-NH2	7.29	123.94	120.30
3	A1	142	G	C1'-O4'-C4'	-7.28	104.07	109.90
3	A1	293	G	C6-N1-C2	-7.28	120.73	125.10
3	A1	540	G	N7-C8-N9	7.28	116.74	113.10
3	A1	1000	A	C4'-C3'-C2'	-7.28	95.32	102.60
3	A1	1389	C	C2-N3-C4	-7.28	116.26	119.90
25	BB	282	A	C5-C6-N1	7.28	121.34	117.70
25	BB	1459	G	N7-C8-N9	7.28	116.74	113.10
25	BB	1548	A	N9-C4-C5	-7.28	102.89	105.80
25	BB	1732	C	P-O3'-C3'	7.28	128.44	119.70
25	BB	1886	U	C4'-C3'-C2'	-7.28	95.32	102.60
2	AM	5	U	N1-C2-N3	7.28	119.27	114.90
3	A1	61	G	C5'-C4'-C3'	-7.28	104.35	116.00
3	A1	142	G	C8-N9-C4	-7.28	103.49	106.40
3	A1	620	C	N3-C4-C5	7.28	124.81	121.90
3	A1	1007	U	C5-C6-N1	-7.28	119.06	122.70
3	A1	1234	C	C5'-C4'-C3'	-7.28	104.35	116.00
3	A1	1254	A	N1-C2-N3	-7.28	125.66	129.30
25	BB	42	A	C4-C5-C6	-7.28	113.36	117.00
25	BB	1474	U	P-O3'-C3'	7.28	128.44	119.70
25	BB	2300	C	C5-C4-N4	-7.28	115.10	120.20
25	BB	2594	C	C5'-C4'-O4'	7.28	117.84	109.10
1	AA	74	C	C4-C5-C6	-7.28	113.76	117.40
3	A1	764	C	N1-C2-N3	7.28	124.30	119.20
3	A1	1127	G	C5'-C4'-C3'	-7.28	104.35	116.00
3	A1	1222	G	C4-C5-N7	-7.28	107.89	110.80
3	A1	1495	U	C5-C4-O4	7.28	130.27	125.90
25	BB	165	A	C2-N3-C4	7.28	114.24	110.60
25	BB	333	G	O4'-C1'-N9	7.28	114.02	108.20
25	BB	757	G	N3-C4-C5	-7.28	124.96	128.60
25	BB	853	C	C2-N3-C4	-7.28	116.26	119.90
25	BB	1307	A	C3'-C2'-C1'	7.28	107.33	101.50
25	BB	1364	G	C5-N7-C8	-7.28	100.66	104.30
25	BB	2093	G	C5-C6-N1	7.28	115.14	111.50
25	BB	890	C	N3-C2-O2	-7.28	116.81	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	932	U	O4'-C1'-N1	7.28	114.02	108.20
25	BB	1327	A	C5-C6-N1	7.28	121.34	117.70
25	BB	1904	G	N3-C2-N2	-7.28	114.81	119.90
25	BB	2422	C	C6-N1-C2	-7.28	117.39	120.30
1	AP	62	A	C5-C6-N6	7.28	129.52	123.70
3	A1	927	G	N3-C2-N2	-7.28	114.81	119.90
3	A1	1015	G	N1-C2-N3	7.28	128.27	123.90
3	A1	1525	G	C8-N9-C4	-7.28	103.49	106.40
25	BB	440	C	N3-C4-C5	7.28	124.81	121.90
25	BB	2035	G	N1-C2-N3	7.28	128.27	123.90
25	BB	2685	G	C1'-O4'-C4'	-7.28	104.08	109.90
1	AA	19	G	C6-N1-C2	-7.28	120.73	125.10
3	A1	38	G	N9-C4-C5	7.28	108.31	105.40
3	A1	251	G	C1'-O4'-C4'	-7.28	104.08	109.90
3	A1	666	G	C6-N1-C2	-7.28	120.73	125.10
3	A1	690	G	N3-C2-N2	-7.28	114.81	119.90
3	A1	1130	A	N9-C4-C5	7.28	108.71	105.80
25	BB	330	A	C1'-O4'-C4'	-7.28	104.08	109.90
25	BB	516	C	N3-C2-O2	-7.28	116.81	121.90
25	BB	674	G	N3-C4-C5	-7.28	124.96	128.60
25	BB	727	A	C6-N1-C2	-7.28	114.23	118.60
25	BB	838	C	N3-C2-O2	-7.28	116.81	121.90
25	BB	1441	G	C5-C6-N1	7.28	115.14	111.50
25	BB	1517	G	N1-C2-N2	7.28	122.75	116.20
25	BB	2481	G	C5-C6-N1	7.28	115.14	111.50
25	BB	2529	G	N1-C6-O6	-7.28	115.53	119.90
3	A1	743	A	C5-C6-N1	7.27	121.34	117.70
25	BB	1030	C	C2-N3-C4	-7.27	116.26	119.90
1	AP	11	C	N1-C2-O2	7.27	123.26	118.90
3	A1	71	A	C5-N7-C8	-7.27	100.26	103.90
3	A1	357	G	N3-C2-N2	-7.27	114.81	119.90
3	A1	395	C	N3-C4-C5	7.27	124.81	121.90
3	A1	795	C	N3-C2-O2	-7.27	116.81	121.90
3	A1	853	C	O4'-C1'-N1	7.27	114.02	108.20
3	A1	925	G	C5-C6-O6	7.27	132.96	128.60
3	A1	977	A	N1-C6-N6	-7.27	114.24	118.60
25	BB	664	G	C6-N1-C2	-7.27	120.74	125.10
25	BB	742	A	C6-C5-N7	7.27	137.39	132.30
25	BB	1292	G	C5-N7-C8	-7.27	100.66	104.30
25	BB	1479	G	N1-C6-O6	-7.27	115.54	119.90
25	BB	1654	A	O4'-C1'-N9	7.27	114.02	108.20
25	BB	2111	U	C5'-C4'-O4'	7.27	117.83	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2420	C	P-O3'-C3'	7.27	128.43	119.70
25	BB	2725	A	C2-N3-C4	7.27	114.24	110.60
25	BB	2751	G	N9-C4-C5	7.27	108.31	105.40
52	B3	173	ALA	N-CA-CB	-7.27	99.92	110.10
1	AP	25	C	O4'-C1'-N1	7.27	114.02	108.20
25	BB	2893	A	C6-C5-N7	7.27	137.39	132.30
1	AA	65	G	C4'-C3'-C2'	-7.27	95.33	102.60
1	AP	24	G	N1-C2-N3	7.27	128.26	123.90
1	AP	66	A	C4-C5-C6	-7.27	113.36	117.00
2	AM	10	U	N1-C2-N3	7.27	119.26	114.90
3	A1	491	G	C5-N7-C8	-7.27	100.67	104.30
3	A1	694	A	C4-C5-C6	-7.27	113.36	117.00
3	A1	1350	A	C4-C5-C6	-7.27	113.37	117.00
24	BA	61	G	N9-C4-C5	7.27	108.31	105.40
25	BB	26	G	N1-C6-O6	-7.27	115.54	119.90
25	BB	437	U	O4'-C1'-N1	-7.27	102.38	108.20
25	BB	470	A	C4-C5-C6	-7.27	113.36	117.00
25	BB	663	G	O4'-C1'-N9	7.27	114.02	108.20
25	BB	1399	C	C3'-C2'-C1'	7.27	107.32	101.50
25	BB	2018	G	C5-C6-N1	7.27	115.14	111.50
25	BB	2541	A	C5-C6-N1	7.27	121.33	117.70
25	BB	2610	C	C2-N3-C4	-7.27	116.27	119.90
1	AA	40	C	C5-C6-N1	-7.27	117.37	121.00
3	A1	98	A	C6-C5-N7	7.27	137.39	132.30
3	A1	151	A	C4-C5-C6	-7.27	113.37	117.00
3	A1	347	G	N9-C4-C5	7.27	108.31	105.40
3	A1	1019	A	C4-C5-C6	-7.27	113.37	117.00
25	BB	19	A	C5-C6-N1	7.27	121.33	117.70
25	BB	341	C	C4-C5-C6	7.27	121.03	117.40
25	BB	595	C	N3-C4-C5	7.27	124.81	121.90
25	BB	948	C	N3-C2-O2	-7.27	116.81	121.90
25	BB	977	G	C6-N1-C2	-7.27	120.74	125.10
25	BB	1061	U	N1-C1'-C2'	7.27	123.45	114.00
25	BB	1131	G	C5-C6-N1	7.27	115.13	111.50
25	BB	2813	A	C5-C6-N6	7.27	129.51	123.70
25	BB	2901	C	N3-C4-C5	7.27	124.81	121.90
25	BB	1660	G	N3-C4-C5	-7.27	124.97	128.60
25	BB	1885	A	C4'-C3'-C2'	-7.27	95.33	102.60
1	AA	4	G	O4'-C1'-N9	7.26	114.01	108.20
3	A1	426	U	C4-C5-C6	7.26	124.06	119.70
3	A1	1293	C	N3-C2-O2	-7.26	116.81	121.90
25	BB	64	A	C5-C6-N1	7.26	121.33	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1479	G	N9-C4-C5	-7.26	102.49	105.40
25	BB	1585	C	O4'-C1'-C2'	7.26	114.14	107.60
25	BB	1821	A	C6-C5-N7	7.26	137.38	132.30
1	AE	69	U	C5'-C4'-C3'	-7.26	104.38	116.00
3	A1	357	G	C6-C5-N7	7.26	134.76	130.40
3	A1	572	A	C6-C5-N7	7.26	137.38	132.30
25	BB	296	U	N1-C2-N3	7.26	119.26	114.90
25	BB	1084	A	N1-C6-N6	-7.26	114.24	118.60
25	BB	2079	U	C5'-C4'-O4'	7.26	117.81	109.10
25	BB	2171	A	C5-N7-C8	-7.26	100.27	103.90
25	BB	2674	G	C5-C6-O6	7.26	132.96	128.60
25	BB	2769	U	N3-C2-O2	-7.26	117.12	122.20
3	A1	447	G	C8-N9-C4	-7.26	103.50	106.40
3	A1	484	G	C5-C6-O6	7.26	132.96	128.60
3	A1	978	A	C4'-C3'-C2'	-7.26	95.34	102.60
25	BB	1453	A	C6-C5-N7	7.26	137.38	132.30
3	A1	138	G	C5'-C4'-O4'	7.26	117.81	109.10
3	A1	1518	A	C5-N7-C8	-7.26	100.27	103.90
25	BB	8	C	N3-C4-N4	-7.26	112.92	118.00
25	BB	198	C	N1-C2-O2	7.26	123.26	118.90
25	BB	1616	A	O4'-C1'-N9	7.26	114.01	108.20
1	AA	42	G	O5'-C5'-C4'	-7.26	97.91	111.70
25	BB	256	A	C5-C6-N1	7.26	121.33	117.70
25	BB	2589	A	C5-C6-N1	7.26	121.33	117.70
3	A1	503	C	C2'-C3'-O3'	7.26	125.46	109.50
3	A1	1066	C	C6-N1-C2	-7.26	117.40	120.30
3	A1	1342	C	N1-C2-N3	7.26	124.28	119.20
3	A1	1488	G	C6-N1-C2	-7.26	120.75	125.10
25	BB	27	G	C3'-C2'-C1'	7.26	107.31	101.50
25	BB	1293	C	N3-C4-N4	-7.26	112.92	118.00
25	BB	2285	C	N3-C4-N4	-7.26	112.92	118.00
1	AA	39	U	N3-C2-O2	-7.25	117.12	122.20
3	A1	146	G	C5-C6-N1	7.25	115.13	111.50
3	A1	39	G	C5-C6-N1	7.25	115.13	111.50
3	A1	1094	G	C6-C5-N7	7.25	134.75	130.40
25	BB	517	C	C3'-C2'-C1'	7.25	107.30	101.50
25	BB	537	G	C6-N1-C2	-7.25	120.75	125.10
25	BB	581	C	N3-C4-C5	7.25	124.80	121.90
25	BB	997	G	N9-C1'-C2'	-7.25	104.02	112.00
25	BB	1137	G	O4'-C1'-N9	7.25	114.00	108.20
25	BB	1307	A	C4'-C3'-C2'	-7.25	95.35	102.60
25	BB	1937	A	O4'-C1'-N9	-7.25	102.40	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1965	C	N3-C2-O2	-7.25	116.82	121.90
2	AM	13	U	C5'-C4'-O4'	7.25	117.80	109.10
3	A1	21	G	C5-C6-O6	7.25	132.95	128.60
3	A1	319	G	C5-N7-C8	-7.25	100.67	104.30
3	A1	470	C	N1-C2-O2	7.25	123.25	118.90
3	A1	732	C	C2-N3-C4	-7.25	116.28	119.90
3	A1	821	G	P-O3'-C3'	7.25	128.40	119.70
3	A1	1233	G	N3-C2-N2	-7.25	114.82	119.90
3	A1	1248	A	C4'-C3'-C2'	-7.25	95.35	102.60
25	BB	431	U	N3-C4-C5	-7.25	110.25	114.60
25	BB	2668	G	N1-C6-O6	-7.25	115.55	119.90
3	A1	63	C	O4'-C1'-N1	7.25	114.00	108.20
25	BB	273	G	C6-N1-C2	-7.25	120.75	125.10
25	BB	680	C	C4'-C3'-C2'	-7.25	95.35	102.60
25	BB	1858	A	C5-C6-N1	7.25	121.33	117.70
25	BB	2000	C	C2-N3-C4	-7.25	116.28	119.90
25	BB	2076	U	C4-C5-C6	7.25	124.05	119.70
1	AA	61	C	C6-N1-C2	-7.25	117.40	120.30
3	A1	116	A	N1-C6-N6	-7.25	114.25	118.60
3	A1	328	C	N3-C4-C5	7.25	124.80	121.90
3	A1	1481	U	C6-N1-C2	-7.25	116.65	121.00
25	BB	317	G	C6-C5-N7	7.25	134.75	130.40
25	BB	1519	G	O4'-C1'-N9	7.25	114.00	108.20
25	BB	2142	A	C8-N9-C4	-7.25	102.90	105.80
1	AP	28	C	N3-C2-O2	-7.25	116.83	121.90
3	A1	931	C	N3-C2-O2	-7.25	116.83	121.90
3	A1	994	A	C8-N9-C4	-7.25	102.90	105.80
25	BB	1	G	C6-N1-C2	-7.25	120.75	125.10
25	BB	230	G	N3-C2-N2	-7.25	114.83	119.90
25	BB	324	A	C3'-C2'-C1'	7.25	107.30	101.50
25	BB	2664	G	C1'-O4'-C4'	-7.25	104.10	109.90
1	AE	50	U	O5'-P-OP1	-7.25	99.18	105.70
3	A1	1362	A	C5-C6-N6	7.25	129.50	123.70
16	AQ	6	ARG	NE-CZ-NH2	7.25	123.92	120.30
25	BB	321	U	N3-C2-O2	-7.25	117.13	122.20
2	AM	11	U	O4'-C1'-N1	7.24	114.00	108.20
3	A1	158	G	N9-C4-C5	7.24	108.30	105.40
3	A1	240	G	N9-C4-C5	7.24	108.30	105.40
3	A1	544	G	N3-C4-C5	-7.24	124.98	128.60
25	BB	97	C	N3-C4-N4	-7.24	112.93	118.00
25	BB	1439	A	C5-C6-N1	7.24	121.32	117.70
25	BB	1450	G	P-O3'-C3'	7.24	128.39	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1615	C	N3-C4-N4	-7.24	112.93	118.00
25	BB	1924	C	C4'-C3'-C2'	-7.24	95.36	102.60
3	A1	336	A	N1-C6-N6	-7.24	114.25	118.60
24	BA	100	G	N1-C6-O6	-7.24	115.56	119.90
24	BA	100	G	O4'-C1'-N9	7.24	113.99	108.20
25	BB	1112	G	C5-C6-N1	7.24	115.12	111.50
3	A1	153	C	C6-N1-C2	-7.24	117.40	120.30
3	A1	456	A	C4-C5-C6	-7.24	113.38	117.00
25	BB	152	A	N9-C4-C5	7.24	108.70	105.80
25	BB	723	C	O4'-C1'-N1	7.24	113.99	108.20
25	BB	954	G	C5-C6-N1	7.24	115.12	111.50
25	BB	1072	C	C2-N3-C4	-7.24	116.28	119.90
25	BB	1482	G	N3-C4-C5	-7.24	124.98	128.60
25	BB	2253	G	N1-C2-N3	7.24	128.25	123.90
25	BB	2422	C	C5-C4-N4	7.24	125.27	120.20
25	BB	2480	C	C2-N3-C4	-7.24	116.28	119.90
1	AA	15	G	C8-N9-C4	-7.24	103.50	106.40
3	A1	647	C	C3'-C2'-C1'	7.24	107.29	101.50
3	A1	1073	U	N3-C2-O2	-7.24	117.13	122.20
3	A1	1479	C	N3-C4-C5	7.24	124.80	121.90
25	BB	1259	G	O4'-C1'-N9	-7.24	102.41	108.20
25	BB	1582	C	N3-C2-O2	-7.24	116.83	121.90
25	BB	1626	A	C1'-O4'-C4'	-7.24	104.11	109.90
25	BB	2133	G	N9-C4-C5	7.24	108.30	105.40
25	BB	2756	U	N1-C2-N3	7.24	119.24	114.90
1	AP	43	G	C3'-C2'-C1'	-7.24	95.71	101.50
1	AP	52	U	C5-C6-N1	-7.24	119.08	122.70
3	A1	399	G	N1-C6-O6	-7.24	115.56	119.90
3	A1	676	A	C4'-C3'-C2'	-7.24	95.36	102.60
3	A1	1022	A	O4'-C1'-N9	7.24	113.99	108.20
3	A1	1297	G	N7-C8-N9	7.24	116.72	113.10
24	BA	91	C	C5'-C4'-O4'	7.24	117.78	109.10
25	BB	164	C	O4'-C1'-N1	7.24	113.99	108.20
25	BB	859	G	N1-C6-O6	-7.24	115.56	119.90
25	BB	928	A	C5-C6-N6	7.24	129.49	123.70
25	BB	1595	C	N3-C2-O2	-7.24	116.83	121.90
25	BB	1719	G	C2-N3-C4	7.24	115.52	111.90
25	BB	2641	G	C5-C6-N1	7.24	115.12	111.50
25	BB	2884	U	C1'-O4'-C4'	-7.24	104.11	109.90
25	BB	2226	C	N3-C2-O2	-7.23	116.84	121.90
25	BB	2502	G	N1-C2-N2	-7.23	109.69	116.20
3	A1	331	G	C5-C6-O6	7.23	132.94	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	881	G	C4'-C3'-C2'	-7.23	95.37	102.60
24	BA	108	A	C5-C6-N6	7.23	129.49	123.70
25	BB	258	G	C5-C6-N1	7.23	115.12	111.50
25	BB	2133	G	C4-C5-N7	-7.23	107.91	110.80
25	BB	2335	A	C2-N3-C4	7.23	114.22	110.60
25	BB	2510	C	N3-C2-O2	-7.23	116.84	121.90
3	A1	256	U	O4'-C1'-N1	7.23	113.98	108.20
3	A1	547	A	C6-C5-N7	7.23	137.36	132.30
3	A1	725	G	N3-C4-C5	-7.23	124.98	128.60
3	A1	967	C	N3-C2-O2	-7.23	116.84	121.90
25	BB	970	U	C2-N3-C4	-7.23	122.66	127.00
25	BB	1555	G	C2-N3-C4	7.23	115.52	111.90
25	BB	1650	A	C5-C6-N6	7.23	129.49	123.70
25	BB	2214	C	N3-C4-N4	-7.23	112.94	118.00
1	AE	7	U	C4-C5-C6	7.23	124.04	119.70
3	A1	1356	G	C6-N1-C2	-7.23	120.76	125.10
25	BB	1458	U	N1-C1'-C2'	7.23	123.40	114.00
3	A1	226	G	C5-C6-O6	7.23	132.94	128.60
3	A1	624	C	C3'-C2'-C1'	7.23	107.28	101.50
3	A1	659	U	C5'-C4'-O4'	7.23	117.77	109.10
25	BB	16	C	N3-C4-C5	7.23	124.79	121.90
25	BB	1379	U	O4'-C1'-N1	7.23	113.98	108.20
25	BB	1550	C	N3-C4-C5	7.23	124.79	121.90
25	BB	1878	G	N1-C2-N2	-7.23	109.70	116.20
3	A1	83	C	C1'-O4'-C4'	-7.23	104.12	109.90
3	A1	760	G	P-O3'-C3'	7.23	128.37	119.70
25	BB	195	A	N1-C6-N6	-7.23	114.26	118.60
30	BG	96	ARG	NE-CZ-NH2	7.23	123.91	120.30
3	A1	51	A	C3'-C2'-C1'	7.22	107.28	101.50
3	A1	1036	A	C4'-C3'-C2'	-7.22	95.38	102.60
25	BB	914	G	C8-N9-C4	-7.22	103.51	106.40
25	BB	1409	U	N1-C2-N3	7.22	119.23	114.90
25	BB	1952	A	C3'-C2'-C1'	7.22	107.28	101.50
25	BB	2291	U	C5'-C4'-O4'	7.22	117.77	109.10
37	BN	100	ARG	CD-NE-CZ	7.22	133.72	123.60
3	A1	592	G	C5-C6-N1	7.22	115.11	111.50
3	A1	657	U	C5-C6-N1	-7.22	119.09	122.70
3	A1	732	C	N3-C2-O2	-7.22	116.84	121.90
3	A1	749	A	C6-C5-N7	7.22	137.36	132.30
3	A1	779	C	C6-N1-C2	-7.22	117.41	120.30
3	A1	1199	U	C5-C6-N1	-7.22	119.09	122.70
24	BA	38	C	N3-C2-O2	-7.22	116.84	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	814	C	C2-N3-C4	-7.22	116.29	119.90
25	BB	1175	A	N7-C8-N9	7.22	117.41	113.80
25	BB	1355	G	N1-C2-N2	7.22	122.70	116.20
25	BB	1506	U	N3-C2-O2	-7.22	117.14	122.20
25	BB	2368	C	C3'-C2'-C1'	7.22	107.28	101.50
25	BB	2402	U	N1-C2-N3	7.22	119.23	114.90
25	BB	2845	U	C5-C6-N1	-7.22	119.09	122.70
3	A1	1514	G	C5-C6-O6	7.22	132.93	128.60
25	BB	88	G	C4-C5-C6	-7.22	114.47	118.80
25	BB	340	A	C2-N3-C4	7.22	114.21	110.60
1	AP	23	A	C6-C5-N7	7.22	137.35	132.30
3	A1	300	A	C4-C5-C6	-7.22	113.39	117.00
3	A1	1230	C	C2-N1-C1'	7.22	126.74	118.80
25	BB	706	A	O4'-C1'-N9	-7.22	102.42	108.20
25	BB	1004	U	O3'-P-O5'	-7.22	90.28	104.00
25	BB	1631	G	C5-N7-C8	-7.22	100.69	104.30
25	BB	1679	A	C2-N3-C4	7.22	114.21	110.60
25	BB	1738	G	N3-C2-N2	-7.22	114.85	119.90
25	BB	1959	G	C3'-C2'-C1'	7.22	107.28	101.50
25	BB	2331	G	C8-N9-C4	-7.22	103.51	106.40
3	A1	50	A	C5'-C4'-O4'	7.22	117.76	109.10
4	AB	34	ARG	NE-CZ-NH2	7.22	123.91	120.30
25	BB	1179	G	C5'-C4'-C3'	-7.22	104.45	116.00
25	BB	1326	U	C4-C5-C6	7.22	124.03	119.70
25	BB	2255	G	C5-C6-N1	7.22	115.11	111.50
3	A1	296	U	C6-N1-C2	-7.22	116.67	121.00
3	A1	341	C	N3-C4-N4	-7.22	112.95	118.00
3	A1	800	G	C5-C6-N1	7.22	115.11	111.50
3	A1	961	U	C2-N3-C4	-7.22	122.67	127.00
3	A1	1081	A	C5-C6-N6	7.22	129.47	123.70
3	A1	1198	G	N1-C6-O6	-7.22	115.57	119.90
8	AG	32	ASP	CB-CG-OD1	7.22	124.79	118.30
25	BB	1096	A	O4'-C4'-C3'	7.22	111.87	106.10
25	BB	1962	C	N1-C2-O2	7.22	123.23	118.90
50	B1	61	ARG	NE-CZ-NH1	7.22	123.91	120.30
3	A1	115	G	O4'-C1'-N9	-7.21	102.43	108.20
3	A1	264	C	C5'-C4'-O4'	7.21	117.76	109.10
3	A1	720	C	C6-N1-C2	-7.21	117.41	120.30
3	A1	978	A	C2-N3-C4	7.21	114.21	110.60
3	A1	1510	C	N3-C4-C5	7.21	124.79	121.90
25	BB	544	C	N1-C2-O2	7.21	123.23	118.90
25	BB	1492	G	N9-C4-C5	7.21	108.29	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1832	C	N3-C4-C5	7.21	124.79	121.90
1	AP	62	A	C4-C5-C6	-7.21	113.39	117.00
3	A1	13	U	N3-C2-O2	-7.21	117.15	122.20
25	BB	288	U	N1-C2-N3	7.21	119.23	114.90
25	BB	1506	U	C4-C5-C6	7.21	124.03	119.70
25	BB	1979	U	O4'-C1'-N1	7.21	113.97	108.20
25	BB	2092	U	C2-N3-C4	-7.21	122.67	127.00
25	BB	2277	G	C2-N3-C4	7.21	115.51	111.90
25	BB	2637	U	C5-C6-N1	-7.21	119.09	122.70
25	BB	2862	G	C5-C6-O6	7.21	132.93	128.60
3	A1	384	G	C8-N9-C4	-7.21	103.52	106.40
3	A1	620	C	C6-N1-C2	-7.21	117.42	120.30
3	A1	636	U	C1'-O4'-C4'	-7.21	104.13	109.90
25	BB	870	U	C3'-C2'-C1'	7.21	107.27	101.50
25	BB	888	C	C6-N1-C2	-7.21	117.42	120.30
25	BB	965	C	O4'-C4'-C3'	7.21	111.87	106.10
25	BB	1510	G	N7-C8-N9	7.21	116.70	113.10
25	BB	1855	U	C4-C5-C6	7.21	124.03	119.70
25	BB	2224	G	O4'-C1'-N9	7.21	113.97	108.20
25	BB	2805	C	N3-C2-O2	-7.21	116.85	121.90
25	BB	2895	G	C8-N9-C4	-7.21	103.52	106.40
3	A1	314	C	N3-C4-N4	-7.21	112.95	118.00
25	BB	4	U	N3-C2-O2	-7.21	117.15	122.20
25	BB	2722	G	N9-C4-C5	7.21	108.28	105.40
3	A1	173	U	C5-C6-N1	-7.21	119.10	122.70
3	A1	663	A	C5-N7-C8	-7.21	100.30	103.90
3	A1	836	G	C5-C6-O6	7.21	132.93	128.60
25	BB	652	U	C6-N1-C2	-7.21	116.67	121.00
25	BB	660	C	C1'-O4'-C4'	-7.21	104.13	109.90
25	BB	990	A	C4-C5-C6	-7.21	113.40	117.00
25	BB	1396	U	C6-N1-C2	-7.21	116.67	121.00
25	BB	1548	A	C5-C6-N1	7.21	121.30	117.70
3	A1	844	G	C6-C5-N7	7.21	134.72	130.40
3	A1	927	G	C3'-C2'-C1'	7.21	107.27	101.50
25	BB	537	G	C5-C6-O6	7.21	132.92	128.60
25	BB	726	G	N7-C8-N9	7.21	116.70	113.10
25	BB	951	C	N1-C2-N3	7.21	124.25	119.20
25	BB	1073	A	C4-C5-C6	-7.21	113.40	117.00
25	BB	2304	G	N3-C2-N2	-7.21	114.86	119.90
25	BB	2787	C	C4'-C3'-C2'	-7.21	95.39	102.60
3	A1	179	A	N1-C6-N6	-7.21	114.28	118.60
3	A1	691	G	C6-N1-C2	-7.21	120.78	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	824	G	N1-C6-O6	-7.21	115.58	119.90
3	A1	1050	G	C8-N9-C4	-7.21	103.52	106.40
25	BB	524	G	N1-C6-O6	-7.21	115.58	119.90
25	BB	1694	C	N3-C4-C5	7.21	124.78	121.90
25	BB	1858	A	C6-C5-N7	7.21	137.34	132.30
25	BB	2081	U	C4'-C3'-C2'	-7.21	95.39	102.60
25	BB	2157	G	C4-C5-N7	-7.21	107.92	110.80
25	BB	2661	G	O4'-C1'-N9	7.21	113.96	108.20
1	AP	61	C	C2-N3-C4	-7.20	116.30	119.90
3	A1	371	A	C6-C5-N7	7.20	137.34	132.30
3	A1	778	G	C2'-C3'-O3'	7.20	125.35	109.50
3	A1	896	C	N3-C2-O2	-7.20	116.86	121.90
3	A1	1427	C	N3-C4-N4	-7.20	112.96	118.00
12	AK	52	ARG	NE-CZ-NH1	7.20	123.90	120.30
13	AL	77	ARG	NH1-CZ-NH2	-7.20	111.48	119.40
25	BB	273	G	C5'-C4'-O4'	7.20	117.75	109.10
25	BB	489	G	C6-N1-C2	-7.20	120.78	125.10
25	BB	581	C	C6-N1-C2	-7.20	117.42	120.30
25	BB	902	C	N3-C4-C5	7.20	124.78	121.90
25	BB	1284	A	C5-C6-N1	7.20	121.30	117.70
25	BB	2775	G	C5-C6-N1	7.20	115.10	111.50
25	BB	56	A	C4-C5-C6	-7.20	113.40	117.00
25	BB	2350	C	N1-C2-O2	7.20	123.22	118.90
25	BB	2446	G	N3-C2-N2	-7.20	114.86	119.90
40	BQ	49	ASP	CB-CG-OD1	7.20	124.78	118.30
3	A1	227	G	C4-C5-N7	-7.20	107.92	110.80
3	A1	1038	C	C6-N1-C2	-7.20	117.42	120.30
3	A1	1159	U	C5'-C4'-O4'	7.20	117.74	109.10
3	A1	1443	C	C3'-C2'-C1'	7.20	107.26	101.50
24	BA	84	G	O4'-C1'-C2'	7.20	114.08	107.60
25	BB	145	C	N3-C2-O2	-7.20	116.86	121.90
25	BB	408	G	C5'-C4'-O4'	7.20	117.74	109.10
25	BB	1306	C	N1-C2-O2	7.20	123.22	118.90
25	BB	1828	G	C6-C5-N7	7.20	134.72	130.40
25	BB	2131	U	N3-C4-O4	7.20	124.44	119.40
30	BG	30	ARG	NE-CZ-NH2	-7.20	116.70	120.30
1	AP	49	C	N3-C2-O2	-7.20	116.86	121.90
3	A1	1254	A	C4'-C3'-C2'	-7.20	95.40	102.60
3	A1	1485	U	C5'-C4'-O4'	7.20	117.74	109.10
25	BB	477	A	C5-N7-C8	-7.20	100.30	103.90
25	BB	615	U	N3-C2-O2	-7.20	117.16	122.20
25	BB	1267	U	N3-C2-O2	-7.20	117.16	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2237	G	C5-C6-O6	7.20	132.92	128.60
25	BB	2315	G	N3-C4-C5	-7.20	125.00	128.60
25	BB	2461	A	N1-C6-N6	-7.20	114.28	118.60
25	BB	2496	C	C1'-O4'-C4'	-7.20	104.14	109.90
25	BB	2751	G	C8-N9-C4	-7.20	103.52	106.40
3	A1	492	C	N3-C4-N4	-7.20	112.96	118.00
3	A1	587	G	C3'-C2'-C1'	7.20	107.26	101.50
3	A1	604	G	C5-N7-C8	-7.20	100.70	104.30
3	A1	836	G	N1-C2-N2	-7.20	109.72	116.20
3	A1	997	U	C5-C4-O4	-7.20	121.58	125.90
25	BB	1174	U	N3-C4-O4	-7.20	114.36	119.40
25	BB	262	A	C5-C6-N6	7.20	129.46	123.70
25	BB	889	C	C5-C6-N1	-7.20	117.40	121.00
25	BB	1106	G	C8-N9-C4	-7.20	103.52	106.40
25	BB	1419	A	C5-C6-N1	7.20	121.30	117.70
25	BB	2291	U	C5'-C4'-C3'	-7.20	104.49	116.00
36	BM	56	GLU	OE1-CD-OE2	-7.20	114.67	123.30
48	BY	83	ARG	NE-CZ-NH2	7.20	123.90	120.30
3	A1	374	A	C3'-C2'-C1'	7.19	107.25	101.50
3	A1	947	G	C5-C6-N1	7.19	115.10	111.50
3	A1	1467	C	N1-C2-O2	7.19	123.22	118.90
7	AF	78	ARG	NH1-CZ-NH2	-7.19	111.49	119.40
24	BA	23	G	N7-C8-N9	7.19	116.70	113.10
24	BA	33	G	N1-C6-O6	-7.19	115.58	119.90
24	BA	52	A	C2-N3-C4	7.19	114.20	110.60
25	BB	126	A	C1'-O4'-C4'	-7.19	104.15	109.90
25	BB	230	G	C6-C5-N7	7.19	134.72	130.40
25	BB	1584	U	N1-C2-O2	7.19	127.83	122.80
25	BB	1981	A	C6-C5-N7	7.19	137.34	132.30
38	BO	6	ARG	NE-CZ-NH2	-7.19	116.70	120.30
3	A1	425	G	C5-N7-C8	-7.19	100.70	104.30
3	A1	816	A	C6-C5-N7	7.19	137.33	132.30
3	A1	1229	A	N1-C2-N3	-7.19	125.70	129.30
9	AH	87	ARG	NE-CZ-NH2	7.19	123.90	120.30
24	BA	35	C	C4'-C3'-C2'	-7.19	95.41	102.60
24	BA	91	C	C5-C4-N4	7.19	125.23	120.20
25	BB	568	U	C5-C6-N1	-7.19	119.11	122.70
25	BB	663	G	N1-C6-O6	-7.19	115.58	119.90
25	BB	800	A	O4'-C1'-N9	7.19	113.95	108.20
25	BB	1013	C	N3-C2-O2	-7.19	116.87	121.90
25	BB	1091	G	N1-C2-N3	7.19	128.21	123.90
25	BB	1210	G	C2-N3-C4	7.19	115.50	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1361	G	C3'-C2'-C1'	-7.19	95.75	101.50
25	BB	1649	G	N3-C2-N2	7.19	124.93	119.90
25	BB	1857	G	N3-C2-N2	-7.19	114.87	119.90
25	BB	2327	A	C3'-C2'-C1'	7.19	107.25	101.50
25	BB	2529	G	O3'-P-O5'	7.19	117.66	104.00
25	BB	2741	A	N1-C6-N6	-7.19	114.28	118.60
3	A1	109	A	C8-N9-C4	-7.19	102.92	105.80
3	A1	1371	G	N3-C2-N2	-7.19	114.87	119.90
25	BB	1633	G	C5-C6-N1	7.19	115.09	111.50
25	BB	2466	C	C5'-C4'-O4'	7.19	117.73	109.10
3	A1	761	G	N1-C6-O6	-7.19	115.59	119.90
3	A1	821	G	C5-C6-N1	7.19	115.09	111.50
24	BA	83	G	N7-C8-N9	7.19	116.69	113.10
25	BB	72	U	N3-C2-O2	-7.19	117.17	122.20
25	BB	91	A	C6-C5-N7	7.19	137.33	132.30
25	BB	774	G	C8-N9-C4	-7.19	103.53	106.40
25	BB	1138	G	N1-C6-O6	-7.19	115.59	119.90
25	BB	1329	U	C5-C6-N1	-7.19	119.11	122.70
25	BB	1524	G	N1-C2-N3	7.19	128.21	123.90
25	BB	2044	C	N3-C2-O2	-7.19	116.87	121.90
25	BB	2474	U	C3'-C2'-C1'	7.19	107.25	101.50
25	BB	2664	G	C5-C6-N1	7.19	115.09	111.50
25	BB	2883	A	C5-C6-N6	7.19	129.45	123.70
3	A1	819	A	C6-C5-N7	7.19	137.33	132.30
3	A1	988	G	C4'-C3'-C2'	-7.19	95.41	102.60
24	BA	33	G	C5-C6-N1	7.19	115.09	111.50
25	BB	154	U	O4'-C4'-C3'	7.19	111.85	106.10
25	BB	606	U	N1-C2-N3	7.19	119.21	114.90
25	BB	648	G	N9-C4-C5	7.19	108.27	105.40
25	BB	1691	C	O4'-C1'-N1	7.19	113.95	108.20
25	BB	2075	U	C5-C6-N1	-7.19	119.11	122.70
3	A1	678	U	N3-C2-O2	-7.18	117.17	122.20
3	A1	1238	A	C2-N3-C4	7.18	114.19	110.60
3	A1	1404	C	O4'-C1'-N1	7.18	113.95	108.20
25	BB	626	A	C4-C5-C6	-7.18	113.41	117.00
25	BB	1031	G	C5-C6-N1	7.18	115.09	111.50
25	BB	1252	G	N3-C4-C5	-7.18	125.01	128.60
25	BB	1448	G	N1-C6-O6	-7.18	115.59	119.90
25	BB	2134	A	N1-C2-N3	-7.18	125.71	129.30
25	BB	2156	G	N1-C6-O6	-7.18	115.59	119.90
1	AA	2	C	C3'-C2'-C1'	7.18	107.25	101.50
3	A1	267	C	N3-C4-N4	-7.18	112.97	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	453	G	C5-N7-C8	-7.18	100.71	104.30
3	A1	844	G	C8-N9-C4	-7.18	103.53	106.40
24	BA	36	C	N3-C4-N4	-7.18	112.97	118.00
25	BB	71	A	C6-C5-N7	7.18	137.33	132.30
25	BB	264	C	C3'-C2'-C1'	7.18	107.25	101.50
25	BB	332	A	O4'-C1'-N9	-7.18	102.45	108.20
25	BB	549	G	C5-C6-O6	7.18	132.91	128.60
25	BB	724	U	C3'-C2'-C1'	7.18	107.25	101.50
25	BB	949	G	C4'-C3'-C2'	-7.18	95.42	102.60
25	BB	1581	G	C5-C6-N1	7.18	115.09	111.50
25	BB	2080	A	C5-C6-N1	7.18	121.29	117.70
25	BB	2835	A	C4'-C3'-C2'	-7.18	95.42	102.60
3	A1	707	U	C5-C6-N1	-7.18	119.11	122.70
3	A1	947	G	C5-N7-C8	-7.18	100.71	104.30
3	A1	1006	G	N1-C6-O6	-7.18	115.59	119.90
25	BB	96	C	C4'-C3'-C2'	-7.18	95.42	102.60
25	BB	235	U	N3-C2-O2	-7.18	117.17	122.20
25	BB	757	G	O4'-C1'-N9	7.18	113.94	108.20
25	BB	1099	G	C8-N9-C4	-7.18	103.53	106.40
25	BB	1617	C	C5-C6-N1	-7.18	117.41	121.00
25	BB	230	G	C2-N3-C4	7.18	115.49	111.90
25	BB	442	G	N3-C2-N2	-7.18	114.88	119.90
25	BB	1336	A	C5-N7-C8	-7.18	100.31	103.90
25	BB	1509	A	O4'-C1'-N9	-7.18	102.46	108.20
25	BB	1672	A	C8-N9-C4	-7.18	102.93	105.80
3	A1	309	A	C5-C6-N6	7.18	129.44	123.70
3	A1	1037	C	C2-N3-C4	-7.18	116.31	119.90
25	BB	1675	C	C5'-C4'-O4'	-7.18	100.49	109.10
25	BB	2077	A	C2-N3-C4	7.18	114.19	110.60
25	BB	2158	A	N9-C4-C5	7.18	108.67	105.80
1	AE	2	C	N1-C2-N3	7.18	124.22	119.20
3	A1	23	C	C5-C6-N1	-7.18	117.41	121.00
3	A1	98	A	C5-C6-N1	7.18	121.29	117.70
3	A1	150	U	C5-C6-N1	-7.18	119.11	122.70
25	BB	645	C	C1'-O4'-C4'	-7.18	104.16	109.90
25	BB	706	A	O4'-C4'-C3'	7.18	111.84	106.10
25	BB	1250	G	N1-C6-O6	-7.18	115.59	119.90
25	BB	2120	G	N3-C2-N2	-7.18	114.88	119.90
1	AA	58	A	C8-N9-C4	-7.17	102.93	105.80
3	A1	45	G	C4-C5-N7	-7.17	107.93	110.80
3	A1	54	C	N3-C4-N4	7.17	123.02	118.00
3	A1	637	C	N1-C2-N3	7.17	124.22	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1286	A	C4-C5-C6	-7.17	113.41	117.00
25	BB	1863	G	N7-C8-N9	7.17	116.69	113.10
25	BB	2319	G	C3'-C2'-C1'	7.17	107.24	101.50
25	BB	2417	C	N3-C2-O2	-7.17	116.88	121.90
25	BB	2649	C	N1-C2-O2	7.17	123.20	118.90
25	BB	2736	A	C2-N3-C4	7.17	114.19	110.60
34	BK	13	ARG	NE-CZ-NH1	7.17	123.89	120.30
1	AE	53	G	C4'-C3'-C2'	-7.17	95.43	102.60
25	BB	183	C	C6-N1-C2	-7.17	117.43	120.30
25	BB	1471	G	C4-C5-N7	7.17	113.67	110.80
25	BB	1742	U	C5-C6-N1	-7.17	119.11	122.70
1	AP	6	U	C5-C6-N1	-7.17	119.11	122.70
1	AP	67	A	C4-C5-C6	-7.17	113.42	117.00
25	BB	614	A	C4-C5-C6	-7.17	113.41	117.00
25	BB	1162	G	C1'-O4'-C4'	-7.17	104.16	109.90
25	BB	1399	C	N3-C4-C5	7.17	124.77	121.90
25	BB	1483	G	C2-N3-C4	7.17	115.49	111.90
25	BB	2277	G	N3-C4-C5	-7.17	125.02	128.60
25	BB	2850	A	C6-C5-N7	7.17	137.32	132.30
25	BB	1971	U	N3-C4-C5	7.17	118.90	114.60
3	A1	280	C	N1-C2-O2	7.17	123.20	118.90
3	A1	290	C	N3-C2-O2	-7.17	116.88	121.90
3	A1	410	G	N1-C2-N3	7.17	128.20	123.90
3	A1	1239	A	N1-C2-N3	-7.17	125.72	129.30
22	AW	121	ARG	NH1-CZ-NH2	-7.17	111.52	119.40
25	BB	18	U	N1-C2-O2	7.17	127.82	122.80
25	BB	1021	A	N9-C4-C5	7.17	108.67	105.80
25	BB	1071	G	C5-C6-N1	7.17	115.08	111.50
25	BB	1088	A	N3-C4-C5	-7.17	121.78	126.80
25	BB	1121	C	N1-C2-O2	7.17	123.20	118.90
25	BB	1595	C	C5-C6-N1	-7.17	117.42	121.00
3	A1	431	A	N9-C4-C5	7.17	108.67	105.80
3	A1	928	G	C5'-C4'-O4'	7.17	117.70	109.10
3	A1	1260	G	N1-C2-N2	-7.17	109.75	116.20
3	A1	1393	U	C1'-O4'-C4'	-7.17	104.17	109.90
25	BB	205	G	N1-C6-O6	-7.17	115.60	119.90
25	BB	414	C	C5-C4-N4	7.17	125.22	120.20
25	BB	918	A	C2-N3-C4	7.17	114.18	110.60
25	BB	1695	G	C5-C6-N1	7.17	115.08	111.50
25	BB	1989	G	O4'-C1'-N9	7.17	113.93	108.20
25	BB	2531	A	C5-N7-C8	-7.17	100.32	103.90
25	BB	2859	G	C6-N1-C2	-7.17	120.80	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1459	G	C4'-C3'-C2'	-7.17	95.44	102.60
25	BB	213	A	C5-C6-N1	7.17	121.28	117.70
25	BB	217	A	C8-N9-C4	-7.17	102.93	105.80
25	BB	2260	C	N1-C2-O2	7.17	123.20	118.90
1	AE	17	U	N3-C2-O2	-7.16	117.19	122.20
3	A1	1062	U	C2-N3-C4	-7.16	122.70	127.00
3	A1	1220	G	C5-C6-O6	7.16	132.90	128.60
24	BA	71	C	N1-C2-N3	7.16	124.21	119.20
25	BB	97	C	N3-C4-C5	7.16	124.77	121.90
25	BB	1057	A	C6-C5-N7	7.16	137.31	132.30
25	BB	1070	A	O5'-P-OP1	-7.16	99.25	105.70
25	BB	2621	G	N9-C4-C5	7.16	108.27	105.40
3	A1	337	G	O4'-C4'-C3'	7.16	111.83	106.10
3	A1	1023	U	N1-C2-O2	7.16	127.81	122.80
25	BB	939	G	N3-C4-C5	-7.16	125.02	128.60
25	BB	1911	U	C4-C5-C6	7.16	124.00	119.70
25	BB	2637	U	C5'-C4'-O4'	7.16	117.69	109.10
1	AA	46	G	N3-C4-N9	7.16	130.30	126.00
1	AP	43	G	N1-C6-O6	-7.16	115.60	119.90
3	A1	106	C	C5-C6-N1	-7.16	117.42	121.00
3	A1	355	C	C5-C4-N4	-7.16	115.19	120.20
3	A1	1115	U	O4'-C1'-N1	7.16	113.93	108.20
3	A1	1222	G	C5-C6-O6	7.16	132.90	128.60
3	A1	1345	U	C5-C6-N1	-7.16	119.12	122.70
25	BB	1037	G	C2-N3-C4	7.16	115.48	111.90
25	BB	2478	A	C8-N9-C4	-7.16	102.94	105.80
25	BB	2537	U	C5-C4-O4	7.16	130.20	125.90
25	BB	2613	U	C6-N1-C2	-7.16	116.70	121.00
3	A1	36	C	N3-C4-C5	7.16	124.76	121.90
3	A1	573	A	C5-C6-N1	7.16	121.28	117.70
3	A1	1130	A	N1-C6-N6	-7.16	114.31	118.60
24	BA	81	G	C5-C6-N1	7.16	115.08	111.50
25	BB	34	U	C5-C6-N1	-7.16	119.12	122.70
25	BB	198	C	N3-C4-C5	7.16	124.76	121.90
25	BB	207	A	N1-C2-N3	-7.16	125.72	129.30
25	BB	821	A	C5-C6-N1	7.16	121.28	117.70
25	BB	1068	G	O3'-P-O5'	7.16	117.60	104.00
25	BB	2481	G	O4'-C4'-C3'	7.16	111.83	106.10
25	BB	2533	U	N1-C2-N3	7.16	119.19	114.90
25	BB	2776	A	C4-C5-C6	-7.16	113.42	117.00
3	A1	157	U	N3-C4-O4	7.16	124.41	119.40
3	A1	410	G	C3'-C2'-C1'	7.16	107.22	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1008	U	C1'-O4'-C4'	-7.16	104.18	109.90
25	BB	736	C	N3-C4-C5	7.16	124.76	121.90
25	BB	1074	G	N3-C2-N2	-7.16	114.89	119.90
3	A1	1214	C	C2-N3-C4	-7.15	116.32	119.90
25	BB	2124	G	C5-C6-N1	7.15	115.08	111.50
25	BB	2193	G	N3-C4-C5	-7.15	125.02	128.60
25	BB	2715	C	C4'-C3'-C2'	-7.15	95.45	102.60
1	AP	52	U	C4'-C3'-C2'	-7.15	95.45	102.60
1	AE	76	A	O4'-C1'-N9	7.15	113.92	108.20
3	A1	272	C	N3-C4-C5	7.15	124.76	121.90
3	A1	436	C	N3-C4-N4	-7.15	112.99	118.00
3	A1	1150	A	C5-C6-N1	7.15	121.28	117.70
24	BA	92	C	N3-C4-C5	7.15	124.76	121.90
25	BB	526	A	O4'-C1'-N9	7.15	113.92	108.20
25	BB	990	A	C5-C6-N1	7.15	121.28	117.70
25	BB	1194	A	C6-C5-N7	7.15	137.31	132.30
25	BB	1373	A	C5-C6-N1	7.15	121.28	117.70
25	BB	1523	U	N3-C2-O2	-7.15	117.19	122.20
25	BB	1841	U	C5-C6-N1	-7.15	119.12	122.70
25	BB	2098	U	C4-C5-C6	7.15	123.99	119.70
25	BB	2251	G	C4-C5-N7	7.15	113.66	110.80
25	BB	2544	G	O5'-P-OP2	-7.15	99.26	105.70
25	BB	110	G	N1-C6-O6	-7.15	115.61	119.90
25	BB	515	A	C6-C5-N7	7.15	137.31	132.30
25	BB	659	G	N7-C8-N9	7.15	116.67	113.10
25	BB	951	C	C6-N1-C2	-7.15	117.44	120.30
25	BB	1038	G	C2'-C3'-O3'	7.15	125.23	109.50
25	BB	1605	C	N3-C2-O2	-7.15	116.89	121.90
25	BB	1665	A	C2-N3-C4	7.15	114.17	110.60
25	BB	2661	G	N9-C4-C5	7.15	108.26	105.40
3	A1	202	G	N3-C2-N2	-7.15	114.89	119.90
3	A1	531	U	C6-N1-C2	-7.15	116.71	121.00
3	A1	706	A	C5-N7-C8	-7.15	100.33	103.90
25	BB	33	C	N1-C2-N3	7.15	124.20	119.20
25	BB	1332	G	C8-N9-C4	-7.15	103.54	106.40
25	BB	1537	G	N3-C4-C5	-7.15	125.03	128.60
3	A1	1505	G	O4'-C1'-N9	7.15	113.92	108.20
25	BB	73	A	C4-C5-C6	-7.15	113.43	117.00
25	BB	822	G	N3-C4-C5	-7.15	125.03	128.60
25	BB	2462	C	N3-C2-O2	-7.15	116.90	121.90
1	AP	6	U	O4'-C1'-N1	7.15	113.92	108.20
3	A1	399	G	O4'-C1'-N9	7.15	113.92	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	AO	64	ARG	NE-CZ-NH2	7.15	123.87	120.30
25	BB	2791	G	C5-C6-N1	7.15	115.07	111.50
3	A1	744	C	N1-C1'-C2'	7.14	123.29	114.00
3	A1	1109	C	C1'-O4'-C4'	-7.14	104.18	109.90
24	BA	86	G	C4-C5-N7	-7.14	107.94	110.80
25	BB	148	U	C2-N3-C4	-7.14	122.71	127.00
25	BB	337	C	N3-C4-C5	7.14	124.76	121.90
25	BB	740	C	C2-N3-C4	-7.14	116.33	119.90
25	BB	762	U	N3-C2-O2	-7.14	117.20	122.20
25	BB	1032	A	C5-C6-N6	7.14	129.42	123.70
3	A1	806	C	N3-C4-C5	7.14	124.76	121.90
3	A1	1414	U	N1-C2-N3	7.14	119.19	114.90
12	AK	31	TYR	CB-CG-CD2	-7.14	116.72	121.00
25	BB	1878	G	N1-C6-O6	-7.14	115.61	119.90
3	A1	502	A	C2'-C3'-O3'	7.14	125.21	109.50
3	A1	517	G	C4-C5-N7	7.14	113.66	110.80
25	BB	1981	A	C5-C6-N6	7.14	129.41	123.70
25	BB	2353	G	N1-C6-O6	-7.14	115.62	119.90
3	A1	1312	G	C5'-C4'-O4'	7.14	117.67	109.10
25	BB	1834	U	C5-C6-N1	-7.14	119.13	122.70
3	A1	169	C	N3-C4-C5	7.14	124.75	121.90
3	A1	177	G	N1-C6-O6	-7.14	115.62	119.90
24	BA	13	G	O4'-C1'-N9	-7.14	102.49	108.20
24	BA	16	G	N3-C2-N2	-7.14	114.90	119.90
3	A1	599	C	O4'-C1'-N1	7.14	113.91	108.20
3	A1	707	U	N3-C2-O2	-7.14	117.20	122.20
3	A1	1099	G	N3-C2-N2	-7.14	114.90	119.90
3	A1	1133	G	C6-N1-C2	-7.14	120.82	125.10
25	BB	984	A	C5-C6-N1	7.14	121.27	117.70
25	BB	1808	A	C4-C5-C6	-7.14	113.43	117.00
25	BB	2232	C	O4'-C1'-N1	7.14	113.91	108.20
25	BB	2339	C	N1-C2-O2	7.14	123.18	118.90
25	BB	2453	A	O5'-P-OP1	-7.14	99.28	105.70
1	AP	19	G	C5-C6-O6	7.13	132.88	128.60
1	AE	57	G	O4'-C4'-C3'	7.13	111.81	106.10
3	A1	243	A	C5-C6-N1	7.13	121.27	117.70
25	BB	199	A	N1-C6-N6	-7.13	114.32	118.60
25	BB	282	A	C5-C6-N6	7.13	129.41	123.70
25	BB	717	C	C4-C5-C6	-7.13	113.83	117.40
25	BB	1260	A	C5'-C4'-O4'	7.13	117.66	109.10
32	BI	98	TYR	CB-CG-CD2	-7.13	116.72	121.00
1	AA	69	U	C1'-O4'-C4'	-7.13	104.19	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AP	31	A	N9-C1'-C2'	7.13	123.27	114.00
3	A1	381	C	O4'-C1'-C2'	-7.13	98.67	105.80
3	A1	579	A	O4'-C1'-N9	7.13	113.91	108.20
3	A1	776	G	O4'-C1'-N9	7.13	113.91	108.20
12	AK	19	GLU	OE1-CD-OE2	-7.13	114.74	123.30
25	BB	24	G	C8-N9-C4	-7.13	103.55	106.40
25	BB	922	C	N1-C2-O2	7.13	123.18	118.90
25	BB	1588	G	P-O3'-C3'	7.13	128.26	119.70
25	BB	1947	C	C5'-C4'-O4'	-7.13	100.54	109.10
25	BB	2107	G	C3'-C2'-C1'	7.13	107.20	101.50
25	BB	2118	U	N3-C2-O2	-7.13	117.21	122.20
25	BB	2267	A	C4-C5-C6	-7.13	113.43	117.00
25	BB	2888	C	O4'-C1'-N1	7.13	113.91	108.20
30	BG	96	ARG	NH1-CZ-NH2	-7.13	111.56	119.40
3	A1	235	C	N3-C4-N4	-7.13	113.01	118.00
3	A1	1424	U	C2-N3-C4	-7.13	122.72	127.00
25	BB	251	A	C4-C5-C6	-7.13	113.44	117.00
25	BB	2667	C	C2-N3-C4	-7.13	116.33	119.90
3	A1	979	C	N3-C4-N4	-7.13	113.01	118.00
3	A1	1060	U	C3'-C2'-C1'	7.13	107.20	101.50
3	A1	1310	G	N3-C2-N2	-7.13	114.91	119.90
25	BB	338	G	C5-C6-N1	7.13	115.06	111.50
25	BB	1075	C	N3-C2-O2	-7.13	116.91	121.90
25	BB	1140	C	N3-C2-O2	-7.13	116.91	121.90
25	BB	1215	G	N3-C4-C5	-7.13	125.04	128.60
25	BB	1484	U	O4'-C1'-N1	7.13	113.90	108.20
25	BB	2001	C	C4'-C3'-C2'	-7.13	95.47	102.60
3	A1	140	U	N3-C2-O2	-7.13	117.21	122.20
3	A1	467	U	C2-N3-C4	-7.13	122.72	127.00
3	A1	965	U	O4'-C1'-N1	-7.13	102.50	108.20
3	A1	1216	A	C5-C6-N1	7.13	121.26	117.70
24	BA	103	U	N1-C2-N3	7.13	119.18	114.90
25	BB	1109	C	O4'-C1'-N1	7.13	113.90	108.20
25	BB	1227	G	N1-C6-O6	-7.13	115.62	119.90
25	BB	1914	C	N3-C2-O2	-7.13	116.91	121.90
3	A1	226	G	C4-C5-N7	-7.12	107.95	110.80
3	A1	1312	G	C5-C6-N1	7.12	115.06	111.50
25	BB	157	C	O4'-C1'-N1	7.12	113.90	108.20
25	BB	803	U	C2-N3-C4	-7.12	122.72	127.00
25	BB	2263	C	O4'-C1'-N1	7.12	113.90	108.20
25	BB	2710	C	C2-N3-C4	-7.12	116.34	119.90
3	A1	302	G	C6-C5-N7	7.12	134.67	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	479	U	C5-C4-O4	-7.12	121.63	125.90
3	A1	486	U	C6-N1-C2	-7.12	116.73	121.00
25	BB	608	A	C6-C5-N7	7.12	137.29	132.30
25	BB	808	G	N1-C6-O6	-7.12	115.63	119.90
25	BB	1638	C	C5-C6-N1	-7.12	117.44	121.00
25	BB	2018	G	N1-C6-O6	-7.12	115.63	119.90
25	BB	2715	C	C5'-C4'-O4'	7.12	117.65	109.10
3	A1	124	C	C5-C6-N1	-7.12	117.44	121.00
3	A1	190	A	C4'-C3'-C2'	-7.12	95.48	102.60
3	A1	666	G	N1-C6-O6	-7.12	115.63	119.90
3	A1	1150	A	C6-C5-N7	7.12	137.28	132.30
3	A1	1153	G	N3-C4-N9	7.12	130.27	126.00
25	BB	337	C	C3'-C2'-C1'	7.12	107.20	101.50
25	BB	453	A	C4-C5-C6	-7.12	113.44	117.00
25	BB	517	C	N3-C2-O2	-7.12	116.92	121.90
25	BB	2636	C	N1-C2-N3	7.12	124.18	119.20
3	A1	1036	A	C4-C5-C6	-7.12	113.44	117.00
25	BB	804	A	C5-C6-N6	7.12	129.40	123.70
25	BB	1451	C	N3-C4-C5	7.12	124.75	121.90
25	BB	1782	U	C6-N1-C2	-7.12	116.73	121.00
1	AE	16	U	O4'-C1'-N1	7.12	113.89	108.20
3	A1	204	G	O4'-C1'-C2'	7.12	114.01	107.60
3	A1	1110	A	C6-C5-N7	7.12	137.28	132.30
7	AF	28	ARG	NE-CZ-NH2	7.12	123.86	120.30
19	AT	24	ARG	NE-CZ-NH1	7.12	123.86	120.30
24	BA	114	C	C1'-O4'-C4'	-7.12	104.21	109.90
25	BB	1341	G	O4'-C1'-N9	7.12	113.89	108.20
25	BB	2469	A	C6-C5-N7	7.12	137.28	132.30
3	A1	89	U	C3'-C2'-C1'	7.12	107.19	101.50
3	A1	522	C	N1-C2-O2	7.12	123.17	118.90
3	A1	865	A	C5-C6-N1	7.12	121.26	117.70
3	A1	887	G	O4'-C1'-N9	7.12	113.89	108.20
3	A1	1501	C	N3-C4-C5	7.12	124.75	121.90
25	BB	633	A	C5-C6-N6	7.12	129.39	123.70
25	BB	2090	A	C2-N3-C4	7.12	114.16	110.60
25	BB	2473	U	O4'-C1'-N1	7.12	113.89	108.20
25	BB	2684	U	C5-C4-O4	-7.12	121.63	125.90
25	BB	2824	C	O4'-C1'-N1	7.12	113.89	108.20
1	AA	2	C	C4-C5-C6	7.12	120.96	117.40
25	BB	884	U	O4'-C1'-N1	7.12	113.89	108.20
25	BB	2589	A	N1-C6-N6	-7.12	114.33	118.60
25	BB	2807	U	C4-C5-C6	7.12	123.97	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	226	G	C2'-C3'-O3'	7.11	125.15	109.50
25	BB	1052	C	C5'-C4'-O4'	7.11	117.64	109.10
25	BB	1277	G	N1-C6-O6	-7.11	115.63	119.90
25	BB	1711	A	N9-C4-C5	7.11	108.65	105.80
25	BB	2177	C	N1-C2-O2	7.11	123.17	118.90
25	BB	2197	U	O4'-C1'-C2'	-7.11	98.69	105.80
25	BB	2597	G	C5'-C4'-O4'	7.11	117.64	109.10
24	BA	41	G	C2-N3-C4	7.11	115.46	111.90
25	BB	234	U	C4'-C3'-C2'	-7.11	95.49	102.60
25	BB	650	C	C5-C4-N4	7.11	125.18	120.20
25	BB	878	A	C5-C6-N6	7.11	129.39	123.70
3	A1	765	G	C6-C5-N7	7.11	134.67	130.40
25	BB	618	G	C8-N9-C4	-7.11	103.56	106.40
25	BB	2872	A	C6-N1-C2	-7.11	114.33	118.60
25	BB	810	U	N3-C2-O2	-7.11	117.22	122.20
25	BB	954	G	C1'-O4'-C4'	-7.11	104.21	109.90
25	BB	1776	G	N3-C2-N2	-7.11	114.92	119.90
1	AE	25	C	O4'-C1'-N1	7.11	113.89	108.20
3	A1	1026	G	C2-N3-C4	7.11	115.45	111.90
3	A1	1080	A	O4'-C4'-C3'	7.11	111.79	106.10
3	A1	1114	C	C1'-O4'-C4'	-7.11	104.22	109.90
25	BB	324	A	C6-N1-C2	-7.11	114.33	118.60
25	BB	378	C	C1'-O4'-C4'	-7.11	104.22	109.90
25	BB	1078	U	N3-C2-O2	-7.11	117.22	122.20
25	BB	1357	C	N3-C2-O2	-7.11	116.92	121.90
25	BB	1489	C	N3-C2-O2	-7.11	116.92	121.90
25	BB	1957	C	C6-N1-C2	-7.11	117.46	120.30
25	BB	2135	A	N7-C8-N9	-7.11	110.25	113.80
25	BB	2646	C	O4'-C1'-N1	7.11	113.89	108.20
1	AA	3	G	O4'-C1'-C2'	-7.11	98.69	105.80
2	AM	17	U	N3-C4-C5	7.11	118.86	114.60
3	A1	252	U	OP1-P-OP2	-7.11	108.94	119.60
3	A1	422	C	N1-C2-O2	7.11	123.16	118.90
3	A1	596	A	C4-C5-C6	-7.11	113.45	117.00
25	BB	384	A	C8-N9-C4	-7.11	102.96	105.80
25	BB	1687	G	C5-N7-C8	-7.11	100.75	104.30
25	BB	2542	A	C4-C5-C6	-7.11	113.45	117.00
3	A1	539	A	C6-C5-N7	7.10	137.27	132.30
25	BB	974	G	C5-C6-N1	7.10	115.05	111.50
25	BB	2591	C	C5-C6-N1	-7.10	117.45	121.00
3	A1	553	A	C4'-C3'-C2'	-7.10	95.50	102.60
25	BB	20	C	N3-C2-O2	-7.10	116.93	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	286	U	C5-C6-N1	-7.10	119.15	122.70
25	BB	716	A	C5-C6-N1	7.10	121.25	117.70
25	BB	1543	G	O4'-C1'-N9	7.10	113.88	108.20
25	BB	1954	G	C1'-O4'-C4'	-7.10	104.22	109.90
25	BB	2123	G	C1'-O4'-C4'	-7.10	104.22	109.90
25	BB	2621	G	N3-C4-C5	-7.10	125.05	128.60
25	BB	984	A	O4'-C1'-N9	7.10	113.88	108.20
25	BB	1904	G	C8-N9-C4	-7.10	103.56	106.40
1	AA	56	C	C5'-C4'-O4'	7.10	117.62	109.10
1	AP	25	C	P-O3'-C3'	7.10	128.22	119.70
3	A1	166	U	C5-C6-N1	-7.10	119.15	122.70
3	A1	948	C	C4'-C3'-C2'	-7.10	95.50	102.60
21	AV	57	GLU	OE1-CD-OE2	-7.10	114.78	123.30
25	BB	951	C	C5-C4-N4	-7.10	115.23	120.20
25	BB	953	G	C4-C5-N7	-7.10	107.96	110.80
25	BB	1100	C	C4-C5-C6	7.10	120.95	117.40
25	BB	1432	G	N3-C4-C5	-7.10	125.05	128.60
25	BB	2400	G	C2-N3-C4	7.10	115.45	111.90
25	BB	2536	G	N1-C6-O6	-7.10	115.64	119.90
52	B3	34	ARG	NE-CZ-NH2	-7.10	116.75	120.30
1	AE	53	G	C5-C6-N1	7.10	115.05	111.50
3	A1	40	C	O4'-C1'-N1	7.10	113.88	108.20
3	A1	55	A	N1-C6-N6	-7.10	114.34	118.60
3	A1	997	U	C5-C6-N1	-7.10	119.15	122.70
3	A1	1253	G	N7-C8-N9	7.10	116.65	113.10
25	BB	711	G	C6-N1-C2	-7.10	120.84	125.10
25	BB	1834	U	C1'-O4'-C4'	-7.10	104.22	109.90
25	BB	1959	G	C6-N1-C2	-7.10	120.84	125.10
25	BB	2282	G	N3-C2-N2	-7.10	114.93	119.90
25	BB	2457	U	N1-C2-N3	7.10	119.16	114.90
1	AE	27	C	N3-C2-O2	-7.10	116.93	121.90
25	BB	448	U	C5-C4-O4	7.10	130.16	125.90
25	BB	510	C	C2-N3-C4	-7.10	116.35	119.90
25	BB	2117	A	C6-C5-N7	7.10	137.27	132.30
25	BB	2252	G	N3-C4-C5	-7.10	125.05	128.60
25	BB	2262	U	C4-C5-C6	7.10	123.96	119.70
25	BB	2325	G	C5-C6-N1	7.10	115.05	111.50
25	BB	2350	C	N3-C4-N4	-7.10	113.03	118.00
1	AE	30	G	N1-C2-N3	7.09	128.16	123.90
3	A1	672	U	N1-C1'-C2'	-7.09	104.20	112.00
4	AB	152	ASP	CB-CG-OD1	7.09	124.69	118.30
25	BB	261	G	N3-C4-C5	-7.09	125.05	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	438	G	N1-C2-N3	7.09	128.16	123.90
25	BB	1780	A	C4-C5-C6	-7.09	113.45	117.00
25	BB	2028	U	C5-C6-N1	-7.09	119.15	122.70
25	BB	2434	A	C5-C6-N6	7.09	129.38	123.70
25	BB	2468	A	C4-C5-C6	-7.09	113.45	117.00
25	BB	2471	A	N7-C8-N9	-7.09	110.25	113.80
30	BG	4	ARG	NE-CZ-NH1	7.09	123.85	120.30
3	A1	1466	C	C3'-C2'-C1'	7.09	107.17	101.50
25	BB	170	U	C5-C6-N1	-7.09	119.15	122.70
25	BB	334	C	N3-C4-C5	7.09	124.74	121.90
25	BB	453	A	C5-C6-N1	7.09	121.25	117.70
25	BB	505	A	C5-C6-N1	7.09	121.25	117.70
25	BB	2201	G	C4'-C3'-C2'	-7.09	95.51	102.60
25	BB	2484	G	N3-C4-N9	7.09	130.26	126.00
25	BB	2709	G	C6-N1-C2	-7.09	120.84	125.10
1	AP	31	A	C5-C6-N1	7.09	121.25	117.70
3	A1	31	G	C5'-C4'-O4'	7.09	117.61	109.10
3	A1	638	U	N1-C2-N3	7.09	119.16	114.90
3	A1	1320	C	C5-C6-N1	-7.09	117.45	121.00
9	AH	57	ARG	NH1-CZ-NH2	-7.09	111.60	119.40
25	BB	467	G	C5'-C4'-O4'	7.09	117.61	109.10
25	BB	575	A	C5-C6-N6	7.09	129.37	123.70
25	BB	1458	U	P-O3'-C3'	7.09	128.21	119.70
25	BB	2571	U	N1-C2-N3	7.09	119.16	114.90
38	BO	81	ARG	NH1-CZ-NH2	-7.09	111.60	119.40
1	AP	75	C	N3-C4-C5	7.09	124.74	121.90
3	A1	364	A	C3'-C2'-C1'	7.09	107.17	101.50
3	A1	495	A	C3'-C2'-C1'	-7.09	95.83	101.50
3	A1	1373	G	N9-C4-C5	7.09	108.24	105.40
24	BA	33	G	O5'-P-OP1	-7.09	99.32	105.70
25	BB	165	A	N9-C4-C5	7.09	108.64	105.80
25	BB	432	A	N1-C2-N3	-7.09	125.75	129.30
25	BB	589	U	N3-C2-O2	-7.09	117.24	122.20
25	BB	626	A	C6-N1-C2	-7.09	114.35	118.60
25	BB	1766	G	C6-N1-C2	-7.09	120.85	125.10
25	BB	2389	G	N9-C4-C5	7.09	108.24	105.40
25	BB	2843	G	O4'-C1'-N9	7.09	113.87	108.20
25	BB	1348	C	C4'-C3'-C2'	-7.09	95.51	102.60
25	BB	1383	A	C1'-O4'-C4'	-7.09	104.23	109.90
25	BB	2174	C	C1'-O4'-C4'	7.09	115.57	109.90
3	A1	15	G	C6-N1-C2	-7.09	120.85	125.10
3	A1	499	A	C5-C6-N6	7.09	129.37	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1013	G	C5'-C4'-O4'	7.09	117.60	109.10
3	A1	1489	G	C2'-C3'-O3'	7.09	125.09	109.50
15	AO	28	PHE	CB-CG-CD1	-7.09	115.84	120.80
25	BB	1211	C	N3-C2-O2	-7.09	116.94	121.90
25	BB	1666	G	C5-C6-N1	7.09	115.04	111.50
25	BB	2518	A	O3'-P-O5'	7.09	117.47	104.00
25	BB	2550	G	O4'-C1'-N9	7.09	113.87	108.20
25	BB	2686	G	N1-C6-O6	-7.09	115.65	119.90
3	A1	73	C	C3'-C2'-C1'	7.08	107.17	101.50
25	BB	2414	G	N3-C2-N2	-7.08	114.94	119.90
25	BB	2719	G	N7-C8-N9	7.08	116.64	113.10
3	A1	1171	A	O4'-C1'-N9	7.08	113.87	108.20
25	BB	99	U	O3'-P-O5'	-7.08	90.54	104.00
25	BB	645	C	N3-C2-O2	-7.08	116.94	121.90
25	BB	1736	U	C5'-C4'-C3'	-7.08	104.67	116.00
25	BB	1834	U	O4'-C1'-N1	7.08	113.87	108.20
27	BD	31	ARG	NH1-CZ-NH2	-7.08	111.61	119.40
1	AA	1	G	C1'-O4'-C4'	-7.08	104.23	109.90
3	A1	591	U	C2-N3-C4	-7.08	122.75	127.00
3	A1	1488	G	C4-C5-C6	-7.08	114.55	118.80
10	AI	31	ARG	NE-CZ-NH1	7.08	123.84	120.30
15	AO	168	ARG	NH1-CZ-NH2	-7.08	111.61	119.40
24	BA	34	A	C6-C5-N7	7.08	137.26	132.30
25	BB	363	G	C4-C5-N7	-7.08	107.97	110.80
25	BB	2892	G	C5-C6-N1	7.08	115.04	111.50
3	A1	471	U	N3-C2-O2	-7.08	117.24	122.20
25	BB	103	A	C6-C5-N7	7.08	137.26	132.30
25	BB	1718	G	N1-C6-O6	-7.08	115.65	119.90
25	BB	1941	C	C6-N1-C2	-7.08	117.47	120.30
25	BB	2214	C	N3-C2-O2	-7.08	116.94	121.90
25	BB	2354	C	N3-C4-N4	-7.08	113.04	118.00
3	A1	269	C	C5-C4-N4	-7.08	115.25	120.20
3	A1	383	A	O4'-C1'-N9	-7.08	102.54	108.20
3	A1	548	G	C5'-C4'-O4'	7.08	117.59	109.10
25	BB	258	G	C5-N7-C8	-7.08	100.76	104.30
25	BB	2344	U	N1-C2-N3	7.08	119.15	114.90
25	BB	2555	U	C6-N1-C2	7.08	125.25	121.00
1	AA	11	C	C5'-C4'-O4'	7.08	117.59	109.10
3	A1	973	G	C1'-O4'-C4'	-7.08	104.24	109.90
3	A1	1357	A	N1-C6-N6	-7.08	114.35	118.60
53	B4	116	ARG	NE-CZ-NH2	-7.08	116.76	120.30
3	A1	475	C	C5-C6-N1	-7.08	117.46	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	544	G	N7-C8-N9	7.08	116.64	113.10
3	A1	1162	C	C1'-O4'-C4'	-7.08	104.24	109.90
3	A1	1220	G	C5-N7-C8	-7.08	100.76	104.30
3	A1	1228	C	N3-C2-O2	-7.08	116.95	121.90
25	BB	699	A	C6-N1-C2	-7.08	114.36	118.60
25	BB	939	G	C5'-C4'-C3'	-7.08	104.68	116.00
25	BB	1440	U	N1-C2-N3	7.08	119.15	114.90
25	BB	1902	C	N3-C4-C5	7.08	124.73	121.90
30	BG	17	ARG	NH1-CZ-NH2	-7.08	111.62	119.40
3	A1	182	A	C5-N7-C8	-7.07	100.36	103.90
3	A1	1296	C	N1-C2-O2	7.07	123.14	118.90
3	A1	1453	G	C4-C5-N7	7.07	113.63	110.80
25	BB	164	C	N3-C4-C5	7.07	124.73	121.90
25	BB	777	G	O4'-C1'-N9	7.07	113.86	108.20
25	BB	855	G	C6-N1-C2	-7.07	120.86	125.10
25	BB	1000	A	C6-C5-N7	7.07	137.25	132.30
25	BB	1221	C	O4'-C1'-N1	7.07	113.86	108.20
25	BB	1908	C	N3-C2-O2	-7.07	116.95	121.90
25	BB	1916	A	C5-C6-N6	7.07	129.36	123.70
25	BB	2471	A	C3'-C2'-C1'	-7.07	95.84	101.50
25	BB	2758	A	C2'-C3'-O3'	7.07	125.06	109.50
25	BB	2789	C	N3-C2-O2	-7.07	116.95	121.90
3	A1	170	U	C5-C6-N1	-7.07	119.16	122.70
3	A1	541	G	N1-C6-O6	-7.07	115.66	119.90
3	A1	972	C	C6-N1-C2	-7.07	117.47	120.30
21	AV	12	ARG	NE-CZ-NH2	7.07	123.84	120.30
25	BB	1659	G	O4'-C1'-N9	7.07	113.86	108.20
31	BH	33	ARG	NE-CZ-NH1	-7.07	116.76	120.30
3	A1	745	G	C5-C6-O6	7.07	132.84	128.60
3	A1	1133	G	C5-C6-O6	-7.07	124.36	128.60
3	A1	1194	U	C5-C6-N1	-7.07	119.17	122.70
3	A1	1418	A	N7-C8-N9	7.07	117.33	113.80
24	BA	61	G	O4'-C1'-N9	7.07	113.86	108.20
25	BB	8	C	C3'-C2'-C1'	7.07	107.16	101.50
25	BB	205	G	N1-C2-N3	7.07	128.14	123.90
25	BB	278	A	O4'-C1'-N9	-7.07	102.54	108.20
25	BB	513	A	C1'-O4'-C4'	-7.07	104.24	109.90
25	BB	1367	A	N1-C2-N3	-7.07	125.77	129.30
25	BB	1375	U	N1-C2-N3	7.07	119.14	114.90
25	BB	1556	C	N1-C2-O2	7.07	123.14	118.90
25	BB	1664	A	N7-C8-N9	7.07	117.33	113.80
25	BB	2308	G	N9-C4-C5	7.07	108.23	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	554	A	C5-C6-N1	7.07	121.23	117.70
25	BB	794	A	C6-C5-N7	7.07	137.25	132.30
25	BB	1668	A	C6-C5-N7	7.07	137.25	132.30
25	BB	1699	G	C5-C6-N1	7.07	115.03	111.50
25	BB	2354	C	N3-C2-O2	-7.07	116.95	121.90
46	BW	44	ARG	NH1-CZ-NH2	-7.07	111.62	119.40
3	A1	190	A	C5-C6-N6	7.07	129.35	123.70
3	A1	785	G	N1-C6-O6	-7.07	115.66	119.90
3	A1	836	G	C3'-C2'-C1'	7.07	107.15	101.50
25	BB	471	A	O5'-P-OP2	-7.07	99.34	105.70
25	BB	893	C	N3-C4-N4	-7.07	113.05	118.00
25	BB	1022	G	N7-C8-N9	7.07	116.63	113.10
25	BB	1525	A	O4'-C1'-N9	7.07	113.85	108.20
25	BB	1712	U	C5-C4-O4	-7.07	121.66	125.90
25	BB	2345	G	C4'-C3'-C2'	-7.07	95.53	102.60
25	BB	2519	U	C2-N3-C4	-7.07	122.76	127.00
3	A1	59	A	N1-C2-N3	-7.07	125.77	129.30
3	A1	295	C	P-O3'-C3'	7.07	128.18	119.70
25	BB	168	G	C5-N7-C8	7.07	107.83	104.30
25	BB	428	A	C5-C6-N6	7.07	129.35	123.70
25	BB	1031	G	C1'-O4'-C4'	7.07	115.55	109.90
25	BB	1710	G	C6-N1-C2	-7.07	120.86	125.10
25	BB	2651	C	N3-C2-O2	-7.06	116.95	121.90
48	BY	124	ARG	NH1-CZ-NH2	-7.06	111.63	119.40
1	AE	10	G	O4'-C1'-N9	7.06	113.85	108.20
3	A1	733	G	C1'-O4'-C4'	-7.06	104.25	109.90
3	A1	1002	G	O4'-C1'-N9	7.06	113.85	108.20
25	BB	167	A	C4-C5-C6	-7.06	113.47	117.00
25	BB	2337	G	N3-C4-C5	-7.06	125.07	128.60
25	BB	2466	C	C2-N3-C4	-7.06	116.37	119.90
25	BB	2472	G	N9-C1'-C2'	-7.06	104.23	112.00
32	BI	71	ARG	NH1-CZ-NH2	-7.06	111.63	119.40
1	AE	45	G	N1-C6-O6	-7.06	115.66	119.90
25	BB	1938	A	C6-C5-N7	7.06	137.24	132.30
1	AP	5	A	C5-N7-C8	-7.06	100.37	103.90
3	A1	188	C	N3-C4-N4	-7.06	113.06	118.00
3	A1	1251	A	C6-C5-N7	7.06	137.24	132.30
25	BB	1000	A	C5-C6-N1	7.06	121.23	117.70
25	BB	1695	G	C2-N3-C4	7.06	115.43	111.90
25	BB	2274	A	C5-C6-N1	7.06	121.23	117.70
25	BB	2461	A	C4-C5-C6	-7.06	113.47	117.00
25	BB	2528	U	N3-C4-C5	7.06	118.84	114.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2736	A	C6-C5-N7	7.06	137.24	132.30
3	A1	205	A	N1-C2-N3	-7.06	125.77	129.30
3	A1	476	U	C4'-C3'-C2'	-7.06	95.54	102.60
3	A1	1221	G	N9-C4-C5	7.06	108.22	105.40
25	BB	310	A	C5-C6-N6	7.06	129.35	123.70
25	BB	977	G	O4'-C1'-N9	7.06	113.85	108.20
25	BB	1079	C	N3-C2-O2	-7.06	116.96	121.90
25	BB	1568	G	N3-C4-N9	7.06	130.24	126.00
25	BB	1886	U	N3-C2-O2	-7.06	117.26	122.20
25	BB	212	G	C6-N1-C2	-7.06	120.87	125.10
25	BB	477	A	C6-C5-N7	7.06	137.24	132.30
25	BB	2156	G	C5-N7-C8	-7.06	100.77	104.30
25	BB	2450	A	C4-C5-C6	-7.06	113.47	117.00
25	BB	2777	G	C8-N9-C4	-7.06	103.58	106.40
1	AA	3	G	C5'-C4'-O4'	7.05	117.56	109.10
3	A1	126	G	C8-N9-C4	-7.05	103.58	106.40
3	A1	308	C	N3-C4-N4	-7.05	113.06	118.00
3	A1	325	A	C4-C5-C6	-7.05	113.47	117.00
3	A1	398	U	O4'-C1'-N1	7.05	113.84	108.20
3	A1	653	U	C5-C6-N1	-7.05	119.17	122.70
3	A1	661	G	C6-C5-N7	-7.05	126.17	130.40
3	A1	784	A	C6-C5-N7	7.05	137.24	132.30
24	BA	76	G	N3-C4-C5	-7.05	125.07	128.60
25	BB	905	A	C3'-C2'-C1'	7.05	107.14	101.50
25	BB	1705	A	N9-C4-C5	7.05	108.62	105.80
25	BB	2138	G	C4-C5-C6	-7.05	114.57	118.80
25	BB	2222	C	O4'-C1'-N1	7.05	113.84	108.20
25	BB	2521	C	N3-C4-N4	-7.05	113.06	118.00
1	AP	15	G	C5'-C4'-O4'	7.05	117.56	109.10
3	A1	318	G	N1-C6-O6	-7.05	115.67	119.90
3	A1	1112	C	N3-C4-N4	-7.05	113.06	118.00
3	A1	1493	A	C6-N1-C2	-7.05	114.37	118.60
24	BA	86	G	C6-C5-N7	7.05	134.63	130.40
25	BB	916	G	N7-C8-N9	7.05	116.63	113.10
25	BB	977	G	C8-N9-C4	-7.05	103.58	106.40
25	BB	1819	A	C5-C6-N1	7.05	121.23	117.70
33	BJ	5	ARG	NE-CZ-NH2	7.05	123.83	120.30
1	AP	9	A	O4'-C4'-C3'	7.05	111.74	106.10
1	AP	25	C	C5-C4-N4	7.05	125.14	120.20
3	A1	92	U	C1'-O4'-C4'	-7.05	104.26	109.90
3	A1	279	A	P-O3'-C3'	7.05	128.16	119.70
25	BB	399	U	C5-C6-N1	-7.05	119.17	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	539	G	C3'-C2'-C1'	-7.05	95.86	101.50
25	BB	1926	U	C5-C6-N1	-7.05	119.17	122.70
25	BB	2193	G	C8-N9-C4	-7.05	103.58	106.40
25	BB	2302	U	C2-N3-C4	-7.05	122.77	127.00
25	BB	2484	G	N7-C8-N9	7.05	116.63	113.10
25	BB	2737	G	C5-C6-N1	7.05	115.03	111.50
35	BL	38	TYR	CB-CG-CD2	-7.05	116.77	121.00
1	AP	64	A	C2-N3-C4	7.05	114.12	110.60
3	A1	69	G	C3'-C2'-C1'	-7.05	95.86	101.50
17	AR	55	ARG	NE-CZ-NH1	7.05	123.82	120.30
25	BB	43	G	N3-C2-N2	-7.05	114.97	119.90
25	BB	77	G	N1-C2-N3	7.05	128.13	123.90
25	BB	957	C	N3-C4-N4	-7.05	113.07	118.00
25	BB	1391	U	O4'-C1'-N1	7.05	113.84	108.20
25	BB	1822	C	C2-N3-C4	-7.05	116.38	119.90
25	BB	2778	A	C4-C5-C6	-7.05	113.47	117.00
55	B6	34	ARG	NE-CZ-NH2	7.05	123.83	120.30
3	A1	1240	U	N1-C2-N3	7.05	119.13	114.90
25	BB	642	U	C2-N3-C4	-7.05	122.77	127.00
25	BB	783	A	C5'-C4'-C3'	-7.05	104.72	116.00
25	BB	2481	G	C8-N9-C4	-7.05	103.58	106.40
1	AE	75	C	N3-C4-N4	-7.05	113.07	118.00
3	A1	803	G	C6-N1-C2	-7.05	120.87	125.10
3	A1	836	G	N7-C8-N9	7.05	116.62	113.10
25	BB	621	A	C5-C6-N1	7.05	121.22	117.70
25	BB	739	A	C4-C5-C6	-7.05	113.48	117.00
25	BB	1992	G	N3-C2-N2	-7.05	114.97	119.90
25	BB	2460	U	N1-C2-N3	7.05	119.13	114.90
25	BB	2806	C	C3'-C2'-C1'	7.05	107.14	101.50
3	A1	201	G	C6-C5-N7	7.04	134.63	130.40
3	A1	278	G	C5'-C4'-O4'	7.04	117.55	109.10
3	A1	477	C	C2-N3-C4	-7.04	116.38	119.90
3	A1	611	C	N1-C2-O2	7.04	123.13	118.90
3	A1	1263	C	C5'-C4'-C3'	-7.04	104.73	116.00
25	BB	1162	G	C8-N9-C4	-7.04	103.58	106.40
3	A1	558	G	C5-C6-O6	7.04	132.83	128.60
22	AW	123	ARG	CD-NE-CZ	7.04	133.46	123.60
25	BB	429	A	N9-C4-C5	7.04	108.62	105.80
25	BB	869	G	C1'-O4'-C4'	-7.04	104.27	109.90
25	BB	1891	G	C6-C5-N7	7.04	134.63	130.40
3	A1	159	G	C4-C5-N7	-7.04	107.98	110.80
3	A1	255	G	C6-N1-C2	-7.04	120.88	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	258	G	N3-C2-N2	-7.04	114.97	119.90
3	A1	622	A	C6-C5-N7	7.04	137.23	132.30
3	A1	855	U	O4'-C1'-N1	7.04	113.83	108.20
25	BB	475	C	C4'-C3'-C2'	-7.04	95.56	102.60
25	BB	769	U	C4-C5-C6	7.04	123.92	119.70
25	BB	2704	C	C5-C4-N4	7.04	125.13	120.20
25	BB	2735	G	C5'-C4'-C3'	-7.04	104.73	116.00
25	BB	2841	C	C2-N3-C4	-7.04	116.38	119.90
31	BH	13	ARG	NE-CZ-NH2	7.04	123.82	120.30
33	BJ	12	ARG	NE-CZ-NH2	-7.04	116.78	120.30
39	BP	10	ARG	CD-NE-CZ	7.04	133.46	123.60
25	BB	1214	A	C2-N3-C4	7.04	114.12	110.60
25	BB	1451	C	N1-C2-O2	7.04	123.12	118.90
25	BB	2266	A	O4'-C4'-C3'	7.04	111.73	106.10
25	BB	2619	C	C3'-C2'-C1'	7.04	107.13	101.50
1	AE	20	G	N3-C2-N2	-7.04	114.97	119.90
3	A1	746	A	O4'-C1'-N9	7.04	113.83	108.20
3	A1	1054	C	C4'-C3'-C2'	7.04	109.64	102.60
25	BB	313	G	C3'-C2'-C1'	-7.04	95.87	101.50
25	BB	1124	G	N3-C4-C5	-7.04	125.08	128.60
25	BB	1219	U	O4'-C1'-N1	7.04	113.83	108.20
25	BB	2179	C	N3-C4-C5	7.04	124.72	121.90
25	BB	2813	A	O4'-C1'-N9	7.04	113.83	108.20
25	BB	272	A	C6-N1-C2	-7.04	114.38	118.60
25	BB	2743	U	O4'-C4'-C3'	7.04	111.73	106.10
26	BC	57	TYR	CB-CG-CD2	-7.04	116.78	121.00
3	A1	1221	G	N3-C4-C5	-7.04	125.08	128.60
25	BB	69	C	C2-N3-C4	-7.04	116.38	119.90
25	BB	205	G	O4'-C1'-N9	-7.04	102.57	108.20
25	BB	524	G	N3-C4-C5	-7.04	125.08	128.60
25	BB	969	G	C5-C6-N1	7.04	115.02	111.50
25	BB	1291	C	N1-C2-O2	7.04	123.12	118.90
25	BB	1309	G	O4'-C1'-C2'	-7.04	98.76	105.80
25	BB	1347	A	C4-C5-C6	-7.04	113.48	117.00
25	BB	1473	G	N1-C2-N2	7.04	122.53	116.20
25	BB	1806	C	N1-C2-O2	7.04	123.12	118.90
25	BB	1933	G	N9-C4-C5	7.04	108.21	105.40
25	BB	2248	C	O3'-P-O5'	-7.04	90.63	104.00
48	BY	83	ARG	NH1-CZ-NH2	-7.04	111.66	119.40
3	A1	333	U	O4'-C1'-N1	7.03	113.83	108.20
3	A1	510	A	O5'-P-OP2	7.03	119.14	110.70
24	BA	22	U	C5-C4-O4	7.03	130.12	125.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	267	C	N3-C4-C5	7.03	124.71	121.90
25	BB	945	A	C2-N3-C4	7.03	114.12	110.60
25	BB	2848	G	N1-C2-N3	7.03	128.12	123.90
1	AE	8	U	N3-C2-O2	-7.03	117.28	122.20
1	AE	14	A	C6-N1-C2	-7.03	114.38	118.60
3	A1	591	U	O4'-C1'-N1	7.03	113.83	108.20
25	BB	104	A	C2-N3-C4	7.03	114.12	110.60
25	BB	299	A	C5-C6-N6	7.03	129.32	123.70
25	BB	374	A	O4'-C1'-N9	7.03	113.83	108.20
25	BB	2230	G	N3-C4-C5	-7.03	125.08	128.60
25	BB	2265	U	O4'-C1'-N1	7.03	113.83	108.20
25	BB	2779	U	C3'-C2'-C1'	7.03	107.13	101.50
3	A1	98	A	C4-C5-C6	-7.03	113.48	117.00
3	A1	630	A	C5-C6-N1	7.03	121.22	117.70
25	BB	47	C	N3-C4-C5	7.03	124.71	121.90
25	BB	1137	G	C6-C5-N7	7.03	134.62	130.40
25	BB	2890	G	N3-C4-C5	-7.03	125.08	128.60
3	A1	1058	G	N1-C6-O6	-7.03	115.68	119.90
3	A1	1402	C	N3-C4-C5	7.03	124.71	121.90
25	BB	179	C	O4'-C4'-C3'	-7.03	96.97	104.00
25	BB	768	G	O4'-C1'-N9	7.03	113.82	108.20
25	BB	1321	A	C5-C6-N6	7.03	129.32	123.70
25	BB	1757	A	C2-N3-C4	7.03	114.11	110.60
1	AP	64	A	C5-C6-N1	7.03	121.21	117.70
3	A1	1329	A	N1-C6-N6	-7.03	114.38	118.60
3	A1	1360	A	C2-N3-C4	7.03	114.11	110.60
24	BA	69	G	C8-N9-C4	-7.03	103.59	106.40
25	BB	634	C	N3-C4-C5	7.03	124.71	121.90
25	BB	874	G	C4'-C3'-C2'	-7.03	95.57	102.60
25	BB	1781	U	N3-C2-O2	-7.03	117.28	122.20
25	BB	1818	U	O4'-C1'-N1	7.03	113.82	108.20
25	BB	2254	C	C6-N1-C2	-7.03	117.49	120.30
1	AP	57	G	C8-N9-C4	-7.03	103.59	106.40
3	A1	143	A	C3'-C2'-C1'	-7.03	95.88	101.50
3	A1	929	G	N3-C2-N2	-7.03	114.98	119.90
3	A1	1029	U	C4-C5-C6	7.03	123.92	119.70
3	A1	1294	G	N7-C8-N9	7.03	116.61	113.10
25	BB	214	G	C5-N7-C8	-7.03	100.79	104.30
25	BB	975	A	N1-C2-N3	-7.03	125.79	129.30
25	BB	1286	A	N7-C8-N9	7.03	117.31	113.80
25	BB	1747	U	C4-C5-C6	7.03	123.92	119.70
25	BB	2227	A	C4-C5-C6	-7.03	113.49	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2402	U	N1-C2-O2	7.03	127.72	122.80
3	A1	265	G	N9-C4-C5	7.02	108.21	105.40
3	A1	625	U	O4'-C1'-N1	7.02	113.82	108.20
3	A1	977	A	C3'-C2'-C1'	7.02	107.12	101.50
25	BB	956	G	C5-C6-N1	7.02	115.01	111.50
25	BB	1370	C	N3-C4-C5	7.02	124.71	121.90
25	BB	2050	C	O5'-P-OP2	-7.02	99.38	105.70
25	BB	2770	G	C4-C5-C6	-7.02	114.58	118.80
1	AP	29	A	C5-C6-N1	7.02	121.21	117.70
3	A1	1113	C	N3-C4-C5	7.02	124.71	121.90
3	A1	1127	G	N3-C2-N2	-7.02	114.98	119.90
25	BB	576	U	O4'-C1'-N1	7.02	113.82	108.20
25	BB	1015	U	N3-C2-O2	-7.02	117.28	122.20
25	BB	2035	G	C5-C6-N1	7.02	115.01	111.50
25	BB	2209	G	C6-N1-C2	-7.02	120.89	125.10
25	BB	2652	C	C4'-C3'-C2'	-7.02	95.58	102.60
25	BB	2706	A	C6-N1-C2	-7.02	114.39	118.60
25	BB	2745	C	N3-C4-N4	-7.02	113.08	118.00
3	A1	701	U	O4'-C1'-N1	7.02	113.82	108.20
3	A1	904	U	C3'-C2'-C1'	7.02	107.12	101.50
3	A1	1488	G	C5-N7-C8	-7.02	100.79	104.30
24	BA	26	C	N3-C4-C5	7.02	124.71	121.90
25	BB	20	C	C5-C6-N1	-7.02	117.49	121.00
25	BB	68	G	N1-C6-O6	-7.02	115.69	119.90
25	BB	375	G	C5-C6-N1	7.02	115.01	111.50
25	BB	642	U	O4'-C1'-C2'	-7.02	98.78	105.80
25	BB	735	A	O4'-C4'-C3'	7.02	111.72	106.10
25	BB	1578	U	O4'-C1'-N1	7.02	113.82	108.20
25	BB	2018	G	N3-C2-N2	-7.02	114.99	119.90
3	A1	447	G	N7-C8-N9	7.02	116.61	113.10
3	A1	629	A	C5-N7-C8	-7.02	100.39	103.90
3	A1	1401	G	N3-C2-N2	-7.02	114.99	119.90
25	BB	545	U	N3-C4-O4	7.02	124.31	119.40
25	BB	1460	U	N3-C2-O2	-7.02	117.29	122.20
25	BB	2572	A	C4-C5-C6	-7.02	113.49	117.00
3	A1	437	U	C4-C5-C6	7.02	123.91	119.70
3	A1	453	G	N3-C4-C5	-7.02	125.09	128.60
3	A1	719	C	N1-C2-N3	7.02	124.11	119.20
3	A1	827	U	N1-C2-N3	7.02	119.11	114.90
3	A1	1438	G	N1-C6-O6	-7.02	115.69	119.90
25	BB	27	G	C6-N1-C2	-7.02	120.89	125.10
25	BB	398	C	N3-C4-C5	7.02	124.71	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	815	C	N3-C2-O2	-7.02	116.99	121.90
25	BB	1106	G	N1-C2-N3	7.02	128.11	123.90
25	BB	1257	C	N3-C2-O2	-7.02	116.99	121.90
3	A1	1345	U	C2-N3-C4	-7.02	122.79	127.00
25	BB	2035	G	N3-C4-C5	-7.02	125.09	128.60
25	BB	2091	C	C2-N3-C4	-7.02	116.39	119.90
25	BB	2467	C	C5-C6-N1	-7.02	117.49	121.00
3	A1	708	C	C6-N1-C2	-7.01	117.49	120.30
3	A1	944	G	C1'-O4'-C4'	-7.01	104.29	109.90
3	A1	1139	G	N1-C6-O6	-7.01	115.69	119.90
3	A1	1468	A	C5-C6-N6	7.01	129.31	123.70
3	A1	1526	G	C4-C5-N7	-7.01	108.00	110.80
25	BB	1337	G	C4-C5-C6	-7.01	114.59	118.80
25	BB	1749	A	C5-C6-N1	7.01	121.21	117.70
25	BB	2083	G	N9-C4-C5	7.01	108.21	105.40
25	BB	2145	C	O4'-C1'-N1	7.01	113.81	108.20
3	A1	300	A	O4'-C1'-N9	7.01	113.81	108.20
25	BB	430	A	C5-C6-N1	7.01	121.21	117.70
25	BB	1677	A	C4-C5-C6	-7.01	113.49	117.00
25	BB	1757	A	C6-C5-N7	7.01	137.21	132.30
25	BB	2112	G	C2-N3-C4	7.01	115.41	111.90
25	BB	2206	C	N3-C4-C5	7.01	124.70	121.90
43	BT	15	ARG	NE-CZ-NH2	-7.01	116.79	120.30
3	A1	38	G	C6-N1-C2	-7.01	120.89	125.10
3	A1	419	C	C5-C6-N1	-7.01	117.49	121.00
3	A1	825	A	C6-N1-C2	-7.01	114.39	118.60
3	A1	907	A	C2-N3-C4	7.01	114.11	110.60
3	A1	1282	C	N1-C2-O2	7.01	123.11	118.90
3	A1	1428	A	C2-N3-C4	7.01	114.11	110.60
3	A1	1506	U	C5'-C4'-O4'	7.01	117.52	109.10
24	BA	54	G	N3-C4-C5	-7.01	125.09	128.60
25	BB	230	G	C6-N1-C2	-7.01	120.89	125.10
25	BB	1363	C	N3-C4-C5	7.01	124.70	121.90
25	BB	2460	U	N1-C1'-C2'	7.01	123.11	114.00
25	BB	2578	G	N7-C8-N9	7.01	116.61	113.10
3	A1	525	C	O4'-C1'-N1	7.01	113.81	108.20
3	A1	805	C	O4'-C1'-N1	7.01	113.81	108.20
3	A1	1042	A	N7-C8-N9	7.01	117.31	113.80
3	A1	1111	A	C5-N7-C8	-7.01	100.39	103.90
3	A1	1224	U	C2-N3-C4	-7.01	122.79	127.00
3	A1	1306	A	C5-C6-N6	7.01	129.31	123.70
3	A1	1327	C	N3-C4-C5	7.01	124.70	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1419	G	C5-C6-N1	7.01	115.00	111.50
16	AQ	20	ARG	NE-CZ-NH1	7.01	123.81	120.30
24	BA	57	A	N1-C6-N6	-7.01	114.39	118.60
25	BB	618	G	N3-C4-C5	-7.01	125.09	128.60
25	BB	1728	C	N1-C2-O2	7.01	123.11	118.90
25	BB	1884	G	O4'-C1'-N9	7.01	113.81	108.20
25	BB	2483	C	C5-C6-N1	-7.01	117.50	121.00
25	BB	1016	G	N3-C2-N2	-7.01	114.99	119.90
25	BB	1251	C	N3-C4-N4	-7.01	113.09	118.00
25	BB	1792	G	C6-N1-C2	-7.01	120.89	125.10
1	AP	9	A	C8-N9-C4	-7.01	103.00	105.80
3	A1	222	C	N1-C2-O2	7.01	123.10	118.90
3	A1	339	C	C5-C4-N4	7.01	125.11	120.20
3	A1	729	A	C4'-C3'-C2'	-7.01	95.59	102.60
3	A1	1262	C	O4'-C1'-N1	7.01	113.81	108.20
24	BA	91	C	C6-N1-C2	-7.01	117.50	120.30
25	BB	222	A	N7-C8-N9	7.01	117.30	113.80
25	BB	223	A	N1-C6-N6	-7.01	114.40	118.60
25	BB	460	A	C4-C5-C6	-7.01	113.50	117.00
25	BB	665	U	C5-C6-N1	-7.01	119.20	122.70
25	BB	679	C	C5'-C4'-C3'	-7.01	104.79	116.00
25	BB	840	C	N3-C2-O2	-7.01	117.00	121.90
25	BB	912	C	N3-C2-O2	-7.01	117.00	121.90
25	BB	1523	U	N3-C4-O4	7.01	124.30	119.40
25	BB	1730	C	C2-N1-C1'	7.01	126.51	118.80
25	BB	2047	C	C2-N3-C4	-7.01	116.40	119.90
25	BB	2222	C	N3-C4-C5	7.01	124.70	121.90
25	BB	2841	C	N3-C4-N4	-7.01	113.09	118.00
3	A1	836	G	N3-C4-C5	-7.00	125.10	128.60
24	BA	86	G	O4'-C1'-N9	7.00	113.80	108.20
25	BB	1768	C	C2-N3-C4	-7.00	116.40	119.90
25	BB	1830	C	N3-C2-O2	-7.00	117.00	121.90
40	BQ	11	VAL	CA-CB-CG1	7.00	121.41	110.90
3	A1	525	C	N3-C2-O2	-7.00	117.00	121.90
25	BB	389	G	O4'-C1'-N9	7.00	113.80	108.20
25	BB	797	G	C6-C5-N7	7.00	134.60	130.40
25	BB	2710	C	N3-C2-O2	-7.00	117.00	121.90
25	BB	2826	A	C5-N7-C8	-7.00	100.40	103.90
1	AP	34	G	N3-C4-C5	-7.00	125.10	128.60
3	A1	404	G	C5-C6-N1	7.00	115.00	111.50
3	A1	1395	C	P-O3'-C3'	7.00	128.10	119.70
25	BB	700	G	N1-C2-N3	7.00	128.10	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1381	G	C1'-O4'-C4'	-7.00	104.30	109.90
25	BB	1382	G	C5-C6-O6	7.00	132.80	128.60
25	BB	2574	G	C5-C6-N1	7.00	115.00	111.50
25	BB	2640	G	O4'-C1'-N9	7.00	113.80	108.20
25	BB	2647	U	N1-C2-N3	7.00	119.10	114.90
3	A1	1484	C	C5-C6-N1	-7.00	117.50	121.00
25	BB	65	U	C5-C6-N1	-7.00	119.20	122.70
25	BB	108	G	C5'-C4'-O4'	7.00	117.50	109.10
25	BB	2361	G	C6-N1-C2	-7.00	120.90	125.10
3	A1	1476	A	C2-N3-C4	7.00	114.10	110.60
25	BB	404	A	C4-C5-C6	-7.00	113.50	117.00
25	BB	1739	A	C6-C5-N7	7.00	137.20	132.30
25	BB	2215	C	N3-C4-C5	7.00	124.70	121.90
25	BB	2254	C	N1-C2-N3	7.00	124.10	119.20
25	BB	2522	U	C5-C6-N1	-7.00	119.20	122.70
28	BE	47	ARG	NE-CZ-NH2	7.00	123.80	120.30
3	A1	384	G	N3-C4-C5	-7.00	125.10	128.60
3	A1	1462	C	C4'-C3'-C2'	-7.00	95.60	102.60
25	BB	281	C	N3-C2-O2	-7.00	117.00	121.90
25	BB	780	G	C6-N1-C2	-7.00	120.90	125.10
25	BB	1759	A	C5-C6-N1	7.00	121.20	117.70
25	BB	2436	G	O4'-C1'-N9	7.00	113.80	108.20
1	AP	12	U	C4'-C3'-C2'	-7.00	95.61	102.60
3	A1	1524	C	O4'-C1'-N1	7.00	113.80	108.20
23	AX	48	ARG	NH1-CZ-NH2	-7.00	111.71	119.40
25	BB	1768	C	O4'-C1'-N1	7.00	113.80	108.20
25	BB	1898	U	C4-C5-C6	7.00	123.90	119.70
25	BB	1917	U	C4-C5-C6	7.00	123.90	119.70
25	BB	2043	C	C5-C4-N4	7.00	125.10	120.20
25	BB	2271	G	C5-C6-N1	7.00	115.00	111.50
25	BB	2903	U	C5-C6-N1	-7.00	119.20	122.70
3	A1	209	U	C5-C4-O4	6.99	130.10	125.90
3	A1	843	U	C1'-O4'-C4'	-6.99	104.31	109.90
3	A1	1303	C	N3-C2-O2	-6.99	117.00	121.90
25	BB	193	U	C1'-O4'-C4'	-6.99	104.31	109.90
25	BB	205	G	N9-C4-C5	6.99	108.20	105.40
25	BB	938	G	C8-N9-C4	-6.99	103.60	106.40
3	A1	303	A	C4-C5-C6	-6.99	113.50	117.00
25	BB	124	G	C5-C6-N1	6.99	115.00	111.50
25	BB	1955	U	C4'-C3'-C2'	-6.99	95.61	102.60
25	BB	2525	G	C1'-O4'-C4'	6.99	115.49	109.90
3	A1	369	G	N1-C6-O6	-6.99	115.70	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	847	G	C5-C6-O6	6.99	132.79	128.60
25	BB	642	U	N3-C2-O2	-6.99	117.31	122.20
25	BB	881	G	N7-C8-N9	6.99	116.59	113.10
25	BB	1411	U	N1-C2-N3	6.99	119.09	114.90
25	BB	2801	G	P-O3'-C3'	6.99	128.09	119.70
3	A1	648	A	C8-N9-C4	-6.99	103.00	105.80
25	BB	69	C	N1-C2-N3	6.99	124.09	119.20
25	BB	426	C	C5-C6-N1	-6.99	117.51	121.00
25	BB	775	G	C5-C6-O6	6.99	132.79	128.60
25	BB	1135	C	C2-N3-C4	-6.99	116.41	119.90
25	BB	1964	G	C4-C5-C6	-6.99	114.61	118.80
25	BB	2457	U	C5-C6-N1	-6.99	119.21	122.70
3	A1	126	G	C5-N7-C8	-6.99	100.81	104.30
3	A1	445	G	N1-C6-O6	-6.99	115.71	119.90
3	A1	740	U	C5-C6-N1	-6.99	119.21	122.70
3	A1	1176	A	N1-C2-N3	-6.99	125.81	129.30
3	A1	1350	A	N1-C6-N6	-6.99	114.41	118.60
25	BB	1004	U	C5-C6-N1	-6.99	119.21	122.70
29	BF	51	ARG	NH1-CZ-NH2	-6.99	111.72	119.40
1	AP	9	A	C2-N3-C4	6.99	114.09	110.60
3	A1	994	A	C5-C6-N6	6.99	129.29	123.70
24	BA	108	A	C4-C5-C6	-6.99	113.51	117.00
25	BB	419	U	N1-C2-N3	6.99	119.09	114.90
25	BB	1761	C	N1-C2-N3	6.99	124.09	119.20
25	BB	1956	U	C2-N3-C4	-6.99	122.81	127.00
25	BB	2273	A	C4-C5-C6	-6.99	113.51	117.00
25	BB	2318	G	C5-C6-N1	6.99	114.99	111.50
25	BB	2404	U	C5-C6-N1	-6.99	119.21	122.70
3	A1	305	G	C5'-C4'-C3'	-6.98	104.83	116.00
3	A1	356	A	C6-C5-N7	6.98	137.19	132.30
3	A1	1024	G	C5'-C4'-O4'	6.98	117.48	109.10
3	A1	1210	C	N3-C2-O2	-6.98	117.01	121.90
25	BB	995	C	C2-N3-C4	-6.98	116.41	119.90
25	BB	2135	A	P-O3'-C3'	6.98	128.08	119.70
25	BB	2239	G	N3-C2-N2	-6.98	115.01	119.90
3	A1	635	A	C6-C5-N7	6.98	137.19	132.30
25	BB	421	C	O4'-C4'-C3'	6.98	111.69	106.10
25	BB	1830	C	N1-C2-O2	6.98	123.09	118.90
25	BB	2339	C	O4'-C4'-C3'	6.98	111.69	106.10
3	A1	23	C	C4-C5-C6	6.98	120.89	117.40
3	A1	143	A	C5-N7-C8	-6.98	100.41	103.90
3	A1	225	C	C2'-C3'-O3'	6.98	124.87	113.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	453	G	C5-C6-N1	6.98	114.99	111.50
3	A1	987	G	O3'-P-O5'	6.98	117.26	104.00
25	BB	54	G	N3-C2-N2	-6.98	115.01	119.90
25	BB	893	C	N3-C2-O2	-6.98	117.01	121.90
25	BB	937	C	N3-C2-O2	-6.98	117.01	121.90
25	BB	1659	G	C6-C5-N7	6.98	134.59	130.40
25	BB	2438	U	C4'-C3'-C2'	-6.98	95.62	102.60
25	BB	2560	A	C5-C6-N6	6.98	129.28	123.70
48	BY	46	ARG	CD-NE-CZ	6.98	133.37	123.60
3	A1	729	A	N1-C2-N3	-6.98	125.81	129.30
25	BB	333	G	C5-C6-O6	6.98	132.79	128.60
25	BB	1567	G	N3-C4-C5	-6.98	125.11	128.60
55	B6	49	ASP	OD1-CG-OD2	-6.98	110.04	123.30
3	A1	664	G	C5-C6-O6	6.98	132.79	128.60
3	A1	1283	U	O4'-C1'-N1	6.98	113.78	108.20
3	A1	1469	C	N3-C2-O2	-6.98	117.02	121.90
3	A1	1515	G	C5-C6-N1	6.98	114.99	111.50
25	BB	393	C	N3-C4-C5	6.98	124.69	121.90
25	BB	659	G	C8-N9-C4	-6.98	103.61	106.40
25	BB	1522	A	C2-N3-C4	6.98	114.09	110.60
25	BB	1765	U	C3'-C2'-C1'	6.98	107.08	101.50
25	BB	1920	C	O4'-C1'-N1	6.98	113.78	108.20
25	BB	2662	A	C5-C6-N1	6.98	121.19	117.70
25	BB	2671	G	N1-C6-O6	-6.98	115.71	119.90
32	BI	100	ARG	NE-CZ-NH1	6.98	123.79	120.30
1	AA	60	C	N3-C2-O2	-6.98	117.02	121.90
1	AE	7	U	N1-C2-N3	6.98	119.08	114.90
25	BB	532	A	O4'-C1'-N9	6.98	113.78	108.20
25	BB	1068	G	O4'-C1'-N9	6.98	113.78	108.20
25	BB	1116	G	N3-C2-N2	-6.98	115.02	119.90
25	BB	1731	G	C6-N1-C2	-6.98	120.92	125.10
25	BB	2024	G	C5-C6-N1	6.98	114.99	111.50
3	A1	302	G	P-O3'-C3'	6.97	128.07	119.70
3	A1	844	G	N7-C8-N9	6.97	116.59	113.10
3	A1	1480	A	C4-C5-C6	-6.97	113.51	117.00
16	AQ	16	ARG	NH1-CZ-NH2	-6.97	111.73	119.40
25	BB	319	G	C5-C6-N1	6.97	114.99	111.50
25	BB	2576	G	N9-C4-C5	6.97	108.19	105.40
3	A1	472	U	C2-N3-C4	-6.97	122.82	127.00
3	A1	526	C	C6-N1-C2	-6.97	117.51	120.30
3	A1	713	G	N7-C8-N9	6.97	116.59	113.10
24	BA	88	C	C6-N1-C2	-6.97	117.51	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2057	G	C1'-O4'-C4'	-6.97	104.32	109.90
25	BB	2121	G	C6-C5-N7	6.97	134.58	130.40
25	BB	2299	U	N3-C2-O2	-6.97	117.32	122.20
1	AA	45	G	C4-C5-C6	-6.97	114.62	118.80
3	A1	1144	G	C5-C6-N1	6.97	114.99	111.50
3	A1	1327	C	C4'-C3'-C2'	-6.97	95.63	102.60
25	BB	444	C	C1'-O4'-C4'	-6.97	104.32	109.90
3	A1	171	A	N9-C4-C5	-6.97	103.01	105.80
3	A1	753	A	C5-C6-N1	6.97	121.18	117.70
25	BB	390	U	N1-C2-N3	6.97	119.08	114.90
25	BB	1210	G	N9-C4-C5	6.97	108.19	105.40
25	BB	2142	A	C6-N1-C2	-6.97	114.42	118.60
25	BB	2349	G	C5-C6-N1	6.97	114.98	111.50
47	BX	14	CYS	CA-CB-SG	-6.97	101.45	114.00
49	BZ	87	ARG	NE-CZ-NH2	6.97	123.78	120.30
25	BB	1315	C	N3-C4-N4	-6.97	113.12	118.00
25	BB	1369	G	P-O3'-C3'	6.97	128.06	119.70
1	AA	7	U	C5'-C4'-O4'	6.97	117.46	109.10
3	A1	252	U	C3'-C2'-C1'	6.97	107.07	101.50
3	A1	737	C	C5-C4-N4	6.97	125.08	120.20
3	A1	926	G	O4'-C1'-N9	-6.97	102.63	108.20
3	A1	1046	A	C5-N7-C8	-6.97	100.42	103.90
25	BB	913	U	O4'-C1'-N1	6.97	113.77	108.20
25	BB	1966	A	N1-C6-N6	-6.97	114.42	118.60
25	BB	2234	G	N9-C1'-C2'	-6.97	104.34	112.00
50	B1	117	ARG	CD-NE-CZ	6.97	133.35	123.60
3	A1	229	U	C3'-C2'-C1'	6.96	107.07	101.50
3	A1	407	U	O4'-C1'-N1	6.96	113.77	108.20
3	A1	1084	G	C4'-C3'-C2'	-6.96	95.64	102.60
24	BA	114	C	N1-C2-O2	6.96	123.08	118.90
25	BB	134	G	C2-N3-C4	6.96	115.38	111.90
25	BB	217	A	C5-C6-N1	6.96	121.18	117.70
25	BB	329	G	N7-C8-N9	6.96	116.58	113.10
25	BB	909	A	N9-C4-C5	6.96	108.59	105.80
25	BB	1029	A	C5-C6-N1	6.96	121.18	117.70
25	BB	1836	C	C6-N1-C2	-6.96	117.51	120.30
25	BB	2294	G	N3-C4-C5	-6.96	125.12	128.60
25	BB	2470	G	N3-C2-N2	-6.96	115.03	119.90
25	BB	2577	A	C5-C6-N6	6.96	129.27	123.70
25	BB	2755	C	N3-C2-O2	-6.96	117.03	121.90
3	A1	360	G	C4-C5-N7	-6.96	108.02	110.80
3	A1	784	A	C1'-O4'-C4'	-6.96	104.33	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1418	A	C3'-C2'-C1'	-6.96	95.93	101.50
25	BB	229	C	C1'-O4'-C4'	-6.96	104.33	109.90
25	BB	2469	A	C5-C6-N6	6.96	129.27	123.70
1	AA	35	A	C6-C5-N7	6.96	137.17	132.30
1	AP	43	G	C8-N9-C1'	6.96	136.05	127.00
3	A1	805	C	C5-C4-N4	6.96	125.07	120.20
25	BB	1012	U	O4'-C1'-N1	6.96	113.77	108.20
25	BB	131	A	N1-C6-N6	-6.96	114.42	118.60
25	BB	932	U	C1'-O4'-C4'	-6.96	104.33	109.90
25	BB	1009	A	C5-C6-N6	6.96	129.27	123.70
25	BB	1541	C	O4'-C1'-N1	6.96	113.77	108.20
25	BB	1604	C	N3-C4-C5	6.96	124.68	121.90
25	BB	1817	G	C6-C5-N7	6.96	134.58	130.40
25	BB	2521	C	N1-C2-O2	6.96	123.08	118.90
1	AE	35	A	C4'-C3'-C2'	-6.96	95.64	102.60
3	A1	599	C	C5-C6-N1	-6.96	117.52	121.00
3	A1	933	G	N3-C4-C5	-6.96	125.12	128.60
3	A1	1357	A	C5-C6-N1	6.96	121.18	117.70
3	A1	1366	C	C5-C6-N1	-6.96	117.52	121.00
3	A1	1394	A	C5-C6-N1	6.96	121.18	117.70
25	BB	542	C	N1-C2-O2	6.96	123.08	118.90
25	BB	625	G	C5'-C4'-O4'	6.96	117.45	109.10
25	BB	761	A	C6-N1-C2	-6.96	114.42	118.60
25	BB	2122	U	N3-C2-O2	-6.96	117.33	122.20
25	BB	2318	G	N7-C8-N9	6.96	116.58	113.10
3	A1	733	G	C6-C5-N7	6.96	134.57	130.40
17	AR	61	ARG	NH1-CZ-NH2	-6.96	111.75	119.40
25	BB	767	U	C5-C4-O4	-6.96	121.73	125.90
25	BB	1443	U	N3-C2-O2	-6.96	117.33	122.20
25	BB	1523	U	O4'-C4'-C3'	6.96	111.67	106.10
25	BB	1536	C	N3-C4-N4	-6.96	113.13	118.00
3	A1	553	A	C5-C6-N1	6.96	121.18	117.70
3	A1	567	G	N9-C4-C5	6.96	108.18	105.40
3	A1	710	G	O4'-C4'-C3'	6.96	111.66	106.10
3	A1	938	A	C2'-C3'-O3'	6.96	124.83	113.70
25	BB	357	C	N3-C2-O2	-6.96	117.03	121.90
25	BB	1436	G	C5-C6-O6	6.96	132.77	128.60
25	BB	1620	G	C1'-O4'-C4'	-6.96	104.34	109.90
25	BB	1794	A	C5-C6-N1	6.96	121.18	117.70
1	AA	46	G	O5'-C5'-C4'	6.95	124.91	111.70
3	A1	298	A	C5-C6-N1	6.95	121.18	117.70
3	A1	474	G	C4-C5-N7	-6.95	108.02	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	801	U	C4-C5-C6	6.95	123.87	119.70
25	BB	69	C	C5-C6-N1	-6.95	117.52	121.00
25	BB	462	C	N1-C2-O2	6.95	123.07	118.90
25	BB	474	G	C5-C6-O6	6.95	132.77	128.60
25	BB	927	A	C4'-C3'-C2'	-6.95	95.65	102.60
25	BB	1019	U	N1-C2-N3	6.95	119.07	114.90
25	BB	1722	A	C5-C6-N1	6.95	121.18	117.70
25	BB	2500	U	C5-C6-N1	-6.95	119.22	122.70
3	A1	387	U	C5-C6-N1	-6.95	119.22	122.70
3	A1	689	C	N3-C2-O2	-6.95	117.03	121.90
25	BB	90	U	C1'-O4'-C4'	-6.95	104.34	109.90
25	BB	330	A	C5-N7-C8	-6.95	100.42	103.90
25	BB	425	G	C5-N7-C8	-6.95	100.82	104.30
25	BB	1049	C	C5'-C4'-O4'	6.95	117.44	109.10
25	BB	1419	A	C1'-O4'-C4'	-6.95	104.34	109.90
25	BB	2277	G	P-O3'-C3'	6.95	128.04	119.70
25	BB	2855	C	N3-C4-C5	6.95	124.68	121.90
3	A1	297	G	N7-C8-N9	6.95	116.58	113.10
3	A1	594	U	N3-C2-O2	-6.95	117.33	122.20
3	A1	1341	U	C2-N3-C4	-6.95	122.83	127.00
3	A1	1369	C	N3-C4-N4	-6.95	113.14	118.00
3	A1	1400	C	C2-N3-C4	-6.95	116.42	119.90
3	A1	1534	A	C2-N3-C4	6.95	114.08	110.60
25	BB	109	C	N3-C4-N4	-6.95	113.13	118.00
25	BB	248	G	N3-C4-N9	6.95	130.17	126.00
25	BB	505	A	C2-N3-C4	6.95	114.08	110.60
25	BB	741	U	N1-C2-N3	6.95	119.07	114.90
25	BB	857	G	C5-C6-N1	6.95	114.97	111.50
25	BB	1483	G	N3-C4-C5	-6.95	125.12	128.60
25	BB	2053	G	C4-C5-C6	-6.95	114.63	118.80
25	BB	2195	U	C5'-C4'-C3'	-6.95	104.88	116.00
25	BB	2880	C	N3-C4-C5	6.95	124.68	121.90
3	A1	10	A	O4'-C1'-N9	6.95	113.76	108.20
3	A1	468	A	C6-C5-N7	6.95	137.16	132.30
3	A1	566	G	C5-C6-N1	6.95	114.97	111.50
3	A1	847	G	C5'-C4'-C3'	-6.95	104.88	116.00
3	A1	1105	A	C6-C5-N7	6.95	137.16	132.30
25	BB	338	G	N3-C4-C5	-6.95	125.12	128.60
25	BB	903	C	N3-C2-O2	-6.95	117.04	121.90
25	BB	1471	G	C6-N1-C2	-6.95	120.93	125.10
25	BB	1531	C	N3-C2-O2	-6.95	117.04	121.90
25	BB	1749	A	O4'-C1'-N9	6.95	113.76	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2359	C	C5-C6-N1	-6.95	117.53	121.00
3	A1	1139	G	N3-C4-N9	6.95	130.17	126.00
3	A1	1376	U	C1'-O4'-C4'	-6.95	104.34	109.90
20	AU	78	ARG	CD-NE-CZ	6.95	133.33	123.60
25	BB	303	G	O4'-C1'-N9	6.95	113.76	108.20
25	BB	456	C	N3-C2-O2	-6.95	117.04	121.90
25	BB	1463	C	N3-C4-C5	6.95	124.68	121.90
25	BB	1913	A	O5'-P-OP2	6.95	119.04	110.70
25	BB	2100	G	C2-N3-C4	6.95	115.37	111.90
25	BB	2752	C	O4'-C4'-C3'	6.95	111.66	106.10
3	A1	58	C	O4'-C1'-N1	6.95	113.76	108.20
3	A1	235	C	C5'-C4'-C3'	-6.95	104.89	116.00
3	A1	253	A	C4-C5-C6	-6.95	113.53	117.00
3	A1	664	G	C3'-C2'-C1'	6.95	107.06	101.50
3	A1	1322	C	N1-C2-O2	6.95	123.07	118.90
3	A1	1522	U	C5-C6-N1	-6.95	119.23	122.70
25	BB	834	G	C5-C6-N1	6.95	114.97	111.50
25	BB	1880	U	C4-C5-C6	6.95	123.87	119.70
25	BB	2158	A	N3-C4-N9	-6.95	121.84	127.40
25	BB	2899	A	C2-N3-C4	6.95	114.07	110.60
26	BC	21	ARG	NE-CZ-NH1	6.95	123.77	120.30
3	A1	16	A	N1-C6-N6	-6.94	114.43	118.60
3	A1	995	C	C5-C6-N1	-6.94	117.53	121.00
3	A1	1093	A	N9-C4-C5	6.94	108.58	105.80
25	BB	1292	G	C5-C6-N1	6.94	114.97	111.50
3	A1	33	A	C8-N9-C4	6.94	108.58	105.80
25	BB	606	U	C1'-O4'-C4'	6.94	115.45	109.90
25	BB	1092	C	N3-C4-N4	-6.94	113.14	118.00
25	BB	1224	U	N3-C2-O2	-6.94	117.34	122.20
25	BB	1477	A	C2-N3-C4	6.94	114.07	110.60
25	BB	1756	G	N3-C2-N2	-6.94	115.04	119.90
25	BB	2552	U	O4'-C1'-N1	6.94	113.75	108.20
25	BB	2702	G	N3-C4-N9	6.94	130.17	126.00
3	A1	899	C	P-O3'-C3'	6.94	128.03	119.70
25	BB	117	G	N9-C4-C5	6.94	108.18	105.40
25	BB	381	G	O4'-C1'-N9	6.94	113.75	108.20
25	BB	614	A	C3'-C2'-C1'	-6.94	95.95	101.50
25	BB	2666	C	N3-C4-N4	-6.94	113.14	118.00
3	A1	307	C	C3'-C2'-C1'	6.94	107.05	101.50
3	A1	1076	U	N3-C2-O2	-6.94	117.34	122.20
25	BB	549	G	N1-C6-O6	-6.94	115.74	119.90
25	BB	1408	G	N3-C2-N2	-6.94	115.04	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1565	C	C5-C6-N1	-6.94	117.53	121.00
25	BB	1708	C	N3-C4-C5	6.94	124.67	121.90
25	BB	2440	C	N3-C4-N4	-6.94	113.14	118.00
3	A1	51	A	C4-C5-C6	-6.94	113.53	117.00
3	A1	316	C	C1'-O4'-C4'	-6.94	104.35	109.90
3	A1	510	A	C6-C5-N7	6.94	137.16	132.30
3	A1	621	A	C6-C5-N7	6.94	137.16	132.30
3	A1	669	G	C5-C6-N1	6.94	114.97	111.50
3	A1	1148	U	C3'-C2'-C1'	6.94	107.05	101.50
3	A1	1270	G	C4'-C3'-C2'	-6.94	95.66	102.60
3	A1	1434	A	C6-C5-N7	6.94	137.16	132.30
4	AB	136	ARG	NE-CZ-NH2	-6.94	116.83	120.30
25	BB	801	G	C1'-O4'-C4'	-6.94	104.35	109.90
25	BB	1242	U	C2-N3-C4	-6.94	122.84	127.00
25	BB	1492	G	N3-C2-N2	-6.94	115.04	119.90
25	BB	2325	G	N3-C2-N2	-6.94	115.04	119.90
3	A1	1381	U	C5-C6-N1	-6.94	119.23	122.70
25	BB	409	G	N1-C6-O6	-6.94	115.74	119.90
25	BB	1421	G	N1-C6-O6	-6.94	115.74	119.90
25	BB	1729	U	C1'-O4'-C4'	-6.94	104.35	109.90
25	BB	1742	U	C5-C4-O4	6.94	130.06	125.90
25	BB	2077	A	C6-C5-N7	6.94	137.16	132.30
25	BB	2273	A	N1-C2-N3	-6.94	125.83	129.30
25	BB	151	C	C3'-C2'-C1'	-6.93	95.95	101.50
25	BB	881	G	C5-N7-C8	-6.93	100.83	104.30
25	BB	1368	G	C4'-C3'-C2'	-6.93	95.67	102.60
25	BB	1919	A	C5-C6-N6	6.93	129.25	123.70
25	BB	2772	C	C5-C4-N4	6.93	125.05	120.20
3	A1	63	C	C5-C6-N1	-6.93	117.53	121.00
3	A1	934	C	OP1-P-OP2	-6.93	109.20	119.60
3	A1	1033	G	C8-N9-C4	-6.93	103.63	106.40
15	AO	135	ARG	NE-CZ-NH1	6.93	123.77	120.30
25	BB	1068	G	C8-N9-C4	6.93	109.17	106.40
25	BB	1494	A	C5'-C4'-O4'	6.93	117.42	109.10
25	BB	1834	U	C2-N3-C4	-6.93	122.84	127.00
25	BB	2066	C	C3'-C2'-C1'	6.93	107.05	101.50
25	BB	2390	U	N3-C2-O2	-6.93	117.35	122.20
48	BY	71	ALA	C-N-CA	6.93	136.86	122.30
24	BA	101	A	O4'-C1'-N9	6.93	113.75	108.20
24	BA	105	G	C5-N7-C8	-6.93	100.83	104.30
25	BB	1464	G	P-O5'-C5'	6.93	131.99	120.90
25	BB	1791	A	C1'-O4'-C4'	-6.93	104.36	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2064	C	C6-N1-C2	-6.93	117.53	120.30
3	A1	1275	A	N1-C6-N6	-6.93	114.44	118.60
3	A1	1305	G	C4'-C3'-C2'	-6.93	95.67	102.60
25	BB	91	A	C3'-C2'-C1'	6.93	107.04	101.50
25	BB	689	A	C6-C5-N7	6.93	137.15	132.30
25	BB	836	G	N1-C6-O6	-6.93	115.74	119.90
25	BB	1270	C	C5-C6-N1	-6.93	117.54	121.00
25	BB	1344	U	O4'-C1'-N1	6.93	113.74	108.20
25	BB	1793	C	C2-N3-C4	-6.93	116.44	119.90
25	BB	2284	A	O4'-C1'-N9	-6.93	102.66	108.20
25	BB	2295	C	N3-C4-C5	6.93	124.67	121.90
25	BB	2638	G	N9-C4-C5	6.93	108.17	105.40
3	A1	11	G	O4'-C1'-N9	6.93	113.74	108.20
3	A1	1220	G	N1-C2-N3	6.93	128.06	123.90
3	A1	1493	A	N9-C4-C5	6.93	108.57	105.80
25	BB	294	A	C6-C5-N7	6.93	137.15	132.30
25	BB	323	C	C5-C4-N4	6.93	125.05	120.20
25	BB	462	C	O4'-C1'-N1	6.93	113.74	108.20
3	A1	127	G	N9-C4-C5	6.93	108.17	105.40
4	AB	62	ARG	CD-NE-CZ	6.93	133.30	123.60
25	BB	80	G	C6-C5-N7	6.93	134.56	130.40
25	BB	176	A	N7-C8-N9	6.93	117.26	113.80
25	BB	233	A	C5-C6-N6	6.93	129.24	123.70
25	BB	1554	U	O4'-C1'-C2'	-6.93	98.87	105.80
25	BB	2037	A	C2-N3-C4	6.93	114.06	110.60
25	BB	2867	G	N3-C2-N2	-6.93	115.05	119.90
45	BV	35	ARG	NE-CZ-NH2	6.93	123.76	120.30
3	A1	386	C	N3-C2-O2	-6.92	117.05	121.90
3	A1	846	G	N7-C8-N9	6.92	116.56	113.10
3	A1	1090	U	N1-C2-N3	6.92	119.06	114.90
3	A1	1117	A	C5-C6-N6	6.92	129.24	123.70
3	A1	1435	G	C4-C5-N7	6.92	113.57	110.80
3	A1	1441	A	N9-C4-C5	-6.92	103.03	105.80
17	AR	61	ARG	NE-CZ-NH1	6.92	123.76	120.30
25	BB	74	A	N1-C6-N6	-6.92	114.44	118.60
25	BB	469	G	C6-C5-N7	6.92	134.56	130.40
25	BB	944	C	N1-C2-N3	6.92	124.05	119.20
25	BB	2467	C	C3'-C2'-C1'	-6.92	95.96	101.50
3	A1	138	G	C5-N7-C8	-6.92	100.84	104.30
24	BA	5	U	C3'-C2'-C1'	-6.92	95.96	101.50
25	BB	521	U	C5-C4-O4	-6.92	121.75	125.90
25	BB	1357	C	O4'-C1'-N1	6.92	113.74	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1934	C	C4'-C3'-C2'	-6.92	95.68	102.60
3	A1	1174	G	C5'-C4'-O4'	6.92	117.41	109.10
3	A1	1449	C	C1'-O4'-C4'	-6.92	104.36	109.90
25	BB	1594	U	N3-C2-O2	-6.92	117.36	122.20
25	BB	1853	A	C6-C5-N7	6.92	137.14	132.30
25	BB	284	U	N1-C2-O2	6.92	127.64	122.80
25	BB	455	C	C6-N1-C2	-6.92	117.53	120.30
25	BB	786	C	N1-C2-N3	6.92	124.04	119.20
25	BB	2823	A	C4-C5-C6	-6.92	113.54	117.00
3	A1	576	C	N3-C2-O2	-6.92	117.06	121.90
3	A1	796	C	N3-C4-N4	-6.92	113.16	118.00
3	A1	910	C	C4'-C3'-C2'	-6.92	95.68	102.60
3	A1	1202	U	N3-C4-O4	6.92	124.24	119.40
25	BB	1420	A	C3'-C2'-C1'	-6.92	95.97	101.50
25	BB	1925	C	C1'-O4'-C4'	-6.92	104.37	109.90
1	AA	7	U	O4'-C1'-N1	6.92	113.73	108.20
3	A1	264	C	C2-N3-C4	-6.92	116.44	119.90
3	A1	658	C	N3-C4-N4	-6.92	113.16	118.00
3	A1	733	G	N9-C4-C5	6.92	108.17	105.40
3	A1	797	C	O4'-C1'-N1	-6.92	102.67	108.20
3	A1	1048	G	N1-C6-O6	-6.92	115.75	119.90
25	BB	39	G	C5'-C4'-O4'	6.92	117.40	109.10
25	BB	537	G	N1-C2-N2	-6.92	109.97	116.20
25	BB	676	A	C6-C5-N7	6.92	137.14	132.30
3	A1	299	G	N3-C4-C5	-6.92	125.14	128.60
3	A1	588	G	C6-N1-C2	-6.92	120.95	125.10
25	BB	47	C	C2-N3-C4	-6.92	116.44	119.90
25	BB	247	G	N1-C2-N3	6.92	128.05	123.90
25	BB	951	C	N3-C4-C5	6.92	124.67	121.90
25	BB	2045	C	C3'-C2'-C1'	6.92	107.03	101.50
3	A1	693	G	O4'-C1'-N9	6.91	113.73	108.20
3	A1	942	G	C6-N1-C2	-6.91	120.95	125.10
3	A1	1274	A	C5-C6-N6	6.91	129.23	123.70
25	BB	157	C	C6-N1-C2	-6.91	117.53	120.30
25	BB	534	U	N1-C2-N3	6.91	119.05	114.90
25	BB	763	G	C4-C5-N7	-6.91	108.03	110.80
25	BB	2547	A	C6-C5-N7	6.91	137.14	132.30
25	BB	2571	U	C1'-O4'-C4'	-6.91	104.37	109.90
25	BB	2821	A	O3'-P-O5'	6.91	117.14	104.00
3	A1	808	C	C5-C6-N1	-6.91	117.54	121.00
24	BA	60	C	C5-C6-N1	-6.91	117.54	121.00
25	BB	53	A	C4'-C3'-C2'	-6.91	95.69	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1012	U	N1-C2-N3	6.91	119.05	114.90
25	BB	1290	C	N3-C4-C5	6.91	124.67	121.90
25	BB	1995	U	N1-C2-N3	6.91	119.05	114.90
25	BB	2472	G	C4'-C3'-C2'	6.91	109.51	102.60
3	A1	213	G	N3-C2-N2	-6.91	115.06	119.90
3	A1	1409	C	N3-C4-C5	6.91	124.66	121.90
5	AC	126	ARG	NE-CZ-NH2	6.91	123.75	120.30
24	BA	2	G	N3-C4-N9	6.91	130.15	126.00
24	BA	85	G	N1-C2-N3	6.91	128.05	123.90
25	BB	156	A	C5-C6-N1	6.91	121.16	117.70
25	BB	638	G	C5'-C4'-C3'	-6.91	104.94	116.00
25	BB	822	G	C6-N1-C2	-6.91	120.95	125.10
25	BB	898	C	C3'-C2'-C1'	-6.91	95.97	101.50
25	BB	1439	A	C6-C5-N7	6.91	137.14	132.30
25	BB	1561	C	O4'-C1'-N1	6.91	113.73	108.20
25	BB	1610	A	C5-C6-N1	6.91	121.16	117.70
25	BB	1691	C	C5-C6-N1	-6.91	117.55	121.00
25	BB	1835	G	N3-C2-N2	-6.91	115.06	119.90
48	BY	169	ARG	NE-CZ-NH2	-6.91	116.84	120.30
3	A1	71	A	O4'-C1'-C2'	-6.91	98.89	105.80
3	A1	826	C	N1-C2-O2	6.91	123.05	118.90
17	AR	46	ARG	NE-CZ-NH1	6.91	123.75	120.30
25	BB	612	G	N1-C6-O6	-6.91	115.75	119.90
25	BB	1052	C	C2-N3-C4	-6.91	116.45	119.90
25	BB	1074	G	N7-C8-N9	6.91	116.55	113.10
25	BB	1110	G	C8-N9-C4	-6.91	103.64	106.40
25	BB	2414	G	N9-C4-C5	6.91	108.16	105.40
2	AM	10	U	N3-C2-O2	-6.91	117.36	122.20
3	A1	649	A	C6-C5-N7	6.91	137.13	132.30
25	BB	939	G	C6-N1-C2	-6.91	120.96	125.10
37	BN	132	ARG	NH1-CZ-NH2	-6.91	111.80	119.40
1	AE	59	U	N3-C2-O2	-6.91	117.36	122.20
3	A1	226	G	C8-N9-C4	-6.91	103.64	106.40
3	A1	379	C	C2-N3-C4	-6.91	116.45	119.90
24	BA	18	G	C2-N3-C4	-6.91	108.45	111.90
25	BB	493	G	C5-C6-N1	6.91	114.95	111.50
25	BB	750	A	C5-C6-N1	6.91	121.15	117.70
25	BB	1595	C	C4-C5-C6	6.91	120.85	117.40
25	BB	1618	A	C4-C5-C6	-6.91	113.55	117.00
25	BB	2339	C	O4'-C1'-N1	-6.91	102.68	108.20
25	BB	2607	G	C3'-C2'-C1'	-6.91	95.98	101.50
1	AP	13	C	N3-C2-O2	-6.90	117.07	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	8	A	C4-C5-C6	-6.90	113.55	117.00
3	A1	92	U	O4'-C1'-C2'	-6.90	98.90	105.80
3	A1	744	C	C5'-C4'-O4'	6.90	117.39	109.10
3	A1	1496	C	N1-C2-O2	6.90	123.04	118.90
24	BA	100	G	C5-N7-C8	-6.90	100.85	104.30
25	BB	1894	C	N3-C2-O2	-6.90	117.07	121.90
25	BB	2688	G	C5-C6-N1	6.90	114.95	111.50
1	AP	36	A	N7-C8-N9	-6.90	110.35	113.80
3	A1	1209	C	C5-C4-N4	-6.90	115.37	120.20
3	A1	1346	A	O4'-C1'-N9	6.90	113.72	108.20
13	AL	2	ARG	CD-NE-CZ	6.90	133.26	123.60
25	BB	1968	G	C5-C6-N1	6.90	114.95	111.50
25	BB	1989	G	C3'-C2'-C1'	6.90	107.02	101.50
25	BB	2283	C	C5'-C4'-C3'	-6.90	104.96	116.00
25	BB	2353	G	C5-C6-N1	6.90	114.95	111.50
25	BB	2802	G	C8-N9-C4	-6.90	103.64	106.40
25	BB	2867	G	N1-C6-O6	-6.90	115.76	119.90
1	AA	62	A	C5'-C4'-O4'	6.90	117.38	109.10
3	A1	1072	G	O4'-C1'-N9	6.90	113.72	108.20
3	A1	1393	U	C5-C6-N1	-6.90	119.25	122.70
24	BA	27	C	N3-C4-C5	6.90	124.66	121.90
25	BB	1239	G	C4-C5-N7	6.90	113.56	110.80
25	BB	1422	G	N7-C8-N9	6.90	116.55	113.10
25	BB	1649	G	N1-C2-N2	-6.90	109.99	116.20
3	A1	59	A	C5-C6-N6	6.90	129.22	123.70
3	A1	278	G	C6-C5-N7	6.90	134.54	130.40
3	A1	568	G	N9-C1'-C2'	-6.90	104.41	112.00
25	BB	810	U	C1'-O4'-C4'	-6.90	104.38	109.90
25	BB	1116	G	N1-C6-O6	-6.90	115.76	119.90
1	AP	23	A	C8-N9-C4	6.90	108.56	105.80
2	AM	4	U	N3-C2-O2	-6.90	117.37	122.20
3	A1	542	G	C4-C5-N7	-6.90	108.04	110.80
3	A1	1286	U	C1'-O4'-C4'	-6.90	104.38	109.90
3	A1	1373	G	C4-C5-N7	-6.90	108.04	110.80
24	BA	57	A	C6-C5-N7	6.90	137.13	132.30
25	BB	783	A	C3'-C2'-C1'	6.90	107.02	101.50
25	BB	2659	G	N3-C4-C5	-6.90	125.15	128.60
3	A1	1164	G	N1-C2-N3	6.90	128.04	123.90
3	A1	1347	G	C6-C5-N7	6.90	134.54	130.40
25	BB	478	A	C5-C6-N1	6.90	121.15	117.70
25	BB	1155	A	C6-C5-N7	6.90	137.13	132.30
25	BB	1671	U	N3-C2-O2	-6.90	117.37	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2474	U	C5-C6-N1	-6.90	119.25	122.70
3	A1	657	U	O4'-C1'-N1	6.89	113.72	108.20
3	A1	892	A	C4-C5-C6	-6.89	113.55	117.00
25	BB	326	G	C1'-O4'-C4'	-6.89	104.38	109.90
25	BB	883	G	C1'-O4'-C4'	-6.89	104.39	109.90
25	BB	1360	G	N9-C4-C5	6.89	108.16	105.40
25	BB	1428	C	N1-C2-O2	6.89	123.04	118.90
25	BB	1553	A	C4-C5-C6	-6.89	113.55	117.00
25	BB	1970	A	C6-C5-N7	6.89	137.13	132.30
25	BB	2395	C	N3-C2-O2	-6.89	117.07	121.90
25	BB	2578	G	N3-C4-C5	-6.89	125.15	128.60
25	BB	2589	A	C4-C5-C6	-6.89	113.55	117.00
3	A1	321	A	C5-C6-N6	6.89	129.21	123.70
3	A1	329	A	C5-C6-N1	6.89	121.15	117.70
3	A1	379	C	C4'-C3'-C2'	-6.89	95.71	102.60
3	A1	589	U	C5-C6-N1	-6.89	119.25	122.70
3	A1	753	A	C5-C6-N6	6.89	129.22	123.70
25	BB	69	C	C6-N1-C2	-6.89	117.54	120.30
25	BB	210	C	N3-C4-C5	6.89	124.66	121.90
25	BB	705	A	C5-C6-N1	6.89	121.15	117.70
25	BB	1027	A	C6-C5-N7	6.89	137.12	132.30
25	BB	1098	A	C6-C5-N7	6.89	137.12	132.30
25	BB	2071	A	C3'-C2'-C1'	-6.89	95.99	101.50
25	BB	2841	C	N3-C2-O2	-6.89	117.08	121.90
3	A1	989	U	N1-C2-O2	6.89	127.62	122.80
25	BB	1590	A	C5'-C4'-O4'	6.89	117.37	109.10
25	BB	1807	G	C8-N9-C4	-6.89	103.64	106.40
25	BB	1925	C	C3'-C2'-C1'	6.89	107.01	101.50
25	BB	2524	G	N1-C2-N3	6.89	128.03	123.90
1	AE	27	C	N3-C4-C5	6.89	124.66	121.90
2	AM	13	U	C5-C6-N1	-6.89	119.25	122.70
3	A1	775	G	N3-C4-N9	6.89	130.13	126.00
3	A1	1059	C	C6-N1-C2	-6.89	117.54	120.30
3	A1	1433	A	C2-N3-C4	6.89	114.05	110.60
3	A1	1488	G	C8-N9-C4	-6.89	103.64	106.40
24	BA	56	G	C5-C6-N1	6.89	114.94	111.50
25	BB	9	G	N1-C2-N2	-6.89	110.00	116.20
25	BB	104	A	C5'-C4'-C3'	-6.89	104.98	116.00
25	BB	395	U	C4'-C3'-C2'	-6.89	95.71	102.60
25	BB	682	G	C5-C6-N1	6.89	114.94	111.50
25	BB	1298	C	N3-C4-N4	-6.89	113.18	118.00
25	BB	1416	G	N1-C6-O6	-6.89	115.77	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1428	C	N3-C4-C5	6.89	124.66	121.90
25	BB	1757	A	N9-C4-C5	6.89	108.56	105.80
25	BB	2611	C	N3-C4-N4	-6.89	113.18	118.00
25	BB	2865	U	N1-C2-N3	6.89	119.03	114.90
3	A1	1457	G	C6-N1-C2	-6.89	120.97	125.10
25	BB	193	U	O4'-C4'-C3'	6.89	111.61	106.10
25	BB	984	A	C4-C5-C6	-6.89	113.56	117.00
25	BB	1300	G	N1-C6-O6	-6.89	115.77	119.90
25	BB	2580	U	N3-C2-O2	-6.89	117.38	122.20
1	AE	33	U	C5-C4-O4	-6.89	121.77	125.90
3	A1	632	U	N3-C2-O2	-6.89	117.38	122.20
17	AR	110	ARG	NE-CZ-NH2	-6.89	116.86	120.30
19	AT	45	ARG	NH1-CZ-NH2	-6.89	111.82	119.40
23	AX	45	ARG	NE-CZ-NH1	6.89	123.74	120.30
24	BA	99	A	N7-C8-N9	6.89	117.24	113.80
25	BB	615	U	C5-C6-N1	-6.89	119.26	122.70
25	BB	1070	A	C4-C5-C6	-6.89	113.56	117.00
25	BB	1389	G	N7-C8-N9	6.89	116.54	113.10
25	BB	2341	G	C4-C5-C6	-6.89	114.67	118.80
1	AE	24	G	C5-C6-N1	6.88	114.94	111.50
3	A1	357	G	C5-C6-N1	6.88	114.94	111.50
3	A1	392	C	N3-C4-C5	6.88	124.65	121.90
3	A1	851	G	C5-C6-N1	6.88	114.94	111.50
25	BB	238	C	N3-C4-C5	6.88	124.65	121.90
25	BB	1222	U	C5-C6-N1	-6.88	119.26	122.70
25	BB	1322	A	C6-C5-N7	6.88	137.12	132.30
3	A1	1068	G	N1-C2-N3	6.88	128.03	123.90
3	A1	1087	G	N1-C6-O6	-6.88	115.77	119.90
25	BB	430	A	C5-C6-N6	6.88	129.21	123.70
25	BB	1103	A	N9-C4-C5	6.88	108.55	105.80
25	BB	1358	G	C6-N1-C2	-6.88	120.97	125.10
25	BB	1377	G	N1-C6-O6	-6.88	115.77	119.90
25	BB	1549	A	C1'-O4'-C4'	-6.88	104.39	109.90
3	A1	781	A	N9-C1'-C2'	-6.88	104.43	112.00
3	A1	1369	C	O4'-C1'-C2'	-6.88	98.92	105.80
25	BB	77	G	N7-C8-N9	6.88	116.54	113.10
25	BB	198	C	C2-N3-C4	-6.88	116.46	119.90
25	BB	276	U	N3-C2-O2	-6.88	117.38	122.20
25	BB	547	A	N9-C4-C5	6.88	108.55	105.80
25	BB	1316	U	C2-N3-C4	-6.88	122.87	127.00
25	BB	1717	A	P-O3'-C3'	6.88	127.96	119.70
25	BB	2223	G	N3-C2-N2	-6.88	115.08	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2529	G	C3'-C2'-C1'	6.88	107.00	101.50
25	BB	2635	A	C4'-C3'-C2'	-6.88	95.72	102.60
25	BB	50	U	C2-N3-C4	-6.88	122.87	127.00
25	BB	326	G	C3'-C2'-C1'	6.88	107.00	101.50
25	BB	1526	C	N1-C2-O2	6.88	123.03	118.90
1	AP	24	G	C6-N1-C2	-6.88	120.97	125.10
3	A1	87	C	N3-C2-O2	-6.88	117.08	121.90
3	A1	230	G	N3-C2-N2	-6.88	115.08	119.90
24	BA	11	C	N1-C2-O2	6.88	123.03	118.90
25	BB	669	G	N1-C6-O6	-6.88	115.77	119.90
25	BB	1244	A	C6-C5-N7	6.88	137.12	132.30
25	BB	1606	C	N1-C2-O2	6.88	123.03	118.90
25	BB	2498	C	C2-N3-C4	-6.88	116.46	119.90
25	BB	2882	A	C5-C6-N1	6.88	121.14	117.70
25	BB	2884	U	O4'-C1'-N1	6.88	113.70	108.20
1	AA	5	A	C5-N7-C8	-6.88	100.46	103.90
1	AA	30	G	C4-C5-N7	-6.88	108.05	110.80
1	AP	12	U	C5-C4-O4	-6.88	121.77	125.90
3	A1	767	A	C6-C5-N7	6.88	137.11	132.30
25	BB	148	U	O4'-C1'-N1	6.88	113.70	108.20
25	BB	888	C	O4'-C1'-N1	6.88	113.70	108.20
25	BB	1404	C	P-O3'-C3'	6.88	127.95	119.70
25	BB	2056	G	C4-C5-N7	-6.88	108.05	110.80
25	BB	2498	C	C5'-C4'-O4'	6.88	117.35	109.10
25	BB	1762	A	C6-N1-C2	-6.88	114.47	118.60
25	BB	2561	U	C5-C6-N1	-6.88	119.26	122.70
3	A1	77	A	C5-C6-N1	6.87	121.14	117.70
3	A1	371	A	C3'-C2'-C1'	-6.87	96.00	101.50
3	A1	554	A	C6-C5-N7	6.87	137.11	132.30
25	BB	1037	G	N1-C6-O6	-6.87	115.78	119.90
25	BB	1366	A	C5-N7-C8	-6.87	100.46	103.90
25	BB	1655	A	C5'-C4'-O4'	6.87	117.35	109.10
25	BB	2294	G	C2-N3-C4	6.87	115.34	111.90
25	BB	2844	G	C4'-C3'-C2'	-6.87	95.73	102.60
2	AM	9	U	N3-C2-O2	-6.87	117.39	122.20
3	A1	85	U	O4'-C1'-C2'	-6.87	98.93	105.80
3	A1	181	A	C3'-C2'-C1'	6.87	107.00	101.50
3	A1	406	G	OP1-P-OP2	-6.87	109.29	119.60
3	A1	695	A	C5-C6-N1	6.87	121.14	117.70
3	A1	879	C	N3-C4-N4	-6.87	113.19	118.00
3	A1	1196	A	C6-N1-C2	-6.87	114.48	118.60
3	A1	1214	C	C1'-O4'-C4'	-6.87	104.40	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1290	C	C5'-C4'-C3'	-6.87	105.00	116.00
25	BB	1452	G	C5'-C4'-O4'	6.87	117.34	109.10
25	BB	2071	A	C5-C6-N6	6.87	129.20	123.70
25	BB	2632	A	C6-N1-C2	-6.87	114.48	118.60
3	A1	315	A	O4'-C4'-C3'	6.87	111.60	106.10
3	A1	738	C	N3-C2-O2	-6.87	117.09	121.90
3	A1	826	C	O4'-C1'-N1	6.87	113.70	108.20
3	A1	1182	G	C8-N9-C4	-6.87	103.65	106.40
25	BB	148	U	N1-C2-N3	6.87	119.02	114.90
25	BB	1622	G	C8-N9-C4	-6.87	103.65	106.40
25	BB	2207	C	C2-N3-C4	-6.87	116.47	119.90
25	BB	2474	U	O4'-C1'-C2'	-6.87	98.93	105.80
25	BB	2706	A	N9-C4-C5	6.87	108.55	105.80
25	BB	2717	C	C5-C4-N4	6.87	125.01	120.20
25	BB	2766	A	C5-C6-N6	6.87	129.20	123.70
3	A1	13	U	P-O3'-C3'	6.87	127.94	119.70
3	A1	682	G	C3'-C2'-C1'	-6.87	96.00	101.50
3	A1	1190	G	N1-C6-O6	-6.87	115.78	119.90
3	A1	1347	G	C4-C5-N7	-6.87	108.05	110.80
25	BB	996	A	N1-C6-N6	-6.87	114.48	118.60
25	BB	1721	G	N3-C4-N9	6.87	130.12	126.00
25	BB	1770	G	C5-C6-O6	6.87	132.72	128.60
25	BB	1791	A	C6-C5-N7	6.87	137.11	132.30
25	BB	1808	A	C5-N7-C8	-6.87	100.47	103.90
25	BB	1831	G	N1-C2-N3	6.87	128.02	123.90
25	BB	1908	C	N1-C2-N3	6.87	124.01	119.20
25	BB	2077	A	C5-C6-N6	6.87	129.19	123.70
25	BB	1560	G	C6-N1-C2	-6.87	120.98	125.10
25	BB	1771	C	C6-N1-C2	-6.87	117.55	120.30
1	AE	69	U	C5-C6-N1	-6.87	119.27	122.70
3	A1	880	C	N3-C4-C5	6.87	124.65	121.90
25	BB	282	A	C6-C5-N7	6.87	137.10	132.30
25	BB	381	G	C3'-C2'-C1'	6.87	106.99	101.50
25	BB	489	G	N3-C4-N9	6.87	130.12	126.00
25	BB	654	A	N7-C8-N9	6.87	117.23	113.80
25	BB	981	A	C2-N3-C4	6.87	114.03	110.60
25	BB	1671	U	N1-C2-N3	6.87	119.02	114.90
25	BB	1839	G	N1-C6-O6	-6.87	115.78	119.90
25	BB	2839	G	N3-C4-N9	6.87	130.12	126.00
1	AA	3	G	C5'-C4'-C3'	-6.86	105.02	116.00
3	A1	109	A	C5-N7-C8	-6.86	100.47	103.90
3	A1	435	A	C3'-C2'-C1'	6.86	106.99	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1253	G	N3-C4-C5	-6.86	125.17	128.60
3	A1	1324	A	C4-C5-C6	-6.86	113.57	117.00
25	BB	849	A	C8-N9-C4	-6.86	103.05	105.80
25	BB	1245	G	C5-C6-N1	6.86	114.93	111.50
25	BB	2033	A	C5-C6-N6	6.86	129.19	123.70
25	BB	2136	G	N1-C6-O6	-6.86	115.78	119.90
25	BB	2556	C	C3'-C2'-C1'	6.86	106.99	101.50
25	BB	2869	G	N3-C4-N9	6.86	130.12	126.00
13	AL	40	PHE	CB-CG-CD1	-6.86	116.00	120.80
24	BA	116	G	P-O3'-C3'	6.86	127.93	119.70
25	BB	1913	A	C2-N3-C4	6.86	114.03	110.60
25	BB	2533	U	C2-N3-C4	-6.86	122.88	127.00
1	AP	51	G	C8-N9-C4	-6.86	103.66	106.40
3	A1	765	G	C4-C5-N7	-6.86	108.06	110.80
3	A1	1063	C	N3-C4-N4	-6.86	113.20	118.00
25	BB	2272	U	N3-C2-O2	-6.86	117.40	122.20
25	BB	2317	A	C2'-C3'-O3'	6.86	124.68	113.70
3	A1	1045	C	C6-N1-C2	-6.86	117.56	120.30
3	A1	1138	G	C4-C5-C6	-6.86	114.69	118.80
3	A1	1232	U	C4'-C3'-C2'	6.86	109.46	102.60
24	BA	24	G	N3-C2-N2	-6.86	115.10	119.90
25	BB	198	C	P-O3'-C3'	6.86	127.93	119.70
25	BB	941	A	C2-N3-C4	6.86	114.03	110.60
3	A1	330	C	N1-C2-O2	6.86	123.01	118.90
3	A1	436	C	N3-C4-C5	6.86	124.64	121.90
3	A1	525	C	N1-C2-O2	6.86	123.02	118.90
3	A1	888	G	C6-N1-C2	-6.86	120.98	125.10
3	A1	1063	C	N1-C2-O2	6.86	123.02	118.90
25	BB	259	G	N3-C4-C5	-6.86	125.17	128.60
25	BB	872	U	N3-C2-O2	-6.86	117.40	122.20
25	BB	1286	A	C8-N9-C4	-6.86	103.06	105.80
25	BB	1900	A	C5-C6-N1	6.86	121.13	117.70
25	BB	1966	A	O4'-C4'-C3'	6.86	111.59	106.10
25	BB	2761	A	N1-C2-N3	-6.86	125.87	129.30
25	BB	2829	A	C5-N7-C8	-6.86	100.47	103.90
25	BB	2903	U	N3-C2-O2	-6.86	117.40	122.20
3	A1	80	A	O4'-C1'-N9	6.86	113.69	108.20
3	A1	233	C	N3-C4-C5	6.86	124.64	121.90
3	A1	240	G	C3'-C2'-C1'	6.86	106.98	101.50
3	A1	1054	C	C5-C6-N1	6.86	124.43	121.00
3	A1	1311	A	C6-N1-C2	-6.86	114.49	118.60
25	BB	561	G	N1-C2-N3	6.86	128.01	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1633	G	O4'-C4'-C3'	6.86	111.58	106.10
25	BB	1909	C	O4'-C1'-N1	6.86	113.68	108.20
25	BB	2566	A	C1'-O4'-C4'	-6.86	104.42	109.90
25	BB	2815	C	N1-C2-N3	6.86	124.00	119.20
3	A1	124	C	N3-C4-C5	6.85	124.64	121.90
3	A1	682	G	O4'-C1'-N9	6.85	113.68	108.20
25	BB	66	C	N1-C2-N3	6.85	124.00	119.20
25	BB	154	U	C1'-O4'-C4'	-6.85	104.42	109.90
25	BB	1310	G	C1'-O4'-C4'	-6.85	104.42	109.90
25	BB	1694	C	C5-C4-N4	6.85	125.00	120.20
25	BB	2421	G	C8-N9-C4	-6.85	103.66	106.40
25	BB	2668	G	N3-C4-N9	6.85	130.11	126.00
1	AE	29	A	C6-N1-C2	-6.85	114.49	118.60
3	A1	921	U	C2'-C3'-O3'	6.85	124.66	113.70
3	A1	1163	A	N9-C1'-C2'	-6.85	104.46	112.00
25	BB	299	A	O4'-C1'-N9	-6.85	102.72	108.20
25	BB	1103	A	C2-N3-C4	6.85	114.03	110.60
25	BB	1140	C	O4'-C1'-C2'	-6.85	98.95	105.80
25	BB	1151	A	C6-C5-N7	6.85	137.10	132.30
25	BB	1249	U	N3-C2-O2	-6.85	117.40	122.20
25	BB	1394	U	P-O3'-C3'	6.85	127.92	119.70
25	BB	1880	U	C3'-C2'-C1'	-6.85	96.02	101.50
25	BB	2040	G	C6-N1-C2	-6.85	120.99	125.10
25	BB	2282	G	C2'-C3'-O3'	6.85	124.67	113.70
3	A1	205	A	C2-N3-C4	6.85	114.03	110.60
3	A1	965	U	P-O3'-C3'	6.85	127.92	119.70
3	A1	1509	C	C2-N3-C4	-6.85	116.47	119.90
25	BB	1140	C	C4-C5-C6	6.85	120.83	117.40
25	BB	1242	U	N1-C2-N3	6.85	119.01	114.90
25	BB	2228	G	N3-C4-C5	-6.85	125.17	128.60
25	BB	2821	A	C4-C5-C6	-6.85	113.58	117.00
1	AP	50	U	N3-C2-O2	-6.85	117.41	122.20
3	A1	665	A	N1-C2-N3	-6.85	125.88	129.30
3	A1	1021	A	C5-C6-N1	6.85	121.12	117.70
25	BB	424	G	N1-C6-O6	-6.85	115.79	119.90
25	BB	531	C	N3-C2-O2	-6.85	117.11	121.90
25	BB	716	A	O4'-C4'-C3'	6.85	111.58	106.10
25	BB	792	A	C6-C5-N7	6.85	137.09	132.30
25	BB	886	A	C6-C5-N7	6.85	137.09	132.30
25	BB	1112	G	N3-C4-C5	-6.85	125.17	128.60
25	BB	1704	C	N1-C1'-C2'	6.85	122.90	114.00
25	BB	2891	U	O5'-P-OP1	-6.85	99.53	105.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	259	G	C5-C6-N1	6.85	114.92	111.50
3	A1	1172	C	N3-C4-C5	6.85	124.64	121.90
3	A1	1187	G	N3-C2-N2	-6.85	115.11	119.90
24	BA	108	A	O4'-C4'-C3'	6.85	111.58	106.10
25	BB	449	A	P-O3'-C3'	6.85	127.92	119.70
25	BB	617	G	C8-N9-C4	-6.85	103.66	106.40
25	BB	1056	G	N3-C2-N2	-6.85	115.11	119.90
25	BB	1275	A	C4-C5-C6	-6.85	113.58	117.00
25	BB	1631	G	C4-C5-C6	-6.85	114.69	118.80
25	BB	1727	C	N3-C4-C5	6.85	124.64	121.90
3	A1	1011	C	N3-C4-N4	-6.85	113.21	118.00
3	A1	1089	G	C5'-C4'-O4'	6.85	117.31	109.10
25	BB	514	A	O4'-C4'-C3'	-6.85	97.15	104.00
25	BB	1172	C	N1-C2-O2	6.85	123.01	118.90
25	BB	1980	G	C8-N9-C4	-6.85	103.66	106.40
25	BB	2190	G	C6-N1-C2	-6.85	120.99	125.10
25	BB	2264	C	C3'-C2'-C1'	-6.85	96.02	101.50
1	AA	9	A	C4-C5-C6	-6.84	113.58	117.00
1	AP	50	U	C4'-C3'-C2'	-6.84	95.76	102.60
3	A1	46	G	P-O3'-C3'	6.84	127.91	119.70
3	A1	368	U	C5'-C4'-O4'	6.84	117.31	109.10
3	A1	393	A	C4-C5-C6	-6.84	113.58	117.00
3	A1	427	U	C4-C5-C6	6.84	123.81	119.70
3	A1	621	A	OP1-P-OP2	-6.84	109.33	119.60
3	A1	877	G	C8-N9-C4	-6.84	103.66	106.40
3	A1	1006	G	C5-C6-N1	6.84	114.92	111.50
3	A1	1066	C	N1-C2-N3	6.84	123.99	119.20
25	BB	99	U	N1-C2-O2	6.84	127.59	122.80
25	BB	758	C	C5-C6-N1	-6.84	117.58	121.00
25	BB	1237	A	C6-N1-C2	-6.84	114.49	118.60
25	BB	1333	G	C5-C6-N1	6.84	114.92	111.50
25	BB	1456	G	N1-C6-O6	-6.84	115.79	119.90
25	BB	2681	C	O4'-C1'-C2'	-6.84	98.96	105.80
25	BB	2760	C	N3-C2-O2	-6.84	117.11	121.90
25	BB	2901	C	C5-C4-N4	6.84	124.99	120.20
25	BB	549	G	C5'-C4'-O4'	6.84	117.31	109.10
3	A1	279	A	C6-N1-C2	-6.84	114.50	118.60
3	A1	345	C	O4'-C4'-C3'	6.84	111.57	106.10
3	A1	489	C	N3-C4-C5	-6.84	119.16	121.90
20	AU	91	ARG	NH1-CZ-NH2	-6.84	111.87	119.40
20	AU	95	ARG	NE-CZ-NH1	6.84	123.72	120.30
25	BB	369	U	C5-C6-N1	-6.84	119.28	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	812	C	N1-C2-O2	6.84	123.00	118.90
25	BB	888	C	C5'-C4'-O4'	6.84	117.31	109.10
25	BB	1267	U	C4-C5-C6	6.84	123.80	119.70
25	BB	1350	C	N3-C2-O2	-6.84	117.11	121.90
25	BB	1505	A	O3'-P-O5'	6.84	117.00	104.00
25	BB	2282	G	N1-C6-O6	-6.84	115.80	119.90
3	A1	674	G	C5-C6-N1	6.84	114.92	111.50
3	A1	940	C	C5'-C4'-O4'	6.84	117.31	109.10
3	A1	1353	G	C2-N3-C4	6.84	115.32	111.90
3	A1	1402	C	C5-C6-N1	-6.84	117.58	121.00
25	BB	343	C	N1-C2-N3	6.84	123.99	119.20
25	BB	940	G	N1-C2-N3	6.84	128.00	123.90
25	BB	1314	C	C6-N1-C2	-6.84	117.56	120.30
25	BB	1316	U	O5'-C5'-C4'	6.84	124.69	111.70
25	BB	1593	A	C6-N1-C2	-6.84	114.50	118.60
25	BB	1649	G	N1-C6-O6	-6.84	115.80	119.90
25	BB	2166	U	O4'-C4'-C3'	-6.84	97.16	104.00
25	BB	2662	A	N1-C6-N6	-6.84	114.50	118.60
3	A1	21	G	C1'-O4'-C4'	-6.84	104.43	109.90
3	A1	131	A	C6-C5-N7	6.84	137.09	132.30
3	A1	378	G	N1-C6-O6	-6.84	115.80	119.90
3	A1	379	C	C1'-O4'-C4'	-6.84	104.43	109.90
3	A1	931	C	N1-C2-N3	6.84	123.99	119.20
24	BA	42	C	N3-C4-C5	6.84	124.64	121.90
25	BB	2335	A	C1'-O4'-C4'	-6.84	104.43	109.90
1	AP	45	G	N3-C2-N2	-6.84	115.11	119.90
3	A1	289	G	C5-C6-N1	6.84	114.92	111.50
3	A1	540	G	N1-C6-O6	-6.84	115.80	119.90
3	A1	1043	G	C4'-C3'-C2'	-6.84	95.76	102.60
3	A1	1383	C	N3-C4-C5	6.84	124.64	121.90
3	A1	1521	C	N3-C4-N4	-6.84	113.22	118.00
25	BB	918	A	C4-C5-C6	-6.84	113.58	117.00
25	BB	1083	U	N1-C2-N3	6.84	119.00	114.90
25	BB	1091	G	N3-C2-N2	-6.84	115.11	119.90
25	BB	1548	A	N7-C8-N9	-6.84	110.38	113.80
25	BB	1823	G	C4'-C3'-C2'	-6.84	95.76	102.60
25	BB	2401	U	C5-C6-N1	-6.84	119.28	122.70
25	BB	2844	G	C8-N9-C4	-6.84	103.67	106.40
1	AA	50	U	N3-C4-O4	6.83	124.19	119.40
3	A1	687	A	C5-C6-N1	6.83	121.12	117.70
25	BB	1813	G	C5-C6-N1	6.83	114.92	111.50
25	BB	2770	G	C5-C6-O6	6.83	132.70	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	287	U	C5'-C4'-C3'	-6.83	105.07	116.00
3	A1	485	U	N1-C2-N3	6.83	119.00	114.90
3	A1	937	A	O4'-C1'-N9	6.83	113.67	108.20
3	A1	955	U	C5'-C4'-C3'	-6.83	105.07	116.00
3	A1	1021	A	C4-C5-C6	-6.83	113.58	117.00
3	A1	1317	C	C4-C5-C6	-6.83	113.98	117.40
4	AB	138	ARG	NE-CZ-NH2	-6.83	116.88	120.30
25	BB	209	C	O4'-C1'-N1	6.83	113.67	108.20
25	BB	525	U	C4'-C3'-C2'	-6.83	95.77	102.60
25	BB	964	C	N3-C2-O2	-6.83	117.12	121.90
25	BB	1236	G	C5-C6-N1	6.83	114.92	111.50
25	BB	1298	C	C5'-C4'-O4'	6.83	117.30	109.10
25	BB	1315	C	N1-C1'-C2'	6.83	122.88	114.00
25	BB	1528	A	N1-C2-N3	-6.83	125.88	129.30
25	BB	1789	A	C6-C5-N7	6.83	137.08	132.30
25	BB	2618	G	C5-C6-O6	6.83	132.70	128.60
25	BB	2631	G	C8-N9-C4	-6.83	103.67	106.40
25	BB	2859	G	O4'-C1'-N9	-6.83	102.73	108.20
48	BY	90	PHE	CB-CG-CD2	-6.83	116.02	120.80
3	A1	107	G	N9-C4-C5	6.83	108.13	105.40
3	A1	319	G	C4-C5-N7	6.83	113.53	110.80
3	A1	401	C	N3-C2-O2	-6.83	117.12	121.90
3	A1	639	G	C5-C6-O6	6.83	132.70	128.60
25	BB	95	A	N9-C4-C5	6.83	108.53	105.80
25	BB	732	C	C5'-C4'-O4'	6.83	117.30	109.10
25	BB	991	C	N3-C2-O2	-6.83	117.12	121.90
25	BB	1037	G	N9-C1'-C2'	-6.83	104.48	112.00
25	BB	1568	G	C2-N3-C4	6.83	115.31	111.90
25	BB	2488	G	N7-C8-N9	6.83	116.52	113.10
25	BB	2615	U	N3-C2-O2	-6.83	117.42	122.20
25	BB	2625	G	C5'-C4'-O4'	6.83	117.30	109.10
25	BB	2773	C	C2-N3-C4	-6.83	116.48	119.90
3	A1	134	G	N7-C8-N9	6.83	116.52	113.10
3	A1	655	A	C4-C5-C6	-6.83	113.58	117.00
3	A1	833	G	N1-C6-O6	-6.83	115.80	119.90
24	BA	96	G	N1-C6-O6	-6.83	115.80	119.90
25	BB	411	G	N3-C2-N2	-6.83	115.12	119.90
25	BB	1547	C	N1-C2-O2	6.83	123.00	118.90
25	BB	1744	A	N1-C2-N3	-6.83	125.89	129.30
3	A1	638	U	C5-C6-N1	-6.83	119.29	122.70
3	A1	966	G	C6-N1-C2	-6.83	121.00	125.10
3	A1	1468	A	N1-C2-N3	-6.83	125.89	129.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	94	A	N9-C4-C5	6.83	108.53	105.80
25	BB	408	G	N9-C4-C5	6.83	108.13	105.40
25	BB	1348	C	C1'-O4'-C4'	-6.83	104.44	109.90
25	BB	2131	U	C2-N3-C4	-6.83	122.90	127.00
25	BB	2541	A	P-O3'-C3'	6.83	127.89	119.70
25	BB	2645	G	N3-C2-N2	-6.83	115.12	119.90
25	BB	436	C	P-O3'-C3'	6.83	127.89	119.70
25	BB	973	A	C3'-C2'-C1'	6.83	106.96	101.50
25	BB	2367	G	C5-N7-C8	-6.83	100.89	104.30
48	BY	83	ARG	NE-CZ-NH1	6.83	123.71	120.30
3	A1	305	G	C1'-O4'-C4'	-6.83	104.44	109.90
3	A1	1449	C	O4'-C1'-N1	-6.83	102.74	108.20
3	A1	1488	G	C1'-O4'-C4'	-6.83	104.44	109.90
25	BB	476	G	N9-C4-C5	6.83	108.13	105.40
25	BB	970	U	C5-C4-O4	-6.83	121.81	125.90
25	BB	1220	G	C6-C5-N7	6.83	134.50	130.40
25	BB	1265	A	C5-C6-N6	6.83	129.16	123.70
25	BB	1680	U	C4'-C3'-C2'	-6.83	95.77	102.60
25	BB	1732	C	N3-C4-N4	-6.83	113.22	118.00
25	BB	1883	U	N3-C2-O2	-6.83	117.42	122.20
25	BB	2169	A	C5-C6-N6	6.83	129.16	123.70
25	BB	2305	U	C5-C6-N1	-6.83	119.29	122.70
25	BB	2580	U	C4'-C3'-C2'	-6.83	95.77	102.60
25	BB	2666	C	N3-C4-C5	6.83	124.63	121.90
48	BY	184	ARG	NH1-CZ-NH2	-6.83	111.89	119.40
3	A1	354	G	O4'-C1'-C2'	6.82	113.74	107.60
3	A1	434	U	N3-C2-O2	-6.82	117.42	122.20
3	A1	1214	C	N1-C2-N3	6.82	123.98	119.20
25	BB	256	A	N1-C2-N3	-6.82	125.89	129.30
25	BB	292	U	C1'-O4'-C4'	-6.82	104.44	109.90
25	BB	721	A	C4-C5-C6	-6.82	113.59	117.00
25	BB	836	G	O4'-C4'-C3'	6.82	111.56	106.10
25	BB	945	A	C6-C5-N7	6.82	137.08	132.30
25	BB	2228	G	N3-C2-N2	-6.82	115.12	119.90
25	BB	2403	C	C5-C4-N4	-6.82	115.42	120.20
25	BB	2714	G	C8-N9-C4	-6.82	103.67	106.40
25	BB	2766	A	O4'-C4'-C3'	6.82	111.56	106.10
25	BB	2813	A	C5-N7-C8	-6.82	100.49	103.90
53	B4	97	ARG	NH1-CZ-NH2	-6.82	111.89	119.40
3	A1	169	C	O4'-C4'-C3'	6.82	111.56	106.10
3	A1	650	G	N7-C8-N9	6.82	116.51	113.10
3	A1	1124	G	C5-C6-N1	6.82	114.91	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1132	C	N3-C4-C5	6.82	124.63	121.90
3	A1	1406	U	C4'-C3'-C2'	-6.82	95.78	102.60
10	AI	14	ARG	NE-CZ-NH2	6.82	123.71	120.30
25	BB	751	A	O4'-C1'-N9	6.82	113.66	108.20
1	AP	53	G	C8-N9-C4	-6.82	103.67	106.40
3	A1	481	G	N1-C6-O6	-6.82	115.81	119.90
25	BB	253	C	N3-C4-C5	6.82	124.63	121.90
25	BB	556	A	C6-C5-N7	6.82	137.07	132.30
25	BB	1062	G	C6-N1-C2	-6.82	121.01	125.10
3	A1	264	C	N3-C4-N4	-6.82	113.23	118.00
25	BB	917	A	C4-C5-C6	-6.82	113.59	117.00
25	BB	1345	C	O4'-C4'-C3'	6.82	111.56	106.10
1	AA	40	C	N3-C2-O2	-6.82	117.13	121.90
3	A1	5	U	N1-C2-N3	6.82	118.99	114.90
3	A1	344	A	O4'-C4'-C3'	6.82	111.55	106.10
3	A1	396	C	N3-C2-O2	-6.82	117.13	121.90
3	A1	540	G	C3'-C2'-C1'	6.82	106.95	101.50
3	A1	1093	A	N9-C1'-C2'	-6.82	104.50	112.00
3	A1	1205	U	C4'-C3'-C2'	6.82	109.42	102.60
25	BB	223	A	C4-C5-C6	-6.82	113.59	117.00
25	BB	1109	C	C1'-O4'-C4'	-6.82	104.45	109.90
25	BB	1364	G	C3'-C2'-C1'	6.82	106.95	101.50
25	BB	1383	A	N1-C2-N3	-6.82	125.89	129.30
25	BB	1565	C	N3-C2-O2	-6.82	117.13	121.90
25	BB	1959	G	N1-C2-N3	6.82	127.99	123.90
25	BB	2445	G	C5-C6-N1	6.82	114.91	111.50
25	BB	2566	A	N9-C1'-C2'	6.82	122.86	114.00
25	BB	2823	A	N1-C6-N6	-6.82	114.51	118.60
3	A1	305	G	N7-C8-N9	6.82	116.51	113.10
3	A1	399	G	O4'-C4'-C3'	6.82	111.55	106.10
3	A1	434	U	C5-C4-O4	6.82	129.99	125.90
3	A1	1074	G	C5-C6-N1	6.82	114.91	111.50
3	A1	1410	A	C5-C6-N6	6.82	129.15	123.70
3	A1	1529	G	O4'-C1'-C2'	-6.82	98.98	105.80
25	BB	357	C	N3-C4-N4	-6.82	113.23	118.00
25	BB	2123	G	N1-C6-O6	-6.82	115.81	119.90
25	BB	2456	C	N3-C4-C5	6.82	124.63	121.90
24	BA	43	C	N3-C2-O2	-6.81	117.13	121.90
25	BB	161	A	C5-C6-N6	6.81	129.15	123.70
25	BB	911	A	C1'-O4'-C4'	-6.81	104.45	109.90
1	AP	18	G	N1-C6-O6	-6.81	115.81	119.90
3	A1	817	C	N3-C2-O2	-6.81	117.13	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1169	A	C4-C5-C6	-6.81	113.59	117.00
24	BA	70	C	C1'-O4'-C4'	-6.81	104.45	109.90
25	BB	496	G	C6-N1-C2	-6.81	121.01	125.10
25	BB	557	C	C5'-C4'-C3'	-6.81	105.10	116.00
25	BB	920	A	C3'-C2'-C1'	6.81	106.95	101.50
25	BB	1421	G	C8-N9-C4	-6.81	103.67	106.40
25	BB	2689	U	N3-C2-O2	-6.81	117.43	122.20
1	AE	73	A	C5-N7-C8	-6.81	100.49	103.90
3	A1	312	C	N3-C4-C5	6.81	124.62	121.90
3	A1	601	G	N1-C2-N3	6.81	127.99	123.90
22	AW	106	ASP	CB-CG-OD2	6.81	124.43	118.30
25	BB	12	U	C5-C6-N1	-6.81	119.30	122.70
25	BB	167	A	C5-C6-N1	6.81	121.11	117.70
25	BB	456	C	C2-N3-C4	-6.81	116.50	119.90
25	BB	1750	G	N3-C2-N2	-6.81	115.13	119.90
25	BB	2276	G	C5-C6-N1	6.81	114.91	111.50
3	A1	240	G	C5-C6-N1	6.81	114.91	111.50
3	A1	1137	C	N3-C4-N4	-6.81	113.23	118.00
25	BB	89	A	C5-C6-N6	6.81	129.15	123.70
25	BB	1492	G	C5-C6-O6	6.81	132.69	128.60
25	BB	2230	G	C6-N1-C2	-6.81	121.02	125.10
28	BE	126	ARG	NE-CZ-NH2	6.81	123.70	120.30
1	AE	18	G	O5'-P-OP1	6.81	118.87	110.70
3	A1	16	A	C5-C6-N1	6.81	121.10	117.70
25	BB	1334	G	N7-C8-N9	6.81	116.50	113.10
25	BB	1713	A	C5-N7-C8	-6.81	100.50	103.90
25	BB	1810	A	C6-N1-C2	-6.81	114.52	118.60
25	BB	1888	G	C8-N9-C4	-6.81	103.68	106.40
25	BB	2113	U	C5-C6-N1	-6.81	119.30	122.70
25	BB	2321	U	C4-C5-C6	6.81	123.78	119.70
25	BB	2350	C	C5'-C4'-C3'	-6.81	105.11	116.00
25	BB	2567	G	C5-C6-N1	6.81	114.90	111.50
25	BB	2641	G	N7-C8-N9	6.81	116.50	113.10
25	BB	254	G	C5'-C4'-O4'	6.81	117.27	109.10
25	BB	843	G	N9-C4-C5	6.81	108.12	105.40
25	BB	1535	A	C5-N7-C8	-6.81	100.50	103.90
1	AA	27	C	C5'-C4'-O4'	6.80	117.26	109.10
1	AP	58	A	C2-N3-C4	6.80	114.00	110.60
3	A1	953	G	C6-C5-N7	6.80	134.48	130.40
3	A1	999	C	O4'-C1'-N1	6.80	113.64	108.20
25	BB	409	G	N3-C4-C5	-6.80	125.20	128.60
25	BB	828	U	O4'-C1'-N1	6.80	113.64	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	874	G	C8-N9-C4	-6.80	103.68	106.40
25	BB	1068	G	N1-C6-O6	-6.80	115.82	119.90
25	BB	1767	G	O4'-C1'-N9	6.80	113.64	108.20
25	BB	2462	C	O5'-P-OP2	-6.80	99.58	105.70
3	A1	1129	C	C5-C6-N1	-6.80	117.60	121.00
25	BB	472	A	C5-N7-C8	-6.80	100.50	103.90
25	BB	2221	G	C5'-C4'-C3'	-6.80	105.11	116.00
3	A1	394	G	C5-C6-O6	6.80	132.68	128.60
3	A1	1257	A	C5-N7-C8	-6.80	100.50	103.90
3	A1	1361	G	O4'-C1'-N9	6.80	113.64	108.20
25	BB	771	G	N9-C1'-C2'	-6.80	104.52	112.00
25	BB	2077	A	C4-C5-C6	-6.80	113.60	117.00
25	BB	2781	A	O4'-C1'-N9	6.80	113.64	108.20
3	A1	714	G	N3-C4-C5	-6.80	125.20	128.60
3	A1	729	A	C4-C5-C6	-6.80	113.60	117.00
3	A1	955	U	N3-C4-C5	-6.80	110.52	114.60
3	A1	1138	G	C5'-C4'-O4'	6.80	117.26	109.10
3	A1	1320	C	C4'-C3'-C2'	-6.80	95.80	102.60
25	BB	25	U	C3'-C2'-C1'	6.80	106.94	101.50
25	BB	584	C	C2-N3-C4	-6.80	116.50	119.90
25	BB	720	U	C5'-C4'-C3'	-6.80	105.12	116.00
25	BB	757	G	C5-C6-O6	-6.80	124.52	128.60
25	BB	1520	U	O4'-C4'-C3'	6.80	111.54	106.10
25	BB	2116	G	C5-N7-C8	-6.80	100.90	104.30
25	BB	2512	C	N1-C2-O2	6.80	122.98	118.90
25	BB	2764	A	C5'-C4'-C3'	-6.80	105.12	116.00
1	AA	45	G	C1'-O4'-C4'	6.80	115.34	109.90
1	AP	67	A	C5-C6-N1	6.80	121.10	117.70
3	A1	250	A	O4'-C1'-N9	6.80	113.64	108.20
3	A1	310	G	C5'-C4'-O4'	6.80	117.26	109.10
3	A1	319	G	C5-C6-N1	6.80	114.90	111.50
3	A1	614	C	C6-N1-C2	-6.80	117.58	120.30
3	A1	679	C	C2-N3-C4	-6.80	116.50	119.90
25	BB	194	G	C5-C6-N1	6.80	114.90	111.50
25	BB	2811	G	C6-N1-C2	-6.80	121.02	125.10
25	BB	2870	C	N3-C4-C5	6.80	124.62	121.90
1	AA	18	G	C4-C5-N7	-6.80	108.08	110.80
1	AE	36	A	C4'-C3'-C2'	-6.80	95.80	102.60
3	A1	331	G	C8-N9-C4	-6.80	103.68	106.40
3	A1	564	C	N3-C4-C5	6.80	124.62	121.90
3	A1	737	C	C6-N1-C2	-6.80	117.58	120.30
3	A1	1270	G	C5'-C4'-O4'	6.80	117.25	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1339	A	O3'-P-O5'	6.80	116.92	104.00
25	BB	68	G	N3-C4-N9	6.80	130.08	126.00
25	BB	638	G	N1-C6-O6	-6.80	115.82	119.90
25	BB	693	A	N9-C4-C5	6.80	108.52	105.80
25	BB	1095	A	C5-C6-N1	6.80	121.10	117.70
25	BB	1328	A	C6-C5-N7	6.80	137.06	132.30
25	BB	1386	C	N3-C2-O2	-6.80	117.14	121.90
25	BB	1554	U	C4-C5-C6	6.80	123.78	119.70
25	BB	2419	U	N3-C2-O2	-6.80	117.44	122.20
27	BD	29	HIS	C-N-CA	6.80	138.69	121.70
1	AE	21	A	C6-N1-C2	-6.79	114.52	118.60
3	A1	513	C	C5-C4-N4	-6.79	115.44	120.20
3	A1	556	C	N3-C2-O2	-6.79	117.14	121.90
25	BB	301	G	C8-N9-C4	-6.79	103.68	106.40
25	BB	1104	C	O4'-C4'-C3'	6.79	111.54	106.10
25	BB	1676	A	C4-C5-C6	-6.79	113.60	117.00
25	BB	2061	G	N3-C4-C5	-6.79	125.20	128.60
3	A1	1297	G	C5-N7-C8	-6.79	100.90	104.30
25	BB	901	C	O4'-C1'-N1	6.79	113.64	108.20
25	BB	1467	U	C5'-C4'-O4'	6.79	117.25	109.10
25	BB	1837	C	N3-C4-N4	-6.79	113.25	118.00
25	BB	2163	A	P-O3'-C3'	6.79	127.85	119.70
1	AA	37	G	C1'-O4'-C4'	6.79	115.33	109.90
1	AA	42	G	C6-N1-C2	-6.79	121.03	125.10
2	AM	10	U	N3-C4-O4	6.79	124.15	119.40
3	A1	258	G	N1-C2-N3	6.79	127.97	123.90
3	A1	725	G	C5'-C4'-C3'	-6.79	105.13	116.00
24	BA	61	G	C6-N1-C2	-6.79	121.03	125.10
25	BB	299	A	N1-C2-N3	-6.79	125.90	129.30
25	BB	480	A	O4'-C1'-N9	6.79	113.63	108.20
25	BB	753	A	C6-C5-N7	6.79	137.05	132.30
25	BB	797	G	N9-C4-C5	6.79	108.12	105.40
25	BB	963	U	C4-C5-C6	6.79	123.77	119.70
25	BB	1175	A	C8-N9-C4	-6.79	103.08	105.80
25	BB	1283	G	C5-C6-N1	6.79	114.90	111.50
25	BB	1626	A	N1-C2-N3	-6.79	125.90	129.30
3	A1	280	C	O4'-C1'-N1	6.79	113.63	108.20
3	A1	1532	U	C5-C6-N1	-6.79	119.31	122.70
25	BB	1518	C	C6-N1-C2	-6.79	117.58	120.30
25	BB	2616	C	C5-C6-N1	-6.79	117.61	121.00
3	A1	19	A	C4-C5-C6	-6.79	113.61	117.00
3	A1	303	A	C4'-C3'-C2'	-6.79	95.81	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	432	A	C4-C5-C6	-6.79	113.61	117.00
25	BB	1012	U	N3-C4-C5	-6.79	110.53	114.60
25	BB	2239	G	C5-C6-N1	6.79	114.89	111.50
3	A1	321	A	C5'-C4'-O4'	-6.79	100.95	109.10
25	BB	1313	U	O4'-C1'-N1	6.79	113.63	108.20
25	BB	2761	A	C4'-C3'-C2'	-6.79	95.81	102.60
1	AA	58	A	C6-C5-N7	6.79	137.05	132.30
3	A1	402	G	C8-N9-C4	-6.79	103.69	106.40
3	A1	635	A	C5-C6-N6	6.79	129.13	123.70
3	A1	1128	C	N1-C2-N3	6.79	123.95	119.20
3	A1	1439	G	N3-C4-C5	-6.79	125.21	128.60
18	AS	92	ARG	NE-CZ-NH2	6.79	123.69	120.30
25	BB	176	A	C1'-O4'-C4'	6.79	115.33	109.90
25	BB	543	G	N1-C6-O6	-6.79	115.83	119.90
25	BB	1640	A	C6-N1-C2	-6.79	114.53	118.60
25	BB	2004	G	C5-N7-C8	-6.79	100.91	104.30
25	BB	2532	G	C5-C6-O6	6.79	132.67	128.60
25	BB	2804	U	C4-C5-C6	6.79	123.77	119.70
26	BC	93	ARG	NE-CZ-NH1	6.79	123.69	120.30
3	A1	1516	G	C5-C6-O6	-6.78	124.53	128.60
25	BB	79	C	O4'-C1'-N1	6.78	113.63	108.20
25	BB	559	G	N1-C6-O6	-6.78	115.83	119.90
3	A1	1033	G	N3-C4-N9	-6.78	121.93	126.00
3	A1	1430	A	N9-C4-C5	6.78	108.51	105.80
25	BB	271	G	C2-N3-C4	6.78	115.29	111.90
25	BB	551	G	N1-C2-N3	6.78	127.97	123.90
25	BB	1348	C	C6-N1-C2	-6.78	117.59	120.30
25	BB	1459	G	C6-C5-N7	6.78	134.47	130.40
1	AP	19	G	N3-C2-N2	-6.78	115.15	119.90
1	AP	24	G	N3-C4-C5	-6.78	125.21	128.60
1	AE	73	A	C5-C6-N1	6.78	121.09	117.70
3	A1	162	A	C5-C6-N1	6.78	121.09	117.70
3	A1	332	G	C4'-C3'-C2'	-6.78	95.82	102.60
3	A1	683	G	O4'-C4'-C3'	-6.78	97.22	104.00
25	BB	548	G	C1'-O4'-C4'	-6.78	104.48	109.90
25	BB	882	G	N3-C4-N9	6.78	130.07	126.00
25	BB	1260	A	C6-C5-N7	6.78	137.05	132.30
25	BB	1909	C	N3-C4-C5	6.78	124.61	121.90
25	BB	2255	G	N1-C6-O6	-6.78	115.83	119.90
1	AA	3	G	O4'-C4'-C3'	-6.78	97.22	104.00
3	A1	532	A	N7-C8-N9	6.78	117.19	113.80
3	A1	929	G	C5-C6-N1	6.78	114.89	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1181	G	N1-C6-O6	-6.78	115.83	119.90
25	BB	2863	C	N3-C4-N4	-6.78	113.25	118.00
1	AE	18	G	N1-C2-N3	6.78	127.97	123.90
3	A1	182	A	C5-C6-N1	6.78	121.09	117.70
3	A1	353	A	C4-C5-C6	-6.78	113.61	117.00
3	A1	589	U	N1-C2-N3	6.78	118.97	114.90
3	A1	1103	C	C1'-O4'-C4'	-6.78	104.48	109.90
25	BB	399	U	N1-C2-N3	6.78	118.97	114.90
25	BB	570	G	C8-N9-C4	-6.78	103.69	106.40
25	BB	1067	A	C5'-C4'-O4'	6.78	117.23	109.10
25	BB	2093	G	C8-N9-C4	-6.78	103.69	106.40
25	BB	2261	C	N1-C2-O2	6.78	122.97	118.90
3	A1	193	C	C5'-C4'-O4'	6.78	117.23	109.10
3	A1	262	A	C8-N9-C4	-6.78	103.09	105.80
3	A1	1495	U	N1-C2-N3	6.78	118.97	114.90
25	BB	1178	C	N1-C2-O2	6.78	122.97	118.90
25	BB	1397	U	O4'-C1'-N1	6.78	113.62	108.20
25	BB	2394	C	C2-N3-C4	-6.78	116.51	119.90
25	BB	2668	G	O4'-C4'-C3'	6.78	111.52	106.10
25	BB	2892	G	N1-C6-O6	-6.78	115.83	119.90
3	A1	1452	C	O4'-C1'-N1	6.77	113.62	108.20
3	A1	1493	A	N7-C8-N9	6.77	117.19	113.80
25	BB	1737	G	N3-C2-N2	-6.77	115.16	119.90
25	BB	2352	A	C4-C5-C6	-6.77	113.61	117.00
3	A1	327	A	C6-C5-N7	6.77	137.04	132.30
3	A1	609	A	O5'-P-OP2	-6.77	99.60	105.70
3	A1	1482	G	C5-C6-N1	6.77	114.89	111.50
25	BB	412	A	P-O3'-C3'	6.77	127.83	119.70
25	BB	882	G	C2-N3-C4	6.77	115.29	111.90
25	BB	1785	A	C4'-C3'-C2'	-6.77	95.83	102.60
25	BB	2545	G	C5-C6-N1	6.77	114.89	111.50
25	BB	2613	U	N1-C2-N3	6.77	118.96	114.90
34	BK	90	ARG	NH1-CZ-NH2	-6.77	111.95	119.40
3	A1	184	G	N1-C6-O6	-6.77	115.84	119.90
23	AX	48	ARG	CD-NE-CZ	6.77	133.08	123.60
25	BB	10	A	C6-N1-C2	-6.77	114.54	118.60
25	BB	40	U	N3-C2-O2	-6.77	117.46	122.20
25	BB	2041	U	N1-C2-N3	6.77	118.96	114.90
3	A1	1150	A	C2-N3-C4	6.77	113.98	110.60
25	BB	585	G	C5-C6-N1	6.77	114.88	111.50
25	BB	772	C	C6-N1-C2	-6.77	117.59	120.30
25	BB	1446	C	N1-C2-O2	6.77	122.96	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1643	G	C5-N7-C8	-6.77	100.92	104.30
25	BB	1961	C	C4'-C3'-C2'	-6.77	95.83	102.60
25	BB	2181	U	N1-C2-O2	6.77	127.54	122.80
25	BB	2428	G	O4'-C1'-N9	6.77	113.62	108.20
25	BB	2570	G	O4'-C1'-N9	6.77	113.61	108.20
29	BF	24	THR	CA-CB-CG2	6.77	121.88	112.40
3	A1	292	G	N7-C8-N9	6.77	116.48	113.10
3	A1	895	G	N9-C4-C5	6.77	108.11	105.40
3	A1	1421	G	C8-N9-C4	-6.77	103.69	106.40
25	BB	239	C	C2-N3-C4	-6.77	116.52	119.90
25	BB	1370	C	N3-C2-O2	-6.77	117.16	121.90
25	BB	2146	C	N1-C2-O2	6.77	122.96	118.90
25	BB	2484	G	C5-N7-C8	-6.77	100.92	104.30
25	BB	2637	U	O4'-C1'-C2'	-6.77	99.03	105.80
3	A1	1177	G	C5-N7-C8	-6.77	100.92	104.30
3	A1	1220	G	N3-C4-C5	-6.77	125.22	128.60
3	A1	1322	C	O4'-C1'-N1	6.77	113.61	108.20
24	BA	97	C	N3-C4-N4	-6.77	113.26	118.00
25	BB	32	C	C5-C6-N1	-6.77	117.62	121.00
25	BB	370	G	P-O3'-C3'	6.77	127.82	119.70
3	A1	647	C	C5-C6-N1	6.76	124.38	121.00
3	A1	1436	U	N1-C2-N3	6.76	118.96	114.90
3	A1	1441	A	C4-C5-C6	-6.76	113.62	117.00
16	AQ	17	ARG	NE-CZ-NH1	6.76	123.68	120.30
24	BA	97	C	N3-C4-C5	6.76	124.61	121.90
25	BB	769	U	C5-C6-N1	-6.76	119.32	122.70
25	BB	803	U	C3'-C2'-C1'	6.76	106.91	101.50
25	BB	959	A	N1-C6-N6	-6.76	114.54	118.60
25	BB	1206	G	C6-C5-N7	6.76	134.46	130.40
25	BB	1898	U	O4'-C1'-C2'	-6.76	99.04	105.80
25	BB	1910	G	N3-C2-N2	-6.76	115.16	119.90
25	BB	1943	U	O4'-C1'-N1	6.76	113.61	108.20
25	BB	2295	C	N3-C4-N4	-6.76	113.26	118.00
25	BB	2302	U	C5-C6-N1	-6.76	119.32	122.70
25	BB	2760	C	C2-N3-C4	-6.76	116.52	119.90
1	AA	45	G	C5-C6-N1	6.76	114.88	111.50
3	A1	852	G	O4'-C1'-N9	6.76	113.61	108.20
25	BB	733	G	C4'-C3'-C2'	-6.76	95.84	102.60
25	BB	2476	A	C6-C5-N7	6.76	137.03	132.30
3	A1	123	U	O4'-C1'-N1	-6.76	102.79	108.20
3	A1	394	G	N1-C6-O6	-6.76	115.84	119.90
3	A1	775	G	C2-N3-C4	6.76	115.28	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	775	G	N3-C2-N2	-6.76	115.17	119.90
3	A1	1258	G	N1-C6-O6	-6.76	115.84	119.90
3	A1	1365	G	N3-C4-C5	-6.76	125.22	128.60
3	A1	1429	A	OP1-P-OP2	-6.76	109.46	119.60
13	AL	35	ARG	CD-NE-CZ	6.76	133.07	123.60
25	BB	561	G	C4'-C3'-C2'	-6.76	95.84	102.60
25	BB	1880	U	N3-C2-O2	-6.76	117.47	122.20
25	BB	2814	A	C2-N3-C4	6.76	113.98	110.60
1	AE	37	G	O4'-C4'-C3'	6.76	111.51	106.10
1	AE	48	C	N1-C2-O2	6.76	122.96	118.90
3	A1	72	A	C3'-C2'-C1'	6.76	106.91	101.50
3	A1	1104	G	C2-N3-C4	6.76	115.28	111.90
3	A1	1420	U	C4-C5-C6	6.76	123.76	119.70
25	BB	956	G	N1-C6-O6	-6.76	115.84	119.90
25	BB	1112	G	C2-N3-C4	6.76	115.28	111.90
25	BB	1971	U	N3-C4-O4	-6.76	114.67	119.40
25	BB	2255	G	C5'-C4'-O4'	6.76	117.21	109.10
25	BB	2320	U	N1-C2-N3	6.76	118.96	114.90
25	BB	2476	A	C2-N3-C4	6.76	113.98	110.60
51	B2	109	ARG	NE-CZ-NH1	6.76	123.68	120.30
7	AF	2	ARG	NH1-CZ-NH2	-6.76	111.97	119.40
25	BB	1813	G	N1-C6-O6	-6.76	115.84	119.90
25	BB	2286	G	N1-C2-N3	6.76	127.95	123.90
25	BB	2413	G	C3'-C2'-C1'	6.76	106.91	101.50
1	AE	46	G	N1-C2-N2	6.76	122.28	116.20
1	AE	76	A	C1'-O4'-C4'	-6.76	104.50	109.90
3	A1	67	C	N1-C2-O2	6.76	122.95	118.90
3	A1	335	C	C5-C4-N4	6.76	124.93	120.20
3	A1	971	G	N3-C4-C5	-6.76	125.22	128.60
25	BB	579	G	N3-C4-C5	-6.76	125.22	128.60
25	BB	1529	G	N3-C4-C5	-6.76	125.22	128.60
25	BB	1920	C	C4'-C3'-C2'	-6.76	95.84	102.60
25	BB	2462	C	N1-C2-O2	6.76	122.95	118.90
25	BB	2463	C	N1-C2-N3	6.76	123.93	119.20
25	BB	2676	C	N3-C4-N4	-6.76	113.27	118.00
25	BB	2847	U	C5-C6-N1	-6.76	119.32	122.70
25	BB	2850	A	C1'-O4'-C4'	-6.76	104.49	109.90
39	BP	13	ARG	CD-NE-CZ	6.76	133.06	123.60
25	BB	476	G	C4-C5-N7	-6.75	108.10	110.80
25	BB	1914	C	N1-C2-O2	6.75	122.95	118.90
25	BB	2699	C	C5'-C4'-C3'	-6.75	105.19	116.00
3	A1	118	U	O4'-C1'-C2'	-6.75	99.05	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	205	A	C5-C6-N1	6.75	121.08	117.70
3	A1	430	A	C4'-C3'-C2'	-6.75	95.85	102.60
3	A1	534	U	C4-C5-C6	6.75	123.75	119.70
3	A1	607	A	C2-N3-C4	6.75	113.98	110.60
3	A1	728	A	C1'-O4'-C4'	-6.75	104.50	109.90
3	A1	959	A	C4-C5-N7	6.75	114.08	110.70
3	A1	1411	C	C5-C6-N1	-6.75	117.62	121.00
13	AL	54	ARG	NE-CZ-NH1	6.75	123.68	120.30
24	BA	64	G	C5-N7-C8	-6.75	100.92	104.30
25	BB	106	C	C1'-O4'-C4'	-6.75	104.50	109.90
25	BB	186	G	C5-C6-N1	6.75	114.88	111.50
25	BB	1358	G	C2-N3-C4	6.75	115.28	111.90
25	BB	1750	G	N7-C8-N9	6.75	116.48	113.10
25	BB	2294	G	N3-C2-N2	-6.75	115.17	119.90
28	BE	123	ARG	NE-CZ-NH1	6.75	123.68	120.30
3	A1	370	C	C5-C6-N1	-6.75	117.62	121.00
3	A1	643	C	C5'-C4'-O4'	6.75	117.20	109.10
3	A1	1440	U	N3-C2-O2	-6.75	117.47	122.20
24	BA	100	G	C8-N9-C4	-6.75	103.70	106.40
25	BB	612	G	O4'-C1'-N9	6.75	113.60	108.20
25	BB	950	G	N9-C1'-C2'	-6.75	104.57	112.00
25	BB	1206	G	C2'-C3'-O3'	6.75	124.50	113.70
25	BB	1448	G	C5-C6-N1	6.75	114.88	111.50
25	BB	1766	G	N1-C2-N3	6.75	127.95	123.90
25	BB	2284	A	C5-C6-N6	6.75	129.10	123.70
1	AE	17	U	N1-C1'-C2'	-6.75	104.57	112.00
3	A1	163	C	C1'-O4'-C4'	6.75	115.30	109.90
3	A1	1259	C	N1-C2-O2	6.75	122.95	118.90
5	AC	55	ARG	NE-CZ-NH1	6.75	123.67	120.30
25	BB	24	G	N3-C4-C5	-6.75	125.22	128.60
25	BB	68	G	C6-N1-C2	-6.75	121.05	125.10
25	BB	95	A	C5-C6-N1	6.75	121.08	117.70
25	BB	510	C	N3-C4-C5	6.75	124.60	121.90
25	BB	1640	A	C6-C5-N7	6.75	137.03	132.30
3	A1	387	U	C2-N3-C4	-6.75	122.95	127.00
3	A1	891	U	N1-C2-N3	6.75	118.95	114.90
3	A1	1068	G	N9-C4-C5	6.75	108.10	105.40
3	A1	1397	C	P-O3'-C3'	6.75	127.80	119.70
25	BB	239	C	N3-C4-C5	6.75	124.60	121.90
25	BB	1684	G	N3-C4-C5	-6.75	125.23	128.60
25	BB	1713	A	C6-N1-C2	-6.75	114.55	118.60
25	BB	2328	A	O3'-P-O5'	-6.75	91.18	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2387	U	C5-C4-O4	6.75	129.95	125.90
25	BB	2446	G	C5-C6-N1	6.75	114.87	111.50
25	BB	2901	C	C2-N3-C4	-6.75	116.53	119.90
3	A1	461	A	C5'-C4'-O4'	6.75	117.19	109.10
3	A1	545	C	N3-C4-C5	6.75	124.60	121.90
3	A1	1068	G	C5-C6-O6	6.75	132.65	128.60
3	A1	1320	C	C3'-C2'-C1'	6.75	106.90	101.50
25	BB	503	A	C5-C6-N6	6.75	129.10	123.70
25	BB	1193	G	N1-C6-O6	-6.75	115.85	119.90
25	BB	1590	A	C3'-C2'-C1'	6.75	106.90	101.50
25	BB	1742	U	N3-C2-O2	-6.75	117.48	122.20
25	BB	2079	U	C1'-O4'-C4'	-6.75	104.50	109.90
3	A1	469	C	N3-C2-O2	-6.75	117.18	121.90
3	A1	787	A	N1-C2-N3	-6.75	125.93	129.30
25	BB	654	A	C5-C6-N6	6.75	129.10	123.70
25	BB	1529	G	C5-C6-O6	6.75	132.65	128.60
25	BB	1870	C	N3-C2-O2	-6.75	117.18	121.90
25	BB	2417	C	N3-C4-N4	-6.75	113.28	118.00
3	A1	1044	A	N9-C1'-C2'	-6.74	104.58	112.00
3	A1	1268	G	N3-C4-C5	-6.74	125.23	128.60
25	BB	143	C	N3-C4-N4	-6.74	113.28	118.00
25	BB	145	C	O4'-C1'-N1	6.74	113.59	108.20
25	BB	679	C	N1-C2-O2	6.74	122.95	118.90
25	BB	900	A	N3-C4-N9	-6.74	122.01	127.40
25	BB	1086	A	C4-C5-C6	-6.74	113.63	117.00
25	BB	1802	A	C2-N3-C4	6.74	113.97	110.60
25	BB	2047	C	O4'-C4'-C3'	6.74	111.50	106.10
25	BB	2148	G	O4'-C4'-C3'	6.74	111.50	106.10
25	BB	584	C	N3-C4-N4	-6.74	113.28	118.00
3	A1	18	C	N3-C2-O2	-6.74	117.18	121.90
3	A1	124	C	C3'-C2'-C1'	-6.74	96.11	101.50
3	A1	605	U	N3-C2-O2	-6.74	117.48	122.20
3	A1	1193	G	C6-N1-C2	-6.74	121.06	125.10
3	A1	1314	C	C5-C6-N1	-6.74	117.63	121.00
25	BB	93	G	N3-C2-N2	-6.74	115.18	119.90
25	BB	1213	A	C5-C6-N6	6.74	129.09	123.70
25	BB	2506	U	C5-C6-N1	-6.74	119.33	122.70
25	BB	2828	G	N3-C2-N2	-6.74	115.18	119.90
25	BB	2885	G	C4-C5-N7	-6.74	108.10	110.80
1	AA	16	U	C5-C6-N1	-6.74	119.33	122.70
3	A1	472	U	N1-C2-N3	6.74	118.94	114.90
3	A1	782	A	C4-C5-C6	-6.74	113.63	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	954	G	C5-C6-O6	6.74	132.64	128.60
25	BB	341	C	C5-C6-N1	-6.74	117.63	121.00
25	BB	1300	G	C6-N1-C2	-6.74	121.06	125.10
25	BB	1847	A	C6-N1-C2	-6.74	114.56	118.60
25	BB	2507	C	C6-N1-C2	-6.74	117.61	120.30
48	BY	17	GLU	OE1-CD-OE2	-6.74	115.21	123.30
51	B2	94	ARG	NE-CZ-NH1	6.74	123.67	120.30
54	B5	133	ARG	NE-CZ-NH2	-6.74	116.93	120.30
3	A1	598	U	N1-C2-N3	6.74	118.94	114.90
25	BB	134	G	C8-N9-C4	-6.74	103.70	106.40
25	BB	159	G	O5'-P-OP2	-6.74	99.64	105.70
25	BB	501	A	O4'-C4'-C3'	6.74	111.49	106.10
25	BB	605	G	N1-C6-O6	-6.74	115.86	119.90
25	BB	2373	G	N9-C4-C5	6.74	108.09	105.40
25	BB	2700	A	C8-N9-C4	-6.74	103.11	105.80
25	BB	2848	G	N3-C2-N2	-6.74	115.18	119.90
3	A1	52	C	P-O3'-C3'	6.74	127.78	119.70
3	A1	262	A	C5-C6-N1	6.74	121.07	117.70
3	A1	797	C	C1'-O4'-C4'	-6.74	104.51	109.90
3	A1	1437	A	C5-C6-N6	6.74	129.09	123.70
3	A1	1484	C	N3-C4-C5	6.74	124.59	121.90
25	BB	591	U	C5-C4-O4	6.74	129.94	125.90
25	BB	652	U	C2-N3-C4	-6.74	122.96	127.00
25	BB	1180	U	C4'-C3'-C2'	-6.74	95.86	102.60
25	BB	1543	G	C4'-C3'-C2'	-6.74	95.86	102.60
25	BB	2345	G	C4-C5-N7	-6.74	108.11	110.80
25	BB	2514	U	N3-C2-O2	-6.74	117.48	122.20
25	BB	1139	G	N1-C6-O6	-6.73	115.86	119.90
25	BB	1479	G	C1'-O4'-C4'	-6.73	104.51	109.90
25	BB	2222	C	C5-C6-N1	-6.73	117.63	121.00
25	BB	2794	C	C4'-C3'-C2'	-6.73	95.87	102.60
1	AA	23	A	C4-C5-C6	-6.73	113.63	117.00
3	A1	112	G	O4'-C1'-N9	6.73	113.58	108.20
3	A1	168	G	O4'-C1'-N9	6.73	113.58	108.20
3	A1	1120	C	C1'-O4'-C4'	-6.73	104.51	109.90
25	BB	321	U	N1-C2-N3	6.73	118.94	114.90
25	BB	1911	U	O4'-C1'-N1	6.73	113.59	108.20
25	BB	2125	G	C3'-C2'-C1'	-6.73	96.11	101.50
25	BB	2667	C	N3-C2-O2	-6.73	117.19	121.90
1	AP	61	C	C5-C4-N4	6.73	124.91	120.20
3	A1	202	G	C6-C5-N7	6.73	134.44	130.40
3	A1	302	G	N1-C6-O6	-6.73	115.86	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	592	G	O4'-C4'-C3'	6.73	111.48	106.10
3	A1	1082	A	C8-N9-C4	-6.73	103.11	105.80
3	A1	1305	G	N1-C6-O6	-6.73	115.86	119.90
3	A1	1316	G	N9-C4-C5	6.73	108.09	105.40
24	BA	114	C	N3-C2-O2	-6.73	117.19	121.90
25	BB	244	A	C3'-C2'-C1'	-6.73	96.12	101.50
25	BB	1715	G	N3-C4-C5	-6.73	125.23	128.60
34	BK	58	VAL	CG1-CB-CG2	6.73	121.67	110.90
3	A1	756	C	C2-N3-C4	-6.73	116.54	119.90
3	A1	1477	U	C3'-C2'-C1'	6.73	106.88	101.50
25	BB	1567	G	C5-C6-N1	6.73	114.86	111.50
25	BB	1861	G	C4'-C3'-C2'	-6.73	95.87	102.60
3	A1	107	G	C1'-O4'-C4'	-6.73	104.52	109.90
3	A1	266	G	O4'-C1'-N9	6.73	113.58	108.20
3	A1	1119	C	C2-N3-C4	-6.73	116.54	119.90
25	BB	203	A	C1'-O4'-C4'	6.73	115.28	109.90
25	BB	529	A	C2-N3-C4	6.73	113.96	110.60
25	BB	918	A	C6-C5-N7	6.73	137.01	132.30
25	BB	1291	C	C5-C6-N1	-6.73	117.64	121.00
25	BB	1359	A	C4-C5-N7	6.73	114.06	110.70
25	BB	1726	C	N3-C4-N4	-6.73	113.29	118.00
25	BB	2863	C	N1-C2-N3	6.73	123.91	119.20
25	BB	2872	A	C4-C5-C6	-6.73	113.64	117.00
3	A1	134	G	C8-N9-C4	-6.73	103.71	106.40
3	A1	487	A	N9-C4-C5	6.73	108.49	105.80
3	A1	1003	G	C5-C6-N1	6.73	114.86	111.50
3	A1	1111	A	C2-N3-C4	6.73	113.96	110.60
24	BA	9	G	N1-C6-O6	-6.73	115.86	119.90
24	BA	111	U	N1-C2-N3	6.73	118.94	114.90
25	BB	42	A	C6-C5-N7	6.73	137.01	132.30
25	BB	1304	A	C6-C5-N7	6.73	137.01	132.30
25	BB	1466	U	N1-C2-N3	6.73	118.94	114.90
3	A1	278	G	C1'-O4'-C4'	-6.72	104.52	109.90
3	A1	485	U	N3-C2-O2	-6.72	117.49	122.20
3	A1	511	C	P-O3'-C3'	6.72	127.77	119.70
3	A1	620	C	C5'-C4'-O4'	6.72	117.17	109.10
3	A1	1022	A	C5'-C4'-C3'	-6.72	105.24	116.00
3	A1	1227	A	N1-C2-N3	-6.72	125.94	129.30
25	BB	373	U	C1'-O4'-C4'	-6.72	104.52	109.90
25	BB	545	U	O4'-C1'-N1	6.72	113.58	108.20
25	BB	1687	G	C2-N3-C4	6.72	115.26	111.90
25	BB	1851	U	C3'-C2'-C1'	6.72	106.88	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1854	A	C6-C5-N7	6.72	137.01	132.30
25	BB	2376	A	C5'-C4'-C3'	-6.72	105.24	116.00
3	A1	56	U	C5-C4-O4	6.72	129.93	125.90
3	A1	574	A	C2-N3-C4	6.72	113.96	110.60
3	A1	670	G	N1-C2-N2	6.72	122.25	116.20
3	A1	810	C	N1-C2-O2	6.72	122.93	118.90
3	A1	1273	C	C6-N1-C2	-6.72	117.61	120.30
25	BB	1091	G	N7-C8-N9	6.72	116.46	113.10
25	BB	1325	U	C5-C6-N1	-6.72	119.34	122.70
25	BB	1540	G	C1'-O4'-C4'	-6.72	104.52	109.90
25	BB	1986	C	N1-C2-N3	6.72	123.91	119.20
25	BB	2384	U	N3-C2-O2	-6.72	117.49	122.20
25	BB	2537	U	N1-C2-N3	6.72	118.93	114.90
3	A1	308	C	C4'-C3'-C2'	-6.72	95.88	102.60
3	A1	1457	G	C4-C5-N7	-6.72	108.11	110.80
6	AD	120	ARG	NH1-CZ-NH2	-6.72	112.01	119.40
25	BB	788	A	C2-N3-C4	6.72	113.96	110.60
25	BB	881	G	N3-C4-C5	-6.72	125.24	128.60
25	BB	1929	G	C4'-C3'-C2'	-6.72	95.88	102.60
1	AE	46	G	C4'-C3'-C2'	-6.72	95.88	102.60
3	A1	385	C	N3-C4-C5	6.72	124.59	121.90
3	A1	443	C	C4-C5-C6	-6.72	114.04	117.40
3	A1	882	C	O4'-C1'-N1	6.72	113.58	108.20
3	A1	1079	G	N3-C4-C5	-6.72	125.24	128.60
23	AX	5	ARG	NH1-CZ-NH2	-6.72	112.01	119.40
24	BA	117	G	C6-C5-N7	6.72	134.43	130.40
25	BB	524	G	C5-C6-N1	6.72	114.86	111.50
25	BB	536	G	C6-C5-N7	6.72	134.43	130.40
25	BB	914	G	C1'-O4'-C4'	-6.72	104.53	109.90
25	BB	1896	G	N9-C4-C5	6.72	108.09	105.40
25	BB	2031	A	C5-C6-N1	6.72	121.06	117.70
2	AM	11	U	N3-C2-O2	-6.72	117.50	122.20
3	A1	425	G	N7-C8-N9	6.72	116.46	113.10
25	BB	384	A	N9-C4-C5	6.72	108.49	105.80
25	BB	522	A	N1-C2-N3	-6.72	125.94	129.30
25	BB	577	G	C6-C5-N7	6.72	134.43	130.40
3	A1	677	U	O4'-C1'-N1	6.72	113.57	108.20
3	A1	1236	A	C4'-C3'-C2'	-6.72	95.88	102.60
3	A1	1530	G	C6-C5-N7	6.72	134.43	130.40
25	BB	320	A	C1'-O4'-C4'	-6.72	104.53	109.90
25	BB	871	U	N1-C2-N3	6.72	118.93	114.90
25	BB	898	C	N3-C2-O2	-6.72	117.20	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1166	G	C6-N1-C2	-6.72	121.07	125.10
25	BB	2111	U	N1-C2-O2	6.72	127.50	122.80
25	BB	2442	C	N1-C2-O2	6.72	122.93	118.90
25	BB	2642	G	N3-C2-N2	-6.72	115.20	119.90
27	BD	52	VAL	CA-CB-CG1	6.72	120.97	110.90
33	BJ	52	ARG	NH1-CZ-NH2	-6.72	112.01	119.40
1	AP	4	G	C4'-C3'-C2'	-6.71	95.89	102.60
3	A1	953	G	C5-C6-N1	6.71	114.86	111.50
25	BB	111	A	C4-C5-C6	-6.71	113.64	117.00
25	BB	258	G	C8-N9-C4	-6.71	103.71	106.40
25	BB	756	A	C3'-C2'-C1'	6.71	106.87	101.50
25	BB	834	G	C6-N1-C2	-6.71	121.07	125.10
25	BB	1253	A	O4'-C1'-N9	6.71	113.57	108.20
25	BB	1325	U	C2-N3-C4	-6.71	122.97	127.00
25	BB	1368	G	O4'-C4'-C3'	6.71	111.47	106.10
25	BB	1400	U	O4'-C4'-C3'	-6.71	97.29	104.00
25	BB	1414	C	N1-C2-O2	6.71	122.93	118.90
25	BB	1672	A	C6-C5-N7	6.71	137.00	132.30
25	BB	1746	A	C6-C5-N7	6.71	137.00	132.30
25	BB	2199	A	N1-C6-N6	-6.71	114.57	118.60
25	BB	2656	U	C4-C5-C6	6.71	123.73	119.70
47	BX	24	ARG	NE-CZ-NH2	-6.71	116.94	120.30
25	BB	1058	U	C4'-C3'-C2'	-6.71	95.89	102.60
25	BB	1552	A	C5-N7-C8	-6.71	100.54	103.90
25	BB	2048	G	C6-N1-C2	-6.71	121.07	125.10
3	A1	665	A	C5-C6-N1	6.71	121.06	117.70
3	A1	1321	U	O4'-C1'-N1	6.71	113.57	108.20
25	BB	211	C	C5-C6-N1	-6.71	117.64	121.00
25	BB	261	G	N1-C2-N3	6.71	127.93	123.90
25	BB	555	G	C3'-C2'-C1'	6.71	106.87	101.50
25	BB	1281	G	C5-N7-C8	-6.71	100.94	104.30
25	BB	1520	U	C5'-C4'-O4'	6.71	117.15	109.10
25	BB	1581	G	N1-C6-O6	-6.71	115.87	119.90
25	BB	1925	C	N3-C2-O2	-6.71	117.20	121.90
25	BB	2070	A	C6-C5-N7	6.71	137.00	132.30
25	BB	2355	G	C5-C6-O6	6.71	132.63	128.60
25	BB	2519	U	C2-N1-C1'	6.71	125.75	117.70
52	B3	38	ASP	CB-CG-OD2	6.71	124.34	118.30
3	A1	682	G	C5-C6-N1	6.71	114.86	111.50
3	A1	1219	A	C5'-C4'-O4'	6.71	117.15	109.10
9	AH	67	ASP	CB-CG-OD2	6.71	124.34	118.30
20	AU	2	ARG	NE-CZ-NH1	6.71	123.66	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	BA	23	G	C4-C5-N7	6.71	113.48	110.80
3	A1	699	C	O4'-C4'-C3'	6.71	111.47	106.10
3	A1	926	G	C5-C6-O6	6.71	132.62	128.60
3	A1	1030	U	O4'-C1'-N1	6.71	113.57	108.20
3	A1	1144	G	O4'-C1'-N9	6.71	113.57	108.20
3	A1	1293	C	C4'-C3'-C2'	-6.71	95.89	102.60
3	A1	1315	U	N3-C2-O2	-6.71	117.50	122.20
24	BA	59	A	C4-C5-C6	-6.71	113.64	117.00
25	BB	359	G	C6-N1-C2	-6.71	121.08	125.10
25	BB	823	C	N3-C4-N4	-6.71	113.31	118.00
25	BB	938	G	N1-C6-O6	-6.71	115.88	119.90
25	BB	1973	G	C1'-O4'-C4'	-6.71	104.53	109.90
25	BB	2508	G	N1-C6-O6	-6.71	115.88	119.90
3	A1	691	G	N1-C2-N3	6.71	127.92	123.90
3	A1	964	A	C5-C6-N1	6.71	121.05	117.70
3	A1	1170	A	C5-C6-N6	6.71	129.06	123.70
3	A1	1322	C	N3-C4-N4	-6.71	113.31	118.00
3	A1	1324	A	C6-C5-N7	6.71	137.00	132.30
25	BB	1018	U	C4-C5-C6	6.71	123.72	119.70
25	BB	1040	A	C5-C6-N1	6.71	121.05	117.70
25	BB	1382	G	C5'-C4'-O4'	6.71	117.15	109.10
25	BB	1952	A	C6-C5-N7	6.71	137.00	132.30
25	BB	2100	G	N1-C6-O6	-6.71	115.88	119.90
25	BB	2607	G	OP1-P-OP2	-6.71	109.54	119.60
25	BB	2631	G	N3-C4-C5	-6.71	125.25	128.60
46	BW	41	ARG	NH1-CZ-NH2	-6.71	112.02	119.40
3	A1	1300	G	N3-C4-C5	-6.71	125.25	128.60
25	BB	1274	A	O4'-C1'-N9	-6.71	102.84	108.20
25	BB	1959	G	O5'-P-OP2	-6.71	99.67	105.70
25	BB	2358	A	C5-C6-N6	6.71	129.06	123.70
3	A1	197	A	C6-C5-N7	6.70	136.99	132.30
3	A1	533	A	C1'-O4'-C4'	6.70	115.26	109.90
3	A1	1491	G	N7-C8-N9	6.70	116.45	113.10
25	BB	977	G	C4-C5-N7	-6.70	108.12	110.80
25	BB	1295	C	N3-C4-C5	6.70	124.58	121.90
25	BB	2787	C	O4'-C4'-C3'	6.70	111.46	106.10
25	BB	2801	G	O4'-C1'-N9	6.70	113.56	108.20
1	AP	58	A	O4'-C1'-N9	-6.70	102.84	108.20
3	A1	329	A	N1-C6-N6	-6.70	114.58	118.60
3	A1	1000	A	C3'-C2'-C1'	6.70	106.86	101.50
25	BB	2156	G	O4'-C1'-N9	6.70	113.56	108.20
25	BB	2541	A	C6-C5-N7	6.70	136.99	132.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2733	A	C3'-C2'-C1'	6.70	106.86	101.50
3	A1	462	G	N1-C2-N3	6.70	127.92	123.90
3	A1	553	A	O4'-C4'-C3'	6.70	111.46	106.10
24	BA	39	A	C8-N9-C4	-6.70	103.12	105.80
24	BA	83	G	C8-N9-C4	-6.70	103.72	106.40
25	BB	1718	G	N3-C4-N9	-6.70	121.98	126.00
25	BB	2328	A	C4-C5-C6	-6.70	113.65	117.00
25	BB	2472	G	C8-N9-C4	-6.70	103.72	106.40
25	BB	2817	U	C5'-C4'-O4'	6.70	117.14	109.10
3	A1	486	U	C3'-C2'-C1'	6.70	106.86	101.50
3	A1	918	A	C3'-C2'-C1'	6.70	106.86	101.50
3	A1	1055	A	C4'-C3'-C2'	-6.70	95.90	102.60
3	A1	1298	U	N1-C2-N3	6.70	118.92	114.90
17	AR	75	TYR	CB-CG-CD1	-6.70	116.98	121.00
25	BB	760	G	C5'-C4'-O4'	6.70	117.14	109.10
25	BB	1480	C	C5-C6-N1	-6.70	117.65	121.00
25	BB	1560	G	C5'-C4'-O4'	6.70	117.14	109.10
25	BB	2177	C	N3-C2-O2	-6.70	117.21	121.90
25	BB	2601	C	C5-C6-N1	-6.70	117.65	121.00
25	BB	2806	C	C6-N1-C2	6.70	122.98	120.30
33	BJ	32	ARG	CD-NE-CZ	6.70	132.98	123.60
3	A1	221	C	N3-C2-O2	-6.70	117.21	121.90
3	A1	840	C	N3-C4-N4	-6.70	113.31	118.00
3	A1	921	U	C5-C6-N1	-6.70	119.35	122.70
25	BB	2144	G	C5'-C4'-C3'	-6.70	105.28	116.00
25	BB	2397	G	N3-C4-C5	-6.70	125.25	128.60
3	A1	996	A	C3'-C2'-C1'	6.70	106.86	101.50
25	BB	1310	G	C5-C6-N1	6.70	114.85	111.50
25	BB	1484	U	N3-C2-O2	-6.70	117.51	122.20
3	A1	141	G	C5-C6-O6	6.69	132.62	128.60
3	A1	952	U	N3-C2-O2	-6.69	117.51	122.20
3	A1	1286	U	C3'-C2'-C1'	-6.69	96.14	101.50
3	A1	1376	U	N1-C2-N3	6.69	118.92	114.90
5	AC	82	GLU	OE1-CD-OE2	-6.69	115.27	123.30
25	BB	689	A	N1-C2-N3	-6.69	125.95	129.30
25	BB	1987	A	C5-N7-C8	-6.69	100.55	103.90
25	BB	2076	U	N1-C2-N3	6.69	118.92	114.90
3	A1	130	A	C8-N9-C4	-6.69	103.12	105.80
3	A1	608	A	C4-C5-C6	-6.69	113.65	117.00
3	A1	664	G	O4'-C4'-C3'	6.69	111.45	106.10
25	BB	391	A	N7-C8-N9	6.69	117.15	113.80
25	BB	649	G	C5-C6-O6	6.69	132.62	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1244	A	C5-C6-N1	6.69	121.05	117.70
25	BB	1298	C	N3-C2-O2	-6.69	117.22	121.90
25	BB	1934	C	C2'-C3'-O3'	6.69	124.41	113.70
31	BH	25	ARG	NE-CZ-NH2	-6.69	116.95	120.30
3	A1	110	C	N3-C4-N4	-6.69	113.32	118.00
3	A1	507	C	N1-C2-N3	6.69	123.88	119.20
11	AJ	26	ARG	NE-CZ-NH1	6.69	123.64	120.30
24	BA	50	A	N1-C6-N6	-6.69	114.58	118.60
25	BB	173	A	C5'-C4'-C3'	-6.69	105.30	116.00
25	BB	265	A	C5-C6-N6	6.69	129.05	123.70
25	BB	1327	A	O4'-C1'-N9	6.69	113.55	108.20
1	AE	65	G	C8-N9-C4	-6.69	103.72	106.40
3	A1	674	G	N3-C2-N2	-6.69	115.22	119.90
3	A1	877	G	N9-C4-C5	6.69	108.08	105.40
25	BB	1961	C	C2-N3-C4	-6.69	116.56	119.90
28	BE	18	ARG	NE-CZ-NH1	6.69	123.64	120.30
1	AE	55	U	C5'-C4'-O4'	6.69	117.12	109.10
2	AM	16	U	N3-C2-O2	-6.69	117.52	122.20
3	A1	144	G	N3-C2-N2	-6.69	115.22	119.90
3	A1	334	C	O4'-C4'-C3'	6.69	111.45	106.10
3	A1	350	G	N3-C2-N2	6.69	124.58	119.90
3	A1	741	G	N1-C6-O6	-6.69	115.89	119.90
3	A1	761	G	C6-N1-C2	-6.69	121.09	125.10
3	A1	1075	U	C5-C6-N1	-6.69	119.36	122.70
25	BB	128	C	C2-N3-C4	-6.69	116.56	119.90
25	BB	987	C	C2-N3-C4	-6.69	116.56	119.90
25	BB	1027	A	C6-N1-C2	-6.69	114.59	118.60
25	BB	1375	U	O4'-C1'-N1	6.69	113.55	108.20
25	BB	1552	A	C2-N3-C4	6.69	113.94	110.60
25	BB	2370	G	O4'-C1'-N9	6.69	113.55	108.20
25	BB	2661	G	C4-C5-C6	-6.69	114.79	118.80
3	A1	827	U	C1'-O4'-C4'	-6.69	104.55	109.90
3	A1	1466	C	N1-C2-O2	6.69	122.91	118.90
25	BB	47	C	N1-C2-O2	6.69	122.91	118.90
25	BB	1491	G	C4'-C3'-C2'	-6.69	95.91	102.60
25	BB	2736	A	C3'-C2'-C1'	6.69	106.85	101.50
3	A1	405	U	O3'-P-O5'	6.68	116.70	104.00
25	BB	109	C	C5'-C4'-O4'	6.68	117.12	109.10
25	BB	267	C	C4'-C3'-C2'	-6.68	95.92	102.60
25	BB	542	C	O4'-C1'-N1	6.68	113.55	108.20
25	BB	1195	G	N3-C4-C5	-6.68	125.26	128.60
25	BB	1372	U	C5-C6-N1	-6.68	119.36	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1964	G	C6-N1-C2	-6.68	121.09	125.10
25	BB	1964	G	N1-C6-O6	-6.68	115.89	119.90
25	BB	2001	C	O4'-C4'-C3'	6.68	111.45	106.10
25	BB	2592	G	N3-C4-C5	-6.68	125.26	128.60
25	BB	2630	G	N1-C6-O6	-6.68	115.89	119.90
43	BT	12	ARG	CD-NE-CZ	6.68	132.96	123.60
3	A1	566	G	N9-C4-C5	6.68	108.07	105.40
3	A1	1246	A	N1-C6-N6	-6.68	114.59	118.60
6	AD	35	ARG	CD-NE-CZ	6.68	132.96	123.60
25	BB	514	A	C5-C6-N1	6.68	121.04	117.70
25	BB	824	U	O4'-C4'-C3'	6.68	111.44	106.10
25	BB	1158	C	C5'-C4'-C3'	-6.68	105.31	116.00
25	BB	1174	U	C5-C4-O4	6.68	129.91	125.90
25	BB	1268	A	C5-C6-N6	6.68	129.05	123.70
25	BB	1572	A	O4'-C1'-N9	6.68	113.55	108.20
25	BB	2487	G	N9-C1'-C2'	-6.68	104.65	112.00
25	BB	2537	U	O5'-C5'-C4'	6.68	124.40	111.70
25	BB	2656	U	N3-C2-O2	-6.68	117.52	122.20
25	BB	294	A	C5-C6-N6	6.68	129.04	123.70
25	BB	832	U	C5-C6-N1	-6.68	119.36	122.70
25	BB	1051	G	C6-C5-N7	6.68	134.41	130.40
25	BB	1737	G	O4'-C1'-N9	6.68	113.55	108.20
25	BB	2358	A	C6-C5-N7	6.68	136.98	132.30
3	A1	1202	U	N3-C2-O2	-6.68	117.53	122.20
25	BB	897	C	C1'-O4'-C4'	6.68	115.24	109.90
25	BB	1117	C	C5'-C4'-O4'	6.68	117.11	109.10
25	BB	1141	U	O3'-P-O5'	6.68	116.69	104.00
25	BB	1363	C	C6-N1-C2	-6.68	117.63	120.30
25	BB	1429	G	N3-C4-C5	-6.68	125.26	128.60
1	AA	50	U	C4'-C3'-C2'	-6.68	95.92	102.60
3	A1	1511	G	C6-N1-C2	-6.68	121.09	125.10
25	BB	849	A	O4'-C1'-N9	6.68	113.54	108.20
25	BB	1252	G	O4'-C1'-N9	6.68	113.54	108.20
25	BB	1375	U	C4-C5-C6	6.68	123.71	119.70
1	AP	72	C	C5-C6-N1	-6.68	117.66	121.00
1	AE	22	G	C8-N9-C4	-6.68	103.73	106.40
3	A1	1476	A	C6-C5-N7	6.68	136.97	132.30
25	BB	137	U	C2-N3-C4	-6.68	122.99	127.00
25	BB	668	A	C4-C5-C6	-6.68	113.66	117.00
25	BB	882	G	C4-C5-N7	-6.68	108.13	110.80
25	BB	922	C	C2-N3-C4	-6.68	116.56	119.90
25	BB	1001	A	C8-N9-C4	-6.68	103.13	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1760	C	O4'-C1'-N1	6.68	113.54	108.20
25	BB	2389	G	O4'-C4'-C3'	6.68	111.44	106.10
25	BB	2884	U	C5'-C4'-O4'	6.68	117.11	109.10
30	BG	8	ARG	NH1-CZ-NH2	-6.68	112.06	119.40
1	AE	47	U	C5-C6-N1	-6.67	119.36	122.70
3	A1	1406	U	O4'-C1'-N1	6.67	113.54	108.20
25	BB	158	U	N1-C2-N3	6.67	118.90	114.90
25	BB	221	A	P-O5'-C5'	6.67	131.58	120.90
25	BB	646	U	C6-N1-C2	-6.67	117.00	121.00
25	BB	745	G	N1-C6-O6	-6.67	115.89	119.90
25	BB	1091	G	C8-N9-C4	-6.67	103.73	106.40
25	BB	1195	G	C5-C6-O6	6.67	132.60	128.60
25	BB	2581	G	N1-C2-N2	-6.67	110.19	116.20
25	BB	2831	G	N3-C2-N2	-6.67	115.23	119.90
3	A1	86	G	C4'-C3'-C2'	-6.67	95.93	102.60
3	A1	559	A	C1'-O4'-C4'	-6.67	104.56	109.90
3	A1	640	A	C3'-C2'-C1'	6.67	106.84	101.50
3	A1	807	A	O4'-C4'-C3'	6.67	111.44	106.10
20	AU	78	ARG	NH1-CZ-NH2	-6.67	112.06	119.40
25	BB	615	U	C1'-O4'-C4'	6.67	115.24	109.90
25	BB	956	G	N3-C2-N2	-6.67	115.23	119.90
25	BB	1529	G	N3-C2-N2	-6.67	115.23	119.90
25	BB	2481	G	N7-C8-N9	6.67	116.44	113.10
25	BB	2555	U	C5'-C4'-O4'	6.67	117.11	109.10
1	AA	24	G	O4'-C4'-C3'	6.67	111.44	106.10
3	A1	367	U	N1-C2-N3	6.67	118.90	114.90
3	A1	914	A	C2-N3-C4	6.67	113.94	110.60
3	A1	1021	A	C2-N3-C4	6.67	113.94	110.60
25	BB	97	C	O4'-C1'-N1	6.67	113.54	108.20
25	BB	509	C	N3-C4-N4	-6.67	113.33	118.00
25	BB	859	G	C3'-C2'-C1'	6.67	106.84	101.50
25	BB	1166	G	N3-C4-C5	-6.67	125.26	128.60
37	BN	79	ARG	NE-CZ-NH2	6.67	123.64	120.30
3	A1	617	G	C5-N7-C8	-6.67	100.97	104.30
3	A1	736	C	N3-C2-O2	-6.67	117.23	121.90
3	A1	954	G	O4'-C1'-C2'	-6.67	99.13	105.80
25	BB	1373	A	C4-C5-C6	-6.67	113.67	117.00
25	BB	2005	A	C4'-C3'-C2'	-6.67	95.93	102.60
1	AP	73	A	C4-C5-C6	-6.67	113.67	117.00
3	A1	818	G	C5'-C4'-C3'	-6.67	105.33	116.00
3	A1	939	G	C5'-C4'-O4'	6.67	117.10	109.10
3	A1	1415	G	C5-C6-O6	6.67	132.60	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	390	U	O4'-C1'-C2'	-6.67	99.13	105.80
25	BB	457	A	N1-C2-N3	-6.67	125.97	129.30
25	BB	774	G	N3-C4-C5	-6.67	125.27	128.60
25	BB	1739	A	C4'-C3'-C2'	-6.67	95.93	102.60
25	BB	2099	U	C3'-C2'-C1'	6.67	106.83	101.50
25	BB	2472	G	N1-C2-N3	6.67	127.90	123.90
25	BB	2835	A	N1-C2-N3	-6.67	125.97	129.30
3	A1	592	G	C6-N1-C2	-6.67	121.10	125.10
24	BA	116	G	N1-C6-O6	-6.67	115.90	119.90
25	BB	530	G	N7-C8-N9	6.67	116.43	113.10
25	BB	1062	G	C5-C6-O6	-6.67	124.60	128.60
25	BB	2120	G	N7-C8-N9	6.67	116.43	113.10
3	A1	772	U	O4'-C1'-N1	6.67	113.53	108.20
24	BA	39	A	C4-C5-C6	-6.67	113.67	117.00
25	BB	412	A	C3'-C2'-C1'	6.67	106.83	101.50
25	BB	728	G	C6-C5-N7	6.67	134.40	130.40
25	BB	1007	C	N1-C2-N3	6.67	123.86	119.20
25	BB	1610	A	O4'-C1'-N9	6.67	113.53	108.20
25	BB	2085	U	C5-C6-N1	-6.67	119.37	122.70
25	BB	2489	U	N3-C2-O2	-6.67	117.53	122.20
25	BB	2574	G	N3-C4-C5	-6.67	125.27	128.60
3	A1	471	U	C5'-C4'-O4'	6.66	117.10	109.10
3	A1	485	U	N3-C4-C5	-6.66	110.60	114.60
25	BB	38	A	C5-C6-N1	6.66	121.03	117.70
25	BB	163	C	N3-C4-C5	6.66	124.56	121.90
25	BB	510	C	C3'-C2'-C1'	6.66	106.83	101.50
25	BB	2032	G	C5-C6-N1	6.66	114.83	111.50
25	BB	2557	G	N7-C8-N9	6.66	116.43	113.10
25	BB	2805	C	N1-C1'-C2'	-6.66	104.67	112.00
3	A1	567	G	C8-N9-C4	-6.66	103.73	106.40
3	A1	601	G	C5-C6-N1	6.66	114.83	111.50
3	A1	689	C	C2-N3-C4	-6.66	116.57	119.90
25	BB	2774	C	C2-N3-C4	-6.66	116.57	119.90
3	A1	818	G	C4'-C3'-C2'	6.66	109.26	102.60
3	A1	874	G	C4-C5-N7	-6.66	108.14	110.80
3	A1	1245	C	C2-N3-C4	-6.66	116.57	119.90
3	A1	1263	C	O4'-C1'-N1	6.66	113.53	108.20
3	A1	1338	G	C8-N9-C4	-6.66	103.74	106.40
24	BA	20	G	N1-C6-O6	-6.66	115.90	119.90
25	BB	112	U	C2-N3-C4	-6.66	123.00	127.00
25	BB	1074	G	N3-C4-C5	-6.66	125.27	128.60
25	BB	1673	G	N3-C2-N2	-6.66	115.24	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1945	G	O4'-C1'-N9	6.66	113.53	108.20
25	BB	2377	A	C3'-C2'-C1'	-6.66	96.17	101.50
25	BB	2560	A	C6-C5-N7	6.66	136.96	132.30
32	BI	73	PHE	CB-CG-CD2	-6.66	116.14	120.80
3	A1	10	A	C6-C5-N7	6.66	136.96	132.30
3	A1	258	G	N9-C1'-C2'	6.66	122.66	114.00
3	A1	303	A	C5-C6-N1	6.66	121.03	117.70
3	A1	741	G	C6-N1-C2	-6.66	121.10	125.10
3	A1	1129	C	C5'-C4'-O4'	6.66	117.09	109.10
3	A1	1261	A	C6-C5-N7	6.66	136.96	132.30
24	BA	6	G	C5-C6-N1	6.66	114.83	111.50
25	BB	386	G	C5-C6-N1	6.66	114.83	111.50
25	BB	517	C	N3-C4-N4	-6.66	113.34	118.00
25	BB	781	A	C5-C6-N1	6.66	121.03	117.70
25	BB	1757	A	C8-N9-C4	-6.66	103.14	105.80
25	BB	1790	C	C2-N3-C4	-6.66	116.57	119.90
3	A1	628	G	N1-C2-N2	-6.66	110.21	116.20
3	A1	742	G	C5-C6-N1	6.66	114.83	111.50
3	A1	1151	A	N1-C2-N3	-6.66	125.97	129.30
25	BB	474	G	N3-C4-C5	-6.66	125.27	128.60
25	BB	1388	G	N9-C4-C5	6.66	108.06	105.40
1	AA	40	C	C5'-C4'-O4'	6.66	117.09	109.10
3	A1	246	A	C5-N7-C8	-6.66	100.57	103.90
3	A1	417	G	C8-N9-C4	-6.66	103.74	106.40
3	A1	531	U	C5'-C4'-O4'	6.66	117.09	109.10
3	A1	606	G	N7-C8-N9	6.66	116.43	113.10
3	A1	806	C	N3-C2-O2	-6.66	117.24	121.90
3	A1	1315	U	C3'-C2'-C1'	6.66	106.82	101.50
25	BB	492	A	C6-C5-N7	6.66	136.96	132.30
25	BB	494	G	C5-N7-C8	-6.66	100.97	104.30
25	BB	624	C	C4'-C3'-C2'	-6.66	95.94	102.60
25	BB	2127	G	O4'-C1'-N9	6.66	113.52	108.20
25	BB	2357	G	O4'-C1'-N9	6.66	113.53	108.20
25	BB	2674	G	O4'-C1'-N9	6.66	113.52	108.20
25	BB	2277	G	C6-C5-N7	6.65	134.39	130.40
1	AA	1	G	C4-C5-C6	-6.65	114.81	118.80
1	AP	69	U	N1-C1'-C2'	-6.65	104.68	112.00
3	A1	487	A	C6-C5-N7	6.65	136.96	132.30
3	A1	637	C	C6-N1-C2	-6.65	117.64	120.30
3	A1	890	G	C5-C6-O6	6.65	132.59	128.60
3	A1	915	A	C2-N3-C4	6.65	113.93	110.60
24	BA	53	A	C4'-C3'-C2'	-6.65	95.95	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	BA	88	C	O4'-C1'-N1	6.65	113.52	108.20
24	BA	89	U	N3-C2-O2	-6.65	117.54	122.20
25	BB	179	C	N1-C1'-C2'	-6.65	104.68	112.00
25	BB	737	C	N3-C4-C5	6.65	124.56	121.90
25	BB	1354	A	C3'-C2'-C1'	6.65	106.82	101.50
25	BB	2483	C	O4'-C4'-C3'	-6.65	97.35	104.00
25	BB	2850	A	N7-C8-N9	6.65	117.13	113.80
3	A1	515	G	C4-C5-C6	-6.65	114.81	118.80
3	A1	1139	G	C6-N1-C2	-6.65	121.11	125.10
3	A1	1229	A	C5'-C4'-C3'	-6.65	105.36	116.00
3	A1	1353	G	N3-C4-N9	6.65	129.99	126.00
3	A1	1387	G	C5-N7-C8	-6.65	100.97	104.30
3	A1	1505	G	C4-C5-N7	-6.65	108.14	110.80
25	BB	442	G	N1-C2-N3	6.65	127.89	123.90
25	BB	679	C	N3-C4-N4	-6.65	113.34	118.00
25	BB	740	C	O4'-C1'-N1	6.65	113.52	108.20
25	BB	867	C	N3-C2-O2	-6.65	117.25	121.90
25	BB	1737	G	N1-C2-N3	6.65	127.89	123.90
25	BB	1750	G	C3'-C2'-C1'	-6.65	96.18	101.50
25	BB	2803	G	N1-C6-O6	-6.65	115.91	119.90
1	AA	4	G	C5-C6-O6	6.65	132.59	128.60
2	AM	2	U	N1-C2-N3	6.65	118.89	114.90
2	AM	13	U	O5'-C5'-C4'	6.65	124.33	111.70
25	BB	181	A	C4'-C3'-C2'	-6.65	95.95	102.60
25	BB	1987	A	C2-N3-C4	6.65	113.92	110.60
25	BB	2318	G	C4-C5-N7	6.65	113.46	110.80
3	A1	24	U	C5-C4-O4	-6.65	121.91	125.90
3	A1	444	G	C4'-C3'-C2'	-6.65	95.95	102.60
3	A1	954	G	N1-C6-O6	-6.65	115.91	119.90
3	A1	1445	U	C4'-C3'-C2'	-6.65	95.95	102.60
25	BB	37	C	N1-C2-O2	6.65	122.89	118.90
25	BB	104	A	C4-C5-C6	-6.65	113.68	117.00
25	BB	261	G	C5-C6-O6	6.65	132.59	128.60
25	BB	1547	C	N3-C2-O2	-6.65	117.25	121.90
25	BB	1718	G	C5-C6-O6	6.65	132.59	128.60
25	BB	2608	G	N1-C6-O6	-6.65	115.91	119.90
25	BB	2658	C	N1-C2-O2	6.65	122.89	118.90
1	AA	10	G	O4'-C4'-C3'	6.65	111.42	106.10
3	A1	1336	C	N3-C4-C5	6.65	124.56	121.90
25	BB	33	C	C1'-O4'-C4'	-6.65	104.58	109.90
25	BB	117	G	C3'-C2'-C1'	6.65	106.82	101.50
25	BB	192	C	N3-C4-C5	6.65	124.56	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	566	U	C4-C5-C6	6.65	123.69	119.70
25	BB	1066	U	N1-C2-N3	6.65	118.89	114.90
25	BB	2414	G	N1-C6-O6	-6.65	115.91	119.90
3	A1	230	G	N9-C4-C5	6.64	108.06	105.40
3	A1	365	U	C4-C5-C6	6.64	123.69	119.70
3	A1	606	G	C8-N9-C4	-6.64	103.74	106.40
3	A1	1026	G	N1-C6-O6	-6.64	115.91	119.90
24	BA	83	G	N1-C2-N3	6.64	127.89	123.90
25	BB	181	A	N9-C4-C5	-6.64	103.14	105.80
25	BB	451	U	O4'-C1'-N1	6.64	113.52	108.20
25	BB	621	A	C2-N3-C4	6.64	113.92	110.60
25	BB	1068	G	C6-C5-N7	6.64	134.39	130.40
25	BB	2567	G	O4'-C1'-N9	6.64	113.52	108.20
3	A1	125	U	C3'-C2'-C1'	6.64	106.81	101.50
3	A1	1056	U	C3'-C2'-C1'	-6.64	96.19	101.50
3	A1	1058	G	N7-C8-N9	6.64	116.42	113.10
24	BA	26	C	N3-C4-N4	-6.64	113.35	118.00
25	BB	971	G	C5-C6-O6	6.64	132.59	128.60
25	BB	1031	G	C6-N1-C2	-6.64	121.11	125.10
25	BB	1647	U	N1-C2-N3	6.64	118.89	114.90
25	BB	1853	A	C5-C6-N6	6.64	129.01	123.70
3	A1	620	C	N1-C2-N3	6.64	123.85	119.20
3	A1	661	G	N1-C2-N3	6.64	127.88	123.90
3	A1	959	A	N1-C2-N3	-6.64	125.98	129.30
25	BB	199	A	C6-N1-C2	-6.64	114.61	118.60
25	BB	367	G	N1-C6-O6	-6.64	115.92	119.90
25	BB	985	C	N3-C4-N4	-6.64	113.35	118.00
25	BB	1973	G	N1-C6-O6	-6.64	115.92	119.90
1	AE	23	A	N7-C8-N9	6.64	117.12	113.80
3	A1	428	G	C8-N9-C4	-6.64	103.74	106.40
3	A1	446	G	C1'-O4'-C4'	6.64	115.21	109.90
3	A1	527	G	N3-C2-N2	-6.64	115.25	119.90
25	BB	640	C	C6-N1-C2	-6.64	117.64	120.30
25	BB	725	G	O4'-C1'-N9	-6.64	102.89	108.20
25	BB	859	G	N9-C4-C5	6.64	108.06	105.40
25	BB	1217	U	C5'-C4'-O4'	-6.64	101.13	109.10
25	BB	1592	C	C6-N1-C2	-6.64	117.64	120.30
25	BB	1736	U	N1-C2-N3	6.64	118.88	114.90
25	BB	1809	A	C2-N3-C4	6.64	113.92	110.60
25	BB	2771	C	O3'-P-O5'	6.64	116.61	104.00
1	AP	74	C	N1-C2-O2	6.64	122.88	118.90
3	A1	1177	G	C6-N1-C2	-6.64	121.12	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1428	A	C4-C5-C6	-6.64	113.68	117.00
25	BB	809	G	C1'-O4'-C4'	-6.64	104.59	109.90
25	BB	1619	G	N1-C6-O6	-6.64	115.92	119.90
25	BB	2614	A	C5-C6-N6	6.64	129.01	123.70
27	BD	80	ASP	OD1-CG-OD2	-6.64	110.69	123.30
3	A1	413	G	N1-C2-N3	6.64	127.88	123.90
3	A1	880	C	C3'-C2'-C1'	6.64	106.81	101.50
3	A1	987	G	C4-C5-C6	-6.64	114.82	118.80
3	A1	1222	G	N3-C4-C5	-6.64	125.28	128.60
25	BB	446	G	C5-C6-O6	6.64	132.58	128.60
25	BB	521	U	N3-C4-O4	6.64	124.05	119.40
25	BB	775	G	N7-C8-N9	6.64	116.42	113.10
25	BB	899	A	O4'-C1'-N9	6.64	113.51	108.20
25	BB	2781	A	N9-C1'-C2'	-6.64	104.70	112.00
25	BB	2875	C	C1'-O4'-C4'	-6.64	104.59	109.90
1	AP	69	U	C5'-C4'-O4'	6.63	117.06	109.10
3	A1	49	U	N3-C2-O2	-6.63	117.56	122.20
3	A1	561	U	N3-C2-O2	-6.63	117.56	122.20
3	A1	1020	G	C5-C6-N1	6.63	114.82	111.50
3	A1	1412	C	N3-C4-N4	-6.63	113.36	118.00
24	BA	26	C	C2-N3-C4	-6.63	116.58	119.90
25	BB	246	C	C6-N1-C2	-6.63	117.65	120.30
25	BB	579	G	N1-C6-O6	-6.63	115.92	119.90
25	BB	1191	G	N1-C6-O6	-6.63	115.92	119.90
25	BB	1469	A	C4-C5-C6	-6.63	113.68	117.00
25	BB	1727	C	C2-N3-C4	-6.63	116.58	119.90
25	BB	2244	U	N3-C2-O2	-6.63	117.56	122.20
25	BB	2734	A	C6-C5-N7	6.63	136.94	132.30
25	BB	680	C	N3-C4-C5	6.63	124.55	121.90
25	BB	1228	G	O3'-P-O5'	-6.63	91.40	104.00
25	BB	1422	G	C5-C6-N1	6.63	114.82	111.50
25	BB	1790	C	C3'-C2'-C1'	-6.63	96.19	101.50
25	BB	2735	G	N1-C6-O6	-6.63	115.92	119.90
3	A1	446	G	N3-C4-C5	-6.63	125.28	128.60
3	A1	518	C	C5'-C4'-O4'	6.63	117.06	109.10
3	A1	1450	U	C1'-O4'-C4'	-6.63	104.59	109.90
11	AJ	5	ARG	CD-NE-CZ	6.63	132.88	123.60
25	BB	1447	C	N3-C2-O2	-6.63	117.26	121.90
25	BB	1620	G	O4'-C1'-N9	6.63	113.51	108.20
25	BB	2478	A	C3'-C2'-C1'	-6.63	96.19	101.50
25	BB	2880	C	N1-C2-O2	6.63	122.88	118.90
25	BB	2902	C	N3-C4-N4	-6.63	113.36	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1724	G	N3-C2-N2	-6.63	115.26	119.90
25	BB	2284	A	C5'-C4'-O4'	6.63	117.06	109.10
1	AA	75	C	C3'-C2'-O2'	6.63	132.52	113.30
3	A1	624	C	C2-N3-C4	-6.63	116.59	119.90
3	A1	1051	C	C5-C6-N1	-6.63	117.69	121.00
3	A1	1320	C	O4'-C1'-N1	6.63	113.50	108.20
25	BB	49	A	C2-N3-C4	6.63	113.91	110.60
25	BB	196	A	O4'-C1'-N9	6.63	113.50	108.20
25	BB	1607	C	N3-C4-N4	-6.63	113.36	118.00
3	A1	181	A	C2-N3-C4	6.63	113.91	110.60
3	A1	424	G	N3-C4-C5	-6.63	125.29	128.60
3	A1	470	C	N1-C2-N3	6.63	123.84	119.20
3	A1	605	U	C5-C6-N1	-6.63	119.39	122.70
3	A1	1155	A	O4'-C4'-C3'	6.63	111.40	106.10
3	A1	1480	A	C4'-C3'-C2'	-6.63	95.97	102.60
3	A1	1494	G	C5-N7-C8	-6.63	100.99	104.30
25	BB	416	U	N3-C2-O2	-6.63	117.56	122.20
25	BB	583	G	N3-C2-N2	-6.63	115.26	119.90
25	BB	612	G	C6-N1-C2	-6.63	121.12	125.10
25	BB	655	A	C6-N1-C2	6.63	122.58	118.60
25	BB	692	C	C2-N3-C4	-6.63	116.59	119.90
25	BB	1139	G	C4-C5-C6	-6.63	114.82	118.80
25	BB	1261	C	N1-C2-N3	6.63	123.84	119.20
25	BB	1358	G	N3-C4-C5	-6.63	125.29	128.60
25	BB	1408	G	O4'-C1'-N9	6.63	113.50	108.20
25	BB	2799	A	O4'-C1'-N9	6.63	113.50	108.20
3	A1	465	A	C5-C6-N6	6.62	129.00	123.70
3	A1	749	A	C5-C6-N6	6.62	129.00	123.70
3	A1	1144	G	C6-N1-C2	-6.62	121.12	125.10
3	A1	1445	U	O4'-C1'-N1	6.62	113.50	108.20
3	A1	1530	G	C4-C5-C6	-6.62	114.83	118.80
6	AD	55	ARG	NH1-CZ-NH2	-6.62	112.11	119.40
3	A1	70	U	N3-C4-O4	6.62	124.04	119.40
3	A1	870	U	N3-C2-O2	-6.62	117.56	122.20
25	BB	256	A	C5-C6-N6	6.62	129.00	123.70
25	BB	584	C	N3-C4-C5	6.62	124.55	121.90
25	BB	612	G	C4-C5-N7	6.62	113.45	110.80
25	BB	643	A	C4-C5-N7	6.62	114.01	110.70
25	BB	658	U	N1-C2-N3	6.62	118.87	114.90
25	BB	766	U	C1'-O4'-C4'	-6.62	104.60	109.90
25	BB	971	G	O4'-C1'-N9	6.62	113.50	108.20
25	BB	2066	C	C6-N1-C2	-6.62	117.65	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2792	A	C6-C5-N7	6.62	136.94	132.30
48	BY	33	ARG	NE-CZ-NH2	-6.62	116.99	120.30
3	A1	488	C	C5-C4-N4	-6.62	115.56	120.20
3	A1	550	G	N3-C4-N9	6.62	129.97	126.00
3	A1	647	C	C5-C4-N4	-6.62	115.56	120.20
25	BB	239	C	C5'-C4'-O4'	6.62	117.05	109.10
25	BB	599	A	N1-C2-N3	-6.62	125.99	129.30
25	BB	2465	C	N1-C2-O2	6.62	122.87	118.90
2	AM	4	U	C3'-C2'-C1'	-6.62	96.20	101.50
3	A1	588	G	N1-C6-O6	-6.62	115.93	119.90
3	A1	964	A	C8-N9-C4	6.62	108.45	105.80
3	A1	1065	U	C5-C6-N1	-6.62	119.39	122.70
25	BB	1437	C	N3-C4-N4	-6.62	113.37	118.00
25	BB	1829	A	C5-C6-N1	6.62	121.01	117.70
25	BB	2107	G	N3-C4-C5	-6.62	125.29	128.60
25	BB	2234	G	O4'-C1'-C2'	6.62	113.56	107.60
25	BB	2416	C	C3'-C2'-C1'	-6.62	96.20	101.50
34	BK	90	ARG	NE-CZ-NH2	6.62	123.61	120.30
1	AP	1	G	N3-C4-N9	6.62	129.97	126.00
3	A1	181	A	C8-N9-C4	-6.62	103.15	105.80
3	A1	699	C	C5'-C4'-C3'	-6.62	105.41	116.00
3	A1	840	C	N1-C2-N3	6.62	123.83	119.20
3	A1	960	U	C5-C6-N1	-6.62	119.39	122.70
3	A1	1332	A	N9-C4-C5	6.62	108.45	105.80
23	AX	89	ARG	NH1-CZ-NH2	-6.62	112.12	119.40
24	BA	76	G	C4-C5-N7	-6.62	108.15	110.80
25	BB	52	A	C5'-C4'-O4'	6.62	117.04	109.10
25	BB	873	C	C1'-O4'-C4'	-6.62	104.61	109.90
25	BB	978	G	N3-C2-N2	-6.62	115.27	119.90
25	BB	1320	C	N1-C2-N3	6.62	123.83	119.20
25	BB	1921	G	C5-C6-N1	6.62	114.81	111.50
25	BB	2029	G	N1-C2-N3	6.62	127.87	123.90
43	BT	12	ARG	NH1-CZ-NH2	-6.62	112.12	119.40
1	AA	19	G	O4'-C1'-C2'	-6.62	99.18	105.80
25	BB	372	G	C4-C5-N7	-6.62	108.15	110.80
25	BB	486	C	C1'-O4'-C4'	-6.62	104.61	109.90
25	BB	506	G	C4-C5-C6	-6.62	114.83	118.80
25	BB	867	C	C2-N3-C4	-6.62	116.59	119.90
25	BB	969	G	N3-C2-N2	-6.62	115.27	119.90
25	BB	1885	A	C6-C5-N7	6.62	136.93	132.30
3	A1	263	A	C4-C5-C6	-6.62	113.69	117.00
3	A1	329	A	C4-C5-C6	-6.62	113.69	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	801	U	N1-C2-N3	6.62	118.87	114.90
3	A1	1481	U	C2-N1-C1'	6.62	125.64	117.70
4	AB	62	ARG	NH1-CZ-NH2	-6.62	112.12	119.40
17	AR	145	ARG	NE-CZ-NH1	6.62	123.61	120.30
25	BB	932	U	C2-N3-C4	-6.62	123.03	127.00
25	BB	1392	A	C5-C6-N6	6.62	128.99	123.70
25	BB	1393	A	C2-N3-C4	6.62	113.91	110.60
25	BB	2156	G	O4'-C4'-C3'	6.62	111.39	106.10
25	BB	2336	A	O4'-C1'-N9	6.62	113.49	108.20
1	AE	19	G	C3'-C2'-C1'	-6.61	96.21	101.50
3	A1	795	C	N1-C2-N3	6.61	123.83	119.20
3	A1	1404	C	C4'-C3'-C2'	-6.61	95.99	102.60
18	AS	28	ARG	NH1-CZ-NH2	-6.61	112.12	119.40
25	BB	318	C	N1-C2-O2	6.61	122.87	118.90
25	BB	1659	G	C4-C5-C6	-6.61	114.83	118.80
25	BB	1718	G	C6-C5-N7	6.61	134.37	130.40
3	A1	766	A	C5-C6-N1	6.61	121.01	117.70
24	BA	85	G	N9-C4-C5	6.61	108.05	105.40
25	BB	878	A	C6-C5-N7	6.61	136.93	132.30
25	BB	904	G	N3-C4-N9	-6.61	122.03	126.00
25	BB	1472	C	N1-C2-O2	6.61	122.87	118.90
25	BB	2152	G	C5'-C4'-C3'	-6.61	105.42	116.00
3	A1	1200	C	C3'-C2'-C1'	-6.61	96.21	101.50
3	A1	1318	A	C6-C5-N7	6.61	136.93	132.30
25	BB	382	A	C8-N9-C4	6.61	108.44	105.80
25	BB	439	A	C4-C5-C6	-6.61	113.69	117.00
25	BB	1638	C	N1-C2-O2	6.61	122.87	118.90
25	BB	2363	G	N3-C2-N2	-6.61	115.27	119.90
25	BB	2449	U	C3'-C2'-C1'	6.61	106.79	101.50
25	BB	2805	C	O4'-C1'-N1	6.61	113.49	108.20
1	AA	37	G	N1-C2-N3	6.61	127.86	123.90
3	A1	441	A	C5-C6-N1	6.61	121.00	117.70
3	A1	573	A	C4-C5-N7	6.61	114.00	110.70
3	A1	673	A	N1-C6-N6	-6.61	114.63	118.60
3	A1	1168	U	O4'-C1'-N1	6.61	113.49	108.20
3	A1	1438	G	C4-C5-N7	-6.61	108.16	110.80
25	BB	1272	A	C6-C5-N7	6.61	136.93	132.30
1	AP	66	A	C5-N7-C8	-6.61	100.60	103.90
1	AE	10	G	C3'-C2'-C1'	6.61	106.79	101.50
3	A1	849	G	N1-C6-O6	-6.61	115.94	119.90
7	AF	59	VAL	CA-CB-CG2	6.61	120.81	110.90
25	BB	2499	C	N1-C2-O2	6.61	122.86	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
36	BM	69	ARG	NH1-CZ-NH2	-6.61	112.13	119.40
1	AE	69	U	C4-C5-C6	6.61	123.66	119.70
3	A1	47	C	C6-N1-C2	-6.61	117.66	120.30
3	A1	193	C	C4-C5-C6	-6.61	114.10	117.40
3	A1	343	U	N1-C1'-C2'	-6.61	104.73	112.00
3	A1	691	G	C5-C6-N1	6.61	114.80	111.50
3	A1	1128	C	C6-N1-C2	-6.61	117.66	120.30
3	A1	1399	C	C6-N1-C2	-6.61	117.66	120.30
25	BB	242	G	C2-N3-C4	6.61	115.20	111.90
25	BB	369	U	C5'-C4'-O4'	6.61	117.03	109.10
25	BB	400	G	C5-C6-N1	6.61	114.80	111.50
25	BB	609	A	C4-C5-C6	-6.61	113.70	117.00
25	BB	2056	G	N1-C6-O6	-6.61	115.94	119.90
25	BB	2355	G	C8-N9-C4	-6.61	103.76	106.40
25	BB	2445	G	N1-C6-O6	-6.61	115.94	119.90
25	BB	2613	U	O4'-C1'-C2'	-6.61	99.19	105.80
25	BB	2620	C	N3-C2-O2	-6.61	117.28	121.90
37	BN	40	GLY	C-N-CA	6.61	136.17	122.30
3	A1	15	G	P-O3'-C3'	6.60	127.62	119.70
3	A1	619	U	C3'-C2'-C1'	6.60	106.78	101.50
3	A1	1289	A	O4'-C1'-N9	-6.60	102.92	108.20
25	BB	995	C	C6-N1-C2	-6.60	117.66	120.30
3	A1	76	G	N1-C2-N3	6.60	127.86	123.90
3	A1	104	G	O4'-C1'-N9	6.60	113.48	108.20
3	A1	113	G	P-O3'-C3'	6.60	127.62	119.70
3	A1	191	G	N3-C4-C5	-6.60	125.30	128.60
3	A1	294	U	O4'-C4'-C3'	6.60	111.38	106.10
3	A1	621	A	C5-C6-N1	6.60	121.00	117.70
3	A1	1019	A	C6-C5-N7	6.60	136.92	132.30
25	BB	446	G	C6-N1-C2	-6.60	121.14	125.10
25	BB	509	C	C2-N3-C4	-6.60	116.60	119.90
25	BB	798	G	C6-C5-N7	6.60	134.36	130.40
25	BB	1550	C	C2-N3-C4	-6.60	116.60	119.90
25	BB	1888	G	C5-N7-C8	-6.60	101.00	104.30
25	BB	1912	A	C6-N1-C2	-6.60	114.64	118.60
25	BB	2115	G	O4'-C1'-N9	6.60	113.48	108.20
25	BB	2246	G	P-O3'-C3'	6.60	127.62	119.70
25	BB	2427	C	N3-C2-O2	-6.60	117.28	121.90
25	BB	2877	G	N1-C2-N3	6.60	127.86	123.90
1	AA	64	A	C2-N3-C4	6.60	113.90	110.60
3	A1	910	C	N3-C4-N4	-6.60	113.38	118.00
25	BB	966	G	N1-C6-O6	-6.60	115.94	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2522	U	C3'-C2'-C1'	6.60	106.78	101.50
3	A1	153	C	C2-N3-C4	-6.60	116.60	119.90
3	A1	1193	G	C5'-C4'-C3'	-6.60	105.44	116.00
3	A1	1247	U	N3-C2-O2	-6.60	117.58	122.20
3	A1	1407	C	N1-C2-O2	6.60	122.86	118.90
3	A1	1522	U	C1'-O4'-C4'	-6.60	104.62	109.90
25	BB	123	G	N1-C6-O6	-6.60	115.94	119.90
25	BB	205	G	N3-C4-C5	-6.60	125.30	128.60
25	BB	625	G	C5-C6-N1	6.60	114.80	111.50
25	BB	829	A	C5-C6-N1	6.60	121.00	117.70
25	BB	921	C	N3-C4-N4	-6.60	113.38	118.00
25	BB	1366	A	C6-C5-N7	6.60	136.92	132.30
25	BB	1721	G	N1-C6-O6	-6.60	115.94	119.90
25	BB	1951	U	C5-C4-O4	6.60	129.86	125.90
25	BB	2216	G	C5'-C4'-O4'	6.60	117.02	109.10
3	A1	154	U	N1-C2-N3	6.60	118.86	114.90
3	A1	1275	A	C4-C5-C6	-6.60	113.70	117.00
25	BB	230	G	C5-C6-N1	6.60	114.80	111.50
25	BB	742	A	C1'-O4'-C4'	-6.60	104.62	109.90
25	BB	926	G	C2-N3-C4	6.60	115.20	111.90
25	BB	1900	A	C4-C5-C6	-6.60	113.70	117.00
25	BB	1914	C	C5'-C4'-C3'	-6.60	105.44	116.00
25	BB	2006	C	N1-C2-O2	6.60	122.86	118.90
25	BB	2355	G	C1'-O4'-C4'	-6.60	104.62	109.90
25	BB	2482	A	C4'-C3'-C2'	-6.60	96.00	102.60
3	A1	38	G	C6-C5-N7	6.60	134.36	130.40
3	A1	583	A	C6-C5-N7	6.60	136.92	132.30
3	A1	1494	G	N1-C2-N2	-6.60	110.26	116.20
25	BB	1623	G	C6-C5-N7	6.60	134.36	130.40
25	BB	2689	U	N3-C4-O4	6.60	124.02	119.40
1	AA	39	U	N1-C2-N3	6.59	118.86	114.90
3	A1	397	A	C1'-O4'-C4'	-6.59	104.62	109.90
3	A1	514	C	N3-C2-O2	-6.59	117.28	121.90
3	A1	990	C	N1-C1'-C2'	-6.59	104.75	112.00
3	A1	1128	C	N1-C2-O2	6.59	122.86	118.90
7	AF	106	ARG	NH1-CZ-NH2	-6.59	112.14	119.40
25	BB	69	C	N3-C4-C5	6.59	124.54	121.90
25	BB	297	G	C6-C5-N7	6.59	134.36	130.40
25	BB	444	C	N3-C4-N4	-6.59	113.38	118.00
25	BB	934	U	N3-C2-O2	-6.59	117.58	122.20
25	BB	1104	C	C6-N1-C2	-6.59	117.66	120.30
25	BB	1367	A	O4'-C4'-C3'	6.59	111.38	106.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1507	C	C4'-C3'-C2'	-6.59	96.01	102.60
25	BB	1975	G	C5-C6-N1	6.59	114.80	111.50
25	BB	2734	A	N1-C2-N3	-6.59	126.00	129.30
46	BW	39	ARG	NE-CZ-NH2	6.59	123.60	120.30
1	AA	17	U	C5-C6-N1	-6.59	119.40	122.70
1	AP	57	G	C1'-O4'-C4'	-6.59	104.63	109.90
3	A1	500	G	P-O3'-C3'	6.59	127.61	119.70
3	A1	925	G	O4'-C4'-C3'	6.59	111.37	106.10
3	A1	1234	C	N3-C2-O2	-6.59	117.28	121.90
25	BB	368	A	O4'-C1'-N9	6.59	113.47	108.20
25	BB	613	A	C3'-C2'-C1'	-6.59	96.23	101.50
25	BB	1072	C	O5'-P-OP1	-6.59	99.77	105.70
25	BB	1849	G	C5-C6-O6	6.59	132.56	128.60
1	AA	42	G	O4'-C1'-N9	6.59	113.47	108.20
3	A1	60	A	C4-C5-N7	6.59	114.00	110.70
3	A1	553	A	C4-C5-C6	-6.59	113.70	117.00
3	A1	696	A	C6-C5-N7	6.59	136.91	132.30
3	A1	826	C	C2-N3-C4	-6.59	116.60	119.90
3	A1	1111	A	C5'-C4'-C3'	-6.59	105.45	116.00
3	A1	1497	G	C4-C5-C6	-6.59	114.84	118.80
24	BA	103	U	C4'-C3'-C2'	-6.59	96.01	102.60
25	BB	588	U	N3-C2-O2	-6.59	117.59	122.20
25	BB	825	A	C6-N1-C2	-6.59	114.64	118.60
25	BB	869	G	C6-C5-N7	6.59	134.35	130.40
25	BB	892	A	O4'-C1'-N9	6.59	113.47	108.20
25	BB	1062	G	C5-N7-C8	-6.59	101.00	104.30
25	BB	1087	G	P-O3'-C3'	6.59	127.61	119.70
25	BB	1581	G	C6-C5-N7	6.59	134.35	130.40
25	BB	1714	U	N3-C2-O2	-6.59	117.58	122.20
25	BB	1822	C	N1-C2-N3	6.59	123.81	119.20
25	BB	1898	U	C6-N1-C2	-6.59	117.05	121.00
25	BB	2279	G	O4'-C1'-N9	6.59	113.47	108.20
25	BB	2447	G	C8-N9-C4	-6.59	103.76	106.40
25	BB	2490	G	C5-C6-N1	6.59	114.80	111.50
3	A1	332	G	N7-C8-N9	6.59	116.39	113.10
3	A1	462	G	C2-N3-C4	-6.59	108.61	111.90
25	BB	7	G	C5-C6-O6	6.59	132.55	128.60
25	BB	1620	G	C6-N1-C2	-6.59	121.15	125.10
32	BI	52	ARG	NH1-CZ-NH2	-6.59	112.15	119.40
3	A1	384	G	N1-C2-N3	6.59	127.85	123.90
3	A1	1309	G	N3-C4-C5	-6.59	125.31	128.60
25	BB	512	G	C8-N9-C4	-6.59	103.77	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	809	G	N3-C2-N2	-6.59	115.29	119.90
3	A1	349	A	N1-C6-N6	-6.59	114.65	118.60
3	A1	925	G	N3-C4-C5	-6.59	125.31	128.60
24	BA	76	G	C6-C5-N7	6.59	134.35	130.40
25	BB	136	G	C3'-C2'-C1'	6.59	106.77	101.50
25	BB	659	G	C3'-C2'-C1'	-6.59	96.23	101.50
25	BB	1045	C	C6-N1-C2	-6.59	117.67	120.30
25	BB	1121	C	O4'-C1'-N1	6.59	113.47	108.20
25	BB	1252	G	C5-C6-N1	6.59	114.79	111.50
25	BB	1403	A	N1-C6-N6	-6.59	114.65	118.60
25	BB	1828	G	N3-C2-N2	-6.59	115.29	119.90
3	A1	212	G	C4-C5-N7	6.58	113.43	110.80
3	A1	1149	C	N3-C4-C5	6.58	124.53	121.90
25	BB	248	G	N9-C4-C5	-6.58	102.77	105.40
25	BB	1093	G	C5-C6-O6	6.58	132.55	128.60
25	BB	1357	C	C4-C5-C6	6.58	120.69	117.40
3	A1	180	U	N1-C2-N3	6.58	118.85	114.90
3	A1	308	C	C6-N1-C2	-6.58	117.67	120.30
3	A1	548	G	N3-C2-N2	-6.58	115.29	119.90
3	A1	709	U	C6-N1-C2	-6.58	117.05	121.00
3	A1	799	G	C6-C5-N7	6.58	134.35	130.40
3	A1	1523	G	C8-N9-C4	-6.58	103.77	106.40
24	BA	16	G	C8-N9-C4	-6.58	103.77	106.40
25	BB	1255	U	C3'-C2'-C1'	-6.58	96.23	101.50
25	BB	2476	A	C5-C6-N6	6.58	128.97	123.70
28	BE	69	ARG	CD-NE-CZ	6.58	132.82	123.60
1	AA	19	G	N7-C8-N9	-6.58	109.81	113.10
3	A1	48	C	O4'-C1'-N1	6.58	113.47	108.20
3	A1	137	U	C2-N3-C4	-6.58	123.05	127.00
3	A1	424	G	N9-C4-C5	6.58	108.03	105.40
3	A1	1285	A	C3'-C2'-C1'	-6.58	96.23	101.50
25	BB	751	A	N3-C4-C5	-6.58	122.19	126.80
25	BB	1847	A	N9-C1'-C2'	-6.58	104.76	112.00
25	BB	1896	G	C4-C5-N7	-6.58	108.17	110.80
25	BB	2525	G	N9-C1'-C2'	6.58	122.56	114.00
25	BB	2788	C	N3-C2-O2	-6.58	117.29	121.90
3	A1	1306	A	C1'-O4'-C4'	-6.58	104.64	109.90
25	BB	297	G	N3-C2-N2	-6.58	115.29	119.90
25	BB	1158	C	C3'-C2'-C1'	-6.58	96.24	101.50
25	BB	1215	G	O4'-C1'-N9	6.58	113.46	108.20
3	A1	517	G	C8-N9-C4	6.58	109.03	106.40
3	A1	750	C	N1-C2-N3	6.58	123.81	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	907	A	C6-C5-N7	6.58	136.91	132.30
3	A1	1085	U	N3-C2-O2	-6.58	117.59	122.20
25	BB	1632	A	C5-N7-C8	-6.58	100.61	103.90
25	BB	1990	C	C2-N1-C1'	6.58	126.04	118.80
39	BP	54	ARG	NE-CZ-NH1	6.58	123.59	120.30
3	A1	115	G	C5-C6-O6	6.58	132.55	128.60
3	A1	913	A	C4'-C3'-C2'	-6.58	96.02	102.60
25	BB	430	A	C4-C5-C6	-6.58	113.71	117.00
25	BB	777	G	C6-C5-N7	6.58	134.35	130.40
25	BB	931	U	N3-C2-O2	-6.58	117.60	122.20
25	BB	1287	A	C4-C5-C6	-6.58	113.71	117.00
1	AE	31	A	O4'-C1'-N9	6.58	113.46	108.20
3	A1	238	A	N1-C6-N6	-6.58	114.66	118.60
3	A1	495	A	C5-C6-N6	6.58	128.96	123.70
3	A1	793	U	O4'-C1'-N1	6.58	113.46	108.20
3	A1	822	U	C2-N3-C4	-6.58	123.05	127.00
3	A1	1272	G	C1'-O4'-C4'	-6.58	104.64	109.90
25	BB	53	A	C6-C5-N7	6.58	136.90	132.30
25	BB	87	U	N3-C2-O2	-6.58	117.60	122.20
25	BB	118	A	C6-C5-N7	6.58	136.90	132.30
25	BB	246	C	N3-C2-O2	-6.58	117.30	121.90
25	BB	264	C	N1-C2-N3	6.58	123.80	119.20
25	BB	310	A	C4-C5-C6	-6.58	113.71	117.00
25	BB	329	G	N3-C2-N2	-6.58	115.30	119.90
25	BB	342	A	C6-C5-N7	6.58	136.90	132.30
25	BB	1652	A	C1'-O4'-C4'	-6.58	104.64	109.90
25	BB	1675	C	N1-C2-N3	6.58	123.80	119.20
25	BB	2096	C	O3'-P-O5'	6.58	116.50	104.00
25	BB	2892	G	N3-C4-C5	-6.58	125.31	128.60
17	AR	170	LEU	CB-CG-CD2	6.57	122.18	111.00
20	AU	142	ARG	CD-NE-CZ	6.57	132.80	123.60
24	BA	83	G	O4'-C1'-N9	6.57	113.46	108.20
25	BB	312	G	N1-C2-N3	6.57	127.84	123.90
25	BB	666	A	C6-C5-N7	6.57	136.90	132.30
25	BB	1170	C	C5'-C4'-O4'	6.57	116.99	109.10
25	BB	1555	G	N3-C4-C5	-6.57	125.31	128.60
25	BB	1717	A	C4-C5-C6	-6.57	113.71	117.00
25	BB	1790	C	N1-C2-O2	6.57	122.84	118.90
25	BB	2116	G	C2-N3-C4	-6.57	108.61	111.90
25	BB	2607	G	N1-C6-O6	-6.57	115.96	119.90
3	A1	258	G	C8-N9-C4	-6.57	103.77	106.40
3	A1	259	G	C1'-O4'-C4'	-6.57	104.64	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
53	B4	97	ARG	NE-CZ-NH1	6.57	123.59	120.30
1	AE	19	G	C5'-C4'-O4'	-6.57	101.22	109.10
1	AE	20	G	N1-C6-O6	-6.57	115.96	119.90
3	A1	59	A	C2-N3-C4	6.57	113.89	110.60
3	A1	940	C	N1-C2-O2	6.57	122.84	118.90
3	A1	1063	C	O4'-C4'-C3'	-6.57	97.43	104.00
24	BA	81	G	C5'-C4'-O4'	6.57	116.98	109.10
25	BB	394	C	C6-N1-C2	-6.57	117.67	120.30
25	BB	1087	G	C6-N1-C2	-6.57	121.16	125.10
25	BB	1877	A	C6-C5-N7	6.57	136.90	132.30
25	BB	1880	U	N1-C2-N3	6.57	118.84	114.90
25	BB	2788	C	C4-C5-C6	-6.57	114.11	117.40
25	BB	2819	G	N1-C2-N2	-6.57	110.29	116.20
3	A1	5	U	N3-C2-O2	-6.57	117.60	122.20
25	BB	234	U	N3-C4-O4	6.57	124.00	119.40
25	BB	397	U	C4-C5-C6	6.57	123.64	119.70
25	BB	1523	U	C1'-O4'-C4'	-6.57	104.64	109.90
25	BB	2092	U	C1'-O4'-C4'	-6.57	104.64	109.90
25	BB	2197	U	N1-C2-O2	6.57	127.40	122.80
3	A1	39	G	N1-C6-O6	-6.57	115.96	119.90
3	A1	516	U	C5'-C4'-C3'	-6.57	105.49	116.00
3	A1	1159	U	C5-C6-N1	-6.57	119.42	122.70
25	BB	670	A	N1-C2-N3	-6.57	126.02	129.30
25	BB	868	U	C5'-C4'-C3'	-6.57	105.49	116.00
25	BB	1081	U	C4-C5-C6	6.57	123.64	119.70
25	BB	1302	A	C2-N3-C4	6.57	113.88	110.60
25	BB	1377	G	C5-C6-O6	6.57	132.54	128.60
25	BB	1591	A	C6-C5-N7	6.57	136.90	132.30
25	BB	2282	G	N3-C4-C5	-6.57	125.32	128.60
25	BB	2386	A	C3'-C2'-C1'	-6.57	96.25	101.50
25	BB	2544	G	N1-C6-O6	-6.57	115.96	119.90
25	BB	2867	G	C5'-C4'-C3'	-6.57	105.49	116.00
36	BM	18	GLU	OE1-CD-OE2	-6.57	115.42	123.30
3	A1	133	U	N3-C2-O2	-6.57	117.60	122.20
3	A1	145	G	O4'-C1'-N9	6.57	113.45	108.20
3	A1	187	G	O4'-C1'-N9	6.57	113.45	108.20
3	A1	1232	U	C6-N1-C2	-6.57	117.06	121.00
25	BB	440	C	N3-C4-N4	-6.57	113.40	118.00
25	BB	727	A	N1-C6-N6	-6.57	114.66	118.60
25	BB	797	G	N3-C2-N2	-6.57	115.30	119.90
25	BB	837	C	C4-C5-C6	-6.57	114.12	117.40
25	BB	1432	G	C8-N9-C4	-6.57	103.77	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1939	U	N1-C1'-C2'	6.57	122.53	114.00
25	BB	2335	A	N9-C1'-C2'	-6.57	104.78	112.00
1	AP	65	G	C6-N1-C2	-6.56	121.16	125.10
3	A1	488	C	C5-C6-N1	-6.56	117.72	121.00
25	BB	278	A	C2-N3-C4	6.56	113.88	110.60
25	BB	613	A	C4-C5-C6	-6.56	113.72	117.00
25	BB	954	G	O5'-P-OP1	-6.56	99.79	105.70
25	BB	1495	A	C5-C6-N6	6.56	128.95	123.70
25	BB	2381	A	N1-C6-N6	-6.56	114.66	118.60
25	BB	2498	C	N1-C2-O2	6.56	122.84	118.90
25	BB	2733	A	C6-N1-C2	-6.56	114.66	118.60
33	BJ	63	ARG	NE-CZ-NH2	-6.56	117.02	120.30
1	AA	75	C	C6-N1-C2	-6.56	117.67	120.30
3	A1	116	A	C4-C5-C6	-6.56	113.72	117.00
3	A1	370	C	C4-C5-C6	6.56	120.68	117.40
24	BA	28	C	C5-C6-N1	-6.56	117.72	121.00
25	BB	2713	U	N3-C2-O2	-6.56	117.61	122.20
3	A1	761	G	N3-C4-C5	-6.56	125.32	128.60
3	A1	1354	U	C5'-C4'-C3'	-6.56	105.50	116.00
25	BB	2755	C	O4'-C1'-N1	6.56	113.45	108.20
3	A1	12	U	N3-C4-C5	-6.56	110.66	114.60
3	A1	477	C	N3-C4-C5	6.56	124.52	121.90
3	A1	702	A	C4-C5-N7	6.56	113.98	110.70
3	A1	724	G	O4'-C1'-N9	6.56	113.45	108.20
3	A1	820	U	N3-C2-O2	-6.56	117.61	122.20
3	A1	1038	C	N1-C2-N3	6.56	123.79	119.20
3	A1	1280	A	N1-C2-N3	-6.56	126.02	129.30
3	A1	1387	G	C5-C6-N1	6.56	114.78	111.50
25	BB	323	C	C2-N3-C4	-6.56	116.62	119.90
25	BB	751	A	N3-C4-N9	6.56	132.65	127.40
25	BB	1035	U	O4'-C1'-C2'	-6.56	99.24	105.80
25	BB	2486	C	O4'-C1'-N1	6.56	113.45	108.20
25	BB	2813	A	N7-C8-N9	6.56	117.08	113.80
3	A1	28	A	C5-N7-C8	-6.56	100.62	103.90
3	A1	306	A	C4-C5-C6	-6.56	113.72	117.00
3	A1	700	G	O4'-C1'-N9	-6.56	102.95	108.20
3	A1	1050	G	C5-C6-N1	6.56	114.78	111.50
3	A1	1051	C	O4'-C4'-C3'	6.56	111.35	106.10
3	A1	1476	A	P-O3'-C3'	6.56	127.57	119.70
25	BB	573	U	C5-C6-N1	-6.56	119.42	122.70
25	BB	1412	U	C5'-C4'-C3'	-6.56	105.51	116.00
25	BB	1707	G	C5-N7-C8	-6.56	101.02	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2025	C	N3-C4-C5	6.56	124.52	121.90
25	BB	2419	U	N1-C2-N3	6.56	118.83	114.90
25	BB	2474	U	N3-C4-C5	6.56	118.53	114.60
3	A1	240	G	C6-C5-N7	6.56	134.33	130.40
3	A1	915	A	C8-N9-C4	-6.56	103.18	105.80
3	A1	1146	A	O4'-C1'-N9	-6.56	102.95	108.20
3	A1	1247	U	C5-C6-N1	-6.56	119.42	122.70
3	A1	1342	C	N1-C2-O2	6.56	122.83	118.90
25	BB	725	G	C5-C6-O6	6.56	132.53	128.60
25	BB	2889	C	N3-C2-O2	-6.56	117.31	121.90
37	BN	60	ALA	CB-CA-C	6.56	119.93	110.10
1	AA	59	U	O4'-C1'-N1	6.55	113.44	108.20
1	AP	70	C	O4'-C1'-C2'	6.55	113.50	107.60
3	A1	127	G	C4-C5-N7	-6.55	108.18	110.80
3	A1	271	C	C5'-C4'-O4'	6.55	116.96	109.10
3	A1	1043	G	O4'-C4'-C3'	6.55	111.34	106.10
25	BB	113	U	N3-C2-O2	-6.55	117.61	122.20
25	BB	1578	U	C1'-O4'-C4'	6.55	115.14	109.90
25	BB	1799	G	N1-C6-O6	-6.55	115.97	119.90
25	BB	1966	A	C4'-C3'-C2'	-6.55	96.05	102.60
25	BB	2045	C	N3-C4-C5	6.55	124.52	121.90
25	BB	2273	A	C5-C6-N1	6.55	120.98	117.70
25	BB	2864	G	C5-C6-N1	6.55	114.78	111.50
32	BI	50	ARG	NE-CZ-NH1	6.55	123.58	120.30
25	BB	317	G	O4'-C1'-N9	6.55	113.44	108.20
25	BB	1611	C	N3-C2-O2	-6.55	117.31	121.90
25	BB	1810	A	C2'-C3'-O3'	6.55	124.18	113.70
1	AP	20	G	O4'-C1'-N9	6.55	113.44	108.20
2	AM	6	U	N1-C2-N3	6.55	118.83	114.90
3	A1	237	G	N3-C2-N2	-6.55	115.31	119.90
3	A1	864	A	N1-C2-N3	-6.55	126.02	129.30
3	A1	1122	U	C2-N3-C4	-6.55	123.07	127.00
25	BB	495	G	C5'-C4'-O4'	6.55	116.96	109.10
25	BB	620	G	C5-N7-C8	-6.55	101.02	104.30
25	BB	1701	A	C5'-C4'-C3'	-6.55	105.52	116.00
25	BB	2800	A	N1-C2-N3	-6.55	126.02	129.30
25	BB	2827	C	C2-N3-C4	-6.55	116.62	119.90
3	A1	410	G	N3-C2-N2	-6.55	115.31	119.90
3	A1	465	A	C4-C5-C6	-6.55	113.72	117.00
3	A1	685	G	C6-C5-N7	6.55	134.33	130.40
3	A1	844	G	C4-C5-C6	-6.55	114.87	118.80
3	A1	873	A	C5-N7-C8	-6.55	100.62	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	939	G	N1-C6-O6	-6.55	115.97	119.90
25	BB	1994	C	N3-C2-O2	-6.55	117.31	121.90
25	BB	2760	C	N3-C4-N4	-6.55	113.42	118.00
25	BB	673	C	N3-C4-N4	-6.55	113.42	118.00
25	BB	1118	C	C2-N3-C4	-6.55	116.63	119.90
25	BB	1879	C	C5-C6-N1	-6.55	117.73	121.00
25	BB	2473	U	C1'-O4'-C4'	-6.55	104.66	109.90
52	B3	91	VAL	CA-CB-CG2	6.55	120.72	110.90
1	AA	63	C	O4'-C1'-N1	6.55	113.44	108.20
2	AM	15	U	O4'-C1'-N1	6.55	113.44	108.20
3	A1	213	G	C5-C6-O6	-6.55	124.67	128.60
3	A1	703	G	O4'-C1'-N9	6.55	113.44	108.20
3	A1	1402	C	N1-C2-O2	6.55	122.83	118.90
25	BB	706	A	C2-N3-C4	6.55	113.87	110.60
25	BB	1099	G	C5-C6-N1	6.55	114.77	111.50
25	BB	1686	C	C2-N3-C4	-6.55	116.63	119.90
25	BB	2029	G	C6-N1-C2	-6.55	121.17	125.10
25	BB	2031	A	C6-C5-N7	6.55	136.88	132.30
3	A1	20	U	N1-C2-N3	6.54	118.83	114.90
3	A1	57	G	C5'-C4'-C3'	-6.54	105.53	116.00
3	A1	67	C	N3-C4-C5	6.54	124.52	121.90
3	A1	94	G	N1-C6-O6	-6.54	115.97	119.90
25	BB	405	U	C5'-C4'-O4'	6.54	116.95	109.10
25	BB	954	G	C6-C5-N7	6.54	134.33	130.40
25	BB	1261	C	N3-C4-N4	-6.54	113.42	118.00
3	A1	317	U	O5'-P-OP2	-6.54	99.81	105.70
3	A1	333	U	C5-C6-N1	-6.54	119.43	122.70
3	A1	336	A	N3-C4-N9	-6.54	122.17	127.40
3	A1	514	C	N3-C4-C5	6.54	124.52	121.90
3	A1	993	G	C5-C6-N1	6.54	114.77	111.50
3	A1	1514	G	C4-C5-N7	-6.54	108.18	110.80
6	AD	109	ARG	NH1-CZ-NH2	-6.54	112.20	119.40
25	BB	162	U	C5'-C4'-C3'	-6.54	105.53	116.00
25	BB	424	G	C5'-C4'-O4'	6.54	116.95	109.10
25	BB	907	G	C5'-C4'-O4'	6.54	116.95	109.10
25	BB	1795	C	N3-C4-C5	6.54	124.52	121.90
25	BB	2824	C	N1-C2-O2	6.54	122.83	118.90
1	AP	3	G	N9-C1'-C2'	-6.54	104.80	112.00
2	AM	18	U	C3'-C2'-C1'	-6.54	96.27	101.50
3	A1	1082	A	C5-N7-C8	-6.54	100.63	103.90
9	AH	71	ARG	NE-CZ-NH1	6.54	123.57	120.30
24	BA	14	U	O4'-C1'-N1	6.54	113.43	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	450	G	N1-C6-O6	-6.54	115.97	119.90
25	BB	712	G	N1-C6-O6	-6.54	115.97	119.90
25	BB	738	G	N1-C2-N2	6.54	122.09	116.20
25	BB	884	U	N1-C1'-C2'	-6.54	104.80	112.00
25	BB	1500	G	N1-C6-O6	-6.54	115.97	119.90
25	BB	1561	C	C1'-O4'-C4'	-6.54	104.67	109.90
25	BB	2420	C	N1-C2-O2	6.54	122.83	118.90
3	A1	286	C	N1-C2-O2	6.54	122.82	118.90
3	A1	668	G	C4-C5-N7	-6.54	108.18	110.80
25	BB	758	C	N3-C4-N4	6.54	122.58	118.00
25	BB	1367	A	C4'-C3'-C2'	-6.54	96.06	102.60
25	BB	2204	G	C5'-C4'-O4'	6.54	116.95	109.10
25	BB	2365	G	C1'-O4'-C4'	-6.54	104.67	109.90
25	BB	2488	G	C6-N1-C2	-6.54	121.18	125.10
1	AE	54	U	C5'-C4'-C3'	-6.54	105.54	116.00
3	A1	240	G	C4-C5-N7	-6.54	108.19	110.80
3	A1	933	G	C6-N1-C2	-6.54	121.18	125.10
3	A1	1058	G	N9-C1'-C2'	-6.54	104.81	112.00
3	A1	1453	G	C8-N9-C4	6.54	109.02	106.40
3	A1	1457	G	N1-C6-O6	-6.54	115.98	119.90
3	A1	1469	C	C4'-C3'-C2'	-6.54	96.06	102.60
3	A1	1502	A	O4'-C1'-N9	6.54	113.43	108.20
25	BB	670	A	C6-C5-N7	6.54	136.88	132.30
25	BB	2087	G	O4'-C1'-N9	6.54	113.43	108.20
25	BB	2147	A	C5-C6-N6	6.54	128.93	123.70
25	BB	2517	C	C5-C6-N1	-6.54	117.73	121.00
25	BB	2619	C	N3-C4-N4	-6.54	113.42	118.00
3	A1	27	G	O4'-C1'-N9	6.54	113.43	108.20
3	A1	129	A	N1-C6-N6	-6.54	114.68	118.60
3	A1	702	A	N7-C8-N9	6.54	117.07	113.80
25	BB	470	A	C5-C6-N1	6.54	120.97	117.70
25	BB	1067	A	C6-C5-N7	6.54	136.88	132.30
25	BB	2106	U	C3'-C2'-C1'	6.54	106.73	101.50
3	A1	670	G	N1-C6-O6	-6.54	115.98	119.90
3	A1	1276	G	C3'-C2'-C1'	-6.54	96.27	101.50
3	A1	1398	A	C6-C5-N7	6.54	136.88	132.30
25	BB	115	C	C6-N1-C2	-6.54	117.69	120.30
25	BB	395	U	N3-C2-O2	-6.54	117.63	122.20
25	BB	1259	G	N7-C8-N9	6.54	116.37	113.10
25	BB	1425	G	C6-N1-C2	-6.54	121.18	125.10
25	BB	2297	A	C5-C6-N1	6.54	120.97	117.70
25	BB	2848	G	C5-C6-N1	6.54	114.77	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	35	A	C5-C6-N1	6.53	120.97	117.70
3	A1	126	G	C8-N9-C1'	6.53	135.49	127.00
3	A1	1335	U	O4'-C1'-N1	6.53	113.43	108.20
3	A1	1440	U	C1'-O4'-C4'	-6.53	104.67	109.90
3	A1	1518	A	P-O3'-C3'	6.53	127.54	119.70
15	AO	180	ASP	CB-CG-OD2	6.53	124.18	118.30
25	BB	140	C	N3-C2-O2	-6.53	117.33	121.90
25	BB	398	C	N3-C4-N4	-6.53	113.43	118.00
25	BB	1429	G	N3-C2-N2	-6.53	115.33	119.90
25	BB	1613	G	O4'-C1'-N9	6.53	113.43	108.20
25	BB	1704	C	N3-C2-O2	-6.53	117.33	121.90
25	BB	2313	C	N3-C2-O2	-6.53	117.33	121.90
25	BB	2456	C	C1'-O4'-C4'	-6.53	104.67	109.90
3	A1	91	U	O4'-C4'-C3'	6.53	111.33	106.10
3	A1	116	A	C5-C6-N1	6.53	120.97	117.70
3	A1	880	C	C6-N1-C2	-6.53	117.69	120.30
3	A1	887	G	C6-C5-N7	6.53	134.32	130.40
3	A1	993	G	N9-C4-C5	6.53	108.01	105.40
3	A1	1356	G	C4-C5-N7	-6.53	108.19	110.80
24	BA	109	A	C5-C6-N1	6.53	120.97	117.70
25	BB	1060	U	C5-C6-N1	-6.53	119.43	122.70
25	BB	2121	G	C5-C6-N1	6.53	114.77	111.50
3	A1	821	G	N1-C6-O6	-6.53	115.98	119.90
3	A1	1396	A	C6-C5-N7	6.53	136.87	132.30
25	BB	131	A	C5'-C4'-C3'	-6.53	105.55	116.00
25	BB	753	A	C5-C6-N6	6.53	128.93	123.70
25	BB	2170	A	O4'-C1'-C2'	6.53	113.48	107.60
25	BB	2374	C	C1'-O4'-C4'	-6.53	104.67	109.90
3	A1	301	G	C2-N3-C4	6.53	115.16	111.90
3	A1	927	G	C6-N1-C2	-6.53	121.18	125.10
55	B6	99	ARG	NE-CZ-NH1	6.53	123.56	120.30
1	AE	69	U	C4'-C3'-C2'	-6.53	96.07	102.60
3	A1	97	G	C2-N3-C4	6.53	115.16	111.90
3	A1	102	G	C6-N1-C2	-6.53	121.18	125.10
3	A1	442	G	C5-C6-N1	6.53	114.76	111.50
3	A1	526	C	N3-C4-C5	6.53	124.51	121.90
3	A1	795	C	C5-C4-N4	6.53	124.77	120.20
3	A1	797	C	C2-N3-C4	-6.53	116.64	119.90
3	A1	990	C	C5-C4-N4	6.53	124.77	120.20
3	A1	1216	A	C4-C5-C6	-6.53	113.74	117.00
25	BB	146	A	N1-C2-N3	-6.53	126.04	129.30
25	BB	700	G	N3-C4-N9	6.53	129.92	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1087	G	C6-C5-N7	6.53	134.32	130.40
25	BB	1727	C	O4'-C1'-N1	6.53	113.42	108.20
1	AE	18	G	N7-C8-N9	6.53	116.36	113.10
3	A1	71	A	N1-C2-N3	-6.53	126.04	129.30
3	A1	316	C	O4'-C4'-C3'	6.53	111.32	106.10
3	A1	453	G	N3-C2-N2	-6.53	115.33	119.90
3	A1	585	G	O4'-C1'-N9	-6.53	102.98	108.20
3	A1	788	U	C5-C6-N1	-6.53	119.44	122.70
3	A1	842	U	O4'-C1'-N1	6.53	113.42	108.20
24	BA	78	A	C8-N9-C4	-6.53	103.19	105.80
25	BB	31	C	N1-C2-N3	6.53	123.77	119.20
25	BB	159	G	C5-C6-O6	6.53	132.51	128.60
25	BB	421	C	N3-C2-O2	-6.53	117.33	121.90
25	BB	1197	G	C4'-C3'-C2'	-6.53	96.07	102.60
25	BB	1556	C	C4-C5-C6	-6.53	114.14	117.40
3	A1	378	G	C2-N3-C4	6.52	115.16	111.90
25	BB	325	G	C3'-C2'-C1'	-6.52	96.28	101.50
25	BB	1257	C	C5-C6-N1	-6.52	117.74	121.00
25	BB	1585	C	C3'-C2'-C1'	-6.52	96.28	101.50
25	BB	1770	G	C6-C5-N7	6.52	134.31	130.40
25	BB	2136	G	N7-C8-N9	6.52	116.36	113.10
25	BB	2180	U	O4'-C1'-N1	6.52	113.42	108.20
25	BB	2221	G	N3-C4-C5	-6.52	125.34	128.60
25	BB	2240	U	C3'-C2'-C1'	6.52	106.72	101.50
25	BB	2296	U	C5'-C4'-C3'	-6.52	105.56	116.00
25	BB	2437	G	C6-N1-C2	-6.52	121.19	125.10
25	BB	2605	U	O4'-C1'-N1	6.52	113.42	108.20
25	BB	2742	G	C5-C6-N1	6.52	114.76	111.50
1	AP	70	C	N1-C2-N3	6.52	123.77	119.20
3	A1	665	A	C4-C5-C6	-6.52	113.74	117.00
3	A1	1521	C	C6-N1-C2	-6.52	117.69	120.30
25	BB	61	C	C6-N1-C2	6.52	122.91	120.30
25	BB	116	C	N3-C4-C5	6.52	124.51	121.90
25	BB	466	A	C5-C6-N6	6.52	128.92	123.70
25	BB	488	G	C1'-O4'-C4'	-6.52	104.68	109.90
25	BB	548	G	C5-C6-O6	6.52	132.51	128.60
25	BB	1667	G	N7-C8-N9	6.52	116.36	113.10
25	BB	2022	U	N1-C2-N3	6.52	118.81	114.90
49	BZ	89	GLU	OE1-CD-OE2	-6.52	115.47	123.30
3	A1	411	A	C4-C5-C6	-6.52	113.74	117.00
3	A1	580	C	C5'-C4'-C3'	-6.52	105.57	116.00
3	A1	820	U	C4'-C3'-C2'	-6.52	96.08	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	178	G	N9-C1'-C2'	-6.52	104.83	112.00
25	BB	433	C	C5-C6-N1	-6.52	117.74	121.00
25	BB	852	U	C2-N3-C4	-6.52	123.09	127.00
25	BB	1099	G	C4-C5-C6	-6.52	114.89	118.80
25	BB	2175	C	C6-N1-C2	-6.52	117.69	120.30
3	A1	31	G	C8-N9-C4	-6.52	103.79	106.40
3	A1	176	C	N1-C2-N3	6.52	123.76	119.20
3	A1	554	A	C3'-C2'-C1'	6.52	106.72	101.50
3	A1	1232	U	N1-C2-N3	6.52	118.81	114.90
3	A1	1381	U	C1'-O4'-C4'	-6.52	104.68	109.90
20	AU	52	ARG	CD-NE-CZ	6.52	132.73	123.60
24	BA	8	C	N3-C4-C5	6.52	124.51	121.90
25	BB	559	G	C4-C5-N7	6.52	113.41	110.80
25	BB	1088	A	C6-C5-N7	6.52	136.86	132.30
25	BB	1901	A	N1-C2-N3	-6.52	126.04	129.30
25	BB	2173	A	C5-C6-N6	6.52	128.92	123.70
25	BB	2675	A	C1'-O4'-C4'	-6.52	104.69	109.90
3	A1	1002	G	C5-C6-N1	6.52	114.76	111.50
3	A1	1331	G	N3-C2-N2	-6.52	115.34	119.90
24	BA	79	G	N7-C8-N9	6.52	116.36	113.10
25	BB	687	C	C6-N1-C2	-6.52	117.69	120.30
25	BB	1023	U	C4'-C3'-C2'	-6.52	96.08	102.60
25	BB	1374	G	C6-C5-N7	6.52	134.31	130.40
25	BB	1538	G	C5'-C4'-C3'	-6.52	105.57	116.00
25	BB	1621	U	C5'-C4'-C3'	-6.52	105.57	116.00
25	BB	2259	U	N3-C2-O2	-6.52	117.64	122.20
25	BB	2317	A	C4-C5-C6	-6.52	113.74	117.00
25	BB	2711	A	O4'-C1'-C2'	-6.52	99.28	105.80
32	BI	102	ARG	NE-CZ-NH2	6.52	123.56	120.30
43	BT	39	ARG	NE-CZ-NH2	6.52	123.56	120.30
1	AA	50	U	O4'-C4'-C3'	6.52	111.31	106.10
3	A1	358	U	O4'-C1'-C2'	-6.52	99.28	105.80
3	A1	1321	U	N3-C2-O2	-6.52	117.64	122.20
25	BB	1046	A	C3'-C2'-C1'	6.52	106.71	101.50
25	BB	1770	G	C6-N1-C2	-6.52	121.19	125.10
25	BB	2313	C	C3'-C2'-C1'	6.52	106.71	101.50
25	BB	2490	G	N1-C6-O6	-6.52	115.99	119.90
25	BB	2694	G	N3-C2-N2	-6.52	115.34	119.90
25	BB	2790	U	C5-C6-N1	-6.52	119.44	122.70
1	AA	71	G	C4-C5-C6	-6.51	114.89	118.80
3	A1	976	G	C5-N7-C8	-6.51	101.04	104.30
3	A1	1252	A	N9-C1'-C2'	-6.51	104.83	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	AO	155	ARG	CD-NE-CZ	6.51	132.72	123.60
25	BB	408	G	C8-N9-C4	-6.51	103.80	106.40
25	BB	441	U	O4'-C1'-N1	6.51	113.41	108.20
25	BB	776	G	P-O3'-C3'	6.51	127.52	119.70
25	BB	1041	G	N1-C2-N2	-6.51	110.34	116.20
25	BB	2770	G	C6-C5-N7	6.51	134.31	130.40
3	A1	397	A	N7-C8-N9	6.51	117.06	113.80
3	A1	1408	A	C6-C5-N7	6.51	136.86	132.30
10	AI	11	ALA	CB-CA-C	6.51	119.87	110.10
25	BB	1729	U	N3-C2-O2	-6.51	117.64	122.20
1	AE	53	G	N3-C4-N9	6.51	129.91	126.00
3	A1	94	G	C6-C5-N7	6.51	134.31	130.40
3	A1	422	C	C5-C6-N1	-6.51	117.74	121.00
3	A1	723	U	N1-C1'-C2'	6.51	122.47	114.00
25	BB	1394	U	O4'-C1'-C2'	-6.51	99.29	105.80
25	BB	1538	G	N9-C1'-C2'	-6.51	104.84	112.00
25	BB	1540	G	N1-C2-N3	6.51	127.81	123.90
25	BB	2133	G	C8-N9-C4	-6.51	103.80	106.40
25	BB	2472	G	N9-C4-C5	6.51	108.00	105.40
25	BB	2508	G	C4'-C3'-C2'	-6.51	96.09	102.60
1	AA	20	G	O4'-C4'-C3'	6.51	111.31	106.10
3	A1	136	C	O4'-C1'-N1	6.51	113.41	108.20
3	A1	1521	C	C5'-C4'-O4'	6.51	116.91	109.10
3	A1	1533	C	C2-N3-C4	-6.51	116.64	119.90
9	AH	28	VAL	CG1-CB-CG2	-6.51	100.49	110.90
25	BB	8	C	C4'-C3'-C2'	-6.51	96.09	102.60
25	BB	297	G	C5'-C4'-O4'	6.51	116.91	109.10
25	BB	791	C	N1-C2-O2	6.51	122.81	118.90
25	BB	1156	A	C6-N1-C2	-6.51	114.69	118.60
25	BB	1336	A	C4'-C3'-C2'	-6.51	96.09	102.60
25	BB	1736	U	N3-C2-O2	-6.51	117.64	122.20
25	BB	1971	U	C5-C6-N1	-6.51	119.44	122.70
1	AA	58	A	C6-N1-C2	-6.51	114.69	118.60
1	AP	18	G	N1-C2-N3	6.51	127.81	123.90
3	A1	678	U	C5'-C4'-O4'	6.51	116.91	109.10
3	A1	1090	U	O4'-C1'-N1	6.51	113.41	108.20
3	A1	1263	C	C5-C4-N4	6.51	124.76	120.20
8	AG	32	ASP	OD1-CG-OD2	-6.51	110.94	123.30
25	BB	870	U	O4'-C1'-N1	6.51	113.41	108.20
3	A1	201	G	N9-C4-C5	6.51	108.00	105.40
3	A1	223	A	C5-C6-N6	6.51	128.91	123.70
3	A1	812	G	N7-C8-N9	6.51	116.35	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1147	C	C5-C6-N1	-6.51	117.75	121.00
3	A1	1234	C	N3-C4-N4	-6.51	113.45	118.00
25	BB	72	U	C2-N3-C4	-6.51	123.10	127.00
25	BB	1020	A	C6-C5-N7	6.51	136.85	132.30
25	BB	1181	U	O4'-C1'-N1	6.51	113.41	108.20
25	BB	1540	G	C4-C5-N7	-6.51	108.20	110.80
25	BB	1609	A	O4'-C1'-N9	6.51	113.41	108.20
25	BB	2340	A	C2-N3-C4	6.51	113.85	110.60
2	AM	11	U	C5-C4-O4	6.50	129.80	125.90
3	A1	1150	A	N1-C2-N3	-6.50	126.05	129.30
3	A1	1370	G	C6-C5-N7	6.50	134.30	130.40
25	BB	304	U	N3-C2-O2	-6.50	117.65	122.20
25	BB	2606	C	N1-C2-O2	6.50	122.80	118.90
25	BB	2665	A	C6-C5-N7	6.50	136.85	132.30
1	AA	28	C	N1-C1'-C2'	-6.50	104.85	112.00
3	A1	334	C	N1-C2-O2	6.50	122.80	118.90
3	A1	979	C	N3-C2-O2	-6.50	117.35	121.90
3	A1	994	A	C4-C5-C6	-6.50	113.75	117.00
3	A1	1007	U	O4'-C1'-N1	6.50	113.40	108.20
14	AN	23	ARG	NE-CZ-NH2	-6.50	117.05	120.30
25	BB	43	G	O4'-C1'-N9	6.50	113.40	108.20
25	BB	440	C	C5'-C4'-C3'	-6.50	105.59	116.00
25	BB	681	G	N9-C4-C5	-6.50	102.80	105.40
25	BB	697	G	C5-C6-O6	6.50	132.50	128.60
25	BB	918	A	C6-N1-C2	-6.50	114.70	118.60
25	BB	2639	A	O4'-C1'-N9	-6.50	103.00	108.20
25	BB	2811	G	C5-C6-N1	6.50	114.75	111.50
3	A1	42	G	N3-C4-C5	-6.50	125.35	128.60
3	A1	745	G	N7-C8-N9	6.50	116.35	113.10
3	A1	1130	A	C4-C5-C6	-6.50	113.75	117.00
3	A1	1264	U	C3'-C2'-C1'	-6.50	96.30	101.50
25	BB	761	A	C4'-C3'-C2'	-6.50	96.10	102.60
25	BB	1007	C	C2-N3-C4	-6.50	116.65	119.90
25	BB	1466	U	O4'-C1'-C2'	6.50	113.45	107.60
25	BB	1674	G	C6-C5-N7	6.50	134.30	130.40
25	BB	2118	U	C5-C6-N1	-6.50	119.45	122.70
25	BB	2243	U	N3-C2-O2	-6.50	117.65	122.20
25	BB	2735	G	C5-C6-N1	6.50	114.75	111.50
1	AA	43	G	N7-C8-N9	6.50	116.35	113.10
3	A1	178	C	N3-C2-O2	-6.50	117.35	121.90
25	BB	110	G	C5-C6-N1	6.50	114.75	111.50
25	BB	517	C	N1-C2-N3	6.50	123.75	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2714	G	C5-C6-N1	6.50	114.75	111.50
25	BB	2766	A	O4'-C1'-N9	-6.50	103.00	108.20
3	A1	293	G	C8-N9-C4	-6.50	103.80	106.40
3	A1	714	G	N3-C2-N2	-6.50	115.35	119.90
3	A1	909	A	C5-N7-C8	-6.50	100.65	103.90
3	A1	1471	U	N3-C4-O4	6.50	123.95	119.40
25	BB	516	C	N3-C4-N4	-6.50	113.45	118.00
25	BB	619	G	N1-C6-O6	-6.50	116.00	119.90
25	BB	1513	U	N3-C2-O2	-6.50	117.65	122.20
25	BB	2116	G	C4-C5-N7	6.50	113.40	110.80
25	BB	2134	A	C2-N3-C4	6.50	113.85	110.60
25	BB	2460	U	C5'-C4'-O4'	6.50	116.90	109.10
25	BB	2560	A	C4'-C3'-C2'	-6.50	96.10	102.60
3	A1	36	C	C1'-O4'-C4'	6.50	115.10	109.90
3	A1	578	C	C6-N1-C2	-6.50	117.70	120.30
3	A1	626	G	N3-C4-C5	-6.50	125.35	128.60
3	A1	1388	C	C2-N3-C4	-6.50	116.65	119.90
24	BA	13	G	N3-C2-N2	-6.50	115.35	119.90
25	BB	638	G	C5'-C4'-O4'	6.50	116.89	109.10
25	BB	937	C	N3-C4-N4	-6.50	113.45	118.00
25	BB	1517	G	N1-C6-O6	-6.50	116.00	119.90
25	BB	1557	C	N1-C2-O2	6.50	122.80	118.90
25	BB	1632	A	C4-C5-N7	6.50	113.95	110.70
25	BB	2254	C	O4'-C1'-C2'	-6.50	99.30	105.80
25	BB	2332	C	C2-N3-C4	-6.50	116.65	119.90
25	BB	2835	A	C2-N3-C4	6.50	113.85	110.60
3	A1	597	G	N7-C8-N9	6.50	116.35	113.10
25	BB	1177	G	C6-C5-N7	6.50	134.30	130.40
1	AP	53	G	C5-C6-N1	6.49	114.75	111.50
7	AF	86	ARG	CD-NE-CZ	6.49	132.69	123.60
25	BB	1110	G	N3-C2-N2	-6.49	115.36	119.90
25	BB	1293	C	N3-C2-O2	-6.49	117.36	121.90
25	BB	1309	G	C4'-C3'-C2'	-6.49	96.11	102.60
25	BB	1926	U	O4'-C4'-C3'	6.49	111.30	106.10
25	BB	2097	A	C3'-C2'-C1'	6.49	106.69	101.50
25	BB	2395	C	N3-C4-N4	-6.49	113.45	118.00
25	BB	2665	A	C8-N9-C4	-6.49	103.20	105.80
3	A1	1013	G	C5-C6-N1	6.49	114.75	111.50
24	BA	24	G	C5-C6-N1	6.49	114.75	111.50
25	BB	433	C	N1-C2-O2	6.49	122.80	118.90
25	BB	1375	U	C2-N3-C4	-6.49	123.11	127.00
25	BB	1508	A	C6-C5-N7	6.49	136.84	132.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2868	A	C8-N9-C4	-6.49	103.20	105.80
25	BB	2885	G	N1-C6-O6	-6.49	116.00	119.90
3	A1	257	G	N1-C2-N3	6.49	127.79	123.90
3	A1	993	G	C6-C5-N7	6.49	134.29	130.40
3	A1	1114	C	C6-N1-C2	-6.49	117.70	120.30
3	A1	1451	U	O4'-C1'-N1	6.49	113.39	108.20
25	BB	61	C	C2-N3-C4	-6.49	116.66	119.90
25	BB	89	A	C2-N3-C4	6.49	113.84	110.60
25	BB	136	G	C5-N7-C8	-6.49	101.06	104.30
25	BB	1697	G	N1-C2-N2	-6.49	110.36	116.20
25	BB	2292	U	C1'-O4'-C4'	-6.49	104.71	109.90
25	BB	2591	C	C4-C5-C6	6.49	120.64	117.40
25	BB	2759	G	C6-C5-N7	6.49	134.29	130.40
1	AA	62	A	C5-C6-N1	6.49	120.94	117.70
3	A1	78	A	C5'-C4'-O4'	6.49	116.89	109.10
3	A1	228	A	C5-C6-N6	6.49	128.89	123.70
25	BB	1532	A	C4-C5-C6	-6.49	113.76	117.00
25	BB	1848	A	C6-C5-N7	6.49	136.84	132.30
25	BB	2419	U	C2-N3-C4	-6.49	123.11	127.00
25	BB	2655	G	C2-N3-C4	6.49	115.14	111.90
3	A1	269	C	N1-C2-O2	6.49	122.79	118.90
3	A1	422	C	C3'-C2'-C1'	6.49	106.69	101.50
3	A1	1516	G	N3-C4-C5	-6.49	125.36	128.60
20	AU	137	ARG	NE-CZ-NH2	6.49	123.54	120.30
25	BB	1383	A	C5-N7-C8	-6.49	100.66	103.90
25	BB	2338	C	C1'-O4'-C4'	-6.49	104.71	109.90
25	BB	2717	C	N3-C2-O2	-6.49	117.36	121.90
1	AA	4	G	C8-N9-C4	-6.49	103.81	106.40
1	AE	19	G	C4-C5-N7	-6.49	108.20	110.80
3	A1	290	C	P-O3'-C3'	6.49	127.48	119.70
3	A1	834	U	C5-C4-O4	6.49	129.79	125.90
3	A1	1221	G	C1'-O4'-C4'	6.49	115.09	109.90
3	A1	1285	A	C5-C6-N6	6.49	128.89	123.70
3	A1	1425	U	C5-C6-N1	-6.49	119.46	122.70
4	AB	94	ARG	NH1-CZ-NH2	-6.49	112.27	119.40
25	BB	14	A	C1'-O4'-C4'	6.49	115.09	109.90
25	BB	700	G	C6-N1-C2	-6.49	121.21	125.10
25	BB	1086	A	C8-N9-C4	-6.49	103.21	105.80
25	BB	2582	G	N3-C4-C5	-6.49	125.36	128.60
1	AE	44	A	C6-C5-N7	6.48	136.84	132.30
3	A1	337	G	N1-C6-O6	-6.48	116.01	119.90
3	A1	1154	G	C4'-C3'-C2'	-6.48	96.12	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1184	G	N9-C4-C5	6.48	107.99	105.40
25	BB	41	C	C5-C6-N1	-6.48	117.76	121.00
25	BB	259	G	C2-N3-C4	6.48	115.14	111.90
25	BB	556	A	C3'-C2'-C1'	6.48	106.69	101.50
25	BB	1739	A	C3'-C2'-C1'	6.48	106.69	101.50
25	BB	2537	U	N3-C4-C5	-6.48	110.71	114.60
1	AP	2	C	N1-C2-O2	6.48	122.79	118.90
3	A1	134	G	C5-C6-O6	6.48	132.49	128.60
3	A1	407	U	C5-C4-O4	6.48	129.79	125.90
3	A1	519	C	C4'-C3'-C2'	-6.48	96.12	102.60
3	A1	931	C	C3'-C2'-C1'	6.48	106.69	101.50
3	A1	1338	G	N1-C6-O6	-6.48	116.01	119.90
24	BA	96	G	C5'-C4'-O4'	6.48	116.88	109.10
25	BB	606	U	C3'-C2'-C1'	6.48	106.69	101.50
25	BB	658	U	O4'-C1'-N1	6.48	113.39	108.20
25	BB	1270	C	N3-C2-O2	-6.48	117.36	121.90
25	BB	1749	A	C4-C5-C6	-6.48	113.76	117.00
25	BB	2319	G	N3-C4-C5	-6.48	125.36	128.60
25	BB	2576	G	C5-C6-N1	6.48	114.74	111.50
3	A1	312	C	N3-C2-O2	-6.48	117.36	121.90
3	A1	700	G	O4'-C4'-C3'	6.48	111.28	106.10
3	A1	708	C	C5'-C4'-C3'	-6.48	105.63	116.00
3	A1	1276	G	O5'-C5'-C4'	6.48	124.01	111.70
24	BA	61	G	C3'-C2'-C1'	6.48	106.68	101.50
25	BB	1042	G	N9-C4-C5	6.48	107.99	105.40
25	BB	1259	G	N1-C2-N2	-6.48	110.37	116.20
25	BB	2549	G	O4'-C1'-N9	-6.48	103.02	108.20
25	BB	2669	G	C5-C6-N1	6.48	114.74	111.50
3	A1	72	A	C4-C5-C6	-6.48	113.76	117.00
3	A1	542	G	N1-C2-N3	6.48	127.79	123.90
3	A1	663	A	C4-C5-N7	6.48	113.94	110.70
25	BB	1654	A	C6-C5-N7	6.48	136.84	132.30
25	BB	2565	A	C3'-C2'-C1'	6.48	106.68	101.50
3	A1	88	U	C5-C4-O4	6.48	129.79	125.90
3	A1	253	A	C5-N7-C8	-6.48	100.66	103.90
3	A1	544	G	C6-N1-C2	-6.48	121.21	125.10
3	A1	1078	U	N1-C2-N3	6.48	118.79	114.90
3	A1	1177	G	N7-C8-N9	6.48	116.34	113.10
3	A1	1211	U	C5'-C4'-C3'	-6.48	105.64	116.00
25	BB	359	G	N1-C2-N3	6.48	127.79	123.90
25	BB	404	A	N1-C2-N3	-6.48	126.06	129.30
25	BB	2367	G	C5-C6-N1	6.48	114.74	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2514	U	C5'-C4'-C3'	-6.48	105.64	116.00
25	BB	2692	G	N9-C1'-C2'	6.48	122.42	114.00
29	BF	10	ARG	NE-CZ-NH2	-6.48	117.06	120.30
3	A1	479	U	C5-C6-N1	-6.48	119.46	122.70
3	A1	1166	G	N1-C2-N3	6.48	127.79	123.90
3	A1	1243	C	N3-C2-O2	-6.48	117.37	121.90
25	BB	210	C	C6-N1-C1'	6.48	128.57	120.80
25	BB	444	C	C5'-C4'-O4'	6.48	116.87	109.10
25	BB	1335	C	N3-C4-N4	-6.48	113.47	118.00
1	AE	65	G	O4'-C4'-C3'	-6.47	97.53	104.00
3	A1	399	G	C5-C6-N1	6.47	114.74	111.50
3	A1	564	C	N3-C4-N4	-6.47	113.47	118.00
3	A1	1497	G	P-O3'-C3'	6.47	127.47	119.70
25	BB	606	U	N1-C2-O2	-6.47	118.27	122.80
25	BB	674	G	C5-C6-N1	6.47	114.74	111.50
25	BB	1125	G	N1-C6-O6	-6.47	116.02	119.90
25	BB	1205	A	O4'-C1'-N9	-6.47	103.02	108.20
25	BB	1222	U	P-O3'-C3'	6.47	127.47	119.70
25	BB	1788	C	N3-C2-O2	-6.47	117.37	121.90
25	BB	2390	U	N1-C2-N3	6.47	118.78	114.90
25	BB	2424	C	C6-N1-C2	-6.47	117.71	120.30
25	BB	2510	C	C5-C6-N1	-6.47	117.76	121.00
25	BB	2689	U	N1-C2-N3	6.47	118.78	114.90
25	BB	2694	G	O4'-C1'-C2'	-6.47	99.33	105.80
25	BB	2839	G	C5-C6-N1	6.47	114.74	111.50
25	BB	2842	G	C3'-C2'-C1'	6.47	106.68	101.50
37	BN	42	ARG	CD-NE-CZ	6.47	132.66	123.60
3	A1	281	G	N7-C8-N9	6.47	116.34	113.10
24	BA	3	C	C4'-C3'-C2'	-6.47	96.13	102.60
25	BB	354	A	N1-C2-N3	-6.47	126.06	129.30
25	BB	475	C	N1-C2-N3	6.47	123.73	119.20
25	BB	497	A	C2'-C3'-O3'	6.47	124.06	113.70
25	BB	507	A	O4'-C1'-N9	6.47	113.38	108.20
25	BB	635	C	N3-C4-N4	-6.47	113.47	118.00
25	BB	781	A	C4-C5-C6	-6.47	113.76	117.00
25	BB	1512	C	C5'-C4'-C3'	-6.47	105.64	116.00
25	BB	2795	C	C5-C6-N1	-6.47	117.76	121.00
25	BB	478	A	C3'-C2'-C1'	6.47	106.68	101.50
25	BB	2183	A	C5-C6-N1	6.47	120.94	117.70
25	BB	2639	A	N1-C6-N6	-6.47	114.72	118.60
3	A1	464	U	N3-C2-O2	-6.47	117.67	122.20
3	A1	569	C	N1-C2-O2	6.47	122.78	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	871	U	C5-C6-N1	-6.47	119.47	122.70
3	A1	917	G	P-O3'-C3'	6.47	127.46	119.70
3	A1	938	A	C5-C6-N6	6.47	128.88	123.70
3	A1	968	A	C3'-C2'-C1'	6.47	106.67	101.50
3	A1	1190	G	C2-N3-C4	6.47	115.14	111.90
25	BB	377	G	C5-C6-O6	6.47	132.48	128.60
25	BB	458	G	C3'-C2'-C1'	-6.47	96.33	101.50
25	BB	490	C	C5-C6-N1	-6.47	117.77	121.00
25	BB	904	G	N7-C8-N9	6.47	116.33	113.10
25	BB	1302	A	N9-C4-C5	6.47	108.39	105.80
25	BB	1330	C	N1-C2-N3	6.47	123.73	119.20
25	BB	1350	C	C3'-C2'-C1'	6.47	106.67	101.50
25	BB	1624	U	C5-C6-N1	-6.47	119.47	122.70
25	BB	1724	G	N3-C4-C5	-6.47	125.36	128.60
25	BB	1856	U	N3-C2-O2	-6.47	117.67	122.20
25	BB	2373	G	N1-C2-N3	6.47	127.78	123.90
25	BB	2527	C	N1-C2-O2	6.47	122.78	118.90
25	BB	2883	A	C5-C6-N1	6.47	120.94	117.70
1	AE	62	A	C5'-C4'-O4'	6.47	116.86	109.10
3	A1	271	C	C3'-C2'-C1'	6.47	106.67	101.50
3	A1	604	G	N7-C8-N9	6.47	116.33	113.10
3	A1	851	G	C2-N3-C4	6.47	115.13	111.90
3	A1	1109	C	N3-C4-N4	-6.47	113.47	118.00
15	AO	106	ARG	NH1-CZ-NH2	-6.47	112.29	119.40
25	BB	1314	C	C5'-C4'-C3'	-6.47	105.65	116.00
25	BB	2581	G	N3-C4-N9	6.47	129.88	126.00
3	A1	262	A	C5-N7-C8	-6.47	100.67	103.90
3	A1	656	G	N3-C4-C5	-6.47	125.37	128.60
3	A1	1064	G	N3-C2-N2	-6.47	115.37	119.90
3	A1	1176	A	C8-N9-C4	-6.47	103.21	105.80
25	BB	215	G	C5-C6-N1	6.47	114.73	111.50
25	BB	376	G	C5'-C4'-O4'	6.47	116.86	109.10
25	BB	1575	C	N3-C4-C5	6.47	124.49	121.90
25	BB	1773	A	C6-C5-N7	6.47	136.83	132.30
25	BB	2218	G	O4'-C1'-N9	6.47	113.37	108.20
25	BB	2233	U	C5'-C4'-O4'	6.47	116.86	109.10
25	BB	2249	U	C5-C6-N1	-6.47	119.47	122.70
25	BB	2558	C	C4-C5-C6	6.47	120.63	117.40
1	AA	17	U	C5'-C4'-O4'	6.46	116.86	109.10
3	A1	824	G	C6-N1-C2	-6.46	121.22	125.10
3	A1	835	U	C5-C4-O4	6.46	129.78	125.90
3	A1	1376	U	C4-C5-C6	6.46	123.58	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1130	U	C3'-C2'-C1'	6.46	106.67	101.50
25	BB	1501	G	O5'-P-OP1	6.46	118.46	110.70
25	BB	1635	A	C5-C6-N1	6.46	120.93	117.70
25	BB	2356	U	C1'-O4'-C4'	-6.46	104.73	109.90
25	BB	1207	C	O4'-C1'-N1	6.46	113.37	108.20
25	BB	2204	G	C8-N9-C4	-6.46	103.81	106.40
1	AP	27	C	C4-C5-C6	6.46	120.63	117.40
3	A1	114	U	C6-N1-C2	-6.46	117.12	121.00
3	A1	1129	C	N1-C2-O2	6.46	122.78	118.90
3	A1	1243	C	C4'-C3'-C2'	-6.46	96.14	102.60
3	A1	1406	U	C1'-O4'-C4'	-6.46	104.73	109.90
3	A1	1464	U	C5-C6-N1	-6.46	119.47	122.70
24	BA	19	C	C2-N3-C4	-6.46	116.67	119.90
25	BB	119	A	O4'-C1'-C2'	-6.46	99.34	105.80
25	BB	211	C	N3-C4-N4	-6.46	113.48	118.00
25	BB	362	A	C2-N3-C4	6.46	113.83	110.60
25	BB	1698	A	C4-C5-C6	-6.46	113.77	117.00
3	A1	119	A	C5-C6-N6	6.46	128.87	123.70
25	BB	18	U	C5-C6-N1	-6.46	119.47	122.70
25	BB	534	U	C4'-C3'-C2'	-6.46	96.14	102.60
25	BB	1166	G	N3-C2-N2	-6.46	115.38	119.90
25	BB	2658	C	O4'-C1'-N1	6.46	113.37	108.20
3	A1	1096	C	C2-N3-C4	-6.46	116.67	119.90
3	A1	1139	G	O4'-C1'-N9	6.46	113.37	108.20
3	A1	1520	C	O4'-C4'-C3'	6.46	111.27	106.10
24	BA	41	G	O4'-C1'-N9	6.46	113.37	108.20
25	BB	142	A	C2-N3-C4	6.46	113.83	110.60
25	BB	231	A	C5-C6-N6	6.46	128.87	123.70
25	BB	361	G	N1-C2-N3	6.46	127.78	123.90
25	BB	396	G	C5-C6-O6	6.46	132.47	128.60
25	BB	1013	C	O4'-C1'-N1	6.46	113.37	108.20
25	BB	1826	G	N3-C2-N2	-6.46	115.38	119.90
25	BB	2426	A	C5-C6-N1	6.46	120.93	117.70
25	BB	2501	C	C2-N3-C4	-6.46	116.67	119.90
25	BB	2698	U	C5-C6-N1	-6.46	119.47	122.70
25	BB	2850	A	N9-C4-C5	6.46	108.38	105.80
3	A1	408	A	N9-C4-C5	6.46	108.38	105.80
3	A1	647	C	N3-C4-C5	6.46	124.48	121.90
3	A1	709	U	C4'-C3'-C2'	-6.46	96.14	102.60
3	A1	773	G	C4'-C3'-C2'	-6.46	96.14	102.60
3	A1	932	C	C3'-C2'-C1'	6.46	106.67	101.50
5	AC	126	ARG	CD-NE-CZ	6.46	132.64	123.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	AD	65	TYR	CB-CG-CD2	-6.46	117.13	121.00
25	BB	254	G	N3-C2-N2	-6.46	115.38	119.90
25	BB	507	A	C4-C5-C6	-6.46	113.77	117.00
25	BB	616	A	N9-C4-C5	6.46	108.38	105.80
25	BB	655	A	C4-C5-N7	-6.46	107.47	110.70
25	BB	701	G	P-O3'-C3'	6.46	127.45	119.70
25	BB	1370	C	C6-N1-C2	-6.46	117.72	120.30
25	BB	1527	G	C4-C5-N7	-6.46	108.22	110.80
25	BB	1800	C	C5-C4-N4	6.46	124.72	120.20
25	BB	2418	A	N1-C2-N3	-6.46	126.07	129.30
3	A1	994	A	N7-C8-N9	6.46	117.03	113.80
25	BB	490	C	O4'-C1'-N1	6.46	113.36	108.20
25	BB	921	C	O4'-C4'-C3'	6.46	111.26	106.10
25	BB	929	U	C4'-C3'-C2'	-6.46	96.14	102.60
25	BB	2406	A	C4-C5-C6	-6.46	113.77	117.00
3	A1	68	G	O4'-C1'-N9	6.45	113.36	108.20
3	A1	181	A	C1'-O4'-C4'	-6.45	104.74	109.90
3	A1	276	G	C5-N7-C8	-6.45	101.07	104.30
3	A1	593	U	C5'-C4'-C3'	-6.45	105.67	116.00
3	A1	926	G	C4-C5-N7	-6.45	108.22	110.80
3	A1	1223	C	C2-N3-C4	-6.45	116.67	119.90
3	A1	1405	G	C5-C6-N1	6.45	114.73	111.50
25	BB	165	A	C6-C5-N7	6.45	136.82	132.30
25	BB	489	G	P-O3'-C3'	6.45	127.44	119.70
25	BB	628	G	C5-N7-C8	-6.45	101.07	104.30
25	BB	1012	U	C5-C6-N1	-6.45	119.47	122.70
25	BB	1042	G	C6-C5-N7	6.45	134.27	130.40
25	BB	2199	A	C5-C6-N1	6.45	120.93	117.70
25	BB	2484	G	C4-C5-N7	6.45	113.38	110.80
3	A1	275	G	N1-C6-O6	-6.45	116.03	119.90
3	A1	1278	G	N3-C4-C5	-6.45	125.37	128.60
21	AV	116	ARG	NH1-CZ-NH2	-6.45	112.30	119.40
25	BB	798	G	C5'-C4'-O4'	6.45	116.84	109.10
25	BB	1604	C	N1-C2-O2	6.45	122.77	118.90
25	BB	1657	U	C2-N3-C4	-6.45	123.13	127.00
25	BB	2065	C	N1-C1'-C2'	6.45	122.39	114.00
25	BB	2528	U	C2-N3-C4	-6.45	123.13	127.00
25	BB	2626	C	C6-N1-C2	-6.45	117.72	120.30
3	A1	58	C	C5'-C4'-C3'	-6.45	105.68	116.00
3	A1	121	U	N1-C2-N3	6.45	118.77	114.90
3	A1	629	A	N7-C8-N9	6.45	117.03	113.80
3	A1	770	C	O4'-C1'-N1	6.45	113.36	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1180	A	C4-C5-C6	-6.45	113.78	117.00
24	BA	34	A	C4'-C3'-C2'	-6.45	96.15	102.60
25	BB	165	A	C8-N9-C4	-6.45	103.22	105.80
25	BB	407	G	N3-C4-C5	-6.45	125.38	128.60
25	BB	1106	G	C5-C6-O6	6.45	132.47	128.60
25	BB	2156	G	N7-C8-N9	6.45	116.33	113.10
1	AA	2	C	N3-C4-C5	-6.45	119.32	121.90
3	A1	200	G	N3-C2-N2	-6.45	115.39	119.90
3	A1	553	A	C2-N3-C4	6.45	113.83	110.60
3	A1	1372	U	O4'-C1'-N1	6.45	113.36	108.20
10	AI	56	ARG	NE-CZ-NH2	6.45	123.52	120.30
25	BB	10	A	C5-C6-N6	6.45	128.86	123.70
25	BB	440	C	C5'-C4'-O4'	6.45	116.84	109.10
25	BB	478	A	C6-C5-N7	6.45	136.81	132.30
25	BB	581	C	O4'-C1'-N1	6.45	113.36	108.20
25	BB	1843	C	O4'-C4'-C3'	6.45	111.26	106.10
3	A1	964	A	C6-C5-N7	6.45	136.81	132.30
3	A1	999	C	N3-C4-C5	6.45	124.48	121.90
25	BB	977	G	N3-C4-C5	-6.45	125.38	128.60
25	BB	1748	C	C2-N3-C4	-6.45	116.68	119.90
1	AA	60	C	N1-C2-O2	6.45	122.77	118.90
1	AP	66	A	N7-C8-N9	6.45	117.02	113.80
3	A1	727	G	N7-C8-N9	6.45	116.32	113.10
24	BA	25	U	C6-N1-C2	-6.45	117.13	121.00
25	BB	761	A	C5-C6-N6	6.45	128.86	123.70
25	BB	838	C	C5-C6-N1	-6.45	117.78	121.00
25	BB	924	G	N1-C6-O6	-6.45	116.03	119.90
25	BB	1091	G	N9-C4-C5	6.45	107.98	105.40
25	BB	1917	U	C4'-C3'-C2'	6.45	109.05	102.60
25	BB	2851	A	C5-C6-N6	6.45	128.86	123.70
48	BY	33	ARG	CD-NE-CZ	6.45	132.62	123.60
3	A1	497	G	C5-C6-O6	6.44	132.47	128.60
3	A1	660	C	N1-C2-O2	6.44	122.77	118.90
3	A1	777	A	C2-N3-C4	6.44	113.82	110.60
24	BA	16	G	O4'-C1'-N9	6.44	113.36	108.20
25	BB	302	C	C1'-O4'-C4'	-6.44	104.75	109.90
25	BB	323	C	N1-C2-O2	6.44	122.77	118.90
25	BB	487	C	C6-N1-C2	-6.44	117.72	120.30
25	BB	999	U	O4'-C1'-N1	6.44	113.36	108.20
27	BD	49	ARG	NH1-CZ-NH2	-6.44	112.31	119.40
1	AA	36	A	N1-C6-N6	-6.44	114.73	118.60
3	A1	500	G	N1-C6-O6	-6.44	116.03	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	697	U	O4'-C1'-N1	6.44	113.35	108.20
3	A1	734	G	C6-N1-C2	-6.44	121.23	125.10
3	A1	1201	A	O5'-P-OP2	-6.44	99.90	105.70
3	A1	1415	G	C5'-C4'-C3'	-6.44	105.69	116.00
24	BA	96	G	N1-C2-N2	6.44	122.00	116.20
25	BB	182	A	C6-C5-N7	6.44	136.81	132.30
25	BB	684	G	N1-C6-O6	-6.44	116.03	119.90
25	BB	737	C	N1-C2-O2	6.44	122.77	118.90
25	BB	1136	G	C3'-C2'-C1'	6.44	106.65	101.50
25	BB	1812	U	C4-C5-C6	6.44	123.57	119.70
25	BB	2621	G	C4-C5-N7	-6.44	108.22	110.80
37	BN	176	ARG	NH1-CZ-NH2	-6.44	112.31	119.40
3	A1	54	C	C4-C5-C6	6.44	120.62	117.40
3	A1	450	G	C5-C6-N1	6.44	114.72	111.50
3	A1	1259	C	N3-C2-O2	-6.44	117.39	121.90
24	BA	69	G	N7-C8-N9	6.44	116.32	113.10
25	BB	537	G	N7-C8-N9	6.44	116.32	113.10
25	BB	1657	U	C5-C6-N1	-6.44	119.48	122.70
25	BB	1981	A	C2'-C3'-O3'	6.44	124.00	113.70
25	BB	2300	C	O4'-C1'-C2'	6.44	113.40	107.60
25	BB	2347	C	C6-N1-C2	-6.44	117.72	120.30
25	BB	2474	U	C2-N3-C4	-6.44	123.14	127.00
3	A1	638	U	C5'-C4'-C3'	-6.44	105.70	116.00
3	A1	1027	C	N3-C4-N4	-6.44	113.49	118.00
3	A1	1450	U	O4'-C4'-C3'	6.44	111.25	106.10
25	BB	98	G	C8-N9-C1'	6.44	135.37	127.00
25	BB	823	C	N1-C2-O2	6.44	122.76	118.90
25	BB	1611	C	C5'-C4'-O4'	6.44	116.83	109.10
25	BB	1786	A	C8-N9-C4	-6.44	103.22	105.80
25	BB	2379	G	C5-C6-N1	6.44	114.72	111.50
25	BB	2683	C	C6-N1-C2	-6.44	117.72	120.30
27	BD	35	VAL	C-N-CA	6.44	135.82	122.30
3	A1	808	C	C3'-C2'-C1'	6.44	106.65	101.50
24	BA	33	G	C6-N1-C2	-6.44	121.24	125.10
25	BB	4	U	C5-C6-N1	-6.44	119.48	122.70
25	BB	86	G	C8-N9-C4	-6.44	103.83	106.40
25	BB	312	G	N1-C6-O6	-6.44	116.04	119.90
25	BB	1616	A	C3'-C2'-C1'	6.44	106.65	101.50
25	BB	2236	U	N3-C4-O4	6.44	123.91	119.40
25	BB	2268	A	O4'-C1'-N9	-6.44	103.05	108.20
25	BB	2794	C	C3'-C2'-C1'	6.44	106.65	101.50
50	B1	193	VAL	CA-CB-CG1	6.44	120.56	110.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	587	G	N1-C6-O6	-6.44	116.04	119.90
25	BB	163	C	N3-C4-N4	-6.44	113.50	118.00
25	BB	1496	A	C5-C6-N6	6.44	128.85	123.70
25	BB	2595	G	C5-C6-O6	-6.44	124.74	128.60
25	BB	2751	G	N1-C6-O6	-6.44	116.04	119.90
37	BN	268	ARG	NE-CZ-NH2	-6.44	117.08	120.30
3	A1	295	C	C5-C4-N4	6.43	124.70	120.20
3	A1	313	A	C6-C5-N7	6.43	136.80	132.30
3	A1	353	A	C4'-C3'-C2'	-6.43	96.17	102.60
3	A1	390	U	C1'-O4'-C4'	-6.43	104.75	109.90
3	A1	589	U	C3'-C2'-C1'	-6.43	96.35	101.50
3	A1	607	A	O4'-C4'-C3'	6.43	111.25	106.10
3	A1	1226	C	C6-N1-C2	-6.43	117.73	120.30
25	BB	341	C	N1-C2-N3	6.43	123.70	119.20
25	BB	421	C	C1'-O4'-C4'	-6.43	104.75	109.90
25	BB	421	C	C4'-C3'-C2'	-6.43	96.17	102.60
25	BB	467	G	N1-C2-N3	6.43	127.76	123.90
25	BB	636	G	N1-C6-O6	-6.43	116.04	119.90
25	BB	675	A	C1'-O4'-C4'	-6.43	104.75	109.90
25	BB	2222	C	O3'-P-O5'	-6.43	91.77	104.00
25	BB	2413	G	N3-C2-N2	-6.43	115.40	119.90
3	A1	154	U	C4-C5-C6	6.43	123.56	119.70
3	A1	530	G	C6-N1-C2	-6.43	121.24	125.10
3	A1	1116	U	N1-C2-N3	6.43	118.76	114.90
3	A1	1515	G	N7-C8-N9	6.43	116.32	113.10
25	BB	471	A	C2-N3-C4	6.43	113.82	110.60
25	BB	883	G	C4-C5-N7	-6.43	108.23	110.80
25	BB	911	A	C5-C6-N6	6.43	128.85	123.70
25	BB	1206	G	C5'-C4'-C3'	-6.43	105.71	116.00
25	BB	1728	C	C4-C5-C6	-6.43	114.18	117.40
25	BB	2084	C	N3-C4-C5	6.43	124.47	121.90
25	BB	2682	A	C6-C5-N7	6.43	136.80	132.30
3	A1	586	C	N3-C4-C5	6.43	124.47	121.90
25	BB	698	C	N3-C2-O2	-6.43	117.40	121.90
25	BB	791	C	C5'-C4'-C3'	-6.43	105.71	116.00
25	BB	873	C	C5-C4-N4	6.43	124.70	120.20
1	AE	19	G	N3-C4-N9	-6.43	122.14	126.00
3	A1	36	C	C3'-C2'-C1'	6.43	106.64	101.50
3	A1	75	G	N3-C4-N9	6.43	129.86	126.00
3	A1	102	G	N3-C4-N9	6.43	129.86	126.00
3	A1	327	A	C6-N1-C2	-6.43	114.74	118.60
3	A1	651	C	N1-C1'-C2'	6.43	122.36	114.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1017	U	C3'-C2'-C1'	-6.43	96.36	101.50
24	BA	28	C	N1-C2-O2	6.43	122.76	118.90
24	BA	63	C	O4'-C1'-N1	6.43	113.34	108.20
25	BB	295	G	C5-C6-N1	6.43	114.72	111.50
25	BB	336	C	N1-C2-O2	6.43	122.76	118.90
25	BB	779	U	O4'-C1'-N1	6.43	113.34	108.20
25	BB	784	G	N1-C6-O6	-6.43	116.04	119.90
25	BB	1432	G	N1-C6-O6	-6.43	116.04	119.90
25	BB	1480	C	N3-C4-C5	6.43	124.47	121.90
25	BB	1706	C	C2-N3-C4	-6.43	116.69	119.90
25	BB	2325	G	C4'-C3'-C2'	-6.43	96.17	102.60
25	BB	2808	G	N1-C6-O6	-6.43	116.04	119.90
1	AE	66	A	C6-C5-N7	6.43	136.80	132.30
3	A1	1465	A	N7-C8-N9	6.43	117.01	113.80
25	BB	86	G	N1-C6-O6	-6.43	116.04	119.90
25	BB	1379	U	C1'-O4'-C4'	-6.43	104.76	109.90
25	BB	1528	A	C5'-C4'-O4'	6.43	116.81	109.10
25	BB	2089	C	C5'-C4'-O4'	6.43	116.81	109.10
25	BB	2213	U	O4'-C4'-C3'	6.43	111.24	106.10
3	A1	53	A	N1-C6-N6	-6.43	114.74	118.60
3	A1	94	G	C5-C6-O6	6.43	132.46	128.60
3	A1	359	G	C5-N7-C8	-6.43	101.09	104.30
3	A1	948	C	N3-C2-O2	-6.43	117.40	121.90
3	A1	1388	C	O4'-C4'-C3'	6.43	111.24	106.10
25	BB	1239	G	N3-C4-N9	6.43	129.85	126.00
25	BB	1246	A	C5-C6-N1	6.43	120.91	117.70
25	BB	1301	A	C2-N3-C4	6.43	113.81	110.60
25	BB	1309	G	P-O3'-C3'	6.43	127.41	119.70
25	BB	2298	A	C4-C5-C6	-6.43	113.79	117.00
25	BB	2532	G	C6-C5-N7	6.43	134.25	130.40
1	AP	68	U	C5-C6-N1	-6.42	119.49	122.70
3	A1	77	A	C3'-C2'-C1'	6.42	106.64	101.50
3	A1	578	C	N1-C2-N3	6.42	123.70	119.20
3	A1	1018	G	O4'-C1'-N9	6.42	113.34	108.20
3	A1	1024	G	C6-N1-C2	-6.42	121.25	125.10
3	A1	1115	U	C2-N3-C4	-6.42	123.14	127.00
3	A1	1374	A	C5'-C4'-O4'	6.42	116.81	109.10
24	BA	27	C	N1-C2-N3	6.42	123.70	119.20
25	BB	17	G	O4'-C4'-C3'	6.42	111.24	106.10
25	BB	159	G	C5-N7-C8	-6.42	101.09	104.30
25	BB	398	C	C1'-O4'-C4'	-6.42	104.76	109.90
25	BB	1250	G	C6-N1-C2	-6.42	121.25	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AP	58	A	C5-C6-N6	6.42	128.84	123.70
4	AB	198	VAL	CA-CB-CG2	6.42	120.53	110.90
24	BA	20	G	C6-C5-N7	6.42	134.25	130.40
25	BB	185	G	N9-C4-C5	6.42	107.97	105.40
25	BB	304	U	C5-C4-O4	6.42	129.75	125.90
25	BB	348	A	O4'-C1'-N9	6.42	113.34	108.20
25	BB	1299	G	C5'-C4'-O4'	-6.42	101.39	109.10
25	BB	1770	G	C4-C5-N7	-6.42	108.23	110.80
25	BB	2420	C	C3'-C2'-C1'	6.42	106.64	101.50
3	A1	394	G	C5'-C4'-O4'	6.42	116.81	109.10
3	A1	835	U	C4'-C3'-C2'	-6.42	96.18	102.60
3	A1	1032	G	N3-C4-C5	-6.42	125.39	128.60
3	A1	1071	C	N3-C2-O2	-6.42	117.41	121.90
25	BB	134	G	N3-C4-C5	-6.42	125.39	128.60
25	BB	221	A	C4-C5-C6	-6.42	113.79	117.00
25	BB	918	A	O4'-C1'-C2'	-6.42	99.38	105.80
25	BB	2277	G	C6-N1-C2	-6.42	121.25	125.10
25	BB	2464	G	N1-C6-O6	-6.42	116.05	119.90
3	A1	1006	G	C4-C5-C6	-6.42	114.95	118.80
24	BA	80	U	C5-C6-N1	-6.42	119.49	122.70
25	BB	254	G	N1-C2-N3	6.42	127.75	123.90
25	BB	322	A	C3'-C2'-C1'	6.42	106.64	101.50
25	BB	1990	C	N3-C4-C5	6.42	124.47	121.90
25	BB	2693	G	C5-C6-N1	6.42	114.71	111.50
1	AA	11	C	N3-C4-C5	6.42	124.47	121.90
1	AE	8	U	N1-C2-N3	6.42	118.75	114.90
3	A1	988	G	N3-C2-N2	-6.42	115.41	119.90
3	A1	1492	A	C5-C6-N6	6.42	128.83	123.70
15	AO	10	ARG	NH1-CZ-NH2	-6.42	112.34	119.40
17	AR	43	ARG	NE-CZ-NH1	6.42	123.51	120.30
25	BB	329	G	C8-N9-C4	-6.42	103.83	106.40
25	BB	470	A	C6-C5-N7	6.42	136.79	132.30
25	BB	536	G	C4-C5-N7	-6.42	108.23	110.80
25	BB	1917	U	N3-C2-O2	-6.42	117.71	122.20
25	BB	2208	C	N3-C4-C5	6.42	124.47	121.90
1	AP	46	G	N9-C4-C5	6.42	107.97	105.40
1	AE	63	C	N3-C4-C5	6.42	124.47	121.90
2	AM	13	U	C6-N1-C2	-6.42	117.15	121.00
3	A1	1230	C	N3-C2-O2	-6.42	117.41	121.90
3	A1	1256	A	C6-C5-N7	6.42	136.79	132.30
3	A1	1421	G	N3-C4-C5	-6.42	125.39	128.60
25	BB	319	G	O4'-C1'-N9	6.42	113.33	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	880	G	N1-C2-N3	6.42	127.75	123.90
25	BB	1830	C	N3-C4-C5	6.42	124.47	121.90
25	BB	2065	C	N1-C2-O2	6.42	122.75	118.90
25	BB	2204	G	N1-C6-O6	-6.42	116.05	119.90
25	BB	2400	G	C8-N9-C4	-6.42	103.83	106.40
1	AA	57	G	C8-N9-C4	-6.42	103.83	106.40
3	A1	1500	A	C4-C5-C6	-6.42	113.79	117.00
25	BB	975	A	C6-C5-N7	6.42	136.79	132.30
25	BB	1547	C	C3'-C2'-C1'	6.42	106.63	101.50
25	BB	1758	U	N3-C2-O2	-6.42	117.71	122.20
25	BB	2082	A	C5'-C4'-O4'	6.42	116.80	109.10
1	AE	28	C	C2-N3-C4	-6.41	116.69	119.90
3	A1	411	A	C3'-C2'-C1'	6.41	106.63	101.50
3	A1	873	A	C5-C6-N1	6.41	120.91	117.70
24	BA	51	G	C4-C5-C6	-6.41	114.95	118.80
25	BB	2	G	P-O3'-C3'	6.41	127.40	119.70
25	BB	12	U	N3-C4-O4	6.41	123.89	119.40
25	BB	141	G	C4-C5-C6	-6.41	114.95	118.80
25	BB	1142	A	C4-C5-C6	-6.41	113.79	117.00
25	BB	1161	C	N1-C2-O2	6.41	122.75	118.90
25	BB	1703	G	C2-N3-C4	6.41	115.11	111.90
25	BB	1752	C	C3'-C2'-C1'	6.41	106.63	101.50
25	BB	1892	C	C5-C6-N1	-6.41	117.79	121.00
25	BB	2400	G	C1'-O4'-C4'	6.41	115.03	109.90
3	A1	329	A	C1'-O4'-C4'	-6.41	104.77	109.90
3	A1	436	C	N1-C2-O2	6.41	122.75	118.90
25	BB	290	U	C5-C6-N1	-6.41	119.49	122.70
3	A1	163	C	C5-C6-N1	-6.41	117.79	121.00
3	A1	962	C	C5'-C4'-O4'	6.41	116.79	109.10
3	A1	978	A	C5-N7-C8	-6.41	100.69	103.90
3	A1	1502	A	C6-C5-N7	6.41	136.79	132.30
25	BB	1156	A	O4'-C1'-C2'	-6.41	99.39	105.80
25	BB	1493	C	C5-C4-N4	-6.41	115.71	120.20
25	BB	1621	U	C2-N1-C1'	6.41	125.39	117.70
25	BB	1667	G	C5-C6-O6	6.41	132.45	128.60
25	BB	2198	A	C4-C5-C6	-6.41	113.80	117.00
25	BB	2387	U	C1'-O4'-C4'	-6.41	104.77	109.90
25	BB	2830	C	N3-C2-O2	-6.41	117.41	121.90
15	AO	126	ARG	NE-CZ-NH2	-6.41	117.10	120.30
25	BB	175	G	N1-C6-O6	-6.41	116.05	119.90
25	BB	299	A	C5'-C4'-O4'	6.41	116.79	109.10
25	BB	348	A	C4-C5-C6	-6.41	113.80	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	534	U	N3-C2-O2	-6.41	117.71	122.20
25	BB	604	G	N1-C2-N3	6.41	127.75	123.90
25	BB	1016	G	N1-C2-N2	6.41	121.97	116.20
25	BB	1305	C	N3-C4-C5	6.41	124.46	121.90
25	BB	1618	A	O4'-C1'-N9	6.41	113.33	108.20
25	BB	1956	U	C4-C5-C6	6.41	123.55	119.70
25	BB	2047	C	N3-C4-N4	-6.41	113.51	118.00
25	BB	2553	G	N1-C6-O6	-6.41	116.06	119.90
3	A1	73	C	N1-C2-N3	6.41	123.69	119.20
3	A1	791	G	C5-N7-C8	-6.41	101.10	104.30
3	A1	1232	U	C5-C4-O4	6.41	129.74	125.90
3	A1	1245	C	N3-C2-O2	-6.41	117.42	121.90
3	A1	1324	A	O4'-C1'-N9	6.41	113.33	108.20
1	AP	37	G	C2-N3-C4	-6.41	108.70	111.90
3	A1	378	G	C5-C6-N1	6.41	114.70	111.50
3	A1	535	A	C4-C5-C6	-6.41	113.80	117.00
3	A1	563	A	C8-N9-C4	-6.41	103.24	105.80
3	A1	1145	A	O4'-C1'-N9	6.41	113.32	108.20
3	A1	1302	C	C3'-C2'-C1'	6.41	106.62	101.50
17	AR	183	ARG	NE-CZ-NH1	6.41	123.50	120.30
25	BB	1	G	N9-C4-C5	6.41	107.96	105.40
25	BB	1162	G	C5-C6-O6	6.41	132.44	128.60
25	BB	1216	G	C5'-C4'-O4'	6.41	116.79	109.10
25	BB	1265	A	O4'-C1'-N9	6.41	113.32	108.20
25	BB	1298	C	C2-N3-C4	-6.41	116.70	119.90
25	BB	2333	A	C2-N3-C4	6.41	113.80	110.60
25	BB	2389	G	C8-N9-C4	-6.41	103.84	106.40
1	AE	69	U	C5'-C4'-O4'	6.40	116.78	109.10
3	A1	23	C	N1-C2-N3	6.40	123.68	119.20
3	A1	224	U	C2'-C3'-O3'	6.40	123.95	113.70
3	A1	238	A	N1-C2-N3	-6.40	126.10	129.30
3	A1	865	A	C5-N7-C8	-6.40	100.70	103.90
3	A1	1033	G	N9-C4-C5	6.40	107.96	105.40
3	A1	1198	G	C8-N9-C4	-6.40	103.84	106.40
3	A1	1346	A	C5'-C4'-O4'	6.40	116.78	109.10
25	BB	806	C	N3-C2-O2	-6.40	117.42	121.90
25	BB	845	A	C5-N7-C8	-6.40	100.70	103.90
25	BB	1192	G	C5-C6-N1	6.40	114.70	111.50
1	AE	34	G	N7-C8-N9	6.40	116.30	113.10
3	A1	418	C	C5'-C4'-O4'	6.40	116.78	109.10
3	A1	553	A	N9-C4-C5	-6.40	103.24	105.80
7	AF	2	ARG	NE-CZ-NH2	-6.40	117.10	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	54	G	C8-N9-C4	-6.40	103.84	106.40
25	BB	784	G	C5-C6-N1	6.40	114.70	111.50
25	BB	1711	A	C5-C6-N1	6.40	120.90	117.70
25	BB	1856	U	C5-C6-N1	-6.40	119.50	122.70
25	BB	2036	C	N3-C4-N4	-6.40	113.52	118.00
25	BB	2248	C	O4'-C1'-N1	6.40	113.32	108.20
25	BB	2657	A	C2-N3-C4	6.40	113.80	110.60
1	AA	74	C	N1-C2-O2	6.40	122.74	118.90
1	AP	31	A	C4'-C3'-O3'	6.40	125.80	113.00
3	A1	281	G	C6-N1-C2	-6.40	121.26	125.10
3	A1	424	G	N7-C8-N9	6.40	116.30	113.10
3	A1	699	C	C3'-C2'-C1'	6.40	106.62	101.50
3	A1	849	G	C5-N7-C8	-6.40	101.10	104.30
3	A1	1213	A	C5-C6-N1	6.40	120.90	117.70
3	A1	1258	G	C5'-C4'-C3'	-6.40	105.76	116.00
24	BA	35	C	N3-C2-O2	-6.40	117.42	121.90
25	BB	321	U	C1'-O4'-C4'	-6.40	104.78	109.90
25	BB	406	G	N1-C2-N3	6.40	127.74	123.90
25	BB	480	A	C5'-C4'-C3'	-6.40	105.76	116.00
25	BB	797	G	N1-C2-N3	6.40	127.74	123.90
25	BB	863	A	C2-N3-C4	6.40	113.80	110.60
25	BB	1929	G	C1'-O4'-C4'	-6.40	104.78	109.90
25	BB	2247	A	C5-N7-C8	-6.40	100.70	103.90
25	BB	546	U	C2-N3-C4	-6.40	123.16	127.00
25	BB	867	C	C5-C6-N1	-6.40	117.80	121.00
1	AA	29	A	O4'-C1'-N9	6.40	113.32	108.20
1	AA	48	C	N3-C4-N4	-6.40	113.52	118.00
1	AE	20	G	C4-C5-C6	-6.40	114.96	118.80
3	A1	158	G	C8-N9-C4	-6.40	103.84	106.40
3	A1	271	C	C2-N3-C4	-6.40	116.70	119.90
3	A1	344	A	O5'-P-OP2	-6.40	99.94	105.70
3	A1	577	G	C4-C5-N7	6.40	113.36	110.80
22	AW	94	ARG	NE-CZ-NH1	6.40	123.50	120.30
25	BB	190	A	C6-C5-N7	6.40	136.78	132.30
25	BB	265	A	C4'-C3'-C2'	-6.40	96.20	102.60
25	BB	1474	U	C5-C6-N1	-6.40	119.50	122.70
25	BB	1907	G	N3-C4-N9	-6.40	122.16	126.00
25	BB	1939	U	P-O3'-C3'	6.40	127.38	119.70
25	BB	1959	G	O4'-C4'-C3'	6.40	111.22	106.10
25	BB	2330	G	C5-C6-O6	6.40	132.44	128.60
25	BB	2466	C	C5'-C4'-C3'	-6.40	105.76	116.00
25	BB	2657	A	N1-C2-N3	-6.40	126.10	129.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	346	G	N9-C4-C5	6.40	107.96	105.40
3	A1	1167	A	O4'-C1'-N9	6.40	113.32	108.20
25	BB	60	G	N1-C6-O6	-6.40	116.06	119.90
25	BB	153	U	N1-C2-N3	6.40	118.74	114.90
25	BB	684	G	C8-N9-C4	-6.40	103.84	106.40
25	BB	891	G	C6-C5-N7	6.40	134.24	130.40
25	BB	972	A	C5'-C4'-O4'	6.40	116.78	109.10
25	BB	983	A	C4-C5-C6	-6.40	113.80	117.00
25	BB	1475	G	N1-C6-O6	-6.40	116.06	119.90
25	BB	2662	A	C4'-C3'-C2'	-6.40	96.20	102.60
25	BB	2683	C	C5'-C4'-O4'	6.40	116.78	109.10
1	AA	54	U	N3-C2-O2	-6.39	117.72	122.20
1	AP	57	G	O4'-C1'-N9	6.39	113.31	108.20
3	A1	44	A	C5-N7-C8	-6.39	100.70	103.90
3	A1	476	U	C5'-C4'-O4'	6.39	116.77	109.10
3	A1	628	G	O4'-C1'-C2'	6.39	113.36	107.60
24	BA	7	G	C5-C6-N1	6.39	114.70	111.50
25	BB	239	C	N1-C2-N3	6.39	123.68	119.20
25	BB	1021	A	N3-C4-N9	-6.39	122.28	127.40
25	BB	2868	A	C2-N3-C4	6.39	113.80	110.60
41	BR	37	ARG	CD-NE-CZ	6.39	132.55	123.60
42	BS	49	ARG	NH1-CZ-NH2	-6.39	112.37	119.40
1	AE	10	G	C8-N9-C4	-6.39	103.84	106.40
3	A1	153	C	N1-C2-N3	6.39	123.67	119.20
3	A1	876	C	N3-C2-O2	-6.39	117.42	121.90
3	A1	907	A	N1-C2-N3	-6.39	126.10	129.30
25	BB	142	A	C4-C5-C6	-6.39	113.80	117.00
25	BB	168	G	C4-C5-N7	-6.39	108.24	110.80
25	BB	1028	A	N9-C4-C5	6.39	108.36	105.80
25	BB	1317	G	N3-C4-C5	-6.39	125.40	128.60
25	BB	1545	A	O4'-C4'-C3'	6.39	111.22	106.10
25	BB	2118	U	C4-C5-C6	6.39	123.54	119.70
25	BB	2469	A	O3'-P-O5'	6.39	116.15	104.00
25	BB	2619	C	C6-N1-C2	-6.39	117.74	120.30
3	A1	186	C	C6-N1-C2	-6.39	117.74	120.30
3	A1	783	C	C6-N1-C2	-6.39	117.74	120.30
3	A1	883	C	O4'-C1'-N1	6.39	113.31	108.20
3	A1	1426	G	C5-C6-N1	6.39	114.69	111.50
3	A1	1439	G	C4-C5-N7	-6.39	108.24	110.80
19	AT	79	ARG	NE-CZ-NH2	6.39	123.50	120.30
25	BB	653	U	O4'-C1'-C2'	-6.39	99.41	105.80
3	A1	109	A	N7-C8-N9	6.39	117.00	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	713	G	O4'-C4'-C3'	-6.39	97.61	104.00
3	A1	746	A	C6-C5-N7	6.39	136.77	132.30
3	A1	748	G	C3'-C2'-C1'	-6.39	96.39	101.50
3	A1	830	G	C5-C6-N1	6.39	114.69	111.50
3	A1	984	C	C5-C4-N4	6.39	124.67	120.20
3	A1	1024	G	N1-C2-N3	6.39	127.73	123.90
3	A1	1310	G	C5-C6-N1	6.39	114.69	111.50
3	A1	1329	A	C4-C5-C6	-6.39	113.81	117.00
17	AR	19	PHE	CB-CG-CD2	-6.39	116.33	120.80
24	BA	34	A	C6-N1-C2	-6.39	114.77	118.60
25	BB	180	G	C3'-C2'-C1'	6.39	106.61	101.50
25	BB	317	G	C6-N1-C2	-6.39	121.27	125.10
25	BB	668	A	C6-C5-N7	6.39	136.77	132.30
25	BB	1237	A	C2-N3-C4	6.39	113.79	110.60
25	BB	1960	A	O5'-P-OP1	-6.39	99.95	105.70
25	BB	2237	G	N1-C2-N3	6.39	127.73	123.90
3	A1	903	G	C8-N9-C4	-6.39	103.84	106.40
3	A1	1405	G	N1-C2-N3	6.39	127.73	123.90
24	BA	6	G	N3-C2-N2	-6.39	115.43	119.90
25	BB	1955	U	O4'-C1'-C2'	-6.39	99.41	105.80
25	BB	2139	U	C5-C6-N1	-6.39	119.51	122.70
25	BB	2360	G	C1'-O4'-C4'	-6.39	104.79	109.90
25	BB	2494	G	C5-C6-N1	6.39	114.69	111.50
36	BM	12	ARG	CD-NE-CZ	6.39	132.54	123.60
1	AA	1	G	C3'-C2'-C1'	6.39	106.61	101.50
1	AP	65	G	N1-C2-N3	6.39	127.73	123.90
3	A1	159	G	O5'-P-OP1	-6.39	99.95	105.70
3	A1	373	A	C5'-C4'-O4'	6.39	116.76	109.10
3	A1	388	G	N3-C4-N9	6.39	129.83	126.00
3	A1	576	C	N3-C4-C5	6.39	124.45	121.90
3	A1	584	G	N3-C4-C5	-6.39	125.41	128.60
15	AO	163	ARG	NE-CZ-NH2	6.39	123.49	120.30
25	BB	212	G	O4'-C4'-C3'	6.39	111.21	106.10
25	BB	309	A	C6-C5-N7	6.39	136.77	132.30
25	BB	1209	U	C4'-C3'-C2'	-6.39	96.21	102.60
25	BB	1384	A	N1-C6-N6	-6.39	114.77	118.60
25	BB	1902	C	C1'-O4'-C4'	-6.39	104.79	109.90
25	BB	2626	C	N3-C4-N4	6.39	122.47	118.00
25	BB	2701	U	N3-C4-O4	6.39	123.87	119.40
25	BB	2803	G	C5-N7-C8	-6.39	101.11	104.30
1	AE	61	C	N1-C2-O2	6.38	122.73	118.90
3	A1	434	U	C3'-C2'-C1'	-6.38	96.39	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	910	C	P-O3'-C3'	6.38	127.36	119.70
3	A1	1424	U	N3-C2-O2	-6.38	117.73	122.20
25	BB	864	G	C3'-C2'-C1'	-6.38	96.39	101.50
25	BB	1011	G	N3-C2-N2	-6.38	115.43	119.90
25	BB	1168	G	C6-N1-C2	-6.38	121.27	125.10
25	BB	1180	U	N3-C2-O2	-6.38	117.73	122.20
25	BB	1491	G	N9-C4-C5	6.38	107.95	105.40
25	BB	345	A	C5'-C4'-C3'	-6.38	105.79	116.00
25	BB	1353	A	C4-C5-C6	-6.38	113.81	117.00
25	BB	1798	U	N3-C2-O2	-6.38	117.73	122.20
25	BB	2230	G	N9-C4-C5	6.38	107.95	105.40
1	AE	5	A	C5'-C4'-O4'	6.38	116.76	109.10
3	A1	125	U	C5-C6-N1	-6.38	119.51	122.70
3	A1	730	G	N1-C2-N2	6.38	121.94	116.20
3	A1	1073	U	C4-C5-C6	6.38	123.53	119.70
3	A1	1493	A	C1'-O4'-C4'	6.38	115.00	109.90
24	BA	97	C	O4'-C1'-N1	-6.38	103.09	108.20
25	BB	739	A	C5-C6-N1	6.38	120.89	117.70
25	BB	1548	A	N1-C2-N3	-6.38	126.11	129.30
25	BB	1746	A	OP1-P-OP2	-6.38	110.03	119.60
25	BB	1834	U	C4-C5-C6	6.38	123.53	119.70
25	BB	1908	C	C4-C5-C6	6.38	120.59	117.40
25	BB	2319	G	C5-C6-N1	6.38	114.69	111.50
25	BB	2598	A	C4-C5-C6	-6.38	113.81	117.00
25	BB	2650	U	N1-C2-N3	6.38	118.73	114.90
25	BB	2869	G	N1-C2-N3	6.38	127.73	123.90
3	A1	71	A	C6-C5-N7	6.38	136.77	132.30
25	BB	460	A	N1-C6-N6	-6.38	114.77	118.60
25	BB	531	C	N3-C4-C5	6.38	124.45	121.90
25	BB	1894	C	C1'-O4'-C4'	-6.38	104.80	109.90
25	BB	2417	C	N3-C4-C5	6.38	124.45	121.90
3	A1	750	C	C2-N3-C4	-6.38	116.71	119.90
3	A1	931	C	C4'-C3'-C2'	-6.38	96.22	102.60
25	BB	126	A	C4'-C3'-C2'	-6.38	96.22	102.60
25	BB	541	A	C1'-O4'-C4'	-6.38	104.80	109.90
25	BB	901	C	N1-C2-O2	6.38	122.73	118.90
25	BB	1334	G	C5-C6-N1	6.38	114.69	111.50
25	BB	1890	A	C5-C6-N6	6.38	128.80	123.70
25	BB	1948	G	O5'-P-OP1	-6.38	99.96	105.70
25	BB	2540	C	N3-C4-C5	6.38	124.45	121.90
25	BB	2897	U	C5-C6-N1	-6.38	119.51	122.70
3	A1	200	G	N1-C6-O6	-6.38	116.08	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	603	U	C5-C6-N1	-6.38	119.51	122.70
3	A1	698	G	N3-C4-C5	-6.38	125.41	128.60
3	A1	1243	C	C6-N1-C2	-6.38	117.75	120.30
3	A1	1367	C	N3-C2-O2	-6.38	117.44	121.90
3	A1	1385	G	C5-C6-O6	6.38	132.43	128.60
25	BB	360	U	C5-C6-N1	-6.38	119.51	122.70
25	BB	645	C	C4-C5-C6	-6.38	114.21	117.40
25	BB	664	G	N1-C2-N3	6.38	127.72	123.90
25	BB	673	C	N3-C4-C5	6.38	124.45	121.90
25	BB	1000	A	C5-C6-N6	6.38	128.80	123.70
25	BB	1087	G	N9-C4-C5	6.38	107.95	105.40
25	BB	2113	U	C3'-C2'-C1'	6.38	106.60	101.50
25	BB	2267	A	C1'-O4'-C4'	-6.38	104.80	109.90
3	A1	57	G	C2-N3-C4	6.38	115.09	111.90
3	A1	900	A	C4-C5-C6	-6.38	113.81	117.00
25	BB	907	G	N3-C4-C5	-6.38	125.41	128.60
25	BB	2063	C	C5-C4-N4	6.38	124.66	120.20
25	BB	2159	G	N3-C4-C5	-6.38	125.41	128.60
25	BB	2447	G	O4'-C1'-N9	6.38	113.30	108.20
38	BO	95	PHE	CB-CG-CD1	-6.38	116.34	120.80
3	A1	51	A	C6-C5-N7	6.37	136.76	132.30
3	A1	99	C	N3-C2-O2	-6.37	117.44	121.90
3	A1	191	G	N3-C4-N9	6.37	129.82	126.00
3	A1	1093	A	C6-N1-C2	-6.37	114.78	118.60
3	A1	1281	C	N3-C4-C5	6.37	124.45	121.90
25	BB	108	G	C2'-C3'-O3'	6.37	123.90	113.70
25	BB	374	A	C6-C5-N7	6.37	136.76	132.30
25	BB	1039	A	C4-C5-N7	-6.37	107.51	110.70
25	BB	1254	A	C6-C5-N7	6.37	136.76	132.30
25	BB	1311	G	C5-C6-N1	6.37	114.69	111.50
25	BB	2021	C	N1-C2-O2	6.37	122.72	118.90
25	BB	2112	G	C5-C6-N1	6.37	114.69	111.50
25	BB	2128	G	N1-C6-O6	-6.37	116.08	119.90
25	BB	2295	C	C2-N3-C4	-6.37	116.71	119.90
25	BB	2632	A	C5'-C4'-O4'	6.37	116.75	109.10
25	BB	2766	A	N9-C1'-C2'	6.37	122.29	114.00
37	BN	268	ARG	NH1-CZ-NH2	-6.37	112.39	119.40
3	A1	142	G	N3-C4-C5	-6.37	125.41	128.60
3	A1	403	C	N1-C2-O2	6.37	122.72	118.90
3	A1	963	G	C2-N3-C4	-6.37	108.71	111.90
3	A1	996	A	C5-C6-N1	6.37	120.89	117.70
24	BA	65	U	C5-C6-N1	-6.37	119.51	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	5	A	C5'-C4'-O4'	6.37	116.75	109.10
25	BB	240	C	N1-C2-N3	6.37	123.66	119.20
25	BB	777	G	C4-C5-C6	-6.37	114.98	118.80
25	BB	2357	G	C5-N7-C8	-6.37	101.11	104.30
25	BB	2565	A	C4'-C3'-C2'	-6.37	96.23	102.60
25	BB	2748	A	C4-C5-C6	-6.37	113.81	117.00
25	BB	2859	G	C5-C6-N1	6.37	114.69	111.50
1	AE	39	U	C6-N1-C2	-6.37	117.18	121.00
3	A1	1492	A	C3'-C2'-C1'	-6.37	96.40	101.50
25	BB	1882	U	N1-C2-O2	-6.37	118.34	122.80
25	BB	1891	G	C6-N1-C2	-6.37	121.28	125.10
25	BB	2424	C	N3-C2-O2	-6.37	117.44	121.90
41	BR	30	ARG	CD-NE-CZ	6.37	132.52	123.60
3	A1	379	C	C6-N1-C2	6.37	122.85	120.30
3	A1	609	A	C6-C5-N7	-6.37	127.84	132.30
3	A1	1253	G	C5-C6-N1	6.37	114.69	111.50
3	A1	1498	U	N3-C2-O2	-6.37	117.74	122.20
25	BB	33	C	N1-C1'-C2'	6.37	122.28	114.00
25	BB	817	C	P-O3'-C3'	6.37	127.34	119.70
25	BB	912	C	C4'-C3'-C2'	-6.37	96.23	102.60
25	BB	1002	G	N1-C6-O6	-6.37	116.08	119.90
25	BB	1384	A	C6-N1-C2	-6.37	114.78	118.60
25	BB	1436	G	N1-C6-O6	-6.37	116.08	119.90
25	BB	1539	U	C3'-C2'-C1'	-6.37	96.41	101.50
25	BB	1566	A	C5-C6-N1	6.37	120.89	117.70
25	BB	2512	C	C5-C6-N1	-6.37	117.82	121.00
25	BB	2816	G	N9-C4-C5	6.37	107.95	105.40
3	A1	578	C	N3-C4-N4	-6.37	113.54	118.00
3	A1	634	C	C2-N3-C4	-6.37	116.72	119.90
3	A1	883	C	C6-N1-C2	-6.37	117.75	120.30
3	A1	1122	U	O4'-C1'-N1	6.37	113.29	108.20
3	A1	1135	U	N3-C2-O2	-6.37	117.74	122.20
25	BB	693	A	N1-C2-N3	-6.37	126.12	129.30
25	BB	1350	C	C2-N3-C4	-6.37	116.72	119.90
1	AE	32	C	C2-N3-C4	-6.37	116.72	119.90
3	A1	377	G	C6-N1-C2	-6.37	121.28	125.10
3	A1	377	G	O4'-C1'-N9	6.37	113.29	108.20
3	A1	589	U	C2-N3-C4	-6.37	123.18	127.00
3	A1	944	G	N1-C2-N3	6.37	127.72	123.90
3	A1	1123	U	O4'-C1'-N1	6.37	113.29	108.20
4	AB	207	ARG	NH1-CZ-NH2	-6.37	112.40	119.40
25	BB	463	G	N9-C1'-C2'	-6.37	105.00	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	696	G	O4'-C1'-C2'	6.37	113.33	107.60
1	AA	38	A	C6-N1-C2	-6.36	114.78	118.60
1	AP	49	C	C5-C6-N1	-6.36	117.82	121.00
1	AE	14	A	C4-C5-C6	-6.36	113.82	117.00
3	A1	310	G	C5-C6-N1	6.36	114.68	111.50
3	A1	1523	G	N1-C6-O6	-6.36	116.08	119.90
25	BB	23	G	N1-C6-O6	-6.36	116.08	119.90
25	BB	662	G	C3'-C2'-C1'	6.36	106.59	101.50
25	BB	731	C	C1'-O4'-C4'	-6.36	104.81	109.90
25	BB	1066	U	N3-C4-C5	-6.36	110.78	114.60
25	BB	1248	G	C8-N9-C4	-6.36	103.86	106.40
25	BB	1538	G	C2-N3-C4	-6.36	108.72	111.90
25	BB	1857	G	N7-C8-N9	6.36	116.28	113.10
25	BB	2344	U	N3-C2-O2	-6.36	117.75	122.20
25	BB	2525	G	C5'-C4'-O4'	6.36	116.74	109.10
1	AA	4	G	C5'-C4'-O4'	6.36	116.73	109.10
3	A1	1526	G	N1-C6-O6	-6.36	116.08	119.90
25	BB	1883	U	C5'-C4'-C3'	-6.36	105.82	116.00
25	BB	2071	A	N9-C1'-C2'	6.36	122.27	114.00
25	BB	2076	U	N3-C4-O4	6.36	123.85	119.40
25	BB	2868	A	C5-C6-N6	6.36	128.79	123.70
3	A1	266	G	C4-C5-C6	-6.36	114.98	118.80
14	AN	17	ARG	CD-NE-CZ	6.36	132.51	123.60
24	BA	46	A	C6-N1-C2	-6.36	114.78	118.60
25	BB	384	A	C2-N3-C4	6.36	113.78	110.60
25	BB	481	G	N3-C4-C5	-6.36	125.42	128.60
25	BB	727	A	O4'-C1'-N9	6.36	113.29	108.20
25	BB	1390	U	O4'-C1'-N1	6.36	113.29	108.20
25	BB	1759	A	C5-C6-N6	6.36	128.79	123.70
25	BB	1925	C	C2-N1-C1'	6.36	125.80	118.80
25	BB	2180	U	N1-C2-N3	6.36	118.72	114.90
25	BB	2377	A	N3-C4-N9	-6.36	122.31	127.40
25	BB	2552	U	C6-N1-C2	-6.36	117.18	121.00
25	BB	2668	G	N3-C4-C5	-6.36	125.42	128.60
3	A1	693	G	C4'-C3'-C2'	-6.36	96.24	102.60
3	A1	1499	A	C2-N3-C4	6.36	113.78	110.60
25	BB	1426	G	C1'-O4'-C4'	-6.36	104.81	109.90
25	BB	1595	C	N1-C2-N3	6.36	123.65	119.20
3	A1	43	C	C2-N3-C4	-6.36	116.72	119.90
3	A1	571	U	C5-C6-N1	-6.36	119.52	122.70
3	A1	1503	A	C6-N1-C2	-6.36	114.79	118.60
3	A1	1529	G	C4-C5-C6	-6.36	114.99	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	298	G	N1-C2-N3	6.36	127.72	123.90
25	BB	301	G	O4'-C1'-C2'	-6.36	99.44	105.80
25	BB	312	G	O4'-C1'-N9	6.36	113.29	108.20
25	BB	1372	U	C5-C4-O4	-6.36	122.09	125.90
25	BB	1694	C	C5'-C4'-O4'	6.36	116.73	109.10
25	BB	2364	C	N3-C4-C5	6.36	124.44	121.90
25	BB	2593	U	N1-C2-O2	6.36	127.25	122.80
25	BB	2604	U	C5-C6-N1	-6.36	119.52	122.70
37	BN	211	ARG	NH1-CZ-NH2	-6.36	112.41	119.40
3	A1	888	G	P-O3'-C3'	6.36	127.33	119.70
3	A1	932	C	N1-C2-N3	6.36	123.65	119.20
3	A1	1181	G	C5-N7-C8	-6.36	101.12	104.30
9	AH	57	ARG	NE-CZ-NH2	6.36	123.48	120.30
25	BB	50	U	C6-N1-C2	6.36	124.81	121.00
25	BB	214	G	C4-C5-N7	6.36	113.34	110.80
25	BB	569	U	C5-C6-N1	-6.36	119.52	122.70
25	BB	593	U	C5-C6-N1	-6.36	119.52	122.70
25	BB	658	U	C6-N1-C2	-6.36	117.19	121.00
25	BB	761	A	C2-N3-C4	6.36	113.78	110.60
25	BB	1197	G	C5-C6-N1	6.36	114.68	111.50
25	BB	1223	G	C4-C5-C6	-6.36	114.99	118.80
25	BB	1566	A	O4'-C1'-N9	6.36	113.28	108.20
25	BB	2070	A	C3'-C2'-C1'	6.36	106.58	101.50
25	BB	2545	G	N3-C2-N2	-6.36	115.45	119.90
25	BB	2738	A	C4-C5-C6	-6.36	113.82	117.00
1	AP	31	A	C6-C5-N7	6.35	136.75	132.30
3	A1	330	C	N1-C1'-C2'	6.35	122.26	114.00
3	A1	368	U	N3-C2-O2	-6.35	117.75	122.20
3	A1	641	U	C3'-C2'-C1'	6.35	106.58	101.50
3	A1	1444	U	N3-C2-O2	-6.35	117.75	122.20
18	AS	44	ARG	NH1-CZ-NH2	-6.35	112.41	119.40
24	BA	56	G	C5-C6-O6	6.35	132.41	128.60
25	BB	383	C	C5-C6-N1	-6.35	117.82	121.00
25	BB	2392	A	C3'-C2'-C1'	6.35	106.58	101.50
25	BB	2400	G	N9-C4-C5	6.35	107.94	105.40
25	BB	2476	A	O4'-C4'-C3'	6.35	111.18	106.10
1	AP	1	G	C5-C6-N1	6.35	114.68	111.50
3	A1	270	A	C5-C6-N1	6.35	120.88	117.70
3	A1	480	U	C2'-C3'-O3'	6.35	123.86	113.70
3	A1	615	G	C6-C5-N7	6.35	134.21	130.40
3	A1	1082	A	N7-C8-N9	6.35	116.98	113.80
25	BB	733	G	C6-N1-C2	-6.35	121.29	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1232	G	N3-C4-N9	-6.35	122.19	126.00
25	BB	1368	G	N9-C4-C5	6.35	107.94	105.40
25	BB	1408	G	C6-N1-C2	-6.35	121.29	125.10
25	BB	1413	A	C5-N7-C8	-6.35	100.72	103.90
25	BB	2000	C	C5-C6-N1	-6.35	117.82	121.00
25	BB	2756	U	N3-C2-O2	-6.35	117.75	122.20
25	BB	2840	C	N3-C4-N4	-6.35	113.55	118.00
3	A1	288	A	C6-C5-N7	6.35	136.75	132.30
3	A1	755	G	N1-C2-N3	6.35	127.71	123.90
3	A1	855	U	C4'-C3'-C2'	-6.35	96.25	102.60
9	AH	33	ALA	N-CA-CB	-6.35	101.21	110.10
25	BB	232	G	N1-C2-N2	6.35	121.92	116.20
25	BB	1555	G	C5'-C4'-O4'	6.35	116.72	109.10
25	BB	1917	U	N1-C2-N3	6.35	118.71	114.90
25	BB	2085	U	N1-C2-N3	6.35	118.71	114.90
25	BB	2665	A	C6-N1-C2	-6.35	114.79	118.60
25	BB	2862	G	N3-C4-C5	-6.35	125.42	128.60
32	BI	32	VAL	CA-CB-CG2	6.35	120.43	110.90
1	AP	33	U	N3-C4-O4	-6.35	114.95	119.40
3	A1	815	A	C4-C5-C6	-6.35	113.83	117.00
3	A1	910	C	O4'-C1'-N1	6.35	113.28	108.20
3	A1	1403	C	C3'-C2'-C1'	6.35	106.58	101.50
24	BA	3	C	N3-C2-O2	-6.35	117.46	121.90
25	BB	474	G	C4-C5-N7	-6.35	108.26	110.80
25	BB	541	A	C4-C5-N7	6.35	113.88	110.70
25	BB	541	A	C5'-C4'-O4'	6.35	116.72	109.10
25	BB	620	G	C3'-C2'-C1'	6.35	106.58	101.50
25	BB	719	C	N3-C2-O2	-6.35	117.46	121.90
25	BB	1712	U	N1-C2-N3	6.35	118.71	114.90
25	BB	2174	C	N1-C2-O2	6.35	122.71	118.90
25	BB	2416	C	C6-N1-C2	-6.35	117.76	120.30
25	BB	2747	G	N7-C8-N9	6.35	116.27	113.10
25	BB	2836	U	O4'-C1'-N1	6.35	113.28	108.20
1	AA	26	G	C6-C5-N7	6.35	134.21	130.40
1	AA	75	C	C1'-O4'-C4'	-6.35	104.82	109.90
1	AP	68	U	N3-C2-O2	-6.35	117.76	122.20
3	A1	205	A	C6-C5-N7	6.35	136.74	132.30
3	A1	670	G	C6-C5-N7	6.35	134.21	130.40
3	A1	759	A	C8-N9-C4	-6.35	103.26	105.80
3	A1	911	U	C5-C6-N1	-6.35	119.53	122.70
3	A1	947	G	N1-C6-O6	-6.35	116.09	119.90
3	A1	1041	G	O4'-C1'-N9	6.35	113.28	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	404	A	C3'-C2'-C1'	6.35	106.58	101.50
25	BB	411	G	N9-C4-C5	6.35	107.94	105.40
25	BB	511	U	C5-C6-N1	-6.35	119.53	122.70
25	BB	646	U	N3-C4-C5	-6.35	110.79	114.60
25	BB	876	C	N3-C4-N4	-6.35	113.56	118.00
25	BB	936	A	C4-C5-C6	-6.35	113.83	117.00
25	BB	937	C	C3'-C2'-C1'	6.35	106.58	101.50
25	BB	1184	U	O4'-C1'-N1	6.35	113.28	108.20
25	BB	1208	C	N3-C4-N4	-6.35	113.56	118.00
25	BB	1857	G	C6-C5-N7	6.35	134.21	130.40
25	BB	2076	U	C5-C6-N1	-6.35	119.53	122.70
25	BB	2310	C	C5-C6-N1	-6.35	117.83	121.00
25	BB	2394	C	C6-N1-C2	-6.35	117.76	120.30
25	BB	2417	C	C6-N1-C2	-6.35	117.76	120.30
3	A1	1133	G	N7-C8-N9	6.35	116.27	113.10
3	A1	1339	A	C3'-C2'-C1'	6.35	106.58	101.50
25	BB	327	G	C2-N3-C4	-6.35	108.73	111.90
25	BB	1922	G	C1'-O4'-C4'	-6.35	104.82	109.90
25	BB	1936	A	C6-C5-N7	6.35	136.74	132.30
25	BB	2389	G	C6-C5-N7	6.35	134.21	130.40
25	BB	2666	C	C2-N3-C4	-6.35	116.73	119.90
25	BB	2701	U	C3'-C2'-C1'	-6.35	96.42	101.50
3	A1	764	C	C5-C4-N4	-6.34	115.76	120.20
3	A1	874	G	N3-C2-N2	-6.34	115.46	119.90
4	AB	203	ASP	CB-CG-OD1	6.34	124.01	118.30
25	BB	724	U	C5-C4-O4	-6.34	122.09	125.90
25	BB	1007	C	N3-C4-N4	-6.34	113.56	118.00
25	BB	1095	A	C3'-C2'-C1'	6.34	106.58	101.50
25	BB	1410	G	C5'-C4'-O4'	6.34	116.71	109.10
50	B1	154	ASP	CB-CG-OD1	6.34	124.01	118.30
3	A1	615	G	N3-C4-C5	-6.34	125.43	128.60
3	A1	880	C	N1-C2-N3	6.34	123.64	119.20
3	A1	1268	G	O5'-P-OP1	-6.34	99.99	105.70
25	BB	445	C	N3-C4-N4	-6.34	113.56	118.00
25	BB	1285	A	C6-N1-C2	-6.34	114.79	118.60
25	BB	1368	G	C8-N9-C4	-6.34	103.86	106.40
25	BB	1949	G	C8-N9-C4	-6.34	103.86	106.40
25	BB	2034	U	O5'-P-OP2	-6.34	99.99	105.70
25	BB	2142	A	C5'-C4'-O4'	6.34	116.71	109.10
3	A1	866	C	C1'-O4'-C4'	-6.34	104.83	109.90
3	A1	1035	A	C6-C5-N7	6.34	136.74	132.30
3	A1	1445	U	C5'-C4'-C3'	-6.34	105.85	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	BA	50	A	C2-N3-C4	6.34	113.77	110.60
25	BB	84	A	C4-C5-C6	-6.34	113.83	117.00
25	BB	941	A	C6-N1-C2	-6.34	114.80	118.60
25	BB	1939	U	O4'-C1'-N1	6.34	113.27	108.20
25	BB	2088	A	C4-C5-C6	-6.34	113.83	117.00
25	BB	2285	C	N3-C2-O2	-6.34	117.46	121.90
25	BB	2820	A	C3'-C2'-C1'	6.34	106.57	101.50
25	BB	2827	C	N3-C4-C5	6.34	124.44	121.90
25	BB	2855	C	N1-C2-O2	6.34	122.70	118.90
3	A1	19	A	C6-C5-N7	6.34	136.74	132.30
3	A1	1390	U	C5-C6-N1	-6.34	119.53	122.70
25	BB	216	A	C4'-C3'-C2'	-6.34	96.26	102.60
25	BB	551	G	N3-C4-C5	-6.34	125.43	128.60
25	BB	730	A	C6-C5-N7	6.34	136.74	132.30
25	BB	744	U	N1-C2-N3	6.34	118.70	114.90
25	BB	787	C	C2-N3-C4	-6.34	116.73	119.90
25	BB	973	A	C4-C5-C6	-6.34	113.83	117.00
25	BB	1540	G	N1-C6-O6	-6.34	116.10	119.90
25	BB	1665	A	C4-C5-C6	-6.34	113.83	117.00
25	BB	1766	G	O4'-C4'-C3'	6.34	111.17	106.10
25	BB	1970	A	C5-C6-N1	6.34	120.87	117.70
25	BB	2018	G	N7-C8-N9	6.34	116.27	113.10
25	BB	2036	C	N3-C2-O2	-6.34	117.46	121.90
25	BB	2230	G	O4'-C1'-N9	6.34	113.27	108.20
25	BB	2232	C	N3-C2-O2	-6.34	117.46	121.90
25	BB	2313	C	N1-C2-N3	6.34	123.64	119.20
25	BB	2409	G	O4'-C1'-N9	6.34	113.27	108.20
53	B4	116	ARG	NE-CZ-NH1	6.34	123.47	120.30
16	AQ	31	VAL	CA-CB-CG2	6.34	120.41	110.90
25	BB	329	G	C5-N7-C8	-6.34	101.13	104.30
25	BB	1878	G	N3-C2-N2	6.34	124.34	119.90
25	BB	1924	C	N3-C4-N4	-6.34	113.56	118.00
3	A1	322	C	N3-C4-C5	6.34	124.44	121.90
25	BB	200	U	O5'-P-OP1	-6.34	100.00	105.70
25	BB	352	A	C6-C5-N7	6.34	136.74	132.30
25	BB	607	U	O4'-C1'-N1	6.34	113.27	108.20
25	BB	1282	U	C4'-C3'-C2'	-6.34	96.26	102.60
1	AA	19	G	C6-C5-N7	6.33	134.20	130.40
1	AP	58	A	N9-C1'-C2'	6.33	122.23	114.00
1	AE	69	U	C1'-O4'-C4'	-6.33	104.83	109.90
3	A1	1525	G	N7-C8-N9	6.33	116.27	113.10
25	BB	331	C	N3-C4-N4	-6.33	113.57	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1343	G	P-O3'-C3'	6.33	127.30	119.70
25	BB	2233	U	N1-C2-N3	6.33	118.70	114.90
25	BB	2401	U	N3-C2-O2	-6.33	117.77	122.20
3	A1	243	A	C1'-O4'-C4'	-6.33	104.83	109.90
3	A1	330	C	C6-N1-C2	-6.33	117.77	120.30
3	A1	495	A	N3-C4-N9	-6.33	122.33	127.40
3	A1	593	U	N3-C2-O2	-6.33	117.77	122.20
3	A1	765	G	N3-C4-C5	-6.33	125.43	128.60
3	A1	1045	C	C5'-C4'-O4'	6.33	116.70	109.10
3	A1	1102	A	N1-C2-N3	-6.33	126.13	129.30
25	BB	141	G	C6-N1-C2	-6.33	121.30	125.10
25	BB	160	A	C6-N1-C2	-6.33	114.80	118.60
25	BB	271	G	C5-C6-N1	6.33	114.67	111.50
25	BB	1310	G	N3-C2-N2	-6.33	115.47	119.90
25	BB	1317	G	C2-N3-C4	6.33	115.07	111.90
25	BB	1516	G	C4-C5-C6	-6.33	115.00	118.80
25	BB	2037	A	C6-C5-N7	6.33	136.73	132.30
25	BB	2250	G	C6-N1-C2	-6.33	121.30	125.10
25	BB	2545	G	N7-C8-N9	6.33	116.27	113.10
25	BB	2726	A	C5'-C4'-O4'	6.33	116.70	109.10
3	A1	328	C	O5'-P-OP2	-6.33	100.00	105.70
3	A1	449	G	C5'-C4'-C3'	-6.33	105.87	116.00
3	A1	853	C	C5'-C4'-C3'	-6.33	105.87	116.00
3	A1	1140	C	N3-C2-O2	-6.33	117.47	121.90
25	BB	147	C	O4'-C1'-N1	-6.33	103.14	108.20
25	BB	187	G	C4-C5-N7	6.33	113.33	110.80
25	BB	629	G	N7-C8-N9	6.33	116.27	113.10
25	BB	885	C	N3-C2-O2	-6.33	117.47	121.90
25	BB	1457	U	N1-C2-O2	6.33	127.23	122.80
25	BB	2437	G	N1-C6-O6	-6.33	116.10	119.90
25	BB	2859	G	C5-N7-C8	-6.33	101.13	104.30
37	BN	111	ALA	CA-C-N	6.33	128.86	116.20
1	AA	65	G	C8-N9-C4	-6.33	103.87	106.40
1	AE	69	U	N1-C1'-C2'	-6.33	105.04	112.00
3	A1	444	G	N3-C4-N9	6.33	129.80	126.00
3	A1	1519	A	C6-C5-N7	6.33	136.73	132.30
25	BB	526	A	C5-C6-N6	6.33	128.76	123.70
25	BB	1734	G	O4'-C1'-N9	6.33	113.26	108.20
25	BB	1794	A	C5-C6-N6	6.33	128.76	123.70
3	A1	51	A	C5'-C4'-O4'	-6.33	101.50	109.10
3	A1	789	U	C6-N1-C2	-6.33	117.20	121.00
3	A1	1040	U	N1-C2-N3	6.33	118.70	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1151	A	C2-N3-C4	6.33	113.76	110.60
3	A1	1369	C	C4'-C3'-C2'	-6.33	96.27	102.60
25	BB	441	U	C4-C5-C6	6.33	123.50	119.70
25	BB	740	C	N3-C4-N4	-6.33	113.57	118.00
25	BB	914	G	N3-C4-C5	-6.33	125.44	128.60
25	BB	959	A	C5'-C4'-O4'	6.33	116.69	109.10
25	BB	1077	A	C2-N3-C4	6.33	113.76	110.60
25	BB	1533	C	C2-N3-C4	-6.33	116.74	119.90
25	BB	1655	A	C2'-C3'-O3'	6.33	123.83	113.70
25	BB	1702	G	N1-C6-O6	-6.33	116.10	119.90
25	BB	2144	G	N7-C8-N9	6.33	116.26	113.10
25	BB	2792	A	C4-C5-C6	-6.33	113.84	117.00
25	BB	2848	G	C6-N1-C2	-6.33	121.30	125.10
25	BB	405	U	C3'-C2'-C1'	-6.33	96.44	101.50
25	BB	475	C	C5'-C4'-O4'	6.33	116.69	109.10
25	BB	1729	U	O4'-C4'-C3'	6.33	111.16	106.10
25	BB	1959	G	N9-C4-C5	6.33	107.93	105.40
25	BB	2041	U	C2-N3-C4	-6.33	123.20	127.00
25	BB	2452	C	C2-N3-C4	-6.33	116.74	119.90
3	A1	472	U	O4'-C4'-C3'	6.33	111.16	106.10
3	A1	584	G	C6-N1-C2	-6.33	121.31	125.10
3	A1	844	G	C1'-O4'-C4'	-6.33	104.84	109.90
3	A1	1096	C	C4-C5-C6	-6.33	114.24	117.40
3	A1	1138	G	N3-C2-N2	6.33	124.33	119.90
25	BB	1038	G	N1-C6-O6	-6.33	116.11	119.90
25	BB	1083	U	C2-N3-C4	-6.33	123.20	127.00
25	BB	1787	A	C6-C5-N7	6.33	136.73	132.30
25	BB	1858	A	C5-C6-N6	6.33	128.76	123.70
54	B5	66	PHE	CB-CG-CD2	-6.33	116.37	120.80
3	A1	251	G	O4'-C1'-N9	6.32	113.26	108.20
24	BA	103	U	O4'-C4'-C3'	6.32	111.16	106.10
25	BB	143	C	N1-C2-O2	6.32	122.69	118.90
25	BB	446	G	C6-C5-N7	6.32	134.19	130.40
25	BB	613	A	C4'-C3'-C2'	6.32	108.92	102.60
25	BB	932	U	N1-C2-N3	6.32	118.69	114.90
25	BB	941	A	C6-C5-N7	6.32	136.73	132.30
25	BB	1155	A	C5-C6-N6	6.32	128.76	123.70
25	BB	1345	C	C3'-C2'-C1'	6.32	106.56	101.50
25	BB	1419	A	C4-C5-C6	-6.32	113.84	117.00
25	BB	1691	C	N1-C1'-C2'	-6.32	105.04	112.00
25	BB	2108	A	C6-N1-C2	-6.32	114.81	118.60
25	BB	2849	U	N1-C2-N3	6.32	118.69	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	167	A	C5-C6-N6	6.32	128.76	123.70
3	A1	397	A	C5-N7-C8	-6.32	100.74	103.90
3	A1	1031	C	C2-N3-C4	-6.32	116.74	119.90
3	A1	1207	G	C4-C5-C6	-6.32	115.01	118.80
3	A1	1414	U	N3-C2-O2	-6.32	117.77	122.20
25	BB	15	G	C5'-C4'-O4'	6.32	116.69	109.10
25	BB	377	G	C5-C6-N1	6.32	114.66	111.50
25	BB	1261	C	N1-C2-O2	6.32	122.69	118.90
25	BB	2021	C	C5-C6-N1	-6.32	117.84	121.00
29	BF	18	ARG	NH1-CZ-NH2	-6.32	112.44	119.40
1	AE	42	G	C5-C6-N1	6.32	114.66	111.50
3	A1	240	G	N1-C6-O6	-6.32	116.11	119.90
3	A1	813	U	O4'-C1'-N1	6.32	113.26	108.20
24	BA	40	U	O4'-C4'-C3'	6.32	111.16	106.10
25	BB	851	C	N1-C2-O2	6.32	122.69	118.90
25	BB	858	G	C3'-C2'-C1'	6.32	106.56	101.50
25	BB	1770	G	O4'-C1'-N9	-6.32	103.14	108.20
25	BB	2286	G	N3-C4-C5	-6.32	125.44	128.60
25	BB	2483	C	O4'-C1'-N1	6.32	113.26	108.20
1	AP	49	C	C2-N3-C4	-6.32	116.74	119.90
3	A1	353	A	C6-C5-N7	6.32	136.72	132.30
3	A1	461	A	C5'-C4'-C3'	-6.32	105.89	116.00
3	A1	898	G	N1-C6-O6	-6.32	116.11	119.90
3	A1	1420	U	O4'-C1'-N1	6.32	113.25	108.20
25	BB	217	A	C5'-C4'-O4'	6.32	116.68	109.10
25	BB	305	C	C2-N3-C4	-6.32	116.74	119.90
25	BB	1084	A	C2-N3-C4	6.32	113.76	110.60
25	BB	1341	G	O4'-C1'-C2'	-6.32	99.48	105.80
3	A1	42	G	C5-C6-N1	6.32	114.66	111.50
3	A1	602	A	O4'-C1'-N9	6.32	113.25	108.20
3	A1	729	A	C2-N3-C4	6.32	113.76	110.60
3	A1	905	U	C5-C6-N1	-6.32	119.54	122.70
3	A1	910	C	N1-C2-O2	6.32	122.69	118.90
3	A1	919	A	C5'-C4'-O4'	-6.32	101.52	109.10
3	A1	928	G	C5-C6-O6	6.32	132.39	128.60
3	A1	1151	A	C3'-C2'-C1'	-6.32	96.45	101.50
3	A1	1186	G	N1-C6-O6	-6.32	116.11	119.90
3	A1	1376	U	C5-C6-N1	-6.32	119.54	122.70
4	AB	13	VAL	CG1-CB-CG2	-6.32	100.79	110.90
25	BB	659	G	C5-N7-C8	-6.32	101.14	104.30
25	BB	884	U	C4-C5-C6	6.32	123.49	119.70
25	BB	896	A	C4-C5-C6	-6.32	113.84	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1188	U	C4-C5-C6	6.32	123.49	119.70
25	BB	1431	A	C4-C5-C6	-6.32	113.84	117.00
25	BB	1634	A	C5-C6-N6	6.32	128.75	123.70
25	BB	2292	U	C2-N3-C4	-6.32	123.21	127.00
25	BB	2355	G	N7-C8-N9	6.32	116.26	113.10
25	BB	2791	G	C1'-O4'-C4'	6.32	114.95	109.90
1	AA	9	A	C2-N3-C4	6.32	113.76	110.60
1	AE	37	G	O4'-C1'-N9	6.32	113.25	108.20
3	A1	32	A	C4'-C3'-C2'	-6.32	96.28	102.60
3	A1	265	G	C6-N1-C2	-6.32	121.31	125.10
3	A1	655	A	C6-C5-N7	6.32	136.72	132.30
3	A1	1161	C	C5-C4-N4	6.32	124.62	120.20
25	BB	244	A	C5-C6-N6	6.32	128.75	123.70
25	BB	1175	A	C1'-O4'-C4'	-6.32	104.85	109.90
25	BB	1905	C	N3-C4-C5	6.32	124.43	121.90
25	BB	2168	G	N1-C6-O6	-6.32	116.11	119.90
25	BB	2231	U	C5-C6-N1	-6.32	119.54	122.70
25	BB	2846	G	C4-C5-C6	-6.32	115.01	118.80
37	BN	132	ARG	NE-CZ-NH2	6.32	123.46	120.30
3	A1	539	A	C6-N1-C2	-6.31	114.81	118.60
3	A1	1190	G	N7-C8-N9	6.31	116.26	113.10
25	BB	1249	U	N1-C2-N3	6.31	118.69	114.90
25	BB	1364	G	C1'-O4'-C4'	6.31	114.95	109.90
3	A1	33	A	C6-C5-N7	6.31	136.72	132.30
3	A1	530	G	C5-N7-C8	-6.31	101.14	104.30
3	A1	1251	A	C5-C6-N6	6.31	128.75	123.70
3	A1	1431	A	C1'-O4'-C4'	-6.31	104.85	109.90
3	A1	1443	C	N3-C4-N4	-6.31	113.58	118.00
24	BA	73	A	C6-C5-N7	6.31	136.72	132.30
25	BB	109	C	C2-N3-C4	-6.31	116.74	119.90
25	BB	286	U	C5-C4-O4	6.31	129.69	125.90
25	BB	565	C	N3-C4-C5	6.31	124.42	121.90
25	BB	1556	C	C3'-C2'-C1'	-6.31	96.45	101.50
25	BB	1565	C	C2-N3-C4	-6.31	116.74	119.90
25	BB	2328	A	N1-C6-N6	-6.31	114.81	118.60
25	BB	2410	G	C2-N3-C4	6.31	115.06	111.90
1	AA	71	G	C5-N7-C8	-6.31	101.14	104.30
3	A1	468	A	C5'-C4'-O4'	-6.31	101.53	109.10
3	A1	1071	C	O4'-C1'-N1	6.31	113.25	108.20
3	A1	1173	U	O4'-C1'-N1	6.31	113.25	108.20
3	A1	1281	C	O4'-C1'-C2'	-6.31	99.49	105.80
25	BB	606	U	C2-N3-C4	-6.31	123.21	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1600	C	C3'-C2'-C1'	6.31	106.55	101.50
25	BB	2483	C	N1-C2-N3	6.31	123.62	119.20
3	A1	391	G	N1-C2-N3	6.31	127.69	123.90
3	A1	577	G	C4-C5-C6	-6.31	115.01	118.80
3	A1	676	A	C1'-O4'-C4'	-6.31	104.85	109.90
3	A1	687	A	C5-C6-N6	6.31	128.75	123.70
3	A1	721	G	C5-C6-N1	6.31	114.65	111.50
3	A1	1339	A	C6-C5-N7	6.31	136.72	132.30
25	BB	71	A	O4'-C4'-C3'	6.31	111.15	106.10
25	BB	925	A	C6-C5-N7	6.31	136.72	132.30
25	BB	1243	C	N3-C4-C5	6.31	124.42	121.90
25	BB	2378	A	C5-C6-N1	6.31	120.86	117.70
3	A1	7	A	O4'-C1'-C2'	-6.31	99.49	105.80
3	A1	577	G	C4'-C3'-C2'	-6.31	96.29	102.60
3	A1	861	G	C5-N7-C8	-6.31	101.15	104.30
3	A1	868	C	C2-N3-C4	-6.31	116.75	119.90
3	A1	1014	A	C6-N1-C2	-6.31	114.81	118.60
3	A1	1382	C	C2'-C3'-O3'	6.31	123.79	113.70
25	BB	207	A	C5-C6-N6	6.31	128.75	123.70
25	BB	354	A	C6-C5-N7	6.31	136.72	132.30
25	BB	633	A	C4-C5-N7	6.31	113.85	110.70
25	BB	776	G	N3-C2-N2	6.31	124.31	119.90
25	BB	938	G	N7-C8-N9	6.31	116.25	113.10
25	BB	1679	A	C4'-C3'-C2'	-6.31	96.29	102.60
25	BB	1999	C	C2-N3-C4	-6.31	116.75	119.90
25	BB	2559	C	N3-C2-O2	-6.31	117.48	121.90
25	BB	2830	C	N3-C4-N4	-6.31	113.58	118.00
55	B6	13	ARG	NH1-CZ-NH2	-6.31	112.46	119.40
3	A1	211	G	C5-C6-N1	6.31	114.65	111.50
3	A1	298	A	C4-C5-C6	-6.31	113.85	117.00
3	A1	646	G	C3'-C2'-C1'	6.31	106.54	101.50
3	A1	1324	A	C2-N3-C4	6.31	113.75	110.60
25	BB	1472	C	C2-N3-C4	-6.31	116.75	119.90
25	BB	1910	G	C4'-C3'-C2'	-6.31	96.29	102.60
25	BB	2493	U	C5'-C4'-O4'	6.31	116.67	109.10
25	BB	2578	G	N1-C6-O6	-6.31	116.12	119.90
3	A1	295	C	C6-N1-C2	-6.30	117.78	120.30
3	A1	1035	A	C2-N3-C4	6.30	113.75	110.60
24	BA	84	G	N1-C6-O6	-6.30	116.12	119.90
25	BB	96	C	C5-C6-N1	-6.30	117.85	121.00
25	BB	734	A	C5'-C4'-O4'	6.30	116.67	109.10
25	BB	1736	U	N1-C1'-C2'	6.30	122.20	114.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1793	C	C5'-C4'-C3'	-6.30	105.91	116.00
25	BB	1859	U	C4'-C3'-C2'	-6.30	96.30	102.60
25	BB	2066	C	N1-C2-O2	6.30	122.68	118.90
25	BB	2089	C	N1-C2-O2	6.30	122.68	118.90
25	BB	2203	U	C1'-O4'-C4'	-6.30	104.86	109.90
25	BB	2317	A	C6-C5-N7	6.30	136.71	132.30
25	BB	2484	G	C5-C6-O6	6.30	132.38	128.60
25	BB	2484	G	N3-C4-C5	-6.30	125.45	128.60
25	BB	2737	G	C6-C5-N7	6.30	134.18	130.40
1	AP	2	C	C2-N3-C4	-6.30	116.75	119.90
3	A1	279	A	C5'-C4'-O4'	6.30	116.66	109.10
3	A1	1068	G	C8-N9-C4	-6.30	103.88	106.40
25	BB	96	C	N3-C2-O2	-6.30	117.49	121.90
25	BB	371	A	C6-C5-N7	6.30	136.71	132.30
25	BB	588	U	O4'-C1'-C2'	6.30	113.27	107.60
3	A1	913	A	C6-C5-N7	6.30	136.71	132.30
3	A1	1156	G	N3-C4-N9	6.30	129.78	126.00
3	A1	1230	C	O4'-C1'-N1	6.30	113.24	108.20
25	BB	52	A	C6-C5-N7	6.30	136.71	132.30
25	BB	329	G	C6-N1-C2	-6.30	121.32	125.10
25	BB	529	A	N9-C1'-C2'	6.30	122.19	114.00
25	BB	1309	G	O4'-C1'-N9	6.30	113.24	108.20
25	BB	1784	A	C5-C6-N6	6.30	128.74	123.70
25	BB	1996	C	N3-C2-O2	-6.30	117.49	121.90
25	BB	2315	G	C5-C6-N1	6.30	114.65	111.50
25	BB	2486	C	C5'-C4'-O4'	6.30	116.66	109.10
25	BB	2604	U	C3'-C2'-C1'	6.30	106.54	101.50
1	AA	3	G	N3-C4-C5	-6.30	125.45	128.60
3	A1	120	A	O4'-C1'-N9	6.30	113.24	108.20
3	A1	320	A	C5-C6-N6	6.30	128.74	123.70
3	A1	430	A	C6-N1-C2	-6.30	114.82	118.60
3	A1	470	C	C6-N1-C2	-6.30	117.78	120.30
3	A1	622	A	C2-N3-C4	6.30	113.75	110.60
3	A1	972	C	C5'-C4'-O4'	6.30	116.66	109.10
23	AX	37	ARG	NE-CZ-NH2	-6.30	117.15	120.30
24	BA	39	A	N7-C8-N9	6.30	116.95	113.80
25	BB	1303	G	N1-C6-O6	-6.30	116.12	119.90
25	BB	2478	A	N7-C8-N9	6.30	116.95	113.80
39	BP	40	ARG	NE-CZ-NH2	6.30	123.45	120.30
3	A1	171	A	C4-C5-C6	-6.30	113.85	117.00
3	A1	385	C	O4'-C1'-N1	6.30	113.24	108.20
3	A1	1265	C	C1'-O4'-C4'	-6.30	104.86	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	59	U	N1-C2-N3	6.30	118.68	114.90
25	BB	1123	C	C5-C6-N1	-6.30	117.85	121.00
25	BB	1155	A	C5-C6-N1	6.30	120.85	117.70
25	BB	1228	G	C5-C6-N1	6.30	114.65	111.50
25	BB	2355	G	C5'-C4'-C3'	-6.30	105.92	116.00
3	A1	49	U	C4-C5-C6	6.30	123.48	119.70
3	A1	92	U	C4'-C3'-C2'	-6.30	96.30	102.60
3	A1	544	G	N1-C2-N3	6.30	127.68	123.90
3	A1	550	G	N1-C2-N3	6.30	127.68	123.90
3	A1	705	G	C5-C6-N1	6.30	114.65	111.50
25	BB	515	A	C5-C6-N6	6.30	128.74	123.70
25	BB	564	C	N3-C2-O2	-6.30	117.49	121.90
25	BB	982	C	N3-C4-N4	-6.30	113.59	118.00
25	BB	1252	G	C2-N3-C4	6.30	115.05	111.90
25	BB	1512	C	N1-C1'-C2'	-6.30	105.07	112.00
25	BB	1921	G	C5'-C4'-O4'	6.30	116.66	109.10
25	BB	2479	U	C1'-O4'-C4'	-6.30	104.86	109.90
55	B6	38	GLY	C-N-CA	6.30	137.44	121.70
3	A1	20	U	O4'-C1'-N1	6.29	113.24	108.20
3	A1	677	U	C5'-C4'-O4'	6.29	116.66	109.10
3	A1	1035	A	N1-C2-N3	-6.29	126.15	129.30
3	A1	1133	G	C8-N9-C4	-6.29	103.88	106.40
25	BB	886	A	C2-N3-C4	6.29	113.75	110.60
25	BB	1698	A	C5-N7-C8	-6.29	100.75	103.90
25	BB	2139	U	O4'-C1'-N1	6.29	113.24	108.20
25	BB	2587	A	C5-C6-N6	6.29	128.74	123.70
3	A1	260	G	C6-N1-C2	-6.29	121.32	125.10
3	A1	799	G	N9-C4-C5	6.29	107.92	105.40
3	A1	923	A	O4'-C1'-N9	6.29	113.23	108.20
18	AS	156	ARG	NE-CZ-NH1	6.29	123.45	120.30
25	BB	35	G	N1-C6-O6	-6.29	116.12	119.90
25	BB	126	A	C2-N3-C4	6.29	113.75	110.60
25	BB	760	G	C6-C5-N7	6.29	134.18	130.40
25	BB	1455	G	C6-C5-N7	6.29	134.18	130.40
25	BB	1551	A	C2-N3-C4	6.29	113.75	110.60
25	BB	2032	G	N1-C2-N3	6.29	127.68	123.90
25	BB	2650	U	C5-C6-N1	-6.29	119.55	122.70
25	BB	2781	A	C2-N3-C4	6.29	113.75	110.60
38	BO	41	VAL	CA-CB-CG1	6.29	120.34	110.90
1	AA	30	G	N3-C2-N2	-6.29	115.50	119.90
1	AA	53	G	C5-C6-O6	-6.29	124.83	128.60
1	AA	57	G	O4'-C4'-C3'	6.29	111.13	106.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AP	16	U	C5-C6-N1	-6.29	119.55	122.70
25	BB	1014	A	C5-C6-N6	6.29	128.73	123.70
25	BB	1501	G	C6-N1-C2	-6.29	121.33	125.10
25	BB	2055	C	C2-N3-C4	-6.29	116.75	119.90
3	A1	970	C	N3-C4-C5	6.29	124.42	121.90
3	A1	1411	C	N1-C2-O2	6.29	122.67	118.90
25	BB	163	C	C5-C6-N1	-6.29	117.86	121.00
25	BB	691	C	C1'-O4'-C4'	-6.29	104.87	109.90
25	BB	783	A	C4-C5-C6	-6.29	113.86	117.00
25	BB	1296	G	N3-C4-C5	-6.29	125.45	128.60
25	BB	1904	G	C6-N1-C2	-6.29	121.33	125.10
1	AE	52	U	C5-C6-N1	-6.29	119.56	122.70
2	AM	15	U	N3-C4-C5	6.29	118.37	114.60
3	A1	313	A	O5'-C5'-C4'	-6.29	99.75	111.70
3	A1	563	A	N7-C8-N9	6.29	116.94	113.80
3	A1	951	G	O4'-C1'-N9	6.29	113.23	108.20
3	A1	1440	U	N3-C4-O4	6.29	123.80	119.40
25	BB	171	U	O4'-C1'-N1	6.29	113.23	108.20
25	BB	682	G	C5-C6-O6	6.29	132.37	128.60
25	BB	861	A	C5-N7-C8	-6.29	100.76	103.90
25	BB	888	C	N3-C4-C5	6.29	124.42	121.90
25	BB	1543	G	C5-C6-N1	6.29	114.64	111.50
25	BB	1945	G	C6-N1-C2	-6.29	121.33	125.10
25	BB	2240	U	N3-C2-O2	-6.29	117.80	122.20
25	BB	2888	C	N1-C2-N3	6.29	123.60	119.20
25	BB	1254	A	N1-C6-N6	-6.29	114.83	118.60
25	BB	1488	C	N3-C2-O2	-6.29	117.50	121.90
25	BB	1808	A	C5-C6-N1	6.29	120.84	117.70
25	BB	1843	C	N3-C4-C5	6.29	124.42	121.90
25	BB	1988	G	C5-C6-N1	6.29	114.64	111.50
25	BB	2249	U	N3-C2-O2	-6.29	117.80	122.20
25	BB	2363	G	N7-C8-N9	6.29	116.24	113.10
25	BB	2763	G	O4'-C4'-C3'	6.29	111.13	106.10
37	BN	261	ARG	NE-CZ-NH2	-6.29	117.16	120.30
55	B6	64	VAL	CA-CB-CG1	6.29	120.33	110.90
1	AA	68	U	O4'-C1'-N1	6.29	113.23	108.20
1	AE	53	G	O4'-C1'-N9	-6.29	103.17	108.20
2	AM	12	U	C4'-C3'-C2'	-6.29	96.31	102.60
3	A1	773	G	C8-N9-C4	-6.29	103.89	106.40
9	AH	63	ARG	NE-CZ-NH2	-6.29	117.16	120.30
24	BA	92	C	N3-C4-N4	-6.29	113.60	118.00
25	BB	99	U	P-O3'-C3'	6.29	127.24	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	177	G	C5'-C4'-O4'	6.29	116.64	109.10
25	BB	247	G	O4'-C1'-N9	6.29	113.23	108.20
25	BB	886	A	C4-C5-C6	-6.29	113.86	117.00
25	BB	1242	U	O4'-C1'-N1	6.29	113.23	108.20
25	BB	1643	G	C2'-C3'-O3'	6.29	123.76	113.70
25	BB	2414	G	C8-N9-C4	-6.29	103.89	106.40
1	AE	26	G	C4'-C3'-C2'	-6.28	96.32	102.60
3	A1	771	G	C6-N1-C2	-6.28	121.33	125.10
25	BB	80	G	C4-C5-C6	-6.28	115.03	118.80
25	BB	472	A	N7-C8-N9	6.28	116.94	113.80
25	BB	534	U	O3'-P-O5'	6.28	115.94	104.00
25	BB	964	C	C2-N3-C4	-6.28	116.76	119.90
25	BB	1103	A	N7-C8-N9	6.28	116.94	113.80
25	BB	1591	A	C5'-C4'-C3'	-6.28	105.94	116.00
25	BB	1966	A	C8-N9-C4	6.28	108.31	105.80
25	BB	2159	G	C8-N9-C4	-6.28	103.89	106.40
25	BB	2461	A	C1'-O4'-C4'	-6.28	104.87	109.90
25	BB	2777	G	C5-N7-C8	-6.28	101.16	104.30
25	BB	2879	A	C6-C5-N7	6.28	136.70	132.30
3	A1	1497	G	C4-N9-C1'	-6.28	118.33	126.50
3	A1	1500	A	C5'-C4'-C3'	-6.28	105.95	116.00
25	BB	111	A	C6-C5-N7	6.28	136.70	132.30
25	BB	458	G	C5-N7-C8	-6.28	101.16	104.30
25	BB	684	G	C6-C5-N7	6.28	134.17	130.40
25	BB	2003	A	C6-C5-N7	6.28	136.70	132.30
25	BB	2023	C	N3-C4-N4	-6.28	113.60	118.00
25	BB	2582	G	C5-C6-N1	6.28	114.64	111.50
3	A1	530	G	C2-N3-C4	6.28	115.04	111.90
3	A1	1310	G	N1-C2-N3	6.28	127.67	123.90
25	BB	218	A	N9-C4-C5	6.28	108.31	105.80
25	BB	306	U	N3-C2-O2	-6.28	117.80	122.20
25	BB	1182	G	O4'-C1'-N9	6.28	113.22	108.20
25	BB	1210	G	N1-C6-O6	-6.28	116.13	119.90
25	BB	1978	A	C4-C5-C6	-6.28	113.86	117.00
25	BB	2328	A	C5-C6-N1	6.28	120.84	117.70
37	BN	79	ARG	NE-CZ-NH1	6.28	123.44	120.30
49	BZ	98	ARG	NE-CZ-NH1	6.28	123.44	120.30
25	BB	407	G	N3-C2-N2	-6.28	115.50	119.90
25	BB	867	C	P-O3'-C3'	6.28	127.23	119.70
25	BB	1600	C	N3-C4-N4	-6.28	113.60	118.00
25	BB	1937	A	C5'-C4'-C3'	-6.28	105.95	116.00
25	BB	2108	A	C2-N3-C4	6.28	113.74	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
51	B2	7	TYR	CB-CG-CD1	-6.28	117.23	121.00
1	AE	63	C	C2-N3-C4	-6.28	116.76	119.90
2	AM	4	U	C5'-C4'-C3'	6.28	126.04	116.00
3	A1	298	A	N1-C2-N3	-6.28	126.16	129.30
3	A1	689	C	O4'-C1'-N1	6.28	113.22	108.20
3	A1	833	G	C5-C6-N1	6.28	114.64	111.50
3	A1	961	U	O4'-C1'-N1	6.28	113.22	108.20
3	A1	1005	A	C6-C5-N7	6.28	136.69	132.30
3	A1	1285	A	C4-C5-C6	-6.28	113.86	117.00
3	A1	1301	U	P-O3'-C3'	6.28	127.23	119.70
3	A1	1431	A	C5-C6-N6	6.28	128.72	123.70
25	BB	326	G	N1-C6-O6	-6.28	116.13	119.90
25	BB	404	A	C5-C6-N6	6.28	128.72	123.70
25	BB	1343	G	C1'-O4'-C4'	-6.28	104.88	109.90
25	BB	1585	C	C1'-O4'-C4'	-6.28	104.88	109.90
25	BB	1643	G	C4-C5-N7	6.28	113.31	110.80
25	BB	1680	U	O4'-C4'-C3'	6.28	111.12	106.10
25	BB	2066	C	N3-C4-C5	6.28	124.41	121.90
25	BB	2549	G	C6-C5-N7	6.28	134.17	130.40
1	AA	57	G	C6-C5-N7	6.28	134.16	130.40
3	A1	22	G	N1-C2-N3	6.28	127.67	123.90
3	A1	301	G	N9-C4-C5	6.28	107.91	105.40
3	A1	663	A	C3'-C2'-C1'	6.28	106.52	101.50
3	A1	1119	C	C3'-C2'-C1'	6.28	106.52	101.50
3	A1	1464	U	C6-N1-C2	-6.28	117.23	121.00
25	BB	683	U	C1'-O4'-C4'	-6.28	104.88	109.90
25	BB	736	C	N1-C2-N3	6.28	123.59	119.20
25	BB	1456	G	N1-C2-N2	-6.28	110.55	116.20
25	BB	2526	G	N3-C4-N9	6.28	129.76	126.00
3	A1	447	G	N3-C4-C5	-6.27	125.46	128.60
3	A1	1427	C	C2-N3-C4	-6.27	116.76	119.90
25	BB	768	G	N3-C4-C5	-6.27	125.46	128.60
25	BB	1284	A	O4'-C1'-N9	6.27	113.22	108.20
25	BB	1928	A	C5-C6-N6	6.27	128.72	123.70
1	AA	17	U	N3-C4-C5	6.27	118.36	114.60
1	AP	10	G	N3-C4-N9	6.27	129.76	126.00
3	A1	295	C	N3-C4-N4	-6.27	113.61	118.00
3	A1	1288	A	C4-C5-C6	-6.27	113.86	117.00
6	AD	8	ARG	NE-CZ-NH1	6.27	123.44	120.30
25	BB	99	U	P-O5'-C5'	6.27	130.94	120.90
25	BB	620	G	N1-C6-O6	-6.27	116.14	119.90
25	BB	954	G	C6-N1-C2	-6.27	121.34	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2263	C	N3-C2-O2	-6.27	117.51	121.90
25	BB	2300	C	N1-C2-O2	6.27	122.66	118.90
25	BB	2469	A	C5-N7-C8	-6.27	100.76	103.90
3	A1	172	A	C5-N7-C8	-6.27	100.76	103.90
3	A1	502	A	N1-C2-N3	-6.27	126.17	129.30
3	A1	807	A	C5-C6-N6	6.27	128.72	123.70
3	A1	1079	G	C5-C6-O6	6.27	132.36	128.60
3	A1	1495	U	C4-C5-C6	6.27	123.46	119.70
25	BB	926	G	O4'-C1'-N9	6.27	113.22	108.20
25	BB	1740	G	N1-C6-O6	-6.27	116.14	119.90
25	BB	1951	U	N3-C2-O2	-6.27	117.81	122.20
1	AA	49	C	C4'-C3'-C2'	-6.27	96.33	102.60
3	A1	500	G	C6-N1-C2	-6.27	121.34	125.10
3	A1	859	G	C4-C5-C6	-6.27	115.04	118.80
3	A1	982	U	N3-C4-C5	-6.27	110.84	114.60
3	A1	1515	G	C2-N3-C4	6.27	115.03	111.90
25	BB	720	U	C5-C4-O4	6.27	129.66	125.90
25	BB	839	U	C5'-C4'-O4'	6.27	116.62	109.10
25	BB	1213	A	N1-C2-N3	-6.27	126.17	129.30
25	BB	1845	G	N1-C6-O6	-6.27	116.14	119.90
25	BB	2214	C	C6-N1-C2	-6.27	117.79	120.30
25	BB	2229	U	O4'-C1'-C2'	-6.27	99.53	105.80
25	BB	2271	G	C6-N1-C2	-6.27	121.34	125.10
25	BB	2760	C	C4'-C3'-C2'	-6.27	96.33	102.60
1	AE	6	U	N1-C1'-C2'	-6.27	105.11	112.00
3	A1	1482	G	C5-N7-C8	6.27	107.43	104.30
24	BA	23	G	C3'-C2'-C1'	6.27	106.51	101.50
25	BB	1	G	C5'-C4'-C3'	-6.27	105.97	116.00
25	BB	44	A	C8-N9-C4	-6.27	103.29	105.80
25	BB	249	C	N3-C4-C5	6.27	124.41	121.90
25	BB	1566	A	C5'-C4'-C3'	-6.27	105.97	116.00
25	BB	1878	G	C8-N9-C4	-6.27	103.89	106.40
25	BB	1906	G	P-O3'-C3'	6.27	127.22	119.70
25	BB	2340	A	C8-N9-C4	-6.27	103.29	105.80
25	BB	2481	G	C6-N1-C2	-6.27	121.34	125.10
25	BB	2630	G	C3'-C2'-C1'	-6.27	96.48	101.50
3	A1	76	G	C6-N1-C2	-6.27	121.34	125.10
3	A1	364	A	O4'-C1'-N9	-6.27	103.19	108.20
3	A1	1405	G	C6-N1-C2	-6.27	121.34	125.10
25	BB	60	G	N1-C2-N3	6.27	127.66	123.90
25	BB	2033	A	C4-C5-C6	-6.27	113.87	117.00
25	BB	2817	U	C5'-C4'-C3'	-6.27	105.97	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	54	C	C3'-C2'-C1'	-6.26	96.49	101.50
3	A1	532	A	O4'-C1'-N9	6.26	113.21	108.20
17	AR	13	ARG	CD-NE-CZ	6.26	132.37	123.60
25	BB	521	U	OP1-P-OP2	-6.26	110.20	119.60
25	BB	770	G	N7-C8-N9	6.26	116.23	113.10
25	BB	945	A	N1-C2-N3	-6.26	126.17	129.30
25	BB	1734	G	O3'-P-O5'	6.26	115.90	104.00
25	BB	1854	A	C2-N3-C4	6.26	113.73	110.60
25	BB	1949	G	O4'-C1'-N9	6.26	113.21	108.20
25	BB	2382	G	C6-N1-C2	-6.26	121.34	125.10
25	BB	2662	A	N3-C4-N9	-6.26	122.39	127.40
25	BB	2665	A	O4'-C1'-N9	-6.26	103.19	108.20
25	BB	2740	A	C6-C5-N7	6.26	136.69	132.30
36	BM	73	ARG	NE-CZ-NH2	6.26	123.43	120.30
37	BN	68	ARG	NH1-CZ-NH2	-6.26	112.51	119.40
3	A1	1208	C	C2-N3-C4	-6.26	116.77	119.90
3	A1	1256	A	C4'-C3'-C2'	6.26	108.86	102.60
25	BB	111	A	C5-C6-N6	6.26	128.71	123.70
25	BB	873	C	N3-C4-C5	6.26	124.41	121.90
25	BB	1048	A	C3'-C2'-C1'	-6.26	96.49	101.50
25	BB	1720	U	N1-C2-N3	6.26	118.66	114.90
25	BB	2880	C	C2-N3-C4	-6.26	116.77	119.90
1	AA	3	G	C2-N3-C4	6.26	115.03	111.90
3	A1	1448	C	N1-C2-O2	6.26	122.66	118.90
24	BA	75	G	O4'-C1'-N9	6.26	113.21	108.20
25	BB	356	G	C6-C5-N7	6.26	134.16	130.40
25	BB	1392	A	C5-N7-C8	-6.26	100.77	103.90
25	BB	1979	U	C5'-C4'-C3'	-6.26	105.98	116.00
25	BB	2679	A	C5-C6-N6	6.26	128.71	123.70
25	BB	2736	A	C4'-C3'-C2'	-6.26	96.34	102.60
1	AA	22	G	N3-C2-N2	-6.26	115.52	119.90
3	A1	36	C	N1-C2-N3	6.26	123.58	119.20
3	A1	442	G	C3'-C2'-C1'	6.26	106.51	101.50
3	A1	560	A	O4'-C1'-N9	6.26	113.21	108.20
3	A1	580	C	O4'-C1'-C2'	-6.26	99.54	105.80
3	A1	1172	C	N1-C2-N3	6.26	123.58	119.20
3	A1	1268	G	C5-C6-N1	6.26	114.63	111.50
3	A1	1344	C	C2-N3-C4	-6.26	116.77	119.90
25	BB	158	U	C5-C6-N1	-6.26	119.57	122.70
25	BB	170	U	C4-C5-C6	6.26	123.45	119.70
25	BB	466	A	C5-N7-C8	-6.26	100.77	103.90
25	BB	865	C	N3-C4-C5	6.26	124.40	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1535	A	C4-C5-N7	6.26	113.83	110.70
25	BB	2204	G	N9-C4-C5	6.26	107.90	105.40
3	A1	78	A	N1-C2-N3	-6.26	126.17	129.30
3	A1	419	C	O4'-C4'-C3'	-6.26	97.74	104.00
25	BB	601	C	C5'-C4'-O4'	6.26	116.61	109.10
25	BB	834	G	N1-C2-N3	6.26	127.66	123.90
25	BB	852	U	N3-C2-O2	-6.26	117.82	122.20
25	BB	1021	A	C5-C6-N1	6.26	120.83	117.70
25	BB	1437	C	C4'-C3'-C2'	-6.26	96.34	102.60
25	BB	2571	U	C5-C6-N1	-6.26	119.57	122.70
25	BB	2619	C	N3-C4-C5	6.26	124.40	121.90
1	AA	64	A	C5-C6-N6	6.26	128.71	123.70
1	AE	53	G	N3-C2-N2	-6.26	115.52	119.90
2	AM	3	U	C3'-C2'-C1'	-6.26	96.50	101.50
3	A1	96	U	N3-C2-O2	-6.26	117.82	122.20
3	A1	951	G	C5-C6-N1	6.26	114.63	111.50
24	BA	63	C	N1-C2-N3	6.26	123.58	119.20
25	BB	249	C	C1'-O4'-C4'	-6.26	104.89	109.90
25	BB	256	A	C4-C5-C6	-6.26	113.87	117.00
25	BB	649	G	C4-C5-C6	-6.26	115.05	118.80
25	BB	1300	G	C8-N9-C4	-6.26	103.90	106.40
25	BB	2709	G	N3-C4-N9	6.26	129.75	126.00
25	BB	2712	C	N1-C1'-C2'	6.26	122.13	114.00
37	BN	213	ARG	NH1-CZ-NH2	-6.26	112.52	119.40
25	BB	399	U	O4'-C1'-N1	6.25	113.20	108.20
25	BB	911	A	C6-C5-N7	6.25	136.68	132.30
25	BB	1922	G	C4-C5-C6	-6.25	115.05	118.80
25	BB	2117	A	C4-C5-C6	-6.25	113.87	117.00
25	BB	2315	G	N1-C6-O6	-6.25	116.15	119.90
1	AA	71	G	N7-C8-N9	6.25	116.23	113.10
3	A1	854	U	C1'-O4'-C4'	-6.25	104.90	109.90
3	A1	948	C	C6-N1-C2	-6.25	117.80	120.30
25	BB	296	U	C3'-C2'-C1'	-6.25	96.50	101.50
25	BB	300	A	C5-C6-N1	6.25	120.83	117.70
25	BB	569	U	N1-C2-N3	6.25	118.65	114.90
25	BB	1774	C	O5'-C5'-C4'	-6.25	99.82	111.70
25	BB	1985	C	C2-N3-C4	-6.25	116.77	119.90
25	BB	2092	U	C6-N1-C2	6.25	124.75	121.00
3	A1	70	U	N3-C2-O2	-6.25	117.82	122.20
3	A1	559	A	C2-N3-C4	6.25	113.73	110.60
3	A1	1130	A	O3'-P-O5'	-6.25	92.12	104.00
3	A1	1444	U	N1-C2-O2	6.25	127.18	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	100	U	P-O3'-C3'	6.25	127.20	119.70
25	BB	999	U	N1-C2-N3	6.25	118.65	114.90
25	BB	1044	C	C2-N3-C4	-6.25	116.77	119.90
25	BB	1232	G	C8-N9-C1'	6.25	135.13	127.00
25	BB	1676	A	O4'-C4'-C3'	6.25	111.10	106.10
25	BB	2337	G	C5-C6-O6	6.25	132.35	128.60
25	BB	2504	U	C5-C6-N1	-6.25	119.57	122.70
25	BB	2664	G	O4'-C1'-C2'	6.25	113.23	107.60
3	A1	351	G	N3-C2-N2	-6.25	115.53	119.90
3	A1	422	C	C2-N1-C1'	6.25	125.68	118.80
3	A1	647	C	O4'-C1'-N1	6.25	113.20	108.20
25	BB	372	G	C5-C6-O6	6.25	132.35	128.60
25	BB	952	G	C3'-C2'-C1'	-6.25	96.50	101.50
1	AE	56	C	N1-C2-O2	6.25	122.65	118.90
3	A1	1098	C	C6-N1-C2	-6.25	117.80	120.30
3	A1	1341	U	O4'-C1'-N1	6.25	113.20	108.20
3	A1	1447	A	C4-C5-C6	-6.25	113.88	117.00
22	AW	10	ARG	NE-CZ-NH2	6.25	123.42	120.30
25	BB	41	C	N1-C2-O2	6.25	122.65	118.90
25	BB	327	G	P-O3'-C3'	6.25	127.20	119.70
25	BB	1631	G	N1-C2-N3	6.25	127.65	123.90
25	BB	1822	C	C5'-C4'-O4'	6.25	116.60	109.10
25	BB	1988	G	N1-C6-O6	-6.25	116.15	119.90
25	BB	2385	C	N1-C2-O2	6.25	122.65	118.90
27	BD	78	ARG	NE-CZ-NH2	-6.25	117.18	120.30
32	BI	61	ARG	NH1-CZ-NH2	-6.25	112.53	119.40
3	A1	250	A	C4-C5-C6	-6.25	113.88	117.00
3	A1	656	G	N3-C4-N9	6.25	129.75	126.00
3	A1	1413	A	N9-C4-C5	6.25	108.30	105.80
25	BB	337	C	C2-N3-C4	-6.25	116.78	119.90
25	BB	707	G	N1-C6-O6	-6.25	116.15	119.90
25	BB	870	U	N1-C1'-C2'	-6.25	105.13	112.00
25	BB	1156	A	C4-C5-C6	-6.25	113.88	117.00
25	BB	1651	G	C1'-O4'-C4'	-6.25	104.90	109.90
25	BB	2635	A	O4'-C1'-N9	-6.25	103.20	108.20
1	AA	37	G	N9-C1'-C2'	-6.25	105.13	112.00
3	A1	76	G	N3-C2-N2	-6.25	115.53	119.90
3	A1	166	U	C3'-C2'-C1'	-6.25	96.50	101.50
3	A1	545	C	N3-C2-O2	-6.25	117.53	121.90
3	A1	708	C	N1-C2-O2	6.25	122.65	118.90
3	A1	747	A	C5-C6-N6	6.25	128.70	123.70
3	A1	1412	C	C2-N3-C4	-6.25	116.78	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	AG	64	ARG	NH1-CZ-NH2	-6.25	112.53	119.40
25	BB	436	C	C5-C6-N1	-6.25	117.88	121.00
25	BB	1445	G	C5-C6-N1	6.25	114.62	111.50
25	BB	2656	U	C1'-O4'-C4'	-6.25	104.90	109.90
48	BY	169	ARG	NH1-CZ-NH2	-6.25	112.53	119.40
1	AA	1	G	C5-C6-N1	6.24	114.62	111.50
3	A1	156	C	N1-C2-O2	6.24	122.65	118.90
3	A1	163	C	O4'-C4'-C3'	-6.24	97.76	104.00
3	A1	521	G	C5'-C4'-O4'	6.24	116.59	109.10
3	A1	734	G	N9-C1'-C2'	-6.24	105.13	112.00
3	A1	890	G	C1'-O4'-C4'	-6.24	104.91	109.90
3	A1	1482	G	C4'-C3'-C2'	-6.24	96.36	102.60
25	BB	205	G	C5'-C4'-O4'	-6.24	101.61	109.10
25	BB	501	A	C2-N3-C4	6.24	113.72	110.60
25	BB	1685	C	C2-N3-C4	-6.24	116.78	119.90
3	A1	481	G	C3'-C2'-C1'	6.24	106.49	101.50
5	AC	35	ASP	CB-CG-OD2	-6.24	112.68	118.30
24	BA	76	G	C6-N1-C2	-6.24	121.36	125.10
25	BB	379	G	N3-C2-N2	-6.24	115.53	119.90
25	BB	1988	G	C4'-C3'-C2'	-6.24	96.36	102.60
25	BB	2472	G	C5-C6-O6	6.24	132.34	128.60
1	AP	32	C	C6-N1-C2	-6.24	117.80	120.30
3	A1	31	G	N1-C2-N2	-6.24	110.58	116.20
3	A1	222	C	O4'-C1'-N1	6.24	113.19	108.20
3	A1	767	A	C5-C6-N1	6.24	120.82	117.70
3	A1	956	U	C4-C5-C6	6.24	123.44	119.70
3	A1	1150	A	N9-C4-C5	6.24	108.30	105.80
25	BB	32	C	N1-C2-N3	6.24	123.57	119.20
25	BB	382	A	N9-C4-C5	-6.24	103.30	105.80
25	BB	626	A	C4'-C3'-C2'	6.24	108.84	102.60
25	BB	660	C	O4'-C1'-N1	6.24	113.19	108.20
25	BB	965	C	C3'-C2'-C1'	6.24	106.49	101.50
25	BB	1141	U	N3-C2-O2	-6.24	117.83	122.20
25	BB	1636	U	C1'-O4'-C4'	-6.24	104.91	109.90
25	BB	1689	A	C6-C5-N7	6.24	136.67	132.30
25	BB	2546	U	C5'-C4'-O4'	6.24	116.59	109.10
25	BB	2788	C	N3-C4-N4	-6.24	113.63	118.00
1	AA	19	G	N3-C2-N2	-6.24	115.53	119.90
1	AA	47	U	O4'-C1'-N1	6.24	113.19	108.20
1	AE	18	G	N1-C6-O6	-6.24	116.16	119.90
1	AE	36	A	C5-C6-N6	6.24	128.69	123.70
3	A1	1233	G	N9-C4-C5	6.24	107.89	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1485	U	N1-C1'-C2'	6.24	122.11	114.00
3	A1	1530	G	O4'-C4'-C3'	6.24	111.09	106.10
25	BB	48	G	C5-C6-N1	6.24	114.62	111.50
25	BB	365	U	N3-C2-O2	-6.24	117.83	122.20
25	BB	446	G	C3'-C2'-C1'	6.24	106.49	101.50
25	BB	501	A	C4-C5-C6	-6.24	113.88	117.00
25	BB	639	U	N1-C1'-C2'	-6.24	105.14	112.00
25	BB	645	C	C6-N1-C2	-6.24	117.81	120.30
25	BB	838	C	C5-C4-N4	6.24	124.57	120.20
25	BB	996	A	C4-C5-C6	-6.24	113.88	117.00
25	BB	1661	G	N7-C8-N9	6.24	116.22	113.10
25	BB	2494	G	N1-C6-O6	-6.24	116.16	119.90
40	BQ	49	ASP	CB-CG-OD2	-6.24	112.68	118.30
1	AE	25	C	N3-C2-O2	-6.24	117.53	121.90
25	BB	836	G	C5-C6-N1	6.24	114.62	111.50
25	BB	1220	G	C2-N3-C4	6.24	115.02	111.90
25	BB	1518	C	C5'-C4'-O4'	6.24	116.58	109.10
1	AE	60	C	N1-C2-N3	6.24	123.56	119.20
3	A1	26	A	C2-N3-C4	6.24	113.72	110.60
3	A1	721	G	N1-C6-O6	-6.24	116.16	119.90
25	BB	225	C	N1-C2-O2	6.24	122.64	118.90
25	BB	411	G	N1-C2-N3	6.24	127.64	123.90
25	BB	578	G	C6-N1-C2	-6.24	121.36	125.10
25	BB	922	C	C1'-O4'-C4'	-6.24	104.91	109.90
25	BB	1128	G	C5-C6-N1	6.24	114.62	111.50
25	BB	1766	G	C4-C5-N7	-6.24	108.31	110.80
25	BB	1790	C	N1-C2-N3	6.24	123.56	119.20
25	BB	2070	A	C6-N1-C2	-6.24	114.86	118.60
25	BB	2381	A	C4-C5-C6	-6.24	113.88	117.00
1	AA	18	G	N1-C6-O6	-6.23	116.16	119.90
1	AP	42	G	C2-N3-C4	6.23	115.02	111.90
25	BB	185	G	C5-C6-N1	6.23	114.62	111.50
25	BB	646	U	N3-C2-O2	-6.23	117.84	122.20
25	BB	888	C	C4'-C3'-C2'	-6.23	96.37	102.60
25	BB	2112	G	N3-C4-C5	-6.23	125.48	128.60
25	BB	2133	G	C2-N3-C4	6.23	115.02	111.90
25	BB	2715	C	N3-C2-O2	-6.23	117.54	121.90
54	B5	122	GLU	OE1-CD-OE2	-6.23	115.82	123.30
1	AE	60	C	C5-C4-N4	6.23	124.56	120.20
3	A1	29	U	O4'-C1'-N1	6.23	113.19	108.20
3	A1	284	C	C5-C4-N4	6.23	124.56	120.20
3	A1	1062	U	C5'-C4'-O4'	-6.23	101.62	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	BA	15	A	C2-N3-C4	6.23	113.72	110.60
25	BB	9	G	N3-C4-C5	-6.23	125.48	128.60
25	BB	371	A	C5-C6-N1	6.23	120.82	117.70
25	BB	976	G	C5-C6-O6	6.23	132.34	128.60
25	BB	1535	A	C2-N3-C4	6.23	113.72	110.60
25	BB	1591	A	C5-N7-C8	-6.23	100.78	103.90
25	BB	1999	C	C5-C6-N1	-6.23	117.88	121.00
25	BB	2107	G	N7-C8-N9	6.23	116.22	113.10
25	BB	2338	C	O4'-C1'-N1	6.23	113.19	108.20
3	A1	141	G	C1'-O4'-C4'	-6.23	104.92	109.90
3	A1	199	A	O3'-P-O5'	6.23	115.84	104.00
3	A1	583	A	O4'-C1'-N9	6.23	113.18	108.20
3	A1	892	A	C6-C5-N7	6.23	136.66	132.30
3	A1	1171	A	C2-N3-C4	6.23	113.72	110.60
3	A1	1423	G	C1'-O4'-C4'	-6.23	104.92	109.90
3	A1	1534	A	C6-N1-C2	-6.23	114.86	118.60
24	BA	49	C	C3'-C2'-C1'	6.23	106.48	101.50
25	BB	2714	G	C2-N3-C4	6.23	115.02	111.90
3	A1	1200	C	C2-N3-C4	-6.23	116.78	119.90
25	BB	79	C	N3-C4-C5	6.23	124.39	121.90
25	BB	108	G	N3-C4-C5	-6.23	125.49	128.60
25	BB	1228	G	O4'-C1'-N9	-6.23	103.22	108.20
25	BB	2248	C	N3-C4-N4	-6.23	113.64	118.00
25	BB	2271	G	N1-C6-O6	-6.23	116.16	119.90
1	AA	20	G	O5'-P-OP1	6.23	118.17	110.70
1	AE	32	C	N3-C2-O2	-6.23	117.54	121.90
2	AM	7	U	O4'-C1'-N1	6.23	113.18	108.20
3	A1	149	A	C3'-C2'-C1'	6.23	106.48	101.50
3	A1	163	C	N1-C2-O2	6.23	122.64	118.90
3	A1	596	A	C5-C6-N1	6.23	120.81	117.70
3	A1	1263	C	N1-C2-N3	6.23	123.56	119.20
25	BB	155	A	C6-N1-C2	-6.23	114.86	118.60
25	BB	538	A	C2-N3-C4	6.23	113.71	110.60
25	BB	552	U	C5-C6-N1	-6.23	119.59	122.70
25	BB	612	G	O4'-C4'-C3'	6.23	111.08	106.10
25	BB	875	G	C6-N1-C2	-6.23	121.36	125.10
25	BB	1086	A	N1-C2-N3	-6.23	126.19	129.30
25	BB	1093	G	N1-C2-N2	-6.23	110.59	116.20
25	BB	1273	U	N1-C2-O2	6.23	127.16	122.80
25	BB	1373	A	C6-C5-N7	6.23	136.66	132.30
25	BB	1828	G	C4'-C3'-C2'	-6.23	96.37	102.60
25	BB	2205	A	C4'-C3'-C2'	-6.23	96.37	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AE	49	C	C3'-C2'-C1'	-6.23	96.52	101.50
3	A1	1384	C	C2-N3-C4	-6.23	116.79	119.90
3	A1	1534	A	C8-N9-C4	-6.23	103.31	105.80
24	BA	107	G	C6-C5-N7	6.23	134.14	130.40
25	BB	915	C	O4'-C1'-N1	6.23	113.18	108.20
25	BB	1175	A	C2'-C3'-O3'	6.23	123.66	113.70
25	BB	1532	A	N9-C4-C5	-6.23	103.31	105.80
25	BB	2100	G	N3-C4-C5	-6.23	125.49	128.60
3	A1	637	C	C2-N3-C4	-6.22	116.79	119.90
3	A1	651	C	C5-C6-N1	-6.22	117.89	121.00
25	BB	26	G	O4'-C1'-N9	-6.22	103.22	108.20
25	BB	224	U	O4'-C1'-N1	6.22	113.18	108.20
25	BB	465	G	N1-C6-O6	-6.22	116.17	119.90
25	BB	638	G	N3-C4-C5	-6.22	125.49	128.60
25	BB	696	G	N1-C6-O6	-6.22	116.17	119.90
25	BB	2067	G	N3-C2-N2	-6.22	115.54	119.90
25	BB	2379	G	N3-C4-C5	-6.22	125.49	128.60
25	BB	2650	U	C5-C4-O4	6.22	129.63	125.90
25	BB	2668	G	N1-C2-N3	6.22	127.64	123.90
25	BB	2805	C	N1-C2-O2	6.22	122.64	118.90
25	BB	2870	C	N3-C4-N4	-6.22	113.64	118.00
3	A1	728	A	C4'-C3'-C2'	-6.22	96.38	102.60
3	A1	877	G	N3-C2-N2	-6.22	115.54	119.90
3	A1	1037	C	C4'-C3'-C2'	-6.22	96.38	102.60
3	A1	1282	C	C4-C5-C6	-6.22	114.29	117.40
24	BA	13	G	C5-C6-N1	6.22	114.61	111.50
25	BB	870	U	C4'-C3'-C2'	-6.22	96.38	102.60
25	BB	1338	G	P-O3'-C3'	6.22	127.17	119.70
25	BB	1375	U	N3-C2-O2	-6.22	117.84	122.20
25	BB	1935	G	O4'-C1'-C2'	6.22	113.20	107.60
25	BB	2220	U	C4-C5-C6	6.22	123.43	119.70
25	BB	2889	C	O4'-C1'-N1	6.22	113.18	108.20
25	BB	755	U	N3-C2-O2	-6.22	117.84	122.20
25	BB	1811	G	N1-C6-O6	-6.22	116.17	119.90
1	AE	24	G	C6-C5-N7	6.22	134.13	130.40
1	AE	67	A	C3'-C2'-C1'	-6.22	96.52	101.50
3	A1	272	C	N3-C4-N4	-6.22	113.65	118.00
3	A1	524	G	C1'-O4'-C4'	-6.22	104.92	109.90
3	A1	666	G	N1-C2-N3	6.22	127.63	123.90
3	A1	823	C	C5-C4-N4	-6.22	115.85	120.20
3	A1	869	G	N1-C6-O6	-6.22	116.17	119.90
3	A1	1139	G	C8-N9-C4	-6.22	103.91	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	532	A	C6-C5-N7	6.22	136.65	132.30
25	BB	752	A	C4-C5-C6	-6.22	113.89	117.00
25	BB	1430	G	N3-C2-N2	-6.22	115.55	119.90
25	BB	1680	U	N1-C2-N3	6.22	118.63	114.90
25	BB	1801	A	C5-C6-N6	6.22	128.68	123.70
25	BB	1939	U	C3'-C2'-C1'	6.22	106.47	101.50
25	BB	2504	U	N1-C2-N3	6.22	118.63	114.90
25	BB	2553	G	N7-C8-N9	6.22	116.21	113.10
25	BB	2737	G	C4'-C3'-C2'	-6.22	96.38	102.60
25	BB	2810	A	N1-C6-N6	-6.22	114.87	118.60
25	BB	2888	C	N1-C2-O2	6.22	122.63	118.90
3	A1	25	C	C5-C4-N4	6.22	124.55	120.20
3	A1	353	A	N9-C1'-C2'	-6.22	105.16	112.00
3	A1	376	G	C5-C6-O6	6.22	132.33	128.60
3	A1	1505	G	P-O3'-C3'	6.22	127.16	119.70
25	BB	638	G	C2-N3-C4	6.22	115.01	111.90
25	BB	953	G	N3-C4-C5	-6.22	125.49	128.60
25	BB	1096	A	O4'-C1'-N9	-6.22	103.22	108.20
25	BB	1137	G	N1-C6-O6	-6.22	116.17	119.90
25	BB	2028	U	C2-N3-C4	-6.22	123.27	127.00
25	BB	2283	C	C4'-C3'-C2'	-6.22	96.38	102.60
1	AA	67	A	O5'-P-OP2	-6.22	100.10	105.70
1	AE	34	G	C5-C6-N1	6.22	114.61	111.50
3	A1	90	C	N3-C2-O2	-6.22	117.55	121.90
3	A1	200	G	C5-C6-N1	6.22	114.61	111.50
3	A1	768	A	C6-C5-N7	6.22	136.65	132.30
3	A1	808	C	O4'-C1'-N1	6.22	113.17	108.20
24	BA	14	U	N1-C1'-C2'	-6.22	105.16	112.00
25	BB	800	A	C5-C6-N6	6.22	128.67	123.70
25	BB	988	A	C6-C5-N7	6.22	136.65	132.30
25	BB	1659	G	C5-C6-N1	6.22	114.61	111.50
25	BB	2673	G	C6-C5-N7	6.22	134.13	130.40
25	BB	2724	U	N3-C2-O2	-6.22	117.85	122.20
3	A1	121	U	O4'-C4'-C3'	6.21	111.07	106.10
3	A1	187	G	C6-N1-C2	-6.21	121.37	125.10
3	A1	453	G	C3'-C2'-C1'	6.21	106.47	101.50
3	A1	773	G	C6-N1-C2	-6.21	121.37	125.10
3	A1	838	G	N3-C2-N2	6.21	124.25	119.90
3	A1	952	U	C4-C5-C6	6.21	123.43	119.70
3	A1	1028	C	O4'-C1'-N1	6.21	113.17	108.20
3	A1	1029	U	N3-C2-O2	-6.21	117.85	122.20
3	A1	1043	G	N1-C2-N3	6.21	127.63	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1085	U	N1-C2-N3	6.21	118.63	114.90
3	A1	1488	G	N1-C6-O6	-6.21	116.17	119.90
22	AW	17	ARG	NE-CZ-NH1	6.21	123.41	120.30
25	BB	117	G	C8-N9-C4	-6.21	103.91	106.40
25	BB	207	A	C6-C5-N7	6.21	136.65	132.30
25	BB	222	A	N1-C6-N6	-6.21	114.87	118.60
25	BB	572	A	O4'-C1'-N9	6.21	113.17	108.20
25	BB	835	C	N3-C4-C5	6.21	124.39	121.90
25	BB	1139	G	O4'-C1'-N9	-6.21	103.23	108.20
25	BB	1411	U	P-O3'-C3'	6.21	127.16	119.70
25	BB	1713	A	C1'-O4'-C4'	-6.21	104.93	109.90
25	BB	2127	G	C4'-C3'-C2'	-6.21	96.39	102.60
25	BB	2258	C	N3-C2-O2	-6.21	117.55	121.90
25	BB	2637	U	N3-C2-O2	-6.21	117.85	122.20
49	BZ	173	ASP	CB-CG-OD2	6.21	123.89	118.30
1	AA	21	A	C4-C5-C6	-6.21	113.89	117.00
1	AA	32	C	C5-C4-N4	6.21	124.55	120.20
1	AE	53	G	C6-N1-C2	-6.21	121.37	125.10
3	A1	1140	C	O4'-C4'-C3'	6.21	111.07	106.10
25	BB	146	A	C5-C6-N1	6.21	120.81	117.70
25	BB	196	A	O4'-C1'-C2'	-6.21	99.59	105.80
25	BB	413	C	C4-C5-C6	-6.21	114.29	117.40
25	BB	673	C	N3-C2-O2	-6.21	117.55	121.90
25	BB	1016	G	C2-N3-C4	6.21	115.01	111.90
25	BB	1613	G	C6-C5-N7	6.21	134.13	130.40
25	BB	1648	U	C5-C4-O4	6.21	129.63	125.90
25	BB	1702	G	C5-C6-N1	6.21	114.61	111.50
25	BB	2519	U	C5-C4-O4	-6.21	122.17	125.90
25	BB	2586	U	C5-C4-O4	6.21	129.63	125.90
1	AP	46	G	C5'-C4'-O4'	6.21	116.55	109.10
3	A1	577	G	N7-C8-N9	6.21	116.21	113.10
3	A1	718	A	C8-N9-C4	6.21	108.28	105.80
3	A1	721	G	C4-C5-C6	-6.21	115.07	118.80
3	A1	1103	C	N3-C2-O2	-6.21	117.55	121.90
3	A1	1197	A	C6-C5-N7	6.21	136.65	132.30
3	A1	1240	U	N3-C2-O2	-6.21	117.85	122.20
3	A1	1295	U	C5'-C4'-O4'	6.21	116.56	109.10
3	A1	1523	G	C5-C6-N1	6.21	114.61	111.50
24	BA	72	G	C8-N9-C4	-6.21	103.92	106.40
25	BB	360	U	C2-N3-C4	-6.21	123.27	127.00
25	BB	463	G	N1-C6-O6	-6.21	116.17	119.90
25	BB	479	A	N9-C4-C5	6.21	108.28	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1672	A	P-O3'-C3'	6.21	127.16	119.70
25	BB	1728	C	O4'-C1'-N1	6.21	113.17	108.20
25	BB	2292	U	C6-N1-C2	-6.21	117.27	121.00
25	BB	2458	G	C6-N1-C2	-6.21	121.37	125.10
1	AA	41	U	C1'-O4'-C4'	6.21	114.87	109.90
1	AP	65	G	C4'-C3'-C2'	-6.21	96.39	102.60
3	A1	211	G	C4-N9-C1'	6.21	134.57	126.50
3	A1	974	A	C5-C6-N6	6.21	128.67	123.70
3	A1	1225	A	O4'-C1'-N9	6.21	113.17	108.20
3	A1	1377	A	C6-C5-N7	6.21	136.65	132.30
25	BB	199	A	C6-C5-N7	6.21	136.65	132.30
55	B6	27	ARG	NE-CZ-NH1	6.21	123.41	120.30
1	AP	27	C	C6-N1-C2	-6.21	117.82	120.30
3	A1	8	A	P-O3'-C3'	6.21	127.15	119.70
3	A1	1208	C	O4'-C1'-N1	6.21	113.17	108.20
24	BA	31	C	N1-C2-N3	6.21	123.55	119.20
25	BB	383	C	C4-C5-C6	6.21	120.50	117.40
25	BB	387	U	C5'-C4'-C3'	-6.21	106.07	116.00
25	BB	662	G	C5-C6-N1	6.21	114.60	111.50
25	BB	898	C	O4'-C1'-C2'	6.21	113.19	107.60
25	BB	1498	C	C1'-O4'-C4'	-6.21	104.93	109.90
25	BB	1942	C	N3-C4-N4	-6.21	113.65	118.00
25	BB	2029	G	C5-C6-N1	6.21	114.61	111.50
25	BB	2191	A	C5'-C4'-C3'	-6.21	106.06	116.00
25	BB	2518	A	C4-C5-C6	-6.21	113.90	117.00
25	BB	2640	G	C4'-C3'-C2'	-6.21	96.39	102.60
25	BB	2756	U	O4'-C1'-C2'	-6.21	99.59	105.80
1	AA	51	G	C5-N7-C8	-6.21	101.20	104.30
3	A1	422	C	C6-N1-C1'	-6.21	113.35	120.80
3	A1	509	A	N1-C2-N3	-6.21	126.20	129.30
3	A1	515	G	C1'-O4'-C4'	-6.21	104.94	109.90
3	A1	863	U	O4'-C1'-N1	6.21	113.17	108.20
3	A1	986	U	N1-C1'-C2'	-6.21	105.17	112.00
3	A1	1123	U	N3-C2-O2	-6.21	117.86	122.20
3	A1	1279	G	O4'-C4'-C3'	6.21	111.06	106.10
24	BA	51	G	N7-C8-N9	6.21	116.20	113.10
24	BA	54	G	N3-C4-N9	6.21	129.72	126.00
25	BB	971	G	N7-C8-N9	6.21	116.20	113.10
25	BB	1276	A	C4-C5-C6	-6.21	113.90	117.00
25	BB	1309	G	C6-N1-C2	-6.21	121.38	125.10
25	BB	1845	G	O4'-C1'-N9	6.21	113.17	108.20
25	BB	2076	U	O4'-C1'-N1	6.21	113.17	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2543	G	N7-C8-N9	6.21	116.20	113.10
25	BB	2765	A	C4-C5-C6	-6.21	113.90	117.00
3	A1	486	U	O4'-C4'-C3'	6.21	111.06	106.10
25	BB	2649	C	N3-C4-N4	-6.21	113.66	118.00
25	BB	2849	U	N3-C2-O2	-6.21	117.86	122.20
3	A1	441	A	N9-C1'-C2'	6.20	122.06	114.00
3	A1	496	A	C5-N7-C8	-6.20	100.80	103.90
3	A1	814	A	C8-N9-C4	-6.20	103.32	105.80
3	A1	827	U	C6-N1-C2	-6.20	117.28	121.00
3	A1	968	A	C6-N1-C2	-6.20	114.88	118.60
3	A1	988	G	O4'-C1'-N9	6.20	113.16	108.20
3	A1	1028	C	N1-C2-N3	6.20	123.54	119.20
3	A1	1254	A	C4-C5-N7	6.20	113.80	110.70
3	A1	1312	G	N1-C6-O6	-6.20	116.18	119.90
3	A1	1482	G	O4'-C1'-C2'	-6.20	99.60	105.80
25	BB	523	C	C5-C4-N4	6.20	124.54	120.20
25	BB	894	U	C5-C6-N1	-6.20	119.60	122.70
25	BB	1192	G	C5-N7-C8	-6.20	101.20	104.30
25	BB	2225	A	O4'-C4'-C3'	6.20	111.06	106.10
25	BB	2384	U	N1-C2-N3	6.20	118.62	114.90
25	BB	2653	U	N3-C4-O4	6.20	123.74	119.40
3	A1	513	C	N3-C2-O2	-6.20	117.56	121.90
3	A1	1094	G	C4-C5-C6	-6.20	115.08	118.80
25	BB	149	A	C6-C5-N7	6.20	136.64	132.30
25	BB	175	G	N1-C2-N3	6.20	127.62	123.90
25	BB	192	C	O5'-P-OP1	-6.20	100.12	105.70
25	BB	242	G	C1'-O4'-C4'	-6.20	104.94	109.90
25	BB	253	C	C5'-C4'-C3'	-6.20	106.08	116.00
25	BB	414	C	C5'-C4'-C3'	-6.20	106.08	116.00
25	BB	606	U	O4'-C1'-N1	6.20	113.16	108.20
25	BB	655	A	N3-C4-C5	6.20	131.14	126.80
25	BB	945	A	C5-C6-N1	6.20	120.80	117.70
25	BB	1845	G	C5-C6-N1	6.20	114.60	111.50
25	BB	2056	G	O5'-C5'-C4'	6.20	123.48	111.70
1	AP	41	U	C4'-C3'-C2'	-6.20	96.40	102.60
3	A1	286	C	O4'-C1'-N1	6.20	113.16	108.20
3	A1	630	A	N1-C2-N3	6.20	132.40	129.30
3	A1	633	G	N1-C6-O6	-6.20	116.18	119.90
3	A1	1080	A	C5-N7-C8	-6.20	100.80	103.90
3	A1	1313	U	C4-C5-C6	6.20	123.42	119.70
25	BB	611	C	C1'-O4'-C4'	-6.20	104.94	109.90
25	BB	1269	A	C4-C5-C6	-6.20	113.90	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2268	A	N9-C4-C5	6.20	108.28	105.80
25	BB	2274	A	C1'-O4'-C4'	-6.20	104.94	109.90
25	BB	2283	C	O4'-C1'-N1	6.20	113.16	108.20
37	BN	202	ARG	NH1-CZ-NH2	-6.20	112.58	119.40
1	AA	57	G	C5'-C4'-O4'	6.20	116.54	109.10
3	A1	447	G	N1-C2-N2	-6.20	110.62	116.20
3	A1	675	A	C3'-C2'-C1'	6.20	106.46	101.50
3	A1	874	G	N3-C4-C5	-6.20	125.50	128.60
3	A1	1044	A	O4'-C1'-C2'	-6.20	99.60	105.80
25	BB	455	C	N3-C4-N4	-6.20	113.66	118.00
25	BB	533	G	O4'-C1'-N9	6.20	113.16	108.20
25	BB	1248	G	C6-N1-C2	-6.20	121.38	125.10
25	BB	1290	C	O4'-C1'-N1	6.20	113.16	108.20
25	BB	1448	G	N3-C4-C5	-6.20	125.50	128.60
25	BB	1585	C	C5-C6-N1	-6.20	117.90	121.00
25	BB	1800	C	N3-C4-C5	6.20	124.38	121.90
25	BB	1817	G	C8-N9-C4	-6.20	103.92	106.40
25	BB	2457	U	C4-C5-C6	6.20	123.42	119.70
3	A1	324	G	N1-C2-N3	6.20	127.62	123.90
3	A1	376	G	N9-C4-C5	6.20	107.88	105.40
3	A1	528	C	O4'-C1'-N1	-6.20	103.24	108.20
3	A1	719	C	O4'-C1'-N1	-6.20	103.24	108.20
25	BB	44	A	C4-C5-C6	-6.20	113.90	117.00
25	BB	173	A	C6-C5-N7	6.20	136.64	132.30
25	BB	1641	A	O4'-C4'-C3'	-6.20	97.80	104.00
25	BB	2395	C	N1-C2-O2	6.20	122.62	118.90
1	AP	49	C	C4-C5-C6	6.20	120.50	117.40
3	A1	106	C	C4-C5-C6	6.20	120.50	117.40
3	A1	152	A	C4-C5-C6	-6.20	113.90	117.00
3	A1	182	A	C4-C5-N7	6.20	113.80	110.70
3	A1	1032	G	C5-C6-N1	6.20	114.60	111.50
3	A1	1280	A	N1-C6-N6	-6.20	114.88	118.60
25	BB	124	G	O5'-P-OP2	-6.20	100.12	105.70
25	BB	985	C	O4'-C1'-N1	6.20	113.16	108.20
25	BB	1168	G	P-O3'-C3'	6.20	127.13	119.70
25	BB	1475	G	N3-C4-C5	-6.20	125.50	128.60
25	BB	1959	G	C5-C6-N1	6.20	114.60	111.50
25	BB	1982	U	O4'-C4'-C3'	6.20	111.06	106.10
25	BB	2274	A	C5-C6-N6	6.20	128.66	123.70
25	BB	2744	G	C5-C6-N1	6.20	114.60	111.50
39	BP	19	ARG	NE-CZ-NH1	6.20	123.40	120.30
3	A1	45	G	N3-C4-C5	-6.19	125.50	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1104	G	C1'-O4'-C4'	-6.19	104.94	109.90
17	AR	62	ARG	CD-NE-CZ	6.19	132.27	123.60
25	BB	783	A	C2-N3-C4	6.19	113.70	110.60
25	BB	1456	G	C5-C6-N1	6.19	114.60	111.50
25	BB	2364	C	C2-N3-C4	-6.19	116.80	119.90
3	A1	339	C	N3-C4-N4	-6.19	113.67	118.00
3	A1	424	G	C5-C6-O6	6.19	132.32	128.60
3	A1	1158	C	O4'-C1'-N1	-6.19	103.25	108.20
3	A1	1411	C	C2'-C3'-O3'	6.19	123.61	113.70
24	BA	18	G	O4'-C1'-N9	-6.19	103.25	108.20
25	BB	221	A	C8-N9-C4	6.19	108.28	105.80
25	BB	950	G	N7-C8-N9	6.19	116.20	113.10
25	BB	1924	C	C3'-C2'-C1'	6.19	106.45	101.50
25	BB	2175	C	O4'-C4'-C3'	6.19	111.06	106.10
25	BB	2369	A	C5-C6-N6	6.19	128.65	123.70
25	BB	2693	G	N3-C4-C5	-6.19	125.50	128.60
3	A1	276	G	C5-C6-N1	6.19	114.59	111.50
3	A1	532	A	C5-C6-N1	6.19	120.80	117.70
3	A1	891	U	C6-N1-C2	-6.19	117.29	121.00
24	BA	118	C	C5-C6-N1	-6.19	117.91	121.00
25	BB	773	U	C4'-C3'-C2'	-6.19	96.41	102.60
25	BB	908	C	N1-C2-N3	6.19	123.53	119.20
25	BB	1211	C	N3-C4-C5	6.19	124.38	121.90
25	BB	1548	A	N3-C4-N9	6.19	132.35	127.40
25	BB	1918	A	N7-C8-N9	6.19	116.89	113.80
25	BB	2200	C	N1-C2-O2	6.19	122.61	118.90
25	BB	2544	G	C4'-C3'-C2'	-6.19	96.41	102.60
3	A1	845	A	C6-C5-N7	6.19	136.63	132.30
3	A1	906	A	C4-C5-C6	-6.19	113.91	117.00
24	BA	93	C	C1'-O4'-C4'	-6.19	104.95	109.90
25	BB	218	A	C8-N9-C4	-6.19	103.32	105.80
25	BB	1378	A	C6-C5-N7	6.19	136.63	132.30
25	BB	1465	G	N3-C4-C5	-6.19	125.50	128.60
25	BB	2726	A	C2-N3-C4	6.19	113.69	110.60
25	BB	2808	G	P-O3'-C3'	6.19	127.13	119.70
1	AE	14	A	C6-C5-N7	6.19	136.63	132.30
1	AE	49	C	N3-C2-O2	-6.19	117.57	121.90
3	A1	86	G	C1'-O4'-C4'	-6.19	104.95	109.90
3	A1	270	A	C3'-C2'-C1'	-6.19	96.55	101.50
3	A1	329	A	C6-C5-N7	6.19	136.63	132.30
3	A1	333	U	C2-N3-C4	-6.19	123.29	127.00
3	A1	1036	A	C5'-C4'-O4'	6.19	116.53	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1054	C	N1-C2-N3	6.19	123.53	119.20
25	BB	348	A	C5-C6-N1	6.19	120.79	117.70
25	BB	420	C	O4'-C1'-C2'	6.19	113.17	107.60
25	BB	1544	A	C5-C6-N6	6.19	128.65	123.70
25	BB	1954	G	N3-C4-C5	-6.19	125.51	128.60
25	BB	2040	G	C6-C5-N7	6.19	134.11	130.40
25	BB	2182	U	C5-C6-N1	-6.19	119.61	122.70
25	BB	2223	G	C3'-C2'-C1'	-6.19	96.55	101.50
25	BB	2245	U	N3-C2-O2	-6.19	117.87	122.20
25	BB	2296	U	C5-C6-N1	-6.19	119.61	122.70
25	BB	2737	G	C3'-C2'-C1'	6.19	106.45	101.50
3	A1	378	G	C5'-C4'-C3'	-6.19	106.10	116.00
3	A1	458	U	C4-C5-C6	6.19	123.41	119.70
3	A1	669	G	N3-C2-N2	-6.19	115.57	119.90
24	BA	4	C	C5-C4-N4	6.19	124.53	120.20
24	BA	51	G	C8-N9-C4	-6.19	103.93	106.40
25	BB	165	A	C4-C5-C6	-6.19	113.91	117.00
25	BB	709	U	N1-C2-N3	6.19	118.61	114.90
25	BB	1304	A	C5-C6-N1	6.19	120.79	117.70
25	BB	2875	C	N1-C2-N3	6.19	123.53	119.20
51	B2	21	TYR	CG-CD2-CE2	-6.19	116.35	121.30
3	A1	32	A	C5-C6-N6	6.18	128.65	123.70
3	A1	47	C	C4'-C3'-C2'	-6.18	96.42	102.60
3	A1	312	C	N1-C2-N3	6.18	123.53	119.20
3	A1	508	U	C5'-C4'-O4'	6.18	116.52	109.10
3	A1	770	C	N1-C2-O2	6.18	122.61	118.90
3	A1	1229	A	N9-C4-C5	-6.18	103.33	105.80
3	A1	1493	A	O5'-P-OP1	-6.18	100.13	105.70
25	BB	54	G	C6-N1-C2	-6.18	121.39	125.10
25	BB	239	C	N3-C2-O2	-6.18	117.57	121.90
25	BB	242	G	O4'-C4'-C3'	6.18	111.05	106.10
25	BB	328	U	C5-C6-N1	-6.18	119.61	122.70
25	BB	897	C	C5-C6-N1	-6.18	117.91	121.00
25	BB	1083	U	P-O3'-C3'	6.18	127.12	119.70
25	BB	1380	G	C6-C5-N7	6.18	134.11	130.40
25	BB	2297	A	C2'-C3'-O3'	6.18	123.60	113.70
25	BB	2301	C	O4'-C4'-C3'	6.18	111.05	106.10
25	BB	2638	G	C5'-C4'-O4'	6.18	116.52	109.10
27	BD	18	ARG	CD-NE-CZ	6.18	132.26	123.60
3	A1	247	G	C3'-C2'-C1'	-6.18	96.56	101.50
3	A1	1145	A	N9-C4-C5	6.18	108.27	105.80
3	A1	1384	C	C5-C4-N4	-6.18	115.87	120.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	234	U	C4-C5-C6	6.18	123.41	119.70
25	BB	331	C	N3-C4-C5	6.18	124.37	121.90
25	BB	1795	C	N1-C2-N3	6.18	123.53	119.20
25	BB	2577	A	C5-C6-N1	6.18	120.79	117.70
25	BB	2599	G	C5-N7-C8	-6.18	101.21	104.30
25	BB	2710	C	C5-C6-N1	-6.18	117.91	121.00
3	A1	668	G	C4'-C3'-C2'	-6.18	96.42	102.60
25	BB	209	C	N3-C2-O2	-6.18	117.57	121.90
25	BB	481	G	N1-C2-N3	6.18	127.61	123.90
25	BB	535	G	N1-C2-N2	6.18	121.76	116.20
25	BB	614	A	C6-C5-N7	6.18	136.63	132.30
25	BB	1129	A	C6-C5-N7	6.18	136.63	132.30
25	BB	1634	A	C2-N3-C4	6.18	113.69	110.60
3	A1	9	G	O3'-P-O5'	-6.18	92.26	104.00
3	A1	190	A	C6-C5-N7	6.18	136.63	132.30
3	A1	996	A	O4'-C1'-N9	6.18	113.14	108.20
25	BB	504	A	C5-N7-C8	-6.18	100.81	103.90
25	BB	586	A	C4-C5-C6	-6.18	113.91	117.00
25	BB	781	A	C6-C5-N7	6.18	136.62	132.30
25	BB	837	C	C2-N1-C1'	6.18	125.60	118.80
25	BB	948	C	N3-C4-C5	6.18	124.37	121.90
25	BB	1374	G	C5-C6-N1	6.18	114.59	111.50
25	BB	1641	A	C2'-C3'-O3'	6.18	123.59	113.70
25	BB	1781	U	C1'-O4'-C4'	-6.18	104.96	109.90
25	BB	2289	G	N1-C6-O6	-6.18	116.19	119.90
25	BB	2661	G	C8-N9-C1'	6.18	135.03	127.00
3	A1	799	G	N7-C8-N9	6.18	116.19	113.10
3	A1	1301	U	C5-C6-N1	-6.18	119.61	122.70
25	BB	1160	G	C5-C6-N1	6.18	114.59	111.50
25	BB	2466	C	C3'-C2'-C1'	6.18	106.44	101.50
25	BB	2638	G	N1-C6-O6	-6.18	116.19	119.90
28	BE	48	ARG	NE-CZ-NH2	-6.18	117.21	120.30
3	A1	36	C	O4'-C1'-N1	6.18	113.14	108.20
3	A1	408	A	C8-N9-C4	-6.18	103.33	105.80
3	A1	454	G	N3-C4-C5	-6.18	125.51	128.60
3	A1	526	C	O4'-C1'-N1	6.18	113.14	108.20
3	A1	734	G	C5-C6-N1	6.18	114.59	111.50
24	BA	59	A	C6-C5-N7	6.18	136.62	132.30
24	BA	97	C	N3-C2-O2	-6.18	117.58	121.90
25	BB	20	C	N3-C4-N4	-6.18	113.68	118.00
25	BB	350	G	P-O3'-C3'	6.18	127.11	119.70
25	BB	368	A	N7-C8-N9	-6.18	110.71	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	448	U	P-O3'-C3'	6.18	127.11	119.70
25	BB	532	A	C3'-C2'-C1'	6.18	106.44	101.50
25	BB	641	U	C5-C4-O4	-6.18	122.19	125.90
25	BB	806	C	N3-C4-C5	6.18	124.37	121.90
25	BB	2666	C	N1-C2-O2	6.18	122.61	118.90
1	AA	67	A	C4-C5-N7	-6.17	107.61	110.70
3	A1	629	A	O4'-C1'-N9	6.17	113.14	108.20
3	A1	729	A	C6-C5-N7	6.17	136.62	132.30
3	A1	744	C	O3'-P-O5'	-6.17	92.27	104.00
3	A1	1383	C	C5-C4-N4	6.17	124.52	120.20
25	BB	348	A	N1-C6-N6	-6.17	114.90	118.60
25	BB	1451	C	O4'-C1'-N1	-6.17	103.26	108.20
25	BB	1726	C	N1-C2-O2	6.17	122.60	118.90
25	BB	1919	A	C6-N1-C2	-6.17	114.89	118.60
25	BB	2808	G	O5'-P-OP2	-6.17	100.14	105.70
1	AP	45	G	C8-N9-C4	-6.17	103.93	106.40
3	A1	154	U	O4'-C1'-C2'	6.17	113.16	107.60
3	A1	650	G	N1-C2-N3	6.17	127.60	123.90
25	BB	16	C	N3-C4-N4	-6.17	113.68	118.00
25	BB	100	U	N1-C2-O2	6.17	127.12	122.80
25	BB	1524	G	N1-C2-N2	-6.17	110.64	116.20
25	BB	1868	C	N1-C2-O2	6.17	122.60	118.90
25	BB	2422	C	N1-C2-O2	6.17	122.60	118.90
25	BB	2626	C	N3-C2-O2	-6.17	117.58	121.90
25	BB	2750	A	C2-N3-C4	6.17	113.69	110.60
25	BB	2785	C	N1-C2-O2	6.17	122.60	118.90
1	AE	22	G	N3-C2-N2	-6.17	115.58	119.90
3	A1	87	C	C4-C5-C6	-6.17	114.31	117.40
3	A1	277	C	C5-C6-N1	-6.17	117.91	121.00
3	A1	1145	A	C3'-C2'-C1'	-6.17	96.56	101.50
25	BB	858	G	N3-C2-N2	-6.17	115.58	119.90
25	BB	1233	C	C6-N1-C2	-6.17	117.83	120.30
25	BB	1338	G	N3-C4-C5	-6.17	125.51	128.60
25	BB	1374	G	C8-N9-C4	-6.17	103.93	106.40
25	BB	1545	A	C5'-C4'-C3'	-6.17	106.12	116.00
25	BB	1768	C	N3-C4-C5	6.17	124.37	121.90
25	BB	1959	G	C6-C5-N7	6.17	134.10	130.40
25	BB	2141	G	C8-N9-C4	-6.17	103.93	106.40
25	BB	2800	A	C4-C5-C6	-6.17	113.92	117.00
38	BO	5	ARG	C-N-CA	6.17	137.13	121.70
3	A1	1161	C	C5-C6-N1	-6.17	117.92	121.00
25	BB	112	U	C5'-C4'-C3'	-6.17	106.13	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1143	A	C2-N3-C4	6.17	113.69	110.60
25	BB	1333	G	C6-N1-C2	-6.17	121.40	125.10
25	BB	1708	C	C6-N1-C2	-6.17	117.83	120.30
53	B4	147	VAL	CG1-CB-CG2	-6.17	101.03	110.90
3	A1	292	G	C4'-C3'-C2'	-6.17	96.43	102.60
3	A1	851	G	C4-C5-C6	-6.17	115.10	118.80
3	A1	931	C	C5-C4-N4	-6.17	115.88	120.20
3	A1	1161	C	O4'-C1'-N1	6.17	113.14	108.20
3	A1	1212	U	O4'-C1'-N1	6.17	113.14	108.20
3	A1	1328	C	C1'-O4'-C4'	-6.17	104.96	109.90
6	AD	20	VAL	CA-CB-CG1	6.17	120.15	110.90
9	AH	20	ASP	CB-CG-OD1	6.17	123.85	118.30
24	BA	61	G	N1-C2-N2	6.17	121.75	116.20
25	BB	24	G	N7-C8-N9	6.17	116.18	113.10
25	BB	175	G	C1'-O4'-C4'	-6.17	104.97	109.90
25	BB	351	C	O4'-C4'-C3'	-6.17	97.83	104.00
25	BB	391	A	C5-N7-C8	-6.17	100.82	103.90
25	BB	637	A	C6-N1-C2	-6.17	114.90	118.60
25	BB	1180	U	O5'-P-OP1	-6.17	100.15	105.70
25	BB	1307	A	C6-C5-N7	6.17	136.62	132.30
25	BB	1499	C	N1-C2-N3	6.17	123.52	119.20
25	BB	1820	U	C5-C6-N1	-6.17	119.61	122.70
25	BB	2204	G	C5-N7-C8	-6.17	101.22	104.30
3	A1	281	G	C5-N7-C8	-6.17	101.22	104.30
3	A1	306	A	O4'-C1'-C2'	-6.17	99.63	105.80
3	A1	429	U	O4'-C1'-N1	6.17	113.13	108.20
3	A1	470	C	C4-C5-C6	6.17	120.48	117.40
3	A1	504	C	C2-N3-C4	-6.17	116.82	119.90
25	BB	597	G	C3'-C2'-C1'	-6.17	96.57	101.50
25	BB	643	A	C8-N9-C4	-6.17	103.33	105.80
25	BB	687	C	C2-N3-C4	-6.17	116.82	119.90
25	BB	1095	A	N1-C2-N3	-6.17	126.22	129.30
25	BB	1281	G	C4'-C3'-C2'	-6.17	96.43	102.60
25	BB	1410	G	C1'-O4'-C4'	-6.17	104.97	109.90
25	BB	1588	G	N1-C2-N3	6.17	127.60	123.90
25	BB	2125	G	O4'-C1'-N9	6.17	113.13	108.20
25	BB	2306	C	C2-N3-C4	-6.17	116.82	119.90
25	BB	2468	A	N7-C8-N9	6.17	116.88	113.80
1	AE	28	C	C4'-C3'-C2'	-6.17	96.44	102.60
3	A1	17	U	C2-N3-C4	-6.17	123.30	127.00
3	A1	579	A	C5-N7-C8	-6.17	100.82	103.90
3	A1	1289	A	N1-C2-N3	-6.17	126.22	129.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1684	G	N3-C4-N9	6.17	129.70	126.00
2	AM	3	U	C4'-C3'-C2'	-6.16	96.44	102.60
3	A1	430	A	O4'-C1'-N9	6.16	113.13	108.20
3	A1	780	A	P-O3'-C3'	6.16	127.10	119.70
3	A1	1176	A	C5-C6-N1	6.16	120.78	117.70
3	A1	1280	A	C1'-O4'-C4'	-6.16	104.97	109.90
5	AC	121	ARG	NH1-CZ-NH2	-6.16	112.62	119.40
25	BB	1223	G	C8-N9-C4	6.16	108.87	106.40
25	BB	2432	A	C8-N9-C4	-6.16	103.33	105.80
3	A1	118	U	C5-C6-N1	-6.16	119.62	122.70
3	A1	493	A	C5-C6-N6	6.16	128.63	123.70
3	A1	934	C	C2-N3-C4	-6.16	116.82	119.90
3	A1	1077	G	C5-C6-N1	6.16	114.58	111.50
3	A1	1492	A	C1'-O4'-C4'	-6.16	104.97	109.90
4	AB	129	THR	N-CA-CB	6.16	122.01	110.30
25	BB	703	U	C2-N1-C1'	6.16	125.09	117.70
25	BB	1335	C	O4'-C4'-C3'	-6.16	97.84	104.00
25	BB	1645	G	C6-C5-N7	6.16	134.10	130.40
25	BB	1999	C	N3-C4-C5	6.16	124.36	121.90
25	BB	2598	A	O4'-C1'-N9	6.16	113.13	108.20
1	AA	25	C	O4'-C1'-N1	6.16	113.13	108.20
3	A1	30	U	O4'-C1'-N1	6.16	113.13	108.20
3	A1	490	C	C3'-C2'-C1'	6.16	106.43	101.50
3	A1	551	U	O4'-C1'-N1	6.16	113.13	108.20
3	A1	811	C	N1-C2-O2	6.16	122.60	118.90
25	BB	31	C	N1-C2-O2	6.16	122.60	118.90
25	BB	205	G	N7-C8-N9	6.16	116.18	113.10
25	BB	762	U	C5'-C4'-C3'	-6.16	106.14	116.00
25	BB	844	A	C4-C5-N7	6.16	113.78	110.70
25	BB	1168	G	N3-C4-C5	-6.16	125.52	128.60
25	BB	1467	U	C5'-C4'-C3'	-6.16	106.14	116.00
25	BB	1529	G	C6-C5-N7	6.16	134.10	130.40
25	BB	1768	C	N1-C2-O2	6.16	122.60	118.90
25	BB	1785	A	N1-C2-N3	-6.16	126.22	129.30
25	BB	1918	A	C6-N1-C2	6.16	122.30	118.60
25	BB	2187	U	O4'-C1'-N1	6.16	113.13	108.20
25	BB	2595	G	N9-C1'-C2'	-6.16	105.22	112.00
3	A1	720	C	N1-C2-N3	6.16	123.51	119.20
3	A1	740	U	C4-C5-C6	6.16	123.39	119.70
3	A1	1064	G	C5-C6-N1	6.16	114.58	111.50
3	A1	1163	A	N7-C8-N9	6.16	116.88	113.80
3	A1	1236	A	C6-C5-N7	6.16	136.61	132.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1305	G	C5-C6-O6	6.16	132.29	128.60
25	BB	282	A	C4'-C3'-C2'	-6.16	96.44	102.60
25	BB	503	A	C4-C5-C6	-6.16	113.92	117.00
25	BB	857	G	C5'-C4'-O4'	6.16	116.49	109.10
25	BB	1226	A	C5-C6-N6	6.16	128.63	123.70
25	BB	1330	C	N3-C4-N4	-6.16	113.69	118.00
25	BB	1784	A	C1'-O4'-C4'	-6.16	104.97	109.90
25	BB	1910	G	N9-C4-C5	6.16	107.86	105.40
25	BB	1976	U	N1-C2-N3	6.16	118.60	114.90
25	BB	2055	C	N3-C4-C5	6.16	124.36	121.90
25	BB	2375	G	N3-C2-N2	-6.16	115.59	119.90
25	BB	2811	G	C4'-C3'-C2'	-6.16	96.44	102.60
3	A1	47	C	N1-C2-N3	6.16	123.51	119.20
3	A1	334	C	C5-C4-N4	-6.16	115.89	120.20
25	BB	2648	G	C6-C5-N7	6.16	134.09	130.40
25	BB	2831	G	N1-C2-N3	6.16	127.59	123.90
1	AE	13	C	C4'-C3'-C2'	-6.16	96.44	102.60
1	AE	38	A	C5-N7-C8	-6.16	100.82	103.90
3	A1	54	C	C5'-C4'-O4'	6.16	116.49	109.10
3	A1	307	C	O4'-C4'-C3'	6.16	111.02	106.10
3	A1	1114	C	C5-C4-N4	6.16	124.51	120.20
25	BB	66	C	N3-C4-N4	-6.16	113.69	118.00
25	BB	383	C	N3-C4-C5	6.16	124.36	121.90
25	BB	518	G	C5-C6-N1	6.16	114.58	111.50
25	BB	890	C	N1-C2-N3	6.16	123.51	119.20
25	BB	954	G	C4-C5-C6	-6.16	115.11	118.80
25	BB	1189	A	C6-N1-C2	-6.16	114.91	118.60
25	BB	1344	U	C4-C5-C6	6.16	123.39	119.70
25	BB	2061	G	O4'-C1'-N9	6.16	113.12	108.20
25	BB	2095	A	C4-C5-C6	-6.16	113.92	117.00
25	BB	2504	U	C4-C5-C6	6.16	123.39	119.70
25	BB	2592	G	C4-C5-N7	6.16	113.26	110.80
25	BB	2762	C	N3-C4-N4	-6.16	113.69	118.00
1	AP	18	G	N9-C4-C5	-6.15	102.94	105.40
3	A1	182	A	O4'-C1'-N9	6.15	113.12	108.20
3	A1	523	A	C4'-C3'-C2'	-6.15	96.45	102.60
3	A1	854	U	N3-C4-C5	-6.15	110.91	114.60
7	AF	97	ARG	NE-CZ-NH1	6.15	123.38	120.30
25	BB	315	G	N1-C2-N3	6.15	127.59	123.90
25	BB	326	G	C5-C6-O6	6.15	132.29	128.60
25	BB	539	G	C5-C6-N1	6.15	114.58	111.50
25	BB	1352	U	O4'-C1'-C2'	-6.15	99.65	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1967	C	N1-C2-N3	6.15	123.51	119.20
3	A1	209	U	C4-C5-C6	6.15	123.39	119.70
3	A1	587	G	N3-C2-N2	6.15	124.21	119.90
3	A1	668	G	N9-C4-C5	6.15	107.86	105.40
3	A1	722	G	C6-N1-C2	-6.15	121.41	125.10
3	A1	1272	G	N3-C2-N2	-6.15	115.59	119.90
25	BB	75	G	N3-C2-N2	-6.15	115.59	119.90
25	BB	1032	A	C2-N3-C4	-6.15	107.52	110.60
25	BB	1238	G	N7-C8-N9	6.15	116.18	113.10
25	BB	1241	A	N9-C4-C5	6.15	108.26	105.80
25	BB	1263	U	C5-C6-N1	-6.15	119.62	122.70
25	BB	1839	G	N3-C4-C5	-6.15	125.52	128.60
25	BB	1895	C	N3-C2-O2	-6.15	117.59	121.90
25	BB	2058	A	N1-C2-N3	-6.15	126.22	129.30
25	BB	2129	C	N3-C2-O2	-6.15	117.59	121.90
25	BB	2527	C	O4'-C1'-C2'	6.15	113.14	107.60
3	A1	148	G	C8-N9-C1'	6.15	135.00	127.00
3	A1	234	C	N3-C2-O2	-6.15	117.59	121.90
3	A1	520	A	N9-C4-C5	-6.15	103.34	105.80
3	A1	764	C	C1'-O4'-C4'	-6.15	104.98	109.90
18	AS	137	ARG	NE-CZ-NH1	6.15	123.38	120.30
25	BB	129	C	C4'-C3'-C2'	-6.15	96.45	102.60
25	BB	886	A	C6-N1-C2	-6.15	114.91	118.60
25	BB	1157	G	C8-N9-C4	-6.15	103.94	106.40
25	BB	1164	C	N1-C2-O2	6.15	122.59	118.90
25	BB	1414	C	N3-C2-O2	-6.15	117.59	121.90
25	BB	1803	A	O5'-P-OP2	-6.15	100.16	105.70
25	BB	2229	U	C4-C5-C6	6.15	123.39	119.70
55	B6	49	ASP	CB-CG-OD1	6.15	123.84	118.30
1	AE	66	A	C5-C6-N6	6.15	128.62	123.70
3	A1	662	U	C5-C6-N1	-6.15	119.63	122.70
3	A1	1420	U	P-O3'-C3'	6.15	127.08	119.70
3	A1	1487	G	C5'-C4'-O4'	6.15	116.48	109.10
25	BB	153	U	N3-C4-C5	-6.15	110.91	114.60
25	BB	297	G	N1-C6-O6	-6.15	116.21	119.90
25	BB	591	U	N3-C4-O4	-6.15	115.09	119.40
25	BB	756	A	C5-C6-N6	6.15	128.62	123.70
25	BB	1952	A	C1'-O4'-C4'	-6.15	104.98	109.90
25	BB	2245	U	N1-C2-N3	6.15	118.59	114.90
25	BB	2437	G	N3-C4-C5	-6.15	125.53	128.60
3	A1	34	C	N3-C2-O2	-6.15	117.60	121.90
3	A1	91	U	C3'-C2'-C1'	6.15	106.42	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	140	U	C5-C6-N1	-6.15	119.63	122.70
3	A1	196	A	C1'-O4'-C4'	-6.15	104.98	109.90
3	A1	1522	U	C2-N3-C4	-6.15	123.31	127.00
25	BB	223	A	N9-C4-C5	6.15	108.26	105.80
25	BB	698	C	C5'-C4'-O4'	6.15	116.48	109.10
25	BB	733	G	N3-C4-N9	6.15	129.69	126.00
25	BB	985	C	C3'-C2'-C1'	6.15	106.42	101.50
25	BB	1564	C	C1'-O4'-C4'	-6.15	104.98	109.90
25	BB	1634	A	C4-C5-C6	-6.15	113.93	117.00
25	BB	1839	G	C5-N7-C8	-6.15	101.23	104.30
25	BB	2721	A	C4'-C3'-C2'	-6.15	96.45	102.60
25	BB	2843	G	N7-C8-N9	6.15	116.17	113.10
51	B2	176	PHE	C-N-CA	6.15	137.07	121.70
3	A1	1267	C	O4'-C1'-N1	6.15	113.12	108.20
25	BB	21	A	C5-C6-N6	6.15	128.62	123.70
25	BB	536	G	N3-C4-C5	-6.15	125.53	128.60
25	BB	962	G	C5-C6-O6	6.15	132.29	128.60
25	BB	1273	U	C5-C6-N1	-6.15	119.63	122.70
25	BB	1713	A	C2-N3-C4	6.15	113.67	110.60
25	BB	2513	A	C3'-C2'-C1'	-6.15	96.58	101.50
30	BG	90	ARG	NE-CZ-NH1	6.15	123.37	120.30
3	A1	333	U	N3-C2-O2	-6.14	117.90	122.20
3	A1	968	A	C8-N9-C4	-6.14	103.34	105.80
25	BB	461	C	C3'-C2'-C1'	6.14	106.42	101.50
25	BB	695	G	N1-C2-N3	6.14	127.59	123.90
25	BB	876	C	C4-C5-C6	-6.14	114.33	117.40
25	BB	1212	G	N1-C2-N3	6.14	127.59	123.90
25	BB	1462	C	C6-N1-C1'	6.14	128.17	120.80
25	BB	1817	G	N1-C2-N3	6.14	127.59	123.90
25	BB	2706	A	C6-C5-N7	6.14	136.60	132.30
1	AP	26	G	C5'-C4'-O4'	6.14	116.47	109.10
3	A1	52	C	C1'-O4'-C4'	-6.14	104.98	109.90
3	A1	202	G	C4-C5-N7	-6.14	108.34	110.80
3	A1	691	G	N1-C6-O6	-6.14	116.22	119.90
3	A1	1422	G	O4'-C1'-N9	6.14	113.11	108.20
24	BA	78	A	C6-N1-C2	-6.14	114.91	118.60
25	BB	30	G	N1-C6-O6	-6.14	116.21	119.90
25	BB	249	C	C5'-C4'-C3'	-6.14	106.17	116.00
25	BB	1705	A	N1-C2-N3	-6.14	126.23	129.30
25	BB	1884	G	N1-C2-N2	-6.14	110.67	116.20
25	BB	1913	A	C2'-C3'-O3'	6.14	123.53	113.70
25	BB	2027	G	N9-C4-C5	6.14	107.86	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2106	U	O4'-C1'-N1	6.14	113.11	108.20
25	BB	2728	U	C5-C4-O4	-6.14	122.22	125.90
3	A1	1206	G	N9-C1'-C2'	-6.14	105.25	112.00
3	A1	1299	A	C6-C5-N7	6.14	136.60	132.30
25	BB	630	G	C5-C6-N1	6.14	114.57	111.50
25	BB	1039	A	C5-N7-C8	6.14	106.97	103.90
3	A1	773	G	O4'-C1'-N9	6.14	113.11	108.20
3	A1	1120	C	N3-C2-O2	-6.14	117.60	121.90
3	A1	1327	C	C2-N3-C4	-6.14	116.83	119.90
25	BB	211	C	N3-C4-C5	6.14	124.36	121.90
25	BB	415	A	C5-N7-C8	-6.14	100.83	103.90
25	BB	590	A	C2-N3-C4	6.14	113.67	110.60
25	BB	889	C	O4'-C1'-N1	6.14	113.11	108.20
25	BB	1039	A	N9-C4-C5	6.14	108.26	105.80
25	BB	2457	U	C5'-C4'-C3'	-6.14	106.18	116.00
1	AA	27	C	C4'-C3'-C2'	-6.14	96.46	102.60
3	A1	814	A	C1'-O4'-C4'	6.14	114.81	109.90
25	BB	901	C	C5-C6-N1	-6.14	117.93	121.00
25	BB	1975	G	C6-N1-C2	-6.14	121.42	125.10
3	A1	803	G	C5-C6-N1	6.14	114.57	111.50
3	A1	1015	G	N9-C1'-C2'	-6.14	105.25	112.00
3	A1	1419	G	C4'-C3'-C2'	-6.14	96.46	102.60
24	BA	64	G	P-O3'-C3'	6.14	127.06	119.70
25	BB	540	C	N3-C2-O2	-6.14	117.60	121.90
25	BB	1381	G	C6-N1-C2	-6.14	121.42	125.10
25	BB	1581	G	C4'-C3'-C2'	-6.14	96.46	102.60
25	BB	1796	U	O4'-C1'-N1	6.14	113.11	108.20
25	BB	2048	G	C4'-C3'-C2'	-6.14	96.46	102.60
25	BB	2508	G	C2'-C3'-O3'	6.14	123.52	113.70
25	BB	2821	A	C5-C6-N6	6.14	128.61	123.70
25	BB	2899	A	C4-C5-C6	-6.14	113.93	117.00
3	A1	223	A	C5-C6-N1	6.13	120.77	117.70
17	AR	153	ARG	NE-CZ-NH1	6.13	123.37	120.30
25	BB	183	C	C2-N3-C4	-6.13	116.83	119.90
25	BB	573	U	N1-C2-N3	6.13	118.58	114.90
25	BB	745	G	N7-C8-N9	6.13	116.17	113.10
25	BB	1223	G	C5'-C4'-C3'	-6.13	106.18	116.00
25	BB	1262	A	C5'-C4'-O4'	6.13	116.46	109.10
25	BB	1339	G	C3'-C2'-C1'	6.13	106.41	101.50
25	BB	1463	C	C5-C6-N1	-6.13	117.93	121.00
25	BB	1691	C	N3-C4-C5	6.13	124.35	121.90
25	BB	1847	A	C4-C5-C6	-6.13	113.93	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2506	U	P-O3'-C3'	6.13	127.06	119.70
30	BG	67	PHE	CB-CG-CD1	-6.13	116.50	120.80
3	A1	256	U	N3-C2-O2	-6.13	117.91	122.20
25	BB	2487	G	O4'-C1'-N9	6.13	113.11	108.20
3	A1	291	U	C2-N3-C4	-6.13	123.32	127.00
3	A1	307	C	N3-C4-C5	6.13	124.35	121.90
3	A1	791	G	C6-N1-C2	-6.13	121.42	125.10
3	A1	805	C	N1-C2-O2	6.13	122.58	118.90
3	A1	1278	G	C5'-C4'-C3'	-6.13	106.19	116.00
3	A1	1368	A	N7-C8-N9	6.13	116.87	113.80
25	BB	53	A	N9-C4-C5	6.13	108.25	105.80
25	BB	604	G	C5'-C4'-C3'	-6.13	106.19	116.00
25	BB	849	A	N7-C8-N9	6.13	116.87	113.80
25	BB	925	A	C5'-C4'-O4'	6.13	116.46	109.10
25	BB	1206	G	N9-C4-C5	6.13	107.85	105.40
25	BB	1609	A	C5-N7-C8	-6.13	100.83	103.90
25	BB	1827	U	N3-C2-O2	-6.13	117.91	122.20
25	BB	1968	G	N3-C4-C5	-6.13	125.53	128.60
25	BB	2400	G	N1-C2-N2	6.13	121.72	116.20
25	BB	2467	C	N3-C2-O2	-6.13	117.61	121.90
25	BB	2470	G	C1'-O4'-C4'	-6.13	105.00	109.90
25	BB	2595	G	C5-C6-N1	6.13	114.56	111.50
25	BB	2722	G	C5'-C4'-O4'	6.13	116.46	109.10
25	BB	2819	G	O4'-C1'-C2'	-6.13	99.67	105.80
25	BB	2873	A	C5-C6-N6	6.13	128.60	123.70
37	BN	202	ARG	NE-CZ-NH2	6.13	123.37	120.30
3	A1	343	U	C5-C4-O4	6.13	129.58	125.90
3	A1	1434	A	P-O3'-C3'	6.13	127.06	119.70
3	A1	1500	A	C5-C6-N6	6.13	128.60	123.70
7	AF	108	ARG	NH1-CZ-NH2	-6.13	112.66	119.40
25	BB	1939	U	O4'-C1'-C2'	-6.13	99.67	105.80
25	BB	2526	G	N3-C4-C5	-6.13	125.53	128.60
3	A1	413	G	N3-C2-N2	-6.13	115.61	119.90
3	A1	1003	G	N1-C2-N2	-6.13	110.69	116.20
3	A1	1258	G	C6-C5-N7	6.13	134.08	130.40
25	BB	537	G	C8-N9-C4	-6.13	103.95	106.40
25	BB	653	U	P-O3'-C3'	6.13	127.06	119.70
25	BB	896	A	C6-N1-C2	-6.13	114.92	118.60
25	BB	900	A	C2-N3-C4	6.13	113.67	110.60
25	BB	1494	A	C4'-C3'-C2'	-6.13	96.47	102.60
25	BB	1499	C	C2-N3-C4	-6.13	116.84	119.90
25	BB	1509	A	C5-C6-N6	6.13	128.60	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1527	G	N1-C6-O6	-6.13	116.22	119.90
25	BB	1841	U	C3'-C2'-C1'	6.13	106.40	101.50
25	BB	2311	A	C6-C5-N7	6.13	136.59	132.30
1	AP	61	C	C5'-C4'-O4'	6.13	116.45	109.10
3	A1	918	A	O4'-C1'-N9	6.13	113.10	108.20
24	BA	53	A	C5-C6-N1	6.13	120.76	117.70
25	BB	194	G	N1-C6-O6	-6.13	116.22	119.90
25	BB	316	C	C5'-C4'-C3'	-6.13	106.20	116.00
25	BB	797	G	N3-C4-C5	-6.13	125.54	128.60
25	BB	900	A	N1-C2-N3	-6.13	126.24	129.30
25	BB	970	U	N3-C2-O2	-6.13	117.91	122.20
25	BB	1552	A	N7-C8-N9	6.13	116.86	113.80
25	BB	1555	G	P-O3'-C3'	6.13	127.05	119.70
25	BB	1757	A	N1-C2-N3	-6.13	126.24	129.30
25	BB	2175	C	C3'-C2'-C1'	6.13	106.40	101.50
25	BB	2214	C	N1-C2-O2	6.13	122.58	118.90
25	BB	2348	U	O4'-C1'-N1	6.13	113.10	108.20
25	BB	2491	U	C6-N1-C2	-6.13	117.32	121.00
3	A1	77	A	C5-C6-N6	6.12	128.60	123.70
3	A1	231	U	C6-N1-C2	-6.12	117.33	121.00
3	A1	1399	C	N3-C4-C5	6.12	124.35	121.90
25	BB	1058	U	N1-C2-O2	6.12	127.09	122.80
25	BB	1510	G	O4'-C1'-N9	6.12	113.10	108.20
3	A1	1485	U	C1'-O4'-C4'	-6.12	105.00	109.90
25	BB	321	U	C4'-C3'-C2'	-6.12	96.48	102.60
25	BB	1206	G	C5-C6-O6	6.12	132.27	128.60
25	BB	1421	G	N9-C4-C5	6.12	107.85	105.40
25	BB	1492	G	C4-C5-N7	-6.12	108.35	110.80
1	AP	46	G	N1-C6-O6	-6.12	116.23	119.90
3	A1	117	G	N3-C4-C5	-6.12	125.54	128.60
3	A1	587	G	N1-C2-N3	6.12	127.57	123.90
3	A1	792	A	C4-C5-N7	6.12	113.76	110.70
3	A1	861	G	N7-C8-N9	6.12	116.16	113.10
3	A1	1048	G	C4'-C3'-C2'	-6.12	96.48	102.60
3	A1	1505	G	N1-C2-N3	6.12	127.57	123.90
25	BB	469	G	C5-C6-N1	6.12	114.56	111.50
25	BB	590	A	C5-C6-N6	6.12	128.60	123.70
25	BB	878	A	O4'-C1'-C2'	-6.12	99.68	105.80
25	BB	1402	U	C4-C5-C6	6.12	123.37	119.70
25	BB	1667	G	C8-N9-C4	-6.12	103.95	106.40
25	BB	2088	A	C4'-C3'-C2'	-6.12	96.48	102.60
25	BB	2567	G	C4'-C3'-C2'	-6.12	96.48	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	BG	90	ARG	NE-CZ-NH2	6.12	123.36	120.30
32	BI	111	GLU	OE1-CD-OE2	-6.12	115.95	123.30
3	A1	11	G	N7-C8-N9	6.12	116.16	113.10
3	A1	224	U	C5-C6-N1	-6.12	119.64	122.70
3	A1	489	C	C6-N1-C2	-6.12	117.85	120.30
18	AS	91	SER	C-N-CA	6.12	137.00	121.70
25	BB	197	A	N1-C2-N3	-6.12	126.24	129.30
25	BB	1126	A	N1-C2-N3	-6.12	126.24	129.30
25	BB	1318	U	C5'-C4'-O4'	6.12	116.44	109.10
25	BB	1385	A	C6-C5-N7	6.12	136.58	132.30
25	BB	1573	G	C5'-C4'-C3'	-6.12	106.21	116.00
25	BB	1590	A	N1-C2-N3	-6.12	126.24	129.30
34	BK	34	GLU	OE1-CD-OE2	-6.12	115.96	123.30
3	A1	1085	U	C3'-C2'-C1'	6.12	106.39	101.50
3	A1	1221	G	N3-C2-N2	-6.12	115.62	119.90
3	A1	1454	G	N3-C2-N2	-6.12	115.62	119.90
3	A1	1511	G	C5'-C4'-O4'	6.12	116.44	109.10
7	AF	86	ARG	NH1-CZ-NH2	-6.12	112.67	119.40
24	BA	41	G	N3-C4-C5	-6.12	125.54	128.60
25	BB	475	C	C5-C4-N4	6.12	124.48	120.20
25	BB	550	C	C5'-C4'-O4'	6.12	116.44	109.10
25	BB	898	C	C1'-O4'-C4'	-6.12	105.00	109.90
25	BB	1535	A	N1-C2-N3	-6.12	126.24	129.30
25	BB	1843	C	N3-C2-O2	-6.12	117.62	121.90
25	BB	1868	C	O4'-C1'-N1	6.12	113.09	108.20
25	BB	2366	A	C4-C5-C6	-6.12	113.94	117.00
25	BB	2550	G	N1-C6-O6	-6.12	116.23	119.90
25	BB	2802	G	N7-C8-N9	6.12	116.16	113.10
37	BN	79	ARG	NH1-CZ-NH2	-6.12	112.67	119.40
3	A1	211	G	N7-C8-N9	6.12	116.16	113.10
3	A1	384	G	C6-N1-C2	-6.12	121.43	125.10
3	A1	983	A	C6-C5-N7	6.12	136.58	132.30
25	BB	397	U	N3-C2-O2	-6.12	117.92	122.20
25	BB	677	A	C6-C5-N7	6.12	136.58	132.30
25	BB	1387	A	C5-N7-C8	-6.12	100.84	103.90
25	BB	2754	U	N1-C2-N3	6.12	118.57	114.90
1	AP	72	C	N3-C2-O2	-6.12	117.62	121.90
3	A1	6	G	N3-C4-N9	6.12	129.67	126.00
3	A1	363	A	C5-C6-N1	6.12	120.76	117.70
3	A1	432	A	C5-N7-C8	-6.12	100.84	103.90
3	A1	709	U	N1-C2-N3	6.12	118.57	114.90
3	A1	1057	G	C5-C6-N1	6.12	114.56	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1460	C	N3-C4-C5	6.12	124.35	121.90
6	AD	108	ASP	CB-CG-OD1	-6.12	112.80	118.30
25	BB	160	A	O5'-C5'-C4'	-6.12	100.08	111.70
25	BB	502	A	C3'-C2'-C1'	6.12	106.39	101.50
25	BB	513	A	N9-C4-C5	6.12	108.25	105.80
25	BB	1368	G	N3-C4-C5	-6.12	125.54	128.60
25	BB	2828	G	C5-C6-N1	6.12	114.56	111.50
1	AE	76	A	C6-N1-C2	-6.11	114.93	118.60
3	A1	376	G	N3-C4-C5	-6.11	125.54	128.60
3	A1	478	A	C1'-O4'-C4'	-6.11	105.01	109.90
3	A1	844	G	N9-C4-C5	6.11	107.85	105.40
3	A1	1217	C	C2-N3-C4	-6.11	116.84	119.90
3	A1	1521	C	N1-C2-N3	6.11	123.48	119.20
25	BB	1080	A	C5-C6-N6	6.11	128.59	123.70
25	BB	1490	A	N9-C4-C5	-6.11	103.36	105.80
25	BB	1892	C	C5-C4-N4	6.11	124.48	120.20
25	BB	1942	C	C6-N1-C2	-6.11	117.86	120.30
1	AE	58	A	C2-N3-C4	6.11	113.66	110.60
3	A1	174	A	O4'-C4'-C3'	6.11	110.99	106.10
3	A1	1040	U	C6-N1-C2	-6.11	117.33	121.00
25	BB	1612	C	O4'-C4'-C3'	6.11	110.99	106.10
1	AP	53	G	C6-N1-C2	-6.11	121.43	125.10
1	AE	52	U	O4'-C1'-N1	6.11	113.09	108.20
3	A1	25	C	C5-C6-N1	-6.11	117.94	121.00
3	A1	422	C	N3-C2-O2	-6.11	117.62	121.90
3	A1	1005	A	C5-N7-C8	-6.11	100.84	103.90
3	A1	1466	C	O4'-C4'-C3'	6.11	110.99	106.10
25	BB	38	A	N9-C4-C5	6.11	108.24	105.80
25	BB	571	U	C2-N3-C4	-6.11	123.33	127.00
25	BB	1302	A	C5-C6-N1	6.11	120.75	117.70
25	BB	1422	G	N9-C4-C5	6.11	107.84	105.40
25	BB	1505	A	C5-C6-N1	6.11	120.75	117.70
25	BB	1512	C	C1'-O4'-C4'	-6.11	105.01	109.90
25	BB	1988	G	C6-N1-C2	-6.11	121.43	125.10
25	BB	2875	C	C6-N1-C2	-6.11	117.86	120.30
3	A1	377	G	N9-C4-C5	6.11	107.84	105.40
24	BA	113	C	N1-C2-N3	6.11	123.48	119.20
25	BB	1272	A	C6-N1-C2	-6.11	114.94	118.60
25	BB	2045	C	N1-C2-O2	6.11	122.57	118.90
25	BB	2099	U	N3-C2-O2	-6.11	117.92	122.20
25	BB	2443	C	C2'-C3'-O3'	6.11	123.47	113.70
3	A1	622	A	C5-C6-N6	6.11	128.59	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	630	A	C6-N1-C2	-6.11	114.94	118.60
3	A1	950	U	C5'-C4'-O4'	6.11	116.43	109.10
3	A1	986	U	C4-C5-C6	6.11	123.36	119.70
3	A1	1174	G	N9-C4-C5	6.11	107.84	105.40
25	BB	120	U	C5'-C4'-O4'	6.11	116.43	109.10
25	BB	210	C	N1-C2-N3	6.11	123.48	119.20
25	BB	415	A	C4-C5-N7	6.11	113.75	110.70
25	BB	999	U	O4'-C4'-C3'	-6.11	97.89	104.00
25	BB	1518	C	O5'-P-OP1	-6.11	100.20	105.70
25	BB	1676	A	C5-C6-N1	6.11	120.75	117.70
25	BB	1693	U	C5-C4-O4	6.11	129.56	125.90
25	BB	1838	C	C5-C6-N1	-6.11	117.95	121.00
3	A1	258	G	C6-N1-C2	-6.11	121.44	125.10
3	A1	657	U	N3-C2-O2	-6.11	117.93	122.20
3	A1	1175	G	N1-C6-O6	-6.11	116.24	119.90
25	BB	116	C	C6-N1-C2	-6.11	117.86	120.30
25	BB	252	G	C5-C6-N1	6.11	114.55	111.50
25	BB	454	A	C5-C6-N1	6.11	120.75	117.70
25	BB	987	C	N1-C2-N3	6.11	123.47	119.20
25	BB	1544	A	O4'-C1'-N9	6.11	113.08	108.20
25	BB	1963	U	C5-C4-O4	-6.11	122.24	125.90
25	BB	2056	G	N9-C4-C5	6.11	107.84	105.40
25	BB	2269	G	N1-C6-O6	-6.11	116.24	119.90
25	BB	2900	A	C2-N3-C4	6.11	113.65	110.60
25	BB	1364	G	N9-C4-C5	-6.10	102.96	105.40
25	BB	2624	G	N3-C2-N2	-6.10	115.63	119.90
25	BB	2881	U	N3-C2-O2	-6.10	117.93	122.20
1	AA	54	U	C5'-C4'-O4'	6.10	116.42	109.10
3	A1	122	G	C5-C6-N1	6.10	114.55	111.50
3	A1	822	U	C5'-C4'-C3'	-6.10	106.24	116.00
3	A1	1051	C	O4'-C1'-C2'	-6.10	99.70	105.80
3	A1	1254	A	C5-N7-C8	-6.10	100.85	103.90
3	A1	1284	C	C3'-C2'-C1'	6.10	106.38	101.50
3	A1	1476	A	C6-N1-C2	-6.10	114.94	118.60
24	BA	9	G	C5-N7-C8	-6.10	101.25	104.30
24	BA	84	G	O4'-C1'-N9	6.10	113.08	108.20
25	BB	164	C	C3'-C2'-C1'	-6.10	96.62	101.50
25	BB	354	A	C1'-O4'-C4'	-6.10	105.02	109.90
25	BB	821	A	C4-C5-C6	-6.10	113.95	117.00
25	BB	1161	C	C2-N3-C4	-6.10	116.85	119.90
25	BB	1441	G	N3-C4-N9	6.10	129.66	126.00
25	BB	2047	C	C1'-O4'-C4'	-6.10	105.02	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2646	C	C5-C6-N1	-6.10	117.95	121.00
3	A1	207	C	N1-C2-N3	6.10	123.47	119.20
3	A1	692	U	N3-C2-O2	-6.10	117.93	122.20
3	A1	805	C	P-O3'-C3'	6.10	127.02	119.70
3	A1	807	A	C3'-C2'-C1'	6.10	106.38	101.50
3	A1	1039	G	C3'-C2'-C1'	-6.10	96.62	101.50
3	A1	1513	A	C6-C5-N7	6.10	136.57	132.30
24	BA	105	G	C6-N1-C2	-6.10	121.44	125.10
25	BB	262	A	C4-C5-C6	-6.10	113.95	117.00
25	BB	310	A	C6-C5-N7	6.10	136.57	132.30
25	BB	1656	C	C6-N1-C2	-6.10	117.86	120.30
25	BB	1697	G	C2-N3-C4	-6.10	108.85	111.90
25	BB	2242	G	C2'-C3'-O3'	6.10	123.46	113.70
51	B2	127	TYR	CB-CG-CD2	-6.10	117.34	121.00
3	A1	1238	A	C3'-C2'-C1'	-6.10	96.62	101.50
3	A1	1367	C	C2-N3-C4	-6.10	116.85	119.90
17	AR	103	ARG	NE-CZ-NH1	6.10	123.35	120.30
25	BB	105	C	O4'-C1'-N1	6.10	113.08	108.20
25	BB	206	U	N3-C2-O2	-6.10	117.93	122.20
25	BB	279	A	N9-C4-C5	6.10	108.24	105.80
25	BB	1419	A	C6-C5-N7	6.10	136.57	132.30
25	BB	1977	A	C4-C5-C6	-6.10	113.95	117.00
25	BB	2074	U	N3-C2-O2	-6.10	117.93	122.20
25	BB	2361	G	C5-C6-N1	6.10	114.55	111.50
1	AA	73	A	C6-C5-N7	6.10	136.57	132.30
3	A1	342	C	C5'-C4'-O4'	6.10	116.42	109.10
3	A1	778	G	N7-C8-N9	6.10	116.15	113.10
3	A1	858	G	C4'-C3'-C2'	-6.10	96.50	102.60
3	A1	1518	A	C4-C5-C6	-6.10	113.95	117.00
21	AV	83	ARG	NH1-CZ-NH2	-6.10	112.69	119.40
25	BB	115	C	C3'-C2'-C1'	6.10	106.38	101.50
25	BB	201	C	N3-C4-C5	6.10	124.34	121.90
25	BB	205	G	N1-C2-N2	-6.10	110.71	116.20
25	BB	669	G	N3-C4-N9	6.10	129.66	126.00
25	BB	731	C	C5-C6-N1	-6.10	117.95	121.00
25	BB	1503	A	C6-C5-N7	6.10	136.57	132.30
25	BB	1684	G	N1-C6-O6	-6.10	116.24	119.90
25	BB	2073	C	N3-C4-C5	6.10	124.34	121.90
25	BB	2428	G	C5-C6-N1	6.10	114.55	111.50
25	BB	2447	G	N1-C6-O6	-6.10	116.24	119.90
25	BB	2654	A	C6-C5-N7	6.10	136.57	132.30
1	AA	2	C	C5-C6-N1	-6.10	117.95	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	43	G	N9-C1'-C2'	-6.10	105.29	112.00
25	BB	175	G	N7-C8-N9	6.10	116.15	113.10
25	BB	507	A	C1'-O4'-C4'	-6.10	105.02	109.90
25	BB	689	A	C8-N9-C4	-6.10	103.36	105.80
25	BB	2071	A	C2-N3-C4	6.10	113.65	110.60
25	BB	2289	G	N1-C2-N2	-6.10	110.71	116.20
25	BB	2614	A	N1-C2-N3	-6.10	126.25	129.30
25	BB	2716	C	C2-N3-C4	-6.10	116.85	119.90
1	AA	16	U	C3'-C2'-C1'	6.09	106.38	101.50
3	A1	884	U	N1-C2-N3	6.09	118.56	114.90
3	A1	1290	G	N1-C2-N3	6.09	127.56	123.90
3	A1	1292	G	C6-N1-C2	-6.09	121.44	125.10
3	A1	1388	C	C5'-C4'-C3'	-6.09	106.25	116.00
25	BB	153	U	O4'-C1'-N1	6.09	113.08	108.20
25	BB	239	C	N3-C4-N4	-6.09	113.73	118.00
25	BB	1766	G	N1-C6-O6	-6.09	116.24	119.90
25	BB	2710	C	C1'-O4'-C4'	-6.09	105.02	109.90
33	BJ	47	ARG	NH1-CZ-NH2	-6.09	112.70	119.40
3	A1	358	U	C4'-C3'-C2'	-6.09	96.51	102.60
3	A1	435	A	C1'-O4'-C4'	6.09	114.77	109.90
3	A1	911	U	C2-N3-C4	-6.09	123.34	127.00
3	A1	1107	C	C2-N3-C4	-6.09	116.85	119.90
3	A1	1433	A	C5-C6-N6	6.09	128.57	123.70
25	BB	737	C	N3-C4-N4	-6.09	113.73	118.00
25	BB	2682	A	C5-C6-N6	6.09	128.57	123.70
1	AE	71	G	N1-C6-O6	-6.09	116.25	119.90
3	A1	1320	C	C2-N3-C4	-6.09	116.85	119.90
25	BB	481	G	C5-C6-O6	6.09	132.25	128.60
25	BB	537	G	C6-C5-N7	6.09	134.06	130.40
25	BB	630	G	C5-N7-C8	-6.09	101.25	104.30
25	BB	1647	U	C5'-C4'-C3'	-6.09	106.25	116.00
25	BB	1772	A	O4'-C1'-N9	6.09	113.07	108.20
30	BG	69	ARG	CD-NE-CZ	6.09	132.13	123.60
1	AP	38	A	N1-C2-N3	-6.09	126.26	129.30
3	A1	407	U	N3-C4-O4	-6.09	115.14	119.40
24	BA	30	C	C5-C6-N1	-6.09	117.96	121.00
25	BB	308	G	O4'-C1'-N9	6.09	113.07	108.20
25	BB	1016	G	C4-C5-C6	-6.09	115.15	118.80
25	BB	1376	C	C3'-C2'-C1'	6.09	106.37	101.50
25	BB	1664	A	C4-C5-C6	-6.09	113.95	117.00
25	BB	1676	A	C4'-C3'-C2'	-6.09	96.51	102.60
25	BB	1933	G	C6-N1-C2	-6.09	121.45	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2015	A	C5-C6-N6	6.09	128.57	123.70
25	BB	2095	A	O4'-C4'-C3'	6.09	110.97	106.10
25	BB	2596	U	C4-C5-C6	6.09	123.35	119.70
25	BB	2804	U	N3-C2-O2	-6.09	117.94	122.20
3	A1	315	A	C3'-C2'-C1'	-6.09	96.63	101.50
3	A1	769	G	O4'-C1'-N9	-6.09	103.33	108.20
25	BB	3	U	C5'-C4'-C3'	-6.09	106.26	116.00
25	BB	30	G	C6-C5-N7	6.09	134.05	130.40
25	BB	98	G	C3'-C2'-C1'	6.09	106.37	101.50
25	BB	871	U	N3-C4-C5	-6.09	110.95	114.60
25	BB	1944	U	O4'-C1'-N1	6.09	113.07	108.20
3	A1	100	G	O3'-P-O5'	-6.09	92.44	104.00
3	A1	340	U	N3-C2-O2	-6.09	117.94	122.20
3	A1	441	A	C4-C5-C6	-6.09	113.96	117.00
3	A1	583	A	C5-C6-N6	6.09	128.57	123.70
25	BB	245	G	N1-C6-O6	-6.09	116.25	119.90
25	BB	429	A	C4'-C3'-C2'	-6.09	96.51	102.60
25	BB	875	G	N1-C6-O6	-6.09	116.25	119.90
25	BB	1478	G	N3-C2-N2	-6.09	115.64	119.90
25	BB	2376	A	C6-N1-C2	-6.09	114.95	118.60
25	BB	2531	A	C5-C6-N6	6.09	128.57	123.70
25	BB	2628	C	N1-C2-N3	6.09	123.46	119.20
3	A1	150	U	C2'-C3'-O3'	6.08	123.44	113.70
3	A1	286	C	N3-C2-O2	-6.08	117.64	121.90
3	A1	1012	A	C6-N1-C2	-6.08	114.95	118.60
24	BA	41	G	C5-C6-N1	6.08	114.54	111.50
25	BB	181	A	C8-N9-C4	6.08	108.23	105.80
25	BB	1072	C	N3-C2-O2	-6.08	117.64	121.90
1	AP	11	C	C2-N1-C1'	6.08	125.49	118.80
3	A1	333	U	C5-C4-O4	-6.08	122.25	125.90
3	A1	438	U	C5-C6-N1	-6.08	119.66	122.70
3	A1	699	C	N3-C4-C5	6.08	124.33	121.90
3	A1	912	C	N1-C2-N3	6.08	123.46	119.20
3	A1	956	U	C2-N3-C4	6.08	130.65	127.00
24	BA	77	U	C5'-C4'-O4'	6.08	116.40	109.10
25	BB	489	G	C2-N3-C4	6.08	114.94	111.90
25	BB	851	C	C5-C4-N4	6.08	124.46	120.20
25	BB	906	U	C5'-C4'-O4'	6.08	116.40	109.10
25	BB	1299	G	N1-C2-N3	6.08	127.55	123.90
25	BB	1560	G	N1-C6-O6	-6.08	116.25	119.90
25	BB	2502	G	P-O3'-C3'	6.08	127.00	119.70
25	BB	2740	A	O4'-C1'-N9	6.08	113.07	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
48	BY	104	VAL	CG1-CB-CG2	-6.08	101.17	110.90
1	AP	56	C	N3-C2-O2	-6.08	117.64	121.90
3	A1	257	G	C8-N9-C4	-6.08	103.97	106.40
3	A1	720	C	N3-C2-O2	-6.08	117.64	121.90
3	A1	1077	G	O4'-C1'-N9	6.08	113.06	108.20
3	A1	1276	G	N7-C8-N9	6.08	116.14	113.10
25	BB	166	U	N1-C2-N3	6.08	118.55	114.90
25	BB	545	U	N3-C2-O2	-6.08	117.94	122.20
25	BB	962	G	O4'-C4'-C3'	6.08	110.96	106.10
25	BB	1226	A	C1'-O4'-C4'	-6.08	105.03	109.90
25	BB	1431	A	C8-N9-C4	-6.08	103.37	105.80
25	BB	1769	U	N3-C2-O2	-6.08	117.94	122.20
25	BB	1961	C	N1-C2-O2	6.08	122.55	118.90
25	BB	2733	A	C5-C6-N6	6.08	128.56	123.70
25	BB	2862	G	C5-C6-N1	6.08	114.54	111.50
25	BB	2882	A	C4-C5-C6	-6.08	113.96	117.00
30	BG	2	ARG	NE-CZ-NH1	6.08	123.34	120.30
1	AE	39	U	N3-C4-O4	6.08	123.66	119.40
3	A1	185	U	O4'-C1'-N1	6.08	113.06	108.20
3	A1	314	C	N3-C2-O2	-6.08	117.64	121.90
3	A1	472	U	N3-C4-O4	-6.08	115.14	119.40
3	A1	942	G	C4-C5-N7	-6.08	108.37	110.80
3	A1	1171	A	C5-C6-N1	6.08	120.74	117.70
3	A1	1189	U	N1-C2-N3	6.08	118.55	114.90
25	BB	663	G	C4'-C3'-C2'	-6.08	96.52	102.60
25	BB	1074	G	C8-N9-C4	-6.08	103.97	106.40
25	BB	1092	C	N1-C2-O2	6.08	122.55	118.90
25	BB	1821	A	C5-C6-N6	6.08	128.56	123.70
25	BB	2749	A	O4'-C1'-N9	6.08	113.06	108.20
25	BB	2851	A	C6-C5-N7	6.08	136.56	132.30
3	A1	27	G	N1-C6-O6	-6.08	116.25	119.90
3	A1	210	C	O4'-C1'-N1	6.08	113.06	108.20
3	A1	801	U	O4'-C1'-N1	6.08	113.06	108.20
3	A1	865	A	C5'-C4'-O4'	6.08	116.39	109.10
3	A1	1446	A	C1'-O4'-C4'	-6.08	105.04	109.90
25	BB	142	A	C6-N1-C2	-6.08	114.95	118.60
25	BB	157	C	N3-C2-O2	-6.08	117.64	121.90
25	BB	247	G	C4'-C3'-C2'	-6.08	96.52	102.60
25	BB	1035	U	C5'-C4'-O4'	6.08	116.39	109.10
25	BB	1475	G	C6-C5-N7	6.08	134.05	130.40
25	BB	1630	A	C5-C6-N6	6.08	128.56	123.70
25	BB	1875	G	C5-N7-C8	-6.08	101.26	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2006	C	C5-C4-N4	6.08	124.45	120.20
25	BB	2083	G	C4-C5-N7	-6.08	108.37	110.80
25	BB	2219	U	C5-C4-O4	6.08	129.55	125.90
25	BB	2275	C	N3-C4-N4	-6.08	113.75	118.00
25	BB	2411	A	C6-C5-N7	6.08	136.56	132.30
25	BB	2470	G	C6-C5-N7	6.08	134.05	130.40
25	BB	2526	G	C2-N3-C4	6.08	114.94	111.90
25	BB	2578	G	C6-N1-C2	-6.08	121.45	125.10
42	BS	56	ARG	NE-CZ-NH2	-6.08	117.26	120.30
1	AP	20	G	C4-C5-N7	-6.08	108.37	110.80
3	A1	735	C	O4'-C1'-N1	6.08	113.06	108.20
3	A1	1008	U	N1-C1'-C2'	-6.08	105.32	112.00
3	A1	1520	C	C6-N1-C2	-6.08	117.87	120.30
25	BB	479	A	C4'-C3'-C2'	-6.08	96.52	102.60
25	BB	487	C	N3-C2-O2	-6.08	117.65	121.90
25	BB	1484	U	N1-C2-N3	6.08	118.55	114.90
25	BB	2641	G	O4'-C1'-N9	6.08	113.06	108.20
25	BB	238	C	C5-C6-N1	-6.08	117.96	121.00
25	BB	399	U	N3-C2-O2	-6.08	117.95	122.20
25	BB	458	G	N9-C4-C5	6.08	107.83	105.40
25	BB	1083	U	C4'-C3'-C2'	-6.08	96.52	102.60
25	BB	1380	G	N1-C6-O6	-6.08	116.25	119.90
25	BB	2022	U	C5-C6-N1	-6.08	119.66	122.70
25	BB	2127	G	C3'-C2'-C1'	6.08	106.36	101.50
25	BB	2328	A	C3'-C2'-C1'	6.08	106.36	101.50
27	BD	17	ARG	NE-CZ-NH2	-6.08	117.26	120.30
25	BB	5	A	O5'-P-OP1	-6.07	100.23	105.70
25	BB	503	A	P-O3'-C3'	6.07	126.99	119.70
25	BB	888	C	P-O3'-C3'	6.07	126.99	119.70
25	BB	1077	A	N1-C2-N3	-6.07	126.26	129.30
25	BB	1106	G	N3-C4-C5	-6.07	125.56	128.60
25	BB	1152	C	C2-N3-C4	-6.07	116.86	119.90
3	A1	318	G	N3-C2-N2	6.07	124.15	119.90
3	A1	368	U	N3-C4-O4	6.07	123.65	119.40
25	BB	68	G	C4-C5-N7	-6.07	108.37	110.80
25	BB	2219	U	N3-C4-O4	-6.07	115.15	119.40
3	A1	10	A	N1-C2-N3	-6.07	126.26	129.30
3	A1	31	G	N3-C4-C5	-6.07	125.56	128.60
3	A1	360	G	N1-C2-N3	6.07	127.54	123.90
3	A1	469	C	C5'-C4'-O4'	6.07	116.38	109.10
3	A1	671	G	N1-C2-N3	6.07	127.54	123.90
3	A1	753	A	C3'-C2'-C1'	-6.07	96.64	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1258	G	N3-C4-C5	-6.07	125.56	128.60
3	A1	1436	U	C5-C4-O4	-6.07	122.26	125.90
9	AH	53	ARG	NE-CZ-NH1	6.07	123.33	120.30
17	AR	110	ARG	CD-NE-CZ	6.07	132.10	123.60
25	BB	290	U	C4-C5-C6	6.07	123.34	119.70
25	BB	855	G	N9-C1'-C2'	-6.07	105.32	112.00
25	BB	939	G	C5-C6-N1	6.07	114.53	111.50
25	BB	2030	A	C2-N3-C4	6.07	113.64	110.60
25	BB	2393	U	C5-C6-N1	-6.07	119.67	122.70
25	BB	2620	C	C1'-O4'-C4'	-6.07	105.04	109.90
25	BB	2679	A	C6-C5-N7	6.07	136.55	132.30
28	BE	78	ARG	NE-CZ-NH2	6.07	123.34	120.30
1	AE	16	U	C2'-C3'-O3'	6.07	123.41	113.70
3	A1	236	A	C6-C5-N7	6.07	136.55	132.30
3	A1	361	G	N1-C6-O6	-6.07	116.26	119.90
3	A1	1145	A	C6-C5-N7	6.07	136.55	132.30
3	A1	1185	G	C4-C5-N7	6.07	113.23	110.80
3	A1	1312	G	C4-C5-C6	-6.07	115.16	118.80
25	BB	389	G	C6-N1-C2	-6.07	121.46	125.10
25	BB	476	G	C2'-C3'-O3'	6.07	123.41	113.70
25	BB	1588	G	C1'-O4'-C4'	-6.07	105.05	109.90
25	BB	1651	G	O4'-C1'-N9	6.07	113.06	108.20
25	BB	1719	G	N3-C4-C5	-6.07	125.56	128.60
25	BB	2566	A	C5'-C4'-O4'	6.07	116.38	109.10
25	BB	2790	U	C5-C4-O4	-6.07	122.26	125.90
2	AM	17	U	C5'-C4'-C3'	-6.07	106.29	116.00
3	A1	197	A	P-O3'-C3'	6.07	126.98	119.70
3	A1	267	C	C5-C6-N1	-6.07	117.97	121.00
3	A1	1053	G	N7-C8-N9	6.07	116.13	113.10
3	A1	1100	C	C5'-C4'-O4'	6.07	116.38	109.10
3	A1	1301	U	N3-C2-O2	-6.07	117.95	122.20
3	A1	1357	A	C2-N3-C4	6.07	113.63	110.60
25	BB	691	C	N1-C2-O2	6.07	122.54	118.90
25	BB	1543	G	C3'-C2'-C1'	6.07	106.35	101.50
25	BB	1875	G	C8-N9-C4	-6.07	103.97	106.40
25	BB	1966	A	C3'-C2'-C1'	6.07	106.35	101.50
25	BB	2190	G	C5-C6-N1	6.07	114.53	111.50
25	BB	2554	U	C5-C6-N1	-6.07	119.67	122.70
3	A1	176	C	N3-C4-C5	6.07	124.33	121.90
3	A1	359	G	N3-C2-N2	-6.07	115.66	119.90
3	A1	629	A	C5-C6-N6	6.07	128.55	123.70
3	A1	833	G	N3-C4-C5	-6.07	125.57	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1294	G	C5-N7-C8	-6.07	101.27	104.30
3	A1	1382	C	N1-C2-O2	6.07	122.54	118.90
25	BB	796	C	C6-N1-C2	-6.07	117.87	120.30
25	BB	985	C	C2-N3-C4	-6.07	116.87	119.90
25	BB	1056	G	O3'-P-O5'	-6.07	92.48	104.00
25	BB	1145	C	N1-C2-O2	6.07	122.54	118.90
25	BB	2037	A	N1-C2-N3	-6.07	126.27	129.30
25	BB	2166	U	C5'-C4'-O4'	6.07	116.38	109.10
25	BB	2251	G	N3-C2-N2	-6.07	115.65	119.90
25	BB	2742	G	N7-C8-N9	6.07	116.13	113.10
55	B6	34	ARG	NH1-CZ-NH2	-6.07	112.73	119.40
1	AE	35	A	C4-C5-C6	-6.06	113.97	117.00
3	A1	227	G	N9-C4-C5	6.06	107.83	105.40
3	A1	352	C	N3-C4-N4	-6.06	113.75	118.00
3	A1	1153	G	C2-N3-C4	6.06	114.93	111.90
21	AV	113	ARG	NE-CZ-NH1	6.06	123.33	120.30
25	BB	429	A	C8-N9-C4	-6.06	103.38	105.80
25	BB	674	G	N1-C2-N3	6.06	127.54	123.90
25	BB	1727	C	N1-C1'-C2'	-6.06	105.33	112.00
1	AE	38	A	C5-C6-N6	6.06	128.55	123.70
3	A1	467	U	C4'-C3'-C2'	-6.06	96.54	102.60
25	BB	85	G	O4'-C4'-C3'	6.06	110.95	106.10
25	BB	87	U	C5'-C4'-O4'	6.06	116.37	109.10
25	BB	851	C	N3-C4-C5	6.06	124.33	121.90
25	BB	1986	C	N3-C4-C5	6.06	124.33	121.90
25	BB	2379	G	C8-N9-C4	-6.06	103.97	106.40
25	BB	2863	C	C4'-C3'-C2'	-6.06	96.54	102.60
1	AA	68	U	C4'-C3'-C2'	-6.06	96.54	102.60
1	AP	36	A	P-O3'-C3'	6.06	126.97	119.70
3	A1	159	G	C4'-C3'-C2'	-6.06	96.54	102.60
3	A1	159	G	O4'-C4'-C3'	6.06	110.95	106.10
3	A1	284	C	C2-N3-C4	-6.06	116.87	119.90
3	A1	1036	A	C6-C5-N7	6.06	136.54	132.30
3	A1	192	A	C5-C6-N6	6.06	128.55	123.70
3	A1	739	C	C5-C4-N4	-6.06	115.96	120.20
3	A1	1525	G	C5-C6-N1	6.06	114.53	111.50
23	AX	72	ARG	NE-CZ-NH1	6.06	123.33	120.30
25	BB	1028	A	C5-C6-N6	6.06	128.55	123.70
25	BB	1119	U	C6-N1-C2	-6.06	117.36	121.00
25	BB	1291	C	N3-C4-C5	6.06	124.32	121.90
25	BB	1585	C	N1-C2-N3	6.06	123.44	119.20
25	BB	1987	A	C3'-C2'-C1'	6.06	106.35	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2508	G	C1'-O4'-C4'	-6.06	105.05	109.90
25	BB	2533	U	N3-C4-O4	6.06	123.64	119.40
25	BB	2805	C	C5-C6-N1	-6.06	117.97	121.00
35	BL	18	ARG	NH1-CZ-NH2	-6.06	112.73	119.40
3	A1	22	G	N3-C2-N2	-6.06	115.66	119.90
3	A1	75	G	C2-N3-C4	6.06	114.93	111.90
3	A1	782	A	C5-C6-N6	6.06	128.55	123.70
3	A1	1045	C	C2-N3-C4	-6.06	116.87	119.90
3	A1	1244	G	C1'-O4'-C4'	-6.06	105.06	109.90
24	BA	51	G	C5-C6-N1	6.06	114.53	111.50
25	BB	600	G	C5-C6-N1	6.06	114.53	111.50
25	BB	903	C	C5-C4-N4	-6.06	115.96	120.20
25	BB	1156	A	N9-C4-C5	6.06	108.22	105.80
25	BB	1638	C	N3-C4-N4	-6.06	113.76	118.00
25	BB	2740	A	C5-C6-N1	6.06	120.73	117.70
25	BB	2847	U	C2-N3-C4	-6.06	123.36	127.00
3	A1	603	U	O4'-C4'-C3'	6.06	110.94	106.10
3	A1	797	C	C5-C6-N1	-6.06	117.97	121.00
3	A1	815	A	C2-N3-C4	6.06	113.63	110.60
25	BB	77	G	N3-C2-N2	-6.06	115.66	119.90
25	BB	896	A	C5-N7-C8	-6.06	100.87	103.90
25	BB	1997	C	N3-C4-C5	6.06	124.32	121.90
25	BB	2070	A	C5-C6-N6	6.06	128.54	123.70
25	BB	2266	A	C2-N3-C4	6.06	113.63	110.60
25	BB	2375	G	C6-N1-C2	-6.06	121.47	125.10
25	BB	2591	C	N3-C4-N4	-6.06	113.76	118.00
25	BB	2596	U	P-O3'-C3'	6.06	126.97	119.70
25	BB	2774	C	N3-C2-O2	-6.06	117.66	121.90
3	A1	11	G	C3'-C2'-C1'	6.05	106.34	101.50
3	A1	97	G	C5-C6-N1	6.05	114.53	111.50
3	A1	195	A	C5-C6-N1	6.05	120.73	117.70
3	A1	305	G	N9-C4-C5	6.05	107.82	105.40
3	A1	544	G	N3-C4-N9	6.05	129.63	126.00
3	A1	615	G	C2-N3-C4	6.05	114.93	111.90
3	A1	674	G	C6-N1-C2	-6.05	121.47	125.10
25	BB	73	A	C6-C5-N7	6.05	136.54	132.30
25	BB	254	G	O4'-C1'-N9	6.05	113.04	108.20
25	BB	266	G	N1-C6-O6	-6.05	116.27	119.90
25	BB	462	C	C5-C4-N4	6.05	124.44	120.20
25	BB	622	G	C5-C6-N1	6.05	114.53	111.50
25	BB	767	U	C5-C6-N1	-6.05	119.67	122.70
25	BB	904	G	P-O3'-C3'	6.05	126.97	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1319	C	N1-C2-N3	6.05	123.44	119.20
25	BB	1396	U	N1-C2-N3	6.05	118.53	114.90
25	BB	1529	G	O4'-C1'-N9	6.05	113.04	108.20
25	BB	1647	U	N3-C2-O2	-6.05	117.96	122.20
25	BB	1964	G	O4'-C1'-N9	-6.05	103.36	108.20
25	BB	2414	G	C4'-C3'-C2'	-6.05	96.55	102.60
25	BB	2486	C	N3-C2-O2	-6.05	117.66	121.90
1	AA	63	C	N3-C4-N4	-6.05	113.76	118.00
3	A1	850	U	N3-C2-O2	-6.05	117.96	122.20
3	A1	947	G	C4-C5-C6	-6.05	115.17	118.80
3	A1	1024	G	N1-C6-O6	-6.05	116.27	119.90
17	AR	43	ARG	NE-CZ-NH2	6.05	123.33	120.30
25	BB	1739	A	C6-N1-C2	-6.05	114.97	118.60
25	BB	1837	C	O4'-C1'-N1	6.05	113.04	108.20
25	BB	1995	U	C5'-C4'-O4'	6.05	116.36	109.10
25	BB	2719	G	N3-C2-N2	-6.05	115.66	119.90
25	BB	2736	A	C5-C6-N6	6.05	128.54	123.70
3	A1	347	G	C5-C6-N1	6.05	114.53	111.50
3	A1	717	U	N1-C1'-C2'	-6.05	105.34	112.00
3	A1	753	A	C6-C5-N7	6.05	136.53	132.30
3	A1	969	A	N3-C4-C5	6.05	131.04	126.80
3	A1	1493	A	N9-C1'-C2'	6.05	121.87	114.00
25	BB	273	G	C4-C5-C6	-6.05	115.17	118.80
25	BB	719	C	C3'-C2'-C1'	6.05	106.34	101.50
25	BB	1721	G	O4'-C1'-N9	-6.05	103.36	108.20
25	BB	2042	A	C6-C5-N7	6.05	136.54	132.30
25	BB	2080	A	N9-C4-C5	6.05	108.22	105.80
25	BB	2244	U	C5-C6-N1	-6.05	119.67	122.70
25	BB	2420	C	N3-C4-N4	-6.05	113.77	118.00
25	BB	2570	G	C6-N1-C2	-6.05	121.47	125.10
25	BB	2787	C	C2-N3-C4	-6.05	116.87	119.90
29	BF	55	ARG	NE-CZ-NH1	6.05	123.33	120.30
3	A1	32	A	C4-C5-C6	-6.05	113.98	117.00
3	A1	163	C	N1-C2-N3	6.05	123.44	119.20
3	A1	323	U	O4'-C1'-N1	6.05	113.04	108.20
3	A1	640	A	C4'-C3'-C2'	-6.05	96.55	102.60
3	A1	762	U	N3-C2-O2	-6.05	117.97	122.20
3	A1	984	C	O4'-C1'-N1	6.05	113.04	108.20
3	A1	1296	C	C6-N1-C2	-6.05	117.88	120.30
3	A1	1412	C	O4'-C1'-N1	6.05	113.04	108.20
5	AC	92	ARG	CD-NE-CZ	6.05	132.07	123.60
25	BB	1252	G	N9-C4-C5	6.05	107.82	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1398	C	N3-C2-O2	-6.05	117.67	121.90
25	BB	1780	A	C6-C5-N7	6.05	136.53	132.30
25	BB	1858	A	N9-C4-C5	6.05	108.22	105.80
25	BB	1942	C	N1-C2-O2	6.05	122.53	118.90
25	BB	2364	C	N1-C2-N3	6.05	123.44	119.20
25	BB	2468	A	C5-C6-N6	6.05	128.54	123.70
1	AP	35	A	C5'-C4'-O4'	6.05	116.36	109.10
3	A1	656	G	N1-C6-O6	-6.05	116.27	119.90
3	A1	700	G	C1'-O4'-C4'	-6.05	105.06	109.90
3	A1	1428	A	C3'-C2'-C1'	-6.05	96.66	101.50
25	BB	725	G	C4'-C3'-C2'	-6.05	96.55	102.60
25	BB	1135	C	N1-C2-N3	6.05	123.43	119.20
25	BB	2664	G	C6-N1-C2	-6.05	121.47	125.10
3	A1	890	G	C5-C6-N1	6.05	114.52	111.50
3	A1	904	U	O4'-C4'-C3'	6.05	110.94	106.10
3	A1	1510	C	C2-N3-C4	-6.05	116.88	119.90
24	BA	108	A	C6-C5-N7	6.05	136.53	132.30
25	BB	622	G	N1-C2-N2	-6.05	110.76	116.20
25	BB	1437	C	C2-N3-C4	-6.05	116.88	119.90
25	BB	1725	U	C5-C6-N1	-6.05	119.68	122.70
25	BB	1933	G	C4-C5-N7	-6.05	108.38	110.80
25	BB	2104	C	C5-C6-N1	-6.05	117.98	121.00
25	BB	893	C	N1-C2-O2	6.04	122.53	118.90
25	BB	1093	G	C4'-C3'-C2'	-6.04	96.56	102.60
3	A1	189	A	C3'-C2'-C1'	6.04	106.33	101.50
3	A1	805	C	C5'-C4'-O4'	6.04	116.35	109.10
3	A1	930	C	N3-C4-N4	-6.04	113.77	118.00
3	A1	967	C	C6-N1-C2	-6.04	117.88	120.30
3	A1	1028	C	C4'-C3'-C2'	-6.04	96.56	102.60
8	AG	53	ASP	CB-CG-OD2	-6.04	112.86	118.30
25	BB	177	G	N1-C2-N3	6.04	127.53	123.90
25	BB	703	U	N1-C2-N3	6.04	118.53	114.90
25	BB	762	U	C4'-C3'-C2'	-6.04	96.56	102.60
25	BB	1007	C	N3-C2-O2	-6.04	117.67	121.90
25	BB	1530	G	C5'-C4'-O4'	6.04	116.35	109.10
25	BB	2412	A	C6-C5-N7	6.04	136.53	132.30
25	BB	2597	G	C4-C5-N7	-6.04	108.38	110.80
38	BO	36	GLU	OE1-CD-OE2	-6.04	116.05	123.30
1	AA	67	A	C6-C5-N7	6.04	136.53	132.30
1	AP	57	G	N7-C8-N9	6.04	116.12	113.10
3	A1	33	A	C6-N1-C2	-6.04	114.97	118.60
3	A1	646	G	N3-C4-N9	6.04	129.62	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1417	G	N1-C2-N3	6.04	127.53	123.90
25	BB	156	A	O4'-C1'-N9	6.04	113.03	108.20
25	BB	776	G	N7-C8-N9	6.04	116.12	113.10
25	BB	835	C	C4'-C3'-C2'	-6.04	96.56	102.60
25	BB	980	A	N1-C2-N3	-6.04	126.28	129.30
25	BB	1930	G	C5-C6-N1	6.04	114.52	111.50
25	BB	2337	G	C5-C6-N1	6.04	114.52	111.50
25	BB	2402	U	C4-C5-C6	6.04	123.33	119.70
3	A1	476	U	O4'-C1'-N1	6.04	113.03	108.20
25	BB	2161	C	C5-C4-N4	6.04	124.43	120.20
25	BB	2461	A	C6-C5-N7	6.04	136.53	132.30
1	AA	57	G	N7-C8-N9	6.04	116.12	113.10
3	A1	434	U	O3'-P-O5'	-6.04	92.53	104.00
3	A1	512	U	C5-C6-N1	-6.04	119.68	122.70
3	A1	724	G	C1'-O4'-C4'	-6.04	105.07	109.90
3	A1	888	G	N3-C2-N2	-6.04	115.67	119.90
3	A1	919	A	C5-N7-C8	-6.04	100.88	103.90
3	A1	1421	G	C5-C6-N1	6.04	114.52	111.50
25	BB	99	U	C5-C6-N1	-6.04	119.68	122.70
25	BB	260	G	N3-C2-N2	-6.04	115.67	119.90
25	BB	426	C	C5-C4-N4	-6.04	115.97	120.20
25	BB	1252	G	C6-N1-C2	-6.04	121.48	125.10
25	BB	1497	U	C2-N3-C4	-6.04	123.38	127.00
25	BB	1820	U	C3'-C2'-C1'	-6.04	96.67	101.50
25	BB	2052	A	C5-N7-C8	-6.04	100.88	103.90
25	BB	2254	C	N3-C2-O2	-6.04	117.67	121.90
25	BB	2425	A	C5-C6-N1	6.04	120.72	117.70
25	BB	2432	A	C4-C5-C6	-6.04	113.98	117.00
3	A1	446	G	N3-C2-N2	-6.04	115.67	119.90
3	A1	1237	C	C4'-C3'-C2'	-6.04	96.56	102.60
25	BB	734	A	C4'-C3'-C2'	-6.04	96.56	102.60
25	BB	1033	U	C2-N3-C4	-6.04	123.38	127.00
25	BB	2136	G	C4-C5-N7	-6.04	108.39	110.80
25	BB	2410	G	N9-C4-C5	6.04	107.81	105.40
1	AP	37	G	C4-C5-N7	6.04	113.21	110.80
3	A1	138	G	C5-C6-N1	6.04	114.52	111.50
3	A1	227	G	N1-C2-N3	6.04	127.52	123.90
3	A1	612	C	N3-C2-O2	-6.04	117.68	121.90
3	A1	921	U	P-O3'-C3'	6.04	126.94	119.70
3	A1	1004	A	C5-C6-N6	6.04	128.53	123.70
3	A1	1198	G	C6-C5-N7	6.04	134.02	130.40
3	A1	1427	C	C3'-C2'-C1'	6.04	106.33	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	250	G	C5'-C4'-O4'	6.04	116.34	109.10
25	BB	675	A	C5-C6-N6	6.04	128.53	123.70
25	BB	1100	C	O4'-C4'-C3'	-6.04	97.97	104.00
25	BB	1528	A	C6-C5-N7	6.04	136.53	132.30
25	BB	2058	A	C6-C5-N7	6.04	136.53	132.30
25	BB	2391	G	C6-C5-N7	6.04	134.02	130.40
25	BB	2480	C	C1'-O4'-C4'	-6.04	105.07	109.90
1	AP	1	G	N3-C4-C5	-6.03	125.58	128.60
3	A1	635	A	P-O3'-C3'	6.03	126.94	119.70
3	A1	1073	U	N1-C2-N3	6.03	118.52	114.90
25	BB	206	U	N1-C2-O2	6.03	127.02	122.80
25	BB	214	G	C4-C5-C6	-6.03	115.18	118.80
25	BB	479	A	C3'-C2'-C1'	6.03	106.33	101.50
25	BB	511	U	O4'-C1'-C2'	-6.03	99.77	105.80
25	BB	708	G	N3-C4-C5	-6.03	125.58	128.60
25	BB	771	G	C6-C5-N7	6.03	134.02	130.40
25	BB	1611	C	N1-C2-O2	6.03	122.52	118.90
25	BB	1701	A	C6-C5-N7	6.03	136.52	132.30
25	BB	2673	G	N9-C4-C5	6.03	107.81	105.40
25	BB	2807	U	O4'-C1'-C2'	6.03	113.03	107.60
50	B1	69	ARG	NE-CZ-NH2	6.03	123.32	120.30
1	AE	56	C	N1-C2-N3	6.03	123.42	119.20
3	A1	246	A	C6-C5-N7	6.03	136.52	132.30
25	BB	1100	C	C5'-C4'-O4'	6.03	116.34	109.10
25	BB	1641	A	C6-C5-N7	6.03	136.52	132.30
25	BB	2361	G	N1-C2-N3	6.03	127.52	123.90
25	BB	2901	C	C4'-C3'-C2'	-6.03	96.57	102.60
3	A1	122	G	C5'-C4'-O4'	-6.03	101.86	109.10
3	A1	131	A	C5'-C4'-O4'	-6.03	101.86	109.10
3	A1	156	C	C4-C5-C6	-6.03	114.38	117.40
3	A1	207	C	N3-C4-C5	6.03	124.31	121.90
3	A1	287	U	N3-C4-O4	6.03	123.62	119.40
3	A1	667	G	C4-C5-N7	-6.03	108.39	110.80
3	A1	1181	G	N3-C4-C5	-6.03	125.58	128.60
3	A1	1252	A	C4-C5-C6	-6.03	113.98	117.00
25	BB	274	C	N1-C2-N3	6.03	123.42	119.20
25	BB	450	G	N3-C4-C5	-6.03	125.58	128.60
25	BB	466	A	N1-C2-N3	-6.03	126.28	129.30
25	BB	559	G	C5-N7-C8	-6.03	101.28	104.30
25	BB	762	U	O4'-C4'-C3'	6.03	110.92	106.10
25	BB	1027	A	C2-N3-C4	6.03	113.61	110.60
25	BB	1378	A	C2-N3-C4	6.03	113.61	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1893	C	N3-C2-O2	-6.03	117.68	121.90
25	BB	1893	C	O4'-C1'-N1	6.03	113.02	108.20
25	BB	1984	G	N3-C4-C5	-6.03	125.58	128.60
25	BB	2122	U	C5-C4-O4	6.03	129.52	125.90
25	BB	2159	G	N9-C4-C5	6.03	107.81	105.40
25	BB	2216	G	C8-N9-C4	-6.03	103.99	106.40
25	BB	2252	G	C5'-C4'-C3'	-6.03	106.35	116.00
25	BB	2506	U	C4'-C3'-O3'	6.03	125.06	113.00
38	BO	93	ARG	CD-NE-CZ	6.03	132.04	123.60
1	AA	53	G	C4-C5-C6	-6.03	115.18	118.80
25	BB	414	C	N3-C4-C5	6.03	124.31	121.90
25	BB	1398	C	C5-C6-N1	-6.03	117.98	121.00
25	BB	1463	C	N1-C2-N3	6.03	123.42	119.20
25	BB	1873	G	C8-N9-C4	-6.03	103.99	106.40
25	BB	1988	G	C1'-O4'-C4'	-6.03	105.08	109.90
25	BB	2418	A	C6-C5-N7	6.03	136.52	132.30
3	A1	406	G	C1'-O4'-C4'	6.03	114.72	109.90
3	A1	1143	G	C5-C6-N1	6.03	114.51	111.50
3	A1	1419	G	N1-C2-N2	-6.03	110.78	116.20
25	BB	1020	A	N7-C8-N9	6.03	116.81	113.80
25	BB	1083	U	C4-C5-C6	6.03	123.32	119.70
25	BB	1297	C	N1-C2-O2	6.03	122.52	118.90
25	BB	1304	A	C4-C5-C6	-6.03	113.99	117.00
25	BB	1908	C	N1-C1'-C2'	6.03	121.83	114.00
25	BB	2063	C	O4'-C1'-C2'	-6.03	99.77	105.80
25	BB	2364	C	O4'-C4'-C3'	-6.03	97.97	104.00
25	BB	2641	G	C5-N7-C8	-6.03	101.29	104.30
28	BE	21	ARG	NE-CZ-NH1	6.03	123.31	120.30
51	B2	149	ARG	NE-CZ-NH1	6.03	123.31	120.30
1	AA	13	C	O4'-C4'-C3'	-6.03	97.97	104.00
1	AA	73	A	N9-C4-C5	-6.03	103.39	105.80
3	A1	222	C	N3-C2-O2	-6.03	117.68	121.90
3	A1	846	G	C5-N7-C8	-6.03	101.29	104.30
3	A1	1434	A	C5'-C4'-O4'	6.03	116.33	109.10
17	AR	145	ARG	NE-CZ-NH2	-6.03	117.29	120.30
25	BB	139	U	O4'-C1'-N1	6.03	113.02	108.20
25	BB	678	C	N3-C4-C5	6.03	124.31	121.90
25	BB	1194	A	C5'-C4'-O4'	-6.03	101.87	109.10
25	BB	1311	G	C5'-C4'-O4'	6.03	116.33	109.10
25	BB	1560	G	N1-C2-N3	6.03	127.52	123.90
3	A1	1152	A	C5-N7-C8	-6.02	100.89	103.90
3	A1	1216	A	C4'-C3'-C2'	-6.02	96.58	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	BA	70	C	C2-N3-C4	-6.02	116.89	119.90
25	BB	187	G	N7-C8-N9	6.02	116.11	113.10
25	BB	191	A	O4'-C4'-C3'	6.02	110.92	106.10
25	BB	271	G	O4'-C1'-C2'	-6.02	99.78	105.80
25	BB	2120	G	C5-C6-O6	6.02	132.21	128.60
1	AP	48	C	C5-C6-N1	-6.02	117.99	121.00
3	A1	82	G	C8-N9-C4	-6.02	103.99	106.40
24	BA	36	C	N3-C2-O2	-6.02	117.69	121.90
25	BB	1129	A	O4'-C1'-N9	6.02	113.02	108.20
25	BB	2585	U	N1-C2-N3	6.02	118.51	114.90
13	AL	24	SER	C-N-CA	6.02	134.94	122.30
25	BB	1642	G	C5-N7-C8	-6.02	101.29	104.30
25	BB	1673	G	N1-C6-O6	-6.02	116.29	119.90
25	BB	1897	G	C5-C6-N1	6.02	114.51	111.50
25	BB	1973	G	C8-N9-C4	-6.02	103.99	106.40
3	A1	346	G	C4-C5-N7	-6.02	108.39	110.80
3	A1	919	A	N7-C8-N9	6.02	116.81	113.80
3	A1	945	G	C8-N9-C4	-6.02	103.99	106.40
24	BA	12	C	C5-C4-N4	-6.02	115.99	120.20
25	BB	141	G	N3-C4-C5	-6.02	125.59	128.60
25	BB	170	U	N1-C2-N3	6.02	118.51	114.90
25	BB	220	G	C5-C6-N1	6.02	114.51	111.50
25	BB	357	C	C2-N3-C4	-6.02	116.89	119.90
25	BB	388	G	C6-C5-N7	6.02	134.01	130.40
25	BB	1503	A	N1-C2-N3	-6.02	126.29	129.30
25	BB	2130	U	N1-C2-O2	6.02	127.01	122.80
25	BB	2255	G	C4-C5-N7	6.02	113.21	110.80
25	BB	2678	C	N3-C4-C5	6.02	124.31	121.90
3	A1	61	G	O4'-C1'-N9	6.02	113.02	108.20
3	A1	1077	G	C4-C5-N7	-6.02	108.39	110.80
3	A1	1465	A	C8-N9-C4	-6.02	103.39	105.80
24	BA	34	A	C2'-C3'-O3'	6.02	123.33	113.70
25	BB	79	C	N3-C2-O2	-6.02	117.69	121.90
25	BB	687	C	N1-C2-N3	6.02	123.41	119.20
25	BB	1230	A	O4'-C1'-N9	6.02	113.01	108.20
25	BB	1435	G	N1-C6-O6	-6.02	116.29	119.90
25	BB	1817	G	N9-C4-C5	6.02	107.81	105.40
25	BB	2283	C	C2-N3-C4	-6.02	116.89	119.90
25	BB	2453	A	C6-N1-C2	-6.02	114.99	118.60
25	BB	2550	G	C5-C6-N1	6.02	114.51	111.50
53	B4	105	ALA	CB-CA-C	6.02	119.13	110.10
3	A1	591	U	N1-C2-N3	6.02	118.51	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1448	C	N1-C2-N3	6.02	123.41	119.20
4	AB	96	LEU	C-N-CA	6.02	134.93	122.30
25	BB	96	C	C1'-O4'-C4'	-6.02	105.09	109.90
25	BB	1671	U	O5'-C5'-C4'	6.02	123.13	111.70
25	BB	1917	U	C5-C4-O4	6.02	129.51	125.90
3	A1	435	A	N1-C2-N3	-6.01	126.29	129.30
3	A1	1021	A	C1'-O4'-C4'	-6.01	105.09	109.90
3	A1	1026	G	C4-C5-C6	-6.01	115.19	118.80
3	A1	1440	U	N1-C2-O2	6.01	127.01	122.80
25	BB	211	C	O4'-C1'-N1	6.01	113.01	108.20
25	BB	472	A	C6-C5-N7	6.01	136.51	132.30
25	BB	1009	A	N7-C8-N9	6.01	116.81	113.80
25	BB	1110	G	N7-C8-N9	6.01	116.11	113.10
25	BB	1842	G	C5'-C4'-C3'	-6.01	106.38	116.00
25	BB	2839	G	C6-N1-C2	-6.01	121.49	125.10
3	A1	1354	U	C5-C6-N1	-6.01	119.69	122.70
25	BB	26	G	C8-N9-C4	-6.01	104.00	106.40
25	BB	490	C	C2-N3-C4	-6.01	116.89	119.90
25	BB	1179	G	C6-N1-C2	-6.01	121.49	125.10
25	BB	1991	U	N1-C2-N3	6.01	118.51	114.90
31	BH	16	ARG	CD-NE-CZ	6.01	132.02	123.60
1	AA	57	G	C5-C6-O6	6.01	132.21	128.60
1	AE	3	G	N1-C6-O6	-6.01	116.29	119.90
3	A1	696	A	N1-C2-N3	-6.01	126.30	129.30
3	A1	739	C	O5'-C5'-C4'	6.01	123.12	111.70
3	A1	1410	A	C4'-C3'-C2'	-6.01	96.59	102.60
25	BB	593	U	C4-C5-C6	6.01	123.31	119.70
25	BB	746	U	N1-C2-N3	6.01	118.51	114.90
25	BB	1145	C	C2-N3-C4	-6.01	116.89	119.90
25	BB	1760	C	N1-C2-O2	6.01	122.51	118.90
25	BB	2029	G	C5'-C4'-O4'	6.01	116.31	109.10
25	BB	2145	C	C5-C6-N1	-6.01	117.99	121.00
1	AP	29	A	C4'-C3'-C2'	-6.01	96.59	102.60
3	A1	1059	C	O4'-C1'-N1	6.01	113.01	108.20
25	BB	179	C	N3-C4-C5	6.01	124.30	121.90
25	BB	914	G	N1-C6-O6	-6.01	116.29	119.90
25	BB	1453	A	C1'-O4'-C4'	-6.01	105.09	109.90
25	BB	1641	A	C5-C6-N6	6.01	128.51	123.70
25	BB	1674	G	N9-C4-C5	6.01	107.80	105.40
25	BB	2011	U	N3-C4-O4	-6.01	115.19	119.40
25	BB	2314	A	N9-C4-C5	-6.01	103.40	105.80
3	A1	71	A	C5'-C4'-C3'	-6.01	106.39	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1	G	C2-N3-C4	6.01	114.90	111.90
25	BB	1701	A	C4'-C3'-C2'	-6.01	96.59	102.60
25	BB	2025	C	N3-C4-N4	-6.01	113.79	118.00
25	BB	2443	C	N3-C4-C5	6.01	124.30	121.90
1	AE	54	U	C5-C6-N1	-6.01	119.70	122.70
3	A1	29	U	C2-N3-C4	-6.01	123.40	127.00
3	A1	311	C	C1'-O4'-C4'	-6.01	105.09	109.90
3	A1	367	U	C5-C6-N1	-6.01	119.70	122.70
24	BA	105	G	N7-C8-N9	6.01	116.10	113.10
25	BB	897	C	N3-C4-N4	-6.01	113.80	118.00
25	BB	2164	C	N1-C2-O2	6.01	122.50	118.90
25	BB	2192	U	O4'-C1'-C2'	-6.01	99.79	105.80
25	BB	2595	G	C6-N1-C2	-6.01	121.50	125.10
3	A1	396	C	N1-C2-O2	6.00	122.50	118.90
3	A1	1213	A	C4-C5-C6	-6.00	114.00	117.00
3	A1	1335	U	O3'-P-O5'	-6.00	92.59	104.00
4	AB	34	ARG	NH1-CZ-NH2	-6.00	112.80	119.40
25	BB	565	C	C3'-C2'-C1'	6.00	106.30	101.50
25	BB	682	G	N9-C4-C5	6.00	107.80	105.40
25	BB	1712	U	P-O3'-C3'	6.00	126.91	119.70
3	A1	269	C	C5-C6-N1	-6.00	118.00	121.00
3	A1	823	C	C2'-C3'-O3'	6.00	123.31	113.70
3	A1	1138	G	N1-C2-N2	-6.00	110.80	116.20
24	BA	17	C	N1-C2-N3	6.00	123.40	119.20
25	BB	452	G	N7-C8-N9	6.00	116.10	113.10
25	BB	522	A	C6-C5-N7	6.00	136.50	132.30
25	BB	748	G	N9-C4-C5	6.00	107.80	105.40
25	BB	1062	G	C8-N9-C4	-6.00	104.00	106.40
25	BB	2178	C	C2-N3-C4	-6.00	116.90	119.90
25	BB	2330	G	C4'-C3'-C2'	-6.00	96.60	102.60
25	BB	2653	U	N1-C2-N3	6.00	118.50	114.90
40	BQ	52	ARG	NE-CZ-NH1	6.00	123.30	120.30
1	AA	46	G	O4'-C4'-C3'	6.00	110.90	106.10
1	AE	42	G	C5-N7-C8	-6.00	101.30	104.30
3	A1	53	A	C2-N3-C4	6.00	113.60	110.60
3	A1	214	C	N1-C2-O2	6.00	122.50	118.90
3	A1	645	G	N1-C2-N3	6.00	127.50	123.90
3	A1	734	G	C5-C6-O6	6.00	132.20	128.60
3	A1	862	C	C3'-C2'-C1'	-6.00	96.70	101.50
3	A1	919	A	C6-C5-N7	6.00	136.50	132.30
3	A1	1000	A	C4-C5-N7	6.00	113.70	110.70
3	A1	1024	G	N3-C4-C5	-6.00	125.60	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	313	G	N3-C2-N2	-6.00	115.70	119.90
25	BB	912	C	C4-C5-C6	6.00	120.40	117.40
25	BB	923	G	C8-N9-C4	-6.00	104.00	106.40
25	BB	1528	A	C3'-C2'-C1'	-6.00	96.70	101.50
25	BB	1570	A	N3-C4-N9	-6.00	122.60	127.40
25	BB	1699	G	C5'-C4'-C3'	-6.00	106.40	116.00
25	BB	1938	A	O4'-C1'-N9	6.00	113.00	108.20
25	BB	2651	C	C5'-C4'-O4'	6.00	116.30	109.10
25	BB	2867	G	N3-C4-C5	-6.00	125.60	128.60
25	BB	2890	G	C2-N3-C4	6.00	114.90	111.90
3	A1	354	G	C4-C5-C6	-6.00	115.20	118.80
3	A1	1454	G	N9-C4-C5	6.00	107.80	105.40
3	A1	1494	G	N3-C2-N2	6.00	124.10	119.90
25	BB	270	A	C6-C5-N7	6.00	136.50	132.30
25	BB	685	A	N9-C4-C5	-6.00	103.40	105.80
25	BB	1178	C	O4'-C1'-N1	6.00	113.00	108.20
25	BB	1653	G	N1-C6-O6	-6.00	116.30	119.90
25	BB	2021	C	N1-C2-N3	6.00	123.40	119.20
25	BB	2342	C	N3-C4-N4	-6.00	113.80	118.00
25	BB	2494	G	N1-C2-N3	6.00	127.50	123.90
3	A1	160	A	C8-N9-C4	-6.00	103.40	105.80
3	A1	277	C	C2-N3-C4	-6.00	116.90	119.90
3	A1	530	G	O4'-C1'-N9	6.00	113.00	108.20
3	A1	936	C	N3-C4-C5	6.00	124.30	121.90
3	A1	1011	C	C6-N1-C2	-6.00	117.90	120.30
3	A1	1483	A	C4-C5-C6	-6.00	114.00	117.00
12	AK	22	TYR	CB-CG-CD2	-6.00	117.40	121.00
25	BB	317	G	C8-N9-C4	-6.00	104.00	106.40
25	BB	417	C	C5-C4-N4	6.00	124.40	120.20
25	BB	483	A	N1-C2-N3	-6.00	126.30	129.30
25	BB	845	A	C4-C5-N7	6.00	113.70	110.70
25	BB	909	A	C6-C5-N7	6.00	136.50	132.30
25	BB	911	A	C4'-C3'-C2'	-6.00	96.60	102.60
25	BB	913	U	P-O3'-C3'	6.00	126.90	119.70
25	BB	1018	U	N1-C2-O2	6.00	127.00	122.80
25	BB	1445	G	C5-N7-C8	-6.00	101.30	104.30
25	BB	1560	G	C6-C5-N7	6.00	134.00	130.40
25	BB	1887	C	C4'-C3'-C2'	-6.00	96.60	102.60
25	BB	2061	G	C8-N9-C4	-6.00	104.00	106.40
25	BB	2083	G	O3'-P-O5'	6.00	115.40	104.00
25	BB	2271	G	C3'-C2'-C1'	-6.00	96.70	101.50
25	BB	2511	U	N3-C2-O2	-6.00	118.00	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	56	C	C5-C6-N1	-6.00	118.00	121.00
3	A1	111	G	N3-C2-N2	-6.00	115.70	119.90
3	A1	1053	G	C3'-C2'-C1'	-6.00	96.70	101.50
25	BB	180	G	C5'-C4'-O4'	6.00	116.30	109.10
25	BB	327	G	N3-C2-N2	-6.00	115.70	119.90
25	BB	557	C	O4'-C1'-N1	6.00	113.00	108.20
25	BB	623	C	C3'-C2'-C1'	6.00	106.30	101.50
25	BB	1264	A	C4-C5-C6	-6.00	114.00	117.00
25	BB	1788	C	C5-C4-N4	6.00	124.40	120.20
25	BB	2173	A	C6-C5-N7	6.00	136.50	132.30
25	BB	2251	G	C5-N7-C8	-6.00	101.30	104.30
25	BB	2260	C	C2-N3-C4	-6.00	116.90	119.90
25	BB	2863	C	C6-N1-C2	-6.00	117.90	120.30
3	A1	234	C	N3-C4-N4	-6.00	113.80	118.00
3	A1	745	G	C4-C5-N7	-6.00	108.40	110.80
3	A1	787	A	C5'-C4'-O4'	6.00	116.29	109.10
3	A1	900	A	C5-C6-N1	6.00	120.70	117.70
3	A1	1221	G	C4-C5-N7	-6.00	108.40	110.80
3	A1	1450	U	N1-C2-N3	6.00	118.50	114.90
24	BA	56	G	C6-C5-N7	6.00	134.00	130.40
25	BB	617	G	N9-C1'-C2'	-6.00	105.41	112.00
25	BB	667	U	C5-C6-N1	-6.00	119.70	122.70
25	BB	698	C	C2-N3-C4	-6.00	116.90	119.90
25	BB	1821	A	N1-C2-N3	-6.00	126.30	129.30
25	BB	1852	U	C5-C6-N1	-6.00	119.70	122.70
25	BB	2472	G	C6-C5-N7	6.00	134.00	130.40
25	BB	2807	U	C4'-C3'-C2'	6.00	108.59	102.60
25	BB	2863	C	C1'-O4'-C4'	-6.00	105.10	109.90
3	A1	1191	A	C6-C5-N7	5.99	136.50	132.30
6	AD	85	ARG	CD-NE-CZ	5.99	131.99	123.60
25	BB	378	C	C5'-C4'-C3'	-5.99	106.41	116.00
25	BB	573	U	N3-C2-O2	-5.99	118.00	122.20
25	BB	1438	U	C3'-C2'-C1'	-5.99	96.70	101.50
25	BB	1441	G	C4-C5-C6	-5.99	115.20	118.80
25	BB	1888	G	N1-C2-N3	5.99	127.50	123.90
25	BB	1929	G	N1-C2-N3	5.99	127.50	123.90
25	BB	2058	A	C5-C6-N6	5.99	128.50	123.70
25	BB	2308	G	C6-N1-C2	-5.99	121.50	125.10
55	B6	125	TYR	CB-CG-CD1	-5.99	117.40	121.00
3	A1	1013	G	C4-C5-C6	-5.99	115.20	118.80
4	AB	34	ARG	NE-CZ-NH1	5.99	123.30	120.30
25	BB	586	A	C3'-C2'-C1'	5.99	106.29	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	978	G	C6-C5-N7	5.99	134.00	130.40
25	BB	1617	C	C4'-C3'-C2'	-5.99	96.61	102.60
25	BB	2599	G	C4-C5-C6	-5.99	115.20	118.80
1	AA	3	G	C4-C5-N7	-5.99	108.40	110.80
1	AP	40	C	N3-C4-C5	5.99	124.30	121.90
3	A1	77	A	N3-C4-N9	-5.99	122.61	127.40
3	A1	523	A	N9-C4-C5	5.99	108.20	105.80
3	A1	769	G	C3'-C2'-C1'	-5.99	96.71	101.50
3	A1	908	A	C6-C5-N7	5.99	136.49	132.30
3	A1	956	U	O4'-C1'-N1	5.99	112.99	108.20
3	A1	1084	G	C3'-C2'-C1'	5.99	106.29	101.50
3	A1	1169	A	N7-C8-N9	5.99	116.80	113.80
24	BA	69	G	C4-C5-C6	-5.99	115.21	118.80
25	BB	396	G	C6-C5-N7	5.99	133.99	130.40
25	BB	490	C	O4'-C1'-C2'	-5.99	99.81	105.80
25	BB	809	G	N3-C4-C5	-5.99	125.61	128.60
25	BB	1789	A	C2-N3-C4	5.99	113.59	110.60
25	BB	1953	A	C6-N1-C2	-5.99	115.01	118.60
25	BB	2287	A	O4'-C4'-C3'	-5.99	98.01	104.00
3	A1	9	G	C5-N7-C8	-5.99	101.31	104.30
3	A1	381	C	C3'-C2'-C1'	5.99	106.29	101.50
3	A1	406	G	N1-C2-N3	5.99	127.49	123.90
24	BA	95	U	N3-C4-C5	5.99	118.19	114.60
25	BB	185	G	N3-C4-C5	-5.99	125.61	128.60
25	BB	626	A	C5'-C4'-O4'	5.99	116.28	109.10
25	BB	994	C	C3'-C2'-C1'	-5.99	96.71	101.50
25	BB	1046	A	C5-C6-N6	5.99	128.49	123.70
25	BB	1564	C	C4-C5-C6	-5.99	114.41	117.40
25	BB	1969	A	C4-C5-C6	-5.99	114.01	117.00
25	BB	2334	U	C1'-O4'-C4'	-5.99	105.11	109.90
3	A1	549	C	C5'-C4'-O4'	5.99	116.28	109.10
25	BB	654	A	P-O3'-C3'	5.99	126.88	119.70
25	BB	1158	C	N3-C2-O2	-5.99	117.71	121.90
25	BB	1634	A	N1-C2-N3	-5.99	126.31	129.30
25	BB	2270	A	C6-C5-N7	5.99	136.49	132.30
25	BB	2449	U	O4'-C4'-C3'	5.99	110.89	106.10
3	A1	201	G	N3-C4-C5	-5.99	125.61	128.60
3	A1	1349	A	C6-N1-C2	-5.99	115.01	118.60
3	A1	1351	U	C1'-O4'-C4'	-5.99	105.11	109.90
25	BB	927	A	N1-C2-N3	-5.99	126.31	129.30
25	BB	1207	C	C5-C6-N1	-5.99	118.01	121.00
25	BB	1525	A	N3-C4-C5	-5.99	122.61	126.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1787	A	C5-C6-N6	5.99	128.49	123.70
25	BB	1803	A	C3'-C2'-C1'	5.99	106.29	101.50
25	BB	2185	U	N1-C1'-C2'	-5.99	105.42	112.00
25	BB	2445	G	C1'-O4'-C4'	-5.99	105.11	109.90
25	BB	2684	U	C5-C6-N1	-5.99	119.71	122.70
37	BN	51	ARG	NH1-CZ-NH2	-5.99	112.82	119.40
45	BV	14	ARG	CD-NE-CZ	5.99	131.98	123.60
3	A1	656	G	C5-C6-N1	5.98	114.49	111.50
24	BA	42	C	C2-N3-C4	-5.98	116.91	119.90
25	BB	781	A	C5-C6-N6	5.98	128.49	123.70
25	BB	799	G	N1-C2-N2	-5.98	110.81	116.20
25	BB	2548	U	C2-N3-C4	-5.98	123.41	127.00
1	AA	50	U	C6-N1-C2	-5.98	117.41	121.00
1	AP	37	G	N1-C2-N3	5.98	127.49	123.90
1	AE	40	C	C2-N3-C4	-5.98	116.91	119.90
3	A1	417	G	N3-C4-N9	5.98	129.59	126.00
3	A1	553	A	N1-C2-N3	-5.98	126.31	129.30
3	A1	937	A	C6-C5-N7	5.98	136.49	132.30
3	A1	982	U	C4'-C3'-C2'	-5.98	96.62	102.60
25	BB	1102	C	C5'-C4'-O4'	5.98	116.28	109.10
25	BB	2322	A	C5-C6-N1	5.98	120.69	117.70
25	BB	2811	G	N9-C1'-C2'	-5.98	105.42	112.00
55	B6	34	ARG	NE-CZ-NH1	5.98	123.29	120.30
1	AP	71	G	N1-C2-N2	-5.98	110.82	116.20
2	AM	14	U	C5'-C4'-C3'	5.98	125.57	116.00
3	A1	381	C	C6-N1-C2	-5.98	117.91	120.30
3	A1	763	G	N7-C8-N9	5.98	116.09	113.10
3	A1	1098	C	N1-C2-N3	5.98	123.39	119.20
3	A1	1280	A	P-O3'-C3'	5.98	126.88	119.70
25	BB	118	A	C4-C5-C6	-5.98	114.01	117.00
25	BB	664	G	N3-C4-C5	-5.98	125.61	128.60
25	BB	801	G	O4'-C4'-C3'	5.98	110.88	106.10
25	BB	1873	G	N1-C6-O6	-5.98	116.31	119.90
25	BB	2358	A	C1'-O4'-C4'	-5.98	105.12	109.90
25	BB	2591	C	N3-C2-O2	-5.98	117.71	121.90
27	BD	91	SER	N-CA-CB	-5.98	101.53	110.50
3	A1	221	C	O4'-C1'-N1	5.98	112.98	108.20
3	A1	422	C	C5-C4-N4	5.98	124.39	120.20
3	A1	1338	G	N7-C8-N9	5.98	116.09	113.10
25	BB	308	G	C6-N1-C2	-5.98	121.51	125.10
25	BB	1412	U	O4'-C1'-N1	5.98	112.98	108.20
25	BB	2015	A	C4-C5-C6	-5.98	114.01	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
28	BE	33	ARG	NH1-CZ-NH2	-5.98	112.82	119.40
1	AP	51	G	O4'-C1'-N9	5.98	112.98	108.20
3	A1	30	U	N3-C2-O2	-5.98	118.02	122.20
3	A1	210	C	C2-N3-C4	-5.98	116.91	119.90
3	A1	210	C	N3-C4-N4	-5.98	113.82	118.00
3	A1	566	G	N7-C8-N9	5.98	116.09	113.10
3	A1	1442	G	C4'-C3'-C2'	-5.98	96.62	102.60
4	AB	49	PHE	CB-CG-CD1	-5.98	116.62	120.80
25	BB	111	A	C2-N3-C4	5.98	113.59	110.60
25	BB	869	G	C4'-C3'-C2'	-5.98	96.62	102.60
25	BB	1037	G	N9-C4-C5	5.98	107.79	105.40
25	BB	1268	A	C5-C6-N1	5.98	120.69	117.70
25	BB	1521	G	N1-C6-O6	-5.98	116.31	119.90
25	BB	2238	G	N1-C2-N3	5.98	127.49	123.90
25	BB	2707	U	C1'-O4'-C4'	-5.98	105.12	109.90
33	BJ	2	ARG	NH1-CZ-NH2	-5.98	112.83	119.40
1	AP	66	A	OP1-P-OP2	-5.98	110.64	119.60
3	A1	1124	G	O4'-C4'-C3'	-5.98	98.02	104.00
3	A1	1310	G	C6-C5-N7	5.98	133.99	130.40
25	BB	332	A	N1-C2-N3	-5.98	126.31	129.30
25	BB	378	C	N3-C2-O2	-5.98	117.72	121.90
25	BB	613	A	C6-C5-N7	5.98	136.48	132.30
25	BB	1101	U	C2-N3-C4	-5.98	123.41	127.00
25	BB	1475	G	C4-C5-C6	-5.98	115.21	118.80
25	BB	1656	C	C5-C6-N1	-5.98	118.01	121.00
25	BB	2500	U	N3-C2-O2	-5.98	118.02	122.20
1	AA	47	U	N3-C2-O2	-5.97	118.02	122.20
1	AE	17	U	N1-C2-O2	5.97	126.98	122.80
1	AE	46	G	N3-C4-C5	-5.97	125.61	128.60
3	A1	103	U	N3-C2-O2	-5.97	118.02	122.20
3	A1	306	A	N1-C2-N3	-5.97	126.31	129.30
3	A1	308	C	C5'-C4'-C3'	-5.97	106.44	116.00
3	A1	875	U	C2-N3-C4	-5.97	123.42	127.00
25	BB	123	G	C5-C6-N1	5.97	114.49	111.50
25	BB	149	A	C3'-C2'-C1'	-5.97	96.72	101.50
25	BB	571	U	C5-C6-N1	-5.97	119.71	122.70
25	BB	2345	G	C2'-C3'-O3'	5.97	123.26	113.70
25	BB	2491	U	O4'-C4'-C3'	5.97	110.88	106.10
25	BB	2763	G	N7-C8-N9	5.97	116.09	113.10
2	AM	14	U	C4-C5-C6	5.97	123.28	119.70
3	A1	725	G	C8-N9-C4	-5.97	104.01	106.40
3	A1	954	G	C1'-O4'-C4'	5.97	114.68	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1432	G	N1-C2-N3	5.97	127.48	123.90
25	BB	179	C	O4'-C1'-N1	5.97	112.98	108.20
25	BB	344	A	C4-C5-N7	5.97	113.69	110.70
25	BB	666	A	C5-C6-N1	5.97	120.69	117.70
25	BB	829	A	C8-N9-C4	5.97	108.19	105.80
25	BB	879	G	C4'-C3'-C2'	5.97	108.57	102.60
25	BB	1017	G	N9-C4-C5	5.97	107.79	105.40
25	BB	1432	G	O4'-C1'-N9	-5.97	103.42	108.20
25	BB	1737	G	N3-C4-C5	-5.97	125.61	128.60
25	BB	2800	A	C3'-C2'-C1'	-5.97	96.72	101.50
25	BB	2899	A	C6-C5-N7	5.97	136.48	132.30
3	A1	984	C	C3'-C2'-C1'	5.97	106.28	101.50
3	A1	1325	C	C5'-C4'-O4'	5.97	116.27	109.10
25	BB	41	C	C5-C4-N4	-5.97	116.02	120.20
25	BB	916	G	C8-N9-C4	-5.97	104.01	106.40
25	BB	1416	G	N3-C4-C5	-5.97	125.61	128.60
25	BB	1468	U	P-O3'-C3'	5.97	126.86	119.70
25	BB	1848	A	C5-C6-N6	5.97	128.48	123.70
25	BB	2132	U	C4-C5-C6	5.97	123.28	119.70
3	A1	289	G	C1'-O4'-C4'	-5.97	105.12	109.90
3	A1	423	G	N3-C2-N2	-5.97	115.72	119.90
3	A1	1125	U	O4'-C4'-C3'	5.97	110.88	106.10
11	AJ	69	THR	CA-CB-CG2	5.97	120.76	112.40
25	BB	475	C	C4-C5-C6	-5.97	114.42	117.40
25	BB	733	G	N1-C2-N3	5.97	127.48	123.90
25	BB	1233	C	C2-N3-C4	-5.97	116.92	119.90
25	BB	1402	U	C1'-O4'-C4'	-5.97	105.12	109.90
25	BB	2300	C	C1'-O4'-C4'	-5.97	105.12	109.90
1	AA	16	U	O5'-P-OP2	-5.97	100.33	105.70
1	AA	72	C	N3-C4-N4	-5.97	113.82	118.00
3	A1	658	C	N3-C4-C5	5.97	124.29	121.90
3	A1	741	G	C8-N9-C4	-5.97	104.01	106.40
3	A1	1092	A	C5-C6-N1	5.97	120.68	117.70
3	A1	1300	G	N1-C2-N3	5.97	127.48	123.90
3	A1	1307	U	C5-C6-N1	-5.97	119.72	122.70
25	BB	200	U	O4'-C4'-C3'	5.97	110.88	106.10
25	BB	2181	U	C4'-C3'-C2'	-5.97	96.63	102.60
1	AE	57	G	C5-N7-C8	-5.97	101.32	104.30
3	A1	82	G	O4'-C4'-C3'	5.97	110.87	106.10
3	A1	110	C	P-O3'-C3'	5.97	126.86	119.70
3	A1	295	C	C1'-O4'-C4'	5.97	114.67	109.90
25	BB	966	G	O4'-C1'-N9	5.97	112.97	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1538	G	N1-C2-N2	-5.97	110.83	116.20
25	BB	2735	G	C1'-O4'-C4'	-5.97	105.13	109.90
52	B3	95	ALA	N-CA-CB	-5.97	101.75	110.10
3	A1	82	G	C4-C5-N7	-5.96	108.41	110.80
3	A1	150	U	N1-C2-N3	5.96	118.48	114.90
3	A1	486	U	C4-C5-C6	5.96	123.28	119.70
3	A1	1056	U	N1-C2-N3	5.96	118.48	114.90
25	BB	152	A	C5-C6-N6	5.96	128.47	123.70
25	BB	300	A	C2-N3-C4	5.96	113.58	110.60
25	BB	420	C	C4'-C3'-C2'	5.96	108.56	102.60
25	BB	624	C	O4'-C1'-N1	5.96	112.97	108.20
25	BB	712	G	N1-C2-N3	5.96	127.48	123.90
25	BB	1050	A	C4-C5-C6	-5.96	114.02	117.00
25	BB	1393	A	C4-C5-C6	-5.96	114.02	117.00
25	BB	2120	G	O4'-C1'-N9	5.96	112.97	108.20
3	A1	337	G	N1-C2-N2	-5.96	110.83	116.20
3	A1	462	G	O3'-P-O5'	5.96	115.33	104.00
24	BA	85	G	C4-C5-N7	-5.96	108.42	110.80
25	BB	342	A	C2-N3-C4	5.96	113.58	110.60
25	BB	485	C	O4'-C1'-N1	5.96	112.97	108.20
25	BB	911	A	N9-C1'-C2'	-5.96	105.44	112.00
25	BB	1274	A	C8-N9-C4	-5.96	103.42	105.80
25	BB	1644	C	C1'-O4'-C4'	5.96	114.67	109.90
25	BB	1925	C	C5-C6-N1	5.96	123.98	121.00
3	A1	29	U	C5-C6-N1	-5.96	119.72	122.70
3	A1	321	A	C5-N7-C8	-5.96	100.92	103.90
3	A1	655	A	C2-N3-C4	5.96	113.58	110.60
3	A1	1164	G	C5'-C4'-O4'	5.96	116.25	109.10
3	A1	1410	A	N1-C2-N3	-5.96	126.32	129.30
25	BB	320	A	C5-C6-N6	5.96	128.47	123.70
25	BB	380	G	O4'-C1'-C2'	5.96	112.97	107.60
25	BB	483	A	C2-N3-C4	5.96	113.58	110.60
25	BB	780	G	C6-C5-N7	5.96	133.98	130.40
25	BB	1048	A	O5'-P-OP2	-5.96	100.33	105.70
25	BB	1224	U	O4'-C1'-N1	5.96	112.97	108.20
25	BB	1521	G	C6-C5-N7	5.96	133.98	130.40
25	BB	2219	U	N3-C2-O2	-5.96	118.03	122.20
25	BB	2572	A	C6-C5-N7	5.96	136.47	132.30
3	A1	733	G	O4'-C4'-C3'	5.96	110.87	106.10
3	A1	848	C	C5-C4-N4	-5.96	116.03	120.20
25	BB	1111	A	N1-C6-N6	-5.96	115.02	118.60
25	BB	1915	U	C2-N3-C4	-5.96	123.42	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2327	A	C5'-C4'-O4'	5.96	116.25	109.10
1	AA	71	G	C3'-C2'-C1'	5.96	106.27	101.50
1	AE	38	A	N9-C4-C5	-5.96	103.42	105.80
3	A1	419	C	N1-C2-O2	5.96	122.47	118.90
3	A1	532	A	C5-N7-C8	-5.96	100.92	103.90
3	A1	684	U	C5-C6-N1	-5.96	119.72	122.70
3	A1	847	G	N7-C8-N9	5.96	116.08	113.10
15	AO	30	ASP	CB-CG-OD1	5.96	123.66	118.30
25	BB	264	C	N3-C4-C5	5.96	124.28	121.90
25	BB	303	G	N9-C4-C5	5.96	107.78	105.40
25	BB	415	A	C5-C6-N6	5.96	128.47	123.70
25	BB	710	U	C5-C6-N1	-5.96	119.72	122.70
25	BB	799	G	C5-C6-N1	5.96	114.48	111.50
25	BB	959	A	C5-C6-N1	5.96	120.68	117.70
25	BB	1288	G	C6-N1-C2	-5.96	121.53	125.10
25	BB	1343	G	C2-N3-C4	5.96	114.88	111.90
25	BB	1703	G	P-O3'-C3'	5.96	126.85	119.70
25	BB	2048	G	N3-C4-C5	-5.96	125.62	128.60
25	BB	2198	A	C3'-C2'-C1'	5.96	106.27	101.50
25	BB	2503	A	O4'-C1'-N9	5.96	112.97	108.20
25	BB	2779	U	O4'-C1'-N1	5.96	112.97	108.20
25	BB	2902	C	N1-C2-O2	5.96	122.48	118.90
1	AP	69	U	C2-N3-C4	-5.96	123.43	127.00
3	A1	292	G	C5-C6-O6	5.96	132.17	128.60
3	A1	357	G	O4'-C4'-C3'	5.96	110.86	106.10
24	BA	69	G	C6-C5-N7	5.96	133.97	130.40
25	BB	80	G	C5'-C4'-C3'	-5.96	106.47	116.00
25	BB	146	A	O4'-C1'-N9	5.96	112.97	108.20
25	BB	596	U	O4'-C4'-C3'	-5.96	98.04	104.00
25	BB	892	A	C2-N3-C4	5.96	113.58	110.60
25	BB	2334	U	N1-C2-N3	5.96	118.47	114.90
25	BB	2345	G	N3-C2-N2	-5.96	115.73	119.90
25	BB	2380	C	N3-C2-O2	-5.96	117.73	121.90
25	BB	2553	G	C5-N7-C8	-5.96	101.32	104.30
25	BB	2645	G	N1-C6-O6	-5.96	116.33	119.90
25	BB	2844	G	N9-C4-C5	5.96	107.78	105.40
49	BZ	98	ARG	CD-NE-CZ	5.96	131.94	123.60
3	A1	493	A	C8-N9-C4	-5.96	103.42	105.80
3	A1	837	U	C5-C6-N1	-5.96	119.72	122.70
25	BB	1303	G	N3-C2-N2	-5.96	115.73	119.90
3	A1	276	G	C6-N1-C2	-5.95	121.53	125.10
3	A1	868	C	N3-C4-C5	5.95	124.28	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1185	G	N9-C4-C5	-5.95	103.02	105.40
3	A1	1443	C	N1-C2-O2	5.95	122.47	118.90
25	BB	27	G	C6-C5-N7	5.95	133.97	130.40
25	BB	106	C	N1-C2-O2	5.95	122.47	118.90
25	BB	107	G	C5'-C4'-O4'	5.95	116.25	109.10
25	BB	293	U	C4'-C3'-C2'	-5.95	96.65	102.60
25	BB	500	G	N9-C1'-C2'	-5.95	105.45	112.00
25	BB	537	G	N3-C2-N2	-5.95	115.73	119.90
25	BB	739	A	N9-C4-C5	5.95	108.18	105.80
25	BB	1613	G	C5-C6-N1	5.95	114.48	111.50
25	BB	1748	C	N1-C2-N3	5.95	123.37	119.20
25	BB	2223	G	C5-N7-C8	-5.95	101.32	104.30
51	B2	156	THR	CA-CB-CG2	5.95	120.74	112.40
3	A1	922	G	C4-C5-N7	-5.95	108.42	110.80
3	A1	959	A	C6-N1-C2	-5.95	115.03	118.60
3	A1	1451	U	C5-C6-N1	-5.95	119.72	122.70
24	BA	11	C	C2-N3-C4	-5.95	116.92	119.90
25	BB	35	G	N9-C4-C5	5.95	107.78	105.40
25	BB	673	C	C2-N3-C4	-5.95	116.92	119.90
25	BB	849	A	C4-C5-C6	-5.95	114.02	117.00
25	BB	2662	A	N1-C2-N3	-5.95	126.32	129.30
25	BB	2681	C	C3'-C2'-C1'	-5.95	96.74	101.50
1	AP	35	A	C6-C5-N7	5.95	136.47	132.30
1	AP	63	C	N3-C4-N4	-5.95	113.83	118.00
3	A1	127	G	N3-C2-N2	-5.95	115.73	119.90
3	A1	585	G	N1-C2-N2	-5.95	110.84	116.20
3	A1	753	A	O4'-C1'-N9	5.95	112.96	108.20
3	A1	1114	C	O4'-C1'-N1	5.95	112.96	108.20
3	A1	1208	C	N1-C2-N3	5.95	123.37	119.20
3	A1	1247	U	C5'-C4'-O4'	5.95	116.24	109.10
25	BB	75	G	C5-C6-N1	5.95	114.47	111.50
25	BB	536	G	N9-C4-C5	5.95	107.78	105.40
25	BB	1985	C	C4'-C3'-C2'	-5.95	96.65	102.60
25	BB	2211	A	C6-C5-N7	5.95	136.47	132.30
25	BB	2415	G	C5-C6-O6	5.95	132.17	128.60
32	BI	19	PHE	CB-CG-CD2	-5.95	116.63	120.80
3	A1	332	G	C5-C6-N1	5.95	114.47	111.50
3	A1	648	A	C2-N3-C4	5.95	113.57	110.60
3	A1	697	U	C4-C5-C6	5.95	123.27	119.70
3	A1	1358	U	N1-C2-N3	5.95	118.47	114.90
17	AR	62	ARG	NE-CZ-NH2	-5.95	117.33	120.30
24	BA	20	G	C5-C6-N1	5.95	114.47	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1084	A	C6-C5-N7	5.95	136.46	132.30
25	BB	1429	G	C8-N9-C4	-5.95	104.02	106.40
25	BB	2254	C	C2-N3-C4	-5.95	116.93	119.90
25	BB	2629	U	N1-C2-O2	5.95	126.96	122.80
25	BB	2702	G	C2-N3-C4	5.95	114.87	111.90
3	A1	341	C	C4-C5-C6	-5.95	114.43	117.40
3	A1	524	G	O3'-P-O5'	5.95	115.30	104.00
25	BB	150	U	C4'-C3'-C2'	-5.95	96.65	102.60
25	BB	521	U	N1-C1'-C2'	5.95	121.73	114.00
25	BB	760	G	C1'-O4'-C4'	-5.95	105.14	109.90
25	BB	1881	C	C5-C6-N1	-5.95	118.03	121.00
25	BB	1950	G	C8-N9-C1'	5.95	134.73	127.00
3	A1	113	G	N1-C6-O6	-5.95	116.33	119.90
21	AV	64	TYR	CB-CG-CD1	-5.95	117.43	121.00
24	BA	112	G	N1-C6-O6	-5.95	116.33	119.90
25	BB	137	U	C5-C6-N1	-5.95	119.73	122.70
25	BB	355	U	N3-C2-O2	-5.95	118.04	122.20
25	BB	519	U	C5-C6-N1	-5.95	119.73	122.70
25	BB	1337	G	C6-N1-C2	-5.95	121.53	125.10
25	BB	1413	A	N7-C8-N9	5.95	116.77	113.80
25	BB	1860	G	C8-N9-C4	-5.95	104.02	106.40
25	BB	1877	A	C2-N3-C4	5.95	113.57	110.60
25	BB	2471	A	O3'-P-O5'	-5.95	92.70	104.00
25	BB	2630	G	C5-C6-O6	5.95	132.17	128.60
3	A1	1457	G	N3-C4-C5	-5.94	125.63	128.60
19	AT	30	THR	OG1-CB-CG2	-5.94	96.33	110.00
25	BB	98	G	C4-N9-C1'	-5.94	118.77	126.50
25	BB	2163	A	C1'-O4'-C4'	-5.94	105.14	109.90
25	BB	2330	G	N7-C8-N9	5.94	116.07	113.10
3	A1	137	U	C5-C6-N1	-5.94	119.73	122.70
3	A1	844	G	N1-C2-N3	5.94	127.47	123.90
3	A1	1169	A	C5-N7-C8	-5.94	100.93	103.90
3	A1	1326	U	O4'-C1'-N1	5.94	112.95	108.20
3	A1	1434	A	C3'-C2'-C1'	5.94	106.25	101.50
24	BA	10	G	C5-N7-C8	-5.94	101.33	104.30
24	BA	47	C	C3'-C2'-C1'	5.94	106.25	101.50
24	BA	68	C	N1-C1'-C2'	-5.94	105.46	112.00
25	BB	560	C	C3'-C2'-C1'	5.94	106.25	101.50
25	BB	653	U	C5-C4-O4	-5.94	122.33	125.90
25	BB	681	G	C5-C6-N1	5.94	114.47	111.50
25	BB	789	A	C5'-C4'-O4'	5.94	116.23	109.10
25	BB	871	U	N3-C2-O2	-5.94	118.04	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1048	A	O4'-C1'-N9	5.94	112.95	108.20
25	BB	1049	C	N3-C4-N4	-5.94	113.84	118.00
25	BB	1620	G	N3-C2-N2	-5.94	115.74	119.90
25	BB	1904	G	N3-C4-C5	-5.94	125.63	128.60
25	BB	2141	G	O4'-C4'-C3'	5.94	110.85	106.10
25	BB	2403	C	C2-N3-C4	-5.94	116.93	119.90
25	BB	2521	C	C1'-O4'-C4'	-5.94	105.14	109.90
25	BB	2574	G	N1-C6-O6	-5.94	116.33	119.90
3	A1	180	U	N3-C2-O2	-5.94	118.04	122.20
3	A1	527	G	C4-C5-C6	-5.94	115.23	118.80
3	A1	722	G	C3'-C2'-C1'	5.94	106.25	101.50
3	A1	954	G	C3'-C2'-C1'	5.94	106.25	101.50
3	A1	958	A	C1'-O4'-C4'	-5.94	105.15	109.90
6	AD	35	ARG	NE-CZ-NH2	-5.94	117.33	120.30
25	BB	317	G	C5-N7-C8	-5.94	101.33	104.30
25	BB	413	C	N3-C2-O2	-5.94	117.74	121.90
25	BB	846	U	P-O3'-C3'	5.94	126.83	119.70
25	BB	1017	G	O5'-P-OP1	-5.94	100.35	105.70
25	BB	1063	G	N3-C4-N9	5.94	129.56	126.00
25	BB	1096	A	O5'-P-OP2	5.94	117.83	110.70
25	BB	1162	G	C2'-C3'-O3'	5.94	123.21	113.70
25	BB	1171	G	O4'-C1'-N9	-5.94	103.45	108.20
25	BB	2427	C	N3-C4-N4	-5.94	113.84	118.00
25	BB	2572	A	O4'-C1'-N9	5.94	112.95	108.20
25	BB	2661	G	N7-C8-N9	5.94	116.07	113.10
48	BY	197	THR	C-N-CA	5.94	134.77	122.30
3	A1	780	A	C5-N7-C8	-5.94	100.93	103.90
3	A1	1148	U	N3-C2-O2	-5.94	118.04	122.20
3	A1	1302	C	N1-C2-O2	5.94	122.46	118.90
3	A1	1325	C	O3'-P-O5'	5.94	115.28	104.00
25	BB	1575	C	C5-C6-N1	-5.94	118.03	121.00
25	BB	1919	A	C6-C5-N7	5.94	136.46	132.30
3	A1	170	U	N1-C2-N3	5.94	118.46	114.90
3	A1	399	G	C3'-C2'-C1'	5.94	106.25	101.50
3	A1	569	C	N1-C2-N3	5.94	123.36	119.20
3	A1	613	C	C2-N3-C4	-5.94	116.93	119.90
3	A1	649	A	C4'-C3'-C2'	-5.94	96.66	102.60
25	BB	133	U	N1-C2-O2	5.94	126.96	122.80
25	BB	156	A	C4-C5-C6	-5.94	114.03	117.00
25	BB	286	U	N3-C2-O2	-5.94	118.04	122.20
25	BB	774	G	N7-C8-N9	5.94	116.07	113.10
25	BB	1590	A	N9-C4-C5	-5.94	103.42	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1711	A	C1'-O4'-C4'	-5.94	105.15	109.90
25	BB	1889	A	P-O3'-C3'	5.94	126.83	119.70
25	BB	1889	A	O4'-C1'-N9	5.94	112.95	108.20
25	BB	2416	C	N1-C2-O2	5.94	122.46	118.90
25	BB	2826	A	C5-C6-N6	5.94	128.45	123.70
25	BB	2849	U	C4-C5-C6	5.94	123.26	119.70
25	BB	2890	G	C6-C5-N7	5.94	133.96	130.40
3	A1	402	G	C5-N7-C8	-5.94	101.33	104.30
3	A1	544	G	C5-N7-C8	-5.94	101.33	104.30
3	A1	903	G	N9-C4-C5	5.94	107.77	105.40
3	A1	928	G	O4'-C4'-C3'	5.94	110.85	106.10
3	A1	1190	G	C1'-O4'-C4'	-5.94	105.15	109.90
25	BB	366	C	N1-C2-N3	5.94	123.36	119.20
25	BB	696	G	C6-C5-N7	5.94	133.96	130.40
25	BB	828	U	N3-C4-O4	5.94	123.56	119.40
25	BB	1065	U	O4'-C1'-N1	5.94	112.95	108.20
25	BB	1077	A	C5-C6-N6	5.94	128.45	123.70
25	BB	1297	C	C6-N1-C2	-5.94	117.93	120.30
25	BB	2756	U	C4'-C3'-C2'	-5.94	96.66	102.60
3	A1	81	A	C6-C5-N7	5.93	136.45	132.30
3	A1	1435	G	P-O3'-C3'	-5.93	112.58	119.70
25	BB	14	A	N1-C6-N6	-5.93	115.04	118.60
25	BB	407	G	N3-C4-N9	5.93	129.56	126.00
25	BB	433	C	N1-C1'-C2'	-5.93	105.47	112.00
25	BB	1306	C	N3-C4-C5	5.93	124.27	121.90
25	BB	2110	G	C2-N3-C4	5.93	114.87	111.90
25	BB	2529	G	N1-C2-N3	5.93	127.46	123.90
51	B2	132	ARG	NH1-CZ-NH2	-5.93	112.87	119.40
1	AA	9	A	C4'-C3'-C2'	-5.93	96.67	102.60
3	A1	669	G	C6-N1-C2	-5.93	121.54	125.10
3	A1	1032	G	O4'-C1'-N9	5.93	112.95	108.20
3	A1	1515	G	C6-C5-N7	5.93	133.96	130.40
25	BB	48	G	N1-C6-O6	-5.93	116.34	119.90
25	BB	222	A	N9-C4-C5	5.93	108.17	105.80
25	BB	288	U	C4-C5-C6	5.93	123.26	119.70
25	BB	1270	C	O4'-C4'-C3'	5.93	110.85	106.10
25	BB	1767	G	C4'-C3'-O3'	5.93	124.86	113.00
25	BB	2091	C	N1-C2-N3	5.93	123.35	119.20
25	BB	2223	G	C5-C6-N1	5.93	114.47	111.50
25	BB	2250	G	N3-C4-C5	-5.93	125.63	128.60
25	BB	2432	A	C4'-C3'-C2'	-5.93	96.67	102.60
25	BB	2516	A	C6-C5-N7	5.93	136.45	132.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2890	G	O4'-C1'-N9	5.93	112.95	108.20
51	B2	124	ARG	NE-CZ-NH2	5.93	123.27	120.30
3	A1	230	G	C5-N7-C8	5.93	107.27	104.30
3	A1	539	A	O4'-C1'-N9	5.93	112.94	108.20
3	A1	935	A	C1'-O4'-C4'	-5.93	105.16	109.90
7	AF	28	ARG	CD-NE-CZ	5.93	131.90	123.60
25	BB	213	A	N7-C8-N9	5.93	116.77	113.80
25	BB	663	G	C5-C6-N1	5.93	114.47	111.50
25	BB	666	A	C5-C6-N6	5.93	128.44	123.70
25	BB	2898	U	C4'-C3'-C2'	-5.93	96.67	102.60
1	AA	70	C	O3'-P-O5'	-5.93	92.73	104.00
3	A1	305	G	O4'-C4'-C3'	5.93	110.84	106.10
3	A1	410	G	N7-C8-N9	5.93	116.06	113.10
3	A1	902	G	C2-N3-C4	5.93	114.86	111.90
3	A1	1250	A	C6-C5-N7	5.93	136.45	132.30
3	A1	1276	G	N3-C4-C5	-5.93	125.64	128.60
3	A1	1399	C	N3-C4-N4	-5.93	113.85	118.00
25	BB	521	U	C5-C6-N1	-5.93	119.73	122.70
25	BB	750	A	C4-C5-C6	-5.93	114.03	117.00
25	BB	1466	U	C1'-O4'-C4'	-5.93	105.16	109.90
25	BB	2157	G	N7-C8-N9	5.93	116.06	113.10
25	BB	2306	C	N3-C2-O2	-5.93	117.75	121.90
25	BB	2700	A	C5-N7-C8	-5.93	100.94	103.90
3	A1	243	A	C6-C5-N7	5.93	136.45	132.30
3	A1	669	G	N1-C2-N3	5.93	127.46	123.90
3	A1	979	C	C5-C6-N1	-5.93	118.04	121.00
3	A1	1371	G	C4-C5-N7	5.93	113.17	110.80
25	BB	1204	A	O4'-C1'-N9	5.93	112.94	108.20
25	BB	2042	A	C4-C5-C6	-5.93	114.04	117.00
1	AA	33	U	N1-C2-N3	5.93	118.46	114.90
1	AE	72	C	N3-C4-C5	5.93	124.27	121.90
3	A1	569	C	C1'-O4'-C4'	-5.93	105.16	109.90
3	A1	765	G	C8-N9-C4	-5.93	104.03	106.40
3	A1	886	G	C3'-C2'-C1'	5.93	106.24	101.50
3	A1	1054	C	C4-C5-C6	-5.93	114.44	117.40
3	A1	1394	A	N7-C8-N9	5.93	116.76	113.80
25	BB	96	C	N3-C4-N4	-5.93	113.85	118.00
25	BB	484	C	C5'-C4'-O4'	5.93	116.21	109.10
25	BB	1669	A	C3'-C2'-C1'	5.93	106.24	101.50
25	BB	1745	A	O5'-P-OP2	-5.93	100.37	105.70
25	BB	1850	G	C5'-C4'-C3'	-5.93	106.52	116.00
25	BB	2105	U	N3-C2-O2	-5.93	118.05	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2661	G	O5'-C5'-C4'	5.93	122.96	111.70
1	AA	5	A	C5-C6-N1	5.92	120.66	117.70
3	A1	74	A	C1'-O4'-C4'	5.92	114.64	109.90
3	A1	349	A	N1-C2-N3	-5.92	126.34	129.30
3	A1	531	U	N1-C2-N3	5.92	118.45	114.90
3	A1	785	G	N1-C2-N2	-5.92	110.87	116.20
3	A1	1230	C	C5'-C4'-O4'	-5.92	101.99	109.10
25	BB	413	C	C2-N3-C4	-5.92	116.94	119.90
25	BB	914	G	C5-C6-N1	5.92	114.46	111.50
25	BB	1826	G	C5-C6-N1	5.92	114.46	111.50
25	BB	2090	A	C6-C5-N7	5.92	136.45	132.30
25	BB	2167	U	C1'-O4'-C4'	-5.92	105.16	109.90
3	A1	21	G	C5-N7-C8	-5.92	101.34	104.30
3	A1	1108	G	N3-C4-C5	-5.92	125.64	128.60
3	A1	1248	A	C4-C5-C6	-5.92	114.04	117.00
3	A1	1482	G	O4'-C1'-N9	5.92	112.94	108.20
25	BB	1514	G	C3'-C2'-C1'	5.92	106.24	101.50
25	BB	2232	C	N1-C2-N3	5.92	123.35	119.20
25	BB	2372	U	O3'-P-O5'	-5.92	92.75	104.00
3	A1	182	A	N7-C8-N9	5.92	116.76	113.80
3	A1	189	A	C6-C5-N7	5.92	136.44	132.30
3	A1	496	A	O4'-C1'-N9	5.92	112.94	108.20
3	A1	657	U	N1-C2-N3	5.92	118.45	114.90
3	A1	959	A	C5-C6-N6	-5.92	118.96	123.70
3	A1	1382	C	N3-C2-O2	-5.92	117.75	121.90
25	BB	1260	A	C5-C6-N6	5.92	128.44	123.70
25	BB	1430	G	C6-C5-N7	5.92	133.95	130.40
25	BB	1433	A	O4'-C1'-C2'	5.92	112.93	107.60
25	BB	1731	G	O4'-C1'-N9	5.92	112.94	108.20
25	BB	1970	A	P-O3'-C3'	5.92	126.81	119.70
25	BB	2035	G	N3-C4-N9	5.92	129.55	126.00
25	BB	2153	C	O4'-C1'-N1	5.92	112.94	108.20
25	BB	2757	A	C5'-C4'-O4'	5.92	116.21	109.10
25	BB	2829	A	C5-C6-N6	5.92	128.44	123.70
1	AP	34	G	N3-C2-N2	-5.92	115.76	119.90
3	A1	887	G	C5-C6-N1	5.92	114.46	111.50
25	BB	212	G	N1-C2-N3	5.92	127.45	123.90
25	BB	616	A	C2-N3-C4	5.92	113.56	110.60
25	BB	691	C	N3-C4-C5	5.92	124.27	121.90
25	BB	1704	C	C5-C4-N4	5.92	124.34	120.20
25	BB	2049	G	N3-C2-N2	-5.92	115.76	119.90
25	BB	2151	U	N3-C2-O2	-5.92	118.06	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2303	G	N1-C2-N3	5.92	127.45	123.90
3	A1	59	A	C5-N7-C8	-5.92	100.94	103.90
3	A1	134	G	C5-N7-C8	-5.92	101.34	104.30
3	A1	233	C	N3-C2-O2	-5.92	117.76	121.90
3	A1	242	G	C5-C6-O6	5.92	132.15	128.60
3	A1	1029	U	C5'-C4'-C3'	-5.92	106.53	116.00
3	A1	1043	G	C5-C6-O6	5.92	132.15	128.60
3	A1	1174	G	C8-N9-C4	-5.92	104.03	106.40
3	A1	1493	A	C5-N7-C8	-5.92	100.94	103.90
25	BB	45	G	N1-C6-O6	-5.92	116.35	119.90
25	BB	493	G	C3'-C2'-C1'	5.92	106.23	101.50
25	BB	804	A	C2-N3-C4	5.92	113.56	110.60
25	BB	1407	G	C6-N1-C2	-5.92	121.55	125.10
25	BB	1501	G	N9-C4-C5	5.92	107.77	105.40
25	BB	1719	G	N3-C2-N2	-5.92	115.76	119.90
25	BB	1929	G	P-O5'-C5'	-5.92	111.43	120.90
25	BB	2536	G	C3'-C2'-C1'	-5.92	96.77	101.50
25	BB	2718	G	O4'-C1'-N9	5.92	112.94	108.20
31	BH	46	GLU	OE1-CD-OE2	-5.92	116.20	123.30
1	AA	33	U	C5-C4-O4	-5.92	122.35	125.90
3	A1	98	A	O3'-P-O5'	-5.92	92.76	104.00
3	A1	134	G	N9-C4-C5	5.92	107.77	105.40
3	A1	902	G	C5-C6-N1	5.92	114.46	111.50
3	A1	1095	U	C5-C6-N1	-5.92	119.74	122.70
3	A1	1294	G	C8-N9-C4	-5.92	104.03	106.40
3	A1	1363	A	C5-C6-N1	5.92	120.66	117.70
14	AN	28	ARG	NE-CZ-NH1	5.92	123.26	120.30
16	AQ	37	TYR	CB-CG-CD2	-5.92	117.45	121.00
25	BB	8	C	C5'-C4'-C3'	-5.92	106.53	116.00
25	BB	199	A	C4-C5-C6	-5.92	114.04	117.00
25	BB	271	G	C4-C5-N7	-5.92	108.43	110.80
25	BB	1129	A	C8-N9-C4	-5.92	103.43	105.80
25	BB	1446	C	N3-C4-C5	5.92	124.27	121.90
25	BB	1455	G	C4-C5-C6	-5.92	115.25	118.80
25	BB	1696	G	O4'-C1'-N9	5.92	112.93	108.20
25	BB	1976	U	C5-C6-N1	-5.92	119.74	122.70
25	BB	2134	A	C5'-C4'-O4'	5.92	116.20	109.10
28	BE	144	GLU	OE1-CD-OE2	-5.92	116.20	123.30
3	A1	142	G	O4'-C1'-N9	-5.92	103.47	108.20
3	A1	537	G	C6-C5-N7	5.92	133.95	130.40
3	A1	899	C	N3-C4-C5	5.92	124.27	121.90
3	A1	949	A	C5-C6-N6	5.92	128.43	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1509	C	N3-C4-C5	5.92	124.27	121.90
25	BB	550	C	C5-C6-N1	-5.92	118.04	121.00
25	BB	625	G	O4'-C1'-N9	5.92	112.93	108.20
25	BB	1509	A	C2-N3-C4	5.92	113.56	110.60
25	BB	2214	C	O4'-C1'-N1	5.92	112.93	108.20
25	BB	2377	A	N1-C2-N3	-5.92	126.34	129.30
3	A1	42	G	C6-N1-C2	-5.91	121.55	125.10
3	A1	583	A	C4-C5-C6	-5.91	114.04	117.00
3	A1	921	U	O4'-C1'-N1	5.91	112.93	108.20
3	A1	1490	U	P-O5'-C5'	5.91	130.36	120.90
25	BB	408	G	N7-C8-N9	5.91	116.06	113.10
25	BB	1076	C	C6-N1-C2	-5.91	117.94	120.30
25	BB	1910	G	C5-C6-O6	5.91	132.15	128.60
25	BB	2129	C	N1-C2-O2	5.91	122.45	118.90
25	BB	2693	G	C8-N9-C4	-5.91	104.03	106.40
3	A1	550	G	N9-C4-C5	-5.91	103.03	105.40
25	BB	216	A	O4'-C1'-N9	5.91	112.93	108.20
25	BB	666	A	C3'-C2'-C1'	5.91	106.23	101.50
25	BB	1399	C	C5-C4-N4	5.91	124.34	120.20
25	BB	1893	C	C4-C5-C6	-5.91	114.44	117.40
25	BB	2692	G	N3-C2-N2	-5.91	115.76	119.90
29	BF	16	ARG	NH1-CZ-NH2	-5.91	112.90	119.40
3	A1	232	G	O4'-C1'-N9	5.91	112.93	108.20
3	A1	301	G	C4-C5-N7	-5.91	108.44	110.80
25	BB	734	A	C6-C5-N7	5.91	136.44	132.30
25	BB	740	C	N1-C2-N3	5.91	123.34	119.20
25	BB	748	G	N3-C4-C5	-5.91	125.64	128.60
25	BB	1193	G	N3-C2-N2	-5.91	115.76	119.90
25	BB	1543	G	N1-C2-N3	5.91	127.45	123.90
25	BB	1643	G	N7-C8-N9	5.91	116.06	113.10
25	BB	1775	U	O4'-C1'-N1	5.91	112.93	108.20
25	BB	2809	A	C4-C5-C6	-5.91	114.05	117.00
25	BB	2836	U	N3-C2-O2	-5.91	118.06	122.20
1	AE	45	G	N3-C4-C5	-5.91	125.64	128.60
3	A1	349	A	C5-N7-C8	-5.91	100.95	103.90
24	BA	38	C	C5'-C4'-O4'	5.91	116.19	109.10
25	BB	177	G	O4'-C1'-N9	5.91	112.93	108.20
25	BB	957	C	O4'-C1'-N1	5.91	112.93	108.20
25	BB	1359	A	O4'-C1'-N9	5.91	112.93	108.20
25	BB	1776	G	C4'-C3'-C2'	-5.91	96.69	102.60
25	BB	1777	U	C3'-C2'-C1'	-5.91	96.77	101.50
25	BB	1910	G	N1-C6-O6	-5.91	116.35	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1924	C	N1-C2-N3	5.91	123.34	119.20
25	BB	2396	G	N9-C4-C5	-5.91	103.04	105.40
25	BB	2570	G	N9-C4-C5	5.91	107.76	105.40
52	B3	163	TYR	CB-CG-CD1	-5.91	117.45	121.00
25	BB	484	C	C5-C6-N1	-5.91	118.05	121.00
25	BB	1319	C	C2-N3-C4	-5.91	116.95	119.90
25	BB	1558	C	N3-C4-N4	-5.91	113.86	118.00
25	BB	1783	A	C5-C6-N6	5.91	128.43	123.70
25	BB	1909	C	C2-N3-C4	-5.91	116.95	119.90
25	BB	2370	G	C4-C5-C6	-5.91	115.26	118.80
25	BB	2421	G	N1-C2-N3	5.91	127.44	123.90
25	BB	2525	G	C2-N3-C4	5.91	114.85	111.90
25	BB	2559	C	C4-C5-C6	-5.91	114.45	117.40
25	BB	2811	G	O4'-C4'-C3'	5.91	110.83	106.10
3	A1	501	C	C4-C5-C6	5.91	120.35	117.40
3	A1	836	G	N9-C4-C5	5.91	107.76	105.40
3	A1	837	U	C4'-C3'-C2'	-5.91	96.69	102.60
3	A1	913	A	O4'-C1'-C2'	-5.91	99.89	105.80
24	BA	62	C	N1-C2-N3	5.91	123.33	119.20
25	BB	180	G	C5-N7-C8	-5.91	101.35	104.30
25	BB	528	A	C2-N3-C4	5.91	113.55	110.60
25	BB	1299	G	C4-C5-N7	-5.91	108.44	110.80
25	BB	1973	G	N9-C4-C5	5.91	107.76	105.40
3	A1	333	U	C1'-O4'-C4'	-5.90	105.18	109.90
3	A1	415	A	C2-N3-C4	5.90	113.55	110.60
3	A1	1469	C	C1'-O4'-C4'	-5.90	105.18	109.90
12	AK	72	ARG	NH1-CZ-NH2	-5.90	112.91	119.40
22	AW	54	VAL	CA-CB-CG2	5.90	119.76	110.90
25	BB	1747	U	C5-C6-N1	-5.90	119.75	122.70
25	BB	2801	G	C5-C6-N1	5.90	114.45	111.50
1	AP	48	C	N3-C2-O2	-5.90	117.77	121.90
3	A1	9	G	O4'-C1'-C2'	-5.90	99.90	105.80
3	A1	362	G	N3-C4-N9	5.90	129.54	126.00
3	A1	518	C	C2-N3-C4	-5.90	116.95	119.90
3	A1	1442	G	N7-C8-N9	5.90	116.05	113.10
7	AF	56	ARG	CD-NE-CZ	5.90	131.86	123.60
24	BA	23	G	N3-C4-N9	5.90	129.54	126.00
25	BB	31	C	O4'-C1'-N1	5.90	112.92	108.20
25	BB	562	U	C4-C5-C6	5.90	123.24	119.70
25	BB	965	C	N3-C2-O2	-5.90	117.77	121.90
25	BB	1116	G	C5-C6-N1	5.90	114.45	111.50
25	BB	1356	G	N7-C8-N9	5.90	116.05	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2062	A	C5-C6-N6	5.90	128.42	123.70
25	BB	2067	G	C1'-O4'-C4'	-5.90	105.18	109.90
25	BB	2278	A	P-O3'-C3'	5.90	126.78	119.70
1	AE	16	U	N1-C2-O2	5.90	126.93	122.80
3	A1	134	G	N3-C2-N2	-5.90	115.77	119.90
3	A1	143	A	C1'-O4'-C4'	-5.90	105.18	109.90
3	A1	451	A	C4-C5-C6	-5.90	114.05	117.00
3	A1	702	A	C4'-C3'-C2'	-5.90	96.70	102.60
3	A1	896	C	N1-C2-O2	5.90	122.44	118.90
3	A1	1457	G	C1'-O4'-C4'	-5.90	105.18	109.90
9	AH	78	THR	CA-CB-CG2	5.90	120.66	112.40
24	BA	98	G	C4'-C3'-C2'	-5.90	96.70	102.60
25	BB	30	G	N9-C4-C5	5.90	107.76	105.40
25	BB	132	G	C4-C5-N7	-5.90	108.44	110.80
25	BB	289	G	C4'-C3'-C2'	-5.90	96.70	102.60
25	BB	799	G	N1-C6-O6	-5.90	116.36	119.90
25	BB	1022	G	C8-N9-C4	-5.90	104.04	106.40
25	BB	1466	U	C4-C5-C6	5.90	123.24	119.70
25	BB	1496	A	C5-N7-C8	-5.90	100.95	103.90
25	BB	2220	U	N3-C2-O2	-5.90	118.07	122.20
25	BB	2402	U	C5-C4-O4	5.90	129.44	125.90
25	BB	2644	G	C5'-C4'-C3'	-5.90	106.56	116.00
25	BB	2822	G	N9-C1'-C2'	5.90	121.67	114.00
25	BB	2830	C	O4'-C1'-N1	5.90	112.92	108.20
25	BB	671	C	O4'-C1'-N1	-5.90	103.48	108.20
25	BB	681	G	C5-N7-C8	-5.90	101.35	104.30
25	BB	859	G	N3-C4-C5	-5.90	125.65	128.60
2	AM	14	U	C5-C4-O4	5.90	129.44	125.90
3	A1	15	G	N3-C2-N2	-5.90	115.77	119.90
3	A1	98	A	C5-C6-N6	5.90	128.42	123.70
3	A1	309	A	N7-C8-N9	5.90	116.75	113.80
3	A1	802	A	O4'-C1'-N9	5.90	112.92	108.20
3	A1	833	G	N9-C1'-C2'	-5.90	105.51	112.00
3	A1	917	G	N3-C2-N2	-5.90	115.77	119.90
3	A1	962	C	N1-C2-N3	5.90	123.33	119.20
25	BB	170	U	N3-C2-O2	-5.90	118.07	122.20
25	BB	457	A	C6-C5-N7	5.90	136.43	132.30
25	BB	469	G	C4-C5-C6	-5.90	115.26	118.80
25	BB	587	C	C5-C6-N1	-5.90	118.05	121.00
25	BB	983	A	C5-C6-N1	5.90	120.65	117.70
25	BB	1060	U	O4'-C1'-N1	5.90	112.92	108.20
25	BB	1826	G	N7-C8-N9	5.90	116.05	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2885	G	N9-C4-C5	5.90	107.76	105.40
3	A1	50	A	C2-N3-C4	5.90	113.55	110.60
3	A1	628	G	N3-C4-N9	5.90	129.54	126.00
3	A1	1172	C	C3'-C2'-C1'	5.90	106.22	101.50
3	A1	1344	C	C5-C6-N1	-5.90	118.05	121.00
25	BB	763	G	N9-C4-C5	5.90	107.76	105.40
25	BB	1551	A	C4-C5-C6	-5.90	114.05	117.00
2	AM	13	U	O5'-P-OP1	-5.89	100.39	105.70
3	A1	103	U	P-O3'-C3'	5.89	126.77	119.70
3	A1	179	A	N9-C4-C5	5.89	108.16	105.80
3	A1	238	A	C5-C6-N1	5.89	120.65	117.70
3	A1	779	C	O4'-C1'-N1	5.89	112.92	108.20
3	A1	978	A	C5-C6-N6	5.89	128.41	123.70
3	A1	1154	G	N1-C2-N2	5.89	121.50	116.20
3	A1	1209	C	OP1-P-OP2	-5.89	110.76	119.60
3	A1	1269	A	C2'-C3'-O3'	5.89	123.13	113.70
25	BB	1288	G	C3'-C2'-C1'	5.89	106.22	101.50
25	BB	1905	C	C6-N1-C2	-5.89	117.94	120.30
25	BB	2201	G	O4'-C4'-C3'	5.89	110.81	106.10
25	BB	2723	C	N1-C2-O2	5.89	122.44	118.90
45	BV	34	ARG	NE-CZ-NH2	5.89	123.25	120.30
52	B3	151	ARG	NH1-CZ-NH2	-5.89	112.92	119.40
3	A1	420	U	N3-C4-O4	5.89	123.53	119.40
3	A1	433	G	C4-C5-N7	-5.89	108.44	110.80
3	A1	825	A	C2-N3-C4	5.89	113.55	110.60
3	A1	1257	A	N1-C2-N3	-5.89	126.35	129.30
3	A1	1279	G	C6-C5-N7	-5.89	126.86	130.40
25	BB	505	A	C6-C5-N7	5.89	136.43	132.30
25	BB	695	G	N3-C4-C5	-5.89	125.65	128.60
25	BB	967	U	P-O3'-C3'	5.89	126.77	119.70
25	BB	1343	G	C6-N1-C2	-5.89	121.56	125.10
25	BB	1708	C	O4'-C1'-N1	5.89	112.91	108.20
25	BB	2005	A	C6-C5-N7	5.89	136.43	132.30
25	BB	2353	G	C6-C5-N7	5.89	133.94	130.40
3	A1	29	U	C4-C5-C6	5.89	123.23	119.70
3	A1	127	G	N3-C4-C5	-5.89	125.65	128.60
3	A1	397	A	C2-N3-C4	5.89	113.55	110.60
25	BB	68	G	C4-N9-C1'	5.89	134.16	126.50
25	BB	872	U	C5'-C4'-C3'	-5.89	106.57	116.00
25	BB	1679	A	C5'-C4'-O4'	5.89	116.17	109.10
3	A1	238	A	C6-C5-N7	5.89	136.42	132.30
3	A1	240	G	N3-C4-C5	-5.89	125.66	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	570	G	N1-C6-O6	-5.89	116.37	119.90
3	A1	836	G	C1'-O4'-C4'	5.89	114.61	109.90
3	A1	930	C	N3-C2-O2	-5.89	117.78	121.90
3	A1	980	C	N1-C2-N3	5.89	123.32	119.20
3	A1	1249	C	C5'-C4'-C3'	-5.89	106.58	116.00
25	BB	1058	U	N3-C4-O4	-5.89	115.28	119.40
25	BB	1743	G	C8-N9-C4	-5.89	104.04	106.40
25	BB	2286	G	P-O5'-C5'	5.89	130.32	120.90
25	BB	2349	G	C5-N7-C8	-5.89	101.36	104.30
25	BB	2863	C	N3-C2-O2	-5.89	117.78	121.90
3	A1	212	G	C5-N7-C8	-5.89	101.36	104.30
25	BB	1135	C	N3-C4-N4	-5.89	113.88	118.00
25	BB	1516	G	C6-C5-N7	5.89	133.93	130.40
25	BB	1677	A	C6-C5-N7	5.89	136.42	132.30
25	BB	1959	G	C4-C5-N7	-5.89	108.44	110.80
25	BB	2515	C	N1-C2-O2	5.89	122.43	118.90
1	AP	35	A	C5-C6-N6	5.89	128.41	123.70
3	A1	211	G	C4-C5-N7	-5.89	108.44	110.80
3	A1	365	U	C6-N1-C2	-5.89	117.47	121.00
3	A1	627	G	C3'-C2'-C1'	5.89	106.21	101.50
3	A1	868	C	C5-C6-N1	-5.89	118.06	121.00
3	A1	969	A	N1-C2-N3	-5.89	126.36	129.30
3	A1	1199	U	C3'-C2'-C1'	5.89	106.21	101.50
25	BB	1008	A	C6-C5-N7	5.89	136.42	132.30
25	BB	1088	A	C6-N1-C2	-5.89	115.07	118.60
25	BB	1158	C	N1-C2-N3	5.89	123.32	119.20
25	BB	1703	G	C4-C5-C6	-5.89	115.27	118.80
25	BB	2456	C	N1-C2-O2	5.89	122.43	118.90
3	A1	1242	G	C5'-C4'-O4'	5.88	116.16	109.10
3	A1	1386	G	C8-N9-C4	-5.88	104.05	106.40
25	BB	93	G	C4-C5-N7	-5.88	108.45	110.80
25	BB	209	C	C2-N3-C4	-5.88	116.96	119.90
25	BB	923	G	C6-C5-N7	5.88	133.93	130.40
25	BB	1107	G	C4'-C3'-C2'	5.88	108.48	102.60
25	BB	1439	A	C8-N9-C4	5.88	108.15	105.80
25	BB	2036	C	N1-C2-O2	5.88	122.43	118.90
25	BB	2129	C	N3-C4-C5	5.88	124.25	121.90
25	BB	2497	A	N1-C2-N3	-5.88	126.36	129.30
25	BB	2820	A	C5'-C4'-C3'	-5.88	106.58	116.00
3	A1	1355	G	C6-N1-C2	-5.88	121.57	125.10
25	BB	296	U	C6-N1-C2	-5.88	117.47	121.00
25	BB	363	G	N9-C4-C5	5.88	107.75	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1137	G	C3'-C2'-C1'	5.88	106.21	101.50
25	BB	1177	G	C5'-C4'-O4'	5.88	116.16	109.10
25	BB	1470	A	C3'-C2'-C1'	5.88	106.21	101.50
25	BB	2503	A	C4-C5-C6	-5.88	114.06	117.00
1	AA	15	G	C6-N1-C2	-5.88	121.57	125.10
3	A1	200	G	N1-C2-N3	5.88	127.43	123.90
3	A1	1498	U	O4'-C4'-C3'	5.88	110.81	106.10
25	BB	77	G	C8-N9-C4	-5.88	104.05	106.40
25	BB	153	U	C4-C5-C6	5.88	123.23	119.70
25	BB	1159	U	N1-C2-O2	5.88	126.92	122.80
25	BB	1239	G	C4-C5-C6	-5.88	115.27	118.80
25	BB	1448	G	C4'-C3'-C2'	-5.88	96.72	102.60
25	BB	2024	G	O4'-C4'-C3'	5.88	110.81	106.10
25	BB	2132	U	N3-C2-O2	-5.88	118.08	122.20
25	BB	2173	A	C2-N3-C4	5.88	113.54	110.60
25	BB	2715	C	C1'-O4'-C4'	-5.88	105.19	109.90
25	BB	2737	G	C4-C5-C6	-5.88	115.27	118.80
25	BB	2765	A	C1'-O4'-C4'	-5.88	105.19	109.90
25	BB	2801	G	N1-C2-N3	5.88	127.43	123.90
51	B2	21	TYR	CD1-CG-CD2	5.88	124.37	117.90
3	A1	434	U	C1'-O4'-C4'	-5.88	105.20	109.90
3	A1	1274	A	N9-C1'-C2'	5.88	121.64	114.00
25	BB	22	C	N3-C2-O2	-5.88	117.78	121.90
25	BB	680	C	C5'-C4'-O4'	5.88	116.16	109.10
25	BB	1643	G	N1-C2-N3	5.88	127.43	123.90
25	BB	2084	C	O4'-C4'-C3'	5.88	110.80	106.10
1	AA	74	C	C1'-O4'-C4'	-5.88	105.20	109.90
3	A1	55	A	N1-C2-N3	-5.88	126.36	129.30
3	A1	1078	U	C4-C5-C6	5.88	123.23	119.70
3	A1	1266	G	C5-C6-N1	-5.88	108.56	111.50
3	A1	1373	G	N3-C4-C5	-5.88	125.66	128.60
25	BB	282	A	C5'-C4'-C3'	-5.88	106.59	116.00
25	BB	329	G	C5-C6-N1	5.88	114.44	111.50
25	BB	471	A	C8-N9-C4	5.88	108.15	105.80
25	BB	1016	G	C6-C5-N7	5.88	133.93	130.40
25	BB	1193	G	C6-C5-N7	5.88	133.93	130.40
25	BB	1204	A	C4-C5-C6	-5.88	114.06	117.00
25	BB	1313	U	N3-C2-O2	-5.88	118.08	122.20
25	BB	1434	A	O4'-C1'-N9	5.88	112.90	108.20
25	BB	1845	G	C4-C5-C6	-5.88	115.27	118.80
25	BB	2130	U	C5'-C4'-C3'	-5.88	106.59	116.00
25	BB	2691	C	C3'-C2'-C1'	5.88	106.20	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AE	62	A	C4'-C3'-C2'	-5.88	96.72	102.60
3	A1	334	C	C2'-C3'-O3'	5.88	123.10	113.70
3	A1	928	G	C1'-O4'-C4'	-5.88	105.20	109.90
3	A1	966	G	C8-N9-C4	-5.88	104.05	106.40
3	A1	1071	C	C2-N3-C4	-5.88	116.96	119.90
3	A1	1448	C	O4'-C1'-N1	5.88	112.90	108.20
25	BB	16	C	C6-N1-C2	-5.88	117.95	120.30
25	BB	38	A	N3-C4-N9	-5.88	122.70	127.40
25	BB	878	A	C4'-C3'-C2'	-5.88	96.72	102.60
25	BB	924	G	C5-C6-N1	5.88	114.44	111.50
25	BB	1511	G	N3-C4-C5	-5.88	125.66	128.60
25	BB	1579	A	C6-C5-N7	5.88	136.41	132.30
1	AE	49	C	C6-N1-C2	-5.88	117.95	120.30
2	AM	8	U	C4'-C3'-C2'	-5.88	96.72	102.60
3	A1	584	G	C4'-C3'-C2'	-5.88	96.72	102.60
3	A1	1294	G	C5-C6-O6	-5.88	125.08	128.60
25	BB	35	G	C4-C5-N7	-5.88	108.45	110.80
25	BB	279	A	C3'-C2'-C1'	-5.88	96.80	101.50
25	BB	745	G	N3-C2-N2	-5.88	115.79	119.90
25	BB	1744	A	C6-C5-N7	5.88	136.41	132.30
25	BB	2334	U	C5-C6-N1	-5.88	119.76	122.70
25	BB	2492	U	C1'-O4'-C4'	-5.88	105.20	109.90
25	BB	2854	G	C4'-C3'-C2'	-5.88	96.72	102.60
1	AE	23	A	C8-N9-C4	-5.87	103.45	105.80
3	A1	535	A	C5-C6-N6	5.87	128.40	123.70
3	A1	1138	G	C4-C5-N7	-5.87	108.45	110.80
24	BA	83	G	C5'-C4'-C3'	-5.87	106.60	116.00
25	BB	26	G	C2-N3-C4	5.87	114.84	111.90
25	BB	449	A	C2'-C3'-O3'	5.87	123.10	113.70
25	BB	803	U	N1-C2-N3	5.87	118.42	114.90
25	BB	1509	A	O4'-C4'-C3'	5.87	110.80	106.10
25	BB	1757	A	C5'-C4'-O4'	5.87	116.15	109.10
3	A1	59	A	C5-C6-N1	5.87	120.64	117.70
3	A1	200	G	N3-C4-C5	-5.87	125.67	128.60
3	A1	487	A	C8-N9-C4	-5.87	103.45	105.80
3	A1	551	U	C1'-O4'-C4'	-5.87	105.20	109.90
3	A1	943	U	N3-C2-O2	-5.87	118.09	122.20
3	A1	1181	G	C6-N1-C2	-5.87	121.58	125.10
3	A1	1389	C	N3-C4-N4	-5.87	113.89	118.00
25	BB	93	G	N1-C2-N3	5.87	127.42	123.90
25	BB	190	A	C5-C6-N6	5.87	128.40	123.70
25	BB	258	G	C6-N1-C2	-5.87	121.58	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	740	C	C3'-C2'-C1'	5.87	106.20	101.50
25	BB	755	U	C1'-O4'-C4'	-5.87	105.20	109.90
25	BB	1214	A	C6-N1-C2	-5.87	115.08	118.60
25	BB	1328	A	C6-N1-C2	-5.87	115.08	118.60
25	BB	1826	G	O4'-C1'-N9	5.87	112.90	108.20
25	BB	1867	G	C4'-C3'-C2'	-5.87	96.73	102.60
25	BB	2226	C	O4'-C1'-N1	5.87	112.90	108.20
25	BB	2672	U	C1'-O4'-C4'	-5.87	105.20	109.90
25	BB	2821	A	C6-C5-N7	5.87	136.41	132.30
1	AP	33	U	C5'-C4'-O4'	5.87	116.14	109.10
1	AP	60	C	C5'-C4'-O4'	5.87	116.14	109.10
1	AE	10	G	N3-C4-N9	5.87	129.52	126.00
3	A1	592	G	C1'-O4'-C4'	-5.87	105.20	109.90
3	A1	1016	A	P-O3'-C3'	5.87	126.74	119.70
25	BB	1819	A	C4-C5-C6	-5.87	114.06	117.00
25	BB	2201	G	N1-C2-N3	5.87	127.42	123.90
25	BB	2634	A	C4-C5-C6	-5.87	114.06	117.00
3	A1	382	A	C2-N3-C4	5.87	113.53	110.60
3	A1	564	C	C1'-O4'-C4'	-5.87	105.21	109.90
3	A1	1103	C	N3-C4-N4	-5.87	113.89	118.00
3	A1	1134	G	N3-C4-C5	-5.87	125.67	128.60
3	A1	1251	A	C1'-O4'-C4'	-5.87	105.21	109.90
3	A1	1389	C	C6-N1-C2	-5.87	117.95	120.30
25	BB	139	U	P-O3'-C3'	5.87	126.74	119.70
25	BB	675	A	C6-C5-N7	5.87	136.41	132.30
25	BB	874	G	C5-N7-C8	-5.87	101.37	104.30
25	BB	922	C	OP1-P-OP2	-5.87	110.80	119.60
25	BB	1321	A	O4'-C1'-C2'	-5.87	99.93	105.80
25	BB	1442	U	N3-C2-O2	-5.87	118.09	122.20
25	BB	1475	G	C8-N9-C4	-5.87	104.05	106.40
25	BB	1767	G	N9-C1'-C2'	-5.87	105.54	112.00
25	BB	2027	G	N3-C4-C5	-5.87	125.67	128.60
25	BB	2616	C	C2-N3-C4	-5.87	116.97	119.90
25	BB	2876	G	N3-C4-C5	-5.87	125.67	128.60
3	A1	572	A	C5-C6-N6	5.87	128.39	123.70
24	BA	19	C	N1-C2-O2	5.87	122.42	118.90
25	BB	800	A	N1-C2-N3	-5.87	126.37	129.30
25	BB	1084	A	O4'-C1'-N9	5.87	112.89	108.20
25	BB	1367	A	C1'-O4'-C4'	-5.87	105.21	109.90
25	BB	2764	A	C5-C6-N6	5.87	128.39	123.70
1	AE	13	C	C5'-C4'-C3'	5.87	125.38	116.00
3	A1	388	G	O4'-C1'-N9	5.87	112.89	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	807	A	O3'-P-O5'	5.87	115.14	104.00
3	A1	1003	G	C5'-C4'-C3'	-5.87	106.62	116.00
3	A1	1094	G	C5-C6-N1	5.87	114.43	111.50
3	A1	1325	C	N1-C2-N3	5.87	123.31	119.20
15	AO	71	ARG	NE-CZ-NH2	-5.87	117.37	120.30
24	BA	64	G	N3-C4-C5	-5.87	125.67	128.60
25	BB	355	U	N1-C2-N3	5.87	118.42	114.90
25	BB	522	A	O5'-C5'-C4'	-5.87	100.55	111.70
25	BB	625	G	C5-N7-C8	-5.87	101.37	104.30
25	BB	1228	G	C4-N9-C1'	-5.87	118.88	126.50
25	BB	1933	G	N1-C6-O6	-5.87	116.38	119.90
25	BB	2340	A	C4-C5-C6	-5.87	114.07	117.00
25	BB	2482	A	N1-C2-N3	-5.87	126.37	129.30
33	BJ	110	GLU	C-N-CA	5.87	136.36	121.70
3	A1	366	A	N9-C4-C5	-5.86	103.45	105.80
3	A1	1188	A	C2'-C3'-O3'	5.86	123.08	113.70
3	A1	1451	U	N1-C2-O2	5.86	126.91	122.80
25	BB	174	U	C4-C5-C6	5.86	123.22	119.70
25	BB	325	G	N9-C4-C5	-5.86	103.05	105.40
25	BB	502	A	O4'-C4'-C3'	5.86	110.79	106.10
25	BB	617	G	N3-C2-N2	-5.86	115.80	119.90
25	BB	828	U	C4-C5-C6	5.86	123.22	119.70
25	BB	1405	U	C5-C6-N1	-5.86	119.77	122.70
25	BB	1412	U	N3-C2-O2	-5.86	118.09	122.20
25	BB	2466	C	O4'-C1'-N1	5.86	112.89	108.20
25	BB	2679	A	N1-C2-N3	-5.86	126.37	129.30
25	BB	2791	G	N3-C4-N9	-5.86	122.48	126.00
31	BH	64	TYR	CB-CG-CD2	5.86	124.52	121.00
3	A1	236	A	C2-N3-C4	5.86	113.53	110.60
3	A1	1430	A	C8-N9-C4	-5.86	103.45	105.80
19	AT	16	GLU	OE1-CD-OE2	-5.86	116.27	123.30
25	BB	256	A	C3'-C2'-C1'	5.86	106.19	101.50
25	BB	772	C	C3'-C2'-C1'	5.86	106.19	101.50
25	BB	939	G	C4'-C3'-C2'	-5.86	96.74	102.60
25	BB	1877	A	C6-N1-C2	-5.86	115.08	118.60
25	BB	2290	G	O4'-C4'-C3'	5.86	110.79	106.10
31	BH	111	ARG	NE-CZ-NH1	5.86	123.23	120.30
3	A1	217	C	N1-C2-O2	5.86	122.42	118.90
3	A1	362	G	N1-C2-N3	5.86	127.42	123.90
3	A1	808	C	N1-C2-N3	5.86	123.30	119.20
3	A1	1262	C	C5'-C4'-O4'	5.86	116.13	109.10
25	BB	240	C	C5'-C4'-O4'	5.86	116.13	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	894	U	C5-C4-O4	5.86	129.42	125.90
25	BB	1023	U	C3'-C2'-C1'	5.86	106.19	101.50
25	BB	1133	A	N1-C2-N3	-5.86	126.37	129.30
25	BB	1940	U	C5-C4-O4	-5.86	122.38	125.90
25	BB	2107	G	C5-C6-N1	5.86	114.43	111.50
25	BB	2404	U	C3'-C2'-C1'	5.86	106.19	101.50
25	BB	2466	C	C4'-C3'-C2'	-5.86	96.74	102.60
25	BB	2770	G	C6-N1-C2	-5.86	121.58	125.10
3	A1	348	G	C6-C5-N7	5.86	133.91	130.40
3	A1	1482	G	N1-C2-N3	5.86	127.42	123.90
25	BB	1931	U	N1-C2-O2	5.86	126.90	122.80
25	BB	2832	U	C2-N3-C4	-5.86	123.48	127.00
1	AP	29	A	C5-N7-C8	-5.86	100.97	103.90
2	AM	11	U	N1-C2-N3	5.86	118.41	114.90
3	A1	278	G	C5-C6-N1	5.86	114.43	111.50
3	A1	491	G	C5-C6-O6	5.86	132.12	128.60
3	A1	695	A	C4-C5-C6	-5.86	114.07	117.00
24	BA	35	C	C5-C4-N4	5.86	124.30	120.20
25	BB	7	G	N9-C1'-C2'	-5.86	105.56	112.00
25	BB	420	C	C5'-C4'-C3'	-5.86	106.63	116.00
25	BB	930	G	C4-C5-N7	-5.86	108.46	110.80
25	BB	1091	G	O4'-C4'-C3'	-5.86	98.14	104.00
25	BB	1248	G	N3-C2-N2	-5.86	115.80	119.90
25	BB	1496	A	O5'-P-OP2	-5.86	100.43	105.70
25	BB	1499	C	N1-C1'-C2'	-5.86	105.56	112.00
25	BB	1922	G	C5-C6-O6	5.86	132.11	128.60
25	BB	2751	G	C1'-O4'-C4'	5.86	114.59	109.90
3	A1	204	G	C8-N9-C4	-5.86	104.06	106.40
3	A1	602	A	P-O5'-C5'	5.86	130.27	120.90
3	A1	1339	A	N1-C2-N3	-5.86	126.37	129.30
3	A1	1344	C	N3-C2-O2	-5.86	117.80	121.90
25	BB	452	G	N3-C4-C5	-5.86	125.67	128.60
25	BB	868	U	C5-C6-N1	-5.86	119.77	122.70
25	BB	1443	U	O4'-C1'-N1	5.86	112.88	108.20
25	BB	1781	U	C5'-C4'-O4'	5.86	116.13	109.10
25	BB	213	A	C5-N7-C8	-5.85	100.97	103.90
25	BB	328	U	C4-C5-C6	5.85	123.21	119.70
25	BB	791	C	P-O3'-C3'	5.85	126.72	119.70
25	BB	2466	C	C5-C4-N4	5.85	124.30	120.20
3	A1	163	C	C5'-C4'-O4'	5.85	116.12	109.10
3	A1	383	A	C4'-C3'-C2'	-5.85	96.75	102.60
3	A1	652	U	C1'-O4'-C4'	-5.85	105.22	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	939	G	C5-C6-N1	5.85	114.43	111.50
3	A1	1110	A	N1-C2-N3	5.85	132.23	129.30
24	BA	35	C	N3-C4-N4	-5.85	113.90	118.00
25	BB	180	G	N1-C2-N3	5.85	127.41	123.90
25	BB	820	A	C2-N3-C4	5.85	113.53	110.60
25	BB	1246	A	C5'-C4'-C3'	-5.85	106.64	116.00
25	BB	1348	C	N1-C2-O2	5.85	122.41	118.90
25	BB	1550	C	N1-C2-N3	5.85	123.30	119.20
25	BB	1963	U	C5-C6-N1	-5.85	119.77	122.70
25	BB	2243	U	N1-C2-N3	5.85	118.41	114.90
25	BB	2346	A	C6-C5-N7	5.85	136.40	132.30
1	AA	55	U	C4-C5-C6	5.85	123.21	119.70
3	A1	30	U	C6-N1-C2	-5.85	117.49	121.00
3	A1	487	A	O4'-C1'-N9	5.85	112.88	108.20
15	AO	126	ARG	NH1-CZ-NH2	-5.85	112.96	119.40
24	BA	6	G	N1-C2-N3	5.85	127.41	123.90
25	BB	2114	A	C5-C6-N6	5.85	128.38	123.70
50	B1	4	VAL	CG1-CB-CG2	-5.85	101.54	110.90
3	A1	214	C	N3-C4-C5	5.85	124.24	121.90
3	A1	645	G	N1-C2-N2	-5.85	110.94	116.20
3	A1	815	A	C6-N1-C2	-5.85	115.09	118.60
3	A1	1011	C	N1-C1'-C2'	-5.85	105.57	112.00
24	BA	79	G	N1-C6-O6	-5.85	116.39	119.90
25	BB	186	G	C4-C5-C6	-5.85	115.29	118.80
25	BB	523	C	O5'-C5'-C4'	-5.85	100.58	111.70
25	BB	795	C	C1'-O4'-C4'	-5.85	105.22	109.90
25	BB	1198	U	C3'-C2'-C1'	5.85	106.18	101.50
25	BB	1546	G	N7-C8-N9	5.85	116.02	113.10
25	BB	1580	A	C6-N1-C2	-5.85	115.09	118.60
25	BB	1612	C	N3-C4-C5	5.85	124.24	121.90
25	BB	1922	G	O4'-C4'-C3'	5.85	110.78	106.10
25	BB	1938	A	C6-N1-C2	-5.85	115.09	118.60
25	BB	2820	A	C1'-O4'-C4'	5.85	114.58	109.90
1	AA	68	U	N1-C2-N3	5.85	118.41	114.90
3	A1	123	U	C3'-C2'-C1'	5.85	106.18	101.50
3	A1	134	G	C4'-C3'-C2'	-5.85	96.75	102.60
3	A1	814	A	C5-N7-C8	-5.85	100.98	103.90
3	A1	1289	A	C4-C5-C6	-5.85	114.08	117.00
3	A1	1485	U	N3-C2-O2	-5.85	118.11	122.20
25	BB	267	C	N1-C2-N3	5.85	123.29	119.20
25	BB	735	A	C5-C6-N6	5.85	128.38	123.70
25	BB	1707	G	N1-C2-N2	-5.85	110.94	116.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1886	U	N1-C2-O2	5.85	126.89	122.80
25	BB	1995	U	C5-C6-N1	-5.85	119.78	122.70
25	BB	2212	A	C5-C6-N1	5.85	120.62	117.70
25	BB	2666	C	C4'-C3'-C2'	-5.85	96.75	102.60
1	AA	13	C	N3-C4-N4	-5.85	113.91	118.00
3	A1	1207	G	C8-N9-C4	-5.85	104.06	106.40
24	BA	83	G	C1'-O4'-C4'	-5.85	105.22	109.90
25	BB	364	C	N3-C2-O2	-5.85	117.81	121.90
25	BB	1117	C	N1-C2-O2	5.85	122.41	118.90
25	BB	1910	G	N3-C4-C5	-5.85	125.68	128.60
25	BB	2242	G	N7-C8-N9	5.85	116.02	113.10
3	A1	125	U	C4-C5-C6	5.84	123.21	119.70
3	A1	127	G	C5-C6-N1	5.84	114.42	111.50
3	A1	789	U	N3-C2-O2	-5.84	118.11	122.20
3	A1	1188	A	C5-N7-C8	-5.84	100.98	103.90
3	A1	1271	A	C8-N9-C4	-5.84	103.46	105.80
3	A1	1457	G	C5-C6-N1	5.84	114.42	111.50
3	A1	1505	G	C8-N9-C4	-5.84	104.06	106.40
25	BB	356	G	O4'-C1'-N9	5.84	112.88	108.20
25	BB	988	A	C5-C6-N1	5.84	120.62	117.70
25	BB	1276	A	C6-C5-N7	5.84	136.39	132.30
25	BB	1767	G	C4'-C3'-C2'	-5.84	96.75	102.60
25	BB	2041	U	N3-C2-O2	-5.84	118.11	122.20
3	A1	15	G	C5-C6-N1	5.84	114.42	111.50
3	A1	37	U	O4'-C1'-N1	5.84	112.87	108.20
3	A1	290	C	N1-C2-O2	5.84	122.41	118.90
23	AX	16	ARG	NH1-CZ-NH2	-5.84	112.97	119.40
25	BB	1148	U	C5-C6-N1	-5.84	119.78	122.70
30	BG	71	ARG	NH1-CZ-NH2	-5.84	112.97	119.40
3	A1	26	A	C5-C6-N1	5.84	120.62	117.70
3	A1	360	G	C5'-C4'-C3'	-5.84	106.65	116.00
3	A1	1145	A	C5-C6-N6	5.84	128.37	123.70
3	A1	1371	G	N1-C2-N3	5.84	127.41	123.90
3	A1	1417	G	C8-N9-C4	-5.84	104.06	106.40
25	BB	999	U	N3-C2-O2	-5.84	118.11	122.20
25	BB	1219	U	N3-C2-O2	-5.84	118.11	122.20
25	BB	1311	G	N3-C2-N2	-5.84	115.81	119.90
25	BB	2285	C	C5-C6-N1	-5.84	118.08	121.00
25	BB	2702	G	C8-N9-C4	5.84	108.74	106.40
25	BB	2860	A	C3'-C2'-C1'	5.84	106.17	101.50
1	AP	51	G	N7-C8-N9	5.84	116.02	113.10
3	A1	167	A	C5'-C4'-C3'	-5.84	106.66	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	313	A	C5-C6-N6	5.84	128.37	123.70
3	A1	628	G	C1'-O4'-C4'	-5.84	105.23	109.90
3	A1	755	G	C6-N1-C2	-5.84	121.60	125.10
3	A1	912	C	C4-C5-C6	5.84	120.32	117.40
3	A1	962	C	C2'-C3'-O3'	5.84	123.04	113.70
3	A1	993	G	C5-N7-C8	-5.84	101.38	104.30
3	A1	1124	G	N3-C4-C5	-5.84	125.68	128.60
25	BB	126	A	C6-C5-N7	5.84	136.39	132.30
25	BB	804	A	C6-N1-C2	-5.84	115.10	118.60
25	BB	1503	A	O4'-C1'-N9	5.84	112.87	108.20
25	BB	1721	G	N1-C2-N2	-5.84	110.94	116.20
25	BB	1755	A	C6-C5-N7	5.84	136.39	132.30
25	BB	2177	C	C1'-O4'-C4'	-5.84	105.23	109.90
25	BB	2847	U	C5'-C4'-C3'	-5.84	106.66	116.00
3	A1	572	A	N1-C2-N3	-5.84	126.38	129.30
3	A1	1256	A	O4'-C1'-N9	5.84	112.87	108.20
25	BB	307	G	N1-C6-O6	-5.84	116.40	119.90
25	BB	780	G	C4-C5-C6	-5.84	115.30	118.80
25	BB	808	G	C8-N9-C4	-5.84	104.06	106.40
25	BB	1525	A	C8-N9-C4	-5.84	103.47	105.80
25	BB	1680	U	O5'-C5'-C4'	5.84	122.79	111.70
25	BB	1811	G	O4'-C1'-N9	5.84	112.87	108.20
25	BB	1879	C	O4'-C1'-N1	5.84	112.87	108.20
25	BB	2456	C	N3-C2-O2	-5.84	117.81	121.90
1	AA	27	C	N1-C2-N3	5.84	123.28	119.20
1	AE	20	G	C6-N1-C2	-5.84	121.60	125.10
3	A1	107	G	O4'-C1'-N9	5.84	112.87	108.20
3	A1	331	G	O4'-C1'-N9	5.84	112.87	108.20
3	A1	612	C	N1-C2-N3	5.84	123.29	119.20
3	A1	654	G	N3-C2-N2	-5.84	115.81	119.90
3	A1	792	A	C5-N7-C8	-5.84	100.98	103.90
3	A1	1492	A	C6-N1-C2	-5.84	115.10	118.60
25	BB	32	C	O4'-C1'-N1	5.84	112.87	108.20
25	BB	272	A	C5'-C4'-C3'	-5.84	106.66	116.00
25	BB	553	G	N3-C2-N2	5.84	123.99	119.90
25	BB	703	U	C3'-C2'-C1'	5.84	106.17	101.50
25	BB	785	G	C4'-C3'-C2'	-5.84	96.76	102.60
25	BB	850	U	C3'-C2'-C1'	5.84	106.17	101.50
25	BB	873	C	P-O3'-C3'	5.84	126.70	119.70
25	BB	1338	G	C5'-C4'-C3'	-5.84	106.66	116.00
25	BB	1352	U	C5-C6-N1	-5.84	119.78	122.70
25	BB	2413	G	N1-C2-N3	5.84	127.40	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2586	U	O4'-C1'-N1	5.84	112.87	108.20
25	BB	2590	A	C6-N1-C2	-5.84	115.10	118.60
25	BB	2628	C	N3-C4-C5	5.84	124.23	121.90
25	BB	2701	U	N3-C2-O2	-5.84	118.11	122.20
25	BB	2797	U	C5'-C4'-O4'	5.84	116.10	109.10
3	A1	7	A	C5-C6-N1	5.83	120.62	117.70
3	A1	270	A	C5-C6-N6	5.83	128.37	123.70
24	BA	31	C	N3-C4-C5	5.83	124.23	121.90
25	BB	132	G	C5-C6-O6	5.83	132.10	128.60
25	BB	305	C	N1-C2-O2	5.83	122.40	118.90
25	BB	711	G	N3-C4-C5	-5.83	125.68	128.60
25	BB	748	G	C1'-O4'-C4'	-5.83	105.23	109.90
25	BB	1645	G	C5-C6-N1	5.83	114.42	111.50
25	BB	1724	G	C2-N3-C4	5.83	114.82	111.90
25	BB	2663	G	C5-N7-C8	-5.83	101.38	104.30
32	BI	112	ARG	NE-CZ-NH1	5.83	123.22	120.30
55	B6	120	ARG	NE-CZ-NH2	-5.83	117.38	120.30
3	A1	127	G	N1-C6-O6	-5.83	116.40	119.90
3	A1	1087	G	C5'-C4'-O4'	5.83	116.10	109.10
25	BB	139	U	C5-C4-O4	5.83	129.40	125.90
25	BB	151	C	N1-C2-N3	5.83	123.28	119.20
25	BB	1542	U	O4'-C1'-N1	5.83	112.87	108.20
25	BB	2002	G	N3-C4-C5	-5.83	125.68	128.60
25	BB	2246	G	N9-C4-C5	5.83	107.73	105.40
25	BB	2342	C	C5'-C4'-O4'	5.83	116.10	109.10
25	BB	2578	G	C8-N9-C4	-5.83	104.07	106.40
2	AM	2	U	C5-C4-O4	5.83	129.40	125.90
3	A1	887	G	C2-N3-C4	5.83	114.81	111.90
3	A1	1338	G	C5-C6-N1	5.83	114.42	111.50
3	A1	1348	U	C5-C6-N1	-5.83	119.78	122.70
24	BA	56	G	N3-C2-N2	-5.83	115.82	119.90
25	BB	228	C	C5-C6-N1	-5.83	118.08	121.00
25	BB	369	U	N3-C4-O4	-5.83	115.32	119.40
25	BB	568	U	O4'-C4'-C3'	5.83	110.77	106.10
25	BB	892	A	C4-C5-C6	-5.83	114.08	117.00
25	BB	1838	C	C2-N3-C4	-5.83	116.98	119.90
25	BB	2310	C	N3-C4-C5	5.83	124.23	121.90
25	BB	2343	U	C5-C6-N1	-5.83	119.78	122.70
25	BB	2382	G	O3'-P-O5'	-5.83	92.92	104.00
30	BG	54	LEU	CB-CG-CD1	5.83	120.91	111.00
3	A1	254	G	N7-C8-N9	5.83	116.02	113.10
3	A1	422	C	C1'-O4'-C4'	5.83	114.56	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1094	G	C8-N9-C4	-5.83	104.07	106.40
3	A1	1351	U	C5'-C4'-O4'	5.83	116.10	109.10
3	A1	1530	G	C5-C6-N1	5.83	114.42	111.50
25	BB	142	A	C1'-O4'-C4'	5.83	114.56	109.90
25	BB	1171	G	C6-C5-N7	5.83	133.90	130.40
25	BB	1277	G	C4'-C3'-C2'	-5.83	96.77	102.60
25	BB	1341	G	N3-C2-N2	-5.83	115.82	119.90
25	BB	1394	U	C4'-C3'-C2'	-5.83	96.77	102.60
1	AE	34	G	C4-C5-C6	-5.83	115.30	118.80
3	A1	566	G	C4-C5-N7	-5.83	108.47	110.80
3	A1	1326	U	O5'-P-OP1	-5.83	100.45	105.70
25	BB	67	U	C4'-C3'-C2'	-5.83	96.77	102.60
25	BB	579	G	C5-C6-N1	5.83	114.41	111.50
25	BB	665	U	C4-C5-C6	5.83	123.20	119.70
25	BB	712	G	N3-C4-N9	5.83	129.50	126.00
25	BB	2119	A	C6-C5-N7	5.83	136.38	132.30
25	BB	2377	A	C1'-O4'-C4'	-5.83	105.24	109.90
25	BB	2601	C	N1-C2-N3	5.83	123.28	119.20
2	AM	5	U	P-O3'-C3'	5.83	126.69	119.70
3	A1	108	G	C5-C6-O6	5.83	132.10	128.60
3	A1	228	A	C6-C5-N7	5.83	136.38	132.30
25	BB	81	G	N1-C2-N3	5.83	127.40	123.90
25	BB	636	G	C6-C5-N7	5.83	133.90	130.40
25	BB	864	G	C5-N7-C8	-5.83	101.39	104.30
25	BB	1882	U	C2-N3-C4	-5.83	123.50	127.00
1	AE	22	G	O4'-C1'-N9	5.83	112.86	108.20
3	A1	649	A	C2'-C3'-O3'	5.83	123.02	113.70
3	A1	759	A	N1-C2-N3	-5.83	126.39	129.30
25	BB	177	G	C5'-C4'-C3'	-5.83	106.68	116.00
25	BB	216	A	C3'-C2'-C1'	5.83	106.16	101.50
25	BB	262	A	C5'-C4'-O4'	5.83	116.09	109.10
25	BB	549	G	N9-C4-C5	5.83	107.73	105.40
25	BB	556	A	C2-N3-C4	5.83	113.51	110.60
25	BB	755	U	O4'-C1'-N1	5.83	112.86	108.20
25	BB	1064	C	N3-C2-O2	-5.83	117.82	121.90
25	BB	1331	G	C4'-C3'-C2'	-5.83	96.77	102.60
25	BB	1731	G	N1-C6-O6	-5.83	116.40	119.90
25	BB	2100	G	C5-C6-N1	5.83	114.41	111.50
25	BB	2502	G	C4'-C3'-C2'	-5.83	96.78	102.60
25	BB	2648	G	C4-C5-C6	-5.83	115.30	118.80
25	BB	2896	C	N3-C2-O2	-5.83	117.82	121.90
3	A1	34	C	C5'-C4'-O4'	5.82	116.09	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	158	G	C4-C5-N7	-5.82	108.47	110.80
3	A1	521	G	C5-C6-N1	5.82	114.41	111.50
3	A1	626	G	O4'-C1'-N9	5.82	112.86	108.20
3	A1	1019	A	C4'-C3'-C2'	-5.82	96.78	102.60
3	A1	1146	A	C2-N3-C4	5.82	113.51	110.60
3	A1	1253	G	O5'-P-OP2	-5.82	100.46	105.70
3	A1	1516	G	O4'-C1'-N9	5.82	112.86	108.20
25	BB	674	G	N3-C2-N2	-5.82	115.82	119.90
25	BB	854	C	N3-C2-O2	-5.82	117.82	121.90
25	BB	868	U	C4-C5-C6	5.82	123.19	119.70
25	BB	891	G	O4'-C1'-N9	5.82	112.86	108.20
25	BB	2267	A	C6-N1-C2	-5.82	115.11	118.60
25	BB	2744	G	C5-N7-C8	-5.82	101.39	104.30
3	A1	583	A	N9-C4-C5	5.82	108.13	105.80
3	A1	816	A	C5-C6-N6	5.82	128.36	123.70
3	A1	1027	C	O4'-C1'-N1	5.82	112.86	108.20
25	BB	660	C	C5-C4-N4	5.82	124.28	120.20
25	BB	2003	A	C1'-O4'-C4'	-5.82	105.24	109.90
25	BB	2054	A	C6-C5-N7	5.82	136.38	132.30
1	AA	45	G	C2-N3-C4	5.82	114.81	111.90
3	A1	25	C	N3-C4-C5	5.82	124.23	121.90
3	A1	851	G	N9-C4-C5	5.82	107.73	105.40
3	A1	1360	A	N1-C2-N3	-5.82	126.39	129.30
25	BB	110	G	N3-C4-N9	5.82	129.49	126.00
25	BB	375	G	C6-N1-C2	-5.82	121.61	125.10
25	BB	538	A	C4'-C3'-C2'	-5.82	96.78	102.60
25	BB	1273	U	N1-C2-N3	5.82	118.39	114.90
25	BB	1321	A	C3'-C2'-C1'	-5.82	96.84	101.50
25	BB	1426	G	O4'-C1'-C2'	5.82	112.84	107.60
25	BB	1799	G	C5-C6-N1	5.82	114.41	111.50
25	BB	1972	G	C5'-C4'-O4'	5.82	116.08	109.10
25	BB	2050	C	N3-C4-N4	-5.82	113.92	118.00
25	BB	2378	A	C4-C5-C6	-5.82	114.09	117.00
25	BB	2508	G	C3'-C2'-C1'	-5.82	96.84	101.50
25	BB	2524	G	C5-N7-C8	-5.82	101.39	104.30
25	BB	2842	G	C5'-C4'-O4'	5.82	116.08	109.10
3	A1	354	G	C1'-O4'-C4'	-5.82	105.25	109.90
3	A1	416	G	C4'-C3'-C2'	-5.82	96.78	102.60
25	BB	84	A	C6-N1-C2	-5.82	115.11	118.60
25	BB	449	A	C6-C5-N7	5.82	136.37	132.30
25	BB	636	G	O4'-C4'-C3'	5.82	110.75	106.10
25	BB	705	A	C6-C5-N7	5.82	136.37	132.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	841	G	N3-C4-C5	-5.82	125.69	128.60
25	BB	1700	A	C6-N1-C2	-5.82	115.11	118.60
25	BB	1839	G	N3-C4-N9	5.82	129.49	126.00
1	AP	8	U	O4'-C1'-N1	5.82	112.85	108.20
1	AE	46	G	O4'-C1'-C2'	-5.82	99.98	105.80
3	A1	159	G	C6-C5-N7	5.82	133.89	130.40
3	A1	673	A	C6-C5-N7	5.82	136.37	132.30
3	A1	757	U	O4'-C4'-C3'	5.82	110.75	106.10
3	A1	1050	G	N3-C4-C5	-5.82	125.69	128.60
3	A1	1058	G	C1'-O4'-C4'	-5.82	105.25	109.90
3	A1	1158	C	C3'-C2'-C1'	-5.82	96.85	101.50
3	A1	1205	U	N3-C2-O2	-5.82	118.13	122.20
3	A1	1413	A	C4'-C3'-C2'	-5.82	96.78	102.60
3	A1	1441	A	C8-N9-C4	5.82	108.13	105.80
25	BB	144	A	C6-C5-N7	5.82	136.37	132.30
25	BB	891	G	C4-C5-N7	-5.82	108.47	110.80
25	BB	1400	U	P-O5'-C5'	5.82	130.21	120.90
25	BB	1443	U	C3'-C2'-C1'	5.82	106.15	101.50
25	BB	1574	C	C4'-C3'-C2'	-5.82	96.78	102.60
25	BB	1584	U	C3'-C2'-C1'	5.82	106.15	101.50
25	BB	1709	U	N1-C1'-C2'	5.82	121.56	114.00
25	BB	1759	A	O4'-C1'-N9	5.82	112.85	108.20
25	BB	1814	G	C4-C5-N7	5.82	113.13	110.80
25	BB	2069	G	C5'-C4'-O4'	5.82	116.08	109.10
25	BB	2642	G	C2-N3-C4	5.82	114.81	111.90
3	A1	320	A	N1-C2-N3	-5.82	126.39	129.30
3	A1	542	G	C5-C6-O6	5.82	132.09	128.60
3	A1	844	G	C5-N7-C8	-5.82	101.39	104.30
3	A1	858	G	C3'-C2'-C1'	5.82	106.15	101.50
3	A1	946	A	N1-C2-N3	-5.82	126.39	129.30
3	A1	1104	G	O4'-C1'-N9	5.82	112.85	108.20
3	A1	1161	C	N3-C4-N4	-5.82	113.93	118.00
3	A1	1305	G	O4'-C4'-C3'	5.82	110.75	106.10
24	BA	82	U	N3-C2-O2	-5.82	118.13	122.20
25	BB	474	G	O4'-C1'-N9	5.82	112.85	108.20
25	BB	485	C	C4-C5-C6	5.82	120.31	117.40
25	BB	869	G	N3-C4-N9	-5.82	122.51	126.00
25	BB	914	G	C5'-C4'-O4'	5.82	116.08	109.10
25	BB	1220	G	C5-C6-N1	5.82	114.41	111.50
25	BB	1282	U	C5-C6-N1	-5.82	119.79	122.70
25	BB	1479	G	N3-C2-N2	-5.82	115.83	119.90
25	BB	1713	A	P-O3'-C3'	-5.82	112.72	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1771	C	O4'-C1'-C2'	-5.82	99.98	105.80
25	BB	1906	G	C4-C5-N7	5.82	113.13	110.80
25	BB	2063	C	O4'-C1'-N1	5.82	112.85	108.20
25	BB	2209	G	C2-N3-C4	5.82	114.81	111.90
25	BB	2491	U	N1-C2-N3	5.82	118.39	114.90
25	BB	2585	U	C5-C6-N1	-5.82	119.79	122.70
25	BB	2754	U	C5-C6-N1	-5.82	119.79	122.70
25	BB	2855	C	C5-C4-N4	-5.82	116.13	120.20
1	AA	4	G	N1-C2-N2	-5.81	110.97	116.20
1	AE	26	G	C8-N9-C4	-5.81	104.08	106.40
3	A1	105	G	C3'-C2'-C1'	-5.81	96.85	101.50
3	A1	551	U	N1-C2-N3	5.81	118.39	114.90
3	A1	916	U	O4'-C4'-C3'	5.81	110.75	106.10
3	A1	1042	A	N1-C2-N3	-5.81	126.39	129.30
3	A1	1315	U	C4-C5-C6	5.81	123.19	119.70
24	BA	90	C	N3-C4-C5	5.81	124.23	121.90
25	BB	1877	A	C5'-C4'-O4'	5.81	116.08	109.10
25	BB	2535	G	C4-C5-C6	-5.81	115.31	118.80
3	A1	132	C	N1-C2-N3	5.81	123.27	119.20
3	A1	142	G	C5-C6-N1	5.81	114.41	111.50
3	A1	267	C	N1-C2-O2	5.81	122.39	118.90
3	A1	431	A	C4'-C3'-C2'	-5.81	96.79	102.60
3	A1	615	G	C4-C5-N7	-5.81	108.47	110.80
3	A1	1208	C	N1-C2-O2	5.81	122.39	118.90
25	BB	19	A	C5-C6-N6	5.81	128.35	123.70
25	BB	83	A	C1'-O4'-C4'	-5.81	105.25	109.90
25	BB	207	A	P-O3'-C3'	5.81	126.67	119.70
25	BB	350	G	C4-C5-N7	-5.81	108.47	110.80
25	BB	413	C	N1-C2-O2	5.81	122.39	118.90
25	BB	801	G	O4'-C1'-N9	5.81	112.85	108.20
25	BB	971	G	P-O3'-C3'	5.81	126.67	119.70
25	BB	1735	A	C8-N9-C4	-5.81	103.47	105.80
25	BB	2012	G	C5'-C4'-O4'	-5.81	102.12	109.10
25	BB	2236	U	N1-C2-N3	5.81	118.39	114.90
25	BB	2454	G	C5'-C4'-O4'	5.81	116.08	109.10
25	BB	2462	C	N1-C1'-C2'	5.81	121.56	114.00
1	AA	8	U	O4'-C1'-N1	5.81	112.85	108.20
3	A1	975	A	C6-C5-N7	5.81	136.37	132.30
3	A1	1370	G	C6-N1-C2	-5.81	121.61	125.10
25	BB	738	G	C2-N3-C4	5.81	114.81	111.90
25	BB	775	G	N9-C4-C5	5.81	107.72	105.40
25	BB	1248	G	C5-C6-N1	5.81	114.41	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1479	G	C4-C5-C6	-5.81	115.31	118.80
25	BB	1639	C	N3-C2-O2	-5.81	117.83	121.90
25	BB	1998	A	C2-N3-C4	5.81	113.51	110.60
25	BB	2030	A	O4'-C1'-N9	5.81	112.85	108.20
3	A1	105	G	C5-C6-O6	5.81	132.09	128.60
3	A1	262	A	C5'-C4'-O4'	5.81	116.07	109.10
3	A1	296	U	C4-C5-C6	5.81	123.19	119.70
3	A1	451	A	O4'-C1'-N9	5.81	112.85	108.20
3	A1	823	C	N3-C2-O2	-5.81	117.83	121.90
3	A1	895	G	N1-C6-O6	-5.81	116.41	119.90
3	A1	906	A	C5'-C4'-C3'	-5.81	106.70	116.00
3	A1	1049	U	C2-N3-C4	-5.81	123.51	127.00
3	A1	1107	C	C1'-O4'-C4'	-5.81	105.25	109.90
3	A1	1229	A	C4-C5-C6	-5.81	114.09	117.00
25	BB	250	G	O4'-C1'-N9	5.81	112.85	108.20
25	BB	572	A	N9-C4-C5	-5.81	103.48	105.80
25	BB	1351	C	C3'-C2'-C1'	5.81	106.15	101.50
25	BB	1469	A	C8-N9-C4	-5.81	103.48	105.80
25	BB	2168	G	O4'-C4'-C3'	5.81	110.75	106.10
25	BB	2202	U	P-O3'-C3'	5.81	126.67	119.70
25	BB	2538	C	N1-C2-O2	5.81	122.39	118.90
1	AE	40	C	C4'-C3'-C2'	-5.81	96.79	102.60
3	A1	12	U	C5-C6-N1	-5.81	119.80	122.70
3	A1	57	G	N1-C6-O6	-5.81	116.42	119.90
3	A1	339	C	C5-C6-N1	-5.81	118.10	121.00
3	A1	487	A	N7-C8-N9	5.81	116.70	113.80
3	A1	1319	A	C1'-O4'-C4'	-5.81	105.25	109.90
3	A1	1490	U	N3-C4-O4	5.81	123.47	119.40
3	A1	1532	U	O5'-P-OP1	-5.81	100.47	105.70
24	BA	16	G	C3'-C2'-C1'	5.81	106.15	101.50
25	BB	516	C	O4'-C4'-C3'	5.81	110.75	106.10
25	BB	574	A	C5'-C4'-O4'	5.81	116.07	109.10
25	BB	574	A	C5-N7-C8	-5.81	101.00	103.90
25	BB	589	U	C5-C6-N1	-5.81	119.80	122.70
25	BB	697	G	C6-C5-N7	5.81	133.88	130.40
25	BB	1428	C	C4'-C3'-C2'	-5.81	96.79	102.60
25	BB	2281	A	N7-C8-N9	-5.81	110.90	113.80
25	BB	2871	U	C5-C6-N1	-5.81	119.80	122.70
25	BB	2877	G	N3-C2-N2	-5.81	115.83	119.90
37	BN	228	ASP	CB-CG-OD2	5.81	123.53	118.30
3	A1	375	U	O5'-C5'-C4'	-5.81	100.67	111.70
3	A1	565	U	C5-C6-N1	-5.81	119.80	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2024	G	N7-C8-N9	5.81	116.00	113.10
25	BB	2604	U	C5'-C4'-O4'	5.81	116.07	109.10
1	AA	36	A	C2-N3-C4	5.80	113.50	110.60
3	A1	115	G	N1-C2-N3	5.80	127.38	123.90
3	A1	973	G	N3-C4-N9	5.80	129.48	126.00
3	A1	1373	G	C6-C5-N7	5.80	133.88	130.40
25	BB	16	C	N1-C1'-C2'	5.80	121.55	114.00
25	BB	50	U	N3-C4-C5	5.80	118.08	114.60
25	BB	1014	A	C4-C5-C6	-5.80	114.10	117.00
25	BB	1541	C	N3-C4-N4	-5.80	113.94	118.00
25	BB	1852	U	C5'-C4'-C3'	-5.80	106.71	116.00
25	BB	1986	C	C1'-O4'-C4'	-5.80	105.26	109.90
25	BB	2379	G	C3'-C2'-C1'	-5.80	96.86	101.50
25	BB	2715	C	N1-C2-O2	5.80	122.38	118.90
3	A1	9	G	C6-N1-C2	-5.80	121.62	125.10
3	A1	81	A	C6-N1-C2	-5.80	115.12	118.60
17	AR	43	ARG	NH1-CZ-NH2	-5.80	113.02	119.40
25	BB	1732	C	N1-C2-N3	5.80	123.26	119.20
1	AP	9	A	C6-N1-C2	-5.80	115.12	118.60
1	AE	51	G	C1'-O4'-C4'	-5.80	105.26	109.90
3	A1	211	G	N1-C6-O6	-5.80	116.42	119.90
3	A1	1046	A	C4'-C3'-C2'	-5.80	96.80	102.60
3	A1	1530	G	C5-C6-O6	5.80	132.08	128.60
19	AT	98	GLU	OE1-CD-OE2	-5.80	116.34	123.30
25	BB	22	C	C5-C6-N1	-5.80	118.10	121.00
25	BB	124	G	O4'-C1'-N9	5.80	112.84	108.20
25	BB	151	C	N3-C4-N4	-5.80	113.94	118.00
25	BB	244	A	O4'-C1'-N9	5.80	112.84	108.20
25	BB	1704	C	N3-C4-N4	-5.80	113.94	118.00
25	BB	1918	A	C5'-C4'-O4'	5.80	116.06	109.10
25	BB	2069	G	C4-C5-C6	-5.80	115.32	118.80
25	BB	2295	C	C3'-C2'-C1'	5.80	106.14	101.50
3	A1	202	G	C5-C6-N1	5.80	114.40	111.50
3	A1	1035	A	C5-C6-N6	5.80	128.34	123.70
25	BB	1	G	N1-C6-O6	-5.80	116.42	119.90
25	BB	271	G	C6-C5-N7	5.80	133.88	130.40
25	BB	277	G	N3-C2-N2	-5.80	115.84	119.90
25	BB	703	U	C4-C5-C6	5.80	123.18	119.70
25	BB	836	G	C4'-C3'-C2'	-5.80	96.80	102.60
25	BB	1915	U	N3-C4-C5	-5.80	111.12	114.60
25	BB	1926	U	C4-C5-C6	5.80	123.18	119.70
25	BB	2372	U	C1'-O4'-C4'	-5.80	105.26	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2500	U	C1'-O4'-C4'	-5.80	105.26	109.90
25	BB	2532	G	O4'-C4'-C3'	-5.80	98.20	104.00
25	BB	2652	C	C3'-C2'-C1'	5.80	106.14	101.50
25	BB	2785	C	C4-C5-C6	-5.80	114.50	117.40
25	BB	2799	A	C8-N9-C4	5.80	108.12	105.80
25	BB	2820	A	N1-C2-N3	-5.80	126.40	129.30
25	BB	2845	U	N3-C2-O2	-5.80	118.14	122.20
50	B1	61	ARG	CD-NE-CZ	5.80	131.72	123.60
3	A1	515	G	C5-C6-N1	5.80	114.40	111.50
3	A1	1084	G	C5-C6-O6	5.80	132.08	128.60
3	A1	1238	A	C6-C5-N7	5.80	136.36	132.30
3	A1	1407	C	N3-C2-O2	-5.80	117.84	121.90
25	BB	1420	A	C5-N7-C8	-5.80	101.00	103.90
25	BB	1677	A	C5'-C4'-O4'	5.80	116.06	109.10
25	BB	2050	C	C5-C6-N1	-5.80	118.10	121.00
25	BB	2424	C	C2-N3-C4	-5.80	117.00	119.90
3	A1	87	C	C5-C4-N4	-5.80	116.14	120.20
3	A1	357	G	C3'-C2'-C1'	5.80	106.14	101.50
3	A1	509	A	C2-N3-C4	5.80	113.50	110.60
3	A1	750	C	C5-C6-N1	-5.80	118.10	121.00
3	A1	890	G	C6-C5-N7	5.80	133.88	130.40
3	A1	957	U	C4'-C3'-C2'	-5.80	96.80	102.60
3	A1	1505	G	C6-C5-N7	5.80	133.88	130.40
25	BB	319	G	N3-C2-N2	-5.80	115.84	119.90
25	BB	593	U	O3'-P-O5'	-5.80	92.99	104.00
25	BB	629	G	C8-N9-C4	-5.80	104.08	106.40
25	BB	640	C	C3'-C2'-C1'	5.80	106.14	101.50
25	BB	762	U	P-O3'-C3'	5.80	126.66	119.70
25	BB	1428	C	O4'-C4'-C3'	5.80	110.74	106.10
25	BB	1632	A	C3'-C2'-C1'	5.80	106.14	101.50
25	BB	1969	A	C3'-C2'-C1'	5.80	106.14	101.50
25	BB	2319	G	N9-C1'-C2'	-5.80	105.62	112.00
25	BB	2734	A	C5-C6-N6	5.80	128.34	123.70
1	AE	65	G	N9-C4-C5	5.79	107.72	105.40
3	A1	724	G	C2-N3-C4	-5.79	109.00	111.90
3	A1	1133	G	N3-C4-C5	-5.79	125.70	128.60
3	A1	1441	A	C4-C5-N7	5.79	113.60	110.70
6	AD	88	ASP	OD1-CG-OD2	-5.79	112.29	123.30
25	BB	105	C	C5-C4-N4	-5.79	116.14	120.20
25	BB	443	A	C5-N7-C8	-5.79	101.00	103.90
25	BB	810	U	C5'-C4'-O4'	5.79	116.05	109.10
3	A1	490	C	N3-C4-N4	-5.79	113.94	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	597	G	N1-C2-N2	5.79	121.42	116.20
3	A1	1110	A	C8-N9-C4	-5.79	103.48	105.80
3	A1	1184	G	N1-C6-O6	-5.79	116.42	119.90
3	A1	1282	C	C3'-C2'-C1'	5.79	106.14	101.50
4	AB	87	ASP	CB-CG-OD1	5.79	123.51	118.30
25	BB	247	G	C5-C6-O6	5.79	132.08	128.60
25	BB	518	G	N1-C6-O6	-5.79	116.42	119.90
25	BB	539	G	N7-C8-N9	5.79	116.00	113.10
25	BB	543	G	C5-C6-N1	5.79	114.40	111.50
25	BB	809	G	N1-C2-N3	5.79	127.38	123.90
25	BB	840	C	C2-N3-C4	-5.79	117.00	119.90
25	BB	1468	U	N3-C4-O4	-5.79	115.34	119.40
25	BB	1617	C	C2'-C3'-O3'	5.79	122.97	113.70
25	BB	1653	G	C5-C6-N1	5.79	114.40	111.50
25	BB	1662	U	C5'-C4'-O4'	5.79	116.05	109.10
25	BB	1667	G	C6-C5-N7	5.79	133.88	130.40
25	BB	2146	C	N3-C4-N4	-5.79	113.94	118.00
25	BB	2218	G	C5-C6-N1	5.79	114.40	111.50
25	BB	2483	C	C6-N1-C2	-5.79	117.98	120.30
3	A1	122	G	C3'-C2'-C1'	5.79	106.13	101.50
3	A1	220	G	C4-C5-N7	5.79	113.12	110.80
3	A1	322	C	C2-N3-C4	-5.79	117.00	119.90
3	A1	359	G	C5'-C4'-C3'	-5.79	106.73	116.00
25	BB	180	G	C5'-C4'-C3'	-5.79	106.73	116.00
25	BB	279	A	N1-C2-N3	-5.79	126.40	129.30
25	BB	453	A	C5-C6-N6	5.79	128.33	123.70
25	BB	821	A	C5'-C4'-C3'	-5.79	106.73	116.00
25	BB	920	A	C6-C5-N7	5.79	136.35	132.30
25	BB	1173	U	N3-C2-O2	-5.79	118.14	122.20
25	BB	2334	U	C4-C5-C6	5.79	123.17	119.70
25	BB	2470	G	C8-N9-C4	-5.79	104.08	106.40
25	BB	2670	A	C5'-C4'-O4'	5.79	116.05	109.10
25	BB	2735	G	N7-C8-N9	5.79	116.00	113.10
27	BD	98	ARG	NE-CZ-NH1	5.79	123.19	120.30
49	BZ	179	LEU	CB-CG-CD1	5.79	120.84	111.00
3	A1	1046	A	O3'-P-O5'	-5.79	93.00	104.00
3	A1	1098	C	O4'-C1'-N1	5.79	112.83	108.20
25	BB	92	U	C1'-O4'-C4'	-5.79	105.27	109.90
25	BB	423	A	C5'-C4'-C3'	-5.79	106.74	116.00
25	BB	452	G	C5-C6-O6	5.79	132.07	128.60
25	BB	646	U	C4-C5-C6	5.79	123.17	119.70
3	A1	333	U	N1-C2-N3	5.79	118.37	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	517	G	C1'-O4'-C4'	-5.79	105.27	109.90
3	A1	700	G	C5-C6-O6	-5.79	125.13	128.60
3	A1	991	U	C4-C5-C6	5.79	123.17	119.70
3	A1	1082	A	C2-N3-C4	5.79	113.49	110.60
22	AW	118	ARG	NE-CZ-NH1	5.79	123.19	120.30
25	BB	242	G	N1-C2-N3	5.79	127.37	123.90
25	BB	328	U	OP2-P-O3'	5.79	117.94	105.20
25	BB	914	G	N7-C8-N9	5.79	115.99	113.10
25	BB	1407	G	N1-C2-N3	5.79	127.37	123.90
25	BB	1729	U	C2-N3-C4	-5.79	123.53	127.00
25	BB	2097	A	OP1-P-OP2	-5.79	110.92	119.60
25	BB	2100	G	C6-C5-N7	5.79	133.87	130.40
25	BB	2557	G	C5-N7-C8	-5.79	101.41	104.30
43	BT	5	ASN	C-N-CA	5.79	136.17	121.70
1	AE	43	G	N1-C6-O6	-5.79	116.43	119.90
3	A1	214	C	C2-N3-C4	-5.79	117.01	119.90
3	A1	319	G	C4-C5-C6	-5.79	115.33	118.80
3	A1	747	A	C2-N3-C4	5.79	113.49	110.60
3	A1	1178	G	C8-N9-C4	-5.79	104.08	106.40
3	A1	1191	A	N9-C4-C5	5.79	108.11	105.80
25	BB	738	G	C4'-C3'-C2'	-5.79	96.81	102.60
25	BB	828	U	O3'-P-O5'	5.79	115.00	104.00
25	BB	1993	U	C5'-C4'-O4'	5.79	116.04	109.10
25	BB	2183	A	C3'-C2'-C1'	-5.79	96.87	101.50
25	BB	2469	A	N1-C2-N3	-5.79	126.41	129.30
3	A1	345	C	O4'-C1'-N1	5.79	112.83	108.20
3	A1	631	C	C4'-C3'-C2'	-5.79	96.81	102.60
3	A1	1083	U	C3'-C2'-C1'	5.79	106.13	101.50
25	BB	125	A	P-O3'-C3'	5.79	126.64	119.70
25	BB	171	U	C5-C4-O4	-5.79	122.43	125.90
25	BB	688	U	O4'-C1'-N1	5.79	112.83	108.20
25	BB	1878	G	C5-C6-N1	5.79	114.39	111.50
25	BB	2191	A	C4-C5-C6	-5.79	114.11	117.00
25	BB	2208	C	N3-C4-N4	-5.79	113.95	118.00
25	BB	2412	A	C5'-C4'-C3'	-5.79	106.74	116.00
25	BB	2565	A	C5-C6-N6	5.79	128.33	123.70
25	BB	2578	G	N9-C1'-C2'	5.79	121.52	114.00
25	BB	2638	G	C5'-C4'-C3'	-5.79	106.75	116.00
25	BB	2850	A	N9-C1'-C2'	-5.79	105.64	112.00
1	AA	13	C	C5-C6-N1	-5.78	118.11	121.00
1	AP	36	A	C8-N9-C4	5.78	108.11	105.80
3	A1	260	G	C4-C5-C6	-5.78	115.33	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	406	G	C8-N9-C4	-5.78	104.09	106.40
3	A1	542	G	C1'-O4'-C4'	-5.78	105.27	109.90
3	A1	750	C	N1-C2-O2	5.78	122.37	118.90
3	A1	1295	U	C5-C6-N1	-5.78	119.81	122.70
3	A1	1431	A	C5-C6-N1	5.78	120.59	117.70
25	BB	1008	A	C5-C6-N6	5.78	128.33	123.70
25	BB	1285	A	N7-C8-N9	5.78	116.69	113.80
25	BB	1322	A	O4'-C1'-C2'	-5.78	100.02	105.80
25	BB	1419	A	C5'-C4'-C3'	-5.78	106.75	116.00
25	BB	1644	C	N1-C1'-C2'	5.78	121.52	114.00
25	BB	1669	A	O5'-P-OP2	-5.78	100.49	105.70
25	BB	1835	G	O4'-C1'-N9	5.78	112.83	108.20
25	BB	2497	A	C6-C5-N7	5.78	136.35	132.30
25	BB	2552	U	N1-C2-N3	5.78	118.37	114.90
25	BB	2626	C	C4'-C3'-O3'	5.78	124.57	113.00
25	BB	2714	G	N7-C8-N9	5.78	115.99	113.10
38	BO	58	VAL	CA-CB-CG2	5.78	119.58	110.90
40	BQ	7	ARG	CD-NE-CZ	5.78	131.70	123.60
50	B1	74	LYS	C-N-CA	5.78	136.16	121.70
3	A1	566	G	C8-N9-C4	-5.78	104.09	106.40
25	BB	2164	C	C4'-C3'-C2'	-5.78	96.82	102.60
25	BB	2621	G	C6-N1-C2	-5.78	121.63	125.10
3	A1	519	C	N1-C1'-C2'	5.78	121.51	114.00
3	A1	1335	U	C5'-C4'-O4'	5.78	116.04	109.10
25	BB	775	G	C1'-O4'-C4'	-5.78	105.28	109.90
25	BB	1115	G	C5'-C4'-C3'	-5.78	106.75	116.00
25	BB	1208	C	N1-C2-N3	5.78	123.25	119.20
25	BB	1230	A	C2-N3-C4	5.78	113.49	110.60
25	BB	1715	G	O4'-C4'-C3'	5.78	110.72	106.10
25	BB	2001	C	N3-C4-C5	5.78	124.21	121.90
25	BB	2084	C	C5-C6-N1	-5.78	118.11	121.00
25	BB	2118	U	N3-C4-O4	5.78	123.45	119.40
25	BB	2474	U	C1'-O4'-C4'	5.78	114.52	109.90
25	BB	2793	C	N3-C4-N4	-5.78	113.95	118.00
1	AA	67	A	N1-C6-N6	-5.78	115.13	118.60
3	A1	18	C	O4'-C1'-N1	5.78	112.82	108.20
3	A1	205	A	C5-C6-N6	5.78	128.32	123.70
3	A1	1269	A	C6-C5-N7	5.78	136.34	132.30
25	BB	282	A	C8-N9-C4	-5.78	103.49	105.80
25	BB	1332	G	C2-N3-C4	5.78	114.79	111.90
25	BB	1587	G	N7-C8-N9	5.78	115.99	113.10
25	BB	1669	A	O4'-C4'-C3'	5.78	110.72	106.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2459	A	C5-C6-N6	5.78	128.32	123.70
3	A1	27	G	C4-C5-N7	-5.78	108.49	110.80
3	A1	425	G	O4'-C1'-N9	-5.78	103.58	108.20
3	A1	548	G	C3'-C2'-C1'	-5.78	96.88	101.50
3	A1	567	G	C6-C5-N7	5.78	133.87	130.40
3	A1	579	A	C5'-C4'-O4'	-5.78	102.17	109.10
3	A1	667	G	N3-C4-C5	-5.78	125.71	128.60
3	A1	725	G	C5-C6-N1	5.78	114.39	111.50
3	A1	849	G	C5'-C4'-O4'	5.78	116.03	109.10
3	A1	1179	A	N3-C4-N9	-5.78	122.78	127.40
3	A1	1438	G	N9-C4-C5	5.78	107.71	105.40
25	BB	349	U	C5-C6-N1	-5.78	119.81	122.70
25	BB	375	G	N1-C6-O6	-5.78	116.43	119.90
25	BB	1139	G	C5-N7-C8	-5.78	101.41	104.30
25	BB	2032	G	O4'-C4'-C3'	5.78	110.72	106.10
25	BB	2056	G	N3-C4-C5	-5.78	125.71	128.60
25	BB	2201	G	N3-C2-N2	-5.78	115.86	119.90
25	BB	2438	U	O4'-C1'-C2'	-5.78	100.02	105.80
25	BB	2757	A	C1'-O4'-C4'	-5.78	105.28	109.90
25	BB	2763	G	C8-N9-C4	-5.78	104.09	106.40
25	BB	2869	G	C5-C6-N1	5.78	114.39	111.50
1	AE	2	C	C3'-C2'-C1'	-5.78	96.88	101.50
3	A1	118	U	C2-N3-C4	-5.78	123.53	127.00
3	A1	318	G	C5-C6-N1	5.78	114.39	111.50
3	A1	444	G	O4'-C1'-N9	5.78	112.82	108.20
3	A1	570	G	C5'-C4'-C3'	-5.78	106.76	116.00
3	A1	870	U	C1'-O4'-C4'	-5.78	105.28	109.90
3	A1	914	A	N9-C1'-C2'	5.78	121.51	114.00
3	A1	1070	U	C5-C6-N1	-5.78	119.81	122.70
3	A1	1269	A	N9-C4-C5	5.78	108.11	105.80
3	A1	1462	C	C5'-C4'-C3'	-5.78	106.76	116.00
8	AG	8	ARG	NE-CZ-NH2	-5.78	117.41	120.30
24	BA	37	C	O4'-C1'-N1	5.78	112.82	108.20
25	BB	442	G	O4'-C4'-C3'	5.78	110.72	106.10
25	BB	627	A	C4-C5-C6	-5.78	114.11	117.00
25	BB	627	A	C6-C5-N7	5.78	136.34	132.30
25	BB	1333	G	N3-C2-N2	-5.78	115.86	119.90
25	BB	1698	A	O4'-C1'-N9	5.78	112.82	108.20
25	BB	1837	C	N1-C2-O2	5.78	122.37	118.90
25	BB	1867	G	O4'-C1'-N9	5.78	112.82	108.20
25	BB	2097	A	C4-C5-N7	5.78	113.59	110.70
1	AA	21	A	C5-N7-C8	-5.77	101.01	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	25	C	P-O3'-C3'	5.77	126.63	119.70
3	A1	332	G	C2-N3-C4	-5.77	109.01	111.90
3	A1	385	C	C5-C4-N4	-5.77	116.16	120.20
3	A1	534	U	O4'-C1'-N1	5.77	112.82	108.20
3	A1	1127	G	C8-N9-C4	-5.77	104.09	106.40
25	BB	226	A	C6-C5-N7	5.77	136.34	132.30
25	BB	445	C	N1-C2-N3	5.77	123.24	119.20
25	BB	634	C	C4'-C3'-C2'	-5.77	96.83	102.60
25	BB	1184	U	C4'-C3'-C2'	-5.77	96.83	102.60
25	BB	1196	C	C5-C4-N4	5.77	124.24	120.20
25	BB	1262	A	C5-C6-N6	5.77	128.32	123.70
25	BB	1955	U	N1-C2-N3	5.77	118.36	114.90
25	BB	2023	C	C3'-C2'-C1'	-5.77	96.88	101.50
25	BB	2552	U	O4'-C1'-C2'	-5.77	100.03	105.80
25	BB	2859	G	C3'-C2'-C1'	5.77	106.12	101.50
3	A1	290	C	C2-N3-C4	-5.77	117.01	119.90
3	A1	671	G	N3-C2-N2	-5.77	115.86	119.90
3	A1	1416	G	N1-C6-O6	-5.77	116.44	119.90
21	AV	76	ARG	NE-CZ-NH1	-5.77	117.41	120.30
25	BB	741	U	N3-C2-O2	-5.77	118.16	122.20
25	BB	818	G	C6-N1-C2	-5.77	121.64	125.10
25	BB	1040	A	O4'-C1'-N9	5.77	112.82	108.20
25	BB	1094	U	O3'-P-O5'	5.77	114.97	104.00
25	BB	1221	C	P-O3'-C3'	5.77	126.63	119.70
25	BB	1369	G	C5-C6-O6	5.77	132.06	128.60
25	BB	1455	G	N1-C6-O6	-5.77	116.44	119.90
25	BB	1632	A	N9-C1'-C2'	-5.77	105.65	112.00
25	BB	1673	G	C1'-O4'-C4'	-5.77	105.28	109.90
25	BB	1730	C	C5-C6-N1	-5.77	118.11	121.00
25	BB	2024	G	C4'-C3'-C2'	-5.77	96.83	102.60
25	BB	2581	G	N3-C4-C5	-5.77	125.71	128.60
25	BB	2719	G	N9-C4-C5	5.77	107.71	105.40
3	A1	298	A	C8-N9-C4	-5.77	103.49	105.80
24	BA	16	G	C4'-C3'-C2'	-5.77	96.83	102.60
24	BA	49	C	N1-C2-O2	5.77	122.36	118.90
25	BB	517	C	O4'-C1'-N1	5.77	112.82	108.20
25	BB	637	A	C6-C5-N7	5.77	136.34	132.30
25	BB	1095	A	C4'-C3'-C2'	-5.77	96.83	102.60
25	BB	1203	U	P-O3'-C3'	5.77	126.62	119.70
25	BB	2453	A	C2-N3-C4	5.77	113.48	110.60
1	AA	25	C	C1'-O4'-C4'	-5.77	105.28	109.90
3	A1	338	A	O4'-C1'-N9	5.77	112.81	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	841	C	N1-C2-O2	5.77	122.36	118.90
3	A1	1068	G	N1-C2-N2	-5.77	111.01	116.20
3	A1	1309	G	C5'-C4'-C3'	-5.77	106.77	116.00
4	AB	62	ARG	CB-CA-C	5.77	121.94	110.40
8	AG	32	ASP	CB-CG-OD2	5.77	123.49	118.30
24	BA	21	G	N3-C2-N2	-5.77	115.86	119.90
25	BB	260	G	N1-C2-N3	5.77	127.36	123.90
25	BB	266	G	N3-C4-C5	-5.77	125.72	128.60
25	BB	301	G	C5-C6-N1	5.77	114.39	111.50
25	BB	658	U	C4-C5-C6	5.77	123.16	119.70
25	BB	789	A	C2-N3-C4	5.77	113.48	110.60
25	BB	1387	A	C6-N1-C2	-5.77	115.14	118.60
25	BB	1429	G	C5'-C4'-O4'	5.77	116.02	109.10
25	BB	1488	C	C3'-C2'-C1'	5.77	106.12	101.50
25	BB	1816	C	C6-N1-C2	-5.77	117.99	120.30
25	BB	2242	G	C4-C5-N7	5.77	113.11	110.80
25	BB	2446	G	P-O3'-C3'	5.77	126.62	119.70
25	BB	2471	A	N1-C2-N3	-5.77	126.42	129.30
37	BN	42	ARG	NE-CZ-NH2	5.77	123.19	120.30
3	A1	57	G	N3-C4-C5	-5.77	125.72	128.60
3	A1	369	G	C5-C6-N1	5.77	114.38	111.50
3	A1	1410	A	C2-N3-C4	5.77	113.48	110.60
6	AD	120	ARG	CD-NE-CZ	5.77	131.68	123.60
25	BB	108	G	C8-N9-C4	-5.77	104.09	106.40
25	BB	235	U	C5'-C4'-O4'	5.77	116.02	109.10
25	BB	274	C	O4'-C1'-C2'	-5.77	100.03	105.80
25	BB	1459	G	C5-C6-N1	5.77	114.38	111.50
25	BB	1737	G	N1-C6-O6	-5.77	116.44	119.90
25	BB	2056	G	C2-N3-C4	5.77	114.78	111.90
36	BM	72	GLN	C-N-CA	5.77	136.12	121.70
3	A1	501	C	N1-C2-N3	5.77	123.24	119.20
3	A1	1003	G	N1-C6-O6	-5.77	116.44	119.90
25	BB	879	G	C4-C5-N7	5.77	113.11	110.80
25	BB	1047	G	O4'-C1'-N9	-5.77	103.59	108.20
25	BB	1272	A	C5-C6-N6	5.77	128.31	123.70
25	BB	1703	G	C2'-C3'-O3'	5.77	122.92	113.70
25	BB	1805	A	C6-N1-C2	-5.77	115.14	118.60
3	A1	88	U	C1'-O4'-C4'	-5.76	105.29	109.90
3	A1	130	A	C5-C6-N6	5.76	128.31	123.70
3	A1	220	G	N1-C2-N3	5.76	127.36	123.90
3	A1	223	A	C8-N9-C4	-5.76	103.49	105.80
3	A1	297	G	N1-C6-O6	-5.76	116.44	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	766	A	C5-C6-N6	5.76	128.31	123.70
3	A1	777	A	C5-C6-N6	5.76	128.31	123.70
3	A1	833	G	N3-C4-N9	5.76	129.46	126.00
3	A1	1184	G	C6-C5-N7	5.76	133.86	130.40
3	A1	1281	C	O4'-C4'-C3'	5.76	110.71	106.10
25	BB	297	G	N1-C2-N3	5.76	127.36	123.90
25	BB	475	C	C2-N3-C4	-5.76	117.02	119.90
25	BB	829	A	C4-C5-C6	-5.76	114.12	117.00
25	BB	1565	C	N1-C2-O2	5.76	122.36	118.90
25	BB	1597	A	C4-C5-C6	-5.76	114.12	117.00
25	BB	1643	G	N3-C4-N9	5.76	129.46	126.00
25	BB	1983	G	O4'-C1'-C2'	5.76	112.79	107.60
25	BB	1983	G	O4'-C1'-N9	5.76	112.81	108.20
25	BB	2107	G	C5-N7-C8	-5.76	101.42	104.30
25	BB	2445	G	C4'-C3'-C2'	-5.76	96.83	102.60
25	BB	2487	G	C4-C5-C6	-5.76	115.34	118.80
25	BB	2516	A	C5-C6-N6	5.76	128.31	123.70
25	BB	2814	A	C6-C5-N7	5.76	136.34	132.30
3	A1	132	C	O4'-C1'-N1	5.76	112.81	108.20
3	A1	142	G	O4'-C1'-C2'	-5.76	100.04	105.80
3	A1	592	G	C5-N7-C8	-5.76	101.42	104.30
3	A1	724	G	N1-C2-N2	-5.76	111.01	116.20
25	BB	35	G	O4'-C4'-C3'	5.76	110.71	106.10
25	BB	519	U	O4'-C1'-C2'	5.76	112.79	107.60
25	BB	883	G	C5-C6-O6	5.76	132.06	128.60
25	BB	1888	G	C5-C6-N1	5.76	114.38	111.50
1	AE	48	C	C5-C6-N1	-5.76	118.12	121.00
3	A1	198	G	C3'-C2'-C1'	5.76	106.11	101.50
3	A1	536	C	N1-C2-O2	5.76	122.36	118.90
25	BB	93	G	N1-C6-O6	-5.76	116.44	119.90
25	BB	1005	C	N1-C2-O2	5.76	122.36	118.90
25	BB	1274	A	C5'-C4'-C3'	-5.76	106.78	116.00
25	BB	1368	G	C5-C6-O6	5.76	132.06	128.60
25	BB	1666	G	C5'-C4'-C3'	-5.76	106.78	116.00
25	BB	1892	C	O5'-P-OP1	-5.76	100.52	105.70
25	BB	1963	U	N3-C4-C5	5.76	118.06	114.60
25	BB	2596	U	N3-C2-O2	-5.76	118.17	122.20
29	BF	51	ARG	NE-CZ-NH1	5.76	123.18	120.30
3	A1	377	G	N7-C8-N9	5.76	115.98	113.10
3	A1	741	G	N7-C8-N9	5.76	115.98	113.10
3	A1	961	U	N3-C4-C5	5.76	118.06	114.60
3	A1	977	A	O4'-C1'-N9	5.76	112.81	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1395	C	C4-C5-C6	-5.76	114.52	117.40
8	AG	23	ARG	CD-NE-CZ	5.76	131.66	123.60
25	BB	513	A	C2-N3-C4	5.76	113.48	110.60
25	BB	607	U	N3-C4-O4	-5.76	115.37	119.40
25	BB	1029	A	C4'-C3'-C2'	-5.76	96.84	102.60
25	BB	1038	G	N3-C2-N2	-5.76	115.87	119.90
25	BB	1281	G	N9-C4-C5	5.76	107.70	105.40
25	BB	1473	G	N1-C6-O6	-5.76	116.44	119.90
25	BB	1474	U	O4'-C1'-N1	-5.76	103.59	108.20
25	BB	1710	G	N3-C4-C5	-5.76	125.72	128.60
25	BB	1932	A	C6-C5-N7	5.76	136.33	132.30
25	BB	2513	A	C4-C5-C6	-5.76	114.12	117.00
3	A1	502	A	N9-C1'-C2'	-5.76	105.67	112.00
3	A1	1530	G	C1'-O4'-C4'	-5.76	105.29	109.90
25	BB	209	C	N3-C4-N4	-5.76	113.97	118.00
25	BB	221	A	O4'-C1'-C2'	-5.76	100.04	105.80
25	BB	826	U	N3-C2-O2	-5.76	118.17	122.20
25	BB	2886	A	N1-C2-N3	-5.76	126.42	129.30
39	BP	24	ARG	NE-CZ-NH1	-5.76	117.42	120.30
1	AA	45	G	C4-C5-N7	-5.76	108.50	110.80
3	A1	482	A	C6-N1-C2	-5.76	115.15	118.60
3	A1	825	A	C6-C5-N7	5.76	136.33	132.30
3	A1	841	C	N3-C4-N4	-5.76	113.97	118.00
3	A1	1086	U	N1-C2-N3	5.76	118.35	114.90
3	A1	1127	G	C5'-C4'-O4'	5.76	116.01	109.10
3	A1	1226	C	N1-C2-O2	5.76	122.35	118.90
25	BB	111	A	C2'-C3'-O3'	5.76	122.91	113.70
25	BB	295	G	C6-N1-C2	-5.76	121.65	125.10
25	BB	1172	C	C5'-C4'-C3'	-5.76	106.79	116.00
25	BB	1259	G	C5-C6-O6	5.76	132.05	128.60
25	BB	1730	C	C6-N1-C1'	-5.76	113.89	120.80
25	BB	2020	A	C6-C5-N7	5.76	136.33	132.30
25	BB	2047	C	N3-C2-O2	-5.76	117.87	121.90
25	BB	2593	U	C5-C6-N1	-5.76	119.82	122.70
25	BB	2709	G	C5-C6-N1	5.76	114.38	111.50
48	BY	83	ARG	CD-NE-CZ	5.76	131.66	123.60
1	AE	42	G	O4'-C1'-N9	5.75	112.80	108.20
24	BA	42	C	N3-C4-N4	-5.75	113.97	118.00
25	BB	13	A	C4-C5-C6	-5.75	114.12	117.00
25	BB	128	C	C4'-C3'-C2'	-5.75	96.84	102.60
25	BB	264	C	C5-C6-N1	-5.75	118.12	121.00
51	B2	91	ARG	NH1-CZ-NH2	-5.75	113.07	119.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AP	3	G	N1-C6-O6	-5.75	116.45	119.90
1	AE	62	A	O5'-C5'-C4'	-5.75	100.77	111.70
3	A1	105	G	C5-C6-N1	5.75	114.38	111.50
3	A1	396	C	C5'-C4'-O4'	5.75	116.00	109.10
3	A1	926	G	N9-C1'-C2'	5.75	121.48	114.00
3	A1	1050	G	N7-C8-N9	5.75	115.98	113.10
3	A1	1489	G	O4'-C1'-N9	5.75	112.80	108.20
25	BB	172	A	C2-N3-C4	5.75	113.48	110.60
25	BB	216	A	C5-C6-N1	5.75	120.58	117.70
25	BB	766	U	C4-C5-C6	5.75	123.15	119.70
25	BB	866	A	C4-C5-N7	5.75	113.58	110.70
25	BB	1033	U	P-O3'-C3'	5.75	126.60	119.70
25	BB	1277	G	N1-C2-N3	5.75	127.35	123.90
25	BB	1473	G	P-O3'-C3'	5.75	126.61	119.70
25	BB	1525	A	N9-C4-C5	5.75	108.10	105.80
25	BB	1849	G	C1'-O4'-C4'	-5.75	105.30	109.90
25	BB	2218	G	N3-C2-N2	-5.75	115.87	119.90
25	BB	2414	G	C6-C5-N7	5.75	133.85	130.40
25	BB	2682	A	C2-N3-C4	5.75	113.48	110.60
1	AA	57	G	N1-C2-N3	5.75	127.35	123.90
1	AP	3	G	N3-C2-N2	-5.75	115.87	119.90
1	AP	10	G	N3-C4-C5	-5.75	125.72	128.60
3	A1	478	A	N1-C2-N3	-5.75	126.42	129.30
3	A1	866	C	N3-C2-O2	-5.75	117.87	121.90
3	A1	982	U	C5-C4-O4	5.75	129.35	125.90
24	BA	58	A	O4'-C4'-C3'	-5.75	98.25	104.00
24	BA	102	G	O4'-C1'-N9	5.75	112.80	108.20
25	BB	249	C	C3'-C2'-C1'	-5.75	96.90	101.50
25	BB	654	A	C4-C5-N7	5.75	113.58	110.70
25	BB	855	G	N9-C4-C5	5.75	107.70	105.40
25	BB	1228	G	N3-C2-N2	-5.75	115.87	119.90
25	BB	1635	A	C2-N3-C4	5.75	113.47	110.60
25	BB	1712	U	N3-C4-O4	5.75	123.43	119.40
25	BB	2024	G	N3-C2-N2	-5.75	115.87	119.90
25	BB	2060	A	C5-C6-N6	5.75	128.30	123.70
25	BB	2076	U	C1'-O4'-C4'	-5.75	105.30	109.90
25	BB	2191	A	P-O3'-C3'	5.75	126.60	119.70
25	BB	2595	G	C1'-O4'-C4'	-5.75	105.30	109.90
49	BZ	63	ARG	NH1-CZ-NH2	-5.75	113.07	119.40
3	A1	383	A	N9-C4-C5	5.75	108.10	105.80
3	A1	701	U	C5-C6-N1	-5.75	119.83	122.70
3	A1	762	U	C4'-C3'-C2'	-5.75	96.85	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	770	C	N3-C4-C5	5.75	124.20	121.90
3	A1	905	U	C2-N3-C4	-5.75	123.55	127.00
3	A1	1061	G	N3-C4-C5	-5.75	125.72	128.60
25	BB	472	A	C5'-C4'-O4'	5.75	116.00	109.10
25	BB	1060	U	O4'-C1'-C2'	-5.75	100.05	105.80
25	BB	1212	G	O4'-C4'-C3'	5.75	110.70	106.10
25	BB	1339	G	C1'-O4'-C4'	-5.75	105.30	109.90
25	BB	1486	U	O3'-P-O5'	5.75	114.92	104.00
25	BB	1705	A	C2-N3-C4	5.75	113.47	110.60
25	BB	1711	A	C3'-C2'-C1'	-5.75	96.90	101.50
25	BB	2519	U	C5'-C4'-O4'	5.75	116.00	109.10
3	A1	179	A	C3'-C2'-C1'	-5.75	96.90	101.50
3	A1	185	U	N3-C2-O2	-5.75	118.18	122.20
3	A1	249	U	N3-C2-O2	-5.75	118.18	122.20
3	A1	344	A	C8-N9-C4	-5.75	103.50	105.80
3	A1	909	A	C4-C5-N7	5.75	113.57	110.70
3	A1	1096	C	N1-C2-O2	5.75	122.35	118.90
3	A1	1136	C	N1-C2-O2	5.75	122.35	118.90
3	A1	1340	A	C5'-C4'-O4'	-5.75	102.20	109.10
25	BB	414	C	C1'-O4'-C4'	-5.75	105.30	109.90
25	BB	1317	G	C2'-C3'-O3'	5.75	122.90	113.70
25	BB	1491	G	N1-C6-O6	-5.75	116.45	119.90
25	BB	2693	G	N1-C6-O6	-5.75	116.45	119.90
3	A1	629	A	P-O3'-C3'	5.75	126.60	119.70
3	A1	661	G	C5-N7-C8	-5.75	101.43	104.30
3	A1	1530	G	C5'-C4'-O4'	5.75	116.00	109.10
25	BB	28	A	C4-C5-C6	-5.75	114.13	117.00
25	BB	30	G	C4'-C3'-C2'	-5.75	96.85	102.60
25	BB	773	U	O4'-C1'-N1	5.75	112.80	108.20
25	BB	1714	U	N1-C2-N3	5.75	118.35	114.90
25	BB	1833	C	C2-N3-C4	-5.75	117.03	119.90
49	BZ	40	ASP	CB-CG-OD1	5.75	123.47	118.30
1	AE	51	G	C4'-C3'-C2'	-5.75	96.86	102.60
3	A1	152	A	C8-N9-C4	-5.75	103.50	105.80
3	A1	779	C	C5'-C4'-O4'	-5.75	102.21	109.10
3	A1	1000	A	O4'-C1'-N9	5.75	112.80	108.20
3	A1	1052	U	N1-C1'-C2'	-5.75	105.68	112.00
24	BA	30	C	N3-C4-C5	5.75	124.20	121.90
25	BB	1249	U	O4'-C1'-N1	5.75	112.80	108.20
25	BB	1545	A	C2-N3-C4	5.75	113.47	110.60
25	BB	1943	U	C5-C6-N1	-5.75	119.83	122.70
25	BB	2392	A	C2'-C3'-O3'	5.75	122.89	113.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2481	G	N9-C4-C5	5.75	107.70	105.40
25	BB	2597	G	N1-C6-O6	-5.75	116.45	119.90
25	BB	2618	G	C1'-O4'-C4'	-5.75	105.30	109.90
1	AP	55	U	C4'-C3'-C2'	-5.74	96.86	102.60
3	A1	229	U	O4'-C4'-C3'	5.74	110.70	106.10
3	A1	318	G	N1-C2-N3	5.74	127.35	123.90
3	A1	874	G	C5-C6-O6	5.74	132.05	128.60
3	A1	1058	G	N1-C2-N2	-5.74	111.03	116.20
3	A1	1124	G	N3-C4-N9	5.74	129.45	126.00
3	A1	1238	A	O4'-C1'-N9	5.74	112.80	108.20
25	BB	342	A	C6-N1-C2	-5.74	115.15	118.60
25	BB	517	C	C4'-C3'-C2'	-5.74	96.86	102.60
25	BB	710	U	C5'-C4'-C3'	-5.74	106.81	116.00
25	BB	910	A	N1-C2-N3	-5.74	126.43	129.30
25	BB	1003	G	C8-N9-C4	-5.74	104.10	106.40
25	BB	1391	U	C5-C6-N1	-5.74	119.83	122.70
25	BB	1644	C	P-O3'-C3'	5.74	126.59	119.70
25	BB	2645	G	P-O3'-C3'	5.74	126.59	119.70
25	BB	2722	G	C8-N9-C4	-5.74	104.10	106.40
49	BZ	153	ARG	NE-CZ-NH1	5.74	123.17	120.30
3	A1	502	A	O4'-C1'-N9	5.74	112.79	108.20
3	A1	814	A	C5-C6-N1	5.74	120.57	117.70
3	A1	995	C	C2-N1-C1'	-5.74	112.48	118.80
24	BA	111	U	C1'-O4'-C4'	5.74	114.49	109.90
25	BB	250	G	C5-C6-N1	5.74	114.37	111.50
25	BB	701	G	C6-C5-N7	5.74	133.84	130.40
25	BB	705	A	C5'-C4'-O4'	5.74	115.99	109.10
25	BB	936	A	O3'-P-O5'	5.74	114.91	104.00
25	BB	1545	A	C6-C5-N7	5.74	136.32	132.30
25	BB	2110	G	N1-C6-O6	-5.74	116.45	119.90
25	BB	2193	G	C4'-C3'-C2'	-5.74	96.86	102.60
25	BB	2370	G	C5-C6-N1	5.74	114.37	111.50
3	A1	397	A	C6-N1-C2	-5.74	115.16	118.60
3	A1	1432	G	O4'-C4'-C3'	5.74	110.69	106.10
25	BB	275	C	N3-C4-C5	5.74	124.20	121.90
25	BB	877	A	O4'-C1'-N9	-5.74	103.61	108.20
25	BB	1512	C	C2-N3-C4	-5.74	117.03	119.90
25	BB	1614	A	C2'-C3'-O3'	5.74	122.89	113.70
25	BB	2053	G	C6-C5-N7	5.74	133.84	130.40
25	BB	2383	G	C5'-C4'-O4'	5.74	115.99	109.10
25	BB	2508	G	P-O3'-C3'	5.74	126.59	119.70
25	BB	2616	C	C3'-C2'-C1'	-5.74	96.91	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2748	A	C1'-O4'-C4'	-5.74	105.31	109.90
1	AA	19	G	C8-N9-C4	5.74	108.69	106.40
3	A1	169	C	C5-C6-N1	-5.74	118.13	121.00
3	A1	361	G	C4'-C3'-C2'	-5.74	96.86	102.60
3	A1	661	G	C8-N9-C4	-5.74	104.10	106.40
3	A1	933	G	C8-N9-C4	-5.74	104.11	106.40
25	BB	445	C	C5'-C4'-O4'	5.74	115.98	109.10
25	BB	1527	G	C5'-C4'-O4'	5.74	115.99	109.10
25	BB	1995	U	C4-C5-C6	5.74	123.14	119.70
25	BB	2202	U	C5-C4-O4	-5.74	122.46	125.90
25	BB	2299	U	N1-C2-N3	5.74	118.34	114.90
25	BB	2321	U	N3-C2-O2	-5.74	118.18	122.20
25	BB	2558	C	N1-C2-O2	5.74	122.34	118.90
25	BB	2647	U	N3-C2-O2	-5.74	118.18	122.20
45	BV	21	ARG	CD-NE-CZ	5.74	131.63	123.60
3	A1	222	C	C5-C6-N1	-5.74	118.13	121.00
25	BB	1343	G	C8-N9-C4	-5.74	104.11	106.40
25	BB	1390	U	N3-C2-O2	-5.74	118.18	122.20
1	AA	29	A	N7-C8-N9	-5.74	110.93	113.80
1	AA	48	C	C6-N1-C2	-5.74	118.01	120.30
3	A1	339	C	O4'-C1'-N1	5.74	112.79	108.20
3	A1	364	A	C1'-O4'-C4'	5.74	114.49	109.90
3	A1	1476	A	C2'-C3'-O3'	5.74	122.88	113.70
3	A1	1483	A	C2-N3-C4	5.74	113.47	110.60
25	BB	277	G	C6-C5-N7	5.74	133.84	130.40
25	BB	618	G	N1-C6-O6	-5.74	116.46	119.90
25	BB	795	C	N1-C2-O2	5.74	122.34	118.90
25	BB	1079	C	C5'-C4'-C3'	-5.74	106.82	116.00
25	BB	1590	A	O4'-C1'-N9	5.74	112.79	108.20
25	BB	1891	G	C4-C5-C6	-5.74	115.36	118.80
25	BB	2392	A	C4-C5-C6	-5.74	114.13	117.00
25	BB	2683	C	N1-C2-N3	5.74	123.22	119.20
1	AA	51	G	O4'-C1'-N9	5.73	112.79	108.20
1	AE	51	G	N3-C2-N2	-5.73	115.89	119.90
3	A1	181	A	C5'-C4'-C3'	-5.73	106.83	116.00
25	BB	85	G	C4'-C3'-C2'	-5.73	96.87	102.60
25	BB	970	U	C4-C5-C6	5.73	123.14	119.70
25	BB	1330	C	C5-C4-N4	5.73	124.21	120.20
25	BB	1497	U	C4'-C3'-C2'	-5.73	96.87	102.60
25	BB	1842	G	N7-C8-N9	5.73	115.97	113.10
25	BB	2653	U	C5-C6-N1	-5.73	119.83	122.70
25	BB	2855	C	N1-C1'-C2'	-5.73	105.69	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
43	BT	49	ARG	CD-NE-CZ	5.73	131.63	123.60
1	AA	44	A	C5'-C4'-O4'	5.73	115.98	109.10
3	A1	78	A	C6-C5-N7	5.73	136.31	132.30
3	A1	336	A	C5-C6-N1	5.73	120.57	117.70
3	A1	425	G	C6-N1-C2	-5.73	121.66	125.10
3	A1	767	A	C5-C6-N6	5.73	128.29	123.70
3	A1	1047	G	O4'-C1'-N9	5.73	112.78	108.20
3	A1	1355	G	N3-C4-C5	-5.73	125.73	128.60
24	BA	60	C	C4'-C3'-C2'	-5.73	96.87	102.60
25	BB	463	G	C5-C6-N1	5.73	114.37	111.50
25	BB	1409	U	N3-C2-O2	-5.73	118.19	122.20
25	BB	2107	G	N1-C2-N3	5.73	127.34	123.90
25	BB	2224	G	N1-C2-N2	-5.73	111.04	116.20
25	BB	2418	A	C2-N3-C4	5.73	113.47	110.60
25	BB	2463	C	N1-C2-O2	5.73	122.34	118.90
3	A1	8	A	C2-N3-C4	5.73	113.47	110.60
3	A1	445	G	N3-C2-N2	-5.73	115.89	119.90
3	A1	788	U	C3'-C2'-C1'	5.73	106.08	101.50
3	A1	1073	U	C5-C6-N1	-5.73	119.83	122.70
3	A1	1454	G	N1-C6-O6	-5.73	116.46	119.90
24	BA	107	G	O3'-P-O5'	-5.73	93.11	104.00
25	BB	74	A	C5-N7-C8	-5.73	101.03	103.90
25	BB	140	C	C5-C6-N1	-5.73	118.14	121.00
25	BB	493	G	N3-C2-N2	-5.73	115.89	119.90
25	BB	621	A	C5'-C4'-O4'	5.73	115.98	109.10
25	BB	1832	C	N1-C2-O2	5.73	122.34	118.90
25	BB	1915	U	O4'-C1'-N1	5.73	112.78	108.20
25	BB	1933	G	N3-C4-N9	-5.73	122.56	126.00
3	A1	265	G	C4-C5-N7	-5.73	108.51	110.80
3	A1	878	A	C4-C5-C6	-5.73	114.14	117.00
3	A1	944	G	C6-N1-C2	-5.73	121.66	125.10
25	BB	626	A	C5'-C4'-C3'	-5.73	106.83	116.00
25	BB	1186	G	C5-N7-C8	-5.73	101.44	104.30
25	BB	1337	G	N1-C2-N3	5.73	127.34	123.90
25	BB	1373	A	C3'-C2'-C1'	5.73	106.08	101.50
25	BB	1743	G	O3'-P-O5'	5.73	114.89	104.00
25	BB	2858	C	O4'-C4'-C3'	5.73	110.68	106.10
29	BF	81	ARG	CD-NE-CZ	5.73	131.62	123.60
3	A1	951	G	N1-C6-O6	-5.73	116.46	119.90
3	A1	1356	G	N3-C4-N9	5.73	129.44	126.00
25	BB	90	U	C2-N3-C4	-5.73	123.56	127.00
25	BB	825	A	C2-N3-C4	5.73	113.46	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	877	A	N1-C2-N3	-5.73	126.44	129.30
25	BB	1390	U	C3'-C2'-C1'	-5.73	96.92	101.50
25	BB	1570	A	C4-C5-C6	-5.73	114.14	117.00
25	BB	1976	U	O4'-C4'-C3'	5.73	110.68	106.10
25	BB	1991	U	N3-C2-O2	-5.73	118.19	122.20
3	A1	159	G	N1-C6-O6	-5.73	116.46	119.90
24	BA	104	A	C5-C6-N1	5.73	120.56	117.70
25	BB	1427	A	P-O3'-C3'	5.73	126.57	119.70
25	BB	2697	G	C6-N1-C2	-5.73	121.67	125.10
25	BB	2779	U	P-O3'-C3'	5.73	126.57	119.70
1	AE	57	G	C4'-C3'-C2'	-5.72	96.88	102.60
3	A1	195	A	C2-N3-C4	5.72	113.46	110.60
3	A1	269	C	C5'-C4'-C3'	-5.72	106.84	116.00
3	A1	334	C	C1'-O4'-C4'	-5.72	105.32	109.90
3	A1	517	G	C2'-C3'-O3'	5.72	122.86	113.70
3	A1	1101	A	C6-C5-N7	5.72	136.31	132.30
3	A1	1360	A	C6-N1-C2	-5.72	115.17	118.60
3	A1	1514	G	C3'-C2'-C1'	5.72	106.08	101.50
23	AX	31	ARG	CD-NE-CZ	5.72	131.61	123.60
24	BA	74	U	C3'-C2'-C1'	5.72	106.08	101.50
25	BB	109	C	C6-N1-C2	-5.72	118.01	120.30
25	BB	471	A	C3'-C2'-C1'	5.72	106.08	101.50
25	BB	709	U	C5-C6-N1	-5.72	119.84	122.70
25	BB	802	A	C6-N1-C2	-5.72	115.17	118.60
25	BB	1092	C	C4'-C3'-C2'	-5.72	96.88	102.60
25	BB	1106	G	C5'-C4'-O4'	5.72	115.97	109.10
25	BB	1175	A	O4'-C4'-C3'	5.72	110.68	106.10
25	BB	1355	G	O4'-C1'-N9	5.72	112.78	108.20
25	BB	1783	A	C5-N7-C8	-5.72	101.04	103.90
25	BB	2277	G	C5'-C4'-C3'	-5.72	106.84	116.00
25	BB	2285	C	N1-C2-O2	5.72	122.33	118.90
25	BB	2406	A	C2-N3-C4	5.72	113.46	110.60
25	BB	2441	U	C2-N3-C4	-5.72	123.56	127.00
1	AE	73	A	N1-C2-N3	-5.72	126.44	129.30
3	A1	138	G	C4-C5-C6	-5.72	115.37	118.80
3	A1	545	C	C3'-C2'-C1'	-5.72	96.92	101.50
3	A1	618	C	N3-C2-O2	-5.72	117.89	121.90
3	A1	1000	A	N9-C4-C5	-5.72	103.51	105.80
25	BB	1474	U	C4'-C3'-C2'	-5.72	96.88	102.60
25	BB	1896	G	C6-N1-C2	-5.72	121.67	125.10
25	BB	1939	U	C4'-C3'-C2'	-5.72	96.88	102.60
25	BB	2126	A	C1'-O4'-C4'	-5.72	105.32	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2373	G	N1-C2-N2	5.72	121.35	116.20
25	BB	2689	U	O5'-P-OP1	-5.72	100.55	105.70
25	BB	2746	U	N3-C4-O4	5.72	123.41	119.40
3	A1	11	G	C4'-C3'-C2'	-5.72	96.88	102.60
3	A1	120	A	C4-C5-C6	-5.72	114.14	117.00
3	A1	1183	U	C5-C6-N1	-5.72	119.84	122.70
3	A1	1478	U	C4-C5-C6	5.72	123.13	119.70
24	BA	64	G	N1-C6-O6	-5.72	116.47	119.90
24	BA	82	U	C4'-C3'-C2'	-5.72	96.88	102.60
25	BB	294	A	N1-C2-N3	-5.72	126.44	129.30
25	BB	351	C	C2-N3-C4	-5.72	117.04	119.90
25	BB	1178	C	C5-C6-N1	-5.72	118.14	121.00
25	BB	1980	G	O4'-C4'-C3'	5.72	110.68	106.10
36	BM	6	ARG	CD-NE-CZ	5.72	131.61	123.60
37	BN	211	ARG	NE-CZ-NH1	5.72	123.16	120.30
1	AA	55	U	C2-N3-C4	-5.72	123.57	127.00
1	AE	54	U	O4'-C1'-N1	5.72	112.78	108.20
3	A1	254	G	N3-C4-C5	-5.72	125.74	128.60
3	A1	351	G	N3-C4-N9	5.72	129.43	126.00
3	A1	500	G	N3-C4-C5	-5.72	125.74	128.60
3	A1	569	C	O4'-C4'-C3'	-5.72	98.28	104.00
3	A1	623	C	N1-C2-O2	5.72	122.33	118.90
3	A1	713	G	C8-N9-C4	-5.72	104.11	106.40
3	A1	988	G	C6-C5-N7	5.72	133.83	130.40
3	A1	1110	A	N7-C8-N9	5.72	116.66	113.80
25	BB	362	A	N1-C2-N3	-5.72	126.44	129.30
25	BB	557	C	O4'-C4'-C3'	5.72	110.67	106.10
25	BB	724	U	N3-C4-C5	5.72	118.03	114.60
25	BB	782	A	O4'-C1'-N9	5.72	112.78	108.20
25	BB	1138	G	C4-C5-N7	-5.72	108.51	110.80
25	BB	1561	C	N3-C4-N4	-5.72	114.00	118.00
25	BB	2033	A	C6-C5-N7	5.72	136.30	132.30
25	BB	2143	C	P-O3'-C3'	5.72	126.56	119.70
3	A1	359	G	N7-C8-N9	5.72	115.96	113.10
25	BB	258	G	C5-C6-O6	-5.72	125.17	128.60
25	BB	2349	G	C4-C5-N7	5.72	113.09	110.80
25	BB	2871	U	N1-C2-N3	5.72	118.33	114.90
1	AA	74	C	C6-N1-C1'	5.72	127.66	120.80
2	AM	8	U	N3-C2-O2	-5.72	118.20	122.20
3	A1	345	C	C1'-O4'-C4'	-5.72	105.33	109.90
3	A1	582	C	C2-N3-C4	-5.72	117.04	119.90
3	A1	879	C	N1-C2-N3	5.72	123.20	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1260	G	N3-C2-N2	5.72	123.90	119.90
3	A1	1383	C	C2-N3-C4	-5.72	117.04	119.90
12	AK	56	ARG	NH1-CZ-NH2	-5.72	113.11	119.40
25	BB	299	A	P-O3'-C3'	5.72	126.56	119.70
25	BB	370	G	N9-C1'-C2'	5.72	121.43	114.00
25	BB	415	A	N9-C4-C5	-5.72	103.51	105.80
25	BB	491	G	N3-C4-C5	-5.72	125.74	128.60
25	BB	784	G	C2-N3-C4	5.72	114.76	111.90
25	BB	830	G	C1'-O4'-C4'	-5.72	105.33	109.90
25	BB	1008	A	O4'-C1'-N9	5.72	112.77	108.20
25	BB	1205	A	C4'-C3'-C2'	-5.72	96.88	102.60
25	BB	1335	C	O4'-C1'-N1	5.72	112.77	108.20
25	BB	1393	A	C6-N1-C2	-5.72	115.17	118.60
25	BB	1491	G	C3'-C2'-C1'	5.72	106.07	101.50
25	BB	1914	C	O4'-C4'-C3'	5.72	110.67	106.10
25	BB	2279	G	N3-C4-C5	-5.72	125.74	128.60
25	BB	2621	G	C6-C5-N7	5.72	133.83	130.40
1	AA	43	G	C2-N3-C4	5.71	114.76	111.90
2	AM	13	U	N1-C2-O2	5.71	126.80	122.80
3	A1	50	A	C4-C5-C6	-5.71	114.14	117.00
3	A1	365	U	P-O3'-C3'	5.71	126.56	119.70
3	A1	638	U	N3-C2-O2	-5.71	118.20	122.20
3	A1	682	G	C6-C5-N7	5.71	133.83	130.40
3	A1	875	U	N1-C2-N3	5.71	118.33	114.90
3	A1	1005	A	O4'-C1'-N9	5.71	112.77	108.20
3	A1	1388	C	C4'-C3'-C2'	-5.71	96.89	102.60
25	BB	82	U	N3-C4-C5	5.71	118.03	114.60
25	BB	353	C	C2-N3-C4	-5.71	117.04	119.90
25	BB	375	G	N7-C8-N9	5.71	115.96	113.10
25	BB	1052	C	O4'-C4'-C3'	5.71	110.67	106.10
25	BB	1189	A	C6-C5-N7	5.71	136.30	132.30
25	BB	2791	G	N1-C2-N2	5.71	121.34	116.20
51	B2	163	GLU	OE1-CD-OE2	-5.71	116.44	123.30
3	A1	906	A	C5-C6-N6	5.71	128.27	123.70
3	A1	1083	U	O4'-C4'-C3'	5.71	110.67	106.10
24	BA	8	C	C4'-C3'-C2'	-5.71	96.89	102.60
25	BB	2452	C	C6-N1-C2	-5.71	118.02	120.30
25	BB	2580	U	O3'-P-O5'	5.71	114.86	104.00
25	BB	2582	G	C6-N1-C2	-5.71	121.67	125.10
1	AP	61	C	N1-C2-O2	5.71	122.33	118.90
3	A1	51	A	N1-C2-N3	-5.71	126.44	129.30
3	A1	257	G	C4-C5-N7	-5.71	108.52	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	785	G	C4'-C3'-C2'	-5.71	96.89	102.60
3	A1	853	C	C4-C5-C6	-5.71	114.55	117.40
3	A1	1011	C	C5'-C4'-C3'	-5.71	106.86	116.00
24	BA	23	G	N3-C4-C5	-5.71	125.74	128.60
25	BB	27	G	N1-C6-O6	-5.71	116.47	119.90
25	BB	723	C	C2-N3-C4	-5.71	117.04	119.90
25	BB	937	C	N1-C2-O2	5.71	122.33	118.90
25	BB	1259	G	N1-C2-N3	5.71	127.33	123.90
25	BB	1324	G	N9-C4-C5	5.71	107.69	105.40
25	BB	1908	C	O4'-C1'-N1	5.71	112.77	108.20
25	BB	2050	C	O4'-C1'-N1	5.71	112.77	108.20
25	BB	2068	U	N3-C4-O4	5.71	123.40	119.40
25	BB	2185	U	C5'-C4'-C3'	-5.71	106.86	116.00
3	A1	19	A	C4'-C3'-C2'	-5.71	96.89	102.60
3	A1	311	C	N1-C2-N3	5.71	123.20	119.20
3	A1	688	G	C5'-C4'-O4'	5.71	115.95	109.10
25	BB	2566	A	P-O3'-C3'	5.71	126.55	119.70
25	BB	2711	A	C3'-C2'-C1'	5.71	106.07	101.50
3	A1	391	G	C6-N1-C2	-5.71	121.67	125.10
3	A1	476	U	C4-C5-C6	5.71	123.12	119.70
3	A1	507	C	C2-N3-C4	-5.71	117.05	119.90
16	AQ	34	ARG	NH1-CZ-NH2	-5.71	113.12	119.40
25	BB	766	U	N1-C2-N3	5.71	118.33	114.90
25	BB	939	G	N1-C6-O6	-5.71	116.47	119.90
25	BB	1024	G	N1-C6-O6	-5.71	116.47	119.90
25	BB	1505	A	C6-C5-N7	5.71	136.30	132.30
25	BB	1731	G	C2'-C3'-O3'	5.71	122.83	113.70
25	BB	1802	A	N1-C2-N3	-5.71	126.44	129.30
25	BB	2136	G	C5-C6-N1	5.71	114.35	111.50
25	BB	2259	U	O5'-P-OP1	-5.71	100.56	105.70
35	BL	68	ASP	CB-CG-OD2	5.71	123.44	118.30
47	BX	4	ARG	CD-NE-CZ	5.71	131.59	123.60
1	AP	71	G	C4-C5-C6	-5.71	115.38	118.80
3	A1	712	A	O4'-C1'-N9	5.71	112.77	108.20
3	A1	1068	G	C4'-C3'-C2'	-5.71	96.89	102.60
3	A1	1166	G	C6-N1-C2	-5.71	121.68	125.10
3	A1	1500	A	N9-C1'-C2'	-5.71	105.72	112.00
25	BB	120	U	C6-N1-C2	-5.71	117.58	121.00
25	BB	659	G	N9-C4-C5	5.71	107.68	105.40
25	BB	874	G	C5-C6-N1	5.71	114.35	111.50
25	BB	1172	C	C5-C6-N1	-5.71	118.15	121.00
25	BB	1208	C	C6-N1-C2	-5.71	118.02	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1525	A	C5-C6-N6	5.71	128.26	123.70
25	BB	1545	A	C5'-C4'-O4'	5.71	115.95	109.10
25	BB	1993	U	N3-C2-O2	-5.71	118.20	122.20
1	AP	21	A	C5'-C4'-C3'	-5.71	106.87	116.00
3	A1	101	A	C3'-C2'-C1'	5.71	106.06	101.50
25	BB	491	G	C5-C6-N1	5.71	114.35	111.50
25	BB	1475	G	N1-C2-N2	-5.71	111.07	116.20
25	BB	1657	U	C1'-O4'-C4'	-5.71	105.34	109.90
25	BB	1874	C	P-O3'-C3'	5.71	126.55	119.70
25	BB	2000	C	N3-C4-C5	5.71	124.18	121.90
25	BB	2811	G	P-O3'-C3'	5.71	126.55	119.70
1	AA	60	C	C2-N3-C4	-5.70	117.05	119.90
1	AA	61	C	N1-C2-N3	5.70	123.19	119.20
1	AE	63	C	P-O3'-C3'	5.70	126.55	119.70
3	A1	76	G	N1-C6-O6	-5.70	116.48	119.90
3	A1	625	U	N1-C2-N3	5.70	118.32	114.90
3	A1	906	A	C6-N1-C2	-5.70	115.18	118.60
3	A1	1208	C	N3-C4-C5	5.70	124.18	121.90
3	A1	1215	G	C6-C5-N7	5.70	133.82	130.40
3	A1	1492	A	N7-C8-N9	5.70	116.65	113.80
25	BB	121	G	C1'-O4'-C4'	5.70	114.46	109.90
25	BB	1140	C	C5-C6-N1	-5.70	118.15	121.00
25	BB	1350	C	N1-C2-O2	5.70	122.32	118.90
25	BB	1567	G	C2-N3-C4	5.70	114.75	111.90
25	BB	1707	G	O3'-P-O5'	-5.70	93.17	104.00
25	BB	2498	C	N1-C2-N3	5.70	123.19	119.20
3	A1	287	U	N1-C2-N3	5.70	118.32	114.90
3	A1	1150	A	C3'-C2'-C1'	-5.70	96.94	101.50
7	AF	91	ARG	NH1-CZ-NH2	-5.70	113.13	119.40
1	AA	4	G	C3'-C2'-C1'	5.70	106.06	101.50
3	A1	418	C	C4'-C3'-C2'	-5.70	96.90	102.60
3	A1	810	C	N3-C4-C5	5.70	124.18	121.90
3	A1	823	C	C4'-C3'-C2'	-5.70	96.90	102.60
3	A1	930	C	C1'-O4'-C4'	-5.70	105.34	109.90
3	A1	1478	U	N1-C2-O2	5.70	126.79	122.80
15	AO	78	LYS	C-N-CA	5.70	135.95	121.70
25	BB	315	G	O4'-C1'-N9	5.70	112.76	108.20
25	BB	860	U	C3'-C2'-C1'	5.70	106.06	101.50
25	BB	1804	C	C5-C6-N1	-5.70	118.15	121.00
25	BB	2350	C	C4'-C3'-C2'	-5.70	96.90	102.60
25	BB	2376	A	N9-C4-C5	5.70	108.08	105.80
25	BB	2389	G	C4-C5-N7	-5.70	108.52	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2483	C	N3-C4-C5	5.70	124.18	121.90
25	BB	2566	A	N1-C2-N3	-5.70	126.45	129.30
25	BB	2882	A	C5-C6-N6	5.70	128.26	123.70
1	AA	58	A	O4'-C1'-N9	-5.70	103.64	108.20
1	AA	75	C	C5-C4-N4	-5.70	116.21	120.20
3	A1	392	C	N3-C4-N4	-5.70	114.01	118.00
3	A1	606	G	N1-C6-O6	-5.70	116.48	119.90
3	A1	1059	C	C3'-C2'-C1'	5.70	106.06	101.50
3	A1	1533	C	C4'-C3'-C2'	-5.70	96.90	102.60
25	BB	58	G	N9-C4-C5	5.70	107.68	105.40
25	BB	539	G	O5'-P-OP2	-5.70	100.57	105.70
25	BB	1538	G	C5'-C4'-O4'	5.70	115.94	109.10
25	BB	1638	C	C3'-C2'-C1'	-5.70	96.94	101.50
25	BB	2855	C	N3-C2-O2	-5.70	117.91	121.90
3	A1	71	A	O3'-P-O5'	5.70	114.83	104.00
3	A1	1136	C	N3-C4-N4	-5.70	114.01	118.00
25	BB	760	G	N9-C4-C5	5.70	107.68	105.40
25	BB	1125	G	P-O3'-C3'	5.70	126.54	119.70
25	BB	1316	U	C5-C6-N1	-5.70	119.85	122.70
25	BB	1526	C	N3-C2-O2	-5.70	117.91	121.90
25	BB	1583	A	N7-C8-N9	-5.70	110.95	113.80
25	BB	2797	U	C5-C6-N1	-5.70	119.85	122.70
25	BB	2899	A	N1-C6-N6	-5.70	115.18	118.60
1	AE	7	U	C5-C6-N1	-5.70	119.85	122.70
3	A1	281	G	C5-C6-N1	5.70	114.35	111.50
3	A1	391	G	C5-N7-C8	-5.70	101.45	104.30
3	A1	573	A	C5-N7-C8	-5.70	101.05	103.90
3	A1	836	G	N1-C2-N3	5.70	127.32	123.90
3	A1	948	C	N3-C4-C5	5.70	124.18	121.90
3	A1	981	U	C2-N3-C4	-5.70	123.58	127.00
3	A1	1136	C	C5-C6-N1	-5.70	118.15	121.00
6	AD	120	ARG	NE-CZ-NH1	5.70	123.15	120.30
25	BB	57	C	C5-C6-N1	-5.70	118.15	121.00
25	BB	186	G	N1-C2-N2	-5.70	111.07	116.20
25	BB	856	G	C6-N1-C2	-5.70	121.68	125.10
25	BB	893	C	C5-C4-N4	-5.70	116.21	120.20
25	BB	913	U	N3-C2-O2	-5.70	118.21	122.20
25	BB	1096	A	N1-C2-N3	-5.70	126.45	129.30
25	BB	1895	C	C3'-C2'-C1'	5.70	106.06	101.50
25	BB	2333	A	C6-N1-C2	-5.70	115.18	118.60
1	AA	75	C	C5'-C4'-O4'	5.69	115.93	109.10
3	A1	16	A	C4-C5-C6	-5.69	114.15	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	166	U	N1-C2-N3	5.69	118.32	114.90
3	A1	1218	C	N3-C4-C5	5.69	124.18	121.90
15	AO	21	TRP	CG-CD2-CE3	-5.69	128.78	133.90
25	BB	411	G	C6-N1-C2	-5.69	121.68	125.10
25	BB	882	G	N3-C2-N2	-5.69	115.91	119.90
1	AE	36	A	C4-C5-C6	-5.69	114.15	117.00
3	A1	408	A	O4'-C1'-N9	5.69	112.75	108.20
3	A1	524	G	C4'-C3'-C2'	-5.69	96.91	102.60
3	A1	529	G	C8-N9-C4	-5.69	104.12	106.40
3	A1	801	U	P-O3'-C3'	5.69	126.53	119.70
3	A1	1167	A	C1'-O4'-C4'	-5.69	105.34	109.90
3	A1	1235	U	C2-N3-C4	-5.69	123.58	127.00
3	A1	1313	U	C5'-C4'-O4'	5.69	115.93	109.10
3	A1	1434	A	C2-N3-C4	5.69	113.45	110.60
6	AD	66	ILE	CA-CB-CG1	5.69	121.81	111.00
25	BB	260	G	C5-C6-N1	5.69	114.35	111.50
25	BB	276	U	N1-C2-N3	5.69	118.32	114.90
25	BB	512	G	O4'-C1'-N9	-5.69	103.64	108.20
25	BB	588	U	C4-C5-C6	5.69	123.12	119.70
25	BB	604	G	N3-C2-N2	-5.69	115.92	119.90
25	BB	629	G	C5-N7-C8	-5.69	101.45	104.30
25	BB	1193	G	C5-C6-N1	5.69	114.35	111.50
25	BB	1223	G	O4'-C1'-N9	-5.69	103.65	108.20
25	BB	1715	G	C8-N9-C4	-5.69	104.12	106.40
25	BB	1849	G	C4-C5-C6	-5.69	115.38	118.80
25	BB	2646	C	O4'-C4'-C3'	5.69	110.65	106.10
25	BB	2680	U	C5-C6-N1	-5.69	119.85	122.70
25	BB	2843	G	N9-C4-C5	5.69	107.68	105.40
37	BN	61	TYR	CB-CG-CD2	-5.69	117.58	121.00
1	AP	75	C	C2-N3-C4	-5.69	117.06	119.90
3	A1	147	G	C6-N1-C2	-5.69	121.69	125.10
3	A1	178	C	C2-N3-C4	-5.69	117.06	119.90
3	A1	295	C	N1-C1'-C2'	5.69	121.40	114.00
3	A1	675	A	N1-C6-N6	-5.69	115.19	118.60
3	A1	978	A	N7-C8-N9	5.69	116.65	113.80
3	A1	1474	U	C4-C5-C6	5.69	123.11	119.70
3	A1	1532	U	C5-C4-O4	5.69	129.31	125.90
24	BA	9	G	C4'-C3'-C2'	-5.69	96.91	102.60
25	BB	85	G	C5-C6-N1	5.69	114.34	111.50
25	BB	605	G	C6-C5-N7	5.69	133.81	130.40
25	BB	1479	G	C6-N1-C2	-5.69	121.69	125.10
25	BB	1534	U	N1-C2-N3	5.69	118.31	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1787	A	C2-N3-C4	5.69	113.44	110.60
25	BB	1981	A	C5'-C4'-O4'	5.69	115.93	109.10
25	BB	2269	G	N1-C2-N2	-5.69	111.08	116.20
25	BB	2870	C	N1-C1'-C2'	5.69	121.40	114.00
25	BB	16	C	C2-N1-C1'	5.69	125.06	118.80
25	BB	586	A	C5-C6-N6	5.69	128.25	123.70
25	BB	642	U	C3'-C2'-C1'	5.69	106.05	101.50
25	BB	926	G	N3-C4-N9	5.69	129.41	126.00
25	BB	1323	C	N3-C4-N4	-5.69	114.02	118.00
25	BB	1728	C	O5'-P-OP2	-5.69	100.58	105.70
25	BB	2180	U	C4-C5-C6	5.69	123.11	119.70
25	BB	2458	G	N3-C4-C5	-5.69	125.76	128.60
3	A1	363	A	C8-N9-C4	-5.69	103.53	105.80
20	AU	110	ARG	NH1-CZ-NH2	-5.69	113.14	119.40
25	BB	370	G	N3-C2-N2	-5.69	115.92	119.90
25	BB	380	G	N3-C2-N2	-5.69	115.92	119.90
25	BB	680	C	N1-C2-O2	5.69	122.31	118.90
25	BB	1627	G	N3-C4-C5	-5.69	125.76	128.60
25	BB	1848	A	P-O3'-C3'	5.69	126.53	119.70
25	BB	1891	G	N1-C2-N3	5.69	127.31	123.90
25	BB	1980	G	N7-C8-N9	5.69	115.94	113.10
25	BB	2747	G	C8-N9-C4	-5.69	104.12	106.40
25	BB	2863	C	N3-C4-C5	5.69	124.17	121.90
31	BH	30	ARG	NE-CZ-NH2	5.69	123.14	120.30
3	A1	538	G	C8-N9-C4	-5.69	104.13	106.40
25	BB	70	G	C5-C6-N1	5.69	114.34	111.50
25	BB	782	A	C3'-C2'-C1'	5.69	106.05	101.50
25	BB	950	G	C5-C6-N1	5.69	114.34	111.50
25	BB	2489	U	C5'-C4'-O4'	5.69	115.92	109.10
35	BL	11	ARG	NE-CZ-NH2	5.69	123.14	120.30
3	A1	347	G	C6-N1-C2	-5.68	121.69	125.10
3	A1	1076	U	N1-C2-O2	5.68	126.78	122.80
3	A1	1212	U	C4-C5-C6	5.68	123.11	119.70
3	A1	1270	G	N1-C6-O6	-5.68	116.49	119.90
3	A1	1291	U	C3'-C2'-C1'	5.68	106.05	101.50
17	AR	12	ARG	NE-CZ-NH1	5.68	123.14	120.30
25	BB	289	G	C8-N9-C4	-5.68	104.13	106.40
25	BB	429	A	N3-C4-N9	-5.68	122.85	127.40
25	BB	551	G	C5'-C4'-C3'	-5.68	106.91	116.00
25	BB	588	U	N1-C2-N3	5.68	118.31	114.90
25	BB	1338	G	C2'-C3'-O3'	5.68	122.80	113.70
25	BB	1582	C	C6-N1-C2	-5.68	118.03	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2293	G	C5-N7-C8	-5.68	101.46	104.30
25	BB	2465	C	O3'-P-O5'	5.68	114.80	104.00
25	BB	2859	G	N3-C2-N2	-5.68	115.92	119.90
38	BO	84	PHE	CB-CA-C	5.68	121.77	110.40
3	A1	1186	G	C5-C6-N1	5.68	114.34	111.50
3	A1	1517	G	C8-N9-C4	-5.68	104.13	106.40
24	BA	44	G	C3'-C2'-C1'	-5.68	96.95	101.50
24	BA	81	G	C6-C5-N7	5.68	133.81	130.40
25	BB	50	U	N3-C2-O2	-5.68	118.22	122.20
25	BB	660	C	N3-C2-O2	-5.68	117.92	121.90
25	BB	763	G	N3-C4-C5	-5.68	125.76	128.60
25	BB	808	G	O4'-C1'-N9	5.68	112.75	108.20
25	BB	1085	A	C8-N9-C4	-5.68	103.53	105.80
25	BB	1552	A	C6-C5-N7	5.68	136.28	132.30
25	BB	1684	G	N1-C2-N2	5.68	121.31	116.20
25	BB	1923	U	C4-C5-C6	5.68	123.11	119.70
25	BB	2264	C	C6-N1-C2	-5.68	118.03	120.30
25	BB	2415	G	C6-C5-N7	5.68	133.81	130.40
25	BB	2535	G	C5-N7-C8	-5.68	101.46	104.30
3	A1	494	G	C6-C5-N7	5.68	133.81	130.40
3	A1	580	C	O4'-C1'-N1	5.68	112.75	108.20
24	BA	78	A	C4-C5-C6	-5.68	114.16	117.00
24	BA	80	U	N1-C1'-C2'	5.68	121.39	114.00
25	BB	508	A	N9-C4-C5	-5.68	103.53	105.80
25	BB	2153	C	N1-C1'-C2'	-5.68	105.75	112.00
25	BB	2415	G	C4-C5-C6	-5.68	115.39	118.80
3	A1	425	G	N1-C6-O6	-5.68	116.49	119.90
3	A1	1072	G	C5-C6-N1	5.68	114.34	111.50
3	A1	1284	C	C2-N3-C4	-5.68	117.06	119.90
3	A1	1461	G	C4-C5-N7	5.68	113.07	110.80
24	BA	40	U	C4-C5-C6	5.68	123.11	119.70
25	BB	356	G	O3'-P-O5'	-5.68	93.21	104.00
25	BB	738	G	C5-C6-O6	5.68	132.01	128.60
25	BB	1492	G	N9-C1'-C2'	-5.68	105.75	112.00
51	B2	173	ASP	CB-CG-OD2	5.68	123.41	118.30
3	A1	99	C	C5'-C4'-C3'	-5.68	106.92	116.00
24	BA	37	C	N1-C2-O2	5.68	122.31	118.90
25	BB	2628	C	N3-C2-O2	-5.68	117.92	121.90
25	BB	2635	A	N1-C2-N3	-5.68	126.46	129.30
25	BB	2897	U	N1-C2-N3	5.68	118.31	114.90
3	A1	339	C	N1-C2-N3	5.68	123.17	119.20
3	A1	553	A	N1-C6-N6	-5.68	115.19	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	740	U	N3-C2-O2	-5.68	118.23	122.20
3	A1	893	C	C2-N3-C4	-5.68	117.06	119.90
3	A1	1015	G	C5-C6-O6	-5.68	125.19	128.60
3	A1	1152	A	C1'-O4'-C4'	-5.68	105.36	109.90
3	A1	1217	C	N3-C2-O2	-5.68	117.93	121.90
24	BA	94	A	C2-N3-C4	5.68	113.44	110.60
24	BA	110	C	C6-N1-C2	-5.68	118.03	120.30
25	BB	53	A	C8-N9-C4	-5.68	103.53	105.80
25	BB	81	G	N7-C8-N9	5.68	115.94	113.10
25	BB	792	A	C2-N3-C4	5.68	113.44	110.60
25	BB	1006	C	C4'-C3'-C2'	-5.68	96.92	102.60
25	BB	1050	A	C6-C5-N7	5.68	136.27	132.30
25	BB	1244	A	N9-C4-C5	5.68	108.07	105.80
25	BB	1329	U	C1'-O4'-C4'	-5.68	105.36	109.90
25	BB	1485	U	C4'-C3'-C2'	-5.68	96.92	102.60
25	BB	1795	C	C5-C6-N1	-5.68	118.16	121.00
25	BB	2063	C	C3'-C2'-C1'	5.68	106.04	101.50
25	BB	2884	U	N1-C2-O2	5.68	126.77	122.80
3	A1	972	C	C4-C5-C6	5.67	120.24	117.40
3	A1	1295	U	C1'-O4'-C4'	-5.67	105.36	109.90
24	BA	86	G	N9-C4-C5	5.67	107.67	105.40
25	BB	326	G	C5-N7-C8	-5.67	101.46	104.30
25	BB	749	A	P-O3'-C3'	5.67	126.51	119.70
25	BB	888	C	N1-C2-N3	5.67	123.17	119.20
25	BB	1517	G	N7-C8-N9	5.67	115.94	113.10
25	BB	1744	A	C2-N3-C4	5.67	113.44	110.60
25	BB	2026	U	N1-C1'-C2'	5.67	121.38	114.00
25	BB	2121	G	N9-C4-C5	5.67	107.67	105.40
25	BB	2230	G	C2-N3-C4	5.67	114.74	111.90
25	BB	2246	G	C8-N9-C4	-5.67	104.13	106.40
25	BB	2651	C	N1-C2-O2	5.67	122.30	118.90
25	BB	2800	A	C5'-C4'-C3'	-5.67	106.92	116.00
25	BB	2882	A	C3'-C2'-C1'	5.67	106.04	101.50
52	B3	168	VAL	CG1-CB-CG2	-5.67	101.82	110.90
3	A1	760	G	C5'-C4'-O4'	5.67	115.91	109.10
3	A1	1193	G	C1'-O4'-C4'	-5.67	105.36	109.90
25	BB	570	G	N1-C6-O6	-5.67	116.50	119.90
25	BB	680	C	C1'-O4'-C4'	-5.67	105.36	109.90
25	BB	1531	C	C6-N1-C2	-5.67	118.03	120.30
25	BB	1645	G	C4-C5-C6	-5.67	115.40	118.80
25	BB	2801	G	C4-C5-C6	-5.67	115.40	118.80
3	A1	445	G	N3-C4-N9	5.67	129.40	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	673	A	C5-C6-N1	5.67	120.54	117.70
3	A1	788	U	N3-C4-C5	5.67	118.00	114.60
3	A1	923	A	N1-C2-N3	-5.67	126.46	129.30
3	A1	1129	C	C5-C4-N4	-5.67	116.23	120.20
3	A1	1278	G	N1-C6-O6	-5.67	116.50	119.90
3	A1	1528	U	N3-C2-O2	-5.67	118.23	122.20
24	BA	76	G	N9-C4-C5	5.67	107.67	105.40
25	BB	794	A	N9-C4-C5	5.67	108.07	105.80
25	BB	823	C	C5-C4-N4	5.67	124.17	120.20
25	BB	1049	C	O4'-C4'-C3'	-5.67	98.33	104.00
25	BB	1355	G	C6-N1-C2	-5.67	121.70	125.10
25	BB	1910	G	C8-N9-C4	-5.67	104.13	106.40
34	BK	83	TYR	CB-CG-CD1	-5.67	117.60	121.00
49	BZ	4	ASP	CB-CG-OD1	5.67	123.40	118.30
3	A1	64	G	C5-C6-N1	5.67	114.33	111.50
3	A1	367	U	C3'-C2'-C1'	5.67	106.04	101.50
3	A1	502	A	C2-N3-C4	5.67	113.44	110.60
3	A1	1025	U	C2-N3-C4	-5.67	123.60	127.00
3	A1	1133	G	C2-N3-C4	5.67	114.73	111.90
25	BB	791	C	C6-N1-C2	-5.67	118.03	120.30
1	AA	50	U	C5-C4-O4	-5.67	122.50	125.90
1	AP	69	U	N1-C2-O2	5.67	126.77	122.80
1	AE	9	A	C5-C6-N6	5.67	128.24	123.70
3	A1	175	C	C5-C6-N1	-5.67	118.17	121.00
3	A1	727	G	C6-C5-N7	5.67	133.80	130.40
3	A1	927	G	C4'-C3'-C2'	-5.67	96.93	102.60
3	A1	1371	G	C4'-C3'-C2'	-5.67	96.93	102.60
3	A1	1383	C	C4-C5-C6	-5.67	114.57	117.40
25	BB	183	C	N1-C2-N3	5.67	123.17	119.20
25	BB	385	C	C6-N1-C2	-5.67	118.03	120.30
25	BB	463	G	C3'-C2'-C1'	5.67	106.03	101.50
25	BB	471	A	C6-C5-N7	5.67	136.27	132.30
25	BB	698	C	N3-C4-N4	-5.67	114.03	118.00
25	BB	842	U	N3-C2-O2	-5.67	118.23	122.20
25	BB	871	U	C5-C6-N1	-5.67	119.87	122.70
25	BB	915	C	N3-C4-N4	-5.67	114.03	118.00
25	BB	1439	A	C5'-C4'-C3'	-5.67	106.93	116.00
25	BB	1773	A	C5-C6-N6	5.67	128.24	123.70
25	BB	1899	A	N3-C4-N9	-5.67	122.86	127.40
25	BB	2101	A	N3-C4-N9	-5.67	122.86	127.40
25	BB	2308	G	C6-C5-N7	5.67	133.80	130.40
25	BB	2405	G	C2'-C3'-O3'	5.67	122.77	113.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2636	C	C5-C6-N1	-5.67	118.17	121.00
30	BG	46	ARG	NH1-CZ-NH2	-5.67	113.17	119.40
30	BG	90	ARG	CD-NE-CZ	5.67	131.54	123.60
1	AE	18	G	C8-N9-C1'	5.67	134.37	127.00
2	AM	11	U	C2'-C3'-O3'	5.67	122.77	113.70
3	A1	875	U	C2'-C3'-O3'	5.67	122.77	113.70
3	A1	1197	A	C4'-C3'-C2'	-5.67	96.93	102.60
3	A1	1213	A	C8-N9-C4	5.67	108.07	105.80
3	A1	1453	G	N3-C2-N2	-5.67	115.93	119.90
25	BB	304	U	N1-C2-O2	5.67	126.77	122.80
25	BB	501	A	C3'-C2'-C1'	5.67	106.03	101.50
25	BB	502	A	C6-N1-C2	-5.67	115.20	118.60
25	BB	819	A	C4'-C3'-C2'	-5.67	96.93	102.60
25	BB	1625	C	O4'-C1'-C2'	-5.67	100.13	105.80
25	BB	1665	A	C6-C5-N7	5.67	136.27	132.30
25	BB	1699	G	N9-C1'-C2'	-5.67	105.77	112.00
25	BB	1765	U	C4-C5-C6	5.67	123.10	119.70
25	BB	1777	U	P-O3'-C3'	5.67	126.50	119.70
2	AM	7	U	C1'-O4'-C4'	-5.67	105.37	109.90
3	A1	810	C	P-O3'-C3'	5.67	126.50	119.70
25	BB	92	U	N1-C2-N3	5.67	118.30	114.90
25	BB	1320	C	C5-C6-N1	-5.67	118.17	121.00
3	A1	492	C	C4'-C3'-C2'	-5.66	96.94	102.60
3	A1	590	U	O3'-P-O5'	-5.66	93.24	104.00
3	A1	979	C	C4'-C3'-C2'	5.66	108.26	102.60
3	A1	1488	G	O4'-C1'-C2'	5.66	112.70	107.60
15	AO	71	ARG	NE-CZ-NH1	5.66	123.13	120.30
25	BB	49	A	C5-C6-N6	5.66	128.23	123.70
25	BB	289	G	N1-C6-O6	-5.66	116.50	119.90
25	BB	307	G	C4-C5-C6	-5.66	115.40	118.80
25	BB	479	A	C5-C6-N1	5.66	120.53	117.70
25	BB	496	G	N1-C2-N3	5.66	127.30	123.90
25	BB	778	G	C8-N9-C4	-5.66	104.14	106.40
25	BB	994	C	N3-C4-C5	5.66	124.17	121.90
25	BB	1031	G	N1-C2-N3	5.66	127.30	123.90
25	BB	1244	A	N3-C4-N9	-5.66	122.87	127.40
25	BB	1658	C	N3-C2-O2	-5.66	117.94	121.90
25	BB	1876	A	C4'-C3'-C2'	-5.66	96.94	102.60
25	BB	2108	A	C1'-O4'-C4'	-5.66	105.37	109.90
25	BB	2320	U	C6-N1-C2	-5.66	117.60	121.00
25	BB	2488	G	C5-N7-C8	-5.66	101.47	104.30
25	BB	2510	C	N1-C2-O2	5.66	122.30	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2564	A	C5-N7-C8	-5.66	101.07	103.90
25	BB	2877	G	N1-C6-O6	-5.66	116.50	119.90
3	A1	746	A	C8-N9-C4	5.66	108.06	105.80
3	A1	795	C	C6-N1-C1'	5.66	127.59	120.80
3	A1	1320	C	O4'-C1'-C2'	-5.66	100.14	105.80
3	A1	1447	A	C2-N3-C4	5.66	113.43	110.60
25	BB	207	A	C2-N3-C4	5.66	113.43	110.60
25	BB	258	G	C6-C5-N7	5.66	133.80	130.40
25	BB	785	G	C5-N7-C8	-5.66	101.47	104.30
25	BB	1661	G	N1-C6-O6	-5.66	116.50	119.90
25	BB	2496	C	N3-C4-N4	-5.66	114.04	118.00
25	BB	2535	G	C5'-C4'-C3'	-5.66	106.94	116.00
3	A1	86	G	N9-C4-C5	5.66	107.66	105.40
3	A1	442	G	N1-C2-N3	5.66	127.30	123.90
3	A1	512	U	C5'-C4'-C3'	-5.66	106.94	116.00
3	A1	611	C	C5-C4-N4	5.66	124.16	120.20
3	A1	845	A	C5-C6-N6	5.66	128.23	123.70
3	A1	1357	A	C4'-C3'-C2'	-5.66	96.94	102.60
3	A1	1399	C	C5-C6-N1	-5.66	118.17	121.00
25	BB	96	C	N1-C2-O2	5.66	122.30	118.90
25	BB	120	U	C1'-O4'-C4'	-5.66	105.37	109.90
25	BB	422	A	C5-C6-N6	5.66	128.23	123.70
25	BB	575	A	C4-C5-C6	-5.66	114.17	117.00
25	BB	1024	G	N7-C8-N9	5.66	115.93	113.10
25	BB	1210	G	N3-C4-C5	-5.66	125.77	128.60
25	BB	1211	C	C5'-C4'-C3'	-5.66	106.94	116.00
25	BB	1659	G	O4'-C4'-C3'	-5.66	98.34	104.00
25	BB	2042	A	C6-N1-C2	-5.66	115.20	118.60
25	BB	2096	C	C2-N3-C4	-5.66	117.07	119.90
25	BB	2281	A	C6-C5-N7	5.66	136.26	132.30
25	BB	2526	G	C5-C6-N1	5.66	114.33	111.50
25	BB	2572	A	N1-C2-N3	-5.66	126.47	129.30
25	BB	2722	G	C6-C5-N7	5.66	133.80	130.40
25	BB	2902	C	C5-C4-N4	5.66	124.16	120.20
2	AM	17	U	C5'-C4'-O4'	5.66	115.89	109.10
3	A1	297	G	O4'-C1'-N9	5.66	112.73	108.20
3	A1	350	G	C8-N9-C4	-5.66	104.14	106.40
3	A1	554	A	C2'-C3'-O3'	5.66	122.75	113.70
3	A1	886	G	O4'-C1'-C2'	-5.66	100.14	105.80
3	A1	964	A	O4'-C1'-N9	5.66	112.73	108.20
24	BA	54	G	C3'-C2'-C1'	5.66	106.03	101.50
25	BB	1951	U	N3-C4-C5	-5.66	111.20	114.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1966	A	C5-N7-C8	-5.66	101.07	103.90
25	BB	1968	G	C3'-C2'-C1'	5.66	106.03	101.50
25	BB	2697	G	C4'-C3'-C2'	-5.66	96.94	102.60
46	BW	7	ARG	NH1-CZ-NH2	-5.66	113.17	119.40
1	AP	36	A	C4-C5-C6	-5.66	114.17	117.00
24	BA	7	G	C6-C5-N7	5.66	133.79	130.40
25	BB	117	G	C4-C5-N7	-5.66	108.54	110.80
25	BB	1119	U	C3'-C2'-C1'	5.66	106.03	101.50
25	BB	1675	C	C5-C4-N4	5.66	124.16	120.20
25	BB	2389	G	C5-C6-N1	5.66	114.33	111.50
3	A1	198	G	N1-C6-O6	-5.66	116.51	119.90
3	A1	257	G	N1-C6-O6	-5.66	116.51	119.90
3	A1	846	G	C5-C6-N1	5.66	114.33	111.50
3	A1	1247	U	C4-C5-C6	5.66	123.09	119.70
3	A1	1293	C	N3-C4-N4	-5.66	114.04	118.00
3	A1	1507	A	C4'-C3'-C2'	-5.66	96.94	102.60
4	AB	87	ASP	CB-CG-OD2	-5.66	113.21	118.30
25	BB	127	A	C6-C5-N7	5.66	136.26	132.30
25	BB	476	G	C1'-O4'-C4'	-5.66	105.38	109.90
25	BB	804	A	C1'-O4'-C4'	-5.66	105.38	109.90
25	BB	1219	U	C1'-O4'-C4'	5.66	114.42	109.90
25	BB	1387	A	C1'-O4'-C4'	-5.66	105.38	109.90
25	BB	1573	G	N3-C4-C5	-5.66	125.77	128.60
25	BB	1683	U	C3'-C2'-C1'	5.66	106.03	101.50
25	BB	1929	G	O4'-C1'-C2'	-5.66	100.14	105.80
25	BB	2089	C	C4-C5-C6	5.66	120.23	117.40
25	BB	2157	G	O3'-P-O5'	5.66	114.75	104.00
25	BB	2752	C	C5'-C4'-O4'	-5.66	102.31	109.10
25	BB	841	G	C5-C6-N1	5.65	114.33	111.50
25	BB	1525	A	N9-C1'-C2'	-5.65	105.78	112.00
25	BB	1639	C	C5-C6-N1	-5.65	118.17	121.00
25	BB	1639	C	O4'-C1'-N1	5.65	112.72	108.20
25	BB	1821	A	C5'-C4'-O4'	5.65	115.89	109.10
25	BB	2119	A	C5'-C4'-O4'	-5.65	102.31	109.10
25	BB	2263	C	N1-C2-O2	5.65	122.29	118.90
25	BB	2324	U	N3-C2-O2	-5.65	118.24	122.20
1	AA	10	G	C5'-C4'-O4'	5.65	115.88	109.10
1	AA	72	C	C5'-C4'-C3'	5.65	125.04	116.00
3	A1	316	C	C4-C5-C6	5.65	120.23	117.40
3	A1	723	U	C5-C4-O4	5.65	129.29	125.90
3	A1	853	C	N3-C4-N4	-5.65	114.04	118.00
3	A1	1007	U	C6-N1-C2	-5.65	117.61	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1145	A	C2-N3-C4	5.65	113.43	110.60
25	BB	4	U	N1-C2-N3	5.65	118.29	114.90
25	BB	201	C	C1'-O4'-C4'	-5.65	105.38	109.90
25	BB	303	G	N3-C2-N2	-5.65	115.94	119.90
25	BB	542	C	N3-C2-O2	-5.65	117.94	121.90
25	BB	716	A	N7-C8-N9	-5.65	110.97	113.80
25	BB	866	A	C6-C5-N7	5.65	136.26	132.30
25	BB	965	C	C2-N3-C4	-5.65	117.07	119.90
25	BB	992	C	N1-C2-N3	5.65	123.16	119.20
25	BB	1148	U	C4-C5-C6	5.65	123.09	119.70
1	AP	6	U	C5-C4-O4	-5.65	122.51	125.90
3	A1	74	A	C4'-C3'-C2'	5.65	108.25	102.60
3	A1	350	G	N7-C8-N9	5.65	115.93	113.10
3	A1	1237	C	C6-N1-C2	-5.65	118.04	120.30
3	A1	1462	C	N1-C2-O2	5.65	122.29	118.90
24	BA	35	C	N1-C2-O2	5.65	122.29	118.90
25	BB	723	C	N1-C2-N3	5.65	123.16	119.20
25	BB	1032	A	C4-C5-C6	-5.65	114.17	117.00
25	BB	1422	G	C5-N7-C8	-5.65	101.47	104.30
25	BB	1463	C	C4'-C3'-C2'	-5.65	96.95	102.60
25	BB	1561	C	C6-N1-C2	5.65	122.56	120.30
25	BB	1563	U	C2-N3-C4	-5.65	123.61	127.00
25	BB	2116	G	N3-C4-C5	5.65	131.43	128.60
25	BB	2673	G	C6-N1-C2	-5.65	121.71	125.10
53	B4	87	GLU	OE1-CD-OE2	-5.65	116.52	123.30
3	A1	403	C	C2-N3-C4	-5.65	117.08	119.90
3	A1	493	A	C2-N3-C4	5.65	113.42	110.60
3	A1	601	G	N3-C4-N9	5.65	129.39	126.00
3	A1	657	U	C2-N3-C4	-5.65	123.61	127.00
3	A1	1022	A	C4'-C3'-C2'	-5.65	96.95	102.60
3	A1	1163	A	C6-C5-N7	5.65	136.25	132.30
3	A1	1481	U	N1-C2-N3	5.65	118.29	114.90
17	AR	96	ARG	NH1-CZ-NH2	-5.65	113.19	119.40
25	BB	953	G	C5-N7-C8	5.65	107.12	104.30
25	BB	1354	A	C6-C5-N7	5.65	136.25	132.30
25	BB	2491	U	N3-C2-O2	-5.65	118.25	122.20
25	BB	2579	C	C4'-C3'-C2'	-5.65	96.95	102.60
3	A1	336	A	C5-N7-C8	-5.65	101.08	103.90
3	A1	648	A	C4'-C3'-C2'	-5.65	96.95	102.60
3	A1	813	U	C5-C6-N1	-5.65	119.88	122.70
8	AG	58	ARG	NH1-CZ-NH2	-5.65	113.19	119.40
25	BB	424	G	C5-C6-N1	5.65	114.32	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	770	G	N3-C4-C5	-5.65	125.78	128.60
25	BB	846	U	N1-C2-N3	5.65	118.29	114.90
25	BB	1003	G	C4-C5-N7	-5.65	108.54	110.80
25	BB	1833	C	O4'-C1'-N1	5.65	112.72	108.20
25	BB	2018	G	C5-N7-C8	-5.65	101.48	104.30
25	BB	2189	U	C1'-O4'-C4'	-5.65	105.38	109.90
25	BB	2286	G	N1-C6-O6	-5.65	116.51	119.90
25	BB	2533	U	C5-C4-O4	-5.65	122.51	125.90
25	BB	2803	G	C1'-O4'-C4'	-5.65	105.38	109.90
3	A1	1187	G	C5-N7-C8	-5.65	101.48	104.30
24	BA	71	C	N3-C4-N4	-5.65	114.05	118.00
25	BB	648	G	C2-N3-C4	5.65	114.72	111.90
25	BB	2721	A	C2-N3-C4	5.65	113.42	110.60
1	AP	37	G	C4'-C3'-C2'	-5.64	96.95	102.60
3	A1	98	A	C8-N9-C4	-5.64	103.54	105.80
3	A1	227	G	P-O3'-C3'	5.64	126.47	119.70
3	A1	325	A	N1-C2-N3	-5.64	126.48	129.30
3	A1	988	G	C4-C5-N7	-5.64	108.54	110.80
25	BB	271	G	C6-N1-C2	-5.64	121.71	125.10
25	BB	484	C	C3'-C2'-C1'	5.64	106.02	101.50
25	BB	603	A	C4'-C3'-C2'	-5.64	96.96	102.60
25	BB	689	A	C4'-C3'-C2'	-5.64	96.95	102.60
25	BB	1069	A	O3'-P-O5'	-5.64	93.28	104.00
25	BB	1221	C	N1-C2-O2	5.64	122.29	118.90
25	BB	1712	U	C4'-C3'-C2'	-5.64	96.95	102.60
25	BB	1891	G	O5'-C5'-C4'	-5.64	100.98	111.70
25	BB	2262	U	N1-C2-N3	5.64	118.29	114.90
25	BB	2345	G	N1-C6-O6	-5.64	116.51	119.90
25	BB	2395	C	C6-N1-C2	-5.64	118.04	120.30
25	BB	2577	A	C6-C5-N7	5.64	136.25	132.30
3	A1	339	C	C6-N1-C2	-5.64	118.04	120.30
3	A1	397	A	N9-C4-C5	5.64	108.06	105.80
3	A1	423	G	N7-C8-N9	5.64	115.92	113.10
3	A1	683	G	N7-C8-N9	5.64	115.92	113.10
14	AN	39	GLU	OE1-CD-OE2	-5.64	116.53	123.30
25	BB	752	A	C5-C6-N6	5.64	128.21	123.70
25	BB	775	G	C5'-C4'-O4'	5.64	115.87	109.10
25	BB	1111	A	O4'-C4'-C3'	5.64	110.61	106.10
25	BB	1518	C	N1-C2-N3	5.64	123.15	119.20
25	BB	1717	A	C6-N1-C2	-5.64	115.21	118.60
25	BB	2108	A	N9-C4-C5	5.64	108.06	105.80
25	BB	2416	C	C1'-O4'-C4'	-5.64	105.39	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2544	G	P-O5'-C5'	5.64	129.93	120.90
50	B1	7	ASP	CB-CG-OD2	5.64	123.38	118.30
3	A1	486	U	P-O3'-C3'	5.64	126.47	119.70
3	A1	882	C	N1-C2-O2	5.64	122.28	118.90
25	BB	1871	A	N9-C4-C5	5.64	108.06	105.80
25	BB	2175	C	P-O3'-C3'	5.64	126.47	119.70
51	B2	29	ARG	NE-CZ-NH1	5.64	123.12	120.30
1	AA	33	U	C2-N3-C4	-5.64	123.62	127.00
1	AA	51	G	C3'-C2'-C1'	5.64	106.01	101.50
3	A1	108	G	C8-N9-C4	-5.64	104.14	106.40
3	A1	413	G	C4'-C3'-C2'	-5.64	96.96	102.60
3	A1	414	A	C5'-C4'-O4'	5.64	115.87	109.10
3	A1	812	G	C5'-C4'-C3'	-5.64	106.98	116.00
3	A1	1137	C	O4'-C1'-N1	5.64	112.71	108.20
25	BB	386	G	O4'-C1'-N9	5.64	112.71	108.20
25	BB	848	C	C3'-C2'-C1'	5.64	106.01	101.50
25	BB	916	G	C5-N7-C8	-5.64	101.48	104.30
25	BB	1000	A	O5'-P-OP2	-5.64	100.62	105.70
25	BB	1496	A	C4-C5-C6	-5.64	114.18	117.00
25	BB	2151	U	N1-C2-O2	5.64	126.75	122.80
25	BB	2274	A	N7-C8-N9	5.64	116.62	113.80
25	BB	2421	G	N7-C8-N9	5.64	115.92	113.10
25	BB	2476	A	C1'-O4'-C4'	-5.64	105.39	109.90
25	BB	2525	G	O4'-C1'-C2'	-5.64	100.16	105.80
25	BB	2530	A	N1-C2-N3	-5.64	126.48	129.30
25	BB	2864	G	O4'-C1'-N9	5.64	112.71	108.20
1	AA	1	G	O5'-C5'-C4'	5.64	122.41	111.70
3	A1	963	G	N1-C2-N3	5.64	127.28	123.90
3	A1	1013	G	C1'-O4'-C4'	-5.64	105.39	109.90
24	BA	6	G	C5'-C4'-O4'	5.64	115.87	109.10
24	BA	14	U	C4-C5-C6	5.64	123.08	119.70
25	BB	728	G	C4-C5-C6	-5.64	115.42	118.80
25	BB	1023	U	N1-C2-O2	5.64	126.75	122.80
25	BB	2065	C	N3-C2-O2	-5.64	117.95	121.90
25	BB	2451	A	N1-C2-N3	-5.64	126.48	129.30
1	AE	33	U	N1-C2-N3	5.64	118.28	114.90
3	A1	290	C	C5-C6-N1	-5.64	118.18	121.00
3	A1	300	A	C6-N1-C2	-5.64	115.22	118.60
3	A1	380	G	N7-C8-N9	5.64	115.92	113.10
3	A1	391	G	N1-C2-N2	5.64	121.27	116.20
3	A1	430	A	C4-C5-C6	-5.64	114.18	117.00
3	A1	432	A	N7-C8-N9	5.64	116.62	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	458	U	N3-C2-O2	-5.64	118.25	122.20
3	A1	644	U	N1-C2-O2	5.64	126.75	122.80
3	A1	828	U	O4'-C4'-C3'	5.64	110.61	106.10
3	A1	1357	A	C6-C5-N7	5.64	136.25	132.30
3	A1	1358	U	C4'-C3'-C2'	-5.64	96.96	102.60
3	A1	1450	U	C6-N1-C2	-5.64	117.62	121.00
25	BB	589	U	O4'-C4'-C3'	5.64	110.61	106.10
25	BB	674	G	C4'-C3'-C2'	-5.64	96.96	102.60
25	BB	892	A	O4'-C1'-C2'	-5.64	100.16	105.80
25	BB	1034	G	N3-C4-C5	-5.64	125.78	128.60
25	BB	1806	C	N3-C4-N4	-5.64	114.06	118.00
25	BB	2256	G	C6-N1-C2	-5.64	121.72	125.10
25	BB	2461	A	C5-C6-N1	5.64	120.52	117.70
25	BB	2693	G	N1-C2-N3	5.64	127.28	123.90
1	AE	37	G	C2-N3-C4	-5.63	109.08	111.90
3	A1	410	G	N1-C6-O6	-5.63	116.52	119.90
3	A1	681	A	C6-N1-C2	-5.63	115.22	118.60
3	A1	1183	U	C2-N3-C4	-5.63	123.62	127.00
3	A1	1376	U	C5'-C4'-C3'	-5.63	106.98	116.00
25	BB	19	A	C5'-C4'-C3'	-5.63	106.98	116.00
25	BB	36	G	O4'-C4'-C3'	5.63	110.61	106.10
25	BB	475	C	N1-C1'-C2'	5.63	121.32	114.00
25	BB	617	G	C6-N1-C2	-5.63	121.72	125.10
25	BB	881	G	C5'-C4'-C3'	-5.63	106.98	116.00
25	BB	2196	C	O4'-C1'-N1	5.63	112.71	108.20
25	BB	2392	A	C5-C6-N1	5.63	120.52	117.70
25	BB	2693	G	C6-N1-C2	-5.63	121.72	125.10
25	BB	2815	C	C2-N3-C4	-5.63	117.08	119.90
25	BB	2903	U	N1-C2-O2	5.63	126.74	122.80
1	AA	38	A	OP1-P-O3'	5.63	117.59	105.20
3	A1	239	U	N1-C2-N3	5.63	118.28	114.90
3	A1	539	A	C1'-O4'-C4'	-5.63	105.39	109.90
3	A1	614	C	N3-C4-N4	-5.63	114.06	118.00
3	A1	1052	U	C3'-C2'-C1'	5.63	106.01	101.50
3	A1	1462	C	C6-N1-C2	-5.63	118.05	120.30
24	BA	9	G	C4-C5-N7	5.63	113.05	110.80
25	BB	311	A	C5-C6-N6	5.63	128.21	123.70
25	BB	397	U	N1-C2-N3	5.63	118.28	114.90
25	BB	1489	C	C5-C6-N1	-5.63	118.18	121.00
1	AE	6	U	C2-N3-C4	-5.63	123.62	127.00
3	A1	237	G	C2'-C3'-O3'	5.63	122.71	113.70
3	A1	355	C	C2'-C3'-O3'	5.63	122.71	113.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	431	A	C6-N1-C2	-5.63	115.22	118.60
3	A1	971	G	N7-C8-N9	5.63	115.92	113.10
3	A1	1233	G	C2'-C3'-O3'	5.63	122.71	113.70
3	A1	1295	U	N3-C4-O4	-5.63	115.46	119.40
25	BB	134	G	N9-C4-C5	5.63	107.65	105.40
25	BB	498	G	N1-C6-O6	-5.63	116.52	119.90
25	BB	867	C	N1-C2-O2	5.63	122.28	118.90
25	BB	1181	U	N3-C2-O2	-5.63	118.26	122.20
3	A1	453	G	N3-C4-N9	5.63	129.38	126.00
3	A1	1045	C	C1'-O4'-C4'	5.63	114.40	109.90
17	AR	150	LYS	C-N-CA	5.63	135.78	121.70
25	BB	304	U	N3-C4-O4	-5.63	115.46	119.40
25	BB	775	G	C5-C6-N1	5.63	114.31	111.50
25	BB	799	G	N7-C8-N9	5.63	115.92	113.10
25	BB	1429	G	N7-C8-N9	5.63	115.92	113.10
25	BB	1587	G	O4'-C1'-N9	-5.63	103.70	108.20
25	BB	2546	U	O5'-C5'-C4'	-5.63	101.00	111.70
25	BB	2626	C	C2-N3-C4	-5.63	117.08	119.90
25	BB	2698	U	C4-C5-C6	5.63	123.08	119.70
25	BB	2862	G	C2-N3-C4	5.63	114.72	111.90
41	BR	30	ARG	NE-CZ-NH2	-5.63	117.48	120.30
49	BZ	122	ARG	NE-CZ-NH1	5.63	123.11	120.30
3	A1	114	U	C5'-C4'-O4'	5.63	115.86	109.10
3	A1	405	U	C5-C6-N1	-5.63	119.89	122.70
3	A1	1032	G	O3'-P-O5'	5.63	114.70	104.00
3	A1	1238	A	C1'-O4'-C4'	-5.63	105.40	109.90
25	BB	47	C	O4'-C4'-C3'	5.63	110.60	106.10
25	BB	71	A	C5-C6-N6	5.63	128.20	123.70
25	BB	565	C	N3-C2-O2	-5.63	117.96	121.90
25	BB	622	G	N1-C6-O6	-5.63	116.52	119.90
25	BB	783	A	C2'-C3'-O3'	5.63	122.70	113.70
25	BB	1071	G	C5-C6-O6	-5.63	125.22	128.60
25	BB	1651	G	C5-C6-N1	5.63	114.31	111.50
25	BB	1851	U	O4'-C1'-N1	5.63	112.70	108.20
25	BB	1893	C	N1-C2-O2	5.63	122.28	118.90
25	BB	1934	C	C2-N1-C1'	5.63	124.99	118.80
25	BB	1934	C	C4'-C3'-O3'	-5.63	97.58	109.40
25	BB	2349	G	C6-N1-C2	-5.63	121.72	125.10
25	BB	2874	C	C6-N1-C2	-5.63	118.05	120.30
3	A1	599	C	C3'-C2'-C1'	5.63	106.00	101.50
3	A1	664	G	C4-C5-N7	-5.63	108.55	110.80
3	A1	691	G	C6-C5-N7	5.63	133.78	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	881	G	N9-C4-C5	5.63	107.65	105.40
3	A1	1470	U	C2-N3-C4	-5.63	123.62	127.00
25	BB	602	A	C6-N1-C2	5.63	121.98	118.60
25	BB	1080	A	N1-C2-N3	-5.63	126.49	129.30
25	BB	1143	A	C5-N7-C8	-5.63	101.09	103.90
25	BB	1280	G	C2-N3-C4	5.63	114.71	111.90
25	BB	1315	C	C1'-O4'-C4'	5.63	114.40	109.90
25	BB	1600	C	C5-C6-N1	-5.63	118.19	121.00
25	BB	1675	C	C4'-C3'-C2'	-5.63	96.97	102.60
25	BB	2557	G	N3-C4-C5	-5.63	125.79	128.60
25	BB	2659	G	C5'-C4'-O4'	5.63	115.85	109.10
25	BB	2776	A	C5'-C4'-O4'	5.63	115.85	109.10
50	B1	8	ALA	CB-CA-C	5.63	118.54	110.10
55	B6	44	TYR	CB-CG-CD1	-5.63	117.62	121.00
1	AE	57	G	C4-C5-C6	-5.62	115.42	118.80
2	AM	8	U	N3-C4-O4	5.62	123.34	119.40
3	A1	64	G	C5-N7-C8	-5.62	101.49	104.30
3	A1	387	U	N3-C4-C5	5.62	117.97	114.60
3	A1	472	U	O4'-C1'-N1	5.62	112.70	108.20
3	A1	735	C	N1-C2-O2	5.62	122.28	118.90
3	A1	1019	A	C1'-O4'-C4'	-5.62	105.40	109.90
3	A1	1114	C	C4'-C3'-C2'	-5.62	96.97	102.60
25	BB	187	G	N1-C6-O6	-5.62	116.53	119.90
25	BB	545	U	C5-C4-O4	-5.62	122.53	125.90
25	BB	663	G	N3-C4-C5	-5.62	125.79	128.60
25	BB	1196	C	C6-N1-C2	5.62	122.55	120.30
25	BB	2249	U	P-O3'-C3'	5.62	126.45	119.70
25	BB	2540	C	C2-N3-C4	-5.62	117.09	119.90
25	BB	2685	G	N7-C8-N9	5.62	115.91	113.10
1	AP	62	A	C6-C5-N7	5.62	136.24	132.30
3	A1	198	G	O4'-C1'-N9	5.62	112.70	108.20
3	A1	377	G	N3-C4-C5	-5.62	125.79	128.60
3	A1	760	G	N3-C4-C5	-5.62	125.79	128.60
3	A1	953	G	N1-C6-O6	-5.62	116.53	119.90
3	A1	1370	G	N3-C2-N2	-5.62	115.96	119.90
25	BB	65	U	C5-C4-O4	-5.62	122.53	125.90
25	BB	317	G	N7-C8-N9	5.62	115.91	113.10
25	BB	359	G	O4'-C1'-N9	5.62	112.70	108.20
25	BB	553	G	N3-C4-N9	5.62	129.37	126.00
25	BB	883	G	N3-C4-C5	-5.62	125.79	128.60
25	BB	1493	C	C2-N3-C4	-5.62	117.09	119.90
25	BB	1706	C	O5'-P-OP1	5.62	117.45	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1766	G	C5-C6-N1	5.62	114.31	111.50
25	BB	1980	G	C5-N7-C8	-5.62	101.49	104.30
25	BB	2176	A	C3'-C2'-C1'	5.62	106.00	101.50
25	BB	2711	A	N1-C2-N3	-5.62	126.49	129.30
25	BB	2713	U	C5'-C4'-C3'	-5.62	107.00	116.00
3	A1	35	G	C3'-C2'-C1'	5.62	106.00	101.50
3	A1	318	G	C6-N1-C2	-5.62	121.73	125.10
3	A1	635	A	N1-C2-N3	-5.62	126.49	129.30
3	A1	764	C	O4'-C4'-C3'	5.62	110.60	106.10
3	A1	1233	G	C6-N1-C2	-5.62	121.73	125.10
3	A1	1325	C	O4'-C1'-C2'	5.62	112.66	107.60
6	AD	35	ARG	NH1-CZ-NH2	-5.62	113.22	119.40
24	BA	60	C	C3'-C2'-C1'	5.62	106.00	101.50
25	BB	550	C	O4'-C1'-N1	5.62	112.70	108.20
25	BB	1742	U	C3'-C2'-C1'	5.62	106.00	101.50
25	BB	1790	C	C6-N1-C2	-5.62	118.05	120.30
25	BB	1804	C	C5'-C4'-O4'	5.62	115.84	109.10
25	BB	1953	A	O4'-C4'-C3'	5.62	110.60	106.10
25	BB	2102	G	N7-C8-N9	-5.62	110.29	113.10
25	BB	2199	A	O4'-C4'-C3'	5.62	110.60	106.10
25	BB	2209	G	N1-C6-O6	-5.62	116.53	119.90
25	BB	2386	A	C2-N3-C4	5.62	113.41	110.60
25	BB	2397	G	C3'-C2'-C1'	5.62	106.00	101.50
25	BB	2476	A	N1-C2-N3	-5.62	126.49	129.30
25	BB	2772	C	O5'-P-OP2	-5.62	100.64	105.70
25	BB	2861	U	C5-C4-O4	5.62	129.27	125.90
3	A1	198	G	C5'-C4'-C3'	-5.62	107.01	116.00
3	A1	827	U	C2-N1-C1'	5.62	124.44	117.70
3	A1	832	G	O4'-C1'-N9	-5.62	103.70	108.20
3	A1	959	A	O4'-C1'-N9	5.62	112.70	108.20
25	BB	381	G	P-O3'-C3'	5.62	126.44	119.70
25	BB	735	A	C4'-C3'-C2'	-5.62	96.98	102.60
25	BB	1846	G	C5-C6-N1	5.62	114.31	111.50
1	AA	44	A	O3'-P-O5'	5.62	114.68	104.00
3	A1	237	G	C6-N1-C2	-5.62	121.73	125.10
3	A1	546	A	C5'-C4'-C3'	-5.62	107.01	116.00
3	A1	975	A	C5-C6-N6	5.62	128.20	123.70
3	A1	1128	C	N3-C4-C5	5.62	124.15	121.90
3	A1	1202	U	C1'-O4'-C4'	-5.62	105.41	109.90
5	AC	73	VAL	CG1-CB-CG2	-5.62	101.91	110.90
25	BB	193	U	O4'-C1'-C2'	5.62	112.66	107.60
25	BB	559	G	N3-C4-N9	5.62	129.37	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	559	G	N9-C4-C5	-5.62	103.15	105.40
25	BB	1478	G	C5'-C4'-C3'	-5.62	107.01	116.00
25	BB	2472	G	C5'-C4'-O4'	-5.62	102.36	109.10
25	BB	2779	U	C5'-C4'-O4'	-5.62	102.36	109.10
3	A1	1164	G	C1'-O4'-C4'	-5.62	105.41	109.90
20	AU	30	MET	C-N-CA	5.62	135.74	121.70
25	BB	171	U	N3-C4-C5	5.62	117.97	114.60
25	BB	1412	U	C4-C5-C6	5.62	123.07	119.70
25	BB	2116	G	C5'-C4'-O4'	-5.62	102.36	109.10
25	BB	2816	G	C6-C5-N7	5.62	133.77	130.40
25	BB	2902	C	O4'-C4'-C3'	5.62	110.59	106.10
1	AA	27	C	C5-C4-N4	-5.62	116.27	120.20
1	AP	14	A	C6-C5-N7	5.62	136.23	132.30
3	A1	108	G	N7-C8-N9	5.62	115.91	113.10
3	A1	425	G	C8-N9-C4	-5.62	104.15	106.40
3	A1	831	A	C4-C5-N7	5.62	113.51	110.70
3	A1	864	A	C5'-C4'-O4'	5.62	115.84	109.10
3	A1	935	A	O3'-P-O5'	5.62	114.67	104.00
3	A1	1296	C	N3-C4-N4	-5.62	114.07	118.00
3	A1	1470	U	N1-C2-N3	5.62	118.27	114.90
24	BA	30	C	O4'-C4'-C3'	5.62	110.59	106.10
24	BA	66	A	OP1-P-OP2	-5.62	111.18	119.60
25	BB	251	A	C6-C5-N7	5.62	136.23	132.30
25	BB	376	G	N3-C2-N2	-5.62	115.97	119.90
25	BB	2406	A	N1-C2-N3	-5.62	126.49	129.30
25	BB	2421	G	N1-C2-N2	-5.62	111.15	116.20
25	BB	2458	G	N1-C2-N2	-5.62	111.14	116.20
25	BB	2615	U	C4'-C3'-C2'	-5.62	96.98	102.60
25	BB	2643	G	O4'-C1'-N9	5.62	112.69	108.20
25	BB	2811	G	C8-N9-C1'	5.62	134.30	127.00
52	B3	2	ARG	NH1-CZ-NH2	-5.62	113.22	119.40
1	AA	50	U	C5-C6-N1	-5.61	119.89	122.70
1	AE	2	C	C6-N1-C2	-5.61	118.06	120.30
3	A1	111	G	C2-N3-C4	-5.61	109.09	111.90
3	A1	343	U	C4-C5-C6	5.61	123.07	119.70
3	A1	556	C	C6-N1-C2	-5.61	118.06	120.30
3	A1	646	G	C8-N9-C4	-5.61	104.16	106.40
3	A1	1156	G	N9-C4-C5	-5.61	103.16	105.40
3	A1	1499	A	C6-C5-N7	5.61	136.23	132.30
25	BB	200	U	C4'-C3'-C2'	-5.61	96.99	102.60
25	BB	230	G	N9-C4-C5	5.61	107.65	105.40
25	BB	364	C	C4-C5-C6	5.61	120.21	117.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	430	A	C6-C5-N7	5.61	136.23	132.30
25	BB	702	U	O4'-C4'-C3'	-5.61	98.39	104.00
25	BB	713	G	C4'-C3'-C2'	-5.61	96.99	102.60
25	BB	938	G	O4'-C1'-N9	5.61	112.69	108.20
25	BB	1083	U	N3-C2-O2	-5.61	118.27	122.20
25	BB	1234	U	C3'-C2'-C1'	5.61	105.99	101.50
25	BB	1326	U	C5-C4-O4	-5.61	122.53	125.90
25	BB	1471	G	C3'-C2'-C1'	5.61	105.99	101.50
25	BB	2281	A	C4-C5-C6	-5.61	114.19	117.00
25	BB	2480	C	C5'-C4'-O4'	5.61	115.83	109.10
25	BB	2722	G	C5-C6-N1	5.61	114.31	111.50
30	BG	72	ASP	CB-CG-OD2	5.61	123.35	118.30
33	BJ	54	ARG	NH1-CZ-NH2	-5.61	113.22	119.40
3	A1	1065	U	O4'-C1'-N1	5.61	112.69	108.20
15	AO	21	TRP	CE2-CD2-CG	5.61	111.79	107.30
25	BB	61	C	O4'-C1'-C2'	-5.61	100.19	105.80
25	BB	217	A	N3-C4-N9	-5.61	122.91	127.40
25	BB	547	A	N7-C8-N9	5.61	116.61	113.80
25	BB	833	A	C4-C5-C6	-5.61	114.19	117.00
25	BB	1251	C	C1'-O4'-C4'	-5.61	105.41	109.90
25	BB	2136	G	C6-N1-C2	-5.61	121.73	125.10
25	BB	2305	U	C3'-C2'-C1'	5.61	105.99	101.50
25	BB	2318	G	C2-N3-C4	5.61	114.71	111.90
3	A1	481	G	P-O3'-C3'	5.61	126.43	119.70
3	A1	574	A	N1-C2-N3	-5.61	126.50	129.30
3	A1	692	U	C4-C5-C6	5.61	123.07	119.70
3	A1	812	G	C5'-C4'-O4'	5.61	115.83	109.10
3	A1	970	C	N3-C2-O2	-5.61	117.97	121.90
3	A1	1094	G	N7-C8-N9	5.61	115.91	113.10
3	A1	1371	G	C1'-O4'-C4'	-5.61	105.41	109.90
3	A1	1502	A	C2-N3-C4	5.61	113.41	110.60
25	BB	406	G	C1'-O4'-C4'	-5.61	105.41	109.90
25	BB	531	C	N1-C2-O2	5.61	122.27	118.90
25	BB	540	C	P-O3'-C3'	5.61	126.43	119.70
25	BB	864	G	N1-C6-O6	-5.61	116.53	119.90
25	BB	875	G	N3-C2-N2	-5.61	115.97	119.90
25	BB	1251	C	N3-C4-C5	5.61	124.14	121.90
25	BB	1325	U	C6-N1-C2	-5.61	117.63	121.00
25	BB	2510	C	N3-C4-N4	-5.61	114.07	118.00
25	BB	2579	C	C2-N3-C4	-5.61	117.09	119.90
25	BB	2623	G	C6-C5-N7	5.61	133.77	130.40
3	A1	923	A	O4'-C1'-C2'	-5.61	100.19	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1446	C	O4'-C1'-N1	5.61	112.69	108.20
25	BB	1622	G	C6-N1-C2	-5.61	121.73	125.10
25	BB	2578	G	N1-C2-N3	5.61	127.27	123.90
25	BB	2837	A	C1'-O4'-C4'	5.61	114.39	109.90
50	B1	141	MET	C-N-CA	5.61	135.72	121.70
3	A1	142	G	N7-C8-N9	5.61	115.90	113.10
3	A1	197	A	C4'-C3'-C2'	-5.61	96.99	102.60
3	A1	340	U	N1-C2-N3	5.61	118.26	114.90
3	A1	756	C	C5-C4-N4	-5.61	116.27	120.20
3	A1	1099	G	C8-N9-C4	-5.61	104.16	106.40
3	A1	1237	C	C5'-C4'-C3'	-5.61	107.03	116.00
25	BB	1171	G	N1-C6-O6	-5.61	116.53	119.90
25	BB	1602	U	P-O3'-C3'	5.61	126.43	119.70
25	BB	1670	C	N1-C2-O2	5.61	122.26	118.90
25	BB	1952	A	O4'-C4'-C3'	5.61	110.59	106.10
25	BB	1957	C	O4'-C1'-N1	5.61	112.69	108.20
25	BB	2352	A	C6-N1-C2	-5.61	115.23	118.60
3	A1	551	U	C4-C5-C6	5.61	123.06	119.70
3	A1	888	G	C4-C5-C6	-5.61	115.44	118.80
3	A1	1255	G	C4'-C3'-C2'	-5.61	97.00	102.60
3	A1	1410	A	O4'-C1'-N9	5.61	112.68	108.20
3	A1	1533	C	N1-C2-O2	5.61	122.26	118.90
8	AG	23	ARG	NH1-CZ-NH2	-5.61	113.23	119.40
25	BB	370	G	N3-C4-N9	5.61	129.36	126.00
25	BB	454	A	C5-C6-N6	5.61	128.19	123.70
25	BB	1025	G	O3'-P-O5'	-5.61	93.35	104.00
25	BB	2385	C	N3-C4-C5	5.61	124.14	121.90
25	BB	2387	U	C5-C6-N1	-5.61	119.90	122.70
25	BB	2860	A	O4'-C1'-N9	5.61	112.68	108.20
3	A1	1482	G	O4'-C4'-C3'	5.60	110.58	106.10
24	BA	105	G	N3-C2-N2	-5.60	115.98	119.90
25	BB	209	C	C3'-C2'-C1'	5.60	105.98	101.50
25	BB	2388	A	C2-N3-C4	5.60	113.40	110.60
25	BB	2531	A	N7-C8-N9	5.60	116.60	113.80
37	BN	12	ARG	NE-CZ-NH1	5.60	123.10	120.30
3	A1	645	G	N3-C4-C5	-5.60	125.80	128.60
3	A1	1011	C	N1-C2-N3	5.60	123.12	119.20
3	A1	1069	C	N1-C2-O2	5.60	122.26	118.90
3	A1	1077	G	N3-C4-C5	-5.60	125.80	128.60
3	A1	1217	C	N3-C4-N4	-5.60	114.08	118.00
3	A1	1280	A	C5'-C4'-O4'	5.60	115.82	109.10
7	AF	85	TYR	O-C-N	-5.60	113.74	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	BA	29	A	C4'-C3'-C2'	-5.60	97.00	102.60
24	BA	105	G	C5'-C4'-O4'	5.60	115.82	109.10
25	BB	1693	U	C3'-C2'-C1'	5.60	105.98	101.50
25	BB	2110	G	C6-C5-N7	5.60	133.76	130.40
3	A1	502	A	C6-C5-N7	5.60	136.22	132.30
3	A1	537	G	C6-N1-C2	-5.60	121.74	125.10
3	A1	630	A	C5'-C4'-O4'	5.60	115.82	109.10
3	A1	709	U	N3-C2-O2	-5.60	118.28	122.20
3	A1	882	C	C5-C6-N1	-5.60	118.20	121.00
3	A1	1188	A	C5-C6-N6	5.60	128.18	123.70
25	BB	325	G	N3-C4-C5	-5.60	125.80	128.60
25	BB	363	G	C5-C6-O6	5.60	131.96	128.60
25	BB	886	A	C5'-C4'-O4'	5.60	115.82	109.10
25	BB	1673	G	C5-C6-N1	5.60	114.30	111.50
25	BB	2003	A	C5-C6-N6	5.60	128.18	123.70
25	BB	2435	A	C5'-C4'-O4'	5.60	115.82	109.10
25	BB	2602	A	N1-C6-N6	-5.60	115.24	118.60
2	AM	19	U	N1-C2-N3	5.60	118.26	114.90
3	A1	81	A	C8-N9-C4	-5.60	103.56	105.80
3	A1	98	A	N9-C4-C5	5.60	108.04	105.80
3	A1	103	U	N1-C2-N3	5.60	118.26	114.90
3	A1	148	G	C4-N9-C1'	-5.60	119.22	126.50
3	A1	618	C	C1'-O4'-C4'	-5.60	105.42	109.90
3	A1	959	A	C6-C5-N7	5.60	136.22	132.30
3	A1	1031	C	C3'-C2'-C1'	-5.60	97.02	101.50
3	A1	1302	C	C2-N1-C1'	5.60	124.96	118.80
3	A1	1365	G	N7-C8-N9	5.60	115.90	113.10
3	A1	1421	G	C5-C6-O6	5.60	131.96	128.60
24	BA	101	A	C4'-C3'-C2'	-5.60	97.00	102.60
25	BB	304	U	P-O3'-C3'	5.60	126.42	119.70
25	BB	463	G	P-O3'-C3'	5.60	126.42	119.70
25	BB	562	U	N1-C1'-C2'	5.60	121.28	114.00
25	BB	1815	A	C5-C6-N6	5.60	128.18	123.70
25	BB	2274	A	C5-N7-C8	-5.60	101.10	103.90
25	BB	2571	U	C4-C5-C6	5.60	123.06	119.70
25	BB	2864	G	C6-N1-C2	-5.60	121.74	125.10
1	AP	53	G	N9-C4-C5	5.60	107.64	105.40
3	A1	354	G	OP2-P-O3'	5.60	117.52	105.20
3	A1	696	A	C8-N9-C4	-5.60	103.56	105.80
3	A1	874	G	C6-C5-N7	5.60	133.76	130.40
3	A1	1008	U	C5'-C4'-C3'	-5.60	107.05	116.00
3	A1	1223	C	N3-C4-N4	-5.60	114.08	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
23	AX	97	ASP	CB-CG-OD1	5.60	123.34	118.30
25	BB	6	A	C5'-C4'-C3'	-5.60	107.04	116.00
25	BB	57	C	N3-C2-O2	-5.60	117.98	121.90
25	BB	148	U	O4'-C1'-C2'	-5.60	100.20	105.80
25	BB	331	C	C5'-C4'-O4'	5.60	115.82	109.10
25	BB	505	A	C4-C5-C6	-5.60	114.20	117.00
25	BB	544	C	N3-C2-O2	-5.60	117.98	121.90
25	BB	1573	G	C8-N9-C4	-5.60	104.16	106.40
25	BB	2065	C	C2-N3-C4	-5.60	117.10	119.90
25	BB	2290	G	N1-C6-O6	-5.60	116.54	119.90
25	BB	2458	G	O4'-C4'-C3'	5.60	110.58	106.10
25	BB	2826	A	C6-C5-N7	5.60	136.22	132.30
30	BG	90	ARG	NH1-CZ-NH2	-5.60	113.24	119.40
32	BI	98	TYR	CB-CG-CD1	5.60	124.36	121.00
1	AA	17	U	N3-C4-O4	-5.60	115.48	119.40
3	A1	731	G	C5'-C4'-O4'	5.60	115.81	109.10
3	A1	814	A	N7-C8-N9	5.60	116.60	113.80
17	AR	72	ARG	NE-CZ-NH2	-5.60	117.50	120.30
25	BB	366	C	N3-C4-N4	-5.60	114.08	118.00
25	BB	1122	G	P-O3'-C3'	-5.60	112.98	119.70
25	BB	1915	U	C2'-C3'-O3'	5.60	122.65	113.70
25	BB	2278	A	C2-N3-C4	5.60	113.40	110.60
3	A1	172	A	C6-N1-C2	-5.59	115.24	118.60
3	A1	454	G	C4-C5-C6	-5.59	115.44	118.80
3	A1	1366	C	N3-C4-C5	5.59	124.14	121.90
24	BA	35	C	C2-N1-C1'	5.59	124.95	118.80
24	BA	69	G	N3-C2-N2	-5.59	115.98	119.90
25	BB	516	C	N1-C2-O2	5.59	122.26	118.90
25	BB	912	C	C3'-C2'-C1'	5.59	105.98	101.50
25	BB	1044	C	N3-C4-C5	5.59	124.14	121.90
25	BB	1238	G	C5-N7-C8	-5.59	101.50	104.30
39	BP	83	ALA	CB-CA-C	5.59	118.49	110.10
51	B2	114	ARG	NE-CZ-NH2	-5.59	117.50	120.30
3	A1	1464	U	N3-C4-C5	-5.59	111.24	114.60
25	BB	401	A	C1'-O4'-C4'	-5.59	105.43	109.90
25	BB	629	G	C4-C5-C6	-5.59	115.44	118.80
25	BB	903	C	C4-C5-C6	-5.59	114.60	117.40
25	BB	1102	C	N1-C2-O2	5.59	122.26	118.90
25	BB	1296	G	N7-C8-N9	5.59	115.90	113.10
25	BB	2397	G	N3-C4-N9	5.59	129.36	126.00
1	AP	47	U	C2'-C3'-O3'	5.59	122.65	113.70
3	A1	88	U	C2'-C3'-O3'	5.59	122.64	113.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	257	G	N1-C2-N2	5.59	121.23	116.20
3	A1	346	G	C6-C5-N7	5.59	133.75	130.40
3	A1	533	A	P-O3'-C3'	5.59	126.41	119.70
3	A1	1205	U	N1-C2-N3	5.59	118.25	114.90
13	AL	55	GLN	OE1-CD-NE2	-5.59	109.04	121.90
25	BB	236	C	C6-N1-C2	-5.59	118.06	120.30
25	BB	346	A	C4-C5-C6	-5.59	114.20	117.00
25	BB	653	U	C5'-C4'-O4'	-5.59	102.39	109.10
25	BB	843	G	O5'-P-OP2	-5.59	100.67	105.70
25	BB	870	U	N1-C2-N3	5.59	118.25	114.90
25	BB	910	A	C1'-O4'-C4'	-5.59	105.43	109.90
25	BB	1122	G	O5'-C5'-C4'	-5.59	101.08	111.70
25	BB	1635	A	C5-C6-N6	5.59	128.17	123.70
25	BB	1739	A	O5'-P-OP2	-5.59	100.67	105.70
25	BB	1916	A	O4'-C4'-C3'	5.59	110.57	106.10
25	BB	2191	A	O5'-P-OP2	-5.59	100.67	105.70
25	BB	2351	G	N9-C4-C5	5.59	107.64	105.40
25	BB	2451	A	C6-C5-N7	5.59	136.21	132.30
1	AA	4	G	C5-N7-C8	-5.59	101.50	104.30
3	A1	51	A	N9-C4-C5	5.59	108.04	105.80
3	A1	188	C	C5-C4-N4	5.59	124.11	120.20
3	A1	1294	G	C5'-C4'-O4'	5.59	115.81	109.10
25	BB	148	U	C5-C6-N1	-5.59	119.91	122.70
25	BB	274	C	C6-N1-C2	-5.59	118.06	120.30
25	BB	1175	A	C4-C5-C6	-5.59	114.21	117.00
25	BB	1814	G	N3-C4-N9	5.59	129.35	126.00
25	BB	2090	A	O4'-C1'-N9	5.59	112.67	108.20
25	BB	2351	G	C8-N9-C4	-5.59	104.16	106.40
25	BB	2482	A	O3'-P-O5'	-5.59	93.38	104.00
25	BB	2753	A	C4-C5-N7	5.59	113.50	110.70
54	B5	23	VAL	CG1-CB-CG2	-5.59	101.96	110.90
3	A1	170	U	C4-C5-C6	5.59	123.05	119.70
3	A1	715	A	C3'-C2'-C1'	5.59	105.97	101.50
3	A1	728	A	C3'-C2'-C1'	5.59	105.97	101.50
3	A1	1201	A	O5'-P-OP1	5.59	117.41	110.70
3	A1	1465	A	C6-N1-C2	-5.59	115.25	118.60
3	A1	1525	G	N1-C6-O6	-5.59	116.55	119.90
25	BB	233	A	O4'-C4'-C3'	5.59	110.57	106.10
25	BB	1647	U	C5-C6-N1	-5.59	119.91	122.70
25	BB	2137	U	C3'-C2'-C1'	-5.59	97.03	101.50
25	BB	2256	G	OP1-P-OP2	-5.59	111.22	119.60
25	BB	2811	G	C4-C5-N7	-5.59	108.56	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	187	G	N1-C2-N3	5.59	127.25	123.90
3	A1	188	C	C4'-C3'-C2'	-5.59	97.01	102.60
3	A1	326	G	C8-N9-C4	-5.59	104.17	106.40
3	A1	463	U	C5-C4-O4	-5.59	122.55	125.90
3	A1	903	G	N3-C4-C5	-5.59	125.81	128.60
3	A1	1020	G	N7-C8-N9	5.59	115.89	113.10
3	A1	1331	G	N1-C2-N3	5.59	127.25	123.90
25	BB	176	A	C4-C5-N7	5.59	113.49	110.70
25	BB	201	C	C4'-C3'-C2'	-5.59	97.01	102.60
25	BB	263	G	C5'-C4'-O4'	5.59	115.80	109.10
25	BB	644	A	OP2-P-O3'	5.59	117.49	105.20
25	BB	852	U	N1-C2-N3	5.59	118.25	114.90
25	BB	1301	A	O4'-C1'-N9	5.59	112.67	108.20
25	BB	1482	G	C5-C6-N1	5.59	114.29	111.50
25	BB	2079	U	N3-C2-O2	-5.59	118.29	122.20
25	BB	2339	C	N3-C4-C5	5.59	124.13	121.90
3	A1	808	C	OP1-P-OP2	-5.58	111.22	119.60
3	A1	853	C	N3-C4-C5	5.58	124.13	121.90
3	A1	1085	U	C1'-O4'-C4'	5.58	114.37	109.90
25	BB	105	C	C1'-O4'-C4'	-5.58	105.43	109.90
25	BB	1623	G	C5-C6-O6	5.58	131.95	128.60
25	BB	1635	A	N9-C4-C5	5.58	108.03	105.80
25	BB	2017	U	O4'-C1'-N1	5.58	112.67	108.20
25	BB	2140	G	N9-C1'-C2'	5.58	121.26	114.00
25	BB	2341	G	C5-C6-O6	5.58	131.95	128.60
32	BI	112	ARG	CD-NE-CZ	5.58	131.42	123.60
3	A1	109	A	C6-N1-C2	-5.58	115.25	118.60
3	A1	830	G	N7-C8-N9	5.58	115.89	113.10
3	A1	1263	C	C5-C6-N1	-5.58	118.21	121.00
24	BA	20	G	C5'-C4'-O4'	5.58	115.80	109.10
24	BA	35	C	O4'-C1'-N1	5.58	112.67	108.20
25	BB	145	C	N3-C4-N4	-5.58	114.09	118.00
25	BB	711	G	C5-N7-C8	-5.58	101.51	104.30
25	BB	743	A	O4'-C1'-N9	-5.58	103.73	108.20
25	BB	986	C	O4'-C1'-N1	5.58	112.67	108.20
25	BB	1019	U	N3-C2-O2	-5.58	118.29	122.20
25	BB	1210	G	C6-C5-N7	5.58	133.75	130.40
25	BB	1238	G	O3'-P-O5'	5.58	114.61	104.00
25	BB	1523	U	C5-C6-N1	-5.58	119.91	122.70
25	BB	1644	C	C6-N1-C2	-5.58	118.07	120.30
25	BB	2276	G	N3-C4-C5	-5.58	125.81	128.60
25	BB	2486	C	N3-C4-N4	-5.58	114.09	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2496	C	O5'-P-OP2	-5.58	100.67	105.70
25	BB	2506	U	C4-C5-C6	5.58	123.05	119.70
25	BB	2621	G	C8-N9-C4	-5.58	104.17	106.40
25	BB	2725	A	C6-N1-C2	-5.58	115.25	118.60
1	AE	50	U	C5-C6-N1	-5.58	119.91	122.70
3	A1	90	C	O4'-C1'-N1	5.58	112.67	108.20
3	A1	171	A	C5'-C4'-C3'	-5.58	107.07	116.00
3	A1	363	A	N7-C8-N9	5.58	116.59	113.80
24	BA	54	G	C2-N3-C4	5.58	114.69	111.90
25	BB	90	U	N3-C4-C5	5.58	117.95	114.60
25	BB	1226	A	C2-N3-C4	5.58	113.39	110.60
25	BB	1558	C	C2-N3-C4	-5.58	117.11	119.90
25	BB	1581	G	N3-C2-N2	-5.58	115.99	119.90
25	BB	1704	C	N1-C2-O2	5.58	122.25	118.90
25	BB	1839	G	N7-C8-N9	5.58	115.89	113.10
25	BB	2227	A	C2-N3-C4	5.58	113.39	110.60
25	BB	2227	A	C3'-C2'-C1'	5.58	105.97	101.50
25	BB	2529	G	N9-C4-C5	5.58	107.63	105.40
25	BB	2790	U	C4'-C3'-C2'	-5.58	97.02	102.60
1	AA	11	C	C6-N1-C2	-5.58	118.07	120.30
3	A1	1057	G	O4'-C1'-N9	-5.58	103.74	108.20
3	A1	1281	C	C4'-C3'-C2'	-5.58	97.02	102.60
3	A1	1316	G	C8-N9-C4	-5.58	104.17	106.40
25	BB	1347	A	C5-C6-N6	5.58	128.16	123.70
25	BB	1662	U	C5-C6-N1	-5.58	119.91	122.70
25	BB	2454	G	O4'-C1'-N9	5.58	112.66	108.20
25	BB	2696	U	C1'-O4'-C4'	-5.58	105.44	109.90
3	A1	98	A	C3'-C2'-C1'	5.58	105.96	101.50
3	A1	204	G	N3-C4-C5	-5.58	125.81	128.60
3	A1	838	G	C5-N7-C8	-5.58	101.51	104.30
3	A1	958	A	C8-N9-C4	5.58	108.03	105.80
3	A1	1472	U	C1'-O4'-C4'	-5.58	105.44	109.90
25	BB	646	U	O4'-C1'-N1	5.58	112.66	108.20
25	BB	1134	A	O4'-C4'-C3'	5.58	110.56	106.10
25	BB	1483	G	C5-C6-N1	5.58	114.29	111.50
25	BB	1543	G	N9-C1'-C2'	-5.58	105.86	112.00
25	BB	1588	G	N9-C4-C5	5.58	107.63	105.40
25	BB	2064	C	C5'-C4'-C3'	5.58	124.93	116.00
25	BB	2388	A	C5-C6-N1	5.58	120.49	117.70
25	BB	2702	G	C1'-O4'-C4'	-5.58	105.44	109.90
25	BB	2706	A	C4-C5-C6	-5.58	114.21	117.00
25	BB	2864	G	C5'-C4'-O4'	5.58	115.80	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
44	BU	23	THR	CA-CB-CG2	5.58	120.21	112.40
1	AA	50	U	N1-C2-N3	5.58	118.25	114.90
3	A1	682	G	C5'-C4'-O4'	5.58	115.79	109.10
25	BB	598	U	O4'-C1'-N1	5.58	112.66	108.20
25	BB	913	U	C1'-O4'-C4'	-5.58	105.44	109.90
25	BB	1133	A	C3'-C2'-C1'	-5.58	97.04	101.50
25	BB	2452	C	O5'-C5'-C4'	5.58	122.30	111.70
30	BG	69	ARG	NE-CZ-NH2	-5.58	117.51	120.30
50	B1	102	ARG	NH1-CZ-NH2	-5.58	113.27	119.40
1	AP	1	G	O4'-C1'-N9	5.58	112.66	108.20
1	AE	40	C	N3-C2-O2	-5.58	118.00	121.90
3	A1	76	G	O5'-C5'-C4'	-5.58	101.11	111.70
3	A1	612	C	P-O3'-C3'	5.58	126.39	119.70
3	A1	1257	A	O4'-C1'-C2'	-5.58	100.22	105.80
25	BB	488	G	N3-C4-C5	-5.58	125.81	128.60
25	BB	757	G	C5-C6-N1	5.58	114.29	111.50
25	BB	1427	A	C2-N3-C4	5.58	113.39	110.60
25	BB	1785	A	C1'-O4'-C4'	-5.58	105.44	109.90
25	BB	2072	C	C5-C6-N1	-5.58	118.21	121.00
25	BB	2709	G	N1-C2-N3	5.58	127.25	123.90
1	AA	56	C	N3-C2-O2	-5.57	118.00	121.90
3	A1	44	A	C5'-C4'-C3'	-5.57	107.08	116.00
3	A1	80	A	C6-C5-N7	5.57	136.20	132.30
3	A1	202	G	N9-C4-C5	5.57	107.63	105.40
3	A1	782	A	N9-C1'-C2'	-5.57	105.87	112.00
18	AS	127	TYR	CB-CG-CD2	5.57	124.34	121.00
24	BA	51	G	C6-C5-N7	5.57	133.74	130.40
25	BB	276	U	C4'-C3'-C2'	-5.57	97.03	102.60
25	BB	376	G	O4'-C1'-N9	5.57	112.66	108.20
25	BB	433	C	C5'-C4'-O4'	5.57	115.79	109.10
25	BB	576	U	O3'-P-O5'	5.57	114.59	104.00
25	BB	935	C	C5'-C4'-O4'	5.57	115.79	109.10
25	BB	998	C	N3-C2-O2	-5.57	118.00	121.90
25	BB	1901	A	N7-C8-N9	-5.57	111.01	113.80
25	BB	2095	A	C5'-C4'-O4'	5.57	115.79	109.10
25	BB	2531	A	C3'-C2'-C1'	5.57	105.96	101.50
25	BB	2700	A	C6-N1-C2	-5.57	115.26	118.60
25	BB	2737	G	N1-C6-O6	-5.57	116.56	119.90
25	BB	2760	C	C5'-C4'-O4'	5.57	115.79	109.10
1	AE	37	G	C6-C5-N7	5.57	133.74	130.40
3	A1	628	G	C2'-C3'-O3'	5.57	122.62	113.70
3	A1	957	U	O4'-C1'-N1	5.57	112.66	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1053	G	C4-C5-C6	-5.57	115.46	118.80
9	AH	59	VAL	CA-CB-CG1	5.57	119.26	110.90
24	BA	43	C	C6-N1-C2	-5.57	118.07	120.30
25	BB	371	A	C5'-C4'-C3'	-5.57	107.09	116.00
25	BB	2366	A	N1-C2-N3	-5.57	126.51	129.30
25	BB	2694	G	N1-C6-O6	-5.57	116.56	119.90
1	AE	42	G	N1-C6-O6	-5.57	116.56	119.90
3	A1	96	U	O4'-C1'-N1	5.57	112.66	108.20
3	A1	523	A	C3'-C2'-C1'	5.57	105.96	101.50
3	A1	659	U	C5-C4-O4	-5.57	122.56	125.90
3	A1	734	G	N1-C2-N3	5.57	127.24	123.90
3	A1	1077	G	N9-C1'-C2'	-5.57	105.87	112.00
3	A1	1347	G	N9-C4-C5	5.57	107.63	105.40
25	BB	135	U	C2'-C3'-O3'	5.57	122.61	113.70
25	BB	313	G	N3-C4-C5	-5.57	125.81	128.60
25	BB	570	G	N7-C8-N9	5.57	115.89	113.10
25	BB	929	U	N3-C2-O2	-5.57	118.30	122.20
25	BB	999	U	C2-N3-C4	-5.57	123.66	127.00
25	BB	1063	G	N1-C2-N3	5.57	127.24	123.90
25	BB	1136	G	C5-C6-O6	5.57	131.94	128.60
25	BB	1208	C	N1-C1'-C2'	-5.57	105.87	112.00
25	BB	1395	A	C5-C6-N6	5.57	128.16	123.70
25	BB	1992	G	C5-C6-N1	5.57	114.28	111.50
25	BB	2043	C	C2'-C3'-O3'	5.57	122.61	113.70
25	BB	2546	U	O4'-C1'-N1	5.57	112.66	108.20
25	BB	2859	G	N7-C8-N9	5.57	115.89	113.10
3	A1	1150	A	N1-C6-N6	-5.57	115.26	118.60
25	BB	37	C	C5'-C4'-C3'	-5.57	107.09	116.00
25	BB	148	U	C5'-C4'-O4'	-5.57	102.42	109.10
25	BB	226	A	C5'-C4'-C3'	-5.57	107.09	116.00
25	BB	440	C	C6-N1-C2	-5.57	118.07	120.30
25	BB	713	G	C6-C5-N7	5.57	133.74	130.40
25	BB	799	G	O4'-C1'-N9	5.57	112.66	108.20
25	BB	1790	C	N3-C4-C5	5.57	124.13	121.90
25	BB	2140	G	N1-C6-O6	-5.57	116.56	119.90
25	BB	2725	A	C4'-C3'-C2'	-5.57	97.03	102.60
1	AA	21	A	C6-N1-C2	-5.57	115.26	118.60
3	A1	15	G	C3'-C2'-C1'	-5.57	97.05	101.50
3	A1	40	C	C5-C6-N1	-5.57	118.22	121.00
3	A1	65	A	C5-N7-C8	-5.57	101.12	103.90
3	A1	1505	G	C5-C6-O6	5.57	131.94	128.60
25	BB	320	A	C5-C6-N1	5.57	120.48	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	361	G	P-O3'-C3'	5.57	126.38	119.70
25	BB	440	C	C4-C5-C6	-5.57	114.62	117.40
25	BB	818	G	C5-N7-C8	-5.57	101.52	104.30
25	BB	1552	A	C8-N9-C4	-5.57	103.57	105.80
25	BB	1696	G	N9-C4-C5	5.57	107.63	105.40
25	BB	1706	C	N3-C2-O2	-5.57	118.00	121.90
25	BB	1738	G	N3-C4-C5	-5.57	125.82	128.60
25	BB	1780	A	O4'-C1'-C2'	-5.57	100.23	105.80
25	BB	2866	U	C5-C6-N1	-5.57	119.92	122.70
3	A1	72	A	O5'-P-OP1	-5.57	100.69	105.70
3	A1	718	A	O4'-C1'-C2'	-5.57	100.23	105.80
3	A1	805	C	C6-N1-C2	-5.57	118.07	120.30
3	A1	828	U	C5-C6-N1	-5.57	119.92	122.70
3	A1	1198	G	O4'-C4'-C3'	5.57	110.55	106.10
3	A1	1230	C	C4'-C3'-C2'	-5.57	97.03	102.60
3	A1	1489	G	N3-C4-N9	5.57	129.34	126.00
25	BB	430	A	C2-N3-C4	5.57	113.38	110.60
25	BB	539	G	C2'-C3'-O3'	5.57	122.60	113.70
25	BB	1237	A	N9-C1'-C2'	-5.57	105.88	112.00
25	BB	1431	A	C5-C6-N1	5.57	120.48	117.70
25	BB	1580	A	P-O3'-C3'	5.57	126.38	119.70
25	BB	1734	G	C8-N9-C4	-5.57	104.17	106.40
25	BB	1945	G	N3-C2-N2	-5.57	116.00	119.90
25	BB	1963	U	O3'-P-O5'	5.57	114.57	104.00
25	BB	1998	A	N1-C2-N3	-5.57	126.52	129.30
25	BB	2146	C	C5'-C4'-O4'	5.57	115.78	109.10
25	BB	2382	G	C4'-C3'-C2'	-5.57	97.03	102.60
25	BB	2673	G	C8-N9-C4	-5.57	104.17	106.40
25	BB	2683	C	O4'-C1'-N1	-5.57	103.75	108.20
25	BB	2725	A	O4'-C1'-N9	5.57	112.65	108.20
3	A1	81	A	O5'-C5'-C4'	-5.56	101.13	111.70
3	A1	255	G	C5-C6-N1	5.56	114.28	111.50
3	A1	610	U	C5-C6-N1	-5.56	119.92	122.70
3	A1	1040	U	C5-C4-O4	-5.56	122.56	125.90
3	A1	1485	U	O4'-C1'-N1	-5.56	103.75	108.20
25	BB	442	G	O4'-C1'-N9	5.56	112.65	108.20
25	BB	481	G	C5'-C4'-O4'	5.56	115.78	109.10
25	BB	648	G	N7-C8-N9	5.56	115.88	113.10
25	BB	898	C	N3-C4-C5	5.56	124.13	121.90
25	BB	995	C	O4'-C1'-N1	5.56	112.65	108.20
25	BB	1217	U	C5-C6-N1	-5.56	119.92	122.70
25	BB	1643	G	N1-C2-N2	-5.56	111.19	116.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1681	G	C4-C5-C6	-5.56	115.46	118.80
25	BB	1710	G	C5'-C4'-O4'	5.56	115.78	109.10
25	BB	2818	U	C3'-C2'-C1'	5.56	105.95	101.50
1	AA	28	C	C5-C4-N4	5.56	124.09	120.20
3	A1	81	A	O4'-C1'-N9	5.56	112.65	108.20
3	A1	216	U	N3-C2-O2	-5.56	118.31	122.20
3	A1	631	C	C5-C6-N1	-5.56	118.22	121.00
3	A1	819	A	C5-C6-N6	5.56	128.15	123.70
3	A1	838	G	N1-C6-O6	-5.56	116.56	119.90
3	A1	1051	C	C2-N3-C4	-5.56	117.12	119.90
3	A1	1110	A	O4'-C1'-C2'	-5.56	100.24	105.80
3	A1	1532	U	C5'-C4'-O4'	5.56	115.78	109.10
25	BB	119	A	C5-C6-N1	5.56	120.48	117.70
25	BB	258	G	N9-C4-C5	5.56	107.62	105.40
25	BB	378	C	C4'-C3'-C2'	-5.56	97.04	102.60
25	BB	385	C	O4'-C1'-N1	5.56	112.65	108.20
25	BB	534	U	C3'-C2'-C1'	5.56	105.95	101.50
25	BB	1216	G	C5-C6-O6	5.56	131.94	128.60
25	BB	1487	U	N1-C2-O2	5.56	126.69	122.80
25	BB	1676	A	C5-N7-C8	-5.56	101.12	103.90
25	BB	1678	A	O4'-C1'-N9	5.56	112.65	108.20
25	BB	1792	G	N3-C4-C5	-5.56	125.82	128.60
25	BB	2123	G	O5'-C5'-C4'	-5.56	101.13	111.70
25	BB	2493	U	C4-C5-C6	5.56	123.04	119.70
25	BB	2760	C	C6-N1-C2	5.56	122.53	120.30
25	BB	2882	A	O4'-C1'-C2'	-5.56	100.24	105.80
35	BL	92	ARG	NE-CZ-NH2	5.56	123.08	120.30
3	A1	598	U	C1'-O4'-C4'	-5.56	105.45	109.90
3	A1	798	U	N1-C2-N3	5.56	118.24	114.90
3	A1	1039	G	C4-C5-C6	-5.56	115.46	118.80
3	A1	1504	G	O4'-C4'-C3'	5.56	110.55	106.10
25	BB	64	A	C4'-C3'-O3'	-5.56	97.72	109.40
25	BB	623	C	O4'-C1'-N1	5.56	112.65	108.20
25	BB	680	C	O4'-C1'-N1	5.56	112.65	108.20
25	BB	1057	A	N1-C2-N3	-5.56	126.52	129.30
3	A1	916	U	C5-C6-N1	-5.56	119.92	122.70
3	A1	1045	C	N1-C2-N3	5.56	123.09	119.20
24	BA	68	C	N3-C4-N4	-5.56	114.11	118.00
25	BB	199	A	O4'-C1'-N9	-5.56	103.75	108.20
25	BB	384	A	C5-C6-N6	5.56	128.15	123.70
25	BB	1019	U	C2-N3-C4	-5.56	123.66	127.00
25	BB	1571	A	C6-N1-C2	-5.56	115.27	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1896	G	C2-N3-C4	5.56	114.68	111.90
25	BB	2049	G	C5-C6-O6	-5.56	125.27	128.60
25	BB	2267	A	N9-C1'-C2'	5.56	121.23	114.00
25	BB	2535	G	C5-C6-O6	5.56	131.94	128.60
31	BH	7	ARG	CA-CB-CG	5.56	125.63	113.40
1	AA	12	U	C4'-C3'-O3'	5.56	124.11	113.00
3	A1	39	G	N3-C4-C5	-5.56	125.82	128.60
3	A1	319	G	N1-C6-O6	-5.56	116.56	119.90
3	A1	866	C	C5-C4-N4	-5.56	116.31	120.20
3	A1	1270	G	C6-N1-C2	-5.56	121.77	125.10
15	AO	142	ARG	NH1-CZ-NH2	-5.56	113.29	119.40
25	BB	378	C	C5-C6-N1	-5.56	118.22	121.00
25	BB	699	A	C6-C5-N7	5.56	136.19	132.30
25	BB	702	U	O4'-C1'-N1	5.56	112.65	108.20
25	BB	855	G	C5-C6-N1	5.56	114.28	111.50
25	BB	1485	U	O4'-C4'-C3'	5.56	110.55	106.10
25	BB	1621	U	C5'-C4'-O4'	5.56	115.77	109.10
25	BB	2183	A	C5'-C4'-O4'	5.56	115.77	109.10
3	A1	209	U	N3-C2-O2	-5.56	118.31	122.20
3	A1	1206	G	C5-C6-N1	5.56	114.28	111.50
3	A1	1427	C	C5'-C4'-O4'	5.56	115.77	109.10
25	BB	2419	U	C5-C6-N1	-5.56	119.92	122.70
1	AE	39	U	C4-C5-C6	5.55	123.03	119.70
3	A1	75	G	C5-C6-N1	5.55	114.28	111.50
3	A1	443	C	C2-N3-C4	-5.55	117.12	119.90
3	A1	974	A	P-O3'-C3'	5.55	126.36	119.70
3	A1	984	C	P-O3'-C3'	5.55	126.36	119.70
3	A1	1416	G	C1'-O4'-C4'	-5.55	105.46	109.90
25	BB	277	G	C5-C6-N1	5.55	114.28	111.50
25	BB	407	G	C3'-C2'-C1'	-5.55	97.06	101.50
25	BB	617	G	C5-C6-N1	5.55	114.28	111.50
25	BB	854	C	N1-C2-O2	5.55	122.23	118.90
25	BB	1052	C	C4'-C3'-C2'	-5.55	97.05	102.60
25	BB	1921	G	C4-C5-C6	-5.55	115.47	118.80
25	BB	2018	G	C8-N9-C4	-5.55	104.18	106.40
25	BB	2287	A	C6-C5-N7	5.55	136.19	132.30
25	BB	2540	C	N1-C2-O2	5.55	122.23	118.90
25	BB	2577	A	C3'-C2'-C1'	5.55	105.94	101.50
25	BB	2889	C	C5'-C4'-O4'	5.55	115.77	109.10
3	A1	669	G	C8-N9-C4	-5.55	104.18	106.40
3	A1	1405	G	N3-C4-C5	-5.55	125.82	128.60
24	BA	56	G	C4-C5-C6	-5.55	115.47	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1253	A	C1'-O4'-C4'	-5.55	105.46	109.90
25	BB	2828	G	C1'-O4'-C4'	-5.55	105.46	109.90
51	B2	79	ARG	NH1-CZ-NH2	-5.55	113.29	119.40
3	A1	76	G	C1'-O4'-C4'	-5.55	105.46	109.90
3	A1	484	G	C1'-O4'-C4'	-5.55	105.46	109.90
25	BB	204	A	C2-N3-C4	5.55	113.38	110.60
25	BB	208	C	C1'-O4'-C4'	-5.55	105.46	109.90
25	BB	280	U	C5'-C4'-C3'	-5.55	107.12	116.00
25	BB	402	A	C5'-C4'-O4'	-5.55	102.44	109.10
25	BB	796	C	C2-N3-C4	-5.55	117.12	119.90
25	BB	1001	A	N1-C2-N3	-5.55	126.52	129.30
25	BB	1251	C	C6-N1-C2	-5.55	118.08	120.30
25	BB	1346	G	N1-C6-O6	-5.55	116.57	119.90
25	BB	1861	G	N1-C6-O6	-5.55	116.57	119.90
25	BB	1878	G	C5'-C4'-O4'	5.55	115.76	109.10
25	BB	2128	G	C5-N7-C8	-5.55	101.52	104.30
25	BB	2523	G	C1'-O4'-C4'	-5.55	105.46	109.90
25	BB	2551	C	C5'-C4'-C3'	-5.55	107.12	116.00
25	BB	2775	G	C6-C5-N7	5.55	133.73	130.40
25	BB	2799	A	C6-N1-C2	-5.55	115.27	118.60
25	BB	2802	G	N3-C4-C5	-5.55	125.82	128.60
25	BB	2845	U	C4'-C3'-C2'	-5.55	97.05	102.60
1	AE	49	C	N3-C4-C5	5.55	124.12	121.90
3	A1	236	A	C1'-O4'-C4'	-5.55	105.46	109.90
3	A1	440	C	C5-C6-N1	-5.55	118.23	121.00
3	A1	558	G	C8-N9-C4	-5.55	104.18	106.40
3	A1	812	G	C6-N1-C2	-5.55	121.77	125.10
12	AK	47	ARG	NH1-CZ-NH2	-5.55	113.30	119.40
25	BB	139	U	P-O5'-C5'	5.55	129.78	120.90
25	BB	797	G	C6-N1-C2	-5.55	121.77	125.10
25	BB	891	G	C5-C6-N1	5.55	114.28	111.50
25	BB	1170	C	C4-C5-C6	5.55	120.17	117.40
25	BB	1888	G	C5-C6-O6	5.55	131.93	128.60
25	BB	1910	G	C8-N9-C1'	5.55	134.22	127.00
25	BB	1949	G	C5-C6-N1	5.55	114.28	111.50
25	BB	2141	G	N1-C2-N3	5.55	127.23	123.90
25	BB	2629	U	C5-C6-N1	-5.55	119.92	122.70
48	BY	107	VAL	CA-CB-CG1	5.55	119.22	110.90
3	A1	393	A	C6-C5-N7	5.55	136.18	132.30
3	A1	602	A	C5-N7-C8	-5.55	101.13	103.90
3	A1	664	G	N3-C4-C5	-5.55	125.83	128.60
3	A1	793	U	N1-C2-O2	5.55	126.68	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
23	AX	7	ARG	CD-NE-CZ	5.55	131.37	123.60
25	BB	2791	G	C8-N9-C4	-5.55	104.18	106.40
1	AA	52	U	C3'-C2'-C1'	5.55	105.94	101.50
1	AE	39	U	N1-C2-N3	5.55	118.23	114.90
3	A1	312	C	C3'-C2'-C1'	5.55	105.94	101.50
3	A1	630	A	C5'-C4'-C3'	-5.55	107.12	116.00
3	A1	663	A	N1-C2-N3	-5.55	126.53	129.30
3	A1	705	G	C5-C6-O6	5.55	131.93	128.60
3	A1	1181	G	N7-C8-N9	5.55	115.87	113.10
3	A1	1233	G	C6-C5-N7	5.55	133.73	130.40
23	AX	86	ALA	N-CA-CB	-5.55	102.34	110.10
24	BA	38	C	C5-C6-N1	-5.55	118.23	121.00
25	BB	14	A	C4-C5-C6	-5.55	114.23	117.00
25	BB	233	A	C2-N3-C4	5.55	113.37	110.60
25	BB	310	A	C6-N1-C2	-5.55	115.27	118.60
25	BB	1521	G	C4-C5-N7	-5.55	108.58	110.80
25	BB	1715	G	C5'-C4'-O4'	5.55	115.76	109.10
25	BB	1779	U	C5'-C4'-O4'	5.55	115.76	109.10
25	BB	1832	C	N3-C2-O2	-5.55	118.02	121.90
25	BB	2369	A	C4-C5-C6	-5.55	114.23	117.00
25	BB	2460	U	C5-C6-N1	-5.55	119.93	122.70
25	BB	2726	A	C5-N7-C8	-5.55	101.13	103.90
42	BS	4	ASP	CB-CG-OD2	5.55	123.29	118.30
2	AM	12	U	C6-N1-C2	5.54	124.33	121.00
3	A1	410	G	C6-N1-C2	-5.54	121.77	125.10
3	A1	1397	C	N3-C4-N4	-5.54	114.12	118.00
25	BB	19	A	O4'-C1'-N9	5.54	112.64	108.20
25	BB	448	U	C5-C6-N1	-5.54	119.93	122.70
25	BB	1264	A	C5-C6-N1	5.54	120.47	117.70
25	BB	1404	C	N3-C2-O2	-5.54	118.02	121.90
25	BB	1762	A	N9-C4-C5	5.54	108.02	105.80
1	AP	61	C	C3'-C2'-C1'	5.54	105.94	101.50
3	A1	50	A	N3-C4-C5	-5.54	122.92	126.80
3	A1	493	A	C5'-C4'-O4'	-5.54	102.45	109.10
3	A1	623	C	C2-N3-C4	-5.54	117.13	119.90
3	A1	886	G	N9-C1'-C2'	5.54	121.21	114.00
3	A1	1469	C	C5-C4-N4	-5.54	116.32	120.20
25	BB	23	G	C8-N9-C4	-5.54	104.18	106.40
25	BB	373	U	N1-C1'-C2'	-5.54	105.90	112.00
25	BB	1337	G	C1'-O4'-C4'	-5.54	105.47	109.90
25	BB	1458	U	C5'-C4'-O4'	-5.54	102.45	109.10
25	BB	1874	C	N1-C2-O2	5.54	122.23	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2455	G	N1-C6-O6	-5.54	116.57	119.90
25	BB	2810	A	C2-N3-C4	5.54	113.37	110.60
1	AP	69	U	N3-C4-C5	5.54	117.92	114.60
3	A1	495	A	C5-C6-N1	5.54	120.47	117.70
3	A1	1175	G	C5-C6-N1	5.54	114.27	111.50
25	BB	647	G	C4-C5-N7	-5.54	108.58	110.80
25	BB	865	C	N1-C2-N3	5.54	123.08	119.20
25	BB	972	A	C3'-C2'-C1'	-5.54	97.07	101.50
25	BB	1414	C	N3-C4-N4	-5.54	114.12	118.00
25	BB	1888	G	N3-C2-N2	-5.54	116.02	119.90
25	BB	2033	A	C8-N9-C4	-5.54	103.58	105.80
25	BB	2266	A	C1'-O4'-C4'	-5.54	105.47	109.90
25	BB	2732	G	N3-C4-N9	5.54	129.32	126.00
25	BB	2779	U	N3-C2-O2	-5.54	118.32	122.20
3	A1	1085	U	C2-N3-C4	-5.54	123.68	127.00
3	A1	1096	C	C1'-O4'-C4'	-5.54	105.47	109.90
25	BB	424	G	N1-C2-N3	5.54	127.22	123.90
25	BB	1745	A	C5-C6-N6	5.54	128.13	123.70
3	A1	191	G	C3'-C2'-C1'	-5.54	97.07	101.50
3	A1	454	G	N1-C2-N3	5.54	127.22	123.90
3	A1	456	A	C2-N3-C4	5.54	113.37	110.60
3	A1	492	C	O4'-C4'-C3'	5.54	110.53	106.10
3	A1	759	A	N9-C4-C5	5.54	108.02	105.80
3	A1	1189	U	O4'-C1'-N1	5.54	112.63	108.20
3	A1	1406	U	O4'-C1'-C2'	-5.54	100.26	105.80
25	BB	45	G	C5-C6-N1	5.54	114.27	111.50
25	BB	563	A	C6-C5-N7	5.54	136.18	132.30
25	BB	1015	U	N1-C1'-C2'	-5.54	105.91	112.00
25	BB	1372	U	N3-C2-O2	-5.54	118.32	122.20
25	BB	1423	G	N1-C2-N3	5.54	127.22	123.90
25	BB	1516	G	C5-C6-N1	5.54	114.27	111.50
25	BB	2461	A	O4'-C1'-C2'	5.54	112.58	107.60
25	BB	2674	G	N3-C4-N9	5.54	129.32	126.00
25	BB	2884	U	O5'-C5'-C4'	-5.54	101.18	111.70
25	BB	804	A	C5'-C4'-C3'	-5.54	107.14	116.00
25	BB	1006	C	O4'-C1'-C2'	-5.54	100.26	105.80
25	BB	1102	C	C2-N3-C4	-5.54	117.13	119.90
25	BB	1669	A	N9-C1'-C2'	5.54	121.20	114.00
25	BB	1796	U	C5'-C4'-O4'	5.54	115.75	109.10
25	BB	2053	G	C6-N1-C2	-5.54	121.78	125.10
50	B1	67	ARG	NH1-CZ-NH2	-5.54	113.31	119.40
3	A1	106	C	C4'-C3'-C2'	-5.54	97.06	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	369	G	C6-C5-N7	5.54	133.72	130.40
3	A1	466	A	C6-N1-C2	-5.54	115.28	118.60
3	A1	645	G	N1-C6-O6	-5.54	116.58	119.90
3	A1	1451	U	C6-N1-C2	-5.54	117.68	121.00
11	AJ	64	ARG	NH1-CZ-NH2	-5.54	113.31	119.40
25	BB	371	A	C3'-C2'-C1'	5.54	105.93	101.50
25	BB	787	C	N3-C4-C5	5.54	124.11	121.90
25	BB	1239	G	O4'-C1'-N9	5.54	112.63	108.20
25	BB	1295	C	N3-C4-N4	-5.54	114.12	118.00
25	BB	1646	C	C5'-C4'-C3'	-5.54	107.14	116.00
1	AE	49	C	N3-C4-N4	-5.53	114.13	118.00
3	A1	496	A	C3'-C2'-C1'	5.53	105.93	101.50
3	A1	1225	A	C1'-O4'-C4'	5.53	114.33	109.90
3	A1	1376	U	C3'-C2'-C1'	5.53	105.93	101.50
3	A1	1418	A	N1-C6-N6	-5.53	115.28	118.60
3	A1	1446	A	C4'-C3'-C2'	-5.53	97.07	102.60
24	BA	83	G	O4'-C4'-C3'	5.53	110.53	106.10
25	BB	137	U	N1-C2-N3	5.53	118.22	114.90
25	BB	383	C	C5-C4-N4	-5.53	116.33	120.20
25	BB	662	G	N1-C2-N2	5.53	121.18	116.20
25	BB	911	A	N1-C2-N3	-5.53	126.53	129.30
25	BB	967	U	C5'-C4'-O4'	5.53	115.74	109.10
25	BB	1026	G	O3'-P-O5'	5.53	114.52	104.00
25	BB	1141	U	O4'-C1'-N1	5.53	112.63	108.20
25	BB	1408	G	C4-C5-N7	5.53	113.01	110.80
25	BB	1584	U	P-O3'-C3'	5.53	126.34	119.70
25	BB	2428	G	C1'-O4'-C4'	-5.53	105.47	109.90
25	BB	2648	G	N1-C6-O6	-5.53	116.58	119.90
53	B4	149	GLU	CA-CB-CG	5.53	125.57	113.40
3	A1	420	U	C5-C4-O4	-5.53	122.58	125.90
25	BB	476	G	N3-C4-N9	-5.53	122.68	126.00
25	BB	872	U	C1'-O4'-C4'	-5.53	105.47	109.90
25	BB	1099	G	N1-C6-O6	-5.53	116.58	119.90
25	BB	1306	C	N3-C4-N4	-5.53	114.13	118.00
1	AA	4	G	C6-N1-C2	-5.53	121.78	125.10
1	AA	66	A	C6-C5-N7	5.53	136.17	132.30
3	A1	35	G	C5'-C4'-C3'	-5.53	107.15	116.00
3	A1	181	A	N9-C4-C5	5.53	108.01	105.80
3	A1	261	U	N3-C2-O2	-5.53	118.33	122.20
3	A1	282	A	C5-C6-N6	5.53	128.12	123.70
3	A1	1488	G	N9-C1'-C2'	-5.53	105.92	112.00
25	BB	483	A	O5'-C5'-C4'	-5.53	101.19	111.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	936	A	C5-N7-C8	-5.53	101.14	103.90
25	BB	1082	U	O4'-C1'-C2'	-5.53	100.27	105.80
25	BB	1228	G	C8-N9-C4	5.53	108.61	106.40
25	BB	2192	U	C4'-C3'-C2'	-5.53	97.07	102.60
25	BB	2440	C	N1-C2-N3	5.53	123.07	119.20
25	BB	2655	G	C3'-C2'-C1'	-5.53	97.08	101.50
25	BB	46	G	C4'-C3'-C2'	-5.53	97.07	102.60
25	BB	344	A	C5'-C4'-O4'	5.53	115.73	109.10
25	BB	763	G	N1-C6-O6	-5.53	116.58	119.90
25	BB	1533	C	O4'-C1'-N1	5.53	112.62	108.20
25	BB	2542	A	O3'-P-O5'	-5.53	93.50	104.00
29	BF	18	ARG	NE-CZ-NH1	5.53	123.06	120.30
1	AP	7	U	C3'-C2'-C1'	5.53	105.92	101.50
1	AE	43	G	C5-C6-N1	5.53	114.26	111.50
3	A1	260	G	C5-C6-O6	-5.53	125.28	128.60
3	A1	280	C	C6-N1-C2	-5.53	118.09	120.30
3	A1	812	G	N9-C4-C5	5.53	107.61	105.40
3	A1	1006	G	O4'-C1'-N9	-5.53	103.78	108.20
25	BB	264	C	N3-C2-O2	-5.53	118.03	121.90
25	BB	499	U	N3-C4-O4	5.53	123.27	119.40
25	BB	1501	G	O3'-P-O5'	-5.53	93.50	104.00
1	AA	62	A	C3'-C2'-C1'	-5.53	97.08	101.50
3	A1	390	U	N1-C2-N3	5.53	118.22	114.90
3	A1	566	G	N1-C6-O6	-5.53	116.58	119.90
3	A1	696	A	C2-N3-C4	5.53	113.36	110.60
3	A1	724	G	C6-N1-C2	-5.53	121.78	125.10
3	A1	749	A	C3'-C2'-C1'	5.53	105.92	101.50
3	A1	1003	G	N9-C1'-C2'	-5.53	105.92	112.00
3	A1	1014	A	C5-C6-N1	5.53	120.46	117.70
3	A1	1271	A	C5-C6-N6	5.53	128.12	123.70
3	A1	1350	A	C6-C5-N7	5.53	136.17	132.30
4	AB	221	ARG	CD-NE-CZ	5.53	131.34	123.60
6	AD	30	ARG	CD-NE-CZ	5.53	131.34	123.60
25	BB	39	G	C5'-C4'-C3'	-5.53	107.16	116.00
25	BB	326	G	C8-N9-C4	-5.53	104.19	106.40
25	BB	490	C	C4'-C3'-C2'	-5.53	97.08	102.60
25	BB	645	C	C5'-C4'-C3'	-5.53	107.16	116.00
25	BB	692	C	P-O3'-C3'	5.53	126.33	119.70
25	BB	886	A	C8-N9-C4	-5.53	103.59	105.80
25	BB	984	A	C4'-C3'-C2'	5.53	108.13	102.60
25	BB	1013	C	C5-C4-N4	5.53	124.07	120.20
25	BB	1929	G	C5'-C4'-C3'	-5.53	107.16	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1958	C	O4'-C1'-C2'	-5.53	100.27	105.80
25	BB	2109	U	O4'-C1'-N1	5.53	112.62	108.20
25	BB	2349	G	N3-C4-N9	5.53	129.31	126.00
25	BB	2537	U	C4-C5-C6	5.53	123.02	119.70
25	BB	2608	G	C3'-C2'-C1'	5.53	105.92	101.50
25	BB	2645	G	C6-N1-C2	-5.53	121.78	125.10
25	BB	2732	G	N3-C4-C5	-5.53	125.84	128.60
25	BB	2782	G	O4'-C4'-C3'	5.53	110.52	106.10
3	A1	377	G	N3-C2-N2	-5.52	116.03	119.90
3	A1	834	U	C4-C5-C6	5.52	123.01	119.70
3	A1	1038	C	C5-C4-N4	-5.52	116.33	120.20
3	A1	1202	U	N1-C2-O2	5.52	126.67	122.80
25	BB	352	A	N1-C2-N3	-5.52	126.54	129.30
25	BB	1136	G	C4'-C3'-C2'	-5.52	97.08	102.60
25	BB	1543	G	N3-C2-N2	-5.52	116.03	119.90
25	BB	1556	C	N3-C4-C5	5.52	124.11	121.90
25	BB	1943	U	C5-C4-O4	-5.52	122.59	125.90
25	BB	2112	G	N7-C8-N9	5.52	115.86	113.10
25	BB	2495	G	C5-C6-O6	5.52	131.91	128.60
25	BB	2553	G	C8-N9-C4	-5.52	104.19	106.40
25	BB	2697	G	C5-C6-N1	5.52	114.26	111.50
1	AP	27	C	N3-C4-C5	5.52	124.11	121.90
1	AP	36	A	C5-C6-N1	5.52	120.46	117.70
1	AP	58	A	N1-C2-N3	-5.52	126.54	129.30
1	AP	64	A	C6-C5-N7	5.52	136.17	132.30
3	A1	91	U	C4'-C3'-C2'	-5.52	97.08	102.60
3	A1	276	G	N3-C2-N2	-5.52	116.03	119.90
3	A1	766	A	O4'-C1'-N9	5.52	112.62	108.20
3	A1	969	A	C8-N9-C4	5.52	108.01	105.80
3	A1	1252	A	C5-C6-N1	5.52	120.46	117.70
3	A1	1274	A	N1-C2-N3	-5.52	126.54	129.30
3	A1	1361	G	C5'-C4'-O4'	5.52	115.73	109.10
25	BB	375	G	O4'-C4'-C3'	5.52	110.52	106.10
25	BB	617	G	N1-C2-N3	5.52	127.21	123.90
25	BB	674	G	C6-N1-C2	-5.52	121.79	125.10
25	BB	1383	A	N7-C8-N9	5.52	116.56	113.80
25	BB	1682	G	C5'-C4'-C3'	-5.52	107.17	116.00
25	BB	1750	G	N9-C4-C5	5.52	107.61	105.40
25	BB	2034	U	N1-C1'-C2'	5.52	121.18	114.00
25	BB	2470	G	N9-C4-C5	5.52	107.61	105.40
25	BB	2681	C	C1'-O4'-C4'	-5.52	105.48	109.90
1	AP	53	G	N3-C4-C5	-5.52	125.84	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	606	G	N3-C4-N9	5.52	129.31	126.00
3	A1	1328	C	C5'-C4'-O4'	5.52	115.72	109.10
25	BB	325	G	C4-C5-N7	5.52	113.01	110.80
25	BB	1113	U	C1'-O4'-C4'	5.52	114.32	109.90
25	BB	1262	A	C1'-O4'-C4'	-5.52	105.48	109.90
25	BB	2590	A	O4'-C4'-C3'	5.52	110.52	106.10
25	BB	2659	G	N1-C2-N2	5.52	121.17	116.20
25	BB	2677	G	C1'-O4'-C4'	-5.52	105.48	109.90
3	A1	853	C	C5'-C4'-O4'	5.52	115.72	109.10
3	A1	1387	G	N7-C8-N9	5.52	115.86	113.10
24	BA	51	G	C5-N7-C8	-5.52	101.54	104.30
25	BB	270	A	N1-C2-N3	-5.52	126.54	129.30
25	BB	682	G	C8-N9-C4	-5.52	104.19	106.40
25	BB	951	C	C2-N1-C1'	5.52	124.87	118.80
25	BB	1031	G	N3-C2-N2	-5.52	116.04	119.90
25	BB	1107	G	O5'-C5'-C4'	-5.52	101.22	111.70
25	BB	1758	U	N1-C2-O2	5.52	126.66	122.80
25	BB	1868	C	C5'-C4'-O4'	5.52	115.72	109.10
25	BB	1900	A	C6-C5-N7	5.52	136.16	132.30
25	BB	2507	C	C2-N3-C4	-5.52	117.14	119.90
25	BB	2555	U	O4'-C1'-N1	5.52	112.61	108.20
1	AP	34	G	C5-C6-O6	-5.52	125.29	128.60
1	AE	18	G	C6-N1-C2	-5.52	121.79	125.10
3	A1	104	G	C6-C5-N7	5.52	133.71	130.40
3	A1	151	A	C5-C6-N1	5.52	120.46	117.70
3	A1	619	U	N3-C2-O2	-5.52	118.34	122.20
3	A1	884	U	C6-N1-C2	-5.52	117.69	121.00
3	A1	942	G	N9-C4-C5	5.52	107.61	105.40
3	A1	1197	A	C6-N1-C2	-5.52	115.29	118.60
3	A1	1210	C	C1'-O4'-C4'	5.52	114.31	109.90
24	BA	100	G	O5'-P-OP1	5.52	117.32	110.70
25	BB	17	G	N9-C1'-C2'	-5.52	105.93	112.00
25	BB	710	U	C4-C5-C6	5.52	123.01	119.70
25	BB	1273	U	O4'-C1'-N1	5.52	112.61	108.20
25	BB	1409	U	P-O3'-C3'	5.52	126.32	119.70
25	BB	1722	A	N9-C4-C5	5.52	108.01	105.80
25	BB	1863	G	C5-N7-C8	-5.52	101.54	104.30
25	BB	2051	A	C4'-C3'-C2'	-5.52	97.08	102.60
25	BB	2094	A	C4-C5-C6	-5.52	114.24	117.00
25	BB	2296	U	C3'-C2'-C1'	-5.52	97.09	101.50
49	BZ	122	ARG	NE-CZ-NH2	5.52	123.06	120.30
52	B3	97	VAL	CA-CB-CG1	5.52	119.18	110.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	592	G	C4'-C3'-C2'	-5.52	97.08	102.60
25	BB	592	A	C4-C5-C6	-5.52	114.24	117.00
25	BB	755	U	C5-C6-N1	-5.52	119.94	122.70
25	BB	1801	A	C8-N9-C4	-5.52	103.59	105.80
50	B1	44	ARG	NH1-CZ-NH2	-5.52	113.33	119.40
50	B1	83	VAL	CA-CB-CG1	5.52	119.17	110.90
1	AP	53	G	N1-C6-O6	-5.51	116.59	119.90
3	A1	858	G	C5-C6-O6	-5.51	125.29	128.60
3	A1	1150	A	O4'-C1'-C2'	5.51	112.56	107.60
3	A1	1477	U	O4'-C4'-C3'	5.51	110.51	106.10
23	AX	49	PHE	CB-CG-CD2	-5.51	116.94	120.80
25	BB	286	U	N3-C4-O4	-5.51	115.54	119.40
25	BB	433	C	N3-C4-C5	5.51	124.11	121.90
25	BB	626	A	C6-C5-N7	5.51	136.16	132.30
25	BB	709	U	C5'-C4'-O4'	5.51	115.72	109.10
25	BB	894	U	N3-C4-O4	-5.51	115.54	119.40
25	BB	1017	G	N1-C6-O6	-5.51	116.59	119.90
25	BB	1150	C	C2-N3-C4	-5.51	117.14	119.90
25	BB	1156	A	C6-C5-N7	5.51	136.16	132.30
25	BB	1984	G	N3-C4-N9	5.51	129.31	126.00
25	BB	2765	A	C6-C5-N7	5.51	136.16	132.30
3	A1	433	G	C6-C5-N7	5.51	133.71	130.40
3	A1	868	C	C5'-C4'-C3'	-5.51	107.18	116.00
3	A1	1323	G	C4'-C3'-C2'	-5.51	97.09	102.60
24	BA	6	G	C6-N1-C2	-5.51	121.79	125.10
25	BB	316	C	C5-C4-N4	5.51	124.06	120.20
25	BB	681	G	C2-N3-C4	-5.51	109.14	111.90
25	BB	770	G	O4'-C4'-C3'	5.51	110.51	106.10
25	BB	1228	G	C5'-C4'-C3'	-5.51	107.18	116.00
25	BB	1726	C	C6-N1-C2	-5.51	118.09	120.30
1	AP	22	G	C5-C6-O6	5.51	131.91	128.60
3	A1	122	G	C1'-O4'-C4'	-5.51	105.49	109.90
3	A1	616	G	N3-C2-N2	-5.51	116.04	119.90
3	A1	952	U	P-O3'-C3'	5.51	126.31	119.70
3	A1	1138	G	C5-C6-O6	5.51	131.91	128.60
3	A1	1345	U	N3-C4-O4	-5.51	115.54	119.40
24	BA	27	C	O4'-C1'-C2'	-5.51	100.29	105.80
25	BB	522	A	C5-C6-N1	5.51	120.46	117.70
25	BB	554	U	N3-C2-O2	-5.51	118.34	122.20
25	BB	1408	G	N1-C6-O6	-5.51	116.59	119.90
25	BB	1635	A	N1-C2-N3	-5.51	126.54	129.30
25	BB	1794	A	N7-C8-N9	5.51	116.56	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1960	A	N1-C2-N3	-5.51	126.55	129.30
25	BB	2157	G	N3-C4-C5	-5.51	125.84	128.60
25	BB	2300	C	O4'-C1'-N1	5.51	112.61	108.20
31	BH	2	ASP	CB-CG-OD2	5.51	123.26	118.30
3	A1	235	C	O5'-P-OP1	-5.51	100.74	105.70
3	A1	350	G	N1-C2-N2	-5.51	111.24	116.20
3	A1	1152	A	C5'-C4'-O4'	5.51	115.71	109.10
3	A1	1238	A	C5-C6-N6	5.51	128.11	123.70
3	A1	1311	A	C5'-C4'-O4'	5.51	115.71	109.10
23	AX	49	PHE	CB-CG-CD1	5.51	124.66	120.80
25	BB	230	G	N3-C4-C5	-5.51	125.84	128.60
25	BB	505	A	N1-C2-N3	-5.51	126.55	129.30
25	BB	977	G	N1-C2-N3	5.51	127.21	123.90
25	BB	1039	A	C5-C6-N1	5.51	120.45	117.70
25	BB	1587	G	N3-C4-C5	-5.51	125.84	128.60
25	BB	2406	A	N1-C6-N6	-5.51	115.30	118.60
25	BB	2428	G	C6-C5-N7	5.51	133.71	130.40
25	BB	2816	G	C4-C5-N7	-5.51	108.60	110.80
25	BB	2830	C	C1'-O4'-C4'	-5.51	105.49	109.90
1	AA	2	C	O5'-P-OP2	5.51	117.31	110.70
1	AP	52	U	C5-C4-O4	5.51	129.21	125.90
3	A1	43	C	C4'-C3'-C2'	-5.51	97.09	102.60
3	A1	623	C	C5'-C4'-O4'	5.51	115.71	109.10
3	A1	1079	G	C6-C5-N7	5.51	133.71	130.40
3	A1	1356	G	C5-N7-C8	5.51	107.05	104.30
3	A1	1409	C	N3-C2-O2	-5.51	118.05	121.90
20	AU	43	TYR	CB-CG-CD2	5.51	124.31	121.00
22	AW	40	ARG	NE-CZ-NH2	-5.51	117.55	120.30
25	BB	2352	A	N9-C4-C5	5.51	108.00	105.80
3	A1	463	U	N3-C2-O2	-5.51	118.34	122.20
3	A1	1091	U	C5'-C4'-O4'	5.51	115.71	109.10
3	A1	1162	C	N3-C4-N4	-5.51	114.14	118.00
9	AH	52	ARG	NE-CZ-NH1	5.51	123.05	120.30
25	BB	336	C	N3-C4-C5	5.51	124.10	121.90
25	BB	376	G	P-O3'-C3'	5.51	126.31	119.70
25	BB	489	G	N3-C2-N2	-5.51	116.05	119.90
25	BB	628	G	C5-C6-O6	-5.51	125.30	128.60
25	BB	862	G	C5-C6-N1	5.51	114.25	111.50
25	BB	1136	G	C2-N3-C4	5.51	114.65	111.90
25	BB	1341	G	N1-C2-N3	5.51	127.20	123.90
25	BB	2149	U	N1-C2-O2	5.51	126.65	122.80
25	BB	2411	A	C2-N3-C4	5.51	113.35	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2702	G	C4'-C3'-C2'	-5.51	97.09	102.60
25	BB	2881	U	N1-C2-N3	5.51	118.20	114.90
3	A1	629	A	C4'-C3'-C2'	-5.50	97.09	102.60
3	A1	953	G	C4-C5-C6	-5.50	115.50	118.80
3	A1	1040	U	N3-C4-O4	5.50	123.25	119.40
25	BB	961	C	N3-C4-N4	-5.50	114.15	118.00
25	BB	1266	G	C1'-O4'-C4'	-5.50	105.50	109.90
25	BB	1665	A	C8-N9-C4	-5.50	103.60	105.80
25	BB	1996	C	C2-N3-C4	-5.50	117.15	119.90
25	BB	2067	G	P-O3'-C3'	5.50	126.31	119.70
1	AA	3	G	C5-N7-C8	5.50	107.05	104.30
2	AM	5	U	O4'-C4'-C3'	-5.50	98.50	104.00
3	A1	238	A	C2-N3-C4	5.50	113.35	110.60
3	A1	478	A	C5'-C4'-C3'	-5.50	107.19	116.00
3	A1	811	C	O3'-P-O5'	-5.50	93.54	104.00
3	A1	1454	G	C1'-O4'-C4'	5.50	114.30	109.90
25	BB	93	G	N9-C4-C5	5.50	107.60	105.40
25	BB	385	C	N3-C4-N4	-5.50	114.15	118.00
25	BB	389	G	C5-C6-N1	5.50	114.25	111.50
25	BB	793	A	O3'-P-O5'	-5.50	93.54	104.00
25	BB	798	G	O4'-C4'-C3'	-5.50	98.50	104.00
25	BB	1536	C	C5-C4-N4	5.50	124.05	120.20
25	BB	1788	C	C6-N1-C2	-5.50	118.10	120.30
25	BB	2268	A	C5'-C4'-O4'	5.50	115.70	109.10
25	BB	2293	G	O4'-C1'-C2'	5.50	112.55	107.60
25	BB	2507	C	N3-C2-O2	-5.50	118.05	121.90
25	BB	2802	G	C4'-C3'-C2'	-5.50	97.10	102.60
1	AA	61	C	C3'-C2'-C1'	5.50	105.90	101.50
1	AP	67	A	O4'-C1'-N9	5.50	112.60	108.20
1	AE	71	G	C6-C5-N7	5.50	133.70	130.40
3	A1	246	A	O4'-C4'-C3'	5.50	110.50	106.10
3	A1	530	G	N7-C8-N9	5.50	115.85	113.10
3	A1	586	C	N3-C2-O2	-5.50	118.05	121.90
3	A1	607	A	O4'-C1'-N9	-5.50	103.80	108.20
3	A1	653	U	C4-C5-C6	5.50	123.00	119.70
3	A1	837	U	C5'-C4'-C3'	-5.50	107.20	116.00
3	A1	924	C	N3-C2-O2	-5.50	118.05	121.90
3	A1	1049	U	O4'-C4'-C3'	5.50	110.50	106.10
3	A1	1293	C	C6-N1-C2	-5.50	118.10	120.30
3	A1	1450	U	N3-C2-O2	-5.50	118.35	122.20
20	AU	94	ARG	NE-CZ-NH1	5.50	123.05	120.30
24	BA	44	G	N3-C4-C5	-5.50	125.85	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	134	G	C5-N7-C8	-5.50	101.55	104.30
25	BB	561	G	N3-C4-N9	5.50	129.30	126.00
25	BB	641	U	N1-C2-N3	5.50	118.20	114.90
25	BB	801	G	N7-C8-N9	5.50	115.85	113.10
25	BB	1763	G	N3-C4-C5	-5.50	125.85	128.60
25	BB	1811	G	N3-C4-N9	5.50	129.30	126.00
25	BB	2338	C	N3-C4-N4	-5.50	114.15	118.00
25	BB	2570	G	C8-N9-C4	-5.50	104.20	106.40
25	BB	2669	G	N1-C2-N2	5.50	121.15	116.20
3	A1	85	U	N3-C2-O2	-5.50	118.35	122.20
3	A1	678	U	C6-N1-C2	-5.50	117.70	121.00
25	BB	678	C	N3-C4-N4	-5.50	114.15	118.00
25	BB	949	G	C6-C5-N7	5.50	133.70	130.40
25	BB	1182	G	N3-C4-N9	5.50	129.30	126.00
25	BB	1622	G	C1'-O4'-C4'	-5.50	105.50	109.90
25	BB	2472	G	C6-N1-C2	-5.50	121.80	125.10
25	BB	2663	G	C6-C5-N7	5.50	133.70	130.40
25	BB	2754	U	C5'-C4'-O4'	5.50	115.70	109.10
25	BB	2818	U	C5-C6-N1	-5.50	119.95	122.70
42	BS	56	ARG	NH1-CZ-NH2	-5.50	113.35	119.40
1	AP	1	G	C5-C6-O6	5.50	131.90	128.60
1	AE	3	G	C2-N3-C4	5.50	114.65	111.90
3	A1	31	G	N9-C4-C5	5.50	107.60	105.40
3	A1	453	G	N7-C8-N9	5.50	115.85	113.10
3	A1	530	G	C5'-C4'-C3'	-5.50	107.20	116.00
3	A1	1062	U	C4-C5-C6	5.50	123.00	119.70
3	A1	1112	C	C6-N1-C2	-5.50	118.10	120.30
3	A1	1487	G	C8-N9-C4	-5.50	104.20	106.40
25	BB	61	C	O4'-C1'-N1	5.50	112.60	108.20
25	BB	170	U	C5'-C4'-O4'	5.50	115.70	109.10
25	BB	213	A	C2-N3-C4	5.50	113.35	110.60
25	BB	346	A	C2-N3-C4	5.50	113.35	110.60
25	BB	537	G	C4-C5-C6	-5.50	115.50	118.80
25	BB	928	A	N9-C4-C5	5.50	108.00	105.80
25	BB	1099	G	C4-C5-N7	5.50	113.00	110.80
25	BB	1152	C	N1-C2-N3	5.50	123.05	119.20
25	BB	1216	G	C5-N7-C8	-5.50	101.55	104.30
25	BB	1338	G	N3-C2-N2	-5.50	116.05	119.90
25	BB	1749	A	O4'-C4'-C3'	5.50	110.50	106.10
25	BB	1750	G	C8-N9-C4	-5.50	104.20	106.40
25	BB	1975	G	P-O3'-C3'	5.50	126.30	119.70
25	BB	2289	G	C5-C6-N1	5.50	114.25	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2351	G	N3-C2-N2	-5.50	116.05	119.90
25	BB	2488	G	O3'-P-O5'	5.50	114.45	104.00
31	BH	113	ALA	N-CA-CB	-5.50	102.40	110.10
1	AE	7	U	C5'-C4'-C3'	-5.50	107.21	116.00
3	A1	255	G	C5'-C4'-C3'	-5.50	107.20	116.00
3	A1	288	A	O4'-C4'-C3'	-5.50	98.50	104.00
3	A1	582	C	O5'-P-OP1	-5.50	100.75	105.70
3	A1	672	U	OP1-P-OP2	-5.50	111.36	119.60
3	A1	993	G	C6-N1-C2	-5.50	121.80	125.10
3	A1	1388	C	N3-C4-N4	-5.50	114.15	118.00
3	A1	1488	G	O5'-C5'-C4'	-5.50	101.25	111.70
25	BB	79	C	C5-C6-N1	-5.50	118.25	121.00
25	BB	189	G	N3-C4-C5	-5.50	125.85	128.60
25	BB	756	A	C4'-C3'-C2'	-5.50	97.10	102.60
25	BB	1026	G	O4'-C1'-C2'	-5.50	100.30	105.80
25	BB	1844	C	C2-N3-C4	-5.50	117.15	119.90
25	BB	2160	C	O4'-C1'-N1	-5.50	103.80	108.20
25	BB	2288	A	C6-N1-C2	-5.50	115.30	118.60
1	AA	20	G	N3-C2-N2	5.50	123.75	119.90
1	AE	16	U	N3-C2-O2	-5.50	118.35	122.20
3	A1	1298	U	C4-C5-C6	5.50	123.00	119.70
25	BB	421	C	C5-C4-N4	-5.50	116.35	120.20
25	BB	1763	G	P-O3'-C3'	5.50	126.29	119.70
25	BB	2083	G	N3-C2-N2	-5.50	116.05	119.90
25	BB	2250	G	C3'-C2'-C1'	5.50	105.90	101.50
25	BB	2662	A	O4'-C4'-C3'	5.50	110.50	106.10
25	BB	2664	G	C3'-C2'-C1'	-5.50	97.10	101.50
1	AA	10	G	N3-C4-C5	-5.49	125.85	128.60
3	A1	581	G	N7-C8-N9	5.49	115.85	113.10
3	A1	693	G	N3-C4-C5	-5.49	125.85	128.60
24	BA	36	C	C5'-C4'-C3'	-5.49	107.21	116.00
25	BB	621	A	C4-C5-C6	-5.49	114.25	117.00
25	BB	1239	G	N3-C4-C5	-5.49	125.85	128.60
25	BB	1312	U	C5-C6-N1	-5.49	119.95	122.70
25	BB	1655	A	P-O3'-C3'	5.49	126.29	119.70
25	BB	2478	A	N9-C4-C5	5.49	108.00	105.80
3	A1	239	U	O4'-C1'-N1	5.49	112.59	108.20
3	A1	284	C	N3-C4-C5	5.49	124.10	121.90
25	BB	192	C	N1-C2-O2	5.49	122.19	118.90
25	BB	747	U	P-O3'-C3'	5.49	126.29	119.70
25	BB	2150	C	N3-C2-O2	-5.49	118.06	121.90
30	BG	45	ARG	CD-NE-CZ	5.49	131.29	123.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	615	G	N9-C4-C5	5.49	107.60	105.40
3	A1	644	U	C3'-C2'-C1'	-5.49	97.11	101.50
3	A1	654	G	N7-C8-N9	5.49	115.85	113.10
3	A1	919	A	C5-C6-N1	5.49	120.44	117.70
3	A1	955	U	N3-C2-O2	-5.49	118.36	122.20
3	A1	1331	G	N1-C6-O6	-5.49	116.61	119.90
25	BB	136	G	C8-N9-C4	-5.49	104.20	106.40
25	BB	334	C	N1-C2-O2	5.49	122.19	118.90
25	BB	393	C	O3'-P-O5'	5.49	114.43	104.00
25	BB	567	U	C5-C6-N1	-5.49	119.95	122.70
25	BB	720	U	N3-C4-O4	-5.49	115.56	119.40
25	BB	896	A	C5'-C4'-C3'	5.49	124.78	116.00
25	BB	997	G	N3-C2-N2	-5.49	116.06	119.90
25	BB	1105	U	C4'-C3'-C2'	-5.49	97.11	102.60
25	BB	1364	G	C2-N3-C4	-5.49	109.16	111.90
25	BB	1692	U	C5-C6-N1	-5.49	119.95	122.70
25	BB	1881	C	N3-C4-N4	-5.49	114.16	118.00
25	BB	2039	U	N1-C2-N3	5.49	118.19	114.90
25	BB	2170	A	C5-C6-N6	5.49	128.09	123.70
25	BB	2268	A	C5-C6-N6	5.49	128.09	123.70
25	BB	2415	G	C5'-C4'-O4'	5.49	115.69	109.10
25	BB	2452	C	N1-C2-O2	5.49	122.19	118.90
25	BB	2466	C	O4'-C4'-C3'	5.49	110.49	106.10
30	BG	87	PHE	CB-CG-CD1	-5.49	116.96	120.80
33	BJ	29	ARG	CD-NE-CZ	5.49	131.29	123.60
51	B2	101	ARG	CD-NE-CZ	5.49	131.29	123.60
3	A1	195	A	C5-C6-N6	5.49	128.09	123.70
3	A1	436	C	C5'-C4'-O4'	5.49	115.69	109.10
3	A1	720	C	N3-C4-C5	5.49	124.10	121.90
3	A1	779	C	N1-C2-N3	5.49	123.04	119.20
3	A1	891	U	C1'-O4'-C4'	-5.49	105.51	109.90
3	A1	1063	C	C5-C6-N1	-5.49	118.25	121.00
3	A1	1138	G	O5'-C5'-C4'	5.49	122.13	111.70
17	AR	187	ARG	NH1-CZ-NH2	5.49	125.44	119.40
25	BB	614	A	C8-N9-C4	-5.49	103.61	105.80
25	BB	714	U	C5-C6-N1	-5.49	119.96	122.70
25	BB	719	C	C4'-C3'-C2'	-5.49	97.11	102.60
25	BB	853	C	C4'-C3'-C2'	-5.49	97.11	102.60
25	BB	881	G	C4-C5-N7	5.49	113.00	110.80
25	BB	1779	U	C2-N3-C4	-5.49	123.71	127.00
25	BB	1824	G	C5-C6-O6	5.49	131.89	128.60
25	BB	2085	U	C2-N3-C4	-5.49	123.71	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2341	G	C2-N3-C4	5.49	114.64	111.90
25	BB	2376	A	C4-C5-C6	-5.49	114.26	117.00
25	BB	2468	A	C5-N7-C8	-5.49	101.16	103.90
25	BB	2837	A	C4-C5-C6	-5.49	114.26	117.00
49	BZ	128	LEU	C-N-CA	5.49	133.82	122.30
54	B5	126	ARG	NE-CZ-NH1	5.49	123.04	120.30
3	A1	130	A	O4'-C1'-N9	5.49	112.59	108.20
3	A1	355	C	N1-C2-O2	5.49	122.19	118.90
3	A1	552	U	C5-C6-N1	-5.49	119.96	122.70
8	AG	51	PRO	N-CD-CG	5.49	111.43	103.20
24	BA	46	A	C5-N7-C8	-5.49	101.16	103.90
25	BB	277	G	N1-C6-O6	-5.49	116.61	119.90
25	BB	610	C	O4'-C1'-N1	5.49	112.59	108.20
25	BB	624	C	N1-C2-O2	5.49	122.19	118.90
25	BB	1248	G	N1-C2-N3	5.49	127.19	123.90
25	BB	2564	A	C1'-O4'-C4'	-5.49	105.51	109.90
25	BB	2656	U	O4'-C1'-N1	5.49	112.59	108.20
25	BB	2893	A	C2-N3-C4	5.49	113.34	110.60
3	A1	431	A	N1-C2-N3	-5.49	126.56	129.30
3	A1	799	G	C5-C6-N1	5.49	114.24	111.50
3	A1	906	A	C2-N3-C4	5.49	113.34	110.60
3	A1	1107	C	N3-C2-O2	-5.49	118.06	121.90
3	A1	1269	A	O5'-P-OP1	-5.49	100.76	105.70
3	A1	1485	U	C5'-C4'-C3'	-5.49	107.22	116.00
5	AC	36	ARG	CD-NE-CZ	5.49	131.28	123.60
24	BA	105	G	N3-C4-N9	5.49	129.29	126.00
25	BB	20	C	C5'-C4'-C3'	-5.49	107.22	116.00
25	BB	268	C	N3-C4-N4	-5.49	114.16	118.00
25	BB	353	C	C3'-C2'-C1'	5.49	105.89	101.50
25	BB	912	C	C5'-C4'-C3'	-5.49	107.22	116.00
25	BB	1389	G	O4'-C1'-N9	5.49	112.59	108.20
25	BB	1703	G	N3-C2-N2	-5.49	116.06	119.90
25	BB	2122	U	N1-C2-N3	5.49	118.19	114.90
3	A1	171	A	C4-C5-N7	5.48	113.44	110.70
3	A1	452	A	C5-C6-N6	5.48	128.09	123.70
3	A1	457	G	C3'-C2'-C1'	5.48	105.89	101.50
3	A1	464	U	O4'-C1'-N1	5.48	112.59	108.20
3	A1	845	A	O5'-P-OP2	-5.48	100.76	105.70
3	A1	1049	U	N1-C2-N3	5.48	118.19	114.90
5	AC	12	ARG	CD-NE-CZ	5.48	131.28	123.60
24	BA	21	G	C5-N7-C8	-5.48	101.56	104.30
25	BB	105	C	C3'-C2'-C1'	5.48	105.89	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	387	U	C6-N1-C2	-5.48	117.71	121.00
25	BB	402	A	N9-C1'-C2'	-5.48	105.97	112.00
25	BB	468	G	N3-C2-N2	-5.48	116.06	119.90
25	BB	1187	G	C2-N3-C4	5.48	114.64	111.90
25	BB	1262	A	O4'-C1'-N9	5.48	112.59	108.20
25	BB	1409	U	C2-N3-C4	-5.48	123.71	127.00
25	BB	1685	C	O4'-C1'-N1	5.48	112.59	108.20
25	BB	2684	U	N3-C2-O2	-5.48	118.36	122.20
48	BY	92	VAL	CA-CB-CG1	5.48	119.13	110.90
1	AP	28	C	P-O5'-C5'	5.48	129.67	120.90
1	AP	31	A	C4'-C3'-C2'	5.48	108.08	102.60
3	A1	151	A	C5'-C4'-C3'	-5.48	107.23	116.00
3	A1	268	U	O4'-C1'-N1	5.48	112.59	108.20
3	A1	511	C	C6-N1-C2	-5.48	118.11	120.30
3	A1	563	A	C6-C5-N7	5.48	136.14	132.30
23	AX	43	PRO	C-N-CA	5.48	135.41	121.70
24	BA	14	U	C1'-O4'-C4'	-5.48	105.52	109.90
25	BB	101	A	N9-C1'-C2'	5.48	121.13	114.00
25	BB	725	G	C2-N3-C4	5.48	114.64	111.90
25	BB	1230	A	C5'-C4'-C3'	-5.48	107.23	116.00
25	BB	1285	A	C6-C5-N7	5.48	136.14	132.30
25	BB	1528	A	C2-N3-C4	5.48	113.34	110.60
25	BB	1982	U	N3-C2-O2	-5.48	118.36	122.20
25	BB	2094	A	C5'-C4'-C3'	-5.48	107.23	116.00
25	BB	2437	G	C2-N3-C4	5.48	114.64	111.90
25	BB	2651	C	C2-N3-C4	-5.48	117.16	119.90
25	BB	2825	G	C3'-C2'-C1'	5.48	105.89	101.50
25	BB	2828	G	N1-C6-O6	-5.48	116.61	119.90
48	BY	83	ARG	C-N-CA	5.48	135.41	121.70
3	A1	11	G	C5'-C4'-C3'	-5.48	107.23	116.00
3	A1	260	G	C6-C5-N7	5.48	133.69	130.40
3	A1	353	A	C5-C6-N6	5.48	128.09	123.70
3	A1	1056	U	C5-C6-N1	-5.48	119.96	122.70
3	A1	1357	A	C4-C5-C6	-5.48	114.26	117.00
3	A1	1390	U	N1-C1'-C2'	-5.48	105.97	112.00
3	A1	1526	G	O4'-C1'-N9	5.48	112.58	108.20
25	BB	857	G	C1'-O4'-C4'	-5.48	105.52	109.90
25	BB	1279	G	N3-C2-N2	-5.48	116.06	119.90
25	BB	1837	C	C3'-C2'-C1'	5.48	105.88	101.50
25	BB	1928	A	C5'-C4'-O4'	5.48	115.67	109.10
25	BB	1982	U	O4'-C1'-N1	5.48	112.58	108.20
25	BB	2413	G	N1-C6-O6	-5.48	116.61	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2536	G	C1'-O4'-C4'	-5.48	105.52	109.90
52	B3	152	ARG	NE-CZ-NH1	-5.48	117.56	120.30
1	AE	65	G	C3'-C2'-C1'	-5.48	97.12	101.50
3	A1	37	U	C4'-C3'-C2'	-5.48	97.12	102.60
3	A1	529	G	C5'-C4'-O4'	5.48	115.67	109.10
3	A1	572	A	C3'-C2'-C1'	5.48	105.88	101.50
25	BB	247	G	C6-C5-N7	5.48	133.69	130.40
27	BD	30	ARG	NE-CZ-NH2	-5.48	117.56	120.30
3	A1	1092	A	C5-C6-N6	5.48	128.08	123.70
3	A1	1201	A	C5-C6-N6	5.48	128.08	123.70
3	A1	1238	A	C5'-C4'-O4'	5.48	115.67	109.10
3	A1	1300	G	C3'-C2'-C1'	5.48	105.88	101.50
25	BB	188	G	C8-N9-C4	-5.48	104.21	106.40
25	BB	479	A	C6-C5-N7	5.48	136.13	132.30
25	BB	714	U	C1'-O4'-C4'	-5.48	105.52	109.90
25	BB	815	C	C6-N1-C2	-5.48	118.11	120.30
25	BB	995	C	C5-C4-N4	-5.48	116.36	120.20
25	BB	1169	A	C2-N3-C4	5.48	113.34	110.60
25	BB	1945	G	C5-C6-O6	5.48	131.89	128.60
25	BB	1955	U	P-O3'-C3'	5.48	126.27	119.70
25	BB	1977	A	C1'-O4'-C4'	-5.48	105.52	109.90
25	BB	2057	G	O4'-C1'-N9	5.48	112.58	108.20
25	BB	2206	C	O4'-C1'-N1	5.48	112.58	108.20
25	BB	2383	G	O5'-P-OP1	5.48	117.27	110.70
25	BB	2611	C	C5-C4-N4	5.48	124.03	120.20
25	BB	2661	G	C6-N1-C2	-5.48	121.81	125.10
25	BB	2771	C	N3-C2-O2	-5.48	118.06	121.90
25	BB	2813	A	C2-N3-C4	5.48	113.34	110.60
25	BB	473	G	N3-C4-N9	5.48	129.29	126.00
25	BB	1570	A	C3'-C2'-C1'	5.48	105.88	101.50
25	BB	1725	U	N1-C2-N3	5.48	118.19	114.90
25	BB	2845	U	C1'-O4'-C4'	-5.48	105.52	109.90
39	BP	55	ASP	C-N-CA	5.48	135.39	121.70
1	AA	15	G	C8-N9-C1'	5.47	134.12	127.00
3	A1	433	G	O4'-C1'-N9	5.47	112.58	108.20
3	A1	666	G	C5-N7-C8	-5.47	101.56	104.30
3	A1	791	G	C4-C5-C6	-5.47	115.52	118.80
3	A1	919	A	C8-N9-C4	-5.47	103.61	105.80
3	A1	1000	A	C1'-O4'-C4'	-5.47	105.52	109.90
25	BB	135	U	O4'-C1'-N1	5.47	112.58	108.20
25	BB	1327	A	C1'-O4'-C4'	-5.47	105.52	109.90
25	BB	1465	G	C5'-C4'-C3'	-5.47	107.24	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1530	G	C5-C6-O6	5.47	131.88	128.60
25	BB	1548	A	C2-N3-C4	5.47	113.34	110.60
25	BB	1931	U	O4'-C1'-N1	5.47	112.58	108.20
25	BB	2020	A	C4'-C3'-C2'	-5.47	97.13	102.60
25	BB	2252	G	N3-C4-N9	5.47	129.28	126.00
25	BB	2698	U	C4'-C3'-C2'	-5.47	97.13	102.60
25	BB	2701	U	C5-C4-O4	-5.47	122.62	125.90
25	BB	2744	G	N7-C8-N9	5.47	115.84	113.10
25	BB	2757	A	C2-N3-C4	5.47	113.34	110.60
1	AP	45	G	O5'-P-OP2	-5.47	100.78	105.70
3	A1	159	G	C6-N1-C2	-5.47	121.82	125.10
3	A1	874	G	O4'-C1'-N9	5.47	112.58	108.20
3	A1	1121	U	C5'-C4'-O4'	5.47	115.67	109.10
3	A1	1124	G	C5-C6-O6	5.47	131.88	128.60
25	BB	674	G	C5'-C4'-O4'	5.47	115.67	109.10
25	BB	1485	U	N1-C1'-C2'	5.47	121.11	114.00
25	BB	1514	G	N3-C2-N2	-5.47	116.07	119.90
25	BB	2123	G	N3-C4-C5	-5.47	125.86	128.60
25	BB	2351	G	C5-C6-O6	5.47	131.88	128.60
25	BB	2454	G	C6-C5-N7	5.47	133.68	130.40
25	BB	2861	U	N1-C2-N3	5.47	118.18	114.90
25	BB	2875	C	P-O3'-C3'	5.47	126.27	119.70
48	BY	77	ARG	NE-CZ-NH2	-5.47	117.56	120.30
3	A1	1515	G	C5'-C4'-O4'	-5.47	102.53	109.10
22	AW	11	ARG	NE-CZ-NH1	-5.47	117.56	120.30
25	BB	530	G	N9-C4-C5	5.47	107.59	105.40
25	BB	1887	C	N1-C2-O2	5.47	122.18	118.90
25	BB	2091	C	N1-C2-O2	5.47	122.18	118.90
25	BB	2328	A	C6-C5-N7	5.47	136.13	132.30
1	AP	20	G	N3-C4-C5	-5.47	125.86	128.60
3	A1	165	G	C5-C6-O6	5.47	131.88	128.60
3	A1	266	G	C6-C5-N7	5.47	133.68	130.40
3	A1	350	G	O4'-C1'-N9	5.47	112.58	108.20
3	A1	474	G	N9-C4-C5	5.47	107.59	105.40
3	A1	743	A	C4-C5-C6	-5.47	114.27	117.00
3	A1	887	G	C4-C5-N7	-5.47	108.61	110.80
3	A1	1231	G	C5-N7-C8	-5.47	101.56	104.30
3	A1	1299	A	C5-C6-N6	5.47	128.08	123.70
3	A1	1320	C	C4-C5-C6	5.47	120.14	117.40
3	A1	1367	C	C5'-C4'-O4'	5.47	115.66	109.10
25	BB	188	G	N1-C2-N3	5.47	127.18	123.90
25	BB	1525	A	C6-C5-N7	5.47	136.13	132.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2049	G	N1-C6-O6	-5.47	116.62	119.90
25	BB	2493	U	C1'-O4'-C4'	-5.47	105.52	109.90
25	BB	2506	U	C5'-C4'-O4'	5.47	115.66	109.10
25	BB	2698	U	N3-C2-O2	-5.47	118.37	122.20
3	A1	27	G	C5-C6-O6	5.47	131.88	128.60
3	A1	344	A	C1'-O4'-C4'	-5.47	105.53	109.90
3	A1	378	G	C2'-C3'-O3'	5.47	122.45	113.70
3	A1	429	U	C5-C6-N1	-5.47	119.97	122.70
3	A1	473	U	C5-C6-N1	-5.47	119.97	122.70
3	A1	667	G	C6-C5-N7	5.47	133.68	130.40
25	BB	145	C	C5-C6-N1	-5.47	118.27	121.00
25	BB	1467	U	N1-C2-N3	5.47	118.18	114.90
2	AM	18	U	O4'-C1'-N1	5.47	112.57	108.20
3	A1	824	G	N1-C2-N2	-5.47	111.28	116.20
3	A1	846	G	C6-N1-C2	-5.47	121.82	125.10
3	A1	1025	U	C5'-C4'-O4'	-5.47	102.54	109.10
3	A1	1095	U	C4-C5-C6	5.47	122.98	119.70
3	A1	1133	G	C5-N7-C8	-5.47	101.57	104.30
3	A1	1529	G	C8-N9-C4	-5.47	104.21	106.40
24	BA	10	G	N1-C6-O6	-5.47	116.62	119.90
25	BB	117	G	C6-C5-N7	5.47	133.68	130.40
25	BB	379	G	C8-N9-C4	-5.47	104.21	106.40
25	BB	552	U	C4-C5-C6	5.47	122.98	119.70
25	BB	1249	U	C5'-C4'-O4'	5.47	115.66	109.10
25	BB	1342	A	O4'-C4'-C3'	5.47	110.47	106.10
25	BB	1559	U	C6-N1-C2	-5.47	117.72	121.00
25	BB	1659	G	C5-C6-O6	5.47	131.88	128.60
25	BB	1752	C	C5-C6-N1	-5.47	118.27	121.00
25	BB	1959	G	O5'-C5'-C4'	5.47	122.09	111.70
25	BB	2171	A	N7-C8-N9	5.47	116.53	113.80
25	BB	2190	G	N1-C6-O6	-5.47	116.62	119.90
25	BB	2238	G	C5-C6-O6	5.47	131.88	128.60
25	BB	2518	A	N9-C1'-C2'	-5.47	105.99	112.00
25	BB	2589	A	C6-N1-C2	-5.47	115.32	118.60
25	BB	2863	C	C5'-C4'-O4'	5.47	115.66	109.10
3	A1	206	C	P-O3'-C3'	-5.46	113.14	119.70
3	A1	326	G	N3-C2-N2	-5.46	116.08	119.90
3	A1	701	U	C6-N1-C2	-5.46	117.72	121.00
3	A1	770	C	C6-N1-C2	-5.46	118.11	120.30
3	A1	1358	U	C6-N1-C2	-5.46	117.72	121.00
24	BA	66	A	N1-C6-N6	-5.46	115.32	118.60
25	BB	419	U	C2-N3-C4	-5.46	123.72	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	548	G	O4'-C1'-N9	5.46	112.57	108.20
25	BB	644	A	C6-N1-C2	-5.46	115.32	118.60
25	BB	889	C	N3-C2-O2	-5.46	118.08	121.90
25	BB	905	A	N1-C2-N3	-5.46	126.57	129.30
25	BB	990	A	C1'-O4'-C4'	5.46	114.27	109.90
25	BB	1424	G	C5-N7-C8	-5.46	101.57	104.30
25	BB	1560	G	C3'-C2'-C1'	-5.46	97.13	101.50
25	BB	2155	U	O4'-C4'-C3'	5.46	110.47	106.10
25	BB	2190	G	N9-C4-C5	5.46	107.59	105.40
25	BB	2324	U	O4'-C1'-N1	5.46	112.57	108.20
1	AE	30	G	C5-C6-O6	5.46	131.88	128.60
3	A1	988	G	N1-C2-N2	5.46	121.12	116.20
25	BB	494	G	C4-C5-C6	-5.46	115.52	118.80
25	BB	1591	A	C6-N1-C2	-5.46	115.32	118.60
25	BB	1834	U	C5-C4-O4	-5.46	122.62	125.90
25	BB	1904	G	N9-C4-C5	5.46	107.58	105.40
25	BB	2164	C	C3'-C2'-C1'	5.46	105.87	101.50
1	AP	4	G	N9-C1'-C2'	-5.46	105.99	112.00
1	AP	21	A	P-O3'-C3'	5.46	126.25	119.70
1	AE	24	G	C4-C5-C6	-5.46	115.52	118.80
3	A1	153	C	C5'-C4'-C3'	-5.46	107.26	116.00
3	A1	415	A	C6-C5-N7	5.46	136.12	132.30
3	A1	961	U	C5-C6-N1	-5.46	119.97	122.70
3	A1	1070	U	N1-C2-N3	5.46	118.18	114.90
3	A1	1277	C	O4'-C1'-N1	5.46	112.57	108.20
3	A1	1533	C	C5-C4-N4	-5.46	116.38	120.20
24	BA	58	A	C8-N9-C4	-5.46	103.62	105.80
25	BB	89	A	C4-C5-C6	-5.46	114.27	117.00
25	BB	338	G	N3-C4-N9	5.46	129.28	126.00
25	BB	401	A	C5-C6-N1	5.46	120.43	117.70
25	BB	654	A	C5'-C4'-O4'	5.46	115.65	109.10
25	BB	737	C	N1-C2-N3	5.46	123.02	119.20
25	BB	791	C	C5-C4-N4	5.46	124.02	120.20
25	BB	850	U	O4'-C4'-C3'	5.46	110.47	106.10
25	BB	1036	G	C4-C5-N7	-5.46	108.61	110.80
25	BB	1143	A	C6-C5-N7	5.46	136.12	132.30
25	BB	1233	C	C1'-O4'-C4'	5.46	114.27	109.90
25	BB	1524	G	C5'-C4'-C3'	-5.46	107.26	116.00
25	BB	2106	U	O4'-C4'-C3'	5.46	110.47	106.10
25	BB	2107	G	C5-C6-O6	5.46	131.88	128.60
25	BB	2359	C	C4-C5-C6	5.46	120.13	117.40
25	BB	2808	G	N7-C8-N9	5.46	115.83	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AP	27	C	C5-C4-N4	5.46	124.02	120.20
3	A1	437	U	N1-C1'-C2'	-5.46	105.99	112.00
3	A1	1178	G	N3-C4-C5	-5.46	125.87	128.60
3	A1	1352	C	C5'-C4'-O4'	5.46	115.65	109.10
8	AG	16	ALA	N-CA-CB	-5.46	102.46	110.10
25	BB	855	G	C8-N9-C4	-5.46	104.22	106.40
25	BB	1074	G	N9-C1'-C2'	-5.46	105.99	112.00
1	AA	18	G	C5'-C4'-O4'	-5.46	102.55	109.10
3	A1	101	A	O5'-P-OP2	5.46	117.25	110.70
3	A1	200	G	C6-N1-C2	-5.46	121.83	125.10
3	A1	398	U	N1-C2-N3	5.46	118.17	114.90
3	A1	467	U	N1-C2-O2	-5.46	118.98	122.80
3	A1	839	C	C6-N1-C2	-5.46	118.12	120.30
4	AB	94	ARG	NE-CZ-NH2	5.46	123.03	120.30
24	BA	66	A	C8-N9-C4	-5.46	103.62	105.80
25	BB	698	C	O4'-C1'-N1	5.46	112.57	108.20
25	BB	755	U	C4-C5-C6	5.46	122.97	119.70
25	BB	1831	G	C6-N1-C2	-5.46	121.83	125.10
25	BB	2362	C	N3-C4-N4	-5.46	114.18	118.00
25	BB	2391	G	C1'-O4'-C4'	-5.46	105.53	109.90
2	AM	16	U	C5'-C4'-C3'	-5.46	107.27	116.00
3	A1	47	C	N3-C2-O2	-5.46	118.08	121.90
3	A1	352	C	O5'-P-OP2	-5.46	100.79	105.70
3	A1	386	C	N1-C2-N3	5.46	123.02	119.20
3	A1	713	G	C2-N3-C4	-5.46	109.17	111.90
25	BB	412	A	C4'-C3'-C2'	-5.46	97.14	102.60
25	BB	443	A	C6-C5-N7	5.46	136.12	132.30
25	BB	660	C	C6-N1-C2	-5.46	118.12	120.30
25	BB	859	G	N3-C2-N2	-5.46	116.08	119.90
25	BB	1794	A	N9-C4-C5	5.46	107.98	105.80
25	BB	2112	G	O5'-P-OP2	5.46	117.25	110.70
25	BB	2565	A	C6-N1-C2	-5.46	115.33	118.60
3	A1	856	C	N3-C2-O2	-5.46	118.08	121.90
3	A1	1088	G	C1'-O4'-C4'	-5.46	105.54	109.90
25	BB	159	G	N1-C6-O6	-5.46	116.63	119.90
25	BB	1276	A	C3'-C2'-C1'	-5.46	97.14	101.50
3	A1	12	U	C1'-O4'-C4'	-5.45	105.54	109.90
3	A1	203	G	N1-C2-N2	5.45	121.11	116.20
3	A1	395	C	N1-C2-O2	5.45	122.17	118.90
3	A1	593	U	N1-C2-N3	5.45	118.17	114.90
3	A1	844	G	N3-C2-N2	-5.45	116.08	119.90
3	A1	1019	A	C5-C6-N6	5.45	128.06	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1200	C	C5-C6-N1	-5.45	118.27	121.00
15	AO	125	ARG	NH1-CZ-NH2	-5.45	113.40	119.40
25	BB	277	G	C4'-C3'-C2'	-5.45	97.15	102.60
25	BB	627	A	O4'-C1'-N9	5.45	112.56	108.20
25	BB	1241	A	C6-C5-N7	5.45	136.12	132.30
25	BB	1290	C	O4'-C4'-C3'	5.45	110.46	106.10
25	BB	1343	G	C4-C5-N7	-5.45	108.62	110.80
25	BB	2514	U	N1-C2-N3	5.45	118.17	114.90
25	BB	2580	U	N1-C1'-C2'	5.45	121.09	114.00
25	BB	2620	C	N3-C4-N4	-5.45	114.18	118.00
25	BB	2872	A	C8-N9-C4	-5.45	103.62	105.80
3	A1	1166	G	C5'-C4'-O4'	5.45	115.64	109.10
24	BA	9	G	C5-C6-N1	5.45	114.23	111.50
25	BB	177	G	C6-N1-C2	-5.45	121.83	125.10
25	BB	738	G	O5'-P-OP2	-5.45	100.79	105.70
25	BB	2294	G	N3-C4-N9	5.45	129.27	126.00
2	AM	19	U	N3-C2-O2	-5.45	118.39	122.20
3	A1	187	G	N3-C2-N2	-5.45	116.08	119.90
3	A1	336	A	N9-C4-C5	5.45	107.98	105.80
3	A1	735	C	N3-C4-C5	5.45	124.08	121.90
3	A1	824	G	N1-C2-N3	5.45	127.17	123.90
3	A1	930	C	N1-C2-N3	5.45	123.02	119.20
3	A1	934	C	O4'-C1'-N1	5.45	112.56	108.20
3	A1	1519	A	C5'-C4'-O4'	5.45	115.64	109.10
25	BB	222	A	N3-C4-C5	-5.45	122.98	126.80
25	BB	796	C	N1-C2-N3	5.45	123.02	119.20
25	BB	849	A	C5-C6-N1	5.45	120.43	117.70
25	BB	1532	A	N1-C6-N6	-5.45	115.33	118.60
25	BB	1555	G	C3'-C2'-C1'	-5.45	97.14	101.50
25	BB	1904	G	N1-C2-N3	5.45	127.17	123.90
25	BB	1952	A	C2-N3-C4	5.45	113.33	110.60
25	BB	2850	A	C5-N7-C8	-5.45	101.17	103.90
46	BW	29	ARG	NE-CZ-NH1	5.45	123.03	120.30
3	A1	14	U	O4'-C1'-N1	5.45	112.56	108.20
3	A1	49	U	O3'-P-O5'	5.45	114.35	104.00
3	A1	154	U	C3'-C2'-C1'	-5.45	97.14	101.50
3	A1	354	G	P-O3'-C3'	5.45	126.24	119.70
3	A1	510	A	C1'-O4'-C4'	-5.45	105.54	109.90
3	A1	675	A	C1'-O4'-C4'	-5.45	105.54	109.90
3	A1	957	U	N3-C4-O4	5.45	123.21	119.40
3	A1	1127	G	C5-C6-N1	5.45	114.22	111.50
3	A1	1431	A	O5'-C5'-C4'	-5.45	101.35	111.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1324	G	N3-C2-N2	-5.45	116.09	119.90
25	BB	1527	G	N9-C4-C5	5.45	107.58	105.40
25	BB	1849	G	C5'-C4'-O4'	5.45	115.64	109.10
25	BB	2221	G	C5-C6-N1	5.45	114.22	111.50
25	BB	2351	G	C6-N1-C2	-5.45	121.83	125.10
25	BB	2693	G	C5'-C4'-O4'	5.45	115.64	109.10
26	BC	93	ARG	CD-NE-CZ	5.45	131.23	123.60
32	BI	108	ARG	CD-NE-CZ	5.45	131.23	123.60
1	AE	49	C	N1-C2-O2	5.45	122.17	118.90
3	A1	143	A	C4-C5-N7	5.45	113.42	110.70
3	A1	1050	G	C6-N1-C2	-5.45	121.83	125.10
4	AB	15	PHE	CB-CG-CD2	-5.45	116.99	120.80
25	BB	29	U	N3-C2-O2	-5.45	118.39	122.20
25	BB	840	C	N1-C2-N3	5.45	123.01	119.20
25	BB	1115	G	O4'-C1'-N9	5.45	112.56	108.20
25	BB	1160	G	C5'-C4'-O4'	5.45	115.64	109.10
25	BB	1652	A	C5-C6-N1	5.45	120.42	117.70
25	BB	1778	U	O4'-C1'-N1	5.45	112.56	108.20
1	AA	52	U	C5'-C4'-O4'	5.45	115.64	109.10
3	A1	31	G	N1-C6-O6	-5.45	116.63	119.90
3	A1	414	A	C3'-C2'-C1'	5.45	105.86	101.50
3	A1	665	A	C8-N9-C4	5.45	107.98	105.80
3	A1	800	G	C6-N1-C2	-5.45	121.83	125.10
3	A1	947	G	N7-C8-N9	5.45	115.82	113.10
3	A1	992	U	O4'-C1'-C2'	-5.45	100.36	105.80
3	A1	1002	G	N1-C6-O6	-5.45	116.63	119.90
3	A1	1078	U	O4'-C4'-C3'	5.45	110.46	106.10
3	A1	1390	U	C5'-C4'-O4'	5.45	115.64	109.10
6	AD	15	VAL	CA-CB-CG2	5.45	119.07	110.90
25	BB	50	U	C3'-C2'-C1'	-5.45	97.14	101.50
25	BB	148	U	C5-C4-O4	-5.45	122.63	125.90
25	BB	350	G	N1-C2-N3	5.45	127.17	123.90
25	BB	577	G	N3-C2-N2	-5.45	116.09	119.90
25	BB	650	C	C5'-C4'-C3'	-5.45	107.29	116.00
25	BB	861	A	O4'-C4'-C3'	5.45	110.46	106.10
25	BB	878	A	C2-N3-C4	5.45	113.32	110.60
25	BB	962	G	C4'-C3'-C2'	-5.45	97.15	102.60
25	BB	1624	U	C4-C5-C6	5.45	122.97	119.70
25	BB	2005	A	C1'-O4'-C4'	-5.45	105.54	109.90
25	BB	2112	G	C4-C5-C6	-5.45	115.53	118.80
25	BB	2217	G	C1'-O4'-C4'	-5.45	105.54	109.90
25	BB	2745	C	N3-C2-O2	-5.45	118.09	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2758	A	C5'-C4'-O4'	5.45	115.64	109.10
3	A1	463	U	C1'-O4'-C4'	-5.44	105.55	109.90
3	A1	751	U	C4-C5-C6	5.44	122.97	119.70
3	A1	1067	A	C2-N3-C4	5.44	113.32	110.60
3	A1	1071	C	N3-C4-N4	-5.44	114.19	118.00
24	BA	17	C	C1'-O4'-C4'	-5.44	105.54	109.90
25	BB	380	G	N1-C2-N3	5.44	127.17	123.90
25	BB	1317	G	C4'-C3'-C2'	-5.44	97.16	102.60
25	BB	1645	G	C5-C6-O6	5.44	131.87	128.60
25	BB	1850	G	C1'-O4'-C4'	-5.44	105.55	109.90
25	BB	2496	C	C5'-C4'-O4'	5.44	115.63	109.10
36	BM	42	GLU	CG-CD-OE1	5.44	129.19	118.30
1	AE	19	G	C1'-O4'-C4'	-5.44	105.55	109.90
1	AE	75	C	O5'-C5'-C4'	-5.44	101.36	111.70
3	A1	229	U	N1-C2-N3	5.44	118.17	114.90
3	A1	554	A	C5'-C4'-C3'	-5.44	107.29	116.00
3	A1	780	A	C3'-C2'-C1'	5.44	105.85	101.50
25	BB	68	G	N1-C2-N3	5.44	127.17	123.90
25	BB	91	A	C5-C6-N6	5.44	128.05	123.70
25	BB	208	C	C5'-C4'-O4'	5.44	115.63	109.10
25	BB	348	A	N9-C4-C5	-5.44	103.62	105.80
25	BB	845	A	C5-C6-N1	5.44	120.42	117.70
25	BB	963	U	N3-C4-O4	5.44	123.21	119.40
25	BB	1075	C	N3-C4-C5	5.44	124.08	121.90
25	BB	1576	U	C5'-C4'-C3'	-5.44	107.29	116.00
25	BB	1693	U	C4-C5-C6	5.44	122.97	119.70
25	BB	1952	A	C6-N1-C2	-5.44	115.33	118.60
25	BB	2249	U	C4'-C3'-C2'	-5.44	97.16	102.60
25	BB	2357	G	N1-C6-O6	-5.44	116.64	119.90
25	BB	2812	G	C5'-C4'-C3'	-5.44	107.29	116.00
1	AP	57	G	N9-C4-C5	5.44	107.58	105.40
1	AE	16	U	C2-N1-C1'	5.44	124.23	117.70
1	AE	19	G	O4'-C1'-N9	5.44	112.55	108.20
3	A1	738	C	C2-N3-C4	-5.44	117.18	119.90
3	A1	1219	A	O4'-C1'-N9	-5.44	103.85	108.20
3	A1	1281	C	C1'-O4'-C4'	-5.44	105.55	109.90
24	BA	55	U	C5-C4-O4	5.44	129.16	125.90
24	BA	112	G	N9-C4-C5	5.44	107.58	105.40
25	BB	102	U	C5-C4-O4	-5.44	122.64	125.90
25	BB	341	C	C6-N1-C2	-5.44	118.12	120.30
25	BB	444	C	O4'-C1'-N1	5.44	112.55	108.20
25	BB	498	G	C5-C6-N1	5.44	114.22	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	615	U	C2-N3-C4	-5.44	123.73	127.00
25	BB	715	A	C6-C5-N7	5.44	136.11	132.30
25	BB	921	C	N1-C2-N3	5.44	123.01	119.20
25	BB	971	G	C8-N9-C4	-5.44	104.22	106.40
25	BB	1158	C	C2-N3-C4	-5.44	117.18	119.90
25	BB	1168	G	N1-C6-O6	-5.44	116.64	119.90
25	BB	1222	U	C2-N3-C4	-5.44	123.74	127.00
25	BB	1228	G	N9-C4-C5	-5.44	103.22	105.40
25	BB	1342	A	C5'-C4'-C3'	-5.44	107.30	116.00
25	BB	1426	G	C5'-C4'-C3'	-5.44	107.30	116.00
25	BB	1463	C	N3-C2-O2	-5.44	118.09	121.90
25	BB	2006	C	C5-C6-N1	-5.44	118.28	121.00
25	BB	2096	C	O4'-C1'-N1	-5.44	103.85	108.20
25	BB	2209	G	N1-C2-N2	5.44	121.10	116.20
25	BB	2535	G	N1-C2-N3	5.44	127.17	123.90
1	AA	25	C	N1-C2-N3	5.44	123.01	119.20
3	A1	416	G	C3'-C2'-C1'	5.44	105.85	101.50
25	BB	1020	A	C5-C6-N1	5.44	120.42	117.70
25	BB	1074	G	C5-C6-N1	5.44	114.22	111.50
25	BB	2320	U	C3'-C2'-C1'	5.44	105.85	101.50
25	BB	2496	C	N3-C2-O2	-5.44	118.09	121.90
48	BY	77	ARG	NH1-CZ-NH2	-5.44	113.42	119.40
1	AE	38	A	O4'-C1'-N9	5.44	112.55	108.20
3	A1	166	U	C1'-O4'-C4'	-5.44	105.55	109.90
3	A1	666	G	O4'-C1'-N9	-5.44	103.85	108.20
3	A1	1260	G	N3-C4-C5	-5.44	125.88	128.60
24	BA	117	G	N1-C6-O6	-5.44	116.64	119.90
25	BB	141	G	P-O3'-C3'	5.44	126.22	119.70
25	BB	274	C	N1-C2-O2	-5.44	115.64	118.90
25	BB	806	C	C5'-C4'-C3'	-5.44	107.30	116.00
25	BB	1782	U	C4-C5-C6	5.44	122.96	119.70
25	BB	2718	G	C5-C6-O6	5.44	131.86	128.60
25	BB	2895	G	C5-C6-N1	5.44	114.22	111.50
3	A1	7	A	C5-C6-N6	5.44	128.05	123.70
3	A1	385	C	N1-C1'-C2'	-5.44	106.02	112.00
3	A1	1280	A	C5-C6-N1	5.44	120.42	117.70
13	AL	79	TYR	CB-CG-CD1	5.44	124.26	121.00
22	AW	105	ARG	CD-NE-CZ	5.44	131.21	123.60
25	BB	327	G	N3-C4-N9	-5.44	122.74	126.00
25	BB	343	C	C2-N3-C4	-5.44	117.18	119.90
25	BB	529	A	N3-C4-N9	5.44	131.75	127.40
25	BB	1730	C	C6-N1-C2	-5.44	118.13	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1989	G	N9-C1'-C2'	-5.44	106.02	112.00
25	BB	2061	G	N1-C6-O6	-5.44	116.64	119.90
1	AA	34	G	N1-C2-N2	5.43	121.09	116.20
3	A1	114	U	C3'-C2'-C1'	-5.43	97.15	101.50
3	A1	299	G	C2-N3-C4	5.43	114.62	111.90
3	A1	335	C	C5-C6-N1	-5.43	118.28	121.00
3	A1	671	G	C6-C5-N7	5.43	133.66	130.40
3	A1	996	A	P-O5'-C5'	5.43	129.59	120.90
4	AB	126	ASP	CB-CG-OD1	5.43	123.19	118.30
25	BB	8	C	C5'-C4'-O4'	5.43	115.62	109.10
25	BB	147	C	C5-C4-N4	5.43	124.00	120.20
25	BB	363	G	C4-C5-C6	-5.43	115.54	118.80
25	BB	899	A	C5'-C4'-O4'	5.43	115.62	109.10
25	BB	1000	A	C2-N3-C4	5.43	113.32	110.60
25	BB	1105	U	C3'-C2'-C1'	-5.43	97.15	101.50
25	BB	1312	U	N3-C2-O2	-5.43	118.40	122.20
25	BB	1445	G	C8-N9-C4	-5.43	104.23	106.40
25	BB	2194	U	O4'-C1'-N1	5.43	112.55	108.20
25	BB	2429	G	N3-C2-N2	-5.43	116.10	119.90
25	BB	2860	A	C5'-C4'-O4'	-5.43	102.58	109.10
1	AE	67	A	C1'-O4'-C4'	-5.43	105.56	109.90
3	A1	167	A	C5-N7-C8	-5.43	101.18	103.90
3	A1	431	A	C5-C6-N6	5.43	128.04	123.70
3	A1	575	G	N3-C2-N2	-5.43	116.10	119.90
3	A1	838	G	O3'-P-O5'	5.43	114.32	104.00
3	A1	966	G	N3-C4-C5	-5.43	125.88	128.60
3	A1	1089	G	C5'-C4'-C3'	-5.43	107.31	116.00
10	AI	39	PHE	CB-CG-CD1	-5.43	117.00	120.80
24	BA	2	G	C2-N3-C4	5.43	114.62	111.90
24	BA	69	G	O4'-C1'-N9	5.43	112.55	108.20
25	BB	490	C	C1'-O4'-C4'	-5.43	105.55	109.90
25	BB	1014	A	C5-C6-N1	5.43	120.42	117.70
25	BB	1197	G	N3-C4-C5	-5.43	125.88	128.60
25	BB	1425	G	N3-C2-N2	-5.43	116.10	119.90
25	BB	1565	C	N3-C4-N4	-5.43	114.20	118.00
25	BB	1591	A	C8-N9-C4	-5.43	103.63	105.80
25	BB	1623	G	C5-C6-N1	5.43	114.22	111.50
25	BB	1715	G	O3'-P-O5'	-5.43	93.68	104.00
25	BB	1928	A	O4'-C1'-N9	5.43	112.55	108.20
25	BB	1929	G	N3-C4-C5	-5.43	125.88	128.60
1	AA	3	G	OP2-P-O3'	5.43	117.15	105.20
3	A1	408	A	C5-C6-N1	5.43	120.42	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	453	G	C5-C6-O6	5.43	131.86	128.60
3	A1	1330	U	C5'-C4'-O4'	5.43	115.62	109.10
3	A1	1490	U	C5-C4-O4	-5.43	122.64	125.90
25	BB	207	A	N9-C1'-C2'	5.43	121.06	114.00
25	BB	1026	G	C4-C5-C6	-5.43	115.54	118.80
25	BB	1268	A	C8-N9-C4	-5.43	103.63	105.80
25	BB	1703	G	C4'-C3'-C2'	-5.43	97.17	102.60
25	BB	2664	G	O4'-C1'-N9	-5.43	103.86	108.20
1	AE	11	C	C1'-O4'-C4'	-5.43	105.56	109.90
3	A1	95	C	C6-N1-C2	-5.43	118.13	120.30
3	A1	413	G	C6-C5-N7	5.43	133.66	130.40
3	A1	544	G	N1-C6-O6	-5.43	116.64	119.90
3	A1	620	C	C5'-C4'-C3'	-5.43	107.31	116.00
3	A1	977	A	C2-N3-C4	5.43	113.31	110.60
3	A1	1257	A	C2-N3-C4	5.43	113.31	110.60
3	A1	1514	G	C5-C6-N1	5.43	114.22	111.50
4	AB	165	ALA	N-CA-CB	-5.43	102.50	110.10
25	BB	960	A	C6-C5-N7	5.43	136.10	132.30
25	BB	1031	G	N3-C4-C5	-5.43	125.89	128.60
25	BB	1348	C	O4'-C4'-C3'	5.43	110.44	106.10
25	BB	1602	U	N3-C2-O2	-5.43	118.40	122.20
25	BB	1870	C	C1'-O4'-C4'	-5.43	105.56	109.90
25	BB	2165	C	N1-C2-O2	-5.43	115.64	118.90
25	BB	2317	A	C1'-O4'-C4'	-5.43	105.56	109.90
25	BB	2360	G	C4'-C3'-C2'	-5.43	97.17	102.60
25	BB	2373	G	C4-C5-N7	-5.43	108.63	110.80
25	BB	2396	G	N3-C4-C5	-5.43	125.89	128.60
25	BB	2431	U	N3-C2-O2	-5.43	118.40	122.20
25	BB	2432	A	C6-C5-N7	5.43	136.10	132.30
29	BF	4	PRO	C-N-CA	5.43	135.27	121.70
37	BN	68	ARG	CD-NE-CZ	5.43	131.20	123.60
3	A1	213	G	C6-N1-C2	-5.43	121.84	125.10
3	A1	364	A	C5'-C4'-O4'	-5.43	102.59	109.10
3	A1	536	C	N1-C2-N3	5.43	123.00	119.20
3	A1	751	U	O3'-P-O5'	-5.43	93.69	104.00
25	BB	525	U	C5-C6-N1	-5.43	119.99	122.70
25	BB	871	U	O3'-P-O5'	5.43	114.31	104.00
25	BB	1311	G	N1-C6-O6	-5.43	116.64	119.90
25	BB	1518	C	C1'-O4'-C4'	5.43	114.24	109.90
25	BB	2088	A	C5-C6-N1	5.43	120.41	117.70
52	B3	150	TYR	CB-CG-CD2	-5.43	117.74	121.00
1	AE	5	A	C8-N9-C4	-5.43	103.63	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	112	G	N3-C2-N2	-5.43	116.10	119.90
3	A1	354	G	N3-C4-N9	-5.43	122.75	126.00
3	A1	640	A	O4'-C4'-C3'	5.43	110.44	106.10
3	A1	1161	C	N3-C2-O2	-5.43	118.10	121.90
3	A1	1465	A	C6-C5-N7	5.43	136.10	132.30
25	BB	659	G	C2'-C3'-O3'	5.43	122.38	113.70
25	BB	960	A	C1'-O4'-C4'	-5.43	105.56	109.90
25	BB	1627	G	C5-N7-C8	-5.43	101.59	104.30
25	BB	1780	A	C5-C6-N6	5.43	128.04	123.70
25	BB	2345	G	C5-N7-C8	5.43	107.01	104.30
25	BB	2810	A	C6-N1-C2	-5.43	115.34	118.60
2	AM	2	U	C4'-C3'-C2'	-5.42	97.18	102.60
3	A1	385	C	N1-C2-N3	5.42	123.00	119.20
3	A1	766	A	N7-C8-N9	5.42	116.51	113.80
3	A1	862	C	O3'-P-O5'	5.42	114.31	104.00
3	A1	1288	A	N9-C1'-C2'	-5.42	106.03	112.00
3	A1	1366	C	C2-N3-C4	-5.42	117.19	119.90
3	A1	1430	A	O5'-P-OP1	-5.42	100.82	105.70
25	BB	90	U	O4'-C1'-C2'	-5.42	100.38	105.80
25	BB	185	G	N9-C1'-C2'	-5.42	106.03	112.00
25	BB	477	A	C5'-C4'-C3'	-5.42	107.32	116.00
25	BB	696	G	C4-C5-N7	-5.42	108.63	110.80
25	BB	822	G	N3-C4-N9	5.42	129.25	126.00
25	BB	863	A	C5-N7-C8	-5.42	101.19	103.90
25	BB	1600	C	O4'-C1'-N1	5.42	112.54	108.20
25	BB	1638	C	C2-N3-C4	-5.42	117.19	119.90
25	BB	1684	G	C6-N1-C2	-5.42	121.85	125.10
25	BB	1927	A	C1'-O4'-C4'	-5.42	105.56	109.90
25	BB	1935	G	C8-N9-C4	-5.42	104.23	106.40
25	BB	2382	G	N3-C4-C5	-5.42	125.89	128.60
25	BB	2682	A	C6-N1-C2	-5.42	115.34	118.60
25	BB	2881	U	O4'-C1'-N1	5.42	112.54	108.20
50	B1	13	THR	CA-CB-CG2	5.42	120.00	112.40
50	B1	170	ARG	NE-CZ-NH1	-5.42	117.59	120.30
1	AA	17	U	O4'-C1'-N1	5.42	112.54	108.20
3	A1	246	A	C1'-O4'-C4'	-5.42	105.56	109.90
3	A1	1310	G	C5-C6-O6	5.42	131.85	128.60
25	BB	1	G	C1'-O4'-C4'	-5.42	105.56	109.90
25	BB	497	A	C5-C6-N1	5.42	120.41	117.70
25	BB	871	U	P-O3'-C3'	5.42	126.21	119.70
25	BB	912	C	C2-N3-C4	-5.42	117.19	119.90
25	BB	1211	C	C5-C4-N4	-5.42	116.40	120.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1677	A	O3'-P-O5'	-5.42	93.70	104.00
1	AP	5	A	C6-C5-N7	5.42	136.09	132.30
3	A1	839	C	P-O5'-C5'	5.42	129.57	120.90
3	A1	1044	A	C4-C5-C6	-5.42	114.29	117.00
3	A1	1277	C	N3-C4-C5	5.42	124.07	121.90
25	BB	271	G	C5-C6-O6	5.42	131.85	128.60
25	BB	582	A	C5-C6-N6	5.42	128.04	123.70
25	BB	704	G	C5'-C4'-O4'	5.42	115.61	109.10
25	BB	1030	C	C5-C4-N4	-5.42	116.41	120.20
25	BB	1695	G	O4'-C1'-N9	5.42	112.54	108.20
25	BB	1916	A	P-O3'-C3'	5.42	126.21	119.70
25	BB	2158	A	C5'-C4'-C3'	-5.42	107.32	116.00
1	AA	64	A	C5-N7-C8	-5.42	101.19	103.90
3	A1	804	U	C4-C5-C6	5.42	122.95	119.70
25	BB	163	C	C1'-O4'-C4'	5.42	114.24	109.90
25	BB	670	A	O4'-C1'-N9	5.42	112.54	108.20
25	BB	760	G	C5-C6-N1	5.42	114.21	111.50
25	BB	1418	G	N1-C2-N3	5.42	127.15	123.90
25	BB	1421	G	N7-C8-N9	5.42	115.81	113.10
25	BB	2390	U	O4'-C1'-N1	5.42	112.54	108.20
25	BB	2429	G	C6-N1-C2	-5.42	121.85	125.10
25	BB	2705	A	C2-N3-C4	5.42	113.31	110.60
1	AE	14	A	C5'-C4'-O4'	5.42	115.60	109.10
3	A1	55	A	O4'-C1'-N9	5.42	112.53	108.20
3	A1	918	A	C4'-C3'-C2'	-5.42	97.18	102.60
3	A1	1130	A	C6-C5-N7	5.42	136.09	132.30
3	A1	1435	G	N7-C8-N9	5.42	115.81	113.10
3	A1	1484	C	C3'-C2'-C1'	-5.42	97.17	101.50
11	AJ	10	ARG	CD-NE-CZ	5.42	131.19	123.60
25	BB	93	G	C5-C6-O6	5.42	131.85	128.60
25	BB	383	C	O4'-C4'-C3'	-5.42	98.58	104.00
25	BB	415	A	C4-C5-C6	-5.42	114.29	117.00
25	BB	497	A	N1-C2-N3	-5.42	126.59	129.30
25	BB	579	G	N3-C4-N9	5.42	129.25	126.00
25	BB	673	C	C5-C6-N1	-5.42	118.29	121.00
25	BB	741	U	C3'-C2'-C1'	5.42	105.83	101.50
25	BB	1402	U	O5'-P-OP1	-5.42	100.82	105.70
25	BB	1943	U	N3-C4-O4	5.42	123.19	119.40
25	BB	2110	G	C6-N1-C2	-5.42	121.85	125.10
25	BB	2638	G	C4-C5-N7	-5.42	108.63	110.80
25	BB	2764	A	C4-C5-C6	-5.42	114.29	117.00
1	AA	37	G	N3-C2-N2	-5.42	116.11	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	139	A	C4-C5-N7	5.42	113.41	110.70
3	A1	304	U	C5'-C4'-C3'	-5.42	107.33	116.00
3	A1	608	A	C6-C5-N7	5.42	136.09	132.30
3	A1	1092	A	C8-N9-C4	5.42	107.97	105.80
3	A1	1231	G	N7-C8-N9	5.42	115.81	113.10
3	A1	1355	G	N7-C8-N9	5.42	115.81	113.10
3	A1	1364	U	N3-C4-C5	5.42	117.85	114.60
3	A1	1513	A	C6-N1-C2	-5.42	115.35	118.60
24	BA	64	G	N3-C4-N9	5.42	129.25	126.00
24	BA	103	U	C1'-O4'-C4'	-5.42	105.57	109.90
25	BB	191	A	C6-C5-N7	5.42	136.09	132.30
25	BB	351	C	P-O3'-C3'	-5.42	113.20	119.70
25	BB	586	A	C8-N9-C4	-5.42	103.63	105.80
25	BB	668	A	C5'-C4'-O4'	5.42	115.60	109.10
25	BB	1081	U	N1-C2-N3	5.42	118.15	114.90
25	BB	1094	U	C2'-C3'-O3'	5.42	122.37	113.70
25	BB	1137	G	C4-C5-C6	-5.42	115.55	118.80
25	BB	1195	G	N9-C4-C5	5.42	107.57	105.40
25	BB	1224	U	N1-C2-O2	5.42	126.59	122.80
25	BB	1333	G	N1-C2-N3	5.42	127.15	123.90
25	BB	1609	A	C6-C5-N7	5.42	136.09	132.30
25	BB	2054	A	O4'-C4'-C3'	5.42	110.43	106.10
25	BB	2230	G	C6-C5-N7	5.42	133.65	130.40
25	BB	2319	G	N7-C8-N9	5.42	115.81	113.10
25	BB	2668	G	N1-C2-N2	-5.42	111.33	116.20
3	A1	268	U	N3-C4-O4	-5.42	115.61	119.40
3	A1	500	G	N1-C2-N3	5.42	127.15	123.90
25	BB	225	C	N3-C4-C5	5.42	124.07	121.90
25	BB	577	G	C4-C5-C6	-5.42	115.55	118.80
25	BB	581	C	N3-C4-N4	-5.42	114.21	118.00
25	BB	644	A	C5-N7-C8	-5.42	101.19	103.90
25	BB	2601	C	N3-C4-N4	-5.42	114.21	118.00
25	BB	2892	G	C5'-C4'-C3'	-5.42	107.34	116.00
1	AP	4	G	C6-C5-N7	5.41	133.65	130.40
3	A1	435	A	N3-C4-N9	5.41	131.73	127.40
3	A1	525	C	N3-C4-C5	5.41	124.07	121.90
3	A1	1082	A	C6-N1-C2	-5.41	115.35	118.60
3	A1	1510	C	N1-C2-O2	5.41	122.15	118.90
14	AN	3	ILE	CA-CB-CG1	5.41	121.28	111.00
25	BB	121	G	N7-C8-N9	5.41	115.81	113.10
25	BB	375	G	C5-N7-C8	-5.41	101.59	104.30
25	BB	1532	A	C5'-C4'-O4'	5.41	115.60	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2096	C	C4-C5-C6	5.41	120.11	117.40
25	BB	2302	U	O4'-C1'-N1	5.41	112.53	108.20
25	BB	2416	C	N3-C4-C5	5.41	124.06	121.90
25	BB	2748	A	C5-C6-N1	5.41	120.41	117.70
25	BB	2799	A	C2-N3-C4	5.41	113.31	110.60
29	BF	10	ARG	NH1-CZ-NH2	-5.41	113.44	119.40
31	BH	13	ARG	NH1-CZ-NH2	-5.41	113.44	119.40
3	A1	374	A	C4-C5-C6	-5.41	114.29	117.00
6	AD	13	ARG	NE-CZ-NH1	-5.41	117.59	120.30
24	BA	117	G	O4'-C1'-N9	-5.41	103.87	108.20
25	BB	160	A	C4-C5-C6	-5.41	114.29	117.00
25	BB	400	G	N9-C4-C5	5.41	107.56	105.40
25	BB	484	C	C5'-C4'-C3'	-5.41	107.34	116.00
3	A1	1339	A	C2'-C3'-O3'	5.41	122.36	113.70
24	BA	79	G	C6-C5-N7	5.41	133.65	130.40
25	BB	73	A	C2-N3-C4	5.41	113.31	110.60
25	BB	881	G	C5'-C4'-O4'	5.41	115.59	109.10
25	BB	1525	A	C6-N1-C2	-5.41	115.35	118.60
25	BB	1779	U	C4-C5-C6	5.41	122.95	119.70
25	BB	2075	U	O3'-P-O5'	5.41	114.28	104.00
25	BB	2373	G	C5'-C4'-C3'	-5.41	107.34	116.00
25	BB	2559	C	N1-C2-N3	5.41	122.99	119.20
25	BB	2844	G	N7-C8-N9	5.41	115.81	113.10
1	AE	28	C	OP2-P-O3'	5.41	117.10	105.20
3	A1	733	G	C4'-C3'-C2'	-5.41	97.19	102.60
3	A1	779	C	P-O3'-C3'	5.41	126.19	119.70
3	A1	969	A	C5-C6-N6	5.41	128.03	123.70
3	A1	990	C	C2-N3-C4	-5.41	117.20	119.90
3	A1	1193	G	C4'-C3'-O3'	5.41	123.82	113.00
3	A1	1221	G	C5'-C4'-O4'	5.41	115.59	109.10
3	A1	1315	U	C2-N3-C4	-5.41	123.75	127.00
3	A1	1325	C	N3-C4-N4	-5.41	114.21	118.00
3	A1	1366	C	N1-C2-O2	5.41	122.14	118.90
3	A1	1520	C	N1-C2-N3	5.41	122.99	119.20
16	AQ	16	ARG	CD-NE-CZ	5.41	131.17	123.60
25	BB	13	A	C2-N3-C4	5.41	113.30	110.60
25	BB	60	G	C2-N3-C4	-5.41	109.20	111.90
25	BB	109	C	N3-C2-O2	-5.41	118.11	121.90
25	BB	169	G	C3'-C2'-C1'	5.41	105.83	101.50
25	BB	285	G	C5-C6-N1	5.41	114.20	111.50
25	BB	291	G	C5-C6-N1	5.41	114.20	111.50
25	BB	306	U	N1-C2-N3	5.41	118.14	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1231	U	C5-C6-N1	-5.41	120.00	122.70
25	BB	1359	A	N9-C4-C5	-5.41	103.64	105.80
25	BB	1413	A	N3-C4-N9	5.41	131.73	127.40
25	BB	1424	G	C6-C5-N7	5.41	133.65	130.40
25	BB	1685	C	C5-C6-N1	-5.41	118.30	121.00
25	BB	2086	U	N1-C2-N3	5.41	118.14	114.90
25	BB	2163	A	C6-C5-N7	5.41	136.09	132.30
25	BB	2289	G	N3-C2-N2	5.41	123.69	119.90
25	BB	2407	A	C6-N1-C2	-5.41	115.36	118.60
25	BB	2617	U	C5'-C4'-O4'	-5.41	102.61	109.10
25	BB	2646	C	N3-C4-N4	-5.41	114.21	118.00
2	AM	15	U	N3-C2-O2	-5.41	118.42	122.20
3	A1	277	C	O4'-C1'-N1	-5.41	103.87	108.20
3	A1	383	A	C4-C5-C6	-5.41	114.30	117.00
3	A1	1020	G	C5'-C4'-C3'	-5.41	107.35	116.00
3	A1	1162	C	C5'-C4'-C3'	5.41	124.65	116.00
23	AX	67	ILE	CA-CB-CG1	5.41	121.27	111.00
24	BA	30	C	N3-C2-O2	-5.41	118.11	121.90
25	BB	241	A	C4-C5-C6	-5.41	114.30	117.00
25	BB	443	A	C6-N1-C2	-5.41	115.36	118.60
25	BB	459	U	O4'-C1'-N1	5.41	112.53	108.20
25	BB	1367	A	C6-C5-N7	5.41	136.09	132.30
25	BB	1452	G	C6-C5-N7	5.41	133.64	130.40
25	BB	1532	A	C5'-C4'-C3'	-5.41	107.35	116.00
25	BB	1902	C	N1-C2-N3	5.41	122.98	119.20
25	BB	1932	A	C6-N1-C2	-5.41	115.36	118.60
25	BB	1934	C	O4'-C1'-N1	5.41	112.53	108.20
25	BB	2139	U	C2-N3-C4	-5.41	123.76	127.00
25	BB	2282	G	C8-N9-C4	-5.41	104.24	106.40
55	B6	35	ARG	CD-NE-CZ	5.41	131.17	123.60
3	A1	121	U	C3'-C2'-C1'	5.41	105.82	101.50
3	A1	241	G	N3-C2-N2	-5.41	116.12	119.90
3	A1	317	U	N1-C2-N3	5.41	118.14	114.90
3	A1	563	A	C5-C6-N6	5.41	128.02	123.70
3	A1	1158	C	N1-C1'-C2'	5.41	121.03	114.00
3	A1	1230	C	O4'-C4'-C3'	5.41	110.42	106.10
25	BB	341	C	C5'-C4'-C3'	-5.41	107.35	116.00
25	BB	1651	G	C6-C5-N7	5.41	133.64	130.40
25	BB	1828	G	N9-C4-C5	5.41	107.56	105.40
25	BB	2103	C	C4'-C3'-C2'	-5.41	97.19	102.60
25	BB	2379	G	C6-C5-N7	5.41	133.64	130.40
25	BB	2508	G	N1-C2-N3	5.41	127.14	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2580	U	C1'-O4'-C4'	-5.41	105.58	109.90
3	A1	732	C	C5'-C4'-C3'	-5.40	107.35	116.00
25	BB	117	G	C5'-C4'-C3'	-5.40	107.35	116.00
25	BB	739	A	P-O3'-C3'	5.40	126.19	119.70
25	BB	970	U	C4'-C3'-C2'	-5.40	97.20	102.60
25	BB	1674	G	C4-C5-C6	-5.40	115.56	118.80
25	BB	2532	G	C8-N9-C4	5.40	108.56	106.40
25	BB	2756	U	C2'-C3'-O3'	5.40	122.35	113.70
1	AP	6	U	C2-N3-C4	-5.40	123.76	127.00
1	AE	23	A	C4'-C3'-C2'	-5.40	97.20	102.60
3	A1	462	G	O4'-C4'-C3'	5.40	110.42	106.10
3	A1	1141	C	C5-C6-N1	-5.40	118.30	121.00
3	A1	1250	A	C5'-C4'-O4'	5.40	115.58	109.10
3	A1	1295	U	N1-C2-O2	5.40	126.58	122.80
12	AK	56	ARG	CD-NE-CZ	5.40	131.16	123.60
25	BB	660	C	O5'-P-OP1	-5.40	100.84	105.70
25	BB	1050	A	N1-C2-N3	-5.40	126.60	129.30
25	BB	1619	G	C5-C6-N1	5.40	114.20	111.50
25	BB	1857	G	C6-N1-C2	-5.40	121.86	125.10
25	BB	2217	G	C4-C5-C6	-5.40	115.56	118.80
25	BB	2293	G	N7-C8-N9	5.40	115.80	113.10
25	BB	2383	G	N1-C2-N3	5.40	127.14	123.90
25	BB	2620	C	O4'-C1'-N1	5.40	112.52	108.20
25	BB	2691	C	C2-N1-C1'	5.40	124.74	118.80
38	BO	10	VAL	CG1-CB-CG2	-5.40	102.25	110.90
1	AE	33	U	C6-N1-C2	-5.40	117.76	121.00
3	A1	185	U	C5-C4-O4	5.40	129.14	125.90
3	A1	216	U	N1-C2-N3	5.40	118.14	114.90
3	A1	731	G	C2-N3-C4	5.40	114.60	111.90
3	A1	735	C	N3-C2-O2	-5.40	118.12	121.90
3	A1	997	U	C2-N3-C4	-5.40	123.76	127.00
24	BA	30	C	C5'-C4'-O4'	5.40	115.58	109.10
24	BA	111	U	N3-C4-O4	-5.40	115.62	119.40
25	BB	694	U	C4'-C3'-C2'	-5.40	97.20	102.60
25	BB	1086	A	O4'-C1'-N9	5.40	112.52	108.20
25	BB	1627	G	N7-C8-N9	5.40	115.80	113.10
25	BB	1784	A	O4'-C4'-C3'	5.40	110.42	106.10
25	BB	2219	U	C5-C6-N1	-5.40	120.00	122.70
25	BB	2783	U	O4'-C4'-C3'	-5.40	98.60	104.00
35	BL	110	ARG	CD-NE-CZ	5.40	131.16	123.60
3	A1	45	G	N7-C8-N9	5.40	115.80	113.10
3	A1	97	G	C8-N9-C4	-5.40	104.24	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1337	G	C5-C6-O6	5.40	131.84	128.60
25	BB	413	C	O4'-C1'-N1	5.40	112.52	108.20
25	BB	1683	U	N1-C2-N3	5.40	118.14	114.90
25	BB	2008	C	N3-C2-O2	-5.40	118.12	121.90
25	BB	2480	C	O4'-C4'-C3'	5.40	110.42	106.10
1	AA	74	C	N3-C4-C5	5.40	124.06	121.90
1	AE	23	A	C5-N7-C8	-5.40	101.20	103.90
3	A1	791	G	O3'-P-O5'	5.40	114.25	104.00
3	A1	854	U	P-O3'-C3'	5.40	126.18	119.70
3	A1	1088	G	N3-C4-C5	-5.40	125.90	128.60
3	A1	1511	G	N1-C6-O6	-5.40	116.66	119.90
25	BB	287	G	O4'-C4'-C3'	5.40	110.42	106.10
25	BB	312	G	C1'-O4'-C4'	5.40	114.22	109.90
25	BB	327	G	C4-C5-N7	-5.40	108.64	110.80
25	BB	694	U	C2-N3-C4	-5.40	123.76	127.00
25	BB	1446	C	C6-N1-C2	-5.40	118.14	120.30
25	BB	1452	G	C6-N1-C2	-5.40	121.86	125.10
25	BB	1553	A	C5-C6-N1	5.40	120.40	117.70
25	BB	1824	G	C4'-C3'-C2'	-5.40	97.20	102.60
25	BB	1855	U	O4'-C1'-N1	5.40	112.52	108.20
25	BB	2146	C	C5'-C4'-C3'	-5.40	107.36	116.00
25	BB	2235	G	P-O3'-C3'	5.40	126.18	119.70
25	BB	2468	A	C2-N3-C4	5.40	113.30	110.60
25	BB	2688	G	N1-C6-O6	-5.40	116.66	119.90
35	BL	30	SER	C-N-CA	5.40	135.19	121.70
3	A1	661	G	C1'-O4'-C4'	-5.40	105.58	109.90
3	A1	1226	C	N3-C2-O2	-5.40	118.12	121.90
25	BB	1237	A	C8-N9-C4	5.40	107.96	105.80
1	AE	57	G	C5-C6-N1	5.39	114.20	111.50
3	A1	193	C	O4'-C1'-C2'	-5.39	100.41	105.80
3	A1	497	G	C5-C6-N1	5.39	114.20	111.50
3	A1	606	G	C5-N7-C8	-5.39	101.60	104.30
3	A1	693	G	C1'-O4'-C4'	-5.39	105.58	109.90
3	A1	700	G	N1-C2-N3	5.39	127.14	123.90
3	A1	706	A	C6-C5-N7	5.39	136.08	132.30
3	A1	715	A	C5-C6-N1	5.39	120.40	117.70
3	A1	751	U	N3-C4-O4	5.39	123.18	119.40
3	A1	886	G	C5-N7-C8	-5.39	101.60	104.30
3	A1	998	C	O4'-C1'-N1	5.39	112.52	108.20
3	A1	1060	U	P-O3'-C3'	5.39	126.17	119.70
3	A1	1311	A	C6-C5-N7	5.39	136.08	132.30
3	A1	1426	G	P-O3'-C3'	5.39	126.17	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1442	G	C4-C5-C6	-5.39	115.56	118.80
25	BB	17	G	C8-N9-C4	-5.39	104.24	106.40
25	BB	904	G	O4'-C4'-C3'	5.39	110.42	106.10
25	BB	1071	G	O3'-P-O5'	5.39	114.25	104.00
25	BB	1228	G	C6-N1-C2	-5.39	121.86	125.10
25	BB	1266	G	C2'-C3'-O3'	5.39	122.33	113.70
25	BB	1570	A	C8-N9-C4	-5.39	103.64	105.80
25	BB	1767	G	C1'-O4'-C4'	-5.39	105.58	109.90
25	BB	1910	G	C6-C5-N7	5.39	133.64	130.40
25	BB	2199	A	C5'-C4'-C3'	-5.39	107.37	116.00
25	BB	2206	C	C5'-C4'-O4'	5.39	115.57	109.10
25	BB	2208	C	N1-C2-N3	5.39	122.98	119.20
25	BB	2433	A	C5-C6-N6	5.39	128.01	123.70
1	AP	67	A	N1-C6-N6	-5.39	115.36	118.60
3	A1	30	U	C5'-C4'-O4'	5.39	115.57	109.10
3	A1	294	U	N3-C2-O2	-5.39	118.42	122.20
3	A1	608	A	C2-N3-C4	5.39	113.30	110.60
3	A1	933	G	N7-C8-N9	5.39	115.80	113.10
3	A1	1130	A	N7-C8-N9	5.39	116.50	113.80
3	A1	1184	G	N7-C8-N9	5.39	115.80	113.10
3	A1	1298	U	N1-C2-O2	5.39	126.58	122.80
24	BA	50	A	N9-C4-C5	5.39	107.96	105.80
24	BA	86	G	N1-C2-N3	5.39	127.14	123.90
25	BB	225	C	C3'-C2'-C1'	5.39	105.81	101.50
25	BB	488	G	C4'-C3'-C2'	-5.39	97.21	102.60
25	BB	586	A	C2-N3-C4	5.39	113.30	110.60
25	BB	690	G	N1-C6-O6	-5.39	116.67	119.90
25	BB	923	G	N7-C8-N9	5.39	115.80	113.10
25	BB	1044	C	P-O3'-C3'	5.39	126.17	119.70
25	BB	1121	C	C5-C4-N4	5.39	123.97	120.20
25	BB	1515	A	C4'-C3'-C2'	-5.39	97.21	102.60
25	BB	1703	G	N3-C4-C5	-5.39	125.90	128.60
25	BB	1915	U	O4'-C4'-C3'	-5.39	98.61	104.00
25	BB	2144	G	N3-C4-N9	-5.39	122.76	126.00
25	BB	2488	G	N3-C4-C5	-5.39	125.90	128.60
25	BB	2582	G	C6-C5-N7	5.39	133.64	130.40
25	BB	2813	A	C1'-O4'-C4'	-5.39	105.59	109.90
25	BB	2830	C	C4'-C3'-C2'	-5.39	97.21	102.60
3	A1	31	G	C1'-O4'-C4'	-5.39	105.59	109.90
3	A1	761	G	N3-C2-N2	-5.39	116.13	119.90
3	A1	955	U	C5'-C4'-O4'	5.39	115.57	109.10
25	BB	82	U	N1-C2-O2	5.39	126.57	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	634	C	N3-C4-N4	-5.39	114.23	118.00
25	BB	888	C	O4'-C1'-C2'	-5.39	100.41	105.80
25	BB	1697	G	C5-N7-C8	-5.39	101.61	104.30
25	BB	1757	A	N9-C1'-C2'	5.39	121.01	114.00
25	BB	2892	G	C6-N1-C2	-5.39	121.87	125.10
1	AP	9	A	C1'-O4'-C4'	-5.39	105.59	109.90
3	A1	300	A	O4'-C1'-C2'	-5.39	100.41	105.80
3	A1	418	C	C5-C4-N4	5.39	123.97	120.20
3	A1	474	G	C3'-C2'-C1'	5.39	105.81	101.50
3	A1	791	G	N3-C4-N9	5.39	129.23	126.00
24	BA	25	U	N3-C4-O4	5.39	123.17	119.40
25	BB	850	U	C5-C6-N1	-5.39	120.00	122.70
25	BB	1606	C	C2-N3-C4	-5.39	117.20	119.90
25	BB	1742	U	C4-C5-C6	5.39	122.93	119.70
25	BB	2587	A	C4-C5-C6	-5.39	114.31	117.00
25	BB	2739	U	C2'-C3'-O3'	5.39	122.32	113.70
25	BB	2852	G	O4'-C1'-N9	5.39	112.51	108.20
52	B3	174	LYS	CA-CB-CG	5.39	125.26	113.40
3	A1	315	A	C6-C5-N7	5.39	136.07	132.30
3	A1	408	A	C5-C6-N6	5.39	128.01	123.70
3	A1	444	G	N9-C4-C5	-5.39	103.25	105.40
3	A1	751	U	N3-C2-O2	-5.39	118.43	122.20
3	A1	782	A	C6-N1-C2	-5.39	115.37	118.60
3	A1	1361	G	C5-C6-N1	5.39	114.19	111.50
25	BB	1251	C	O4'-C4'-C3'	5.39	110.41	106.10
25	BB	1744	A	C4'-C3'-C2'	-5.39	97.21	102.60
25	BB	1907	G	N1-C2-N2	5.39	121.05	116.20
25	BB	2644	G	N3-C4-N9	-5.39	122.77	126.00
25	BB	2880	C	C3'-C2'-C1'	5.39	105.81	101.50
1	AA	21	A	O4'-C1'-N9	-5.39	103.89	108.20
3	A1	686	U	C5'-C4'-O4'	5.39	115.56	109.10
3	A1	846	G	C3'-C2'-C1'	-5.39	97.19	101.50
3	A1	920	U	C5-C6-N1	-5.39	120.01	122.70
3	A1	1307	U	C4-C5-C6	5.39	122.93	119.70
25	BB	333	G	C1'-O4'-C4'	-5.39	105.59	109.90
25	BB	430	A	C4'-C3'-C2'	-5.39	97.21	102.60
25	BB	580	U	N1-C2-N3	5.39	118.13	114.90
25	BB	718	A	C4-C5-C6	-5.39	114.31	117.00
25	BB	939	G	C1'-O4'-C4'	-5.39	105.59	109.90
25	BB	1062	G	C5-C6-N1	5.39	114.19	111.50
25	BB	1281	G	O4'-C4'-C3'	5.39	110.41	106.10
25	BB	1567	G	C4-C5-N7	-5.39	108.65	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1583	A	O4'-C1'-N9	5.39	112.51	108.20
25	BB	1889	A	N7-C8-N9	5.39	116.49	113.80
25	BB	2162	G	C4-C5-N7	-5.39	108.65	110.80
25	BB	2306	C	N1-C1'-C2'	-5.39	106.08	112.00
25	BB	2576	G	N3-C4-C5	-5.39	125.91	128.60
25	BB	2705	A	N9-C4-C5	5.39	107.95	105.80
25	BB	2741	A	C5'-C4'-O4'	5.39	115.56	109.10
25	BB	2816	G	C8-N9-C4	-5.39	104.25	106.40
25	BB	2859	G	C5-C6-O6	-5.39	125.37	128.60
3	A1	11	G	N9-C4-C5	5.38	107.55	105.40
3	A1	260	G	C4'-C3'-C2'	-5.38	97.22	102.60
3	A1	1022	A	C4-C5-C6	-5.38	114.31	117.00
3	A1	1236	A	C5'-C4'-O4'	5.38	115.56	109.10
24	BA	79	G	N9-C1'-C2'	-5.38	106.08	112.00
25	BB	354	A	C8-N9-C4	-5.38	103.65	105.80
25	BB	498	G	N1-C2-N3	5.38	127.13	123.90
25	BB	590	A	C4-C5-C6	-5.38	114.31	117.00
25	BB	1232	G	C5-N7-C8	-5.38	101.61	104.30
25	BB	1383	A	N9-C4-C5	5.38	107.95	105.80
25	BB	1810	A	C6-C5-N7	5.38	136.07	132.30
25	BB	2671	G	N3-C4-C5	-5.38	125.91	128.60
37	BN	47	ARG	NH1-CZ-NH2	-5.38	113.48	119.40
1	AA	56	C	P-O3'-C3'	5.38	126.16	119.70
3	A1	494	G	O4'-C1'-N9	5.38	112.51	108.20
3	A1	1235	U	N1-C2-N3	5.38	118.13	114.90
3	A1	1467	C	N3-C2-O2	-5.38	118.13	121.90
25	BB	920	A	O4'-C4'-C3'	5.38	110.41	106.10
25	BB	1200	C	N3-C4-N4	-5.38	114.23	118.00
25	BB	1913	A	C5-C6-N6	5.38	128.01	123.70
25	BB	2203	U	C2-N3-C4	-5.38	123.77	127.00
41	BR	57	GLU	OE1-CD-OE2	-5.38	116.84	123.30
1	AE	20	G	C5'-C4'-O4'	5.38	115.56	109.10
1	AE	69	U	P-O3'-C3'	5.38	126.16	119.70
3	A1	77	A	C8-N9-C4	-5.38	103.65	105.80
3	A1	421	U	C4-C5-C6	5.38	122.93	119.70
3	A1	669	G	N7-C8-N9	5.38	115.79	113.10
3	A1	895	G	P-O3'-C3'	5.38	126.16	119.70
3	A1	1139	G	C5-C6-N1	5.38	114.19	111.50
3	A1	1461	G	C5'-C4'-C3'	-5.38	107.39	116.00
7	AF	64	VAL	C-N-CA	5.38	135.16	121.70
24	BA	95	U	C5'-C4'-C3'	-5.38	107.39	116.00
25	BB	344	A	C4'-C3'-C2'	-5.38	97.22	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1079	C	N1-C2-O2	5.38	122.13	118.90
25	BB	1225	G	C5'-C4'-O4'	5.38	115.56	109.10
25	BB	1252	G	N1-C6-O6	-5.38	116.67	119.90
25	BB	2127	G	N9-C4-C5	5.38	107.55	105.40
25	BB	2167	U	C4'-C3'-C2'	-5.38	97.22	102.60
25	BB	2236	U	N3-C2-O2	-5.38	118.43	122.20
25	BB	2299	U	N3-C4-O4	-5.38	115.63	119.40
3	A1	357	G	C5'-C4'-O4'	5.38	115.56	109.10
3	A1	1501	C	N3-C4-N4	-5.38	114.23	118.00
25	BB	65	U	N3-C4-O4	5.38	123.17	119.40
25	BB	1159	U	C5-C6-N1	-5.38	120.01	122.70
25	BB	1294	U	C3'-C2'-C1'	5.38	105.80	101.50
25	BB	2677	G	N1-C2-N3	5.38	127.13	123.90
3	A1	382	A	C6-C5-N7	5.38	136.06	132.30
3	A1	677	U	N3-C2-O2	-5.38	118.44	122.20
3	A1	966	G	O3'-P-O5'	5.38	114.22	104.00
3	A1	1004	A	C6-N1-C2	-5.38	115.37	118.60
3	A1	1294	G	C4-C5-C6	-5.38	115.57	118.80
3	A1	1491	G	C5-N7-C8	-5.38	101.61	104.30
25	BB	185	G	N1-C2-N3	5.38	127.13	123.90
25	BB	495	G	N9-C4-C5	5.38	107.55	105.40
25	BB	505	A	C5-C6-N6	5.38	128.00	123.70
25	BB	735	A	C2-N3-C4	5.38	113.29	110.60
25	BB	787	C	N3-C2-O2	-5.38	118.14	121.90
25	BB	1008	A	P-O3'-C3'	5.38	126.15	119.70
25	BB	1053	C	C4-C5-C6	-5.38	114.71	117.40
25	BB	1096	A	C2-N3-C4	5.38	113.29	110.60
25	BB	1170	C	C5'-C4'-C3'	-5.38	107.39	116.00
25	BB	1841	U	C4-C5-C6	5.38	122.93	119.70
25	BB	2071	A	P-O3'-C3'	5.38	126.15	119.70
25	BB	2125	G	N9-C1'-C2'	-5.38	106.08	112.00
25	BB	2169	A	O4'-C1'-N9	-5.38	103.90	108.20
25	BB	2786	U	C4'-C3'-C2'	-5.38	97.22	102.60
25	BB	2869	G	N1-C6-O6	-5.38	116.67	119.90
38	BO	2	ALA	C-N-CA	5.38	135.14	121.70
1	AP	31	A	N9-C4-C5	5.38	107.95	105.80
1	AE	28	C	C1'-O4'-C4'	-5.38	105.60	109.90
3	A1	416	G	N1-C2-N2	5.38	121.04	116.20
3	A1	500	G	C5-C6-N1	5.38	114.19	111.50
3	A1	1265	C	N3-C2-O2	-5.38	118.14	121.90
3	A1	1267	C	C4-C5-C6	-5.38	114.71	117.40
3	A1	1431	A	O4'-C4'-C3'	5.38	110.40	106.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	287	G	C5'-C4'-O4'	5.38	115.55	109.10
25	BB	435	C	C5-C6-N1	-5.38	118.31	121.00
25	BB	1022	G	N3-C2-N2	-5.38	116.14	119.90
25	BB	1485	U	C5-C6-N1	-5.38	120.01	122.70
25	BB	1816	C	P-O3'-C3'	5.38	126.15	119.70
25	BB	2006	C	N1-C2-N3	5.38	122.96	119.20
25	BB	2022	U	N3-C2-O2	-5.38	118.44	122.20
25	BB	2106	U	C5-C4-O4	5.38	129.13	125.90
25	BB	2175	C	N1-C2-O2	5.38	122.13	118.90
25	BB	2285	C	C5-C4-N4	5.38	123.96	120.20
25	BB	2666	C	C6-N1-C2	-5.38	118.15	120.30
25	BB	2783	U	C4-C5-C6	5.38	122.93	119.70
1	AA	44	A	C1'-O4'-C4'	-5.38	105.60	109.90
3	A1	440	C	N1-C2-O2	5.38	122.12	118.90
3	A1	700	G	C4'-C3'-C2'	-5.38	97.22	102.60
3	A1	790	A	C3'-C2'-C1'	-5.38	97.20	101.50
3	A1	1431	A	N9-C4-C5	5.38	107.95	105.80
24	BA	52	A	C5-C6-N6	5.38	128.00	123.70
25	BB	307	G	P-O3'-C3'	5.38	126.15	119.70
25	BB	413	C	C5-C4-N4	5.38	123.96	120.20
25	BB	1068	G	O4'-C1'-C2'	-5.38	100.42	105.80
25	BB	1198	U	N1-C2-N3	5.38	118.12	114.90
25	BB	1960	A	P-O3'-C3'	5.38	126.15	119.70
25	BB	2173	A	N1-C2-N3	-5.38	126.61	129.30
3	A1	226	G	N9-C4-C5	5.37	107.55	105.40
3	A1	520	A	C8-N9-C4	5.37	107.95	105.80
3	A1	725	G	N3-C2-N2	-5.37	116.14	119.90
3	A1	811	C	C5-C6-N1	-5.37	118.31	121.00
3	A1	1019	A	C5'-C4'-O4'	5.37	115.55	109.10
3	A1	1130	A	C2-N3-C4	5.37	113.29	110.60
3	A1	1220	G	N9-C4-C5	5.37	107.55	105.40
25	BB	919	U	C2-N3-C4	-5.37	123.78	127.00
25	BB	996	A	C5'-C4'-C3'	-5.37	107.40	116.00
25	BB	1166	G	N1-C2-N3	5.37	127.12	123.90
25	BB	1232	G	N1-C2-N3	5.37	127.12	123.90
25	BB	1325	U	O4'-C1'-N1	5.37	112.50	108.20
25	BB	1486	U	O4'-C1'-N1	5.37	112.50	108.20
25	BB	1905	C	C5-C4-N4	5.37	123.96	120.20
25	BB	2352	A	C8-N9-C4	-5.37	103.65	105.80
25	BB	2579	C	C5'-C4'-O4'	5.37	115.55	109.10
28	BE	60	ARG	NH1-CZ-NH2	-5.37	113.49	119.40
1	AA	29	A	C8-N9-C4	-5.37	103.65	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AP	43	G	C1'-O4'-C4'	-5.37	105.60	109.90
3	A1	271	C	C4'-C3'-C2'	-5.37	97.23	102.60
3	A1	491	G	O4'-C4'-C3'	5.37	110.40	106.10
3	A1	498	A	C5'-C4'-O4'	5.37	115.55	109.10
3	A1	934	C	P-O3'-C3'	5.37	126.14	119.70
3	A1	972	C	C5'-C4'-C3'	-5.37	107.41	116.00
3	A1	1180	A	C2-N3-C4	5.37	113.29	110.60
20	AU	9	ARG	NE-CZ-NH2	-5.37	117.61	120.30
25	BB	8	C	N1-C2-N3	5.37	122.96	119.20
25	BB	179	C	C5-C6-N1	-5.37	118.31	121.00
25	BB	189	G	N7-C8-N9	5.37	115.78	113.10
25	BB	313	G	N9-C4-C5	5.37	107.55	105.40
25	BB	378	C	C5-C4-N4	5.37	123.96	120.20
25	BB	516	C	C1'-O4'-C4'	-5.37	105.60	109.90
25	BB	832	U	C1'-O4'-C4'	-5.37	105.60	109.90
25	BB	1178	C	N3-C4-N4	-5.37	114.24	118.00
25	BB	1249	U	C4-C5-C6	5.37	122.92	119.70
25	BB	1574	C	C2-N3-C4	-5.37	117.21	119.90
25	BB	1595	C	C4'-C3'-C2'	-5.37	97.23	102.60
25	BB	1887	C	N3-C4-N4	-5.37	114.24	118.00
25	BB	2107	G	C6-N1-C2	-5.37	121.88	125.10
25	BB	2395	C	C3'-C2'-C1'	5.37	105.80	101.50
25	BB	2466	C	N3-C4-C5	5.37	124.05	121.90
25	BB	2475	C	N3-C2-O2	-5.37	118.14	121.90
25	BB	2670	A	P-O3'-C3'	5.37	126.15	119.70
25	BB	2677	G	N1-C6-O6	-5.37	116.68	119.90
37	BN	261	ARG	CA-CB-CG	5.37	125.22	113.40
25	BB	224	U	C5'-C4'-C3'	-5.37	107.41	116.00
25	BB	995	C	N3-C4-C5	5.37	124.05	121.90
25	BB	1586	A	C5-N7-C8	-5.37	101.22	103.90
25	BB	2182	U	C4'-C3'-C2'	-5.37	97.23	102.60
25	BB	2244	U	C1'-O4'-C4'	-5.37	105.60	109.90
1	AE	67	A	N9-C4-C5	5.37	107.95	105.80
3	A1	77	A	C5'-C4'-C3'	-5.37	107.41	116.00
3	A1	331	G	C4'-C3'-C2'	-5.37	97.23	102.60
3	A1	655	A	N1-C2-N3	-5.37	126.61	129.30
3	A1	976	G	N1-C2-N3	5.37	127.12	123.90
3	A1	1318	A	O4'-C1'-N9	5.37	112.50	108.20
3	A1	1393	U	N1-C2-N3	5.37	118.12	114.90
3	A1	1533	C	C6-N1-C2	-5.37	118.15	120.30
8	AG	74	ARG	NE-CZ-NH1	5.37	122.98	120.30
25	BB	193	U	N1-C2-N3	5.37	118.12	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	255	A	C5-C6-N1	5.37	120.38	117.70
25	BB	369	U	P-O3'-C3'	5.37	126.14	119.70
25	BB	1084	A	C8-N9-C4	-5.37	103.65	105.80
25	BB	1086	A	C6-N1-C2	-5.37	115.38	118.60
25	BB	1468	U	N1-C2-N3	5.37	118.12	114.90
25	BB	1543	G	C4-C5-C6	-5.37	115.58	118.80
25	BB	1583	A	C6-N1-C2	-5.37	115.38	118.60
25	BB	1683	U	C5-C6-N1	-5.37	120.02	122.70
25	BB	1840	G	C3'-C2'-C1'	5.37	105.80	101.50
25	BB	2012	G	P-O3'-C3'	5.37	126.14	119.70
25	BB	2515	C	C6-N1-C2	-5.37	118.15	120.30
25	BB	2667	C	N1-C2-N3	5.37	122.96	119.20
25	BB	2707	U	C6-N1-C2	-5.37	117.78	121.00
3	A1	67	C	C2-N3-C4	-5.37	117.22	119.90
3	A1	593	U	O4'-C1'-N1	5.37	112.49	108.20
3	A1	623	C	C4-C5-C6	-5.37	114.72	117.40
3	A1	1336	C	N3-C2-O2	-5.37	118.14	121.90
8	AG	83	VAL	CG1-CB-CG2	-5.37	102.31	110.90
24	BA	73	A	C4'-C3'-C2'	-5.37	97.23	102.60
24	BA	83	G	N1-C6-O6	-5.37	116.68	119.90
25	BB	11	C	N1-C2-O2	5.37	122.12	118.90
25	BB	392	U	C4-C5-C6	5.37	122.92	119.70
25	BB	1818	U	C5-C6-N1	-5.37	120.02	122.70
25	BB	2190	G	O3'-P-O5'	5.37	114.20	104.00
25	BB	2224	G	C5'-C4'-O4'	5.37	115.54	109.10
25	BB	2897	U	C5'-C4'-C3'	-5.37	107.41	116.00
3	A1	68	G	C5-C6-N1	5.37	114.18	111.50
3	A1	241	G	C1'-O4'-C4'	-5.37	105.61	109.90
3	A1	476	U	C3'-C2'-C1'	5.37	105.79	101.50
3	A1	1355	G	N1-C2-N3	5.37	127.12	123.90
3	A1	1388	C	N1-C2-N3	5.37	122.96	119.20
3	A1	1470	U	N1-C1'-C2'	5.37	120.97	114.00
3	A1	1524	C	N1-C2-O2	5.37	122.12	118.90
25	BB	217	A	C6-C5-N7	5.37	136.06	132.30
25	BB	337	C	O4'-C1'-N1	5.37	112.49	108.20
25	BB	436	C	C3'-C2'-C1'	-5.37	97.21	101.50
25	BB	661	A	C5-C6-N6	5.37	127.99	123.70
25	BB	711	G	N7-C8-N9	5.37	115.78	113.10
25	BB	1288	G	N3-C2-N2	-5.37	116.14	119.90
25	BB	1544	A	C5'-C4'-C3'	-5.37	107.42	116.00
25	BB	2014	A	N3-C4-N9	-5.37	123.11	127.40
25	BB	2149	U	N1-C2-N3	5.37	118.12	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2300	C	O4'-C4'-C3'	5.37	110.39	106.10
25	BB	2498	C	C1'-O4'-C4'	-5.37	105.61	109.90
25	BB	2553	G	C4-C5-N7	5.37	112.95	110.80
40	BQ	29	ARG	CD-NE-CZ	5.37	131.11	123.60
55	B6	134	ALA	CB-CA-C	5.37	118.15	110.10
1	AP	28	C	N1-C2-O2	5.36	122.12	118.90
3	A1	160	A	C4'-C3'-C2'	-5.36	97.24	102.60
3	A1	179	A	C8-N9-C4	-5.36	103.65	105.80
3	A1	273	U	C4-C5-C6	5.36	122.92	119.70
3	A1	292	G	C2-N3-C4	5.36	114.58	111.90
3	A1	347	G	N1-C6-O6	-5.36	116.68	119.90
3	A1	357	G	C4-C5-C6	-5.36	115.58	118.80
3	A1	363	A	C5-C6-N6	5.36	127.99	123.70
3	A1	898	G	P-O3'-C3'	5.36	126.14	119.70
3	A1	1229	A	C4-C5-N7	5.36	113.38	110.70
20	AU	109	LYS	C-N-CA	5.36	135.11	121.70
25	BB	896	A	C5'-C4'-O4'	-5.36	102.66	109.10
25	BB	900	A	N9-C4-C5	5.36	107.94	105.80
25	BB	1509	A	C6-N1-C2	-5.36	115.38	118.60
25	BB	1718	G	N7-C8-N9	5.36	115.78	113.10
25	BB	1830	C	O3'-P-O5'	5.36	114.19	104.00
25	BB	1875	G	C4'-C3'-C2'	-5.36	97.24	102.60
25	BB	1935	G	N3-C4-C5	-5.36	125.92	128.60
25	BB	2406	A	C6-C5-N7	5.36	136.06	132.30
1	AA	42	G	N1-C2-N3	5.36	127.12	123.90
1	AE	59	U	O4'-C1'-N1	5.36	112.49	108.20
3	A1	622	A	N1-C2-N3	-5.36	126.62	129.30
3	A1	937	A	C5'-C4'-C3'	-5.36	107.42	116.00
24	BA	108	A	C5-C6-N1	5.36	120.38	117.70
25	BB	210	C	C2-N3-C4	-5.36	117.22	119.90
25	BB	1951	U	C6-N1-C2	-5.36	117.78	121.00
25	BB	2335	A	N1-C2-N3	-5.36	126.62	129.30
25	BB	2694	G	N9-C4-C5	5.36	107.55	105.40
25	BB	2874	C	C4'-C3'-C2'	-5.36	97.24	102.60
3	A1	243	A	C2-N3-C4	5.36	113.28	110.60
3	A1	511	C	C4-C5-C6	-5.36	114.72	117.40
3	A1	866	C	N3-C4-C5	5.36	124.04	121.90
3	A1	956	U	N1-C2-N3	5.36	118.12	114.90
3	A1	1469	C	C2'-C3'-O3'	5.36	122.28	113.70
25	BB	282	A	N1-C2-N3	-5.36	126.62	129.30
25	BB	288	U	C2-N3-C4	-5.36	123.78	127.00
25	BB	380	G	C6-N1-C2	-5.36	121.88	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	396	G	C2-N3-C4	5.36	114.58	111.90
25	BB	537	G	C5-N7-C8	-5.36	101.62	104.30
25	BB	724	U	O4'-C4'-C3'	5.36	110.39	106.10
25	BB	1135	C	C3'-C2'-C1'	5.36	105.79	101.50
25	BB	1625	C	N1-C2-N3	5.36	122.95	119.20
25	BB	1694	C	C4-C5-C6	-5.36	114.72	117.40
25	BB	1858	A	O4'-C1'-N9	5.36	112.49	108.20
25	BB	1959	G	N3-C4-C5	-5.36	125.92	128.60
25	BB	2549	G	C6-N1-C2	-5.36	121.88	125.10
25	BB	2580	U	O4'-C1'-N1	5.36	112.49	108.20
25	BB	2853	C	C5'-C4'-O4'	5.36	115.53	109.10
25	BB	1228	G	C5'-C4'-O4'	5.36	115.53	109.10
25	BB	1517	G	N3-C4-N9	-5.36	122.78	126.00
25	BB	1664	A	C8-N9-C4	-5.36	103.66	105.80
25	BB	1782	U	N3-C4-C5	-5.36	111.39	114.60
25	BB	1946	U	N1-C1'-C2'	-5.36	106.11	112.00
25	BB	2131	U	N3-C2-O2	-5.36	118.45	122.20
25	BB	2291	U	C4'-C3'-C2'	-5.36	97.24	102.60
3	A1	175	C	N1-C2-O2	5.36	122.11	118.90
3	A1	310	G	N1-C6-O6	-5.36	116.69	119.90
3	A1	946	A	C6-C5-N7	5.36	136.05	132.30
3	A1	1064	G	N9-C4-C5	5.36	107.54	105.40
3	A1	1406	U	C3'-C2'-C1'	-5.36	97.21	101.50
24	BA	105	G	C4-C5-C6	-5.36	115.59	118.80
25	BB	4	U	C4-C5-C6	5.36	122.91	119.70
25	BB	24	G	C2-N3-C4	5.36	114.58	111.90
25	BB	162	U	C3'-C2'-C1'	5.36	105.79	101.50
25	BB	344	A	C1'-O4'-C4'	-5.36	105.61	109.90
25	BB	349	U	C5'-C4'-C3'	-5.36	107.43	116.00
25	BB	493	G	C5'-C4'-O4'	5.36	115.53	109.10
25	BB	722	A	C5-C6-N6	5.36	127.99	123.70
25	BB	961	C	C6-N1-C2	-5.36	118.16	120.30
25	BB	1016	G	C5'-C4'-O4'	5.36	115.53	109.10
25	BB	1092	C	C3'-C2'-C1'	5.36	105.79	101.50
25	BB	1354	A	C5'-C4'-O4'	5.36	115.53	109.10
25	BB	1493	C	O4'-C4'-C3'	5.36	110.39	106.10
25	BB	2120	G	N3-C4-N9	5.36	129.21	126.00
25	BB	2405	G	C1'-O4'-C4'	-5.36	105.61	109.90
25	BB	2460	U	C6-N1-C2	-5.36	117.78	121.00
25	BB	2694	G	C8-N9-C1'	5.36	133.96	127.00
25	BB	2763	G	C1'-O4'-C4'	-5.36	105.61	109.90
3	A1	573	A	N1-C6-N6	-5.36	115.39	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	771	G	C5'-C4'-O4'	-5.36	102.67	109.10
3	A1	793	U	C1'-O4'-C4'	-5.36	105.61	109.90
24	BA	39	A	O4'-C1'-C2'	-5.36	100.44	105.80
25	BB	8	C	C5-C6-N1	-5.36	118.32	121.00
25	BB	234	U	N1-C2-N3	5.36	118.11	114.90
25	BB	373	U	C4-C5-C6	5.36	122.91	119.70
25	BB	719	C	O3'-P-O5'	-5.36	93.82	104.00
25	BB	735	A	C6-C5-N7	5.36	136.05	132.30
25	BB	814	C	C5-C6-N1	-5.36	118.32	121.00
25	BB	1514	G	N3-C4-N9	5.36	129.21	126.00
25	BB	1843	C	N1-C2-N3	5.36	122.95	119.20
25	BB	2201	G	P-O5'-C5'	5.36	129.47	120.90
25	BB	2242	G	N1-C6-O6	-5.36	116.69	119.90
25	BB	2339	C	C1'-O4'-C4'	-5.36	105.62	109.90
25	BB	2385	C	N1-C2-N3	5.36	122.95	119.20
25	BB	2736	A	O4'-C4'-C3'	5.36	110.39	106.10
3	A1	532	A	C3'-C2'-C1'	-5.35	97.22	101.50
3	A1	775	G	C5-C6-N1	5.35	114.18	111.50
3	A1	1106	G	C5-N7-C8	-5.35	101.62	104.30
25	BB	350	G	C6-C5-N7	5.35	133.61	130.40
25	BB	1415	U	O4'-C1'-C2'	-5.35	100.45	105.80
25	BB	1582	C	N3-C4-N4	-5.35	114.25	118.00
25	BB	2431	U	C4-C5-C6	5.35	122.91	119.70
1	AA	62	A	C4-C5-N7	5.35	113.38	110.70
3	A1	504	C	C3'-C2'-C1'	5.35	105.78	101.50
3	A1	692	U	O4'-C4'-C3'	5.35	110.38	106.10
3	A1	878	A	O4'-C1'-N9	5.35	112.48	108.20
3	A1	916	U	O4'-C1'-N1	5.35	112.48	108.20
3	A1	1064	G	C4-C5-C6	-5.35	115.59	118.80
3	A1	1314	C	P-O3'-C3'	5.35	126.12	119.70
25	BB	88	G	O4'-C1'-N9	5.35	112.48	108.20
25	BB	448	U	C4'-C3'-C2'	-5.35	97.25	102.60
25	BB	477	A	C5-C6-N6	5.35	127.98	123.70
25	BB	753	A	N1-C2-N3	-5.35	126.62	129.30
25	BB	915	C	N1-C2-O2	5.35	122.11	118.90
25	BB	1053	C	N1-C2-O2	5.35	122.11	118.90
25	BB	1388	G	C2-N3-C4	5.35	114.58	111.90
25	BB	1825	U	C2-N3-C4	-5.35	123.79	127.00
25	BB	1826	G	N1-C6-O6	-5.35	116.69	119.90
25	BB	2432	A	C5-C6-N1	5.35	120.38	117.70
25	BB	2763	G	N3-C4-C5	-5.35	125.92	128.60
3	A1	145	G	C1'-O4'-C4'	-5.35	105.62	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	757	U	C2-N3-C4	-5.35	123.79	127.00
3	A1	1042	A	C4-C5-N7	5.35	113.38	110.70
3	A1	1517	G	N9-C4-C5	5.35	107.54	105.40
25	BB	408	G	C3'-C2'-C1'	-5.35	97.22	101.50
25	BB	703	U	O4'-C4'-C3'	5.35	110.38	106.10
25	BB	984	A	C5-C6-N6	5.35	127.98	123.70
25	BB	1027	A	C4-C5-N7	-5.35	108.02	110.70
25	BB	2893	A	C6-N1-C2	-5.35	115.39	118.60
1	AA	10	G	C6-N1-C2	-5.35	121.89	125.10
1	AA	31	A	C4-C5-C6	-5.35	114.33	117.00
1	AA	58	A	C3'-C2'-O2'	5.35	128.82	113.30
1	AE	48	C	N3-C4-N4	-5.35	114.25	118.00
3	A1	111	G	C6-N1-C2	-5.35	121.89	125.10
3	A1	902	G	C5'-C4'-C3'	-5.35	107.44	116.00
3	A1	1492	A	C4-C5-N7	-5.35	108.03	110.70
15	AO	125	ARG	CD-NE-CZ	5.35	131.09	123.60
18	AS	111	ARG	NE-CZ-NH2	5.35	122.97	120.30
24	BA	102	G	C5'-C4'-O4'	5.35	115.52	109.10
25	BB	265	A	O5'-C5'-C4'	5.35	121.86	111.70
25	BB	534	U	C4-C5-C6	5.35	122.91	119.70
25	BB	641	U	C2-N3-C4	-5.35	123.79	127.00
25	BB	726	G	P-O3'-C3'	5.35	126.12	119.70
25	BB	978	G	N1-C6-O6	-5.35	116.69	119.90
25	BB	1431	A	C5'-C4'-C3'	-5.35	107.44	116.00
25	BB	1500	G	N3-C4-C5	-5.35	125.92	128.60
25	BB	1509	A	C4-C5-C6	-5.35	114.33	117.00
25	BB	1588	G	O4'-C1'-C2'	5.35	112.41	107.60
25	BB	1891	G	N3-C2-N2	-5.35	116.16	119.90
25	BB	2317	A	P-O3'-C3'	5.35	126.12	119.70
25	BB	2389	G	N1-C6-O6	-5.35	116.69	119.90
25	BB	2900	A	C6-C5-N7	5.35	136.04	132.30
3	A1	101	A	N1-C2-N3	-5.35	126.63	129.30
3	A1	117	G	C6-N1-C2	-5.35	121.89	125.10
3	A1	573	A	C8-N9-C4	5.35	107.94	105.80
3	A1	942	G	C3'-C2'-C1'	5.35	105.78	101.50
3	A1	1260	G	C5'-C4'-O4'	5.35	115.52	109.10
3	A1	1392	G	N3-C4-C5	-5.35	125.93	128.60
3	A1	1412	C	C5'-C4'-C3'	-5.35	107.44	116.00
24	BA	60	C	C6-N1-C2	-5.35	118.16	120.30
25	BB	337	C	C5-C6-N1	-5.35	118.33	121.00
25	BB	476	G	N3-C2-N2	5.35	123.64	119.90
25	BB	581	C	N3-C2-O2	-5.35	118.16	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	907	G	C1'-O4'-C4'	-5.35	105.62	109.90
25	BB	2006	C	O4'-C1'-N1	5.35	112.48	108.20
25	BB	2349	G	N1-C2-N3	5.35	127.11	123.90
25	BB	2358	A	C8-N9-C4	-5.35	103.66	105.80
25	BB	2421	G	C3'-C2'-C1'	-5.35	97.22	101.50
25	BB	2689	U	C6-N1-C2	-5.35	117.79	121.00
25	BB	2751	G	O4'-C1'-C2'	-5.35	100.45	105.80
3	A1	459	A	O4'-C4'-C3'	-5.35	98.65	104.00
3	A1	825	A	N9-C4-C5	5.35	107.94	105.80
3	A1	1081	A	O5'-C5'-C4'	-5.35	101.54	111.70
3	A1	1119	C	N3-C4-C5	5.35	124.04	121.90
25	BB	101	A	C5-C6-N6	5.35	127.98	123.70
25	BB	167	A	C4'-C3'-C2'	-5.35	97.25	102.60
25	BB	216	A	C5-N7-C8	-5.35	101.23	103.90
25	BB	2086	U	C5-C6-N1	-5.35	120.03	122.70
25	BB	2348	U	C5'-C4'-C3'	5.35	124.55	116.00
25	BB	2857	G	C5-C6-N1	5.35	114.17	111.50
25	BB	2867	G	C1'-O4'-C4'	5.35	114.18	109.90
1	AE	25	C	N3-C4-C5	5.34	124.04	121.90
1	AE	27	C	N1-C2-O2	5.34	122.11	118.90
3	A1	69	G	C5-C6-O6	5.34	131.81	128.60
3	A1	581	G	C5'-C4'-O4'	5.34	115.51	109.10
3	A1	628	G	C2-N3-C4	5.34	114.57	111.90
25	BB	114	U	N3-C2-O2	-5.34	118.46	122.20
25	BB	609	A	C5'-C4'-O4'	5.34	115.51	109.10
25	BB	1034	G	C5-C6-O6	5.34	131.81	128.60
25	BB	1180	U	C3'-C2'-C1'	5.34	105.78	101.50
25	BB	1321	A	C6-N1-C2	-5.34	115.39	118.60
25	BB	1752	C	C1'-O4'-C4'	-5.34	105.62	109.90
25	BB	1928	A	C6-N1-C2	-5.34	115.39	118.60
25	BB	2383	G	C5-N7-C8	-5.34	101.63	104.30
25	BB	2494	G	C6-N1-C2	-5.34	121.89	125.10
3	A1	263	A	C5'-C4'-O4'	5.34	115.51	109.10
3	A1	391	G	N7-C8-N9	5.34	115.77	113.10
3	A1	1211	U	O4'-C1'-N1	5.34	112.47	108.20
25	BB	83	A	C3'-C2'-C1'	-5.34	97.23	101.50
25	BB	1562	U	C1'-O4'-C4'	-5.34	105.63	109.90
25	BB	1712	U	O4'-C4'-C3'	5.34	110.37	106.10
25	BB	1992	G	C4-C5-N7	5.34	112.94	110.80
25	BB	2813	A	N9-C1'-C2'	-5.34	106.12	112.00
1	AP	20	G	C6-C5-N7	5.34	133.60	130.40
1	AP	20	G	N3-C4-N9	-5.34	122.80	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AM	15	U	O4'-C4'-C3'	-5.34	98.66	104.00
3	A1	257	G	P-O3'-C3'	5.34	126.11	119.70
3	A1	656	G	C6-N1-C2	-5.34	121.90	125.10
3	A1	1198	G	C6-N1-C2	-5.34	121.90	125.10
3	A1	1493	A	C5-C6-N6	5.34	127.97	123.70
23	AX	31	ARG	NH1-CZ-NH2	-5.34	113.52	119.40
25	BB	152	A	N3-C4-N9	-5.34	123.13	127.40
25	BB	245	G	C5-C6-N1	5.34	114.17	111.50
25	BB	439	A	C5-C6-N1	5.34	120.37	117.70
25	BB	704	G	N3-C2-N2	-5.34	116.16	119.90
25	BB	852	U	C3'-C2'-C1'	-5.34	97.23	101.50
25	BB	1050	A	C5-C6-N6	5.34	127.97	123.70
25	BB	1137	G	C5-C6-N1	5.34	114.17	111.50
25	BB	1477	A	C3'-C2'-C1'	5.34	105.77	101.50
25	BB	1660	G	C6-N1-C2	-5.34	121.89	125.10
25	BB	2247	A	C6-C5-N7	5.34	136.04	132.30
25	BB	2784	U	N1-C2-N3	5.34	118.11	114.90
52	B3	128	THR	CA-CB-CG2	5.34	119.88	112.40
1	AA	46	G	O3'-P-O5'	5.34	114.15	104.00
3	A1	373	A	C2-N3-C4	5.34	113.27	110.60
3	A1	466	A	C5-N7-C8	-5.34	101.23	103.90
3	A1	750	C	C3'-C2'-C1'	5.34	105.77	101.50
3	A1	1077	G	C6-C5-N7	5.34	133.60	130.40
3	A1	1224	U	C5-C6-N1	-5.34	120.03	122.70
18	AS	111	ARG	NH1-CZ-NH2	-5.34	113.53	119.40
25	BB	10	A	C6-C5-N7	5.34	136.04	132.30
25	BB	238	C	N3-C2-O2	-5.34	118.16	121.90
25	BB	461	C	C2-N3-C4	-5.34	117.23	119.90
25	BB	918	A	C2'-C3'-O3'	5.34	122.24	113.70
25	BB	1578	U	C4-C5-C6	5.34	122.90	119.70
25	BB	1719	G	C6-C5-N7	5.34	133.60	130.40
25	BB	1912	A	O4'-C1'-N9	5.34	112.47	108.20
25	BB	2267	A	O4'-C4'-C3'	5.34	110.37	106.10
25	BB	2565	A	C2-N3-C4	5.34	113.27	110.60
25	BB	2814	A	C6-N1-C2	-5.34	115.40	118.60
29	BF	103	TYR	CB-CG-CD2	-5.34	117.80	121.00
52	B3	80	GLU	OE1-CD-OE2	-5.34	116.89	123.30
1	AA	50	U	C4-C5-C6	5.34	122.90	119.70
3	A1	71	A	C2-N3-C4	5.34	113.27	110.60
3	A1	545	C	C6-N1-C2	-5.34	118.17	120.30
3	A1	1159	U	C4-C5-C6	5.34	122.90	119.70
3	A1	1375	A	C6-C5-N7	5.34	136.04	132.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	BA	39	A	N9-C4-C5	5.34	107.94	105.80
25	BB	77	G	C4'-C3'-C2'	5.34	107.94	102.60
25	BB	936	A	C4-C5-N7	5.34	113.37	110.70
25	BB	1056	G	C5-C6-N1	5.34	114.17	111.50
25	BB	1181	U	C3'-C2'-C1'	5.34	105.77	101.50
25	BB	1506	U	C1'-O4'-C4'	-5.34	105.63	109.90
25	BB	1676	A	N7-C8-N9	5.34	116.47	113.80
25	BB	2048	G	N1-C2-N3	5.34	127.10	123.90
25	BB	2613	U	C1'-O4'-C4'	-5.34	105.63	109.90
3	A1	250	A	C5'-C4'-O4'	5.34	115.50	109.10
3	A1	392	C	N3-C2-O2	-5.34	118.16	121.90
3	A1	609	A	N3-C4-N9	5.34	131.67	127.40
25	BB	155	A	C8-N9-C4	-5.34	103.67	105.80
25	BB	406	G	C8-N9-C4	-5.34	104.27	106.40
25	BB	566	U	C5-C6-N1	-5.34	120.03	122.70
25	BB	615	U	N3-C4-O4	5.34	123.14	119.40
25	BB	758	C	C3'-C2'-C1'	5.34	105.77	101.50
25	BB	836	G	C5'-C4'-C3'	-5.34	107.46	116.00
25	BB	1002	G	C3'-C2'-C1'	-5.34	97.23	101.50
25	BB	1212	G	C8-N9-C4	-5.34	104.27	106.40
25	BB	1430	G	C8-N9-C4	-5.34	104.27	106.40
25	BB	1687	G	N7-C8-N9	5.34	115.77	113.10
25	BB	1763	G	C8-N9-C4	-5.34	104.27	106.40
25	BB	1880	U	O4'-C1'-N1	5.34	112.47	108.20
25	BB	1986	C	C5-C4-N4	5.34	123.94	120.20
25	BB	2087	G	C5-C6-N1	5.34	114.17	111.50
25	BB	2331	G	N1-C2-N3	5.34	127.10	123.90
25	BB	2482	A	C5-N7-C8	-5.34	101.23	103.90
3	A1	365	U	C2-N1-C1'	5.33	124.10	117.70
24	BA	16	G	C5'-C4'-C3'	-5.33	107.46	116.00
25	BB	47	C	C5'-C4'-C3'	-5.33	107.46	116.00
25	BB	622	G	N1-C2-N3	5.33	127.10	123.90
25	BB	930	G	C3'-C2'-C1'	5.33	105.77	101.50
25	BB	1194	A	N7-C8-N9	-5.33	111.13	113.80
25	BB	1216	G	C4-C5-C6	-5.33	115.60	118.80
25	BB	2051	A	C3'-C2'-C1'	-5.33	97.23	101.50
25	BB	2803	G	C5'-C4'-O4'	5.33	115.50	109.10
3	A1	613	C	C4-C5-C6	-5.33	114.73	117.40
3	A1	733	G	C5-C6-O6	5.33	131.80	128.60
3	A1	1052	U	C1'-O4'-C4'	-5.33	105.63	109.90
3	A1	1248	A	C5-C6-N1	5.33	120.37	117.70
3	A1	1342	C	N3-C4-N4	-5.33	114.27	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1374	A	C2-N3-C4	5.33	113.27	110.60
3	A1	1411	C	N3-C4-C5	5.33	124.03	121.90
3	A1	1427	C	C5-C6-N1	-5.33	118.33	121.00
3	A1	1481	U	C1'-O4'-C4'	-5.33	105.63	109.90
24	BA	27	C	C2-N3-C4	-5.33	117.23	119.90
25	BB	292	U	C5-C6-N1	-5.33	120.03	122.70
25	BB	659	G	N1-C2-N3	5.33	127.10	123.90
25	BB	706	A	C4'-C3'-C2'	-5.33	97.27	102.60
25	BB	1300	G	C2-N3-C4	-5.33	109.23	111.90
25	BB	1324	G	N1-C2-N3	5.33	127.10	123.90
25	BB	1470	A	C6-C5-N7	5.33	136.03	132.30
25	BB	1502	A	N3-C4-N9	-5.33	123.13	127.40
25	BB	1564	C	N1-C1'-C2'	5.33	120.93	114.00
25	BB	1617	C	P-O3'-C3'	5.33	126.10	119.70
25	BB	1960	A	O4'-C1'-N9	5.33	112.47	108.20
25	BB	1977	A	C5'-C4'-O4'	5.33	115.50	109.10
25	BB	2056	G	C6-C5-N7	5.33	133.60	130.40
25	BB	2228	G	C5-C6-N1	5.33	114.17	111.50
25	BB	2379	G	N9-C4-C5	5.33	107.53	105.40
25	BB	2501	C	C3'-C2'-C1'	5.33	105.77	101.50
1	AE	73	A	C4-C5-N7	5.33	113.37	110.70
3	A1	223	A	C5'-C4'-C3'	-5.33	107.47	116.00
3	A1	292	G	C8-N9-C4	-5.33	104.27	106.40
25	BB	1150	C	O4'-C1'-C2'	5.33	112.40	107.60
25	BB	1171	G	N3-C2-N2	-5.33	116.17	119.90
25	BB	1608	A	C6-C5-N7	5.33	136.03	132.30
25	BB	1980	G	C5'-C4'-C3'	-5.33	107.47	116.00
25	BB	2149	U	C6-N1-C2	-5.33	117.80	121.00
25	BB	2198	A	C5-C6-N1	5.33	120.36	117.70
25	BB	2339	C	N1-C1'-C2'	5.33	120.93	114.00
25	BB	2462	C	C4-C5-C6	-5.33	114.73	117.40
52	B3	46	ASP	CB-CG-OD1	-5.33	113.50	118.30
3	A1	613	C	C3'-C2'-C1'	-5.33	97.24	101.50
3	A1	1154	G	C5-C6-N1	5.33	114.17	111.50
24	BA	98	G	C5'-C4'-O4'	5.33	115.50	109.10
25	BB	1010	A	C6-C5-N7	5.33	136.03	132.30
25	BB	2070	A	C2-N3-C4	5.33	113.27	110.60
25	BB	2446	G	C6-N1-C2	-5.33	121.90	125.10
25	BB	2487	G	C1'-O4'-C4'	-5.33	105.64	109.90
1	AE	25	C	C2-N3-C4	-5.33	117.24	119.90
2	AM	6	U	P-O3'-C3'	5.33	126.09	119.70
3	A1	18	C	C6-N1-C2	-5.33	118.17	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	143	A	C5'-C4'-O4'	5.33	115.49	109.10
3	A1	199	A	C5-N7-C8	-5.33	101.24	103.90
3	A1	319	G	N9-C4-C5	-5.33	103.27	105.40
3	A1	392	C	N1-C2-O2	5.33	122.10	118.90
3	A1	627	G	C5'-C4'-O4'	5.33	115.50	109.10
3	A1	774	G	C5-C6-N1	5.33	114.16	111.50
3	A1	1213	A	N7-C8-N9	-5.33	111.14	113.80
3	A1	1259	C	C4'-C3'-C2'	-5.33	97.27	102.60
3	A1	1455	G	C8-N9-C4	-5.33	104.27	106.40
3	A1	1531	A	C4'-C3'-C2'	-5.33	97.27	102.60
15	AO	21	TRP	NE1-CE2-CD2	-5.33	101.97	107.30
25	BB	30	G	C8-N9-C1'	5.33	133.93	127.00
25	BB	506	G	P-O3'-C3'	5.33	126.09	119.70
25	BB	678	C	C2-N3-C4	-5.33	117.23	119.90
25	BB	1042	G	N1-C2-N3	5.33	127.10	123.90
25	BB	1076	C	O4'-C1'-N1	5.33	112.46	108.20
25	BB	1292	G	C8-N9-C4	-5.33	104.27	106.40
25	BB	1319	C	C5-C4-N4	5.33	123.93	120.20
25	BB	1464	G	C4-C5-N7	-5.33	108.67	110.80
25	BB	1501	G	N3-C2-N2	-5.33	116.17	119.90
25	BB	1675	C	N3-C4-C5	5.33	124.03	121.90
25	BB	1734	G	C2-N3-C4	-5.33	109.24	111.90
25	BB	2016	U	N1-C1'-C2'	5.33	120.93	114.00
25	BB	2292	U	N1-C2-O2	5.33	126.53	122.80
25	BB	2542	A	C5'-C4'-O4'	-5.33	102.71	109.10
25	BB	2617	U	C3'-C2'-C1'	-5.33	97.24	101.50
1	AP	29	A	N7-C8-N9	5.33	116.46	113.80
3	A1	222	C	N3-C4-C5	5.33	124.03	121.90
3	A1	771	G	N1-C2-N3	5.33	127.10	123.90
3	A1	1294	G	C2-N3-C4	5.33	114.56	111.90
5	AC	110	THR	CA-CB-CG2	5.33	119.86	112.40
6	AD	106	VAL	O-C-N	-5.33	114.18	122.70
25	BB	226	A	C4-C5-N7	5.33	113.36	110.70
25	BB	1270	C	C2-N3-C4	-5.33	117.24	119.90
25	BB	1860	G	C2-N3-C4	-5.33	109.24	111.90
3	A1	742	G	C6-N1-C2	-5.33	121.91	125.10
3	A1	767	A	O4'-C1'-N9	5.33	112.46	108.20
3	A1	952	U	C2-N3-C4	-5.33	123.80	127.00
3	A1	1389	C	C5'-C4'-C3'	-5.33	107.48	116.00
3	A1	1393	U	O4'-C1'-C2'	5.33	112.39	107.60
3	A1	1415	G	C5'-C4'-O4'	5.33	115.49	109.10
25	BB	181	A	C4-C5-N7	5.33	113.36	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	578	G	N3-C4-C5	-5.33	125.94	128.60
25	BB	1245	G	C6-N1-C2	-5.33	121.91	125.10
25	BB	1579	A	C3'-C2'-C1'	-5.33	97.24	101.50
25	BB	1888	G	C3'-C2'-C1'	5.33	105.76	101.50
25	BB	1950	G	N3-C2-N2	-5.33	116.17	119.90
25	BB	2290	G	C5-C6-N1	5.33	114.16	111.50
25	BB	2411	A	C2'-C3'-O3'	5.33	122.22	113.70
25	BB	2874	C	P-O3'-C3'	5.33	126.09	119.70
1	AP	23	A	C2-N3-C4	5.32	113.26	110.60
1	AE	6	U	C6-N1-C2	-5.32	117.81	121.00
3	A1	162	A	C6-C5-N7	5.32	136.03	132.30
3	A1	172	A	P-O3'-C3'	5.32	126.09	119.70
3	A1	880	C	C5-C6-N1	-5.32	118.34	121.00
3	A1	943	U	C5-C6-N1	-5.32	120.04	122.70
24	BA	5	U	N3-C4-O4	5.32	123.13	119.40
24	BA	73	A	N1-C2-N3	-5.32	126.64	129.30
24	BA	85	G	O4'-C1'-N9	-5.32	103.94	108.20
25	BB	247	G	N3-C4-C5	-5.32	125.94	128.60
25	BB	698	C	N3-C4-C5	5.32	124.03	121.90
25	BB	726	G	C5-C6-N1	5.32	114.16	111.50
25	BB	902	C	N1-C2-O2	5.32	122.09	118.90
25	BB	1088	A	C4-C5-C6	-5.32	114.34	117.00
25	BB	1193	G	C2-N3-C4	5.32	114.56	111.90
25	BB	1582	C	C4'-C3'-O3'	5.32	123.64	113.00
25	BB	2044	C	C5'-C4'-C3'	-5.32	107.48	116.00
25	BB	2099	U	C1'-O4'-C4'	5.32	114.16	109.90
25	BB	2109	U	N1-C2-O2	5.32	126.53	122.80
25	BB	2129	C	O4'-C1'-N1	5.32	112.46	108.20
25	BB	2465	C	N3-C2-O2	-5.32	118.17	121.90
25	BB	2567	G	C3'-C2'-C1'	5.32	105.76	101.50
25	BB	2627	G	N1-C6-O6	-5.32	116.71	119.90
1	AE	37	G	N9-C1'-C2'	-5.32	106.15	112.00
3	A1	218	U	C1'-O4'-C4'	5.32	114.16	109.90
3	A1	250	A	C2-N3-C4	5.32	113.26	110.60
3	A1	1361	G	N1-C6-O6	-5.32	116.71	119.90
25	BB	1076	C	N3-C4-N4	-5.32	114.28	118.00
25	BB	1354	A	C4'-C3'-C2'	-5.32	97.28	102.60
25	BB	1535	A	C1'-O4'-C4'	-5.32	105.64	109.90
25	BB	1643	G	N1-C6-O6	-5.32	116.71	119.90
25	BB	2125	G	C4-C5-C6	-5.32	115.61	118.80
25	BB	2430	A	C3'-C2'-C1'	5.32	105.76	101.50
25	BB	2817	U	N3-C2-O2	-5.32	118.47	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
51	B2	148	VAL	CG1-CB-CG2	-5.32	102.39	110.90
1	AP	15	G	C4'-C3'-C2'	-5.32	97.28	102.60
3	A1	153	C	P-O3'-C3'	5.32	126.08	119.70
3	A1	308	C	C1'-O4'-C4'	-5.32	105.64	109.90
3	A1	768	A	N1-C2-N3	-5.32	126.64	129.30
3	A1	1206	G	N7-C8-N9	5.32	115.76	113.10
3	A1	1288	A	C4'-C3'-C2'	5.32	107.92	102.60
20	AU	137	ARG	NH1-CZ-NH2	-5.32	113.55	119.40
24	BA	81	G	C4'-C3'-C2'	-5.32	97.28	102.60
25	BB	235	U	N1-C2-N3	5.32	118.09	114.90
25	BB	257	C	N1-C2-O2	5.32	122.09	118.90
25	BB	461	C	C5-C4-N4	-5.32	116.48	120.20
25	BB	663	G	N9-C1'-C2'	-5.32	106.15	112.00
25	BB	725	G	C3'-C2'-C1'	5.32	105.76	101.50
25	BB	953	G	N9-C4-C5	5.32	107.53	105.40
25	BB	1070	A	C6-C5-N7	5.32	136.03	132.30
25	BB	1721	G	O4'-C4'-C3'	5.32	110.36	106.10
25	BB	2450	A	C2-N3-C4	5.32	113.26	110.60
25	BB	2657	A	C5-C6-N6	5.32	127.96	123.70
3	A1	218	U	C5'-C4'-O4'	5.32	115.48	109.10
3	A1	405	U	C4-C5-C6	5.32	122.89	119.70
3	A1	858	G	O4'-C1'-N9	-5.32	103.94	108.20
3	A1	1152	A	O5'-P-OP1	5.32	117.08	110.70
24	BA	7	G	C3'-C2'-C1'	5.32	105.76	101.50
25	BB	1436	G	C8-N9-C4	-5.32	104.27	106.40
25	BB	1833	C	N3-C4-N4	-5.32	114.28	118.00
25	BB	1907	G	C6-N1-C2	-5.32	121.91	125.10
25	BB	2118	U	C3'-C2'-C1'	-5.32	97.25	101.50
25	BB	2312	U	N3-C4-O4	5.32	123.12	119.40
25	BB	2360	G	N3-C4-C5	-5.32	125.94	128.60
3	A1	100	G	C5-N7-C8	-5.32	101.64	104.30
3	A1	380	G	C8-N9-C4	-5.32	104.27	106.40
3	A1	1061	G	N1-C6-O6	-5.32	116.71	119.90
3	A1	1180	A	C6-N1-C2	-5.32	115.41	118.60
25	BB	5	A	C2-N3-C4	5.32	113.26	110.60
25	BB	511	U	N3-C4-C5	5.32	117.79	114.60
25	BB	1106	G	N9-C1'-C2'	-5.32	106.15	112.00
25	BB	2073	C	C5-C6-N1	-5.32	118.34	121.00
25	BB	2200	C	N3-C4-N4	-5.32	114.28	118.00
1	AP	17	U	C5-C4-O4	5.32	129.09	125.90
1	AE	16	U	C5'-C4'-C3'	-5.32	107.49	116.00
3	A1	814	A	O4'-C4'-C3'	-5.32	98.68	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	938	A	O4'-C1'-N9	5.32	112.45	108.20
25	BB	55	G	N3-C4-C5	-5.32	125.94	128.60
25	BB	132	G	O4'-C1'-N9	5.32	112.45	108.20
25	BB	419	U	C5'-C4'-C3'	-5.32	107.50	116.00
25	BB	660	C	N1-C2-N3	5.32	122.92	119.20
25	BB	1052	C	N1-C1'-C2'	-5.32	106.15	112.00
25	BB	1356	G	P-O3'-C3'	5.32	126.08	119.70
25	BB	1391	U	O4'-C4'-C3'	-5.32	98.69	104.00
25	BB	1699	G	N3-C4-C5	-5.32	125.94	128.60
25	BB	1870	C	O4'-C4'-C3'	5.32	110.35	106.10
25	BB	2242	G	P-O3'-C3'	5.32	126.08	119.70
25	BB	2630	G	O3'-P-O5'	5.32	114.10	104.00
29	BF	38	ARG	N-CA-CB	-5.32	101.03	110.60
3	A1	146	G	P-O3'-C3'	5.31	126.08	119.70
3	A1	873	A	N7-C8-N9	5.31	116.46	113.80
3	A1	1103	C	C5-C6-N1	-5.31	118.34	121.00
3	A1	1448	C	C5-C6-N1	-5.31	118.34	121.00
14	AN	42	ASP	CB-CG-OD1	-5.31	113.52	118.30
45	BV	3	ARG	C-N-CA	5.31	134.98	121.70
1	AA	53	G	C5-N7-C8	-5.31	101.64	104.30
3	A1	138	G	O4'-C1'-N9	5.31	112.45	108.20
3	A1	602	A	C5'-C4'-O4'	5.31	115.47	109.10
3	A1	913	A	C5-C6-N6	5.31	127.95	123.70
3	A1	1059	C	C5'-C4'-O4'	5.31	115.48	109.10
25	BB	816	C	C1'-O4'-C4'	-5.31	105.65	109.90
25	BB	1009	A	C8-N9-C4	-5.31	103.67	105.80
25	BB	1039	A	C4'-C3'-C2'	-5.31	97.29	102.60
25	BB	1107	G	C4-C5-C6	-5.31	115.61	118.80
25	BB	1107	G	C4-C5-N7	-5.31	108.67	110.80
25	BB	1288	G	N1-C2-N3	5.31	127.09	123.90
25	BB	1829	A	C6-C5-N7	5.31	136.02	132.30
25	BB	1962	C	N3-C2-O2	-5.31	118.18	121.90
25	BB	2061	G	O4'-C4'-C3'	5.31	110.35	106.10
25	BB	2444	G	C5-C6-N1	5.31	114.16	111.50
25	BB	2607	G	C5-C6-N1	5.31	114.16	111.50
25	BB	2805	C	C4-C5-C6	5.31	120.06	117.40
27	BD	31	ARG	NE-CZ-NH2	-5.31	117.64	120.30
30	BG	118	ARG	NH1-CZ-NH2	-5.31	113.56	119.40
31	BH	94	ARG	NE-CZ-NH2	-5.31	117.64	120.30
3	A1	1251	A	C4'-C3'-C2'	-5.31	97.29	102.60
25	BB	228	C	C4-C5-C6	5.31	120.06	117.40
25	BB	768	G	N3-C4-N9	5.31	129.19	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	776	G	C5-C6-N1	5.31	114.16	111.50
25	BB	807	U	N3-C2-O2	-5.31	118.48	122.20
25	BB	1494	A	O4'-C1'-N9	5.31	112.45	108.20
25	BB	1825	U	O4'-C1'-N1	5.31	112.45	108.20
25	BB	2579	C	N3-C2-O2	-5.31	118.18	121.90
3	A1	40	C	N3-C2-O2	-5.31	118.18	121.90
3	A1	167	A	C6-C5-N7	5.31	136.02	132.30
3	A1	581	G	C5-C6-O6	5.31	131.79	128.60
3	A1	904	U	C5-C6-N1	-5.31	120.05	122.70
3	A1	956	U	C1'-O4'-C4'	-5.31	105.65	109.90
3	A1	1477	U	N3-C2-O2	-5.31	118.48	122.20
3	A1	1486	G	N1-C2-N3	5.31	127.09	123.90
24	BA	115	A	C4'-C3'-C2'	-5.31	97.29	102.60
25	BB	54	G	C5-C6-N1	5.31	114.15	111.50
25	BB	899	A	C5'-C4'-C3'	-5.31	107.51	116.00
25	BB	1410	G	N9-C1'-C2'	-5.31	106.16	112.00
25	BB	1630	A	P-O3'-C3'	5.31	126.07	119.70
25	BB	2140	G	C5-N7-C8	-5.31	101.64	104.30
25	BB	2184	A	C8-N9-C4	5.31	107.92	105.80
25	BB	2242	G	C4-C5-C6	-5.31	115.61	118.80
25	BB	2578	G	C4-N9-C1'	5.31	133.40	126.50
25	BB	2667	C	N3-C4-C5	5.31	124.02	121.90
25	BB	2853	C	C6-N1-C2	-5.31	118.18	120.30
54	B5	102	ARG	NE-CZ-NH2	-5.31	117.65	120.30
3	A1	66	A	O4'-C1'-N9	5.31	112.45	108.20
3	A1	155	A	C2-N3-C4	5.31	113.25	110.60
3	A1	209	U	N1-C2-N3	5.31	118.08	114.90
3	A1	313	A	C3'-C2'-C1'	5.31	105.75	101.50
3	A1	357	G	C5-C6-O6	5.31	131.78	128.60
3	A1	909	A	N9-C4-C5	-5.31	103.68	105.80
3	A1	967	C	C4'-C3'-O3'	5.31	123.61	113.00
3	A1	985	C	N3-C4-N4	-5.31	114.28	118.00
3	A1	1012	A	C2-N3-C4	5.31	113.25	110.60
25	BB	826	U	N1-C2-O2	5.31	126.52	122.80
25	BB	1052	C	O5'-P-OP2	5.31	117.07	110.70
25	BB	1269	A	N1-C6-N6	-5.31	115.42	118.60
25	BB	1452	G	C4-C5-C6	-5.31	115.61	118.80
25	BB	1679	A	C5-C6-N6	5.31	127.95	123.70
25	BB	1722	A	C4-C5-C6	-5.31	114.35	117.00
25	BB	2215	C	C6-N1-C2	-5.31	118.18	120.30
25	BB	2367	G	C6-N1-C2	-5.31	121.92	125.10
3	A1	1163	A	C5'-C4'-O4'	5.31	115.47	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	AS	99	SER	C-N-CA	5.31	134.96	121.70
25	BB	550	C	N3-C4-N4	-5.31	114.28	118.00
25	BB	656	G	C5-C6-O6	5.31	131.78	128.60
25	BB	667	U	C4-C5-C6	5.31	122.88	119.70
25	BB	856	G	N1-C6-O6	-5.31	116.72	119.90
25	BB	1557	C	C3'-C2'-C1'	5.31	105.75	101.50
25	BB	1581	G	C5-N7-C8	-5.31	101.65	104.30
25	BB	2146	C	N1-C2-N3	5.31	122.91	119.20
25	BB	2156	G	C3'-C2'-C1'	5.31	105.75	101.50
25	BB	2458	G	C5-C6-O6	-5.31	125.42	128.60
1	AA	42	G	C4-C5-C6	-5.30	115.62	118.80
3	A1	557	G	C5'-C4'-O4'	5.30	115.47	109.10
3	A1	773	G	N3-C4-N9	5.30	129.18	126.00
3	A1	1020	G	C8-N9-C4	-5.30	104.28	106.40
3	A1	1064	G	C6-N1-C2	-5.30	121.92	125.10
3	A1	1386	G	O5'-P-OP1	-5.30	100.93	105.70
25	BB	368	A	N1-C2-N3	-5.30	126.65	129.30
25	BB	583	G	C5-C6-N1	5.30	114.15	111.50
25	BB	681	G	N1-C6-O6	-5.30	116.72	119.90
25	BB	924	G	N3-C4-C5	-5.30	125.95	128.60
25	BB	985	C	N1-C2-O2	5.30	122.08	118.90
25	BB	2292	U	N1-C1'-C2'	-5.30	106.17	112.00
25	BB	2469	A	C8-N9-C4	-5.30	103.68	105.80
25	BB	2570	G	N1-C2-N3	5.30	127.08	123.90
25	BB	2618	G	O4'-C1'-C2'	5.30	112.37	107.60
3	A1	309	A	C5-N7-C8	-5.30	101.25	103.90
3	A1	1011	C	C5'-C4'-O4'	5.30	115.46	109.10
3	A1	1461	G	N1-C2-N2	-5.30	111.43	116.20
3	A1	1483	A	P-O3'-C3'	5.30	126.06	119.70
18	AS	68	ARG	CD-NE-CZ	5.30	131.02	123.60
25	BB	1464	G	N3-C2-N2	-5.30	116.19	119.90
25	BB	1624	U	N3-C2-O2	-5.30	118.49	122.20
25	BB	1737	G	C6-C5-N7	5.30	133.58	130.40
25	BB	1816	C	C4'-C3'-C2'	-5.30	97.30	102.60
25	BB	2091	C	C3'-C2'-C1'	5.30	105.74	101.50
25	BB	2143	C	C3'-C2'-C1'	5.30	105.74	101.50
1	AE	18	G	C5-C6-N1	5.30	114.15	111.50
1	AE	58	A	N1-C2-N3	-5.30	126.65	129.30
3	A1	855	U	C5'-C4'-C3'	-5.30	107.52	116.00
3	A1	1032	G	N3-C4-N9	5.30	129.18	126.00
3	A1	1124	G	C1'-O4'-C4'	-5.30	105.66	109.90
3	A1	1371	G	C5-C6-N1	5.30	114.15	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1420	U	N3-C2-O2	-5.30	118.49	122.20
13	AL	2	ARG	NE-CZ-NH1	5.30	122.95	120.30
17	AR	56	GLU	OE1-CD-OE2	-5.30	116.94	123.30
25	BB	361	G	C4'-C3'-C2'	-5.30	97.30	102.60
25	BB	508	A	C6-C5-N7	5.30	136.01	132.30
25	BB	1063	G	C5'-C4'-O4'	5.30	115.46	109.10
25	BB	1434	A	C2-N3-C4	5.30	113.25	110.60
25	BB	1539	U	C1'-O4'-C4'	-5.30	105.66	109.90
25	BB	1743	G	N9-C4-C5	5.30	107.52	105.40
25	BB	2681	C	O5'-P-OP1	-5.30	100.93	105.70
25	BB	2760	C	N1-C2-O2	5.30	122.08	118.90
25	BB	2825	G	OP1-P-OP2	-5.30	111.65	119.60
44	BU	27	ARG	CD-NE-CZ	5.30	131.02	123.60
1	AE	18	G	N3-C4-C5	-5.30	125.95	128.60
3	A1	100	G	O4'-C4'-C3'	5.30	110.34	106.10
3	A1	217	C	O4'-C1'-N1	5.30	112.44	108.20
3	A1	232	G	C6-N1-C2	-5.30	121.92	125.10
3	A1	334	C	C5'-C4'-C3'	-5.30	107.52	116.00
3	A1	621	A	C4'-C3'-C2'	-5.30	97.30	102.60
3	A1	706	A	C5'-C4'-C3'	-5.30	107.52	116.00
3	A1	844	G	C5'-C4'-O4'	-5.30	102.74	109.10
3	A1	903	G	C6-N1-C2	-5.30	121.92	125.10
20	AU	94	ARG	CD-NE-CZ	5.30	131.02	123.60
25	BB	197	A	C3'-C2'-C1'	5.30	105.74	101.50
25	BB	487	C	C2'-C3'-O3'	5.30	122.18	113.70
25	BB	1044	C	C5'-C4'-O4'	5.30	115.46	109.10
25	BB	1540	G	N9-C4-C5	5.30	107.52	105.40
25	BB	2174	C	C5-C4-N4	-5.30	116.49	120.20
25	BB	2196	C	N3-C2-O2	-5.30	118.19	121.90
25	BB	2440	C	C1'-O4'-C4'	-5.30	105.66	109.90
25	BB	2735	G	O3'-P-O5'	5.30	114.07	104.00
25	BB	2761	A	C4-C5-N7	5.30	113.35	110.70
25	BB	2811	G	O4'-C1'-N9	5.30	112.44	108.20
25	BB	2822	G	N1-C6-O6	-5.30	116.72	119.90
29	BF	6	ARG	NE-CZ-NH2	-5.30	117.65	120.30
30	BG	74	GLU	OE1-CD-OE2	-5.30	116.94	123.30
55	B6	116	ARG	NE-CZ-NH1	-5.30	117.65	120.30
1	AA	37	G	C5-N7-C8	-5.30	101.65	104.30
1	AE	53	G	O4'-C4'-C3'	5.30	110.34	106.10
3	A1	26	A	N9-C1'-C2'	5.30	120.89	114.00
3	A1	1401	G	C4-C5-C6	-5.30	115.62	118.80
25	BB	273	G	O3'-P-O5'	5.30	114.07	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	345	A	C5-C6-N6	5.30	127.94	123.70
25	BB	473	G	C5-C6-O6	5.30	131.78	128.60
25	BB	655	A	C3'-C2'-C1'	-5.30	97.26	101.50
25	BB	682	G	C3'-C2'-C1'	-5.30	97.26	101.50
25	BB	931	U	C5-C6-N1	-5.30	120.05	122.70
25	BB	1901	A	C8-N9-C4	5.30	107.92	105.80
25	BB	2623	G	C6-N1-C2	-5.30	121.92	125.10
25	BB	2823	A	C1'-O4'-C4'	-5.30	105.66	109.90
25	BB	2839	G	N3-C4-C5	-5.30	125.95	128.60
1	AE	53	G	N3-C4-C5	-5.30	125.95	128.60
3	A1	197	A	N3-C4-N9	-5.30	123.16	127.40
3	A1	423	G	C4'-C3'-C2'	-5.30	97.30	102.60
3	A1	810	C	C5-C6-N1	-5.30	118.35	121.00
3	A1	927	G	C8-N9-C4	-5.30	104.28	106.40
3	A1	1053	G	P-O3'-C3'	5.30	126.06	119.70
3	A1	1418	A	C5-N7-C8	5.30	106.55	103.90
3	A1	1493	A	O3'-P-O5'	5.30	114.06	104.00
24	BA	6	G	P-O3'-C3'	5.30	126.06	119.70
25	BB	283	G	C5-C6-N1	5.30	114.15	111.50
25	BB	297	G	C6-N1-C2	-5.30	121.92	125.10
25	BB	793	A	O4'-C4'-C3'	5.30	110.34	106.10
25	BB	808	G	C5-C6-N1	5.30	114.15	111.50
25	BB	950	G	C5-N7-C8	-5.30	101.65	104.30
25	BB	1157	G	C5-C6-N1	5.30	114.15	111.50
25	BB	1722	A	C6-C5-N7	5.30	136.01	132.30
25	BB	2042	A	C1'-O4'-C4'	-5.30	105.66	109.90
25	BB	2158	A	C6-N1-C2	-5.30	115.42	118.60
25	BB	2267	A	C6-C5-N7	5.30	136.01	132.30
25	BB	2408	U	C3'-C2'-C1'	-5.30	97.26	101.50
25	BB	2604	U	C6-N1-C2	-5.30	117.82	121.00
48	BY	130	GLN	C-N-CA	5.30	134.94	121.70
3	A1	126	G	N7-C8-N9	5.29	115.75	113.10
3	A1	843	U	N3-C4-C5	-5.29	111.42	114.60
3	A1	1342	C	C6-N1-C2	-5.29	118.18	120.30
25	BB	1	G	C6-C5-N7	5.29	133.58	130.40
25	BB	1096	A	C1'-O4'-C4'	-5.29	105.66	109.90
25	BB	1616	A	C5'-C4'-O4'	5.29	115.45	109.10
25	BB	1932	A	P-O3'-C3'	5.29	126.05	119.70
1	AP	14	A	C8-N9-C4	5.29	107.92	105.80
3	A1	501	C	N1-C2-O2	5.29	122.08	118.90
3	A1	638	U	P-O3'-C3'	5.29	126.05	119.70
3	A1	1045	C	C4'-C3'-C2'	5.29	107.89	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1100	C	O4'-C1'-N1	5.29	112.44	108.20
25	BB	140	C	C2-N3-C4	-5.29	117.25	119.90
25	BB	198	C	N1-C2-N3	5.29	122.91	119.20
25	BB	302	C	C6-N1-C1'	5.29	127.15	120.80
25	BB	442	G	C5'-C4'-C3'	-5.29	107.53	116.00
25	BB	572	A	N1-C2-N3	-5.29	126.65	129.30
25	BB	729	G	N1-C6-O6	-5.29	116.72	119.90
25	BB	967	U	O4'-C1'-N1	5.29	112.44	108.20
25	BB	1127	A	C6-C5-N7	5.29	136.00	132.30
25	BB	1216	G	C5-C6-N1	5.29	114.15	111.50
25	BB	1349	C	P-O3'-C3'	5.29	126.05	119.70
25	BB	1460	U	O4'-C1'-C2'	-5.29	100.51	105.80
25	BB	1642	G	N9-C4-C5	5.29	107.52	105.40
25	BB	1779	U	C3'-C2'-C1'	5.29	105.73	101.50
25	BB	2183	A	C5-N7-C8	-5.29	101.25	103.90
25	BB	2287	A	C4'-C3'-C2'	5.29	107.89	102.60
25	BB	2303	G	C4-C5-N7	-5.29	108.68	110.80
25	BB	2341	G	C6-N1-C2	-5.29	121.92	125.10
25	BB	2887	A	N7-C8-N9	5.29	116.45	113.80
1	AA	6	U	O4'-C1'-N1	5.29	112.43	108.20
1	AE	29	A	N9-C4-C5	5.29	107.92	105.80
1	AE	43	G	N7-C8-N9	5.29	115.75	113.10
3	A1	47	C	C5'-C4'-C3'	5.29	124.47	116.00
3	A1	126	G	C5-C6-N1	5.29	114.14	111.50
3	A1	197	A	O4'-C4'-C3'	5.29	110.33	106.10
3	A1	1215	G	C4'-C3'-C2'	5.29	107.89	102.60
3	A1	1359	C	C1'-O4'-C4'	-5.29	105.67	109.90
3	A1	1522	U	C4-C5-C6	5.29	122.87	119.70
25	BB	142	A	O4'-C1'-N9	-5.29	103.97	108.20
25	BB	369	U	C5-C4-O4	5.29	129.07	125.90
25	BB	887	U	N3-C4-C5	-5.29	111.42	114.60
25	BB	1062	G	C1'-O4'-C4'	5.29	114.13	109.90
25	BB	1486	U	C2-N3-C4	-5.29	123.83	127.00
25	BB	1723	G	C6-N1-C2	5.29	128.28	125.10
25	BB	2455	G	C8-N9-C4	-5.29	104.28	106.40
25	BB	2758	A	C5'-C4'-C3'	-5.29	107.53	116.00
3	A1	723	U	C1'-O4'-C4'	-5.29	105.67	109.90
3	A1	1368	A	O4'-C1'-N9	5.29	112.43	108.20
3	A1	1534	A	C3'-C2'-C1'	5.29	105.73	101.50
25	BB	732	C	C2-N3-C4	-5.29	117.25	119.90
25	BB	805	G	N1-C6-O6	-5.29	116.73	119.90
25	BB	1023	U	C4-C5-C6	5.29	122.87	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1328	A	N9-C4-C5	5.29	107.92	105.80
25	BB	1457	U	O4'-C1'-N1	5.29	112.43	108.20
25	BB	1527	G	N1-C2-N3	5.29	127.07	123.90
25	BB	1804	C	C3'-C2'-C1'	5.29	105.73	101.50
25	BB	2279	G	N3-C2-N2	-5.29	116.20	119.90
25	BB	2351	G	C5-C6-N1	5.29	114.14	111.50
1	AA	26	G	O5'-P-OP2	-5.29	100.94	105.70
3	A1	75	G	C6-N1-C2	-5.29	121.93	125.10
3	A1	632	U	C5-C6-N1	-5.29	120.06	122.70
3	A1	725	G	C5'-C4'-O4'	5.29	115.45	109.10
3	A1	1067	A	O4'-C1'-N9	5.29	112.43	108.20
3	A1	1109	C	C5-C6-N1	-5.29	118.36	121.00
25	BB	201	C	N1-C2-O2	5.29	122.07	118.90
25	BB	637	A	N1-C2-N3	-5.29	126.66	129.30
25	BB	1232	G	N1-C6-O6	-5.29	116.73	119.90
25	BB	1700	A	C1'-O4'-C4'	5.29	114.13	109.90
25	BB	1936	A	C2-N3-C4	5.29	113.24	110.60
25	BB	2890	G	C5-C6-N1	5.29	114.14	111.50
1	AP	75	C	N1-C2-O2	5.29	122.07	118.90
3	A1	263	A	C5'-C4'-C3'	-5.29	107.54	116.00
3	A1	299	G	C8-N9-C4	-5.29	104.28	106.40
3	A1	387	U	N1-C2-N3	5.29	118.07	114.90
25	BB	525	U	C4-C5-C6	5.29	122.87	119.70
25	BB	1407	G	N9-C4-C5	5.29	107.52	105.40
25	BB	1592	C	N1-C2-O2	5.29	122.07	118.90
25	BB	1806	C	C4'-C3'-O3'	5.29	123.57	113.00
25	BB	2831	G	N9-C4-C5	5.29	107.52	105.40
3	A1	64	G	C1'-O4'-C4'	-5.29	105.67	109.90
3	A1	74	A	C6-C5-N7	5.29	136.00	132.30
3	A1	693	G	C5-C6-O6	-5.29	125.43	128.60
20	AU	78	ARG	NE-CZ-NH1	5.29	122.94	120.30
24	BA	99	A	N1-C2-N3	-5.29	126.66	129.30
25	BB	199	A	OP1-P-OP2	-5.29	111.67	119.60
25	BB	604	G	N1-C6-O6	-5.29	116.73	119.90
25	BB	828	U	P-O3'-C3'	5.29	126.04	119.70
25	BB	1343	G	N1-C6-O6	-5.29	116.73	119.90
25	BB	1422	G	C5-C6-O6	5.29	131.77	128.60
25	BB	1441	G	C5-N7-C8	-5.29	101.66	104.30
25	BB	1780	A	C2-N3-C4	5.29	113.24	110.60
25	BB	2146	C	O4'-C1'-N1	5.29	112.43	108.20
25	BB	2178	C	N3-C2-O2	-5.29	118.20	121.90
25	BB	2196	C	C4'-C3'-C2'	-5.29	97.31	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2322	A	C4-C5-C6	-5.29	114.36	117.00
25	BB	2740	A	C4-C5-C6	-5.29	114.36	117.00
3	A1	56	U	P-O3'-C3'	5.28	126.04	119.70
3	A1	602	A	C6-C5-N7	5.28	136.00	132.30
3	A1	945	G	N7-C8-N9	5.28	115.74	113.10
3	A1	1156	G	N9-C1'-C2'	-5.28	106.19	112.00
3	A1	1416	G	P-O3'-C3'	5.28	126.04	119.70
24	BA	108	A	N1-C2-N3	-5.28	126.66	129.30
25	BB	456	C	C3'-C2'-C1'	5.28	105.73	101.50
25	BB	588	U	C2-N3-C4	-5.28	123.83	127.00
25	BB	617	G	O4'-C1'-N9	5.28	112.43	108.20
25	BB	788	A	C4'-C3'-C2'	-5.28	97.32	102.60
25	BB	1073	A	C5-N7-C8	-5.28	101.26	103.90
25	BB	1217	U	O4'-C4'-C3'	5.28	110.33	106.10
25	BB	1814	G	C5-N7-C8	-5.28	101.66	104.30
25	BB	2034	U	C5-C6-N1	-5.28	120.06	122.70
25	BB	2290	G	N3-C4-C5	-5.28	125.96	128.60
25	BB	2325	G	P-O3'-C3'	5.28	126.04	119.70
25	BB	2549	G	N1-C2-N3	5.28	127.07	123.90
25	BB	2601	C	N3-C2-O2	-5.28	118.20	121.90
25	BB	2757	A	C4-C5-C6	-5.28	114.36	117.00
25	BB	2787	C	C6-N1-C2	5.28	122.41	120.30
25	BB	2879	A	O4'-C1'-N9	5.28	112.43	108.20
3	A1	266	G	N9-C4-C5	5.28	107.51	105.40
3	A1	598	U	C4'-C3'-C2'	-5.28	97.32	102.60
17	AR	46	ARG	NE-CZ-NH2	-5.28	117.66	120.30
24	BA	9	G	N7-C8-N9	5.28	115.74	113.10
24	BA	15	A	O4'-C1'-C2'	-5.28	100.52	105.80
24	BA	42	C	C6-N1-C2	-5.28	118.19	120.30
25	BB	25	U	N3-C4-O4	5.28	123.10	119.40
25	BB	469	G	C5-C6-O6	5.28	131.77	128.60
25	BB	669	G	C6-N1-C2	-5.28	121.93	125.10
25	BB	973	A	C5-C6-N6	5.28	127.93	123.70
25	BB	1386	C	N1-C2-N3	5.28	122.90	119.20
25	BB	1793	C	N3-C4-N4	-5.28	114.30	118.00
25	BB	2104	C	P-O3'-C3'	5.28	126.04	119.70
25	BB	2379	G	C5-C6-O6	5.28	131.77	128.60
25	BB	2659	G	C8-N9-C4	-5.28	104.29	106.40
25	BB	2685	G	N3-C4-C5	-5.28	125.96	128.60
25	BB	2775	G	C4-C5-C6	-5.28	115.63	118.80
25	BB	2802	G	C5-C6-N1	5.28	114.14	111.50
29	BF	110	GLU	OE1-CD-OE2	-5.28	116.96	123.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	21	A	C5-C6-N6	-5.28	119.48	123.70
1	AA	66	A	C4-C5-C6	-5.28	114.36	117.00
3	A1	57	G	O4'-C1'-N9	5.28	112.42	108.20
3	A1	563	A	N9-C1'-C2'	5.28	120.87	114.00
3	A1	741	G	P-O3'-C3'	5.28	126.04	119.70
3	A1	1046	A	N1-C2-N3	5.28	131.94	129.30
3	A1	1427	C	N3-C2-O2	-5.28	118.20	121.90
25	BB	283	G	N9-C1'-C2'	-5.28	106.19	112.00
25	BB	560	C	C2-N3-C4	-5.28	117.26	119.90
25	BB	962	G	C5-C6-N1	5.28	114.14	111.50
25	BB	1020	A	C4-C5-C6	-5.28	114.36	117.00
25	BB	1232	G	N7-C8-N9	5.28	115.74	113.10
25	BB	1350	C	C5-C6-N1	-5.28	118.36	121.00
25	BB	1386	C	O4'-C1'-N1	5.28	112.42	108.20
25	BB	1461	C	N3-C2-O2	-5.28	118.20	121.90
25	BB	1653	G	N1-C2-N3	5.28	127.07	123.90
25	BB	1675	C	C2-N3-C4	-5.28	117.26	119.90
25	BB	1711	A	C5'-C4'-O4'	5.28	115.44	109.10
25	BB	2461	A	C5'-C4'-C3'	-5.28	107.55	116.00
25	BB	2487	G	N3-C2-N2	-5.28	116.20	119.90
31	BH	16	ARG	NH1-CZ-NH2	-5.28	113.59	119.40
3	A1	175	C	N1-C2-N3	5.28	122.89	119.20
3	A1	750	C	N3-C4-N4	-5.28	114.30	118.00
3	A1	1181	G	N1-C2-N2	5.28	120.95	116.20
3	A1	1524	C	C3'-C2'-C1'	-5.28	97.28	101.50
20	AU	95	ARG	NE-CZ-NH2	-5.28	117.66	120.30
25	BB	559	G	C4-C5-C6	-5.28	115.63	118.80
25	BB	1266	G	N1-C6-O6	-5.28	116.73	119.90
25	BB	1570	A	O4'-C4'-C3'	5.28	110.32	106.10
25	BB	1806	C	P-O3'-C3'	5.28	126.03	119.70
25	BB	2689	U	C4'-C3'-C2'	5.28	107.88	102.60
1	AA	44	A	OP1-P-O3'	5.28	116.81	105.20
1	AP	66	A	C6-N1-C2	-5.28	115.43	118.60
3	A1	48	C	C2-N3-C4	-5.28	117.26	119.90
3	A1	121	U	C5'-C4'-O4'	5.28	115.43	109.10
3	A1	217	C	N1-C1'-C2'	-5.28	106.19	112.00
3	A1	438	U	O4'-C1'-C2'	-5.28	100.52	105.80
3	A1	772	U	N3-C2-O2	-5.28	118.51	122.20
3	A1	1019	A	O4'-C4'-C3'	5.28	110.32	106.10
3	A1	1284	C	O4'-C1'-N1	5.28	112.42	108.20
3	A1	1286	U	N1-C2-N3	5.28	118.07	114.90
3	A1	1521	C	N3-C4-C5	5.28	124.01	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1526	G	N3-C2-N2	-5.28	116.21	119.90
9	AH	53	ARG	NH1-CZ-NH2	-5.28	113.59	119.40
25	BB	79	C	C1'-O4'-C4'	-5.28	105.68	109.90
25	BB	171	U	C2-N3-C4	-5.28	123.83	127.00
25	BB	221	A	C1'-O4'-C4'	-5.28	105.68	109.90
25	BB	381	G	C1'-O4'-C4'	5.28	114.12	109.90
25	BB	417	C	N3-C4-N4	-5.28	114.31	118.00
25	BB	738	G	N3-C2-N2	-5.28	116.21	119.90
25	BB	1352	U	O3'-P-O5'	5.28	114.03	104.00
25	BB	1559	U	N1-C2-N3	5.28	118.07	114.90
25	BB	1821	A	C4'-C3'-C2'	5.28	107.88	102.60
25	BB	2024	G	O3'-P-O5'	5.28	114.03	104.00
25	BB	2463	C	C5'-C4'-O4'	5.28	115.43	109.10
25	BB	2650	U	C5'-C4'-O4'	-5.28	102.77	109.10
25	BB	2888	C	N3-C4-C5	5.28	124.01	121.90
1	AA	32	C	C2-N3-C4	5.28	122.54	119.90
3	A1	379	C	N3-C4-N4	-5.28	114.31	118.00
3	A1	584	G	N3-C2-N2	-5.28	116.21	119.90
3	A1	631	C	C2-N3-C4	-5.28	117.26	119.90
3	A1	660	C	N1-C2-N3	5.28	122.89	119.20
3	A1	812	G	N1-C6-O6	-5.28	116.73	119.90
3	A1	941	G	C4'-C3'-C2'	-5.28	97.33	102.60
3	A1	1192	C	O4'-C1'-N1	5.28	112.42	108.20
3	A1	1466	C	N3-C2-O2	-5.28	118.21	121.90
3	A1	1493	A	C2-N3-C4	5.28	113.24	110.60
3	A1	1525	G	C6-N1-C2	-5.28	121.94	125.10
25	BB	555	G	C5-C6-N1	5.28	114.14	111.50
25	BB	718	A	C5-C6-N6	5.28	127.92	123.70
25	BB	744	U	C5-C6-N1	-5.28	120.06	122.70
25	BB	845	A	N9-C4-C5	-5.28	103.69	105.80
25	BB	1202	G	N1-C2-N3	5.28	127.06	123.90
25	BB	1332	G	C5-C6-N1	5.28	114.14	111.50
25	BB	1367	A	C2'-C3'-O3'	5.28	122.14	113.70
25	BB	1555	G	O4'-C4'-C3'	-5.28	98.72	104.00
25	BB	1978	A	C2-N3-C4	5.28	113.24	110.60
25	BB	2151	U	C4'-C3'-C2'	-5.28	97.32	102.60
25	BB	2612	C	C5-C6-N1	-5.28	118.36	121.00
25	BB	2769	U	N1-C2-N3	5.28	118.06	114.90
3	A1	671	G	C5-C6-N1	5.27	114.14	111.50
24	BA	13	G	N3-C4-N9	5.27	129.16	126.00
25	BB	303	G	N1-C6-O6	-5.27	116.74	119.90
25	BB	599	A	C5-N7-C8	-5.27	101.26	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2045	C	C2-N3-C4	-5.27	117.26	119.90
25	BB	2222	C	N1-C2-N3	5.27	122.89	119.20
3	A1	69	G	C1'-O4'-C4'	-5.27	105.68	109.90
3	A1	747	A	N9-C4-C5	5.27	107.91	105.80
3	A1	1448	C	N3-C4-N4	-5.27	114.31	118.00
3	A1	1495	U	C6-N1-C2	-5.27	117.84	121.00
6	AD	113	ARG	NH1-CZ-NH2	-5.27	113.60	119.40
25	BB	1115	G	N1-C6-O6	-5.27	116.74	119.90
25	BB	1230	A	N1-C2-N3	-5.27	126.66	129.30
25	BB	1528	A	N9-C4-C5	-5.27	103.69	105.80
25	BB	1633	G	N3-C2-N2	-5.27	116.21	119.90
25	BB	1834	U	N1-C1'-C2'	-5.27	106.20	112.00
25	BB	1945	G	C5'-C4'-C3'	-5.27	107.56	116.00
42	BS	20	ASN	CB-CA-C	5.27	120.94	110.40
3	A1	59	A	N3-C4-N9	-5.27	123.18	127.40
3	A1	309	A	C6-C5-N7	5.27	135.99	132.30
3	A1	960	U	N1-C2-O2	5.27	126.49	122.80
3	A1	1244	G	C5-C6-N1	5.27	114.14	111.50
3	A1	1253	G	P-O5'-C5'	5.27	129.33	120.90
3	A1	1508	A	C6-N1-C2	-5.27	115.44	118.60
7	AF	89	ARG	NH1-CZ-NH2	-5.27	113.60	119.40
25	BB	212	G	C3'-C2'-C1'	5.27	105.72	101.50
25	BB	345	A	C1'-O4'-C4'	5.27	114.12	109.90
25	BB	762	U	C5-C4-O4	5.27	129.06	125.90
25	BB	952	G	N9-C1'-C2'	-5.27	106.20	112.00
25	BB	2138	G	C5'-C4'-C3'	-5.27	107.57	116.00
45	BV	39	ARG	NH1-CZ-NH2	-5.27	113.60	119.40
1	AA	57	G	O4'-C1'-C2'	-5.27	100.53	105.80
3	A1	38	G	N3-C4-C5	-5.27	125.97	128.60
3	A1	149	A	C6-N1-C2	-5.27	115.44	118.60
3	A1	161	A	N3-C4-N9	-5.27	123.18	127.40
3	A1	162	A	C5-N7-C8	-5.27	101.27	103.90
3	A1	305	G	O4'-C1'-N9	5.27	112.42	108.20
3	A1	324	G	N7-C8-N9	5.27	115.73	113.10
3	A1	366	A	C4-C5-N7	5.27	113.33	110.70
3	A1	959	A	O4'-C4'-C3'	5.27	110.31	106.10
3	A1	973	G	C8-N9-C4	-5.27	104.29	106.40
3	A1	1197	A	O4'-C4'-C3'	5.27	110.32	106.10
3	A1	1317	C	C4'-C3'-C2'	-5.27	97.33	102.60
24	BA	30	C	C5'-C4'-C3'	-5.27	107.57	116.00
25	BB	818	G	N9-C4-C5	5.27	107.51	105.40
25	BB	1066	U	O4'-C4'-C3'	-5.27	98.73	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1281	G	C5-C6-O6	5.27	131.76	128.60
25	BB	1339	G	N1-C2-N2	-5.27	111.46	116.20
25	BB	1490	A	C5'-C4'-C3'	-5.27	107.57	116.00
25	BB	1591	A	N7-C8-N9	5.27	116.44	113.80
25	BB	1605	C	N1-C2-O2	5.27	122.06	118.90
25	BB	1794	A	C6-C5-N7	5.27	135.99	132.30
25	BB	1804	C	C5'-C4'-C3'	-5.27	107.57	116.00
25	BB	2175	C	N3-C2-O2	-5.27	118.21	121.90
28	BE	59	ARG	NH1-CZ-NH2	-5.27	113.60	119.40
1	AP	28	C	C5-C6-N1	-5.27	118.37	121.00
3	A1	284	C	P-O3'-C3'	5.27	126.02	119.70
3	A1	302	G	N3-C4-C5	-5.27	125.97	128.60
3	A1	902	G	C5'-C4'-O4'	5.27	115.42	109.10
3	A1	1013	G	N7-C8-N9	5.27	115.73	113.10
3	A1	1105	A	N3-C4-N9	-5.27	123.19	127.40
25	BB	31	C	C1'-O4'-C4'	-5.27	105.69	109.90
25	BB	802	A	C5-C6-N6	5.27	127.91	123.70
25	BB	1145	C	C4'-C3'-C2'	-5.27	97.33	102.60
25	BB	1338	G	C6-N1-C2	-5.27	121.94	125.10
25	BB	1648	U	C5-C6-N1	-5.27	120.07	122.70
25	BB	1905	C	C5'-C4'-O4'	5.27	115.42	109.10
25	BB	1970	A	O4'-C1'-N9	5.27	112.41	108.20
25	BB	2126	A	C6-C5-N7	5.27	135.99	132.30
25	BB	2483	C	C4'-C3'-C2'	-5.27	97.33	102.60
25	BB	2519	U	C6-N1-C1'	-5.27	113.83	121.20
25	BB	2558	C	N3-C4-C5	5.27	124.01	121.90
25	BB	2641	G	C5'-C4'-C3'	-5.27	107.57	116.00
3	A1	77	A	N7-C8-N9	5.27	116.43	113.80
3	A1	445	G	N1-C2-N3	5.27	127.06	123.90
25	BB	338	G	N1-C2-N2	5.27	120.94	116.20
25	BB	424	G	N1-C2-N2	-5.27	111.46	116.20
25	BB	480	A	C6-N1-C2	-5.27	115.44	118.60
25	BB	711	G	C6-C5-N7	5.27	133.56	130.40
25	BB	1197	G	N1-C6-O6	-5.27	116.74	119.90
25	BB	1200	C	N3-C2-O2	-5.27	118.21	121.90
25	BB	1271	G	N9-C4-C5	5.27	107.51	105.40
25	BB	1631	G	C6-N1-C2	-5.27	121.94	125.10
25	BB	2113	U	N3-C4-C5	5.27	117.76	114.60
25	BB	2243	U	C5-C6-N1	-5.27	120.07	122.70
3	A1	818	G	C1'-O4'-C4'	5.26	114.11	109.90
3	A1	1115	U	N1-C2-N3	5.26	118.06	114.90
3	A1	1253	G	C8-N9-C4	-5.26	104.30	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1308	U	N1-C2-O2	5.26	126.48	122.80
25	BB	293	U	N1-C2-O2	5.26	126.48	122.80
25	BB	832	U	C3'-C2'-C1'	5.26	105.71	101.50
25	BB	1024	G	C8-N9-C4	-5.26	104.29	106.40
25	BB	1035	U	C4-C5-C6	5.26	122.86	119.70
25	BB	1511	G	N3-C4-N9	5.26	129.16	126.00
25	BB	1831	G	N3-C2-N2	-5.26	116.22	119.90
25	BB	2124	G	N1-C6-O6	-5.26	116.74	119.90
25	BB	2394	C	N1-C2-N3	5.26	122.89	119.20
25	BB	2557	G	O4'-C1'-C2'	-5.26	100.53	105.80
25	BB	2602	A	C6-C5-N7	5.26	135.99	132.30
25	BB	2612	C	C2-N3-C4	-5.26	117.27	119.90
3	A1	51	A	N7-C8-N9	5.26	116.43	113.80
3	A1	1152	A	C6-N1-C2	-5.26	115.44	118.60
3	A1	1505	G	N3-C4-C5	-5.26	125.97	128.60
25	BB	58	G	N3-C4-C5	-5.26	125.97	128.60
25	BB	622	G	C5'-C4'-C3'	-5.26	107.58	116.00
25	BB	792	A	O4'-C1'-C2'	-5.26	100.54	105.80
25	BB	1023	U	C5-C6-N1	-5.26	120.07	122.70
25	BB	1042	G	C5-C6-O6	5.26	131.76	128.60
25	BB	1614	A	C6-C5-N7	5.26	135.98	132.30
25	BB	2835	A	O4'-C1'-N9	5.26	112.41	108.20
3	A1	589	U	O4'-C1'-N1	5.26	112.41	108.20
3	A1	629	A	C8-N9-C4	-5.26	103.69	105.80
3	A1	859	G	C4'-C3'-O3'	5.26	123.52	113.00
3	A1	1078	U	N3-C2-O2	-5.26	118.52	122.20
3	A1	1146	A	C6-N1-C2	-5.26	115.44	118.60
25	BB	81	G	O5'-P-OP1	-5.26	100.97	105.70
25	BB	138	U	N1-C2-N3	5.26	118.06	114.90
25	BB	937	C	C2-N3-C4	-5.26	117.27	119.90
25	BB	966	G	N3-C2-N2	-5.26	116.22	119.90
25	BB	986	C	N3-C4-N4	-5.26	114.32	118.00
25	BB	1067	A	C2-N3-C4	5.26	113.23	110.60
25	BB	1075	C	N3-C4-N4	-5.26	114.32	118.00
25	BB	1335	C	N1-C2-O2	5.26	122.06	118.90
25	BB	1524	G	C4'-C3'-C2'	-5.26	97.34	102.60
25	BB	1531	C	O4'-C1'-N1	5.26	112.41	108.20
25	BB	1938	A	C4-C5-C6	-5.26	114.37	117.00
25	BB	2145	C	N1-C2-O2	5.26	122.06	118.90
25	BB	2202	U	C4-C5-C6	5.26	122.86	119.70
25	BB	2214	C	C3'-C2'-C1'	5.26	105.71	101.50
25	BB	2576	G	N7-C8-N9	5.26	115.73	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2581	G	N3-C2-N2	5.26	123.58	119.90
25	BB	2611	C	N1-C2-N3	5.26	122.88	119.20
25	BB	2750	A	C6-N1-C2	-5.26	115.44	118.60
31	BH	53	THR	C-N-CA	5.26	134.85	121.70
48	BY	135	GLY	C-N-CA	5.26	134.85	121.70
52	B3	46	ASP	CB-CG-OD2	5.26	123.03	118.30
1	AA	27	C	N1-C2-O2	-5.26	115.74	118.90
1	AA	44	A	C6-N1-C2	-5.26	115.44	118.60
3	A1	52	C	C5'-C4'-C3'	-5.26	107.58	116.00
3	A1	264	C	N3-C2-O2	-5.26	118.22	121.90
3	A1	544	G	C2'-C3'-O3'	5.26	122.11	113.70
3	A1	881	G	C8-N9-C4	-5.26	104.30	106.40
3	A1	1162	C	P-O5'-C5'	5.26	129.31	120.90
3	A1	1495	U	N3-C4-C5	-5.26	111.44	114.60
24	BA	83	G	C5-C6-O6	5.26	131.76	128.60
25	BB	477	A	O4'-C1'-N9	-5.26	103.99	108.20
25	BB	584	C	C5-C6-N1	-5.26	118.37	121.00
25	BB	834	G	C5'-C4'-O4'	5.26	115.41	109.10
25	BB	1017	G	C8-N9-C4	-5.26	104.30	106.40
25	BB	1141	U	N3-C4-O4	5.26	123.08	119.40
25	BB	1181	U	C5'-C4'-O4'	5.26	115.41	109.10
25	BB	1425	G	C5'-C4'-C3'	-5.26	107.58	116.00
25	BB	2283	C	N3-C4-C5	5.26	124.00	121.90
25	BB	2323	G	C5-C6-N1	5.26	114.13	111.50
25	BB	2334	U	C5'-C4'-C3'	-5.26	107.59	116.00
1	AA	57	G	C4-C5-N7	-5.26	108.70	110.80
1	AP	19	G	C5-N7-C8	-5.26	101.67	104.30
3	A1	962	C	N3-C2-O2	-5.26	118.22	121.90
3	A1	1261	A	C2-N3-C4	5.26	113.23	110.60
3	A1	1453	G	O4'-C1'-N9	5.26	112.41	108.20
3	A1	1483	A	N9-C4-C5	-5.26	103.70	105.80
23	AX	7	ARG	NH1-CZ-NH2	-5.26	113.62	119.40
25	BB	547	A	C2-N3-C4	5.26	113.23	110.60
25	BB	910	A	C4-C5-N7	5.26	113.33	110.70
25	BB	1587	G	C5-N7-C8	-5.26	101.67	104.30
25	BB	2046	G	O4'-C1'-N9	5.26	112.41	108.20
25	BB	2176	A	N1-C2-N3	-5.26	126.67	129.30
25	BB	2452	C	N3-C4-C5	5.26	124.00	121.90
25	BB	2513	A	O3'-P-O5'	-5.26	94.01	104.00
25	BB	2598	A	C5'-C4'-C3'	-5.26	107.59	116.00
3	A1	60	A	C8-N9-C4	-5.26	103.70	105.80
3	A1	186	C	C1'-O4'-C4'	5.26	114.11	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	643	C	C5'-C4'-C3'	-5.26	107.59	116.00
3	A1	719	C	C5-C6-N1	-5.26	118.37	121.00
3	A1	719	C	C6-N1-C2	-5.26	118.20	120.30
3	A1	1278	G	C3'-C2'-C1'	5.26	105.70	101.50
20	AU	32	ASP	CB-CG-OD1	-5.26	113.57	118.30
25	BB	118	A	N7-C8-N9	-5.26	111.17	113.80
25	BB	120	U	N1-C2-N3	5.26	118.05	114.90
25	BB	286	U	C4'-C3'-C2'	-5.26	97.34	102.60
25	BB	308	G	N7-C8-N9	5.26	115.73	113.10
25	BB	1187	G	N1-C6-O6	-5.26	116.75	119.90
25	BB	1460	U	C5'-C4'-O4'	5.26	115.41	109.10
25	BB	1921	G	N1-C6-O6	-5.26	116.75	119.90
25	BB	2172	U	N1-C2-N3	5.26	118.05	114.90
25	BB	2471	A	O4'-C1'-C2'	5.26	112.33	107.60
25	BB	2505	G	C3'-C2'-C1'	-5.26	97.29	101.50
45	BV	28	ARG	CD-NE-CZ	5.26	130.96	123.60
3	A1	1233	G	C5-C6-N1	5.25	114.13	111.50
3	A1	1508	A	C3'-C2'-C1'	-5.25	97.30	101.50
25	BB	32	C	N1-C2-O2	5.25	122.05	118.90
25	BB	505	A	P-O3'-C3'	5.25	126.01	119.70
25	BB	1875	G	C6-N1-C2	-5.25	121.95	125.10
25	BB	2018	G	C4-C5-C6	-5.25	115.65	118.80
25	BB	2489	U	N3-C4-O4	-5.25	115.72	119.40
1	AP	61	C	C1'-O4'-C4'	5.25	114.10	109.90
3	A1	304	U	C5'-C4'-O4'	5.25	115.41	109.10
3	A1	854	U	C4-C5-C6	5.25	122.85	119.70
3	A1	1174	G	N7-C8-N9	5.25	115.73	113.10
3	A1	1308	U	O4'-C1'-N1	5.25	112.40	108.20
3	A1	1494	G	OP1-P-OP2	-5.25	111.72	119.60
24	BA	72	G	N3-C4-C5	-5.25	125.97	128.60
25	BB	35	G	C6-C5-N7	5.25	133.55	130.40
25	BB	693	A	N9-C1'-C2'	5.25	120.83	114.00
25	BB	973	A	N9-C1'-C2'	5.25	120.83	114.00
25	BB	1549	A	C8-N9-C4	5.25	107.90	105.80
25	BB	1592	C	N1-C2-N3	5.25	122.88	119.20
25	BB	1639	C	C5'-C4'-O4'	5.25	115.41	109.10
25	BB	1674	G	N3-C4-N9	-5.25	122.85	126.00
25	BB	1863	G	C4'-C3'-C2'	-5.25	97.35	102.60
25	BB	1987	A	C5-C6-N6	5.25	127.90	123.70
25	BB	2189	U	O4'-C1'-C2'	5.25	112.33	107.60
25	BB	2230	G	C3'-C2'-C1'	5.25	105.70	101.50
25	BB	2768	U	N1-C2-N3	5.25	118.05	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AM	12	U	P-O5'-C5'	-5.25	112.50	120.90
3	A1	7	A	C4-C5-C6	-5.25	114.37	117.00
3	A1	544	G	C8-N9-C4	-5.25	104.30	106.40
3	A1	593	U	C4'-C3'-C2'	-5.25	97.35	102.60
3	A1	601	G	O4'-C4'-C3'	5.25	110.30	106.10
3	A1	695	A	C5-C6-N6	5.25	127.90	123.70
3	A1	733	G	C8-N9-C4	-5.25	104.30	106.40
3	A1	842	U	N3-C2-O2	-5.25	118.52	122.20
3	A1	851	G	C4-C5-N7	-5.25	108.70	110.80
3	A1	996	A	O4'-C4'-C3'	5.25	110.30	106.10
3	A1	1066	C	N3-C2-O2	-5.25	118.22	121.90
3	A1	1466	C	C2-N3-C4	5.25	122.53	119.90
25	BB	379	G	N9-C4-C5	5.25	107.50	105.40
25	BB	447	A	C5-N7-C8	-5.25	101.27	103.90
25	BB	591	U	O4'-C1'-N1	5.25	112.40	108.20
25	BB	692	C	N1-C2-N3	5.25	122.88	119.20
25	BB	718	A	C5'-C4'-O4'	-5.25	102.80	109.10
25	BB	1450	G	C5-C6-N1	5.25	114.13	111.50
25	BB	2232	C	C4'-C3'-C2'	-5.25	97.35	102.60
25	BB	2348	U	O4'-C4'-C3'	5.25	110.30	106.10
25	BB	2433	A	C5'-C4'-C3'	-5.25	107.60	116.00
25	BB	2686	G	C5'-C4'-O4'	5.25	115.40	109.10
1	AP	16	U	N1-C2-N3	5.25	118.05	114.90
1	AP	18	G	N3-C4-C5	-5.25	125.97	128.60
3	A1	752	G	N1-C2-N3	5.25	127.05	123.90
3	A1	936	C	C6-N1-C2	-5.25	118.20	120.30
3	A1	1066	C	O3'-P-O5'	-5.25	94.02	104.00
3	A1	1117	A	C2-N3-C4	5.25	113.22	110.60
6	AD	112	ALA	C-N-CA	5.25	134.82	121.70
25	BB	624	C	C5-C6-N1	-5.25	118.38	121.00
25	BB	768	G	N3-C2-N2	-5.25	116.22	119.90
25	BB	1067	A	C4'-C3'-C2'	-5.25	97.35	102.60
25	BB	1709	U	C5-C6-N1	-5.25	120.08	122.70
25	BB	1896	G	C5-C6-O6	5.25	131.75	128.60
25	BB	2177	C	N3-C4-N4	5.25	121.67	118.00
3	A1	91	U	P-O3'-C3'	5.25	126.00	119.70
3	A1	119	A	C3'-C2'-C1'	5.25	105.70	101.50
3	A1	411	A	C4'-C3'-C2'	-5.25	97.35	102.60
3	A1	705	G	N1-C2-N3	5.25	127.05	123.90
3	A1	790	A	C4-C5-C6	-5.25	114.38	117.00
3	A1	1267	C	N3-C4-N4	-5.25	114.33	118.00
3	A1	1506	U	C5-C6-N1	-5.25	120.08	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	BA	49	C	C5'-C4'-O4'	5.25	115.40	109.10
25	BB	70	G	N1-C6-O6	-5.25	116.75	119.90
25	BB	93	G	C6-C5-N7	5.25	133.55	130.40
25	BB	778	G	O4'-C1'-C2'	-5.25	100.55	105.80
25	BB	956	G	O4'-C4'-C3'	5.25	110.30	106.10
25	BB	1245	G	C6-C5-N7	5.25	133.55	130.40
25	BB	1251	C	N1-C1'-C2'	5.25	120.82	114.00
25	BB	1299	G	N3-C4-C5	-5.25	125.98	128.60
25	BB	1453	A	C5'-C4'-C3'	-5.25	107.60	116.00
25	BB	1811	G	C5-N7-C8	-5.25	101.68	104.30
25	BB	2276	G	C5-N7-C8	-5.25	101.68	104.30
25	BB	2470	G	N7-C8-N9	5.25	115.72	113.10
3	A1	66	A	OP1-P-O3'	-5.25	93.66	105.20
3	A1	680	C	N3-C4-C5	5.25	124.00	121.90
3	A1	1018	G	C5-C6-N1	5.25	114.12	111.50
3	A1	1096	C	C6-N1-C2	-5.25	118.20	120.30
3	A1	1143	G	C3'-C2'-C1'	-5.25	97.30	101.50
3	A1	1459	G	C2'-C3'-O3'	5.25	122.09	113.70
24	BA	108	A	O4'-C1'-N9	5.25	112.40	108.20
25	BB	167	A	C5-N7-C8	-5.25	101.28	103.90
25	BB	208	C	P-O5'-C5'	5.25	129.29	120.90
25	BB	315	G	C6-C5-N7	5.25	133.55	130.40
25	BB	383	C	N1-C2-O2	5.25	122.05	118.90
25	BB	789	A	O4'-C1'-N9	5.25	112.40	108.20
25	BB	1019	U	C5-C6-N1	-5.25	120.08	122.70
25	BB	1037	G	C5'-C4'-O4'	5.25	115.40	109.10
25	BB	1553	A	C6-C5-N7	5.25	135.97	132.30
25	BB	1929	G	C6-N1-C2	-5.25	121.95	125.10
25	BB	2094	A	C5-C6-N1	5.25	120.32	117.70
25	BB	2147	A	C4-C5-C6	-5.25	114.38	117.00
25	BB	2454	G	C4-C5-C6	-5.25	115.65	118.80
25	BB	2674	G	C5'-C4'-C3'	-5.25	107.61	116.00
38	BO	88	ASP	O-C-N	-5.25	114.28	123.20
43	BT	15	ARG	NH1-CZ-NH2	-5.25	113.63	119.40
1	AE	25	C	O4'-C4'-C3'	5.25	110.30	106.10
3	A1	5	U	P-O3'-C3'	5.25	125.99	119.70
25	BB	268	C	C6-N1-C2	-5.25	118.20	120.30
25	BB	647	G	O4'-C4'-C3'	5.25	110.30	106.10
25	BB	1666	G	C4-C5-C6	-5.25	115.65	118.80
25	BB	2044	C	C4'-C3'-C2'	-5.25	97.36	102.60
1	AA	1	G	C5'-C4'-C3'	-5.24	107.61	116.00
1	AE	57	G	C5-C6-O6	5.24	131.75	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	149	A	O4'-C1'-N9	5.24	112.39	108.20
3	A1	959	A	N9-C1'-C2'	5.24	120.82	114.00
3	A1	976	G	C8-N9-C4	-5.24	104.30	106.40
3	A1	1300	G	C5'-C4'-C3'	-5.24	107.61	116.00
3	A1	1515	G	N3-C4-C5	-5.24	125.98	128.60
25	BB	55	G	C5-C6-N1	5.24	114.12	111.50
25	BB	106	C	C5-C6-N1	-5.24	118.38	121.00
25	BB	487	C	C2-N3-C4	-5.24	117.28	119.90
25	BB	597	G	N1-C2-N3	5.24	127.05	123.90
25	BB	709	U	C2-N3-C4	-5.24	123.85	127.00
25	BB	1272	A	N7-C8-N9	5.24	116.42	113.80
25	BB	1447	C	O4'-C1'-N1	5.24	112.39	108.20
25	BB	2145	C	N1-C2-N3	5.24	122.87	119.20
25	BB	2256	G	C6-C5-N7	5.24	133.55	130.40
25	BB	2485	G	C4'-C3'-C2'	-5.24	97.36	102.60
3	A1	455	G	N1-C6-O6	-5.24	116.75	119.90
3	A1	548	G	O4'-C1'-C2'	-5.24	100.56	105.80
3	A1	567	G	C4-C5-N7	-5.24	108.70	110.80
3	A1	954	G	C6-N1-C2	5.24	128.25	125.10
3	A1	1239	A	C3'-C2'-C1'	-5.24	97.31	101.50
3	A1	1372	U	N1-C2-N3	5.24	118.05	114.90
25	BB	1289	C	P-O5'-C5'	5.24	129.29	120.90
25	BB	1452	G	O5'-P-OP2	-5.24	100.98	105.70
25	BB	1498	C	O4'-C1'-N1	5.24	112.39	108.20
25	BB	2138	G	C6-C5-N7	5.24	133.54	130.40
25	BB	2208	C	C5'-C4'-O4'	-5.24	102.81	109.10
25	BB	2645	G	N7-C8-N9	5.24	115.72	113.10
49	BZ	24	ARG	NE-CZ-NH1	5.24	122.92	120.30
3	A1	211	G	C6-C5-N7	5.24	133.54	130.40
3	A1	338	A	C3'-C2'-C1'	5.24	105.69	101.50
3	A1	552	U	N3-C4-O4	-5.24	115.73	119.40
3	A1	936	C	C1'-O4'-C4'	5.24	114.09	109.90
3	A1	1246	A	C4-C5-C6	-5.24	114.38	117.00
3	A1	1361	G	N3-C4-C5	-5.24	125.98	128.60
12	AK	62	ARG	CD-NE-CZ	5.24	130.94	123.60
25	BB	561	G	C5-N7-C8	-5.24	101.68	104.30
25	BB	694	U	N1-C2-N3	5.24	118.05	114.90
25	BB	1646	C	N1-C2-N3	5.24	122.87	119.20
25	BB	1649	G	N7-C8-N9	5.24	115.72	113.10
25	BB	1996	C	N1-C2-O2	5.24	122.04	118.90
25	BB	2357	G	P-O3'-C3'	5.24	125.99	119.70
25	BB	2623	G	C4-C5-N7	-5.24	108.70	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	BN	175	LEU	C-N-CA	5.24	134.80	121.70
49	BZ	100	VAL	CG1-CB-CG2	-5.24	102.52	110.90
3	A1	406	G	C6-N1-C2	-5.24	121.96	125.10
3	A1	603	U	N1-C2-N3	5.24	118.04	114.90
3	A1	1371	G	C2-N3-C4	-5.24	109.28	111.90
23	AX	66	GLU	OE1-CD-OE2	-5.24	117.01	123.30
24	BA	40	U	C5'-C4'-O4'	5.24	115.39	109.10
25	BB	36	G	C5'-C4'-O4'	5.24	115.39	109.10
25	BB	88	G	C2-N3-C4	-5.24	109.28	111.90
25	BB	158	U	C4-C5-C6	5.24	122.84	119.70
25	BB	384	A	C6-N1-C2	-5.24	115.46	118.60
25	BB	552	U	N1-C2-O2	5.24	126.47	122.80
25	BB	842	U	C1'-O4'-C4'	5.24	114.09	109.90
25	BB	1159	U	O4'-C1'-N1	5.24	112.39	108.20
25	BB	1573	G	C5'-C4'-O4'	5.24	115.39	109.10
25	BB	1723	G	N9-C4-C5	5.24	107.50	105.40
25	BB	1920	C	C5-C4-N4	-5.24	116.53	120.20
25	BB	2649	C	N3-C2-O2	-5.24	118.23	121.90
53	B4	51	ARG	NH1-CZ-NH2	-5.24	113.64	119.40
3	A1	271	C	N3-C2-O2	-5.24	118.23	121.90
3	A1	546	A	N7-C8-N9	5.24	116.42	113.80
3	A1	903	G	N1-C2-N3	5.24	127.04	123.90
25	BB	213	A	O4'-C1'-N9	5.24	112.39	108.20
25	BB	2172	U	C4-C5-C6	5.24	122.84	119.70
25	BB	2623	G	N3-C4-C5	-5.24	125.98	128.60
25	BB	2832	U	O4'-C1'-N1	5.24	112.39	108.20
3	A1	129	A	O5'-P-OP1	-5.24	100.99	105.70
3	A1	996	A	C4'-C3'-C2'	-5.24	97.36	102.60
3	A1	1178	G	C5-C6-O6	5.24	131.74	128.60
3	A1	1280	A	C8-N9-C1'	5.24	137.12	127.70
3	A1	1385	G	O4'-C4'-C3'	5.24	110.29	106.10
3	A1	1492	A	O4'-C4'-C3'	5.24	110.29	106.10
24	BA	36	C	N1-C2-O2	5.24	122.04	118.90
25	BB	307	G	C5'-C4'-C3'	-5.24	107.62	116.00
25	BB	659	G	N3-C2-N2	-5.24	116.24	119.90
25	BB	913	U	N1-C2-O2	5.24	126.47	122.80
25	BB	1131	G	O5'-P-OP1	-5.24	100.99	105.70
25	BB	1286	A	C6-N1-C2	-5.24	115.46	118.60
25	BB	2201	G	C2'-C3'-O3'	5.24	122.08	113.70
25	BB	2257	U	C5-C6-N1	-5.24	120.08	122.70
31	BH	30	ARG	CD-NE-CZ	5.24	130.93	123.60
55	B6	11	VAL	CA-CB-CG2	5.24	118.75	110.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AP	32	C	C5'-C4'-O4'	5.23	115.38	109.10
3	A1	465	A	C5'-C4'-O4'	5.23	115.38	109.10
3	A1	819	A	C3'-C2'-C1'	5.23	105.69	101.50
3	A1	1013	G	C5-N7-C8	-5.23	101.68	104.30
3	A1	1187	G	O4'-C1'-N9	5.23	112.39	108.20
19	AT	44	ARG	NH1-CZ-NH2	-5.23	113.64	119.40
25	BB	1	G	N7-C8-N9	5.23	115.72	113.10
25	BB	2623	G	C5'-C4'-C3'	-5.23	107.63	116.00
25	BB	2696	U	N3-C2-O2	-5.23	118.54	122.20
2	AM	1	U	N1-C2-N3	5.23	118.04	114.90
3	A1	59	A	C5'-C4'-O4'	5.23	115.38	109.10
3	A1	669	G	C5-C6-O6	5.23	131.74	128.60
3	A1	991	U	C5-C6-N1	-5.23	120.08	122.70
3	A1	1032	G	N3-C2-N2	-5.23	116.24	119.90
3	A1	1055	A	C5'-C4'-O4'	5.23	115.38	109.10
3	A1	1213	A	N1-C6-N6	-5.23	115.46	118.60
3	A1	1393	U	C4-C5-C6	5.23	122.84	119.70
3	A1	1449	C	N1-C2-O2	5.23	122.04	118.90
25	BB	313	G	C6-N1-C2	-5.23	121.96	125.10
25	BB	404	A	C5'-C4'-C3'	-5.23	107.63	116.00
25	BB	645	C	C5'-C4'-O4'	5.23	115.38	109.10
25	BB	660	C	C4'-C3'-C2'	-5.23	97.37	102.60
25	BB	875	G	C5-N7-C8	-5.23	101.68	104.30
25	BB	952	G	N3-C4-C5	-5.23	125.98	128.60
25	BB	1782	U	N1-C2-N3	5.23	118.04	114.90
25	BB	1852	U	N3-C4-C5	-5.23	111.46	114.60
25	BB	2053	G	P-O3'-C3'	5.23	125.98	119.70
25	BB	2228	G	C2-N3-C4	5.23	114.52	111.90
25	BB	2539	C	C6-N1-C2	5.23	122.39	120.30
25	BB	2540	C	C5-C6-N1	-5.23	118.38	121.00
1	AP	5	A	C1'-O4'-C4'	-5.23	105.72	109.90
3	A1	233	C	N3-C4-N4	-5.23	114.34	118.00
3	A1	297	G	N3-C2-N2	-5.23	116.24	119.90
3	A1	1105	A	N9-C4-C5	5.23	107.89	105.80
3	A1	1241	G	N3-C2-N2	-5.23	116.24	119.90
3	A1	1297	G	C4-C5-C6	-5.23	115.66	118.80
3	A1	1439	G	C2-N3-C4	5.23	114.52	111.90
25	BB	225	C	O4'-C1'-N1	5.23	112.38	108.20
25	BB	353	C	C4-C5-C6	-5.23	114.78	117.40
25	BB	874	G	C5'-C4'-C3'	-5.23	107.63	116.00
25	BB	964	C	C3'-C2'-C1'	5.23	105.68	101.50
25	BB	1125	G	N1-C2-N2	-5.23	111.49	116.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1858	A	C4'-C3'-C2'	-5.23	97.37	102.60
25	BB	2276	G	C8-N9-C4	-5.23	104.31	106.40
25	BB	2369	A	C6-N1-C2	-5.23	115.46	118.60
25	BB	2507	C	N3-C4-C5	5.23	123.99	121.90
25	BB	2513	A	C6-C5-N7	5.23	135.96	132.30
25	BB	2823	A	C5-N7-C8	-5.23	101.28	103.90
1	AP	62	A	C5-C6-N1	5.23	120.31	117.70
3	A1	292	G	N3-C4-C5	-5.23	125.98	128.60
3	A1	346	G	N3-C4-C5	-5.23	125.98	128.60
3	A1	447	G	N3-C2-N2	5.23	123.56	119.90
24	BA	114	C	C4'-C3'-C2'	-5.23	97.37	102.60
25	BB	443	A	C2-N3-C4	5.23	113.22	110.60
25	BB	894	U	C5'-C4'-O4'	-5.23	102.83	109.10
25	BB	1416	G	C1'-O4'-C4'	-5.23	105.72	109.90
25	BB	1641	A	P-O3'-C3'	5.23	125.97	119.70
3	A1	336	A	C8-N9-C4	-5.23	103.71	105.80
3	A1	540	G	C5'-C4'-C3'	-5.23	107.64	116.00
3	A1	1253	G	C5-N7-C8	-5.23	101.69	104.30
25	BB	41	C	C4'-C3'-C2'	-5.23	97.37	102.60
25	BB	261	G	N3-C4-N9	5.23	129.14	126.00
25	BB	300	A	N3-C4-C5	-5.23	123.14	126.80
25	BB	497	A	C6-C5-N7	5.23	135.96	132.30
25	BB	659	G	C5-C6-N1	5.23	114.11	111.50
25	BB	794	A	C8-N9-C4	-5.23	103.71	105.80
25	BB	937	C	O4'-C1'-N1	5.23	112.38	108.20
25	BB	1207	C	N1-C2-N3	5.23	122.86	119.20
25	BB	1271	G	N1-C2-N2	5.23	120.91	116.20
25	BB	1373	A	C5'-C4'-O4'	5.23	115.37	109.10
25	BB	2091	C	C5-C6-N1	-5.23	118.39	121.00
25	BB	2392	A	C6-C5-N7	5.23	135.96	132.30
25	BB	2751	G	N7-C8-N9	5.23	115.71	113.10
48	BY	45	TYR	CB-CG-CD2	-5.23	117.86	121.00
1	AE	5	A	C6-C5-N7	5.23	135.96	132.30
3	A1	578	C	C3'-C2'-C1'	5.23	105.68	101.50
3	A1	718	A	C4'-C3'-C2'	-5.23	97.37	102.60
3	A1	719	C	C4'-C3'-C2'	-5.23	97.37	102.60
3	A1	1084	G	C5'-C4'-O4'	5.23	115.37	109.10
5	AC	105	ARG	NE-CZ-NH2	-5.23	117.69	120.30
25	BB	167	A	N7-C8-N9	5.23	116.41	113.80
25	BB	411	G	N3-C4-C5	-5.23	125.99	128.60
25	BB	775	G	N1-C2-N2	5.23	120.90	116.20
25	BB	1038	G	C5-C6-O6	5.23	131.74	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1672	A	C6-N1-C2	-5.23	115.47	118.60
25	BB	2455	G	C2-N3-C4	5.23	114.51	111.90
25	BB	2596	U	C6-N1-C2	-5.23	117.86	121.00
1	AP	4	G	N1-C6-O6	-5.22	116.77	119.90
3	A1	275	G	O4'-C1'-N9	5.22	112.38	108.20
3	A1	547	A	C2-N3-C4	5.22	113.21	110.60
3	A1	812	G	O4'-C1'-C2'	-5.22	100.58	105.80
3	A1	1430	A	C3'-C2'-C1'	5.22	105.68	101.50
25	BB	180	G	C1'-O4'-C4'	-5.22	105.72	109.90
25	BB	279	A	C2-N3-C4	5.22	113.21	110.60
25	BB	549	G	O4'-C1'-N9	5.22	112.38	108.20
25	BB	563	A	O4'-C4'-C3'	5.22	110.28	106.10
25	BB	587	C	N3-C2-O2	-5.22	118.24	121.90
25	BB	1195	G	C5-C6-N1	5.22	114.11	111.50
25	BB	1230	A	C5'-C4'-O4'	5.22	115.37	109.10
25	BB	1369	G	N3-C4-C5	-5.22	125.99	128.60
25	BB	1804	C	O4'-C4'-C3'	5.22	110.28	106.10
25	BB	2064	C	P-O3'-C3'	5.22	125.97	119.70
25	BB	2519	U	C4'-C3'-C2'	-5.22	97.38	102.60
25	BB	2766	A	C2-N3-C4	5.22	113.21	110.60
3	A1	129	A	O3'-P-O5'	-5.22	94.08	104.00
3	A1	220	G	N3-C4-N9	5.22	129.13	126.00
3	A1	256	U	C5-C6-N1	-5.22	120.09	122.70
3	A1	362	G	O4'-C1'-N9	5.22	112.38	108.20
3	A1	515	G	C8-N9-C4	5.22	108.49	106.40
3	A1	539	A	C4'-C3'-C2'	-5.22	97.38	102.60
3	A1	929	G	C6-N1-C2	-5.22	121.97	125.10
3	A1	1239	A	C5-N7-C8	-5.22	101.29	103.90
25	BB	377	G	C4-C5-N7	-5.22	108.71	110.80
25	BB	1152	C	N3-C4-C5	5.22	123.99	121.90
25	BB	1166	G	O4'-C1'-N9	5.22	112.38	108.20
25	BB	1523	U	C5-C4-O4	-5.22	122.77	125.90
25	BB	1735	A	C6-C5-N7	5.22	135.96	132.30
25	BB	1785	A	C2-N3-C4	5.22	113.21	110.60
25	BB	2283	C	C6-N1-C2	5.22	122.39	120.30
25	BB	2297	A	C5'-C4'-C3'	-5.22	107.64	116.00
25	BB	2333	A	C5'-C4'-C3'	-5.22	107.64	116.00
25	BB	2697	G	N1-C6-O6	-5.22	116.77	119.90
34	BK	103	ALA	CB-CA-C	5.22	117.94	110.10
3	A1	1133	G	N9-C1'-C2'	-5.22	106.26	112.00
3	A1	1456	A	C5'-C4'-O4'	5.22	115.36	109.10
23	AX	51	VAL	CA-CB-CG1	5.22	118.73	110.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	661	A	C6-N1-C2	-5.22	115.47	118.60
25	BB	924	G	C2-N3-C4	5.22	114.51	111.90
25	BB	1449	G	C4-C5-C6	-5.22	115.67	118.80
25	BB	1812	U	N1-C2-N3	5.22	118.03	114.90
25	BB	1887	C	C5-C6-N1	-5.22	118.39	121.00
25	BB	2048	G	C5'-C4'-O4'	-5.22	102.83	109.10
25	BB	2189	U	C5'-C4'-O4'	5.22	115.36	109.10
28	BE	45	GLY	O-C-N	-5.22	114.35	122.70
1	AP	29	A	C4-C5-C6	-5.22	114.39	117.00
3	A1	435	A	C5'-C4'-O4'	5.22	115.36	109.10
3	A1	1297	G	C6-N1-C2	-5.22	121.97	125.10
15	AO	152	VAL	CA-CB-CG1	5.22	118.73	110.90
25	BB	193	U	O4'-C1'-N1	5.22	112.38	108.20
25	BB	1441	G	C5-C6-O6	5.22	131.73	128.60
25	BB	1514	G	C4-C5-N7	-5.22	108.71	110.80
25	BB	1592	C	C5-C6-N1	-5.22	118.39	121.00
25	BB	1738	G	C6-N1-C2	-5.22	121.97	125.10
25	BB	1875	G	N1-C2-N2	-5.22	111.50	116.20
25	BB	2509	G	N1-C2-N3	5.22	127.03	123.90
25	BB	2675	A	C5'-C4'-C3'	-5.22	107.65	116.00
25	BB	2895	G	N3-C4-C5	-5.22	125.99	128.60
1	AP	40	C	C5'-C4'-O4'	5.22	115.36	109.10
1	AP	45	G	C5-C6-N1	5.22	114.11	111.50
3	A1	145	G	C4-C5-C6	-5.22	115.67	118.80
3	A1	1135	U	C4'-C3'-C2'	-5.22	97.38	102.60
3	A1	1294	G	O3'-P-O5'	5.22	113.91	104.00
3	A1	1353	G	N3-C2-N2	-5.22	116.25	119.90
18	AS	67	ARG	CD-NE-CZ	5.22	130.91	123.60
25	BB	278	A	N9-C1'-C2'	5.22	120.78	114.00
25	BB	786	C	N3-C4-C5	5.22	123.99	121.90
25	BB	1171	G	C8-N9-C4	5.22	108.49	106.40
25	BB	1304	A	C2-N3-C4	5.22	113.21	110.60
25	BB	1953	A	C2-N3-C4	5.22	113.21	110.60
25	BB	2343	U	C3'-C2'-C1'	5.22	105.67	101.50
25	BB	2427	C	O4'-C1'-N1	5.22	112.37	108.20
25	BB	2536	G	O4'-C4'-C3'	-5.22	98.78	104.00
3	A1	339	C	N3-C4-C5	-5.22	119.81	121.90
3	A1	540	G	N1-C2-N3	5.22	127.03	123.90
3	A1	549	C	N1-C1'-C2'	-5.22	106.26	112.00
3	A1	862	C	N1-C2-O2	5.22	122.03	118.90
3	A1	991	U	C5-C4-O4	5.22	129.03	125.90
3	A1	1134	G	C6-C5-N7	5.22	133.53	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	329	G	C3'-C2'-C1'	5.22	105.67	101.50
25	BB	992	C	P-O3'-C3'	5.22	125.96	119.70
25	BB	1666	G	C6-C5-N7	5.22	133.53	130.40
25	BB	1687	G	C4'-C3'-C2'	5.22	107.82	102.60
25	BB	2831	G	C1'-O4'-C4'	-5.22	105.73	109.90
1	AA	38	A	C1'-O4'-C4'	-5.21	105.73	109.90
1	AE	69	U	C3'-C2'-C1'	5.21	105.67	101.50
3	A1	200	G	O5'-P-OP2	-5.21	101.01	105.70
3	A1	353	A	C4'-C3'-O3'	5.21	123.43	113.00
3	A1	790	A	N7-C8-N9	-5.21	111.19	113.80
3	A1	846	G	O3'-P-O5'	-5.21	94.09	104.00
3	A1	980	C	N3-C4-C5	5.21	123.99	121.90
3	A1	1105	A	O4'-C1'-N9	5.21	112.37	108.20
3	A1	1449	C	N3-C2-O2	-5.21	118.25	121.90
24	BA	14	U	C2-N3-C4	-5.21	123.87	127.00
24	BA	43	C	N3-C4-C5	5.21	123.99	121.90
25	BB	5	A	C5-C6-N6	5.21	127.87	123.70
25	BB	478	A	N1-C2-N3	-5.21	126.69	129.30
25	BB	491	G	C3'-C2'-C1'	-5.21	97.33	101.50
25	BB	1039	A	P-O3'-C3'	5.21	125.96	119.70
25	BB	1097	U	C5-C6-N1	-5.21	120.09	122.70
25	BB	1667	G	N9-C4-C5	5.21	107.49	105.40
25	BB	2308	G	N3-C4-C5	-5.21	125.99	128.60
25	BB	2556	C	O4'-C1'-C2'	-5.21	100.58	105.80
25	BB	2662	A	C8-N9-C4	-5.21	103.71	105.80
25	BB	2874	C	N3-C4-C5	5.21	123.99	121.90
30	BG	67	PHE	CB-CG-CD2	5.21	124.45	120.80
3	A1	77	A	O4'-C4'-C3'	5.21	110.27	106.10
3	A1	932	C	C6-N1-C2	-5.21	118.22	120.30
25	BB	403	U	C2-N3-C4	-5.21	123.87	127.00
25	BB	1173	U	C5-C6-N1	-5.21	120.09	122.70
25	BB	2254	C	C4-C5-C6	5.21	120.01	117.40
25	BB	2424	C	N1-C2-N3	5.21	122.85	119.20
25	BB	2539	C	C1'-O4'-C4'	-5.21	105.73	109.90
25	BB	2873	A	O4'-C1'-N9	5.21	112.37	108.20
3	A1	528	C	C2-N3-C4	-5.21	117.29	119.90
3	A1	579	A	N7-C8-N9	5.21	116.41	113.80
3	A1	747	A	O4'-C1'-C2'	-5.21	100.59	105.80
3	A1	1134	G	C5-C6-N1	5.21	114.11	111.50
3	A1	1256	A	C5-C6-N6	5.21	127.87	123.70
24	BA	110	C	C2-N3-C4	-5.21	117.29	119.90
25	BB	17	G	C5'-C4'-O4'	5.21	115.35	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	68	G	C8-N9-C1'	-5.21	120.22	127.00
25	BB	101	A	C6-C5-N7	5.21	135.95	132.30
25	BB	517	C	C2-N3-C4	-5.21	117.29	119.90
25	BB	541	A	C3'-C2'-C1'	5.21	105.67	101.50
25	BB	586	A	O4'-C1'-N9	5.21	112.37	108.20
25	BB	722	A	C4-C5-C6	-5.21	114.39	117.00
25	BB	1179	G	N9-C1'-C2'	-5.21	106.27	112.00
25	BB	1218	G	N3-C4-C5	-5.21	125.99	128.60
25	BB	1275	A	C5-C6-N6	5.21	127.87	123.70
25	BB	1329	U	C5-C4-O4	5.21	129.03	125.90
25	BB	1351	C	N3-C2-O2	-5.21	118.25	121.90
25	BB	1404	C	N3-C4-N4	-5.21	114.35	118.00
25	BB	1544	A	C6-N1-C2	-5.21	115.47	118.60
25	BB	1990	C	N3-C4-N4	-5.21	114.35	118.00
25	BB	2228	G	N1-C6-O6	-5.21	116.77	119.90
3	A1	150	U	C4'-C3'-C2'	-5.21	97.39	102.60
3	A1	605	U	P-O3'-C3'	-5.21	113.45	119.70
3	A1	674	G	N9-C1'-C2'	-5.21	106.27	112.00
24	BA	112	G	C8-N9-C1'	5.21	133.77	127.00
25	BB	684	G	N3-C2-N2	-5.21	116.25	119.90
25	BB	918	A	C5-C6-N6	5.21	127.87	123.70
25	BB	1379	U	N3-C4-C5	-5.21	111.47	114.60
25	BB	1637	A	C5'-C4'-O4'	5.21	115.35	109.10
25	BB	1977	A	O4'-C1'-N9	5.21	112.37	108.20
25	BB	2470	G	C5'-C4'-C3'	-5.21	107.66	116.00
1	AA	60	C	C5'-C4'-C3'	-5.21	107.67	116.00
1	AP	8	U	C3'-C2'-C1'	5.21	105.67	101.50
1	AP	26	G	C3'-C2'-C1'	-5.21	97.33	101.50
3	A1	883	C	C4'-C3'-C2'	-5.21	97.39	102.60
3	A1	1132	C	C6-N1-C2	-5.21	118.22	120.30
3	A1	1365	G	C4'-C3'-C2'	5.21	107.81	102.60
3	A1	1489	G	C5-C6-N1	5.21	114.10	111.50
3	A1	1490	U	N3-C2-O2	-5.21	118.55	122.20
24	BA	22	U	C5'-C4'-C3'	-5.21	107.67	116.00
25	BB	28	A	O4'-C1'-N9	5.21	112.37	108.20
25	BB	121	G	N3-C4-C5	-5.21	126.00	128.60
25	BB	368	A	C5-C6-N6	5.21	127.87	123.70
25	BB	627	A	C5-C6-N1	5.21	120.31	117.70
25	BB	1505	A	C4-C5-C6	-5.21	114.40	117.00
25	BB	1731	G	N1-C2-N3	5.21	127.03	123.90
25	BB	1808	A	N1-C6-N6	-5.21	115.47	118.60
25	BB	1973	G	N3-C2-N2	-5.21	116.25	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2648	G	N7-C8-N9	5.21	115.70	113.10
25	BB	2655	G	N3-C4-C5	-5.21	126.00	128.60
3	A1	118	U	N1-C2-O2	5.21	126.44	122.80
3	A1	343	U	O3'-P-O5'	5.21	113.89	104.00
3	A1	718	A	C4-C5-N7	5.21	113.30	110.70
3	A1	824	G	C5'-C4'-C3'	-5.21	107.67	116.00
3	A1	1333	A	C6-N1-C2	-5.21	115.48	118.60
3	A1	1527	U	N1-C2-N3	5.21	118.02	114.90
25	BB	451	U	N1-C2-N3	5.21	118.02	114.90
25	BB	578	G	C5-C6-O6	-5.21	125.48	128.60
25	BB	988	A	C5-C6-N6	5.21	127.86	123.70
25	BB	1059	G	N3-C4-N9	5.21	129.12	126.00
25	BB	1281	G	C5-C6-N1	5.21	114.10	111.50
25	BB	1491	G	C5'-C4'-C3'	-5.21	107.67	116.00
25	BB	2092	U	C5-C4-O4	-5.21	122.78	125.90
25	BB	2706	A	C2-N3-C4	5.21	113.20	110.60
25	BB	2789	C	N1-C2-O2	5.21	122.02	118.90
25	BB	2891	U	O4'-C4'-C3'	-5.21	98.79	104.00
31	BH	102	ARG	NE-CZ-NH1	5.21	122.90	120.30
40	BQ	8	GLU	OE1-CD-OE2	-5.21	117.05	123.30
1	AP	66	A	C8-N9-C4	-5.21	103.72	105.80
3	A1	259	G	C8-N9-C4	-5.21	104.32	106.40
3	A1	745	G	N3-C2-N2	-5.21	116.26	119.90
3	A1	1271	A	C4-C5-C6	-5.21	114.40	117.00
3	A1	1287	A	N1-C2-N3	-5.21	126.70	129.30
3	A1	1458	G	C4-C5-C6	-5.21	115.68	118.80
24	BA	20	G	C4-C5-C6	-5.21	115.68	118.80
25	BB	1150	C	C4-C5-C6	5.21	120.00	117.40
25	BB	2158	A	C5-N7-C8	-5.21	101.30	103.90
25	BB	2377	A	N3-C4-C5	5.21	130.44	126.80
25	BB	2425	A	C5-N7-C8	-5.21	101.30	103.90
25	BB	2700	A	O4'-C1'-C2'	5.21	112.28	107.60
3	A1	839	C	O5'-P-OP2	-5.20	101.02	105.70
3	A1	1031	C	C2-N1-C1'	5.20	124.52	118.80
3	A1	1068	G	O4'-C1'-N9	5.20	112.36	108.20
3	A1	1207	G	N3-C2-N2	-5.20	116.26	119.90
3	A1	1345	U	C3'-C2'-C1'	5.20	105.66	101.50
3	A1	1425	U	C3'-C2'-C1'	5.20	105.66	101.50
18	AS	92	ARG	NH1-CZ-NH2	-5.20	113.68	119.40
21	AV	70	VAL	CG1-CB-CG2	-5.20	102.58	110.90
25	BB	68	G	N1-C2-N2	-5.20	111.52	116.20
25	BB	129	C	N3-C2-O2	-5.20	118.26	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	214	G	P-O3'-C3'	5.20	125.94	119.70
25	BB	473	G	N9-C1'-C2'	-5.20	106.28	112.00
25	BB	1063	G	C4'-C3'-C2'	-5.20	97.40	102.60
25	BB	1585	C	C5-C4-N4	5.20	123.84	120.20
25	BB	1658	C	O4'-C1'-N1	5.20	112.36	108.20
25	BB	2178	C	C3'-C2'-C1'	-5.20	97.34	101.50
25	BB	2215	C	C3'-C2'-C1'	-5.20	97.34	101.50
25	BB	2408	U	C1'-O4'-C4'	-5.20	105.74	109.90
25	BB	2535	G	O4'-C1'-N9	-5.20	104.04	108.20
3	A1	118	U	O4'-C1'-N1	5.20	112.36	108.20
3	A1	343	U	C5-C6-N1	-5.20	120.10	122.70
3	A1	1377	A	C4-C5-C6	-5.20	114.40	117.00
16	AQ	35	GLU	OE1-CD-OE2	-5.20	117.06	123.30
25	BB	1707	G	C5'-C4'-O4'	5.20	115.34	109.10
25	BB	1924	C	N1-C2-O2	5.20	122.02	118.90
25	BB	2046	G	C5-C6-O6	-5.20	125.48	128.60
1	AP	12	U	N3-C4-O4	5.20	123.04	119.40
1	AP	38	A	C4'-C3'-C2'	5.20	107.80	102.60
3	A1	67	C	C6-N1-C2	-5.20	118.22	120.30
3	A1	281	G	N1-C2-N3	5.20	127.02	123.90
3	A1	594	U	C5-C4-O4	5.20	129.02	125.90
3	A1	739	C	C6-N1-C2	5.20	122.38	120.30
3	A1	786	G	C5'-C4'-O4'	5.20	115.34	109.10
3	A1	1147	C	C4'-C3'-C2'	-5.20	97.40	102.60
3	A1	1181	G	C2-N3-C4	5.20	114.50	111.90
25	BB	30	G	C1'-O4'-C4'	-5.20	105.74	109.90
25	BB	472	A	O4'-C4'-C3'	5.20	110.26	106.10
25	BB	1122	G	N3-C4-C5	-5.20	126.00	128.60
25	BB	1252	G	C8-N9-C4	-5.20	104.32	106.40
25	BB	1727	C	N3-C2-O2	-5.20	118.26	121.90
25	BB	2665	A	N9-C4-C5	5.20	107.88	105.80
25	BB	2730	C	N1-C2-N3	5.20	122.84	119.20
3	A1	85	U	C5-C4-O4	-5.20	122.78	125.90
3	A1	146	G	C3'-C2'-C1'	-5.20	97.34	101.50
3	A1	170	U	N3-C2-O2	-5.20	118.56	122.20
3	A1	449	G	N1-C6-O6	-5.20	116.78	119.90
3	A1	615	G	C5-C6-N1	5.20	114.10	111.50
3	A1	1069	C	C2-N3-C4	-5.20	117.30	119.90
3	A1	1145	A	C5-C6-N1	5.20	120.30	117.70
3	A1	1449	C	C4-C5-C6	-5.20	114.80	117.40
3	A1	1507	A	C2-N3-C4	5.20	113.20	110.60
3	A1	1526	G	N9-C4-C5	5.20	107.48	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	15	G	C8-N9-C4	-5.20	104.32	106.40
25	BB	303	G	C8-N9-C4	-5.20	104.32	106.40
25	BB	386	G	O4'-C1'-C2'	-5.20	100.60	105.80
25	BB	509	C	C5-C6-N1	-5.20	118.40	121.00
25	BB	551	G	N3-C4-N9	5.20	129.12	126.00
25	BB	681	G	C4-C5-C6	-5.20	115.68	118.80
25	BB	1331	G	N3-C4-C5	-5.20	126.00	128.60
25	BB	1544	A	C2-N3-C4	5.20	113.20	110.60
25	BB	1582	C	O4'-C1'-N1	5.20	112.36	108.20
25	BB	1633	G	N1-C6-O6	-5.20	116.78	119.90
25	BB	1801	A	C4-C5-C6	-5.20	114.40	117.00
25	BB	2148	G	N1-C2-N3	5.20	127.02	123.90
25	BB	2193	G	O4'-C4'-C3'	5.20	110.26	106.10
25	BB	2436	G	P-O3'-C3'	5.20	125.94	119.70
25	BB	2593	U	C1'-O4'-C4'	-5.20	105.74	109.90
25	BB	2885	G	C3'-C2'-C1'	5.20	105.66	101.50
3	A1	375	U	N1-C2-N3	5.20	118.02	114.90
3	A1	392	C	C4'-C3'-C2'	-5.20	97.40	102.60
25	BB	644	A	C6-C5-N7	5.20	135.94	132.30
25	BB	853	C	C5-C4-N4	-5.20	116.56	120.20
25	BB	961	C	O4'-C4'-C3'	5.20	110.26	106.10
25	BB	1223	G	C6-N1-C2	-5.20	121.98	125.10
25	BB	1610	A	C5-N7-C8	-5.20	101.30	103.90
25	BB	1895	C	O4'-C4'-C3'	5.20	110.26	106.10
3	A1	1121	U	N3-C2-O2	-5.20	118.56	122.20
3	A1	1444	U	C4-C5-C6	5.20	122.82	119.70
9	AH	31	LEU	O-C-N	-5.20	114.39	122.70
25	BB	296	U	C4-C5-C6	5.20	122.82	119.70
25	BB	466	A	C6-C5-N7	5.20	135.94	132.30
25	BB	647	G	N9-C4-C5	5.20	107.48	105.40
25	BB	1417	C	O4'-C4'-C3'	5.20	110.26	106.10
25	BB	1615	C	C5'-C4'-O4'	5.20	115.33	109.10
25	BB	1743	G	C2-N3-C4	5.20	114.50	111.90
25	BB	1919	A	C4-C5-C6	-5.20	114.40	117.00
25	BB	2069	G	C6-C5-N7	5.20	133.52	130.40
25	BB	2092	U	O4'-C1'-N1	-5.20	104.04	108.20
25	BB	2592	G	N9-C4-C5	-5.20	103.32	105.40
25	BB	2625	G	C1'-O4'-C4'	-5.20	105.74	109.90
1	AE	2	C	N3-C4-C5	5.19	123.98	121.90
1	AE	51	G	C5-C6-N1	5.19	114.10	111.50
3	A1	358	U	N3-C4-O4	5.19	123.04	119.40
3	A1	417	G	C2-N3-C4	5.19	114.50	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	557	G	O4'-C1'-N9	5.19	112.36	108.20
3	A1	713	G	C5-N7-C8	-5.19	101.70	104.30
3	A1	1445	U	O3'-P-O5'	5.19	113.87	104.00
25	BB	244	A	C5-C6-N1	5.19	120.30	117.70
25	BB	728	G	C5-C6-N1	5.19	114.10	111.50
25	BB	1664	A	C5-C6-N1	5.19	120.30	117.70
25	BB	2068	U	C4-C5-C6	5.19	122.82	119.70
25	BB	2240	U	C2-N3-C4	-5.19	123.88	127.00
3	A1	99	C	C5-C6-N1	-5.19	118.40	121.00
3	A1	181	A	C6-C5-N7	5.19	135.94	132.30
3	A1	184	G	N1-C2-N3	5.19	127.02	123.90
3	A1	220	G	C5'-C4'-C3'	-5.19	107.69	116.00
3	A1	283	U	N1-C2-N3	5.19	118.02	114.90
3	A1	436	C	O4'-C1'-C2'	5.19	112.27	107.60
3	A1	478	A	N9-C4-C5	-5.19	103.72	105.80
3	A1	675	A	C4'-C3'-C2'	-5.19	97.41	102.60
3	A1	1189	U	C2-N3-C4	-5.19	123.89	127.00
3	A1	1318	A	C1'-O4'-C4'	-5.19	105.75	109.90
25	BB	708	G	N3-C4-N9	5.19	129.12	126.00
25	BB	734	A	C5-C6-N6	5.19	127.86	123.70
25	BB	930	G	O4'-C4'-C3'	5.19	110.25	106.10
25	BB	1278	C	C3'-C2'-C1'	5.19	105.65	101.50
25	BB	1361	G	C2-N3-C4	5.19	114.50	111.90
25	BB	1364	G	C4-C5-N7	5.19	112.88	110.80
25	BB	1440	U	C4-C5-C6	5.19	122.82	119.70
25	BB	1449	G	N1-C2-N2	5.19	120.87	116.20
25	BB	1508	A	P-O3'-C3'	5.19	125.93	119.70
25	BB	1589	U	C3'-C2'-C1'	5.19	105.65	101.50
25	BB	2216	G	N7-C8-N9	5.19	115.70	113.10
25	BB	2342	C	C5-C4-N4	5.19	123.83	120.20
25	BB	2515	C	N1-C1'-C2'	5.19	120.75	114.00
25	BB	2555	U	C4-C5-C6	5.19	122.82	119.70
25	BB	2585	U	N3-C4-O4	-5.19	115.77	119.40
25	BB	2755	C	C5-C6-N1	-5.19	118.40	121.00
25	BB	2813	A	C4-C5-N7	5.19	113.30	110.70
3	A1	35	G	N3-C4-C5	-5.19	126.00	128.60
3	A1	51	A	O3'-P-O5'	5.19	113.86	104.00
3	A1	326	G	N9-C4-C5	5.19	107.48	105.40
3	A1	635	A	O5'-P-OP2	-5.19	101.03	105.70
3	A1	668	G	C5-C6-O6	5.19	131.72	128.60
3	A1	679	C	C5-C4-N4	-5.19	116.57	120.20
3	A1	705	G	P-O3'-C3'	5.19	125.93	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	795	C	C1'-O4'-C4'	-5.19	105.75	109.90
3	A1	993	G	P-O3'-C3'	5.19	125.93	119.70
3	A1	1139	G	C2-N3-C4	5.19	114.50	111.90
16	AQ	40	PRO	CA-N-CD	-5.19	104.23	111.50
24	BA	82	U	C1'-O4'-C4'	-5.19	105.75	109.90
25	BB	538	A	N1-C2-N3	-5.19	126.70	129.30
25	BB	544	C	C1'-O4'-C4'	-5.19	105.75	109.90
25	BB	1588	G	N3-C4-C5	-5.19	126.00	128.60
25	BB	2142	A	C2-N3-C4	5.19	113.19	110.60
48	BY	165	MET	O-C-N	-5.19	114.38	123.20
24	BA	71	C	P-O3'-C3'	5.19	125.93	119.70
25	BB	1097	U	N1-C2-N3	5.19	118.01	114.90
25	BB	2119	A	C4-C5-C6	-5.19	114.41	117.00
3	A1	47	C	C6-N1-C1'	5.19	127.03	120.80
3	A1	212	G	C4'-C3'-C2'	-5.19	97.41	102.60
3	A1	231	U	N1-C2-N3	5.19	118.01	114.90
3	A1	289	G	C6-N1-C2	-5.19	121.99	125.10
3	A1	429	U	P-O3'-C3'	5.19	125.93	119.70
3	A1	1099	G	C6-C5-N7	5.19	133.51	130.40
3	A1	1190	G	C5'-C4'-C3'	-5.19	107.70	116.00
3	A1	1208	C	O4'-C4'-C3'	5.19	110.25	106.10
3	A1	1221	G	C5-C6-N1	5.19	114.09	111.50
3	A1	1371	G	C5-N7-C8	-5.19	101.71	104.30
3	A1	1442	G	N1-C6-O6	-5.19	116.79	119.90
8	AG	62	ARG	NH1-CZ-NH2	-5.19	113.69	119.40
10	AI	55	ASP	CB-CG-OD2	5.19	122.97	118.30
25	BB	36	G	N3-C2-N2	-5.19	116.27	119.90
25	BB	401	A	C6-C5-N7	5.19	135.93	132.30
25	BB	572	A	C2-N3-C4	5.19	113.19	110.60
25	BB	711	G	C8-N9-C4	-5.19	104.33	106.40
25	BB	866	A	N3-C4-C5	5.19	130.43	126.80
25	BB	1028	A	C8-N9-C4	-5.19	103.72	105.80
25	BB	1051	G	N7-C8-N9	5.19	115.69	113.10
25	BB	1090	A	C6-C5-N7	5.19	135.93	132.30
25	BB	1514	G	N1-C2-N3	5.19	127.01	123.90
25	BB	1666	G	N7-C8-N9	5.19	115.69	113.10
25	BB	1957	C	C5-C6-N1	5.19	123.59	121.00
25	BB	2036	C	O4'-C4'-C3'	-5.19	98.81	104.00
25	BB	2276	G	N7-C8-N9	5.19	115.69	113.10
25	BB	2427	C	C2-N3-C4	-5.19	117.31	119.90
25	BB	2514	U	C5-C6-N1	-5.19	120.11	122.70
25	BB	2890	G	C4-C5-N7	-5.19	108.72	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
51	B2	44	ALA	N-CA-CB	-5.19	102.84	110.10
51	B2	132	ARG	CD-NE-CZ	5.19	130.86	123.60
3	A1	476	U	OP2-P-O3'	5.19	116.61	105.20
3	A1	1029	U	C5-C6-N1	-5.19	120.11	122.70
3	A1	1093	A	C5'-C4'-O4'	5.19	115.32	109.10
3	A1	1376	U	C2'-C3'-O3'	5.19	122.00	113.70
4	AB	224	ARG	C-N-CA	5.19	134.66	121.70
25	BB	83	A	O4'-C1'-C2'	-5.19	100.61	105.80
25	BB	175	G	C4-C5-N7	-5.19	108.73	110.80
25	BB	191	A	P-O3'-C3'	5.19	125.92	119.70
25	BB	208	C	C4'-C3'-C2'	-5.19	97.41	102.60
25	BB	268	C	N3-C2-O2	-5.19	118.27	121.90
25	BB	1023	U	O4'-C1'-N1	5.19	112.35	108.20
25	BB	1356	G	C5-N7-C8	-5.19	101.71	104.30
25	BB	1548	A	C5-C6-N6	5.19	127.85	123.70
25	BB	1667	G	C5-N7-C8	-5.19	101.71	104.30
25	BB	2119	A	C3'-C2'-C1'	5.19	105.65	101.50
25	BB	2486	C	N1-C2-N3	5.19	122.83	119.20
25	BB	2526	G	C3'-C2'-C1'	5.19	105.65	101.50
3	A1	1484	C	C2-N3-C4	-5.18	117.31	119.90
22	AW	11	ARG	CD-NE-CZ	5.18	130.86	123.60
25	BB	581	C	N1-C2-N3	5.18	122.83	119.20
25	BB	768	G	C6-N1-C2	-5.18	121.99	125.10
25	BB	1026	G	C6-N1-C2	-5.18	121.99	125.10
25	BB	1192	G	C1'-O4'-C4'	5.18	114.05	109.90
25	BB	1302	A	C8-N9-C4	-5.18	103.73	105.80
25	BB	2179	C	N1-C2-O2	5.18	122.01	118.90
3	A1	118	U	C5-C4-O4	5.18	129.01	125.90
3	A1	380	G	C3'-C2'-C1'	-5.18	97.35	101.50
3	A1	608	A	C6-N1-C2	-5.18	115.49	118.60
3	A1	677	U	N1-C2-N3	5.18	118.01	114.90
3	A1	1031	C	C4-C5-C6	5.18	119.99	117.40
3	A1	1057	G	N1-C6-O6	-5.18	116.79	119.90
3	A1	1241	G	C4-C5-N7	-5.18	108.73	110.80
3	A1	1528	U	C5'-C4'-O4'	5.18	115.32	109.10
24	BA	32	U	N3-C2-O2	-5.18	118.57	122.20
24	BA	49	C	C5-C6-N1	-5.18	118.41	121.00
25	BB	220	G	C4-C5-N7	5.18	112.87	110.80
25	BB	634	C	N3-C2-O2	-5.18	118.27	121.90
25	BB	701	G	N1-C2-N2	5.18	120.86	116.20
25	BB	818	G	N7-C8-N9	5.18	115.69	113.10
25	BB	1163	G	C5-C6-N1	5.18	114.09	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1364	G	N7-C8-N9	5.18	115.69	113.10
25	BB	1440	U	C5-C4-O4	-5.18	122.79	125.90
25	BB	1700	A	N1-C6-N6	-5.18	115.49	118.60
25	BB	1791	A	C5-C6-N6	5.18	127.85	123.70
25	BB	2538	C	C5-C6-N1	-5.18	118.41	121.00
25	BB	2582	G	N9-C4-C5	5.18	107.47	105.40
3	A1	959	A	C5-N7-C8	-5.18	101.31	103.90
20	AU	68	VAL	CG1-CB-CG2	-5.18	102.61	110.90
24	BA	68	C	C5'-C4'-O4'	5.18	115.32	109.10
25	BB	45	G	N3-C4-C5	-5.18	126.01	128.60
25	BB	850	U	N1-C2-N3	5.18	118.01	114.90
25	BB	1175	A	O4'-C1'-N9	5.18	112.34	108.20
25	BB	1616	A	C1'-O4'-C4'	-5.18	105.75	109.90
25	BB	1806	C	N1-C2-N3	5.18	122.83	119.20
25	BB	2662	A	N9-C4-C5	5.18	107.87	105.80
1	AA	34	G	N1-C2-N3	5.18	127.01	123.90
1	AE	67	A	C8-N9-C4	-5.18	103.73	105.80
3	A1	79	G	C6-C5-N7	5.18	133.51	130.40
3	A1	168	G	N7-C8-N9	5.18	115.69	113.10
3	A1	209	U	C6-N1-C2	-5.18	117.89	121.00
3	A1	337	G	C5'-C4'-C3'	-5.18	107.71	116.00
3	A1	1413	A	C1'-O4'-C4'	-5.18	105.76	109.90
3	A1	1462	C	C2-N3-C4	-5.18	117.31	119.90
25	BB	1060	U	C5'-C4'-O4'	5.18	115.31	109.10
25	BB	1274	A	C4'-C3'-C2'	-5.18	97.42	102.60
25	BB	1898	U	N3-C2-O2	-5.18	118.57	122.20
25	BB	2188	U	O4'-C1'-N1	5.18	112.34	108.20
25	BB	2466	C	N1-C2-N3	5.18	122.83	119.20
25	BB	2568	U	O3'-P-O5'	-5.18	94.16	104.00
25	BB	2664	G	C5-C6-O6	-5.18	125.49	128.60
26	BC	69	GLU	OE1-CD-OE2	-5.18	117.08	123.30
3	A1	63	C	C2-N3-C4	-5.18	117.31	119.90
3	A1	209	U	O5'-P-OP1	-5.18	101.04	105.70
3	A1	755	G	C5-C6-N1	5.18	114.09	111.50
3	A1	757	U	N1-C2-N3	5.18	118.01	114.90
3	A1	881	G	C1'-O4'-C4'	-5.18	105.76	109.90
3	A1	927	G	N1-C2-N3	5.18	127.01	123.90
3	A1	1013	G	N1-C2-N2	-5.18	111.54	116.20
3	A1	1508	A	O4'-C4'-C3'	-5.18	98.82	104.00
17	AR	178	GLU	OE1-CD-OE2	-5.18	117.09	123.30
24	BA	82	U	O5'-C5'-C4'	5.18	121.54	111.70
24	BA	105	G	C5'-C4'-C3'	-5.18	107.72	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	54	G	O4'-C1'-N9	5.18	112.34	108.20
25	BB	172	A	N1-C2-N3	-5.18	126.71	129.30
25	BB	361	G	N3-C4-C5	-5.18	126.01	128.60
25	BB	812	C	N3-C4-C5	5.18	123.97	121.90
25	BB	1273	U	C5'-C4'-O4'	5.18	115.31	109.10
25	BB	1589	U	N1-C1'-C2'	5.18	120.73	114.00
3	A1	225	C	P-O3'-C3'	5.18	125.91	119.70
3	A1	511	C	O4'-C1'-N1	5.18	112.34	108.20
3	A1	752	G	C8-N9-C1'	5.18	133.73	127.00
3	A1	1244	G	C8-N9-C4	-5.18	104.33	106.40
3	A1	1292	G	C5-C6-N1	5.18	114.09	111.50
3	A1	1400	C	C6-N1-C1'	5.18	127.01	120.80
3	A1	1451	U	N1-C1'-C2'	5.18	120.73	114.00
3	A1	1473	G	C3'-C2'-C1'	-5.18	97.36	101.50
15	AO	163	ARG	NH1-CZ-NH2	-5.18	113.70	119.40
24	BA	98	G	C5-C6-N1	5.18	114.09	111.50
25	BB	80	G	N9-C4-C5	5.18	107.47	105.40
25	BB	914	G	C6-N1-C2	-5.18	121.99	125.10
25	BB	1025	G	C5-C6-O6	-5.18	125.49	128.60
25	BB	1125	G	N3-C4-C5	-5.18	126.01	128.60
25	BB	1223	G	N3-C2-N2	-5.18	116.28	119.90
25	BB	1491	G	C4-C5-N7	-5.18	108.73	110.80
25	BB	1633	G	C6-C5-N7	5.18	133.51	130.40
25	BB	2413	G	C5'-C4'-O4'	5.18	115.31	109.10
25	BB	2425	A	N9-C1'-C2'	-5.18	106.31	112.00
1	AP	20	G	C5-C6-O6	5.17	131.70	128.60
1	AP	65	G	N7-C8-N9	5.17	115.69	113.10
3	A1	123	U	C5-C6-N1	-5.17	120.11	122.70
3	A1	184	G	C5-C6-O6	5.17	131.71	128.60
3	A1	414	A	C5-C6-N1	5.17	120.29	117.70
3	A1	501	C	N3-C4-N4	-5.17	114.38	118.00
3	A1	736	C	N1-C2-N3	5.17	122.82	119.20
3	A1	989	U	N3-C2-O2	-5.17	118.58	122.20
3	A1	1281	C	C3'-C2'-C1'	5.17	105.64	101.50
24	BA	7	G	C8-N9-C4	-5.17	104.33	106.40
25	BB	485	C	C1'-O4'-C4'	-5.17	105.76	109.90
25	BB	1501	G	C8-N9-C4	-5.17	104.33	106.40
25	BB	1944	U	C5'-C4'-O4'	5.17	115.31	109.10
25	BB	2074	U	C5-C6-N1	-5.17	120.11	122.70
25	BB	2084	C	C5'-C4'-O4'	5.17	115.31	109.10
25	BB	2153	C	N1-C2-O2	5.17	122.00	118.90
25	BB	2224	G	C5-C6-O6	5.17	131.71	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2465	C	C1'-O4'-C4'	-5.17	105.76	109.90
25	BB	2560	A	N1-C2-N3	-5.17	126.71	129.30
25	BB	2786	U	C4'-C3'-O3'	5.17	123.35	113.00
25	BB	2803	G	C8-N9-C4	-5.17	104.33	106.40
1	AP	47	U	N3-C2-O2	-5.17	118.58	122.20
1	AE	76	A	C6-C5-N7	5.17	135.92	132.30
3	A1	935	A	C6-C5-N7	5.17	135.92	132.30
25	BB	574	A	C6-C5-N7	5.17	135.92	132.30
25	BB	585	G	N3-C4-C5	-5.17	126.01	128.60
25	BB	1950	G	C4-N9-C1'	-5.17	119.78	126.50
25	BB	2493	U	N3-C2-O2	-5.17	118.58	122.20
3	A1	86	G	C8-N9-C4	-5.17	104.33	106.40
3	A1	198	G	N1-C2-N3	5.17	127.00	123.90
3	A1	771	G	C3'-C2'-C1'	5.17	105.64	101.50
3	A1	873	A	C4'-C3'-C2'	-5.17	97.43	102.60
3	A1	1232	U	O4'-C1'-N1	-5.17	104.06	108.20
3	A1	1459	G	N3-C4-C5	-5.17	126.01	128.60
3	A1	1518	A	N7-C8-N9	5.17	116.39	113.80
25	BB	969	G	N1-C6-O6	-5.17	116.80	119.90
25	BB	1038	G	O4'-C1'-N9	5.17	112.34	108.20
25	BB	1510	G	N9-C4-C5	5.17	107.47	105.40
25	BB	1580	A	N9-C4-C5	-5.17	103.73	105.80
25	BB	1612	C	C6-N1-C2	-5.17	118.23	120.30
25	BB	1657	U	N1-C2-N3	5.17	118.00	114.90
25	BB	1674	G	N1-C6-O6	-5.17	116.80	119.90
25	BB	1706	C	P-O5'-C5'	5.17	129.17	120.90
25	BB	2314	A	N1-C2-N3	-5.17	126.71	129.30
25	BB	2726	A	N1-C2-N3	-5.17	126.71	129.30
1	AP	23	A	N9-C4-C5	-5.17	103.73	105.80
3	A1	954	G	O5'-P-OP2	5.17	116.90	110.70
3	A1	1338	G	N1-C2-N3	5.17	127.00	123.90
25	BB	392	U	C4'-C3'-C2'	-5.17	97.43	102.60
25	BB	425	G	N7-C8-N9	5.17	115.69	113.10
25	BB	630	G	O4'-C1'-N9	5.17	112.34	108.20
25	BB	1132	U	N1-C2-O2	5.17	126.42	122.80
25	BB	1971	U	C2-N3-C4	-5.17	123.90	127.00
37	BN	60	ALA	N-CA-CB	-5.17	102.86	110.10
1	AA	15	G	C4-C5-N7	5.17	112.87	110.80
3	A1	105	G	N3-C4-N9	5.17	129.10	126.00
3	A1	261	U	C5-C4-O4	-5.17	122.80	125.90
3	A1	715	A	O4'-C1'-N9	5.17	112.33	108.20
24	BA	36	C	O5'-P-OP2	5.17	116.90	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	177	G	N3-C4-C5	-5.17	126.02	128.60
25	BB	184	C	C5-C6-N1	5.17	123.58	121.00
25	BB	898	C	C6-N1-C2	-5.17	118.23	120.30
25	BB	1291	C	C2-N3-C4	-5.17	117.32	119.90
25	BB	1498	C	O4'-C4'-C3'	5.17	110.23	106.10
25	BB	1530	G	N3-C4-C5	5.17	131.18	128.60
25	BB	1938	A	C8-N9-C4	-5.17	103.73	105.80
25	BB	2063	C	C2-N1-C1'	5.17	124.49	118.80
25	BB	2190	G	C8-N9-C4	-5.17	104.33	106.40
25	BB	2490	G	C6-C5-N7	5.17	133.50	130.40
25	BB	2687	U	N1-C2-N3	5.17	118.00	114.90
25	BB	2725	A	C3'-C2'-C1'	-5.17	97.36	101.50
25	BB	2827	C	N1-C2-O2	5.17	122.00	118.90
3	A1	5	U	O4'-C1'-N1	5.17	112.33	108.20
3	A1	53	A	O4'-C4'-C3'	-5.17	98.83	104.00
3	A1	73	C	O4'-C1'-N1	5.17	112.33	108.20
3	A1	730	G	O4'-C1'-N9	5.17	112.33	108.20
3	A1	822	U	N1-C2-N3	5.17	118.00	114.90
3	A1	1159	U	C5'-C4'-C3'	-5.17	107.73	116.00
3	A1	1385	G	C5-C6-N1	5.17	114.08	111.50
25	BB	277	G	N9-C1'-C2'	-5.17	106.32	112.00
25	BB	654	A	C8-N9-C4	-5.17	103.73	105.80
25	BB	811	U	C5-C6-N1	-5.17	120.12	122.70
25	BB	1156	A	C1'-O4'-C4'	-5.17	105.77	109.90
25	BB	1195	G	C4-C5-N7	-5.17	108.73	110.80
25	BB	1338	G	N1-C6-O6	-5.17	116.80	119.90
25	BB	1980	G	N9-C1'-C2'	5.17	120.72	114.00
25	BB	2536	G	N1-C2-N2	-5.17	111.55	116.20
25	BB	2574	G	N3-C4-N9	5.17	129.10	126.00
25	BB	2669	G	N9-C4-C5	5.17	107.47	105.40
25	BB	2723	C	C4'-C3'-C2'	-5.17	97.43	102.60
3	A1	751	U	C5'-C4'-C3'	-5.17	107.74	116.00
3	A1	941	G	O4'-C1'-N9	5.17	112.33	108.20
3	A1	968	A	C1'-O4'-C4'	-5.17	105.77	109.90
9	AH	63	ARG	CD-NE-CZ	5.17	130.83	123.60
25	BB	1292	G	N3-C4-C5	-5.17	126.02	128.60
25	BB	1576	U	N3-C2-O2	-5.17	118.58	122.20
25	BB	1716	U	O3'-P-O5'	-5.17	94.19	104.00
25	BB	1945	G	O4'-C4'-C3'	-5.17	98.83	104.00
25	BB	2597	G	N9-C4-C5	5.17	107.47	105.40
1	AA	1	G	N9-C1'-C2'	-5.16	106.32	112.00
3	A1	61	G	N9-C1'-C2'	-5.16	106.32	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	258	G	C1'-O4'-C4'	5.16	114.03	109.90
3	A1	428	G	N3-C4-C5	-5.16	126.02	128.60
3	A1	796	C	C5-C6-N1	-5.16	118.42	121.00
3	A1	897	C	N1-C2-N3	5.16	122.81	119.20
3	A1	968	A	O4'-C1'-C2'	-5.16	100.64	105.80
3	A1	1449	C	C6-N1-C2	-5.16	118.23	120.30
4	AB	118	THR	CA-CB-CG2	5.16	119.63	112.40
24	BA	19	C	O4'-C1'-N1	5.16	112.33	108.20
25	BB	292	U	O4'-C4'-C3'	5.16	110.23	106.10
25	BB	382	A	N1-C2-N3	-5.16	126.72	129.30
25	BB	387	U	C1'-O4'-C4'	-5.16	105.77	109.90
25	BB	685	A	C5-C6-N6	5.16	127.83	123.70
25	BB	754	U	O4'-C1'-N1	5.16	112.33	108.20
25	BB	756	A	C5'-C4'-O4'	5.16	115.30	109.10
25	BB	778	G	N1-C6-O6	-5.16	116.80	119.90
25	BB	919	U	O3'-P-O5'	-5.16	94.19	104.00
25	BB	991	C	C6-N1-C2	-5.16	118.23	120.30
25	BB	1095	A	C6-C5-N7	5.16	135.91	132.30
25	BB	1374	G	C4-C5-N7	-5.16	108.73	110.80
25	BB	1759	A	N9-C1'-C2'	-5.16	106.32	112.00
25	BB	2123	G	C4-C5-N7	-5.16	108.73	110.80
25	BB	2401	U	O4'-C4'-C3'	5.16	110.23	106.10
25	BB	2503	A	C2-N3-C4	5.16	113.18	110.60
25	BB	2553	G	C6-N1-C2	-5.16	122.00	125.10
25	BB	2826	A	C1'-O4'-C4'	-5.16	105.77	109.90
3	A1	455	G	N9-C4-C5	-5.16	103.33	105.40
3	A1	949	A	C3'-C2'-C1'	5.16	105.63	101.50
6	AD	85	ARG	NH1-CZ-NH2	-5.16	113.72	119.40
22	AW	48	ARG	NE-CZ-NH1	5.16	122.88	120.30
25	BB	921	C	O4'-C1'-N1	5.16	112.33	108.20
25	BB	1826	G	C6-C5-N7	5.16	133.50	130.40
25	BB	2151	U	C1'-O4'-C4'	-5.16	105.77	109.90
25	BB	2230	G	C4-C5-C6	-5.16	115.70	118.80
26	BC	12	GLN	CB-CA-C	5.16	120.72	110.40
31	BH	111	ARG	NH1-CZ-NH2	-5.16	113.72	119.40
34	BK	68	ARG	CD-NE-CZ	5.16	130.83	123.60
3	A1	176	C	N3-C4-N4	-5.16	114.39	118.00
3	A1	551	U	C2-N3-C4	-5.16	123.90	127.00
3	A1	677	U	C2'-C3'-O3'	5.16	121.95	113.70
3	A1	1456	A	C5-C6-N6	5.16	127.83	123.70
25	BB	23	G	N9-C4-C5	5.16	107.46	105.40
25	BB	43	G	N3-C4-C5	-5.16	126.02	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	159	G	C2'-C3'-O3'	5.16	121.96	113.70
25	BB	532	A	C5-N7-C8	-5.16	101.32	103.90
25	BB	939	G	N1-C2-N3	5.16	127.00	123.90
25	BB	1153	C	C5-C4-N4	-5.16	116.59	120.20
25	BB	1202	G	N3-C2-N2	-5.16	116.29	119.90
25	BB	1900	A	O4'-C1'-N9	5.16	112.33	108.20
25	BB	2267	A	C5-C6-N6	5.16	127.83	123.70
25	BB	2448	A	C1'-O4'-C4'	-5.16	105.77	109.90
25	BB	2503	A	C6-C5-N7	5.16	135.91	132.30
25	BB	2759	G	C4'-C3'-C2'	-5.16	97.44	102.60
52	B3	54	ARG	NE-CZ-NH1	5.16	122.88	120.30
3	A1	186	C	C4-C5-C6	5.16	119.98	117.40
3	A1	580	C	C2-N3-C4	-5.16	117.32	119.90
3	A1	1009	U	C5-C6-N1	-5.16	120.12	122.70
3	A1	1072	G	C6-C5-N7	5.16	133.50	130.40
3	A1	1126	U	O4'-C1'-N1	5.16	112.33	108.20
25	BB	7	G	N1-C2-N2	-5.16	111.56	116.20
25	BB	175	G	N3-C2-N2	5.16	123.51	119.90
25	BB	247	G	C6-N1-C2	-5.16	122.00	125.10
25	BB	380	G	N1-C6-O6	-5.16	116.80	119.90
25	BB	865	C	C3'-C2'-C1'	-5.16	97.37	101.50
25	BB	1365	A	N1-C6-N6	-5.16	115.50	118.60
25	BB	1413	A	N9-C4-C5	-5.16	103.74	105.80
25	BB	1633	G	N9-C1'-C2'	5.16	120.71	114.00
25	BB	1660	G	C1'-O4'-C4'	-5.16	105.77	109.90
25	BB	1794	A	C5-N7-C8	-5.16	101.32	103.90
25	BB	1947	C	C4-C5-C6	-5.16	114.82	117.40
25	BB	2003	A	C5-N7-C8	-5.16	101.32	103.90
25	BB	2108	A	C5-C6-N6	5.16	127.83	123.70
25	BB	2407	A	N9-C1'-C2'	5.16	120.71	114.00
25	BB	2537	U	P-O3'-C3'	5.16	125.89	119.70
1	AA	70	C	N3-C4-C5	5.16	123.96	121.90
3	A1	300	A	C4'-C3'-C2'	-5.16	97.44	102.60
3	A1	369	G	C5'-C4'-O4'	-5.16	102.91	109.10
3	A1	804	U	C5-C4-O4	5.16	128.99	125.90
3	A1	1172	C	C1'-O4'-C4'	-5.16	105.78	109.90
25	BB	787	C	C1'-O4'-C4'	-5.16	105.77	109.90
25	BB	1253	A	C5-N7-C8	-5.16	101.32	103.90
25	BB	1506	U	C5-C4-O4	-5.16	122.81	125.90
25	BB	1857	G	O4'-C1'-N9	5.16	112.33	108.20
25	BB	2771	C	N1-C2-N3	5.16	122.81	119.20
25	BB	2811	G	N1-C6-O6	-5.16	116.81	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AP	47	U	C5-C4-O4	5.16	128.99	125.90
3	A1	435	A	C6-N1-C2	-5.16	115.51	118.60
3	A1	682	G	C8-N9-C4	-5.16	104.34	106.40
3	A1	882	C	C4-C5-C6	5.16	119.98	117.40
3	A1	913	A	O4'-C4'-C3'	5.16	110.22	106.10
3	A1	1106	G	C4-C5-C6	-5.16	115.71	118.80
3	A1	1178	G	O5'-C5'-C4'	-5.16	101.91	111.70
3	A1	1204	A	C6-C5-N7	5.16	135.91	132.30
3	A1	1315	U	N1-C2-N3	5.16	117.99	114.90
3	A1	1394	A	C5-N7-C8	-5.16	101.32	103.90
25	BB	451	U	C4-C5-C6	5.16	122.79	119.70
25	BB	717	C	O4'-C1'-N1	5.16	112.32	108.20
25	BB	743	A	C4-C5-C6	-5.16	114.42	117.00
25	BB	922	C	C4-C5-C6	-5.16	114.82	117.40
25	BB	1281	G	N1-C2-N3	5.16	126.99	123.90
25	BB	1562	U	N3-C2-O2	-5.16	118.59	122.20
25	BB	1606	C	N1-C1'-C2'	5.16	120.70	114.00
25	BB	1801	A	C6-C5-N7	5.16	135.91	132.30
25	BB	1861	G	C4-C5-N7	-5.16	108.74	110.80
25	BB	2089	C	C3'-C2'-C1'	-5.16	97.38	101.50
25	BB	2179	C	C3'-C2'-C1'	5.16	105.62	101.50
25	BB	2425	A	O5'-P-OP1	5.16	116.89	110.70
25	BB	2582	G	N1-C2-N3	5.16	126.99	123.90
25	BB	2667	C	C1'-O4'-C4'	-5.16	105.78	109.90
3	A1	1511	G	C8-N9-C4	-5.15	104.34	106.40
25	BB	3	U	C4-C5-C6	5.15	122.79	119.70
25	BB	37	C	C5-C6-N1	-5.15	118.42	121.00
25	BB	907	G	C8-N9-C4	-5.15	104.34	106.40
25	BB	1051	G	N1-C6-O6	-5.15	116.81	119.90
25	BB	1711	A	C2-N3-C4	5.15	113.18	110.60
25	BB	2171	A	C6-C5-N7	5.15	135.91	132.30
3	A1	64	G	O3'-P-O5'	-5.15	94.21	104.00
3	A1	365	U	N1-C2-O2	5.15	126.41	122.80
3	A1	524	G	C4'-C3'-O3'	5.15	123.31	113.00
3	A1	691	G	N9-C4-C5	5.15	107.46	105.40
3	A1	792	A	OP1-P-O3'	5.15	116.53	105.20
3	A1	1087	G	C4'-C3'-O3'	5.15	123.30	113.00
3	A1	1347	G	C5-C6-N1	5.15	114.08	111.50
25	BB	128	C	N1-C2-N3	5.15	122.81	119.20
25	BB	237	C	O5'-P-OP2	-5.15	101.06	105.70
25	BB	797	G	O4'-C1'-N9	5.15	112.32	108.20
25	BB	1156	A	C5'-C4'-C3'	-5.15	107.76	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1240	U	N1-C2-O2	5.15	126.41	122.80
25	BB	1272	A	C2-N3-C4	5.15	113.18	110.60
25	BB	1278	C	C4-C5-C6	-5.15	114.82	117.40
25	BB	1696	G	C6-N1-C2	-5.15	122.01	125.10
25	BB	2148	G	N3-C4-N9	5.15	129.09	126.00
25	BB	2681	C	N1-C2-N3	5.15	122.81	119.20
3	A1	894	G	C6-C5-N7	5.15	133.49	130.40
3	A1	1382	C	N1-C1'-C2'	5.15	120.69	114.00
25	BB	28	A	C6-N1-C2	-5.15	115.51	118.60
25	BB	311	A	C5-N7-C8	-5.15	101.33	103.90
25	BB	518	G	C3'-C2'-C1'	-5.15	97.38	101.50
25	BB	555	G	O4'-C4'-C3'	5.15	110.22	106.10
25	BB	1294	U	C5'-C4'-O4'	5.15	115.28	109.10
25	BB	1803	A	O4'-C1'-N9	5.15	112.32	108.20
25	BB	2319	G	C4-N9-C1'	5.15	133.19	126.50
25	BB	2699	C	N3-C4-N4	-5.15	114.39	118.00
25	BB	2764	A	C1'-O4'-C4'	-5.15	105.78	109.90
25	BB	2794	C	N3-C4-N4	-5.15	114.39	118.00
25	BB	2883	A	C4-C5-C6	-5.15	114.42	117.00
1	AA	4	G	C4'-C3'-C2'	-5.15	97.45	102.60
1	AP	14	A	N7-C8-N9	-5.15	111.23	113.80
3	A1	386	C	C5-C4-N4	-5.15	116.60	120.20
3	A1	431	A	C4-C5-N7	-5.15	108.12	110.70
3	A1	768	A	C5'-C4'-O4'	5.15	115.28	109.10
8	AG	52	ARG	NH1-CZ-NH2	-5.15	113.74	119.40
25	BB	2	G	C4'-C3'-C2'	-5.15	97.45	102.60
25	BB	769	U	O4'-C1'-N1	5.15	112.32	108.20
25	BB	929	U	N1-C2-O2	5.15	126.40	122.80
25	BB	984	A	C5'-C4'-C3'	-5.15	107.76	116.00
25	BB	1009	A	C4-C5-N7	5.15	113.27	110.70
25	BB	1129	A	C5-C6-N1	5.15	120.28	117.70
25	BB	1134	A	C2-N3-C4	5.15	113.17	110.60
25	BB	1189	A	C5-N7-C8	-5.15	101.33	103.90
25	BB	1190	G	P-O3'-C3'	5.15	125.88	119.70
25	BB	1625	C	C5-C4-N4	5.15	123.81	120.20
25	BB	1834	U	N3-C2-O2	-5.15	118.60	122.20
25	BB	2204	G	C8-N9-C1'	5.15	133.69	127.00
25	BB	2414	G	O4'-C4'-C3'	5.15	110.22	106.10
1	AA	22	G	C5-N7-C8	-5.15	101.73	104.30
3	A1	286	C	C2-N3-C4	-5.15	117.33	119.90
3	A1	650	G	O4'-C4'-C3'	5.15	110.22	106.10
3	A1	722	G	N1-C2-N3	5.15	126.99	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	BA	115	A	C5-C6-N1	5.15	120.27	117.70
25	BB	403	U	C4'-C3'-C2'	-5.15	97.45	102.60
25	BB	494	G	N1-C6-O6	-5.15	116.81	119.90
25	BB	588	U	C1'-O4'-C4'	-5.15	105.78	109.90
25	BB	684	G	C4-C5-N7	-5.15	108.74	110.80
25	BB	763	G	C3'-C2'-C1'	5.15	105.62	101.50
25	BB	1230	A	C5-C6-N6	5.15	127.82	123.70
25	BB	1311	G	N3-C4-C5	-5.15	126.03	128.60
25	BB	1458	U	N1-C2-N3	5.15	117.99	114.90
25	BB	1677	A	O4'-C1'-N9	5.15	112.32	108.20
25	BB	2095	A	C5-C6-N6	5.15	127.82	123.70
25	BB	2434	A	C2-N3-C4	5.15	113.17	110.60
25	BB	2707	U	O4'-C1'-C2'	-5.15	100.65	105.80
25	BB	2731	G	N1-C6-O6	-5.15	116.81	119.90
2	AM	1	U	C1'-O4'-C4'	-5.15	105.78	109.90
3	A1	284	C	C6-N1-C2	-5.15	118.24	120.30
3	A1	390	U	C5-C6-N1	-5.15	120.13	122.70
3	A1	729	A	P-O3'-C3'	5.15	125.88	119.70
3	A1	1419	G	N9-C4-C5	-5.15	103.34	105.40
25	BB	713	G	C5-C6-N1	5.15	114.07	111.50
25	BB	982	C	N3-C4-C5	5.15	123.96	121.90
25	BB	2435	A	C1'-O4'-C4'	-5.15	105.78	109.90
25	BB	2483	C	O3'-P-O5'	-5.15	94.22	104.00
25	BB	2748	A	C5'-C4'-C3'	-5.15	107.77	116.00
3	A1	154	U	C2-N3-C4	-5.14	123.91	127.00
3	A1	395	C	P-O3'-C3'	5.14	125.87	119.70
3	A1	401	C	N3-C4-C5	5.14	123.96	121.90
3	A1	688	G	N1-C2-N2	-5.14	111.57	116.20
3	A1	1076	U	C1'-O4'-C4'	-5.14	105.78	109.90
3	A1	1157	A	C5-C6-N6	5.14	127.82	123.70
3	A1	1199	U	C4-C5-C6	5.14	122.79	119.70
3	A1	1471	U	N1-C2-O2	5.14	126.40	122.80
24	BA	22	U	C5-C6-N1	-5.14	120.13	122.70
24	BA	27	C	N3-C4-N4	-5.14	114.40	118.00
25	BB	6	A	C6-N1-C2	-5.14	115.51	118.60
25	BB	46	G	P-O3'-C3'	5.14	125.87	119.70
25	BB	286	U	N1-C2-N3	5.14	117.99	114.90
25	BB	309	A	N1-C6-N6	-5.14	115.51	118.60
25	BB	433	C	N1-C2-N3	5.14	122.80	119.20
25	BB	1000	A	C4-C5-C6	-5.14	114.43	117.00
25	BB	1015	U	C1'-O4'-C4'	-5.14	105.78	109.90
25	BB	1031	G	C8-N9-C4	-5.14	104.34	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1115	G	C6-C5-N7	5.14	133.49	130.40
25	BB	1179	G	C4'-C3'-C2'	-5.14	97.45	102.60
25	BB	1206	G	C4-C5-N7	-5.14	108.74	110.80
25	BB	1283	G	C2-N3-C4	5.14	114.47	111.90
25	BB	1348	C	N1-C2-N3	5.14	122.80	119.20
25	BB	1600	C	O3'-P-O5'	5.14	113.78	104.00
25	BB	1738	G	C8-N9-C4	-5.14	104.34	106.40
25	BB	1801	A	N9-C4-C5	5.14	107.86	105.80
25	BB	1811	G	N7-C8-N9	5.14	115.67	113.10
25	BB	1857	G	C4-C5-C6	-5.14	115.71	118.80
25	BB	2049	G	C5-N7-C8	-5.14	101.73	104.30
25	BB	2078	C	C5'-C4'-O4'	5.14	115.27	109.10
25	BB	2236	U	O4'-C1'-N1	5.14	112.31	108.20
25	BB	2378	A	C6-C5-N7	5.14	135.90	132.30
25	BB	2464	G	C5'-C4'-C3'	-5.14	107.77	116.00
25	BB	2664	G	N3-C4-C5	-5.14	126.03	128.60
53	B4	50	ARG	NH1-CZ-NH2	-5.14	113.74	119.40
1	AE	45	G	O4'-C1'-C2'	-5.14	100.66	105.80
3	A1	229	U	C2-N3-C4	-5.14	123.92	127.00
3	A1	1130	A	C4'-C3'-C2'	5.14	107.74	102.60
3	A1	1433	A	C6-C5-N7	5.14	135.90	132.30
25	BB	358	U	C5'-C4'-O4'	5.14	115.27	109.10
25	BB	436	C	N1-C2-O2	5.14	121.98	118.90
25	BB	553	G	C5'-C4'-O4'	5.14	115.27	109.10
25	BB	819	A	C2'-C3'-O3'	5.14	121.93	113.70
25	BB	1219	U	C5'-C4'-O4'	5.14	115.27	109.10
25	BB	1623	G	C5'-C4'-C3'	-5.14	107.77	116.00
25	BB	1998	A	C5-C6-N6	5.14	127.81	123.70
25	BB	2345	G	N3-C4-N9	5.14	129.09	126.00
2	AM	18	U	O4'-C4'-C3'	-5.14	98.86	104.00
3	A1	152	A	C5-N7-C8	-5.14	101.33	103.90
3	A1	1196	A	C6-C5-N7	5.14	135.90	132.30
3	A1	1234	C	C3'-C2'-C1'	-5.14	97.39	101.50
25	BB	38	A	C5-C6-N6	5.14	127.81	123.70
25	BB	210	C	C2-N1-C1'	-5.14	113.14	118.80
25	BB	467	G	N3-C2-N2	-5.14	116.30	119.90
25	BB	1405	U	N1-C2-O2	5.14	126.40	122.80
25	BB	1470	A	C5'-C4'-O4'	5.14	115.27	109.10
25	BB	1530	G	N3-C2-N2	-5.14	116.30	119.90
25	BB	1933	G	N1-C2-N3	5.14	126.98	123.90
25	BB	1968	G	C4'-C3'-C2'	-5.14	97.46	102.60
1	AA	14	A	N1-C2-N3	-5.14	126.73	129.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1000	A	C5'-C4'-O4'	5.14	115.27	109.10
3	A1	1355	G	C8-N9-C4	-5.14	104.34	106.40
3	A1	1363	A	C6-C5-N7	5.14	135.90	132.30
3	A1	1365	G	N1-C2-N2	-5.14	111.57	116.20
3	A1	1373	G	C4'-C3'-C2'	-5.14	97.46	102.60
3	A1	1411	C	O4'-C4'-C3'	-5.14	98.86	104.00
3	A1	1471	U	C4'-C3'-C2'	-5.14	97.46	102.60
25	BB	256	A	C5'-C4'-O4'	-5.14	102.93	109.10
25	BB	366	C	C2-N3-C4	-5.14	117.33	119.90
25	BB	1545	A	C3'-C2'-C1'	5.14	105.61	101.50
25	BB	1699	G	N3-C2-N2	-5.14	116.30	119.90
25	BB	1825	U	N1-C2-N3	5.14	117.98	114.90
25	BB	2204	G	O3'-P-O5'	-5.14	94.23	104.00
25	BB	2357	G	N9-C4-C5	5.14	107.46	105.40
25	BB	2411	A	N1-C2-N3	-5.14	126.73	129.30
25	BB	2606	C	C5-C6-N1	-5.14	118.43	121.00
25	BB	2713	U	C2-N3-C4	-5.14	123.92	127.00
25	BB	2725	A	C1'-O4'-C4'	-5.14	105.79	109.90
25	BB	2731	G	N1-C2-N3	5.14	126.98	123.90
25	BB	2756	U	C4-C5-C6	5.14	122.78	119.70
37	BN	166	ARG	NE-CZ-NH2	-5.14	117.73	120.30
3	A1	132	C	N1-C2-O2	5.14	121.98	118.90
3	A1	481	G	C5-C6-N1	5.14	114.07	111.50
3	A1	753	A	C5'-C4'-C3'	5.14	124.22	116.00
3	A1	866	C	C2-N1-C1'	5.14	124.45	118.80
25	BB	106	C	C5-C4-N4	5.14	123.80	120.20
25	BB	340	A	C6-N1-C2	-5.14	115.52	118.60
25	BB	660	C	C2-N3-C4	-5.14	117.33	119.90
25	BB	1473	G	C2'-C3'-O3'	5.14	121.92	113.70
25	BB	2084	C	C2-N3-C4	-5.14	117.33	119.90
25	BB	2124	G	O4'-C1'-N9	5.14	112.31	108.20
25	BB	2524	G	C5'-C4'-C3'	-5.14	107.78	116.00
1	AA	16	U	C2-N3-C4	-5.14	123.92	127.00
1	AA	71	G	O4'-C4'-C3'	5.14	110.21	106.10
1	AE	15	G	C5-N7-C8	-5.14	101.73	104.30
16	AQ	32	ARG	NE-CZ-NH2	-5.14	117.73	120.30
16	AQ	40	PRO	N-CD-CG	5.14	110.91	103.20
24	BA	95	U	C2'-C3'-O3'	5.14	121.92	113.70
24	BA	106	G	O4'-C1'-N9	-5.14	104.09	108.20
25	BB	108	G	C2-N3-C4	5.14	114.47	111.90
25	BB	164	C	C5-C4-N4	-5.14	116.60	120.20
25	BB	318	C	C3'-C2'-C1'	-5.14	97.39	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	324	A	C6-C5-N7	5.14	135.90	132.30
25	BB	882	G	N1-C2-N3	5.14	126.98	123.90
25	BB	945	A	N1-C6-N6	-5.14	115.52	118.60
25	BB	1321	A	C6-C5-N7	5.14	135.90	132.30
25	BB	1488	C	C2-N3-C4	-5.14	117.33	119.90
25	BB	1706	C	C5-C6-N1	-5.14	118.43	121.00
25	BB	2845	U	C5'-C4'-C3'	-5.14	107.78	116.00
2	AM	12	U	C4'-C3'-O3'	5.13	123.27	113.00
3	A1	9	G	C3'-C2'-C1'	-5.13	97.39	101.50
3	A1	274	A	N9-C4-C5	5.13	107.85	105.80
3	A1	408	A	C6-C5-N7	5.13	135.90	132.30
3	A1	757	U	C5'-C4'-O4'	5.13	115.26	109.10
3	A1	876	C	C5'-C4'-C3'	-5.13	107.79	116.00
3	A1	881	G	C2-N3-C4	5.13	114.47	111.90
3	A1	959	A	C4'-C3'-C2'	-5.13	97.47	102.60
3	A1	1198	G	C5-C6-N1	5.13	114.07	111.50
3	A1	1352	C	C2-N3-C4	-5.13	117.33	119.90
3	A1	1440	U	O4'-C4'-C3'	5.13	110.21	106.10
25	BB	186	G	N1-C6-O6	-5.13	116.82	119.90
25	BB	338	G	N1-C6-O6	-5.13	116.82	119.90
25	BB	501	A	C6-C5-N7	5.13	135.89	132.30
25	BB	897	C	C3'-C2'-C1'	5.13	105.61	101.50
25	BB	1092	C	C5'-C4'-O4'	5.13	115.26	109.10
25	BB	1248	G	C1'-O4'-C4'	-5.13	105.79	109.90
25	BB	1620	G	N1-C2-N3	5.13	126.98	123.90
25	BB	1775	U	C4'-C3'-C2'	5.13	107.73	102.60
25	BB	2142	A	N3-C4-C5	-5.13	123.21	126.80
25	BB	2542	A	O4'-C4'-C3'	5.13	110.21	106.10
32	BI	100	ARG	CD-NE-CZ	5.13	130.79	123.60
34	BK	46	GLU	OE1-CD-OE2	-5.13	117.14	123.30
48	BY	59	ARG	CA-CB-CG	5.13	124.70	113.40
3	A1	177	G	O4'-C4'-C3'	-5.13	98.87	104.00
3	A1	1397	C	C5-C4-N4	-5.13	116.61	120.20
25	BB	53	A	C2-N3-C4	5.13	113.17	110.60
25	BB	507	A	C4-C5-N7	-5.13	108.13	110.70
25	BB	561	G	N9-C1'-C2'	-5.13	106.35	112.00
25	BB	1392	A	N9-C4-C5	5.13	107.85	105.80
25	BB	1859	U	O3'-P-O5'	-5.13	94.25	104.00
25	BB	1885	A	C5'-C4'-O4'	5.13	115.26	109.10
52	B3	148	ARG	NE-CZ-NH2	-5.13	117.73	120.30
3	A1	5	U	C5-C6-N1	-5.13	120.14	122.70
3	A1	27	G	C3'-C2'-C1'	5.13	105.61	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	41	G	N3-C4-N9	5.13	129.08	126.00
3	A1	189	A	C4'-C3'-C2'	-5.13	97.47	102.60
3	A1	735	C	N3-C4-N4	-5.13	114.41	118.00
3	A1	792	A	O4'-C1'-N9	5.13	112.31	108.20
3	A1	932	C	N3-C4-N4	-5.13	114.41	118.00
3	A1	963	G	N1-C2-N2	-5.13	111.58	116.20
3	A1	1268	G	O4'-C1'-N9	5.13	112.31	108.20
8	AG	9	GLU	OE1-CD-OE2	-5.13	117.14	123.30
25	BB	33	C	C4-C5-C6	-5.13	114.83	117.40
25	BB	53	A	C6-N1-C2	-5.13	115.52	118.60
25	BB	168	G	N9-C4-C5	5.13	107.45	105.40
25	BB	645	C	O5'-P-OP2	-5.13	101.08	105.70
25	BB	663	G	C5'-C4'-O4'	5.13	115.26	109.10
25	BB	785	G	N1-C6-O6	-5.13	116.82	119.90
25	BB	1064	C	C6-N1-C2	-5.13	118.25	120.30
25	BB	1433	A	C6-C5-N7	5.13	135.89	132.30
25	BB	1578	U	N1-C2-N3	5.13	117.98	114.90
25	BB	1985	C	C3'-C2'-C1'	5.13	105.61	101.50
25	BB	2047	C	C5-C6-N1	-5.13	118.43	121.00
25	BB	2323	G	C6-N1-C2	-5.13	122.02	125.10
25	BB	2454	G	C5-C6-O6	5.13	131.68	128.60
3	A1	986	U	C2-N3-C4	-5.13	123.92	127.00
3	A1	1256	A	O3'-P-O5'	-5.13	94.25	104.00
3	A1	1302	C	P-O3'-C3'	5.13	125.86	119.70
3	A1	1328	C	C5'-C4'-C3'	-5.13	107.79	116.00
3	A1	1510	C	C5'-C4'-O4'	5.13	115.25	109.10
15	AO	21	TRP	NE1-CE2-CZ2	5.13	136.04	130.40
25	BB	151	C	C2'-C3'-O3'	5.13	121.91	113.70
25	BB	954	G	N7-C8-N9	5.13	115.67	113.10
25	BB	1777	U	N3-C2-O2	-5.13	118.61	122.20
1	AE	16	U	C6-N1-C2	-5.13	117.92	121.00
3	A1	74	A	C5-C6-N6	5.13	127.80	123.70
3	A1	222	C	C5'-C4'-O4'	5.13	115.25	109.10
3	A1	1037	C	C2'-C3'-O3'	5.13	121.91	113.70
3	A1	1067	A	C5-C6-N6	5.13	127.80	123.70
3	A1	1195	C	C5-C6-N1	-5.13	118.44	121.00
3	A1	1234	C	C6-N1-C2	-5.13	118.25	120.30
25	BB	208	C	C2-N3-C4	-5.13	117.33	119.90
25	BB	351	C	N1-C2-O2	5.13	121.98	118.90
25	BB	584	C	C4'-C3'-C2'	-5.13	97.47	102.60
25	BB	585	G	N3-C4-N9	5.13	129.08	126.00
25	BB	1266	G	C5-C6-N1	5.13	114.06	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1290	C	C3'-C2'-C1'	5.13	105.60	101.50
25	BB	1667	G	C4-C5-C6	-5.13	115.72	118.80
25	BB	2073	C	C5-C4-N4	-5.13	116.61	120.20
25	BB	2226	C	N1-C2-N3	5.13	122.79	119.20
25	BB	2298	A	C5-N7-C8	-5.13	101.34	103.90
25	BB	2741	A	C5-N7-C8	-5.13	101.34	103.90
25	BB	2761	A	C5-N7-C8	-5.13	101.34	103.90
42	BS	59	ARG	NH1-CZ-NH2	-5.13	113.76	119.40
1	AE	45	G	C5-C6-N1	5.13	114.06	111.50
3	A1	704	A	C2-N3-C4	5.13	113.16	110.60
25	BB	425	G	C3'-C2'-C1'	5.13	105.60	101.50
25	BB	1384	A	O4'-C1'-N9	5.13	112.30	108.20
25	BB	1425	G	N3-C4-N9	5.13	129.08	126.00
25	BB	1489	C	C1'-O4'-C4'	5.13	114.00	109.90
25	BB	1646	C	C5-C6-N1	-5.13	118.44	121.00
25	BB	1720	U	N3-C2-O2	-5.13	118.61	122.20
25	BB	2712	C	C5'-C4'-C3'	-5.13	107.80	116.00
25	BB	2811	G	N3-C4-C5	-5.13	126.04	128.60
28	BE	73	ILE	CA-CB-CG1	5.13	120.74	111.00
28	BE	82	LEU	O-C-N	-5.13	114.50	122.70
34	BK	55	ASP	CB-CG-OD2	-5.13	113.69	118.30
3	A1	136	C	N1-C2-O2	5.12	121.97	118.90
3	A1	1100	C	N3-C2-O2	-5.12	118.31	121.90
25	BB	226	A	N9-C4-C5	-5.12	103.75	105.80
25	BB	1280	G	C6-C5-N7	5.12	133.47	130.40
25	BB	1603	A	C4'-C3'-C2'	-5.12	97.47	102.60
25	BB	1938	A	P-O3'-C3'	5.12	125.85	119.70
25	BB	2388	A	C3'-C2'-C1'	5.12	105.60	101.50
25	BB	2620	C	P-O3'-C3'	5.12	125.85	119.70
1	AA	53	G	C5'-C4'-O4'	5.12	115.25	109.10
1	AE	36	A	C6-N1-C2	-5.12	115.53	118.60
3	A1	97	G	N3-C4-C5	-5.12	126.04	128.60
3	A1	157	U	O4'-C4'-C3'	5.12	110.20	106.10
3	A1	315	A	C5'-C4'-C3'	-5.12	107.80	116.00
3	A1	1201	A	C3'-C2'-C1'	-5.12	97.40	101.50
3	A1	1224	U	N1-C2-O2	5.12	126.39	122.80
3	A1	1301	U	C4-C5-C6	5.12	122.78	119.70
3	A1	1304	G	C5-N7-C8	-5.12	101.74	104.30
3	A1	1454	G	C2-N3-C4	-5.12	109.34	111.90
24	BA	13	G	N1-C2-N3	5.12	126.97	123.90
24	BA	101	A	C5-N7-C8	-5.12	101.34	103.90
25	BB	8	C	N3-C2-O2	-5.12	118.31	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	10	A	C8-N9-C4	5.12	107.85	105.80
25	BB	616	A	C6-C5-N7	5.12	135.89	132.30
25	BB	913	U	C5-C6-N1	-5.12	120.14	122.70
25	BB	1215	G	C2-N3-C4	5.12	114.46	111.90
25	BB	1608	A	C2'-C3'-O3'	5.12	121.90	113.70
25	BB	1804	C	O3'-P-O5'	5.12	113.74	104.00
25	BB	1965	C	N3-C4-C5	5.12	123.95	121.90
25	BB	2115	G	C5-C6-O6	5.12	131.67	128.60
25	BB	2865	U	C2-N3-C4	-5.12	123.93	127.00
29	BF	10	ARG	C-N-CA	5.12	134.51	121.70
50	B1	196	VAL	CG1-CB-CG2	-5.12	102.70	110.90
2	AM	14	U	C4'-C3'-O3'	5.12	123.25	113.00
3	A1	83	C	O4'-C1'-C2'	-5.12	100.68	105.80
3	A1	270	A	C4-C5-C6	-5.12	114.44	117.00
3	A1	425	G	C5'-C4'-C3'	5.12	124.19	116.00
3	A1	558	G	N9-C4-C5	5.12	107.45	105.40
3	A1	787	A	C2-N3-C4	5.12	113.16	110.60
3	A1	924	C	P-O3'-C3'	5.12	125.84	119.70
3	A1	1313	U	C6-N1-C2	-5.12	117.93	121.00
3	A1	1420	U	C1'-O4'-C4'	-5.12	105.80	109.90
25	BB	366	C	N1-C2-O2	5.12	121.97	118.90
25	BB	416	U	N1-C2-O2	5.12	126.39	122.80
25	BB	465	G	C1'-O4'-C4'	-5.12	105.80	109.90
25	BB	512	G	C4-C5-N7	-5.12	108.75	110.80
25	BB	625	G	N7-C8-N9	5.12	115.66	113.10
25	BB	1205	A	C4-C5-N7	5.12	113.26	110.70
25	BB	1228	G	C4-C5-C6	-5.12	115.73	118.80
25	BB	1517	G	C5-C6-N1	5.12	114.06	111.50
25	BB	2120	G	N1-C2-N2	5.12	120.81	116.20
25	BB	2159	G	N1-C6-O6	-5.12	116.83	119.90
25	BB	2317	A	C5'-C4'-O4'	-5.12	102.95	109.10
25	BB	2728	U	N1-C2-O2	5.12	126.39	122.80
25	BB	2845	U	N1-C2-O2	5.12	126.39	122.80
3	A1	539	A	C3'-C2'-C1'	-5.12	97.40	101.50
3	A1	573	A	N9-C1'-C2'	5.12	120.66	114.00
3	A1	883	C	C3'-C2'-C1'	5.12	105.60	101.50
3	A1	1505	G	O3'-P-O5'	5.12	113.73	104.00
25	BB	504	A	C5-C6-N6	5.12	127.80	123.70
25	BB	1368	G	C6-C5-N7	5.12	133.47	130.40
25	BB	1417	C	C2-N3-C4	-5.12	117.34	119.90
25	BB	1421	G	N1-C2-N2	-5.12	111.59	116.20
25	BB	1626	A	O5'-P-OP2	-5.12	101.09	105.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	66	A	N7-C8-N9	5.12	116.36	113.80
1	AP	21	A	O4'-C1'-N9	-5.12	104.11	108.20
1	AP	72	C	C5'-C4'-O4'	5.12	115.24	109.10
3	A1	200	G	N9-C4-C5	5.12	107.45	105.40
3	A1	824	G	N7-C8-N9	5.12	115.66	113.10
3	A1	849	G	N7-C8-N9	5.12	115.66	113.10
3	A1	1178	G	N3-C2-N2	-5.12	116.32	119.90
3	A1	1235	U	O5'-P-OP1	-5.12	101.09	105.70
3	A1	1268	G	C1'-O4'-C4'	-5.12	105.81	109.90
3	A1	1304	G	N9-C4-C5	-5.12	103.35	105.40
4	AB	21	TYR	CB-CG-CD1	-5.12	117.93	121.00
25	BB	242	G	N3-C4-N9	5.12	129.07	126.00
25	BB	358	U	C4'-C3'-C2'	-5.12	97.48	102.60
25	BB	432	A	N9-C1'-C2'	-5.12	106.37	112.00
25	BB	471	A	N1-C2-N3	-5.12	126.74	129.30
25	BB	1575	C	C5'-C4'-O4'	5.12	115.24	109.10
25	BB	1777	U	C5-C6-N1	-5.12	120.14	122.70
25	BB	1826	G	C4'-C3'-C2'	-5.12	97.48	102.60
25	BB	2420	C	C4'-C3'-C2'	-5.12	97.48	102.60
25	BB	2628	C	C2-N3-C4	-5.12	117.34	119.90
51	B2	41	GLU	OE1-CD-OE2	-5.12	117.16	123.30
3	A1	31	G	C4-C5-N7	-5.12	108.75	110.80
3	A1	284	C	O3'-P-O5'	-5.12	94.28	104.00
3	A1	881	G	C6-C5-N7	5.12	133.47	130.40
25	BB	1252	G	C6-C5-N7	5.12	133.47	130.40
25	BB	1345	C	N1-C2-O2	5.12	121.97	118.90
25	BB	1684	G	O4'-C1'-N9	5.12	112.29	108.20
25	BB	2827	C	P-O3'-C3'	5.12	125.84	119.70
1	AP	33	U	C4'-C3'-C2'	-5.12	97.48	102.60
3	A1	64	G	C4'-C3'-C2'	5.12	107.72	102.60
3	A1	289	G	N3-C4-C5	-5.12	126.04	128.60
3	A1	406	G	N3-C4-N9	5.12	129.07	126.00
3	A1	581	G	C5'-C4'-C3'	-5.12	107.81	116.00
3	A1	1334	G	C3'-C2'-C1'	5.12	105.59	101.50
25	BB	96	C	N3-C4-C5	5.12	123.95	121.90
25	BB	301	G	C6-N1-C2	-5.12	122.03	125.10
25	BB	508	A	N1-C2-N3	-5.12	126.74	129.30
25	BB	961	C	C4-C5-C6	-5.12	114.84	117.40
25	BB	1129	A	C1'-O4'-C4'	-5.12	105.81	109.90
25	BB	1761	C	N1-C1'-C2'	-5.12	106.37	112.00
25	BB	2107	G	P-O3'-C3'	5.12	125.84	119.70
25	BB	2158	A	N7-C8-N9	5.12	116.36	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2270	A	O4'-C1'-N9	5.12	112.29	108.20
25	BB	2568	U	C3'-C2'-C1'	5.12	105.59	101.50
25	BB	2747	G	N1-C2-N3	5.12	126.97	123.90
25	BB	2790	U	C2-N3-C4	-5.12	123.93	127.00
3	A1	108	G	O4'-C1'-N9	5.11	112.29	108.20
3	A1	177	G	C1'-O4'-C4'	-5.11	105.81	109.90
3	A1	887	G	N3-C4-C5	-5.11	126.04	128.60
3	A1	980	C	N3-C2-O2	-5.11	118.32	121.90
3	A1	1180	A	C6-C5-N7	5.11	135.88	132.30
3	A1	1264	U	N1-C2-N3	5.11	117.97	114.90
3	A1	1451	U	C4-C5-C6	5.11	122.77	119.70
24	BA	108	A	C3'-C2'-C1'	5.11	105.59	101.50
25	BB	9	G	N1-C2-N3	5.11	126.97	123.90
25	BB	211	C	N1-C2-N3	5.11	122.78	119.20
25	BB	883	G	C6-C5-N7	5.11	133.47	130.40
25	BB	1376	C	C1'-O4'-C4'	5.11	113.99	109.90
25	BB	1430	G	C5'-C4'-O4'	5.11	115.24	109.10
25	BB	1723	G	C5-C6-O6	5.11	131.67	128.60
25	BB	1768	C	N3-C4-N4	-5.11	114.42	118.00
25	BB	1789	A	C3'-C2'-C1'	5.11	105.59	101.50
25	BB	1861	G	C6-C5-N7	5.11	133.47	130.40
25	BB	2109	U	N1-C2-N3	5.11	117.97	114.90
25	BB	2501	C	C5-C6-N1	-5.11	118.44	121.00
33	BJ	3	VAL	CA-CB-CG1	5.11	118.57	110.90
3	A1	268	U	N3-C2-O2	-5.11	118.62	122.20
3	A1	1003	G	C4'-C3'-C2'	5.11	107.71	102.60
3	A1	1331	G	C4-C5-C6	-5.11	115.73	118.80
25	BB	219	A	C4'-C3'-C2'	5.11	107.71	102.60
25	BB	1022	G	C1'-O4'-C4'	-5.11	105.81	109.90
25	BB	1375	U	C4'-C3'-C2'	-5.11	97.49	102.60
1	AE	40	C	C5'-C4'-C3'	-5.11	107.82	116.00
3	A1	83	C	O5'-P-OP2	-5.11	101.10	105.70
3	A1	99	C	C4'-C3'-C2'	-5.11	97.49	102.60
3	A1	218	U	C5'-C4'-C3'	-5.11	107.82	116.00
3	A1	842	U	C5-C4-O4	5.11	128.97	125.90
3	A1	867	G	O4'-C1'-N9	5.11	112.29	108.20
3	A1	1336	C	C5-C6-N1	-5.11	118.44	121.00
3	A1	1452	C	O4'-C4'-C3'	5.11	110.19	106.10
3	A1	1477	U	C5-C6-N1	-5.11	120.14	122.70
24	BA	78	A	C5-C6-N6	5.11	127.79	123.70
25	BB	562	U	N3-C4-O4	5.11	122.98	119.40
25	BB	641	U	C5-C6-N1	-5.11	120.14	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	729	G	C8-N9-C4	-5.11	104.36	106.40
25	BB	775	G	C5-N7-C8	-5.11	101.75	104.30
25	BB	850	U	C4-C5-C6	5.11	122.77	119.70
25	BB	877	A	C5-C6-N6	5.11	127.79	123.70
25	BB	1049	C	O4'-C1'-N1	5.11	112.29	108.20
25	BB	1816	C	N1-C2-O2	5.11	121.97	118.90
25	BB	2363	G	C8-N9-C1'	5.11	133.64	127.00
25	BB	2793	C	C5'-C4'-C3'	-5.11	107.82	116.00
31	BH	54	VAL	C-N-CA	5.11	134.48	121.70
3	A1	1353	G	C4-C5-N7	5.11	112.84	110.80
25	BB	682	G	C6-C5-N7	5.11	133.47	130.40
25	BB	2721	A	C6-C5-N7	5.11	135.88	132.30
26	BC	23	ALA	N-CA-CB	-5.11	102.95	110.10
3	A1	111	G	N7-C8-N9	5.11	115.65	113.10
3	A1	264	C	N3-C4-C5	5.11	123.94	121.90
3	A1	298	A	C2-N3-C4	5.11	113.15	110.60
3	A1	473	U	P-O3'-C3'	5.11	125.83	119.70
3	A1	981	U	O4'-C1'-N1	5.11	112.29	108.20
3	A1	1013	G	C5'-C4'-C3'	-5.11	107.83	116.00
3	A1	1334	G	N7-C8-N9	5.11	115.65	113.10
9	AH	86	LEU	N-CA-C	5.11	124.79	111.00
25	BB	387	U	P-O3'-C3'	5.11	125.83	119.70
25	BB	759	G	N1-C2-N3	5.11	126.96	123.90
25	BB	1284	A	C5'-C4'-O4'	5.11	115.23	109.10
25	BB	2277	G	C5-C6-O6	-5.11	125.54	128.60
25	BB	2309	A	N1-C2-N3	-5.11	126.75	129.30
25	BB	2362	C	C5-C4-N4	5.11	123.78	120.20
25	BB	2445	G	O4'-C1'-N9	5.11	112.29	108.20
25	BB	2623	G	N9-C4-C5	5.11	107.44	105.40
25	BB	2658	C	N1-C2-N3	5.11	122.78	119.20
25	BB	2693	G	C4'-C3'-C2'	-5.11	97.49	102.60
37	BN	269	ARG	NE-CZ-NH2	5.11	122.85	120.30
41	BR	30	ARG	CB-CA-C	5.11	120.62	110.40
1	AE	74	C	P-O3'-C3'	5.11	125.83	119.70
3	A1	196	A	C5-C6-N6	5.11	127.78	123.70
3	A1	207	C	C5-C4-N4	-5.11	116.63	120.20
3	A1	314	C	C1'-O4'-C4'	-5.11	105.82	109.90
3	A1	344	A	C6-N1-C2	-5.11	115.54	118.60
3	A1	448	A	C5-C6-N6	5.11	127.78	123.70
3	A1	602	A	C5-C6-N1	5.11	120.25	117.70
3	A1	834	U	C5-C6-N1	-5.11	120.15	122.70
3	A1	1301	U	N1-C2-N3	5.11	117.96	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1430	A	C2-N3-C4	5.11	113.15	110.60
25	BB	59	U	N3-C2-O2	-5.11	118.63	122.20
25	BB	106	C	C5'-C4'-C3'	-5.11	107.83	116.00
25	BB	449	A	N1-C2-N3	-5.11	126.75	129.30
25	BB	1033	U	C5'-C4'-C3'	-5.11	107.83	116.00
25	BB	1179	G	C3'-C2'-C1'	5.11	105.58	101.50
25	BB	1478	G	C3'-C2'-C1'	5.11	105.58	101.50
25	BB	1681	G	C5-C6-N1	5.11	114.05	111.50
25	BB	2326	C	N1-C1'-C2'	-5.11	106.38	112.00
25	BB	2509	G	O4'-C1'-N9	5.11	112.28	108.20
1	AE	40	C	O4'-C1'-N1	5.10	112.28	108.20
25	BB	80	G	C5-C6-O6	5.10	131.66	128.60
25	BB	546	U	C5-C6-N1	-5.10	120.15	122.70
25	BB	762	U	N1-C2-N3	5.10	117.96	114.90
25	BB	1452	G	P-O3'-C3'	5.10	125.82	119.70
25	BB	1478	G	N1-C6-O6	-5.10	116.84	119.90
25	BB	1695	G	N3-C4-N9	5.10	129.06	126.00
25	BB	2546	U	C3'-C2'-C1'	5.10	105.58	101.50
25	BB	2881	U	C6-N1-C2	-5.10	117.94	121.00
36	BM	37	ASP	CB-CG-OD1	-5.10	113.71	118.30
1	AA	54	U	C5-C6-N1	-5.10	120.15	122.70
3	A1	352	C	O5'-P-OP1	5.10	116.82	110.70
3	A1	1017	U	C2-N3-C4	-5.10	123.94	127.00
3	A1	1040	U	N3-C2-O2	-5.10	118.63	122.20
3	A1	1074	G	N3-C4-C5	-5.10	126.05	128.60
3	A1	1427	C	N3-C4-C5	5.10	123.94	121.90
3	A1	1431	A	C4-C5-C6	-5.10	114.45	117.00
3	A1	1487	G	N7-C8-N9	5.10	115.65	113.10
24	BA	18	G	C5-C6-O6	-5.10	125.54	128.60
24	BA	117	G	C1'-O4'-C4'	-5.10	105.82	109.90
25	BB	82	U	N3-C4-O4	-5.10	115.83	119.40
25	BB	205	G	C4'-C3'-C2'	-5.10	97.50	102.60
25	BB	479	A	C8-N9-C4	-5.10	103.76	105.80
25	BB	968	C	N3-C4-N4	-5.10	114.43	118.00
25	BB	1120	G	N1-C2-N3	5.10	126.96	123.90
25	BB	2170	A	C5-C6-N1	5.10	120.25	117.70
25	BB	2204	G	N7-C8-N9	5.10	115.65	113.10
25	BB	2556	C	N3-C2-O2	-5.10	118.33	121.90
25	BB	2665	A	C5'-C4'-C3'	-5.10	107.84	116.00
25	BB	2722	G	N3-C4-C5	-5.10	126.05	128.60
48	BY	102	ALA	CB-CA-C	5.10	117.75	110.10
3	A1	357	G	C6-N1-C2	-5.10	122.04	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	515	A	C5'-C4'-O4'	5.10	115.22	109.10
25	BB	1261	C	O4'-C1'-N1	5.10	112.28	108.20
25	BB	2584	U	N3-C2-O2	-5.10	118.63	122.20
50	B1	117	ARG	C-N-CA	5.10	134.45	121.70
1	AE	34	G	C4'-C3'-C2'	-5.10	97.50	102.60
3	A1	94	G	N9-C4-C5	5.10	107.44	105.40
3	A1	609	A	C1'-O4'-C4'	-5.10	105.82	109.90
3	A1	902	G	N3-C4-N9	5.10	129.06	126.00
7	AF	70	ARG	NE-CZ-NH2	5.10	122.85	120.30
24	BA	72	G	C5-C6-N1	5.10	114.05	111.50
25	BB	297	G	C5'-C4'-C3'	-5.10	107.84	116.00
25	BB	444	C	N3-C2-O2	-5.10	118.33	121.90
25	BB	605	G	C8-N9-C4	-5.10	104.36	106.40
25	BB	1068	G	N3-C2-N2	-5.10	116.33	119.90
25	BB	1203	U	C2-N3-C4	-5.10	123.94	127.00
25	BB	1743	G	C4'-C3'-C2'	-5.10	97.50	102.60
25	BB	1917	U	C2-N3-C4	-5.10	123.94	127.00
25	BB	2165	C	O4'-C1'-C2'	5.10	112.19	107.60
25	BB	2447	G	N3-C4-C5	-5.10	126.05	128.60
25	BB	2748	A	C6-C5-N7	5.10	135.87	132.30
38	BO	58	VAL	C-N-CA	5.10	134.45	121.70
2	AM	17	U	C4-C5-C6	-5.10	116.64	119.70
3	A1	453	G	C6-N1-C2	-5.10	122.04	125.10
3	A1	460	A	N7-C8-N9	5.10	116.35	113.80
3	A1	491	G	N9-C1'-C2'	5.10	120.63	114.00
25	BB	935	C	C2-N3-C4	-5.10	117.35	119.90
25	BB	965	C	N1-C2-O2	5.10	121.96	118.90
25	BB	1092	C	N3-C2-O2	-5.10	118.33	121.90
25	BB	1278	C	C2-N3-C4	-5.10	117.35	119.90
25	BB	1809	A	N9-C4-C5	5.10	107.84	105.80
25	BB	2205	A	N3-C4-C5	5.10	130.37	126.80
25	BB	2513	A	O4'-C1'-C2'	-5.10	100.70	105.80
25	BB	2566	A	C3'-C2'-C1'	-5.10	97.42	101.50
1	AA	26	G	C4-C5-N7	-5.10	108.76	110.80
3	A1	381	C	C4'-C3'-C2'	-5.10	97.50	102.60
3	A1	1261	A	C6-N1-C2	-5.10	115.54	118.60
3	A1	1472	U	C2'-C3'-O3'	5.10	121.85	113.70
12	AK	42	ARG	CD-NE-CZ	5.10	130.73	123.60
25	BB	328	U	N1-C2-N3	5.10	117.96	114.90
25	BB	1657	U	C5-C4-O4	-5.10	122.84	125.90
25	BB	1690	A	C5-C6-N6	5.10	127.78	123.70
25	BB	2245	U	C4-C5-C6	5.10	122.76	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	26	A	C4'-C3'-C2'	5.09	107.69	102.60
3	A1	351	G	C5'-C4'-O4'	5.09	115.21	109.10
3	A1	824	G	C5-N7-C8	-5.09	101.75	104.30
3	A1	899	C	O4'-C1'-C2'	-5.09	100.70	105.80
3	A1	1017	U	N3-C2-O2	-5.09	118.63	122.20
3	A1	1111	A	C6-C5-N7	5.09	135.87	132.30
3	A1	1201	A	N3-C4-C5	-5.09	123.23	126.80
3	A1	1371	G	C5-C6-O6	5.09	131.66	128.60
3	A1	1533	C	C4-C5-C6	-5.09	114.85	117.40
25	BB	207	A	O3'-P-O5'	5.09	113.68	104.00
25	BB	745	G	N3-C4-C5	-5.09	126.05	128.60
25	BB	746	U	C6-N1-C2	-5.09	117.94	121.00
25	BB	875	G	N7-C8-N9	5.09	115.65	113.10
25	BB	1504	A	C5-C6-N6	5.09	127.78	123.70
25	BB	2027	G	C5-C6-N1	5.09	114.05	111.50
25	BB	2229	U	N1-C2-N3	5.09	117.96	114.90
25	BB	2272	U	O4'-C1'-N1	5.09	112.28	108.20
25	BB	2447	G	N9-C4-C5	5.09	107.44	105.40
25	BB	2641	G	C6-N1-C2	-5.09	122.04	125.10
25	BB	2776	A	C6-C5-N7	5.09	135.87	132.30
3	A1	54	C	C5-C6-N1	-5.09	118.45	121.00
25	BB	1666	G	N1-C6-O6	-5.09	116.84	119.90
50	B1	22	ASP	CB-CG-OD1	-5.09	113.72	118.30
1	AP	72	C	C4'-C3'-C2'	-5.09	97.51	102.60
1	AE	9	A	C4'-C3'-C2'	-5.09	97.51	102.60
1	AE	48	C	C2-N3-C4	-5.09	117.35	119.90
3	A1	91	U	N3-C2-O2	-5.09	118.64	122.20
3	A1	98	A	O4'-C4'-C3'	5.09	110.17	106.10
3	A1	448	A	O4'-C1'-N9	5.09	112.27	108.20
3	A1	484	G	C5'-C4'-O4'	5.09	115.21	109.10
3	A1	566	G	C6-N1-C2	-5.09	122.05	125.10
3	A1	745	G	P-O3'-C3'	5.09	125.81	119.70
3	A1	1180	A	C5'-C4'-C3'	-5.09	107.86	116.00
3	A1	1293	C	O4'-C4'-C3'	5.09	110.17	106.10
25	BB	2	G	C6-N1-C2	-5.09	122.05	125.10
25	BB	150	U	C3'-C2'-C1'	5.09	105.57	101.50
25	BB	359	G	O4'-C4'-C3'	5.09	110.17	106.10
25	BB	629	G	C6-C5-N7	5.09	133.46	130.40
25	BB	958	U	C5-C4-O4	5.09	128.96	125.90
25	BB	1182	G	N1-C2-N2	-5.09	111.62	116.20
25	BB	1205	A	C5-N7-C8	-5.09	101.36	103.90
25	BB	1269	A	C6-C5-N7	5.09	135.87	132.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1419	A	O4'-C4'-C3'	5.09	110.17	106.10
25	BB	1733	G	C4'-C3'-C2'	-5.09	97.51	102.60
25	BB	1781	U	N1-C2-O2	5.09	126.36	122.80
25	BB	1863	G	C8-N9-C4	-5.09	104.36	106.40
25	BB	1935	G	O3'-P-O5'	-5.09	94.33	104.00
25	BB	2052	A	N9-C1'-C2'	5.09	120.62	114.00
25	BB	2308	G	C2-N3-C4	5.09	114.45	111.90
25	BB	2308	G	C5-C6-N1	5.09	114.05	111.50
25	BB	2375	G	C5-C6-O6	5.09	131.65	128.60
25	BB	2634	A	C5-C6-N6	5.09	127.77	123.70
25	BB	2713	U	N3-C4-O4	-5.09	115.84	119.40
41	BR	10	ARG	NE-CZ-NH1	5.09	122.84	120.30
3	A1	681	A	C5-C6-N6	5.09	127.77	123.70
3	A1	816	A	C6-N1-C2	5.09	121.65	118.60
3	A1	1102	A	C5'-C4'-O4'	5.09	115.21	109.10
24	BA	74	U	C1'-O4'-C4'	-5.09	105.83	109.90
25	BB	273	G	N9-C1'-C2'	-5.09	106.40	112.00
25	BB	566	U	C6-N1-C2	-5.09	117.95	121.00
25	BB	1262	A	C2-N3-C4	5.09	113.14	110.60
25	BB	1363	C	C3'-C2'-C1'	5.09	105.57	101.50
25	BB	1388	G	C6-C5-N7	5.09	133.45	130.40
25	BB	1591	A	C5'-C4'-O4'	5.09	115.21	109.10
25	BB	1593	A	C8-N9-C4	5.09	107.84	105.80
25	BB	1992	G	N3-C4-N9	5.09	129.05	126.00
25	BB	2442	C	C2-N1-C1'	5.09	124.40	118.80
25	BB	2690	U	P-O3'-C3'	5.09	125.81	119.70
28	BE	110	VAL	CA-CB-CG1	5.09	118.53	110.90
1	AA	34	G	C5-C6-O6	5.09	131.65	128.60
3	A1	117	G	C5-C6-N1	5.09	114.04	111.50
3	A1	367	U	C4-C5-C6	5.09	122.75	119.70
3	A1	1198	G	N3-C4-C5	-5.09	126.06	128.60
24	BA	94	A	C4-C5-C6	-5.09	114.46	117.00
25	BB	83	A	C5'-C4'-O4'	5.09	115.20	109.10
25	BB	184	C	C5'-C4'-C3'	-5.09	107.86	116.00
25	BB	888	C	C5'-C4'-C3'	-5.09	107.86	116.00
25	BB	1030	C	P-O3'-C3'	5.09	125.81	119.70
25	BB	1708	C	N1-C2-N3	5.09	122.76	119.20
25	BB	1879	C	N3-C4-N4	-5.09	114.44	118.00
25	BB	2241	A	C6-C5-N7	5.09	135.86	132.30
25	BB	2513	A	C5-C6-N1	5.09	120.24	117.70
1	AA	19	G	C4-C5-C6	-5.09	115.75	118.80
3	A1	124	C	C4'-C3'-C2'	5.09	107.69	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	173	U	N3-C2-O2	-5.09	118.64	122.20
3	A1	177	G	C4'-C3'-C2'	-5.09	97.51	102.60
3	A1	918	A	C6-C5-N7	5.09	135.86	132.30
3	A1	919	A	C3'-C2'-C1'	5.09	105.57	101.50
3	A1	1257	A	C3'-C2'-C1'	5.09	105.57	101.50
3	A1	1316	G	C5-C6-O6	5.09	131.65	128.60
24	BA	28	C	C3'-C2'-C1'	5.09	105.57	101.50
25	BB	139	U	N1-C2-O2	5.09	126.36	122.80
25	BB	271	G	C4'-C3'-C2'	-5.09	97.51	102.60
25	BB	476	G	P-O3'-C3'	5.09	125.80	119.70
25	BB	501	A	C6-N1-C2	-5.09	115.55	118.60
25	BB	664	G	C4-C5-C6	-5.09	115.75	118.80
25	BB	673	C	O4'-C1'-N1	5.09	112.27	108.20
25	BB	718	A	C5-N7-C8	-5.09	101.36	103.90
25	BB	917	A	C6-N1-C2	-5.09	115.55	118.60
25	BB	1061	U	C1'-O4'-C4'	-5.09	105.83	109.90
25	BB	1074	G	C5-C6-O6	5.09	131.65	128.60
25	BB	1090	A	O4'-C1'-N9	5.09	112.27	108.20
25	BB	1215	G	C5'-C4'-C3'	-5.09	107.86	116.00
25	BB	1277	G	C1'-O4'-C4'	-5.09	105.83	109.90
25	BB	1545	A	C5-N7-C8	-5.09	101.36	103.90
25	BB	1831	G	C5-N7-C8	-5.09	101.76	104.30
25	BB	1861	G	C5'-C4'-O4'	5.09	115.20	109.10
25	BB	2267	A	O4'-C1'-N9	-5.09	104.13	108.20
25	BB	2280	G	C6-C5-N7	5.09	133.45	130.40
25	BB	2616	C	N3-C4-N4	-5.09	114.44	118.00
25	BB	2881	U	P-O3'-C3'	5.09	125.80	119.70
37	BN	174	ARG	NE-CZ-NH2	-5.09	117.76	120.30
1	AE	59	U	C5-C6-N1	-5.08	120.16	122.70
24	BA	69	G	C5-C6-O6	5.08	131.65	128.60
25	BB	938	G	N9-C4-C5	5.08	107.43	105.40
25	BB	1277	G	N3-C4-C5	-5.08	126.06	128.60
25	BB	2196	C	C5'-C4'-C3'	-5.08	107.86	116.00
25	BB	2378	A	C5-N7-C8	5.08	106.44	103.90
25	BB	2610	C	C3'-C2'-C1'	5.08	105.57	101.50
3	A1	87	C	C1'-O4'-C4'	-5.08	105.83	109.90
3	A1	704	A	P-O3'-C3'	5.08	125.80	119.70
3	A1	714	G	C6-N1-C2	-5.08	122.05	125.10
3	A1	1069	C	N3-C4-C5	5.08	123.93	121.90
3	A1	1238	A	O4'-C1'-C2'	-5.08	100.72	105.80
3	A1	1332	A	C1'-O4'-C4'	-5.08	105.83	109.90
3	A1	1449	C	C5'-C4'-O4'	5.08	115.20	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	764	A	C1'-O4'-C4'	-5.08	105.83	109.90
25	BB	971	G	O3'-P-O5'	-5.08	94.34	104.00
25	BB	1446	C	N3-C4-N4	-5.08	114.44	118.00
25	BB	1535	A	N7-C8-N9	5.08	116.34	113.80
25	BB	1550	C	O4'-C1'-N1	5.08	112.27	108.20
25	BB	1617	C	O4'-C1'-N1	5.08	112.27	108.20
1	AP	35	A	C4'-C3'-C2'	-5.08	97.52	102.60
3	A1	64	G	C5'-C4'-C3'	-5.08	107.87	116.00
3	A1	160	A	OP1-P-OP2	-5.08	111.98	119.60
3	A1	201	G	C2-N3-C4	5.08	114.44	111.90
3	A1	460	A	C6-C5-N7	5.08	135.86	132.30
3	A1	546	A	C5-C6-N1	5.08	120.24	117.70
3	A1	706	A	N1-C2-N3	-5.08	126.76	129.30
3	A1	1249	C	C4'-C3'-C2'	5.08	107.68	102.60
3	A1	1477	U	C5'-C4'-C3'	-5.08	107.87	116.00
15	AO	180	ASP	CB-CG-OD1	-5.08	113.73	118.30
25	BB	159	G	C8-N9-C4	-5.08	104.37	106.40
25	BB	175	G	C6-C5-N7	5.08	133.45	130.40
25	BB	205	G	P-O3'-C3'	5.08	125.80	119.70
25	BB	215	G	C6-N1-C2	-5.08	122.05	125.10
25	BB	622	G	N7-C8-N9	5.08	115.64	113.10
25	BB	1316	U	N3-C2-O2	-5.08	118.64	122.20
25	BB	1551	A	C6-C5-N7	5.08	135.86	132.30
25	BB	1861	G	N1-C2-N3	5.08	126.95	123.90
25	BB	2144	G	O4'-C4'-C3'	5.08	110.17	106.10
25	BB	2386	A	C1'-O4'-C4'	-5.08	105.83	109.90
25	BB	2467	C	O4'-C1'-N1	5.08	112.27	108.20
25	BB	2621	G	C5-C6-O6	5.08	131.65	128.60
25	BB	2660	A	C3'-C2'-C1'	5.08	105.57	101.50
32	BI	93	LYS	C-N-CA	5.08	134.41	121.70
1	AP	12	U	C1'-O4'-C4'	-5.08	105.84	109.90
1	AP	36	A	C5'-C4'-C3'	5.08	124.13	116.00
3	A1	110	C	N1-C2-N3	5.08	122.76	119.20
3	A1	722	G	C4'-C3'-C2'	-5.08	97.52	102.60
3	A1	1083	U	N1-C2-N3	5.08	117.95	114.90
3	A1	1219	A	C6-N1-C2	-5.08	115.55	118.60
3	A1	1234	C	O4'-C1'-C2'	5.08	112.17	107.60
3	A1	1385	G	P-O3'-C3'	5.08	125.80	119.70
3	A1	1400	C	O4'-C1'-C2'	-5.08	100.72	105.80
3	A1	1491	G	O5'-P-OP1	5.08	116.80	110.70
15	AO	60	ALA	N-CA-CB	-5.08	102.99	110.10
25	BB	252	G	C6-C5-N7	5.08	133.45	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	404	A	C5-C6-N1	5.08	120.24	117.70
25	BB	1018	U	P-O3'-C3'	5.08	125.80	119.70
25	BB	1080	A	N7-C8-N9	5.08	116.34	113.80
25	BB	1286	A	O4'-C1'-N9	5.08	112.26	108.20
25	BB	1613	G	C4-C5-N7	-5.08	108.77	110.80
25	BB	1736	U	C5'-C4'-O4'	5.08	115.20	109.10
25	BB	2311	A	O4'-C1'-C2'	5.08	112.17	107.60
47	BX	4	ARG	NH1-CZ-NH2	-5.08	113.81	119.40
49	BZ	123	ILE	CA-CB-CG1	5.08	120.65	111.00
1	AP	68	U	C5-C4-O4	-5.08	122.85	125.90
3	A1	277	C	C5'-C4'-O4'	5.08	115.19	109.10
3	A1	298	A	C6-C5-N7	5.08	135.85	132.30
3	A1	911	U	N1-C2-N3	5.08	117.95	114.90
3	A1	1176	A	O4'-C1'-N9	5.08	112.26	108.20
3	A1	1410	A	N9-C1'-C2'	-5.08	106.41	112.00
3	A1	1517	G	C4-C5-N7	-5.08	108.77	110.80
25	BB	75	G	C2'-C3'-O3'	5.08	121.83	113.70
25	BB	393	C	C6-N1-C2	-5.08	118.27	120.30
25	BB	1089	A	C6-C5-N7	5.08	135.85	132.30
25	BB	1301	A	C6-C5-N7	5.08	135.85	132.30
25	BB	1876	A	C3'-C2'-C1'	-5.08	97.44	101.50
25	BB	1923	U	C5-C6-N1	-5.08	120.16	122.70
25	BB	1984	G	N1-C2-N2	-5.08	111.63	116.20
25	BB	2057	G	C6-C5-N7	5.08	133.45	130.40
25	BB	2309	A	C1'-O4'-C4'	-5.08	105.84	109.90
25	BB	2652	C	N1-C2-O2	5.08	121.95	118.90
25	BB	2708	G	C5'-C4'-O4'	5.08	115.19	109.10
25	BB	2753	A	O5'-P-OP2	5.08	116.80	110.70
25	BB	2859	G	N1-C2-N3	5.08	126.95	123.90
49	BZ	122	ARG	NH1-CZ-NH2	-5.08	113.81	119.40
1	AE	18	G	C6-C5-N7	5.08	133.45	130.40
3	A1	137	U	C4-C5-C6	5.08	122.75	119.70
3	A1	594	U	C5-C6-N1	-5.08	120.16	122.70
3	A1	1412	C	N1-C2-O2	5.08	121.95	118.90
25	BB	889	C	C6-N1-C2	-5.08	118.27	120.30
25	BB	1870	C	O5'-C5'-C4'	5.08	121.35	111.70
1	AE	2	C	C5'-C4'-O4'	5.08	115.19	109.10
3	A1	163	C	C4-C5-C6	5.08	119.94	117.40
3	A1	187	G	C4'-C3'-C2'	-5.08	97.53	102.60
3	A1	245	U	O4'-C1'-C2'	5.08	112.17	107.60
3	A1	1156	G	N7-C8-N9	5.08	115.64	113.10
3	A1	1306	A	C4-C5-C6	-5.08	114.46	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1488	G	C5-C6-N1	5.08	114.04	111.50
25	BB	114	U	C4-C5-C6	5.08	122.75	119.70
25	BB	210	C	C6-N1-C2	-5.08	118.27	120.30
25	BB	326	G	N1-C2-N3	5.08	126.95	123.90
25	BB	541	A	C6-N1-C2	-5.08	115.56	118.60
25	BB	983	A	C5'-C4'-C3'	-5.08	107.88	116.00
25	BB	1434	A	C6-C5-N7	5.08	135.85	132.30
25	BB	1498	C	C5-C4-N4	-5.08	116.65	120.20
25	BB	1522	A	P-O3'-C3'	5.08	125.79	119.70
25	BB	1539	U	O5'-P-OP1	-5.08	101.13	105.70
25	BB	1601	G	C5'-C4'-O4'	5.08	115.19	109.10
25	BB	1669	A	C5-N7-C8	-5.08	101.36	103.90
25	BB	1735	A	C6-N1-C2	-5.08	115.55	118.60
25	BB	1980	G	N9-C4-C5	5.08	107.43	105.40
25	BB	2125	G	N3-C4-N9	5.08	129.04	126.00
25	BB	2654	A	C2-N3-C4	5.08	113.14	110.60
37	BN	206	LYS	O-C-N	-5.08	114.58	122.70
3	A1	24	U	N3-C2-O2	-5.07	118.65	122.20
3	A1	173	U	N1-C2-O2	5.07	126.35	122.80
3	A1	187	G	C4-C5-N7	-5.07	108.77	110.80
3	A1	203	G	N1-C6-O6	-5.07	116.86	119.90
3	A1	456	A	C3'-C2'-C1'	5.07	105.56	101.50
3	A1	600	A	C6-C5-N7	5.07	135.85	132.30
3	A1	603	U	C4'-C3'-C2'	-5.07	97.53	102.60
3	A1	710	G	N9-C1'-C2'	-5.07	106.42	112.00
3	A1	737	C	N1-C2-N3	5.07	122.75	119.20
3	A1	859	G	C8-N9-C4	-5.07	104.37	106.40
3	A1	1205	U	C4-C5-C6	5.07	122.75	119.70
3	A1	1224	U	O3'-P-O5'	-5.07	94.36	104.00
3	A1	1351	U	P-O3'-C3'	5.07	125.79	119.70
3	A1	1364	U	N3-C2-O2	-5.07	118.65	122.20
3	A1	1421	G	C2-N3-C4	5.07	114.44	111.90
3	A1	1509	C	C5-C4-N4	5.07	123.75	120.20
24	BA	99	A	C2'-C3'-O3'	5.07	121.82	113.70
25	BB	766	U	P-O3'-C3'	5.07	125.79	119.70
25	BB	1208	C	C5'-C4'-O4'	5.07	115.19	109.10
25	BB	1402	U	O4'-C1'-N1	-5.07	104.14	108.20
25	BB	1665	A	N9-C4-C5	5.07	107.83	105.80
25	BB	1882	U	O4'-C1'-N1	5.07	112.26	108.20
25	BB	1897	G	C5'-C4'-O4'	5.07	115.19	109.10
25	BB	1968	G	N3-C4-N9	5.07	129.04	126.00
25	BB	2080	A	C3'-C2'-C1'	-5.07	97.44	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2596	U	O4'-C1'-N1	5.07	112.26	108.20
25	BB	2883	A	C8-N9-C4	-5.07	103.77	105.80
3	A1	771	G	C4-C5-C6	-5.07	115.76	118.80
3	A1	1443	C	N3-C4-C5	5.07	123.93	121.90
25	BB	39	G	C5-C6-N1	5.07	114.04	111.50
25	BB	1227	G	P-O5'-C5'	5.07	129.02	120.90
25	BB	1402	U	C4'-C3'-C2'	-5.07	97.53	102.60
25	BB	2230	G	O4'-C4'-C3'	5.07	110.16	106.10
25	BB	2300	C	N3-C2-O2	-5.07	118.35	121.90
25	BB	2625	G	N1-C6-O6	-5.07	116.86	119.90
1	AE	5	A	N9-C4-C5	5.07	107.83	105.80
1	AE	20	G	O4'-C4'-C3'	5.07	110.16	106.10
3	A1	130	A	C1'-O4'-C4'	-5.07	105.84	109.90
3	A1	247	G	C8-N9-C1'	5.07	133.59	127.00
3	A1	403	C	C3'-C2'-C1'	5.07	105.56	101.50
3	A1	868	C	C5-C4-N4	-5.07	116.65	120.20
3	A1	901	A	C5'-C4'-O4'	5.07	115.19	109.10
25	BB	217	A	C5'-C4'-C3'	-5.07	107.89	116.00
25	BB	669	G	C8-N9-C4	-5.07	104.37	106.40
25	BB	760	G	C4-C5-N7	-5.07	108.77	110.80
25	BB	979	A	N1-C2-N3	-5.07	126.77	129.30
25	BB	998	C	C3'-C2'-C1'	5.07	105.56	101.50
25	BB	1079	C	O4'-C1'-N1	-5.07	104.14	108.20
25	BB	1209	U	C1'-O4'-C4'	-5.07	105.84	109.90
25	BB	1600	C	C1'-O4'-C4'	-5.07	105.84	109.90
25	BB	1731	G	N3-C4-C5	-5.07	126.06	128.60
25	BB	1899	A	N9-C4-C5	5.07	107.83	105.80
25	BB	2148	G	N3-C4-C5	-5.07	126.06	128.60
25	BB	2606	C	C4'-C3'-C2'	-5.07	97.53	102.60
25	BB	2739	U	N3-C2-O2	-5.07	118.65	122.20
3	A1	639	G	C5'-C4'-C3'	-5.07	107.89	116.00
3	A1	702	A	O4'-C4'-C3'	5.07	110.16	106.10
3	A1	1218	C	C5-C4-N4	5.07	123.75	120.20
3	A1	1518	A	C5'-C4'-C3'	-5.07	107.89	116.00
25	BB	3	U	O5'-C5'-C4'	-5.07	102.07	111.70
25	BB	328	U	O4'-C1'-N1	5.07	112.26	108.20
25	BB	341	C	C2'-C3'-O3'	5.07	121.81	113.70
25	BB	907	G	N3-C4-N9	5.07	129.04	126.00
25	BB	990	A	C5-N7-C8	-5.07	101.36	103.90
25	BB	2188	U	C6-N1-C2	-5.07	117.96	121.00
25	BB	2285	C	C3'-C2'-C1'	-5.07	97.44	101.50
25	BB	2523	G	N3-C4-N9	5.07	129.04	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	117	G	C4-C5-N7	-5.07	108.77	110.80
3	A1	160	A	N7-C8-N9	5.07	116.33	113.80
3	A1	456	A	C6-C5-N7	5.07	135.85	132.30
3	A1	508	U	N1-C2-N3	5.07	117.94	114.90
3	A1	590	U	OP2-P-O3'	5.07	116.35	105.20
3	A1	609	A	C4'-C3'-C2'	-5.07	97.53	102.60
3	A1	644	U	O4'-C1'-N1	5.07	112.25	108.20
3	A1	728	A	C6-C5-N7	5.07	135.85	132.30
3	A1	838	G	C2-N3-C4	5.07	114.43	111.90
3	A1	887	G	C5'-C4'-O4'	5.07	115.18	109.10
3	A1	1262	C	P-O3'-C3'	5.07	125.78	119.70
3	A1	1388	C	C1'-O4'-C4'	-5.07	105.85	109.90
3	A1	1475	G	N1-C6-O6	-5.07	116.86	119.90
25	BB	78	U	C4'-C3'-C2'	-5.07	97.53	102.60
25	BB	225	C	C5-C6-N1	-5.07	118.47	121.00
25	BB	233	A	O4'-C1'-N9	5.07	112.25	108.20
25	BB	907	G	C5-C6-N1	5.07	114.03	111.50
25	BB	944	C	C5-C6-N1	-5.07	118.47	121.00
25	BB	1135	C	C6-N1-C2	-5.07	118.27	120.30
25	BB	1283	G	C4-C5-C6	-5.07	115.76	118.80
25	BB	1621	U	N1-C2-O2	5.07	126.35	122.80
25	BB	2094	A	C6-C5-N7	5.07	135.85	132.30
25	BB	2230	G	C4'-C3'-C2'	-5.07	97.53	102.60
25	BB	2332	C	N1-C2-N3	5.07	122.75	119.20
25	BB	2399	G	N3-C4-C5	-5.07	126.07	128.60
25	BB	2867	G	O4'-C1'-C2'	-5.07	100.73	105.80
1	AP	15	G	O4'-C1'-N9	5.07	112.25	108.20
3	A1	456	A	C6-N1-C2	-5.07	115.56	118.60
3	A1	517	G	C6-C5-N7	-5.07	127.36	130.40
3	A1	567	G	N7-C8-N9	5.07	115.63	113.10
3	A1	895	G	C5'-C4'-C3'	-5.07	107.90	116.00
3	A1	1499	A	C5-C6-N6	5.07	127.75	123.70
24	BA	10	G	N7-C8-N9	5.07	115.63	113.10
25	BB	72	U	N1-C2-N3	5.07	117.94	114.90
25	BB	86	G	C4'-C3'-C2'	-5.07	97.53	102.60
25	BB	117	G	N1-C6-O6	-5.07	116.86	119.90
25	BB	237	C	C5-C4-N4	5.07	123.75	120.20
25	BB	277	G	C4-C5-C6	-5.07	115.76	118.80
25	BB	361	G	N3-C4-N9	5.07	129.04	126.00
25	BB	402	A	C2-N3-C4	5.07	113.13	110.60
25	BB	478	A	C5'-C4'-C3'	-5.07	107.89	116.00
25	BB	1076	C	N1-C2-O2	5.07	121.94	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1245	G	N9-C4-C5	5.07	107.43	105.40
25	BB	1429	G	C5-C6-O6	5.07	131.64	128.60
25	BB	1491	G	C5'-C4'-O4'	5.07	115.18	109.10
25	BB	1507	C	C4'-C3'-O3'	5.07	123.13	113.00
25	BB	1874	C	O3'-P-O5'	5.07	113.62	104.00
25	BB	2075	U	P-O3'-C3'	5.07	125.78	119.70
25	BB	2104	C	N1-C2-O2	5.07	121.94	118.90
25	BB	2363	G	C5-C6-N1	5.07	114.03	111.50
25	BB	2455	G	N3-C4-C5	-5.07	126.07	128.60
25	BB	2489	U	C5-C6-N1	-5.07	120.17	122.70
25	BB	2839	G	N3-C2-N2	-5.07	116.35	119.90
25	BB	2895	G	C4'-C3'-C2'	-5.07	97.53	102.60
3	A1	148	G	N1-C2-N3	5.06	126.94	123.90
3	A1	863	U	C5-C6-N1	-5.06	120.17	122.70
3	A1	1037	C	C5'-C4'-C3'	-5.06	107.90	116.00
25	BB	496	G	N3-C2-N2	-5.06	116.36	119.90
25	BB	1270	C	C5-C4-N4	-5.06	116.66	120.20
25	BB	1311	G	C5'-C4'-C3'	-5.06	107.90	116.00
25	BB	1788	C	N3-C4-C5	5.06	123.92	121.90
25	BB	1903	G	N3-C4-N9	5.06	129.04	126.00
25	BB	1916	A	C5'-C4'-C3'	-5.06	107.90	116.00
25	BB	2334	U	C4'-C3'-C2'	-5.06	97.54	102.60
25	BB	2379	G	O4'-C1'-N9	5.06	112.25	108.20
25	BB	2722	G	C2-N3-C4	5.06	114.43	111.90
25	BB	2735	G	C4-C5-N7	5.06	112.83	110.80
1	AP	65	G	N3-C4-C5	-5.06	126.07	128.60
1	AE	51	G	C4-C5-N7	-5.06	108.78	110.80
1	AE	71	G	C4'-C3'-C2'	-5.06	97.54	102.60
3	A1	75	G	C5-C6-O6	5.06	131.64	128.60
3	A1	282	A	C6-C5-N7	5.06	135.84	132.30
3	A1	472	U	C5'-C4'-C3'	-5.06	107.90	116.00
3	A1	481	G	N3-C2-N2	-5.06	116.36	119.90
3	A1	741	G	N3-C4-N9	5.06	129.04	126.00
3	A1	924	C	C1'-O4'-C4'	-5.06	105.85	109.90
3	A1	1034	G	N3-C2-N2	-5.06	116.36	119.90
3	A1	1065	U	N1-C1'-C2'	5.06	120.58	114.00
3	A1	1372	U	N1-C2-O2	5.06	126.34	122.80
3	A1	1493	A	C4-C5-C6	-5.06	114.47	117.00
17	AR	2	ARG	NE-CZ-NH2	5.06	122.83	120.30
24	BA	57	A	C4-C5-C6	-5.06	114.47	117.00
25	BB	562	U	N1-C2-O2	5.06	126.34	122.80
25	BB	1058	U	N1-C2-N3	5.06	117.94	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1267	U	N3-C4-O4	5.06	122.94	119.40
25	BB	1299	G	C8-N9-C1'	5.06	133.58	127.00
25	BB	1319	C	O4'-C4'-C3'	-5.06	98.94	104.00
25	BB	1402	U	C6-N1-C2	-5.06	117.96	121.00
25	BB	1681	G	C5-N7-C8	-5.06	101.77	104.30
25	BB	1944	U	O4'-C4'-C3'	5.06	110.15	106.10
25	BB	2420	C	C1'-O4'-C4'	-5.06	105.85	109.90
25	BB	2746	U	C4'-C3'-C2'	-5.06	97.54	102.60
41	BR	29	ARG	NE-CZ-NH2	-5.06	117.77	120.30
52	B3	170	THR	CA-CB-CG2	5.06	119.49	112.40
1	AE	27	C	OP1-P-OP2	-5.06	112.01	119.60
3	A1	771	G	C5-N7-C8	-5.06	101.77	104.30
3	A1	1016	A	C2-N3-C4	5.06	113.13	110.60
3	A1	1454	G	C4'-C3'-C2'	5.06	107.66	102.60
25	BB	924	G	O4'-C4'-C3'	5.06	110.15	106.10
3	A1	70	U	C5'-C4'-O4'	5.06	115.17	109.10
3	A1	814	A	C4-C5-C6	-5.06	114.47	117.00
3	A1	1066	C	O4'-C1'-C2'	-5.06	100.74	105.80
3	A1	1214	C	C3'-C2'-C1'	-5.06	97.45	101.50
3	A1	1455	G	N3-C2-N2	-5.06	116.36	119.90
3	A1	1464	U	N3-C4-O4	5.06	122.94	119.40
25	BB	463	G	C5-N7-C8	-5.06	101.77	104.30
25	BB	529	A	C4-C5-C6	-5.06	114.47	117.00
25	BB	655	A	N7-C8-N9	5.06	116.33	113.80
25	BB	979	A	C4'-C3'-C2'	-5.06	97.54	102.60
25	BB	1160	G	N7-C8-N9	5.06	115.63	113.10
25	BB	2754	U	P-O3'-C3'	5.06	125.77	119.70
3	A1	157	U	N1-C2-N3	5.06	117.94	114.90
3	A1	597	G	N9-C4-C5	5.06	107.42	105.40
3	A1	791	G	N9-C4-C5	-5.06	103.38	105.40
3	A1	883	C	N3-C2-O2	-5.06	118.36	121.90
3	A1	939	G	C6-C5-N7	5.06	133.44	130.40
3	A1	1041	G	C6-C5-N7	5.06	133.44	130.40
3	A1	1143	G	N3-C4-C5	-5.06	126.07	128.60
9	AH	18	ALA	CB-CA-C	5.06	117.69	110.10
25	BB	313	G	C4-C5-N7	-5.06	108.78	110.80
25	BB	377	G	C5'-C4'-O4'	-5.06	103.03	109.10
25	BB	547	A	C2'-C3'-O3'	5.06	121.79	113.70
25	BB	748	G	C4-C5-N7	-5.06	108.78	110.80
25	BB	866	A	N7-C8-N9	5.06	116.33	113.80
25	BB	958	U	N1-C2-N3	5.06	117.94	114.90
25	BB	961	C	N1-C2-N3	5.06	122.74	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	984	A	C6-C5-N7	5.06	135.84	132.30
25	BB	1061	U	C4-C5-C6	5.06	122.73	119.70
25	BB	1223	G	C2-N3-C4	5.06	114.43	111.90
25	BB	1254	A	C2-N3-C4	5.06	113.13	110.60
25	BB	2093	G	N3-C4-C5	-5.06	126.07	128.60
25	BB	2123	G	C5-C6-N1	5.06	114.03	111.50
25	BB	2713	U	N1-C2-N3	5.06	117.94	114.90
25	BB	2852	G	C5-C6-N1	5.06	114.03	111.50
32	BI	27	VAL	CA-CB-CG2	5.06	118.48	110.90
50	B1	14	VAL	CG1-CB-CG2	-5.06	102.81	110.90
3	A1	8	A	N1-C2-N3	-5.06	126.77	129.30
3	A1	79	G	N9-C4-C5	5.06	107.42	105.40
3	A1	174	A	N3-C4-N9	-5.06	123.36	127.40
3	A1	493	A	C6-C5-N7	5.06	135.84	132.30
3	A1	1061	G	N3-C4-N9	5.06	129.03	126.00
3	A1	1201	A	C5'-C4'-O4'	-5.06	103.03	109.10
3	A1	1249	C	N1-C2-O2	5.06	121.93	118.90
3	A1	1280	A	C6-C5-N7	5.06	135.84	132.30
3	A1	1321	U	C2-N1-C1'	5.06	123.77	117.70
3	A1	1419	G	C3'-C2'-C1'	5.06	105.55	101.50
3	A1	1419	G	C4-C5-N7	5.06	112.82	110.80
25	BB	552	U	C4'-C3'-O3'	5.06	123.11	113.00
25	BB	1374	G	N7-C8-N9	5.06	115.63	113.10
25	BB	2166	U	N1-C2-O2	5.06	126.34	122.80
25	BB	2591	C	C1'-O4'-C4'	5.06	113.94	109.90
25	BB	2670	A	O3'-P-O5'	5.06	113.61	104.00
25	BB	2846	G	N1-C2-N3	5.06	126.93	123.90
1	AA	56	C	OP1-P-O3'	5.05	116.32	105.20
1	AA	59	U	C3'-C2'-C1'	5.05	105.54	101.50
3	A1	702	A	N9-C4-C5	-5.05	103.78	105.80
3	A1	1151	A	C6-C5-N7	5.05	135.84	132.30
3	A1	1315	U	C4'-C3'-C2'	-5.05	97.55	102.60
3	A1	1401	G	OP1-P-O3'	5.05	116.32	105.20
10	AI	35	ARG	CD-NE-CZ	5.05	130.68	123.60
25	BB	178	G	C6-C5-N7	5.05	133.43	130.40
25	BB	467	G	C3'-C2'-C1'	5.05	105.54	101.50
25	BB	847	U	N1-C1'-C2'	-5.05	106.44	112.00
25	BB	882	G	C5'-C4'-O4'	5.05	115.17	109.10
25	BB	1132	U	O4'-C1'-N1	5.05	112.24	108.20
25	BB	1243	C	C1'-O4'-C4'	-5.05	105.86	109.90
25	BB	1362	C	O5'-P-OP1	5.05	116.77	110.70
25	BB	1448	G	C6-N1-C2	-5.05	122.07	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1620	G	C3'-C2'-C1'	5.05	105.54	101.50
25	BB	1768	C	P-O3'-C3'	5.05	125.77	119.70
25	BB	1821	A	N3-C4-C5	5.05	130.34	126.80
25	BB	1958	C	C2-N1-C1'	5.05	124.36	118.80
25	BB	2496	C	C5-C6-N1	-5.05	118.47	121.00
25	BB	2647	U	C5-C6-N1	-5.05	120.17	122.70
25	BB	2834	G	C8-N9-C4	-5.05	104.38	106.40
51	B2	101	ARG	NH1-CZ-NH2	-5.05	113.84	119.40
1	AA	21	A	O3'-P-O5'	5.05	113.60	104.00
3	A1	361	G	P-O5'-C5'	-5.05	112.81	120.90
25	BB	67	U	O4'-C1'-N1	5.05	112.24	108.20
25	BB	899	A	O4'-C4'-C3'	5.05	110.14	106.10
25	BB	931	U	C4-C5-C6	5.05	122.73	119.70
25	BB	1580	A	C4'-C3'-C2'	-5.05	97.55	102.60
25	BB	2663	G	N1-C6-O6	-5.05	116.87	119.90
25	BB	2732	G	P-O3'-C3'	5.05	125.76	119.70
25	BB	2764	A	C8-N9-C4	-5.05	103.78	105.80
1	AE	51	G	C5-C6-O6	5.05	131.63	128.60
3	A1	175	C	C5-C4-N4	5.05	123.74	120.20
3	A1	178	C	N3-C4-C5	5.05	123.92	121.90
3	A1	218	U	N1-C2-O2	5.05	126.34	122.80
3	A1	372	C	N3-C2-O2	-5.05	118.36	121.90
3	A1	989	U	C5-C6-N1	-5.05	120.17	122.70
3	A1	1062	U	N1-C2-N3	5.05	117.93	114.90
3	A1	1091	U	C5-C6-N1	-5.05	120.17	122.70
3	A1	1379	G	C6-C5-N7	5.05	133.43	130.40
25	BB	224	U	N3-C2-O2	-5.05	118.66	122.20
25	BB	565	C	N3-C4-N4	-5.05	114.46	118.00
25	BB	1136	G	N3-C2-N2	5.05	123.44	119.90
25	BB	1976	U	N3-C2-O2	-5.05	118.66	122.20
25	BB	2201	G	C3'-C2'-C1'	5.05	105.54	101.50
25	BB	2787	C	N3-C4-N4	-5.05	114.46	118.00
25	BB	2829	A	C6-C5-N7	5.05	135.84	132.30
3	A1	27	G	C6-C5-N7	5.05	133.43	130.40
3	A1	44	A	C6-N1-C2	-5.05	115.57	118.60
3	A1	232	G	N1-C6-O6	-5.05	116.87	119.90
3	A1	464	U	C4'-C3'-C2'	-5.05	97.55	102.60
3	A1	547	A	C5-N7-C8	-5.05	101.38	103.90
3	A1	549	C	N1-C2-O2	5.05	121.93	118.90
3	A1	843	U	N3-C2-O2	-5.05	118.67	122.20
3	A1	879	C	C2-N3-C4	-5.05	117.38	119.90
3	A1	1087	G	C6-N1-C2	-5.05	122.07	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1242	G	C4-C5-C6	-5.05	115.77	118.80
3	A1	1446	A	O4'-C1'-N9	5.05	112.24	108.20
24	BA	40	U	C5-C6-N1	-5.05	120.17	122.70
25	BB	44	A	C5-C6-N6	5.05	127.74	123.70
25	BB	230	G	C8-N9-C4	-5.05	104.38	106.40
25	BB	375	G	N3-C4-C5	-5.05	126.08	128.60
25	BB	630	G	P-O5'-C5'	5.05	128.98	120.90
25	BB	1158	C	O4'-C1'-N1	-5.05	104.16	108.20
25	BB	1236	G	N3-C2-N2	-5.05	116.37	119.90
25	BB	1361	G	C5-C6-N1	5.05	114.02	111.50
25	BB	1441	G	C2'-C3'-O3'	5.05	121.78	113.70
25	BB	2060	A	N1-C2-N3	-5.05	126.78	129.30
25	BB	2112	G	N9-C4-C5	5.05	107.42	105.40
25	BB	2424	C	C5'-C4'-O4'	5.05	115.16	109.10
25	BB	2490	G	C3'-C2'-C1'	-5.05	97.46	101.50
25	BB	2638	G	C4-C5-C6	-5.05	115.77	118.80
25	BB	2786	U	N1-C2-O2	5.05	126.33	122.80
37	BN	263	ASP	C-N-CA	5.05	134.32	121.70
1	AP	45	G	N1-C2-N2	5.05	120.74	116.20
3	A1	560	A	C3'-C2'-C1'	-5.05	97.46	101.50
3	A1	769	G	N1-C6-O6	-5.05	116.87	119.90
3	A1	1418	A	O4'-C1'-N9	5.05	112.24	108.20
25	BB	11	C	N1-C2-N3	5.05	122.73	119.20
25	BB	2209	G	N3-C4-C5	-5.05	126.08	128.60
25	BB	2226	C	C5'-C4'-O4'	5.05	115.16	109.10
25	BB	2293	G	N3-C4-C5	-5.05	126.08	128.60
25	BB	2359	C	N3-C4-N4	-5.05	114.47	118.00
1	AP	58	A	C5-N7-C8	-5.05	101.38	103.90
3	A1	380	G	N1-C2-N2	-5.05	111.66	116.20
3	A1	546	A	O3'-P-O5'	5.05	113.59	104.00
3	A1	1517	G	N3-C4-C5	-5.05	126.08	128.60
24	BA	10	G	N1-C2-N3	5.05	126.93	123.90
25	BB	178	G	N1-C2-N2	-5.05	111.66	116.20
25	BB	534	U	C5-C6-N1	-5.05	120.18	122.70
25	BB	646	U	C5-C4-O4	5.05	128.93	125.90
25	BB	1040	A	C6-C5-N7	5.05	135.83	132.30
25	BB	1908	C	C5-C6-N1	-5.05	118.48	121.00
25	BB	2248	C	C4-C5-C6	-5.05	114.88	117.40
25	BB	2287	A	C5-N7-C8	-5.05	101.38	103.90
25	BB	2618	G	C3'-C2'-C1'	-5.05	97.46	101.50
25	BB	2727	A	C6-N1-C2	-5.05	115.57	118.60
25	BB	2814	A	N1-C2-N3	-5.05	126.78	129.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	809	G	C4-C5-C6	-5.04	115.77	118.80
24	BA	19	C	N3-C4-N4	-5.04	114.47	118.00
25	BB	379	G	P-O3'-C3'	5.04	125.75	119.70
25	BB	434	U	N1-C1'-C2'	5.04	120.56	114.00
25	BB	817	C	C2'-C3'-O3'	5.04	121.77	113.70
25	BB	1617	C	C5-C4-N4	-5.04	116.67	120.20
51	B2	166	ARG	NE-CZ-NH1	5.04	122.82	120.30
1	AP	6	U	C3'-C2'-C1'	5.04	105.53	101.50
1	AP	46	G	OP2-P-O3'	5.04	116.30	105.20
3	A1	301	G	C1'-O4'-C4'	-5.04	105.86	109.90
3	A1	541	G	N3-C2-N2	-5.04	116.37	119.90
3	A1	1003	G	O5'-P-OP2	5.04	116.75	110.70
3	A1	1118	U	C4'-C3'-C2'	-5.04	97.56	102.60
3	A1	1288	A	O4'-C1'-N9	5.04	112.23	108.20
21	AV	20	ASN	CA-CB-CG	5.04	124.50	113.40
24	BA	81	G	C2-N3-C4	5.04	114.42	111.90
25	BB	843	G	N1-C6-O6	-5.04	116.87	119.90
25	BB	1348	C	C5-C6-N1	-5.04	118.48	121.00
25	BB	1417	C	N3-C2-O2	-5.04	118.37	121.90
25	BB	1442	U	O4'-C1'-N1	-5.04	104.17	108.20
25	BB	1770	G	N9-C4-C5	5.04	107.42	105.40
25	BB	2130	U	C5-C6-N1	-5.04	120.18	122.70
25	BB	2462	C	C2'-C3'-O3'	5.04	121.77	113.70
1	AP	70	C	C3'-C2'-C1'	-5.04	97.47	101.50
3	A1	112	G	C5'-C4'-O4'	5.04	115.15	109.10
3	A1	688	G	C6-N1-C2	-5.04	122.08	125.10
3	A1	738	C	O4'-C1'-N1	5.04	112.23	108.20
3	A1	1191	A	N7-C8-N9	5.04	116.32	113.80
3	A1	1405	G	O4'-C4'-C3'	5.04	110.13	106.10
5	AC	24	ALA	C-N-CA	5.04	134.30	121.70
25	BB	44	A	N7-C8-N9	5.04	116.32	113.80
25	BB	80	G	O3'-P-O5'	5.04	113.58	104.00
25	BB	226	A	C2-N3-C4	5.04	113.12	110.60
25	BB	517	C	N3-C4-C5	5.04	123.92	121.90
25	BB	783	A	C6-N1-C2	-5.04	115.58	118.60
25	BB	883	G	O5'-C5'-C4'	-5.04	102.12	111.70
25	BB	954	G	C8-N9-C4	-5.04	104.38	106.40
25	BB	1275	A	C2-N3-C4	5.04	113.12	110.60
25	BB	1916	A	C1'-O4'-C4'	-5.04	105.87	109.90
25	BB	2366	A	O5'-P-OP2	5.04	116.75	110.70
25	BB	2367	G	C4'-C3'-C2'	-5.04	97.56	102.60
25	BB	2396	G	C4-C5-N7	5.04	112.82	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2665	A	C4-C5-C6	-5.04	114.48	117.00
3	A1	1474	U	O3'-P-O5'	5.04	113.58	104.00
3	A1	1500	A	C6-C5-N7	5.04	135.83	132.30
25	BB	307	G	N1-C2-N3	5.04	126.92	123.90
25	BB	483	A	O4'-C1'-N9	5.04	112.23	108.20
25	BB	569	U	O4'-C1'-N1	5.04	112.23	108.20
25	BB	598	U	C4-C5-C6	5.04	122.72	119.70
25	BB	910	A	C5'-C4'-C3'	-5.04	107.94	116.00
25	BB	1631	G	C5'-C4'-O4'	5.04	115.15	109.10
25	BB	2343	U	N3-C2-O2	-5.04	118.67	122.20
25	BB	2633	G	C2'-C3'-O3'	5.04	121.76	113.70
25	BB	2711	A	C2-N3-C4	5.04	113.12	110.60
43	BT	14	MET	CA-CB-CG	5.04	121.87	113.30
1	AE	10	G	N1-C6-O6	-5.04	116.88	119.90
3	A1	422	C	O4'-C1'-N1	5.04	112.23	108.20
3	A1	1329	A	C5-N7-C8	-5.04	101.38	103.90
3	A1	1426	G	C5'-C4'-C3'	-5.04	107.94	116.00
25	BB	320	A	N3-C4-N9	-5.04	123.37	127.40
25	BB	400	G	C5-C6-O6	5.04	131.62	128.60
25	BB	713	G	C4-C5-C6	-5.04	115.78	118.80
25	BB	873	C	C4'-C3'-C2'	-5.04	97.56	102.60
25	BB	1090	A	N1-C2-N3	-5.04	126.78	129.30
25	BB	1155	A	O4'-C1'-N9	-5.04	104.17	108.20
25	BB	1181	U	C5-C6-N1	-5.04	120.18	122.70
25	BB	1286	A	C5-N7-C8	-5.04	101.38	103.90
25	BB	1884	G	C3'-C2'-C1'	5.04	105.53	101.50
25	BB	2016	U	C3'-C2'-C1'	-5.04	97.47	101.50
25	BB	2172	U	N3-C4-C5	-5.04	111.58	114.60
25	BB	2694	G	C1'-O4'-C4'	-5.04	105.87	109.90
1	AP	70	C	N3-C4-C5	-5.04	119.89	121.90
3	A1	703	G	C4'-C3'-C2'	-5.04	97.56	102.60
3	A1	766	A	C4-C5-C6	-5.04	114.48	117.00
3	A1	944	G	C5'-C4'-C3'	-5.04	107.94	116.00
3	A1	1483	A	N9-C1'-C2'	5.04	120.55	114.00
24	BA	3	C	C1'-O4'-C4'	-5.04	105.87	109.90
25	BB	188	G	N9-C4-C5	5.04	107.42	105.40
25	BB	521	U	N3-C2-O2	-5.04	118.67	122.20
25	BB	859	G	N7-C8-N9	5.04	115.62	113.10
25	BB	1121	C	C6-N1-C2	-5.04	118.28	120.30
25	BB	2251	G	C2'-C3'-O3'	5.04	121.76	113.70
25	BB	2354	C	C5-C6-N1	-5.04	118.48	121.00
25	BB	2644	G	C3'-C2'-C1'	5.04	105.53	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
50	B1	191	ASP	CB-CG-OD2	5.04	122.83	118.30
3	A1	261	U	N1-C2-N3	5.04	117.92	114.90
3	A1	397	A	C6-C5-N7	5.04	135.82	132.30
3	A1	476	U	N3-C2-O2	-5.04	118.67	122.20
3	A1	587	G	O4'-C1'-C2'	-5.04	100.77	105.80
3	A1	827	U	O4'-C1'-C2'	-5.04	100.76	105.80
3	A1	912	C	N1-C2-O2	5.04	121.92	118.90
3	A1	1251	A	N1-C2-N3	-5.04	126.78	129.30
3	A1	1312	G	C5'-C4'-C3'	-5.04	107.94	116.00
3	A1	1506	U	C1'-O4'-C4'	-5.04	105.87	109.90
18	AS	111	ARG	NE-CZ-NH1	5.04	122.82	120.30
25	BB	408	G	C6-C5-N7	5.04	133.42	130.40
25	BB	823	C	C5-C6-N1	-5.04	118.48	121.00
25	BB	1151	A	C5'-C4'-O4'	5.04	115.14	109.10
25	BB	1588	G	O4'-C4'-C3'	5.04	110.13	106.10
25	BB	1681	G	C5'-C4'-O4'	5.04	115.14	109.10
25	BB	1682	G	C6-N1-C2	-5.04	122.08	125.10
25	BB	1724	G	C5-C6-O6	5.04	131.62	128.60
25	BB	1926	U	C5-C4-O4	5.04	128.92	125.90
25	BB	2086	U	C5-C4-O4	5.04	128.92	125.90
25	BB	2144	G	C6-C5-N7	5.04	133.42	130.40
25	BB	2319	G	C1'-O4'-C4'	-5.04	105.87	109.90
25	BB	2603	G	P-O3'-C3'	5.04	125.74	119.70
43	BT	29	VAL	CG1-CB-CG2	-5.04	102.84	110.90
3	A1	46	G	C6-C5-N7	5.03	133.42	130.40
3	A1	242	G	C6-C5-N7	5.03	133.42	130.40
3	A1	265	G	C6-C5-N7	5.03	133.42	130.40
3	A1	766	A	C8-N9-C4	-5.03	103.79	105.80
3	A1	799	G	N3-C4-C5	-5.03	126.08	128.60
3	A1	1134	G	N1-C6-O6	-5.03	116.88	119.90
17	AR	165	GLU	OE1-CD-OE2	-5.03	117.26	123.30
25	BB	181	A	N1-C2-N3	-5.03	126.78	129.30
25	BB	228	C	N3-C4-N4	-5.03	114.48	118.00
25	BB	285	G	N3-C2-N2	5.03	123.42	119.90
25	BB	398	C	N3-C2-O2	-5.03	118.38	121.90
25	BB	530	G	C5'-C4'-C3'	-5.03	107.95	116.00
25	BB	594	U	N3-C4-O4	5.03	122.92	119.40
25	BB	1480	C	C6-N1-C2	5.03	122.31	120.30
25	BB	1701	A	C6-N1-C2	-5.03	115.58	118.60
25	BB	1883	U	C4'-C3'-C2'	-5.03	97.57	102.60
25	BB	2223	G	P-O3'-C3'	5.03	125.74	119.70
25	BB	2279	G	P-O3'-C3'	5.03	125.74	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	2667	C	C5-C6-N1	-5.03	118.48	121.00
25	BB	2796	U	O4'-C1'-C2'	-5.03	100.77	105.80
25	BB	2819	G	C6-N1-C2	-5.03	122.08	125.10
33	BJ	2	ARG	NE-CZ-NH2	5.03	122.82	120.30
1	AP	56	C	N1-C2-N3	5.03	122.72	119.20
3	A1	37	U	O5'-P-OP1	-5.03	101.17	105.70
3	A1	300	A	C5-C6-N6	5.03	127.73	123.70
3	A1	1477	U	C2-N3-C4	-5.03	123.98	127.00
17	AR	47	LEU	CA-CB-CG	5.03	126.87	115.30
24	BA	29	A	C5'-C4'-O4'	5.03	115.14	109.10
25	BB	446	G	N1-C2-N3	5.03	126.92	123.90
25	BB	835	C	C1'-O4'-C4'	-5.03	105.87	109.90
25	BB	1310	G	C4-C5-C6	-5.03	115.78	118.80
25	BB	1472	C	C3'-C2'-C1'	-5.03	97.47	101.50
25	BB	1605	C	C5'-C4'-C3'	-5.03	107.95	116.00
25	BB	1735	A	C5'-C4'-O4'	5.03	115.14	109.10
25	BB	1763	G	N7-C8-N9	5.03	115.62	113.10
25	BB	1892	C	N3-C4-C5	5.03	123.91	121.90
25	BB	2245	U	C5-C6-N1	-5.03	120.18	122.70
25	BB	2777	G	C5-C6-O6	5.03	131.62	128.60
25	BB	2785	C	C6-N1-C2	-5.03	118.29	120.30
34	BK	51	VAL	CA-CB-CG2	5.03	118.45	110.90
1	AE	9	A	C2-N3-C4	-5.03	108.08	110.60
3	A1	95	C	N3-C4-C5	5.03	123.91	121.90
3	A1	164	G	N1-C6-O6	-5.03	116.88	119.90
3	A1	278	G	O4'-C1'-N9	5.03	112.22	108.20
3	A1	443	C	O4'-C1'-N1	5.03	112.22	108.20
3	A1	559	A	C5'-C4'-O4'	5.03	115.14	109.10
3	A1	593	U	C2-N3-C4	-5.03	123.98	127.00
3	A1	996	A	C2-N3-C4	5.03	113.12	110.60
3	A1	1128	C	C4'-C3'-O3'	5.03	123.06	113.00
3	A1	1442	G	O5'-C5'-C4'	-5.03	102.14	111.70
3	A1	1523	G	N7-C8-N9	5.03	115.61	113.10
17	AR	183	ARG	NE-CZ-NH2	-5.03	117.78	120.30
24	BA	13	G	O3'-P-O5'	5.03	113.56	104.00
24	BA	62	C	C5-C6-N1	-5.03	118.48	121.00
25	BB	67	U	N1-C2-O2	5.03	126.32	122.80
25	BB	154	U	O4'-C1'-C2'	5.03	112.13	107.60
25	BB	334	C	N3-C4-N4	-5.03	114.48	118.00
25	BB	748	G	C5'-C4'-O4'	5.03	115.14	109.10
25	BB	1368	G	C3'-C2'-C1'	5.03	105.53	101.50
25	BB	1392	A	C1'-O4'-C4'	5.03	113.92	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	1574	C	C5-C6-N1	-5.03	118.48	121.00
25	BB	1575	C	C1'-O4'-C4'	-5.03	105.88	109.90
25	BB	1661	G	P-O3'-C3'	5.03	125.74	119.70
25	BB	1677	A	C5-C6-N6	5.03	127.72	123.70
25	BB	2082	A	C6-C5-N7	5.03	135.82	132.30
25	BB	2320	U	C5-C4-O4	-5.03	122.88	125.90
25	BB	2830	C	C6-N1-C2	-5.03	118.29	120.30
3	A1	784	A	C6-N1-C2	-5.03	115.58	118.60
25	BB	142	A	C4-C5-N7	5.03	113.22	110.70
25	BB	514	A	C4-C5-C6	-5.03	114.49	117.00
25	BB	632	A	C5'-C4'-O4'	5.03	115.13	109.10
25	BB	1820	U	O4'-C4'-C3'	5.03	110.12	106.10
25	BB	2401	U	C4'-C3'-C2'	-5.03	97.57	102.60
25	BB	2404	U	C4'-C3'-C2'	-5.03	97.57	102.60
25	BB	2543	G	P-O3'-C3'	5.03	125.73	119.70
25	BB	2588	G	N3-C2-N2	-5.03	116.38	119.90
25	BB	2871	U	C3'-C2'-C1'	-5.03	97.48	101.50
1	AE	20	G	C3'-C2'-C1'	5.03	105.52	101.50
2	AM	10	U	C5'-C4'-C3'	-5.03	107.95	116.00
3	A1	343	U	N3-C2-O2	-5.03	118.68	122.20
3	A1	532	A	C8-N9-C4	-5.03	103.79	105.80
3	A1	535	A	C3'-C2'-C1'	5.03	105.52	101.50
3	A1	536	C	C2-N3-C4	-5.03	117.39	119.90
3	A1	777	A	C6-N1-C2	-5.03	115.58	118.60
3	A1	902	G	C5-C6-O6	5.03	131.62	128.60
3	A1	941	G	C5-C6-N1	5.03	114.01	111.50
3	A1	1157	A	C6-N1-C2	-5.03	115.58	118.60
25	BB	754	U	C5-C6-N1	-5.03	120.19	122.70
25	BB	995	C	N1-C2-N3	5.03	122.72	119.20
25	BB	1029	A	O4'-C1'-N9	-5.03	104.18	108.20
25	BB	1099	G	C5'-C4'-O4'	5.03	115.13	109.10
25	BB	1588	G	C5-C6-O6	5.03	131.62	128.60
25	BB	1622	G	N3-C2-N2	-5.03	116.38	119.90
25	BB	2068	U	C4'-C3'-C2'	-5.03	97.57	102.60
25	BB	2092	U	C5'-C4'-O4'	5.03	115.13	109.10
25	BB	2269	G	N1-C2-N3	5.03	126.92	123.90
25	BB	2393	U	N1-C1'-C2'	5.03	120.54	114.00
25	BB	2532	G	C4-C5-C6	-5.03	115.78	118.80
25	BB	2623	G	C4'-C3'-C2'	-5.03	97.57	102.60
25	BB	2642	G	N1-C2-N2	5.03	120.72	116.20
39	BP	76	ARG	C-N-CA	5.03	134.27	121.70
3	A1	31	G	N3-C2-N2	5.03	123.42	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	81	A	P-O3'-C3'	5.03	125.73	119.70
3	A1	174	A	N9-C1'-C2'	-5.03	106.47	112.00
3	A1	315	A	O4'-C1'-N9	5.03	112.22	108.20
3	A1	430	A	C5'-C4'-O4'	5.03	115.13	109.10
3	A1	448	A	C2-N3-C4	5.03	113.11	110.60
3	A1	593	U	C3'-C2'-C1'	5.03	105.52	101.50
3	A1	794	A	N1-C2-N3	-5.03	126.79	129.30
3	A1	811	C	N1-C1'-C2'	-5.03	106.47	112.00
3	A1	1012	A	N9-C4-C5	5.03	107.81	105.80
3	A1	1173	U	C5-C4-O4	-5.03	122.89	125.90
3	A1	1476	A	N9-C1'-C2'	-5.03	106.47	112.00
25	BB	94	A	N3-C4-N9	-5.03	123.38	127.40
25	BB	468	G	C5'-C4'-O4'	5.03	115.13	109.10
25	BB	623	C	N1-C2-N3	5.03	122.72	119.20
25	BB	684	G	C5-C6-N1	5.03	114.01	111.50
25	BB	765	C	N1-C2-N3	5.03	122.72	119.20
25	BB	997	G	C5'-C4'-O4'	5.03	115.13	109.10
25	BB	1912	A	C6-C5-N7	5.03	135.82	132.30
25	BB	2195	U	O4'-C1'-N1	5.03	112.22	108.20
25	BB	2298	A	C6-N1-C2	-5.03	115.58	118.60
25	BB	2464	G	O4'-C1'-C2'	5.03	112.12	107.60
25	BB	2536	G	C5'-C4'-O4'	5.03	115.13	109.10
25	BB	2777	G	O4'-C1'-N9	5.03	112.22	108.20
32	BI	52	ARG	CD-NE-CZ	5.03	130.63	123.60
48	BY	124	ARG	NE-CZ-NH2	5.03	122.81	120.30
54	B5	126	ARG	CD-NE-CZ	5.03	130.64	123.60
3	A1	493	A	N7-C8-N9	5.02	116.31	113.80
25	BB	185	G	N7-C8-N9	5.02	115.61	113.10
25	BB	456	C	N1-C2-O2	5.02	121.92	118.90
25	BB	526	A	C2-N3-C4	5.02	113.11	110.60
25	BB	574	A	C1'-O4'-C4'	-5.02	105.88	109.90
25	BB	575	A	C8-N9-C4	-5.02	103.79	105.80
25	BB	1067	A	C4-C5-N7	5.02	113.21	110.70
25	BB	1306	C	O4'-C1'-N1	5.02	112.22	108.20
25	BB	1317	G	N1-C6-O6	-5.02	116.89	119.90
25	BB	1419	A	C5-C6-N6	5.02	127.72	123.70
25	BB	1666	G	C5-N7-C8	-5.02	101.79	104.30
25	BB	2035	G	N3-C2-N2	-5.02	116.38	119.90
1	AE	3	G	N3-C4-C5	-5.02	126.09	128.60
3	A1	17	U	C4-C5-C6	5.02	122.71	119.70
3	A1	266	G	C2-N3-C4	5.02	114.41	111.90
3	A1	799	G	C4-C5-N7	-5.02	108.79	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	1067	A	C6-C5-N7	5.02	135.82	132.30
3	A1	1212	U	O3'-P-O5'	5.02	113.54	104.00
25	BB	1449	G	N7-C8-N9	5.02	115.61	113.10
25	BB	1953	A	C8-N9-C4	-5.02	103.79	105.80
25	BB	1977	A	C6-C5-N7	5.02	135.82	132.30
25	BB	2323	G	N3-C4-N9	5.02	129.01	126.00
25	BB	2538	C	N1-C2-N3	5.02	122.72	119.20
25	BB	2573	C	C6-N1-C2	-5.02	118.29	120.30
44	BU	41	VAL	CA-CB-CG2	-5.02	103.36	110.90
50	B1	10	SER	CB-CA-C	-5.02	100.56	110.10
3	A1	57	G	P-O3'-C3'	5.02	125.72	119.70
3	A1	413	G	C4'-C3'-O3'	5.02	123.04	113.00
3	A1	675	A	C6-C5-N7	5.02	135.81	132.30
25	BB	1055	G	C5-C6-O6	5.02	131.61	128.60
25	BB	1277	G	C5-C6-O6	5.02	131.61	128.60
25	BB	2411	A	C1'-O4'-C4'	-5.02	105.88	109.90
25	BB	2876	G	O4'-C1'-N9	5.02	112.22	108.20
3	A1	438	U	C3'-C2'-C1'	5.02	105.52	101.50
3	A1	628	G	C4-C5-N7	5.02	112.81	110.80
3	A1	1003	G	N3-C2-N2	5.02	123.41	119.90
3	A1	1265	C	C4'-C3'-O3'	5.02	123.04	113.00
24	BA	16	G	C6-C5-N7	5.02	133.41	130.40
25	BB	34	U	N1-C1'-C2'	5.02	120.53	114.00
25	BB	114	U	C1'-O4'-C4'	-5.02	105.88	109.90
25	BB	525	U	O4'-C1'-N1	5.02	112.22	108.20
25	BB	648	G	C4'-C3'-C2'	5.02	107.62	102.60
25	BB	774	G	N1-C6-O6	-5.02	116.89	119.90
25	BB	1093	G	N1-C2-N3	5.02	126.91	123.90
25	BB	1532	A	O4'-C1'-C2'	5.02	112.12	107.60
25	BB	2095	A	O4'-C1'-C2'	5.02	112.12	107.60
25	BB	2258	C	C6-N1-C2	-5.02	118.29	120.30
25	BB	2435	A	C6-C5-N7	5.02	135.81	132.30
25	BB	2448	A	O4'-C1'-N9	-5.02	104.18	108.20
25	BB	2541	A	C4'-C3'-C2'	-5.02	97.58	102.60
25	BB	2569	G	C8-N9-C4	-5.02	104.39	106.40
25	BB	2733	A	C8-N9-C4	-5.02	103.79	105.80
52	B3	61	TRP	NE1-CE2-CD2	-5.02	102.28	107.30
3	A1	45	G	C6-N1-C2	-5.02	122.09	125.10
3	A1	210	C	C6-N1-C2	-5.02	118.29	120.30
3	A1	570	G	N3-C4-N9	5.02	129.01	126.00
3	A1	847	G	C2-N3-C4	-5.02	109.39	111.90
3	A1	859	G	C5-N7-C8	-5.02	101.79	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	882	C	N1-C2-N3	5.02	122.71	119.20
3	A1	993	G	N3-C4-C5	-5.02	126.09	128.60
3	A1	1465	A	C2-N3-C4	5.02	113.11	110.60
25	BB	73	A	C5-C6-N6	5.02	127.71	123.70
25	BB	87	U	N1-C1'-C2'	-5.02	106.48	112.00
25	BB	92	U	C6-N1-C2	-5.02	117.99	121.00
25	BB	662	G	C6-N1-C2	-5.02	122.09	125.10
25	BB	816	C	C2-N3-C4	-5.02	117.39	119.90
25	BB	1157	G	N7-C8-N9	5.02	115.61	113.10
25	BB	1510	G	C4-C5-N7	-5.02	108.79	110.80
25	BB	1587	G	C8-N9-C4	-5.02	104.39	106.40
25	BB	1944	U	C2-N3-C4	-5.02	123.99	127.00
25	BB	2240	U	C4'-C3'-C2'	-5.02	97.58	102.60
25	BB	2601	C	C1'-O4'-C4'	-5.02	105.89	109.90
25	BB	2812	G	C4'-C3'-C2'	-5.02	97.58	102.60
25	BB	2835	A	C5-C6-N1	5.02	120.21	117.70
50	B1	172	ALA	N-CA-CB	-5.02	103.08	110.10
1	AE	49	C	C5'-C4'-O4'	5.02	115.12	109.10
3	A1	688	G	N1-C6-O6	-5.02	116.89	119.90
3	A1	801	U	C5'-C4'-O4'	5.02	115.12	109.10
25	BB	241	A	C6-C5-N7	5.02	135.81	132.30
25	BB	1742	U	N1-C2-O2	5.02	126.31	122.80
25	BB	1896	G	C2'-C3'-O3'	5.02	121.72	113.70
25	BB	1931	U	C6-N1-C2	-5.02	117.99	121.00
25	BB	2006	C	C4'-C3'-C2'	-5.02	97.58	102.60
25	BB	2873	A	C6-C5-N7	5.02	135.81	132.30
3	A1	36	C	C5-C6-N1	-5.01	118.49	121.00
3	A1	49	U	O4'-C4'-C3'	5.01	110.11	106.10
3	A1	361	G	C4-C5-C6	-5.01	115.79	118.80
3	A1	481	G	N1-C2-N3	5.01	126.91	123.90
3	A1	677	U	C1'-O4'-C4'	-5.01	105.89	109.90
3	A1	1131	G	O4'-C1'-C2'	5.01	112.11	107.60
3	A1	1198	G	N7-C8-N9	5.01	115.61	113.10
3	A1	1211	U	C6-N1-C1'	5.01	128.22	121.20
3	A1	1222	G	C5-N7-C8	5.01	106.81	104.30
3	A1	1245	C	N1-C2-O2	5.01	121.91	118.90
3	A1	1428	A	O5'-P-OP1	5.01	116.72	110.70
3	A1	1480	A	O4'-C1'-N9	5.01	112.21	108.20
7	AF	85	TYR	CA-C-N	5.01	128.23	117.20
25	BB	347	A	C6-C5-N7	5.01	135.81	132.30
25	BB	354	A	C5-N7-C8	-5.01	101.39	103.90
25	BB	368	A	N9-C4-C5	-5.01	103.79	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	369	U	N1-C2-N3	5.01	117.91	114.90
25	BB	784	G	N3-C4-C5	-5.01	126.09	128.60
25	BB	1704	C	C5'-C4'-C3'	-5.01	107.97	116.00
25	BB	1717	A	C6-C5-N7	5.01	135.81	132.30
25	BB	1858	A	P-O3'-C3'	5.01	125.72	119.70
25	BB	2238	G	N1-C6-O6	-5.01	116.89	119.90
25	BB	2345	G	C2-N3-C4	5.01	114.41	111.90
25	BB	2349	G	N3-C4-C5	-5.01	126.09	128.60
25	BB	2480	C	N3-C2-O2	-5.01	118.39	121.90
3	A1	50	A	N3-C4-N9	5.01	131.41	127.40
7	AF	103	THR	CA-CB-CG2	5.01	119.42	112.40
25	BB	269	C	N1-C1'-C2'	5.01	120.52	114.00
25	BB	304	U	O5'-C5'-C4'	-5.01	102.17	111.70
25	BB	957	C	C5-C6-N1	-5.01	118.49	121.00
25	BB	978	G	C8-N9-C4	-5.01	104.39	106.40
25	BB	1875	G	OP2-P-O3'	5.01	116.23	105.20
25	BB	2535	G	N7-C8-N9	5.01	115.61	113.10
1	AA	60	C	O4'-C1'-C2'	-5.01	100.79	105.80
3	A1	415	A	C3'-C2'-C1'	5.01	105.51	101.50
3	A1	447	G	O4'-C4'-C3'	5.01	110.11	106.10
3	A1	485	U	C5-C6-N1	-5.01	120.19	122.70
3	A1	729	A	N9-C4-C5	5.01	107.80	105.80
3	A1	984	C	C4-C5-C6	5.01	119.91	117.40
3	A1	1079	G	C2-N3-C4	5.01	114.41	111.90
3	A1	1396	A	C5'-C4'-O4'	5.01	115.11	109.10
24	BA	25	U	C4-C5-C6	5.01	122.71	119.70
24	BA	68	C	C2-N3-C4	-5.01	117.39	119.90
24	BA	102	G	N9-C1'-C2'	-5.01	106.49	112.00
25	BB	141	G	C2-N3-C4	5.01	114.41	111.90
25	BB	178	G	C5'-C4'-C3'	-5.01	107.98	116.00
25	BB	199	A	C4-C5-N7	-5.01	108.19	110.70
25	BB	420	C	N1-C2-O2	5.01	121.91	118.90
25	BB	1298	C	O4'-C4'-C3'	-5.01	98.99	104.00
25	BB	1516	G	C5-N7-C8	-5.01	101.79	104.30
25	BB	1578	U	C5'-C4'-O4'	5.01	115.11	109.10
25	BB	1645	G	O4'-C4'-C3'	5.01	110.11	106.10
25	BB	1719	G	C4-C5-C6	-5.01	115.79	118.80
25	BB	1800	C	N1-C2-O2	5.01	121.91	118.90
25	BB	2003	A	N7-C8-N9	5.01	116.31	113.80
25	BB	2008	C	O5'-P-OP2	-5.01	101.19	105.70
25	BB	2416	C	C5-C4-N4	-5.01	116.69	120.20
25	BB	2483	C	C3'-C2'-C1'	5.01	105.51	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
51	B2	49	LEU	CB-CA-C	5.01	119.72	110.20
2	AM	3	U	O4'-C1'-N1	5.01	112.21	108.20
3	A1	111	G	N1-C6-O6	-5.01	116.89	119.90
3	A1	562	U	C4'-C3'-C2'	5.01	107.61	102.60
3	A1	634	C	P-O3'-C3'	5.01	125.71	119.70
3	A1	777	A	N9-C4-C5	5.01	107.80	105.80
22	AW	58	GLU	OE1-CD-OE2	-5.01	117.29	123.30
25	BB	127	A	P-O3'-C3'	5.01	125.71	119.70
25	BB	339	U	C5-C4-O4	-5.01	122.89	125.90
25	BB	423	A	C1'-O4'-C4'	-5.01	105.89	109.90
25	BB	619	G	C5-C6-O6	5.01	131.60	128.60
25	BB	1079	C	C4'-C3'-C2'	-5.01	97.59	102.60
25	BB	1248	G	N9-C4-C5	5.01	107.40	105.40
25	BB	1559	U	C5-C4-O4	5.01	128.91	125.90
25	BB	1776	G	C8-N9-C4	-5.01	104.40	106.40
25	BB	2103	C	C2'-C3'-O3'	5.01	121.72	113.70
25	BB	2270	A	C1'-O4'-C4'	-5.01	105.89	109.90
25	BB	2372	U	N3-C2-O2	-5.01	118.69	122.20
25	BB	2516	A	O4'-C1'-N9	5.01	112.21	108.20
25	BB	2800	A	C8-N9-C4	5.01	107.80	105.80
25	BB	2898	U	C5-C4-O4	-5.01	122.89	125.90
25	BB	2903	U	C4-C5-C6	5.01	122.71	119.70
3	A1	662	U	O5'-C5'-C4'	-5.01	102.19	111.70
3	A1	888	G	C4'-C3'-O3'	5.01	123.02	113.00
3	A1	1013	G	C8-N9-C4	-5.01	104.40	106.40
25	BB	381	G	N1-C2-N2	-5.01	111.69	116.20
25	BB	882	G	C4'-C3'-C2'	-5.01	97.59	102.60
25	BB	900	A	O5'-P-OP2	-5.01	101.19	105.70
25	BB	928	A	C2-N3-C4	5.01	113.10	110.60
25	BB	2318	G	C3'-C2'-C1'	5.01	105.51	101.50
25	BB	2887	A	C4-C5-C6	-5.01	114.50	117.00
25	BB	2887	A	C5-N7-C8	-5.01	101.40	103.90
3	A1	79	G	C6-N1-C2	-5.01	122.10	125.10
3	A1	751	U	N3-C4-C5	-5.01	111.60	114.60
3	A1	794	A	C5-N7-C8	-5.01	101.40	103.90
3	A1	816	A	N3-C4-N9	-5.01	123.39	127.40
3	A1	906	A	C3'-C2'-C1'	5.01	105.51	101.50
3	A1	1460	C	N1-C2-N3	5.01	122.70	119.20
25	BB	255	A	C5'-C4'-C3'	-5.01	107.99	116.00
25	BB	367	G	N1-C2-N3	5.01	126.90	123.90
25	BB	592	A	C5'-C4'-O4'	5.01	115.11	109.10
25	BB	780	G	C2-N3-C4	5.01	114.40	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BB	843	G	C5-C6-O6	5.01	131.60	128.60
25	BB	1121	C	N1-C2-N3	5.01	122.70	119.20
25	BB	1123	C	N3-C2-O2	-5.01	118.40	121.90
25	BB	1502	A	C3'-C2'-C1'	5.01	105.51	101.50
25	BB	1842	G	C5-N7-C8	-5.01	101.80	104.30
25	BB	1884	G	C4-C5-N7	-5.01	108.80	110.80
25	BB	2288	A	N3-C4-C5	-5.01	123.30	126.80
25	BB	2538	C	C5'-C4'-O4'	5.01	115.11	109.10
32	BI	46	VAL	CA-CB-CG1	5.01	118.41	110.90
33	BJ	91	ARG	NH1-CZ-NH2	-5.01	113.89	119.40
3	A1	836	G	C5-N7-C8	-5.00	101.80	104.30
3	A1	892	A	C2-N3-C4	5.00	113.10	110.60
25	BB	563	A	C2-N3-C4	5.00	113.10	110.60
25	BB	1098	A	O4'-C1'-N9	5.00	112.20	108.20
25	BB	1686	C	N1-C1'-C2'	5.00	120.51	114.00
25	BB	1990	C	C6-N1-C1'	-5.00	114.80	120.80
25	BB	2147	A	N1-C2-N3	-5.00	126.80	129.30
25	BB	2441	U	C5-C6-N1	-5.00	120.20	122.70
51	B2	149	ARG	NH1-CZ-NH2	-5.00	113.89	119.40
3	A1	95	C	N1-C2-O2	5.00	121.90	118.90
3	A1	99	C	O4'-C4'-C3'	5.00	110.10	106.10
3	A1	348	G	C5'-C4'-C3'	-5.00	107.99	116.00
3	A1	530	G	C8-N9-C4	-5.00	104.40	106.40
3	A1	927	G	C5-N7-C8	-5.00	101.80	104.30
3	A1	1409	C	C6-N1-C2	-5.00	118.30	120.30
3	A1	1439	G	C5'-C4'-O4'	-5.00	103.09	109.10
4	AB	166	ASP	CB-CG-OD2	5.00	122.80	118.30
24	BA	23	G	C4'-C3'-C2'	-5.00	97.60	102.60
25	BB	537	G	N3-C4-C5	-5.00	126.10	128.60
25	BB	600	G	N3-C4-N9	5.00	129.00	126.00
25	BB	877	A	C5'-C4'-C3'	-5.00	108.00	116.00
25	BB	1093	G	C1'-O4'-C4'	-5.00	105.90	109.90
25	BB	1186	G	C4-C5-N7	5.00	112.80	110.80
25	BB	1513	U	O5'-P-OP2	5.00	116.70	110.70
25	BB	1923	U	C2-N3-C4	-5.00	124.00	127.00
25	BB	1949	G	C5-C6-O6	5.00	131.60	128.60
25	BB	1992	G	C5-N7-C8	-5.00	101.80	104.30
25	BB	2002	G	C8-N9-C4	-5.00	104.40	106.40
25	BB	2471	A	N3-C4-C5	5.00	130.30	126.80
25	BB	2899	A	C5'-C4'-O4'	-5.00	103.10	109.10
3	A1	79	G	O4'-C1'-N9	5.00	112.20	108.20
3	A1	190	A	P-O3'-C3'	5.00	125.70	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A1	442	G	C5-C6-O6	5.00	131.60	128.60
3	A1	996	A	C4-C5-C6	-5.00	114.50	117.00
3	A1	1200	C	C5'-C4'-O4'	-5.00	103.10	109.10
3	A1	1362	A	C5'-C4'-O4'	5.00	115.10	109.10
25	BB	365	U	C5-C4-O4	5.00	128.90	125.90
25	BB	564	C	O4'-C1'-C2'	-5.00	100.80	105.80
25	BB	848	C	C4'-C3'-C2'	-5.00	97.60	102.60
25	BB	1211	C	OP1-P-OP2	-5.00	112.10	119.60
25	BB	1533	C	C5-C6-N1	-5.00	118.50	121.00
25	BB	1695	G	C6-C5-N7	5.00	133.40	130.40
25	BB	2011	U	C5'-C4'-C3'	-5.00	108.00	116.00
25	BB	2770	G	C2-N3-C4	-5.00	109.40	111.90
25	BB	2854	G	N9-C1'-C2'	-5.00	106.50	112.00

All (10) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	AP	31	A	C2',C1'
3	A1	13	U	C2',C1'
3	A1	1198	G	C4'
3	A1	1483	A	C2'
14	AN	13	SER	CA
25	BB	1687	G	C1'
25	BB	1959	G	C2',C1'

All (3101) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	A1	100	G	Sidechain
3	A1	1000	A	Sidechain
3	A1	1001	C	Sidechain
3	A1	1002	G	Sidechain
3	A1	1003	G	Sidechain
3	A1	1005	A	Sidechain
3	A1	1006	G	Sidechain
3	A1	1009	U	Sidechain
3	A1	1010	U	Sidechain
3	A1	1013	G	Sidechain
3	A1	1014	A	Sidechain
3	A1	1015	G	Sidechain
3	A1	1016	A	Sidechain
3	A1	1017	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	A1	1018	G	Sidechain
3	A1	102	G	Sidechain
3	A1	1021	A	Sidechain
3	A1	1022	A	Sidechain
3	A1	1023	U	Sidechain
3	A1	1024	G	Sidechain
3	A1	1025	U	Sidechain
3	A1	1026	G	Sidechain
3	A1	1028	C	Sidechain
3	A1	1029	U	Sidechain
3	A1	1034	G	Sidechain
3	A1	1039	G	Sidechain
3	A1	104	G	Sidechain
3	A1	1040	U	Sidechain
3	A1	1043	G	Sidechain
3	A1	1044	A	Sidechain
3	A1	1047	G	Sidechain
3	A1	1048	G	Sidechain
3	A1	1049	U	Sidechain
3	A1	105	G	Sidechain
3	A1	1051	C	Sidechain
3	A1	1052	U	Sidechain
3	A1	1053	G	Sidechain
3	A1	1056	U	Sidechain
3	A1	1058	G	Sidechain
3	A1	106	C	Sidechain
3	A1	1061	G	Sidechain
3	A1	1062	U	Sidechain
3	A1	1064	G	Sidechain
3	A1	1065	U	Sidechain
3	A1	1066	C	Sidechain
3	A1	1068	G	Sidechain
3	A1	107	G	Sidechain
3	A1	1070	U	Sidechain
3	A1	1071	C	Sidechain
3	A1	1073	U	Sidechain
3	A1	1074	G	Sidechain
3	A1	1075	U	Sidechain
3	A1	1077	G	Sidechain
3	A1	1078	U	Sidechain
3	A1	1079	G	Sidechain
3	A1	108	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	A1	1080	A	Sidechain
3	A1	1081	A	Sidechain
3	A1	1082	A	Sidechain
3	A1	1083	U	Sidechain
3	A1	1084	G	Sidechain
3	A1	1087	G	Sidechain
3	A1	1088	G	Sidechain
3	A1	1089	G	Sidechain
3	A1	109	A	Sidechain
3	A1	1091	U	Sidechain
3	A1	1092	A	Sidechain
3	A1	1093	A	Sidechain
3	A1	1097	C	Sidechain
3	A1	1098	C	Sidechain
3	A1	1099	G	Sidechain
3	A1	11	G	Sidechain
3	A1	110	C	Sidechain
3	A1	1100	C	Sidechain
3	A1	1101	A	Sidechain
3	A1	1104	G	Sidechain
3	A1	1105	A	Sidechain
3	A1	1108	G	Sidechain
3	A1	1109	C	Sidechain
3	A1	111	G	Sidechain
3	A1	1110	A	Sidechain
3	A1	1114	C	Sidechain
3	A1	1115	U	Sidechain
3	A1	1116	U	Sidechain
3	A1	1117	A	Sidechain
3	A1	1118	U	Sidechain
3	A1	1119	C	Sidechain
3	A1	112	G	Sidechain
3	A1	1120	C	Sidechain
3	A1	1121	U	Sidechain
3	A1	1122	U	Sidechain
3	A1	1127	G	Sidechain
3	A1	1129	C	Sidechain
3	A1	113	G	Sidechain
3	A1	1130	A	Sidechain
3	A1	1132	C	Sidechain
3	A1	1133	G	Sidechain
3	A1	1136	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	A1	1137	C	Sidechain
3	A1	1138	G	Sidechain
3	A1	1139	G	Sidechain
3	A1	114	U	Sidechain
3	A1	1141	C	Sidechain
3	A1	1143	G	Sidechain
3	A1	1144	G	Sidechain
3	A1	1145	A	Sidechain
3	A1	1149	C	Sidechain
3	A1	115	G	Sidechain
3	A1	1150	A	Sidechain
3	A1	1151	A	Sidechain
3	A1	1152	A	Sidechain
3	A1	1153	G	Sidechain
3	A1	1154	G	Sidechain
3	A1	1155	A	Sidechain
3	A1	1158	C	Sidechain
3	A1	1160	G	Sidechain
3	A1	1163	A	Sidechain
3	A1	1164	G	Sidechain
3	A1	1166	G	Sidechain
3	A1	1168	U	Sidechain
3	A1	1170	A	Sidechain
3	A1	1173	U	Sidechain
3	A1	1174	G	Sidechain
3	A1	1175	G	Sidechain
3	A1	1177	G	Sidechain
3	A1	1178	G	Sidechain
3	A1	1179	A	Sidechain
3	A1	118	U	Sidechain
3	A1	1180	A	Sidechain
3	A1	1181	G	Sidechain
3	A1	1182	G	Sidechain
3	A1	1184	G	Sidechain
3	A1	1189	U	Sidechain
3	A1	119	A	Sidechain
3	A1	1190	G	Sidechain
3	A1	1192	C	Sidechain
3	A1	1193	G	Sidechain
3	A1	1194	U	Sidechain
3	A1	1196	A	Sidechain
3	A1	1197	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	A1	1198	G	Sidechain
3	A1	12	U	Sidechain
3	A1	120	A	Sidechain
3	A1	1201	A	Sidechain
3	A1	1203	C	Sidechain
3	A1	1204	A	Sidechain
3	A1	1205	U	Sidechain
3	A1	1206	G	Sidechain
3	A1	1207	G	Sidechain
3	A1	1209	C	Sidechain
3	A1	121	U	Sidechain
3	A1	1211	U	Sidechain
3	A1	1213	A	Sidechain
3	A1	1218	C	Sidechain
3	A1	122	G	Sidechain
3	A1	1220	G	Sidechain
3	A1	1223	C	Sidechain
3	A1	1224	U	Sidechain
3	A1	1225	A	Sidechain
3	A1	1229	A	Sidechain
3	A1	1233	G	Sidechain
3	A1	1234	C	Sidechain
3	A1	1236	A	Sidechain
3	A1	1237	C	Sidechain
3	A1	1239	A	Sidechain
3	A1	1240	U	Sidechain
3	A1	1241	G	Sidechain
3	A1	1242	G	Sidechain
3	A1	1244	G	Sidechain
3	A1	1245	C	Sidechain
3	A1	1248	A	Sidechain
3	A1	1249	C	Sidechain
3	A1	1251	A	Sidechain
3	A1	1253	G	Sidechain
3	A1	1254	A	Sidechain
3	A1	1255	G	Sidechain
3	A1	1256	A	Sidechain
3	A1	1257	A	Sidechain
3	A1	1258	G	Sidechain
3	A1	126	G	Sidechain
3	A1	1261	A	Sidechain
3	A1	1264	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	A1	1266	G	Sidechain
3	A1	1267	C	Sidechain
3	A1	1268	G	Sidechain
3	A1	1272	G	Sidechain
3	A1	1276	G	Sidechain
3	A1	1277	C	Sidechain
3	A1	1278	G	Sidechain
3	A1	1279	G	Sidechain
3	A1	128	G	Sidechain
3	A1	1281	C	Sidechain
3	A1	1286	U	Sidechain
3	A1	1287	A	Sidechain
3	A1	1289	A	Sidechain
3	A1	1292	G	Sidechain
3	A1	1293	C	Sidechain
3	A1	1294	G	Sidechain
3	A1	1297	G	Sidechain
3	A1	130	A	Sidechain
3	A1	1300	G	Sidechain
3	A1	1301	U	Sidechain
3	A1	1305	G	Sidechain
3	A1	1307	U	Sidechain
3	A1	1311	A	Sidechain
3	A1	1312	G	Sidechain
3	A1	1315	U	Sidechain
3	A1	1316	G	Sidechain
3	A1	1317	C	Sidechain
3	A1	1319	A	Sidechain
3	A1	132	C	Sidechain
3	A1	1321	U	Sidechain
3	A1	1322	C	Sidechain
3	A1	1323	G	Sidechain
3	A1	1324	A	Sidechain
3	A1	1325	C	Sidechain
3	A1	1326	U	Sidechain
3	A1	1327	C	Sidechain
3	A1	133	U	Sidechain
3	A1	1331	G	Sidechain
3	A1	1335	U	Sidechain
3	A1	1338	G	Sidechain
3	A1	134	G	Sidechain
3	A1	1345	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	A1	1347	G	Sidechain
3	A1	1348	U	Sidechain
3	A1	1349	A	Sidechain
3	A1	135	C	Sidechain
3	A1	1350	A	Sidechain
3	A1	1352	C	Sidechain
3	A1	1353	G	Sidechain
3	A1	1354	U	Sidechain
3	A1	1358	U	Sidechain
3	A1	1359	C	Sidechain
3	A1	1362	A	Sidechain
3	A1	1364	U	Sidechain
3	A1	1365	G	Sidechain
3	A1	1366	C	Sidechain
3	A1	1368	A	Sidechain
3	A1	1369	C	Sidechain
3	A1	137	U	Sidechain
3	A1	1371	G	Sidechain
3	A1	1373	G	Sidechain
3	A1	1374	A	Sidechain
3	A1	1375	A	Sidechain
3	A1	1376	U	Sidechain
3	A1	1377	A	Sidechain
3	A1	1378	C	Sidechain
3	A1	1379	G	Sidechain
3	A1	138	G	Sidechain
3	A1	1380	U	Sidechain
3	A1	1382	C	Sidechain
3	A1	1384	C	Sidechain
3	A1	1386	G	Sidechain
3	A1	1387	G	Sidechain
3	A1	1388	C	Sidechain
3	A1	1390	U	Sidechain
3	A1	1393	U	Sidechain
3	A1	1395	C	Sidechain
3	A1	1396	A	Sidechain
3	A1	1397	C	Sidechain
3	A1	1398	A	Sidechain
3	A1	14	U	Sidechain
3	A1	140	U	Sidechain
3	A1	1400	C	Sidechain
3	A1	1401	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	A1	1403	C	Sidechain
3	A1	1404	C	Sidechain
3	A1	1405	G	Sidechain
3	A1	1406	U	Sidechain
3	A1	1408	A	Sidechain
3	A1	1409	C	Sidechain
3	A1	141	G	Sidechain
3	A1	1410	A	Sidechain
3	A1	1412	C	Sidechain
3	A1	1414	U	Sidechain
3	A1	1415	G	Sidechain
3	A1	1416	G	Sidechain
3	A1	1418	A	Sidechain
3	A1	1419	G	Sidechain
3	A1	1420	U	Sidechain
3	A1	1421	G	Sidechain
3	A1	1422	G	Sidechain
3	A1	1423	G	Sidechain
3	A1	1424	U	Sidechain
3	A1	1426	G	Sidechain
3	A1	1428	A	Sidechain
3	A1	1430	A	Sidechain
3	A1	1432	G	Sidechain
3	A1	1433	A	Sidechain
3	A1	1435	G	Sidechain
3	A1	1438	G	Sidechain
3	A1	1439	G	Sidechain
3	A1	144	G	Sidechain
3	A1	1440	U	Sidechain
3	A1	1442	G	Sidechain
3	A1	1443	C	Sidechain
3	A1	1446	A	Sidechain
3	A1	1447	A	Sidechain
3	A1	1448	C	Sidechain
3	A1	145	G	Sidechain
3	A1	1450	U	Sidechain
3	A1	1454	G	Sidechain
3	A1	1455	G	Sidechain
3	A1	1457	G	Sidechain
3	A1	1459	G	Sidechain
3	A1	1460	C	Sidechain
3	A1	1461	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	A1	1464	U	Sidechain
3	A1	1468	A	Sidechain
3	A1	1469	C	Sidechain
3	A1	1472	U	Sidechain
3	A1	1473	G	Sidechain
3	A1	1475	G	Sidechain
3	A1	1476	A	Sidechain
3	A1	1477	U	Sidechain
3	A1	1478	U	Sidechain
3	A1	148	G	Sidechain
3	A1	1480	A	Sidechain
3	A1	1481	U	Sidechain
3	A1	1482	G	Sidechain
3	A1	1483	A	Sidechain
3	A1	1485	U	Sidechain
3	A1	1487	G	Sidechain
3	A1	1488	G	Sidechain
3	A1	1489	G	Sidechain
3	A1	149	A	Sidechain
3	A1	1490	U	Sidechain
3	A1	1491	G	Sidechain
3	A1	1492	A	Sidechain
3	A1	1493	A	Sidechain
3	A1	1495	U	Sidechain
3	A1	15	G	Sidechain
3	A1	150	U	Sidechain
3	A1	1504	G	Sidechain
3	A1	1505	G	Sidechain
3	A1	1507	A	Sidechain
3	A1	151	A	Sidechain
3	A1	1510	C	Sidechain
3	A1	1511	G	Sidechain
3	A1	1513	A	Sidechain
3	A1	1514	G	Sidechain
3	A1	1515	G	Sidechain
3	A1	1518	A	Sidechain
3	A1	1519	A	Sidechain
3	A1	152	A	Sidechain
3	A1	1520	C	Sidechain
3	A1	1521	C	Sidechain
3	A1	1522	U	Sidechain
3	A1	1526	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	A1	1527	U	Sidechain
3	A1	1529	G	Sidechain
3	A1	153	C	Sidechain
3	A1	1530	G	Sidechain
3	A1	1531	A	Sidechain
3	A1	1532	U	Sidechain
3	A1	156	C	Sidechain
3	A1	158	G	Sidechain
3	A1	159	G	Sidechain
3	A1	16	A	Sidechain
3	A1	160	A	Sidechain
3	A1	161	A	Sidechain
3	A1	162	A	Sidechain
3	A1	163	C	Sidechain
3	A1	164	G	Sidechain
3	A1	165	G	Sidechain
3	A1	166	U	Sidechain
3	A1	167	A	Sidechain
3	A1	168	G	Sidechain
3	A1	172	A	Sidechain
3	A1	173	U	Sidechain
3	A1	174	A	Sidechain
3	A1	178	C	Sidechain
3	A1	179	A	Sidechain
3	A1	182	A	Sidechain
3	A1	183	C	Sidechain
3	A1	184	G	Sidechain
3	A1	185	U	Sidechain
3	A1	186	C	Sidechain
3	A1	187	G	Sidechain
3	A1	188	C	Sidechain
3	A1	189	A	Sidechain
3	A1	190	A	Sidechain
3	A1	191	G	Sidechain
3	A1	192	A	Sidechain
3	A1	198	G	Sidechain
3	A1	199	A	Sidechain
3	A1	200	G	Sidechain
3	A1	202	G	Sidechain
3	A1	203	G	Sidechain
3	A1	204	G	Sidechain
3	A1	205	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	A1	208	U	Sidechain
3	A1	209	U	Sidechain
3	A1	210	C	Sidechain
3	A1	213	G	Sidechain
3	A1	214	C	Sidechain
3	A1	215	C	Sidechain
3	A1	217	C	Sidechain
3	A1	218	U	Sidechain
3	A1	219	U	Sidechain
3	A1	22	G	Sidechain
3	A1	220	G	Sidechain
3	A1	222	C	Sidechain
3	A1	225	C	Sidechain
3	A1	226	G	Sidechain
3	A1	227	G	Sidechain
3	A1	228	A	Sidechain
3	A1	229	U	Sidechain
3	A1	23	C	Sidechain
3	A1	230	G	Sidechain
3	A1	231	U	Sidechain
3	A1	233	C	Sidechain
3	A1	237	G	Sidechain
3	A1	238	A	Sidechain
3	A1	24	U	Sidechain
3	A1	240	G	Sidechain
3	A1	241	G	Sidechain
3	A1	244	U	Sidechain
3	A1	249	U	Sidechain
3	A1	25	C	Sidechain
3	A1	250	A	Sidechain
3	A1	253	A	Sidechain
3	A1	254	G	Sidechain
3	A1	255	G	Sidechain
3	A1	257	G	Sidechain
3	A1	258	G	Sidechain
3	A1	259	G	Sidechain
3	A1	26	A	Sidechain
3	A1	260	G	Sidechain
3	A1	261	U	Sidechain
3	A1	262	A	Sidechain
3	A1	264	C	Sidechain
3	A1	265	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	A1	266	G	Sidechain
3	A1	267	C	Sidechain
3	A1	269	C	Sidechain
3	A1	27	G	Sidechain
3	A1	271	C	Sidechain
3	A1	275	G	Sidechain
3	A1	277	C	Sidechain
3	A1	279	A	Sidechain
3	A1	284	C	Sidechain
3	A1	285	C	Sidechain
3	A1	286	C	Sidechain
3	A1	288	A	Sidechain
3	A1	289	G	Sidechain
3	A1	291	U	Sidechain
3	A1	292	G	Sidechain
3	A1	294	U	Sidechain
3	A1	295	C	Sidechain
3	A1	297	G	Sidechain
3	A1	300	A	Sidechain
3	A1	301	G	Sidechain
3	A1	302	G	Sidechain
3	A1	303	A	Sidechain
3	A1	305	G	Sidechain
3	A1	307	C	Sidechain
3	A1	308	C	Sidechain
3	A1	309	A	Sidechain
3	A1	31	G	Sidechain
3	A1	310	G	Sidechain
3	A1	311	C	Sidechain
3	A1	312	C	Sidechain
3	A1	313	A	Sidechain
3	A1	317	U	Sidechain
3	A1	318	G	Sidechain
3	A1	319	G	Sidechain
3	A1	320	A	Sidechain
3	A1	321	A	Sidechain
3	A1	322	C	Sidechain
3	A1	323	U	Sidechain
3	A1	324	G	Sidechain
3	A1	326	G	Sidechain
3	A1	327	A	Sidechain
3	A1	330	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	A1	331	G	Sidechain
3	A1	332	G	Sidechain
3	A1	333	U	Sidechain
3	A1	334	C	Sidechain
3	A1	336	A	Sidechain
3	A1	337	G	Sidechain
3	A1	340	U	Sidechain
3	A1	341	C	Sidechain
3	A1	343	U	Sidechain
3	A1	346	G	Sidechain
3	A1	348	G	Sidechain
3	A1	35	G	Sidechain
3	A1	350	G	Sidechain
3	A1	351	G	Sidechain
3	A1	352	C	Sidechain
3	A1	353	A	Sidechain
3	A1	354	G	Sidechain
3	A1	356	A	Sidechain
3	A1	357	G	Sidechain
3	A1	358	U	Sidechain
3	A1	359	G	Sidechain
3	A1	360	G	Sidechain
3	A1	361	G	Sidechain
3	A1	362	G	Sidechain
3	A1	363	A	Sidechain
3	A1	367	U	Sidechain
3	A1	368	U	Sidechain
3	A1	369	G	Sidechain
3	A1	37	U	Sidechain
3	A1	371	A	Sidechain
3	A1	372	C	Sidechain
3	A1	375	U	Sidechain
3	A1	376	G	Sidechain
3	A1	377	G	Sidechain
3	A1	378	G	Sidechain
3	A1	38	G	Sidechain
3	A1	381	C	Sidechain
3	A1	382	A	Sidechain
3	A1	384	G	Sidechain
3	A1	388	G	Sidechain
3	A1	389	A	Sidechain
3	A1	39	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	A1	390	U	Sidechain
3	A1	391	G	Sidechain
3	A1	392	C	Sidechain
3	A1	395	C	Sidechain
3	A1	396	C	Sidechain
3	A1	398	U	Sidechain
3	A1	399	G	Sidechain
3	A1	40	C	Sidechain
3	A1	400	C	Sidechain
3	A1	401	C	Sidechain
3	A1	404	G	Sidechain
3	A1	406	G	Sidechain
3	A1	409	U	Sidechain
3	A1	41	G	Sidechain
3	A1	410	G	Sidechain
3	A1	411	A	Sidechain
3	A1	412	A	Sidechain
3	A1	413	G	Sidechain
3	A1	414	A	Sidechain
3	A1	415	A	Sidechain
3	A1	416	G	Sidechain
3	A1	417	G	Sidechain
3	A1	419	C	Sidechain
3	A1	42	G	Sidechain
3	A1	420	U	Sidechain
3	A1	421	U	Sidechain
3	A1	422	C	Sidechain
3	A1	423	G	Sidechain
3	A1	424	G	Sidechain
3	A1	425	G	Sidechain
3	A1	427	U	Sidechain
3	A1	428	G	Sidechain
3	A1	429	U	Sidechain
3	A1	432	A	Sidechain
3	A1	433	G	Sidechain
3	A1	434	U	Sidechain
3	A1	435	A	Sidechain
3	A1	436	C	Sidechain
3	A1	437	U	Sidechain
3	A1	438	U	Sidechain
3	A1	44	A	Sidechain
3	A1	440	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	A1	442	G	Sidechain
3	A1	443	C	Sidechain
3	A1	445	G	Sidechain
3	A1	446	G	Sidechain
3	A1	447	G	Sidechain
3	A1	449	G	Sidechain
3	A1	45	G	Sidechain
3	A1	450	G	Sidechain
3	A1	452	A	Sidechain
3	A1	453	G	Sidechain
3	A1	454	G	Sidechain
3	A1	456	A	Sidechain
3	A1	457	G	Sidechain
3	A1	458	U	Sidechain
3	A1	459	A	Sidechain
3	A1	461	A	Sidechain
3	A1	463	U	Sidechain
3	A1	465	A	Sidechain
3	A1	467	U	Sidechain
3	A1	470	C	Sidechain
3	A1	473	U	Sidechain
3	A1	474	G	Sidechain
3	A1	475	C	Sidechain
3	A1	476	U	Sidechain
3	A1	478	A	Sidechain
3	A1	480	U	Sidechain
3	A1	483	C	Sidechain
3	A1	485	U	Sidechain
3	A1	486	U	Sidechain
3	A1	487	A	Sidechain
3	A1	489	C	Sidechain
3	A1	491	G	Sidechain
3	A1	493	A	Sidechain
3	A1	494	G	Sidechain
3	A1	497	G	Sidechain
3	A1	499	A	Sidechain
3	A1	50	A	Sidechain
3	A1	501	C	Sidechain
3	A1	504	C	Sidechain
3	A1	505	G	Sidechain
3	A1	506	G	Sidechain
3	A1	508	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	A1	511	C	Sidechain
3	A1	512	U	Sidechain
3	A1	514	C	Sidechain
3	A1	515	G	Sidechain
3	A1	517	G	Sidechain
3	A1	518	C	Sidechain
3	A1	519	C	Sidechain
3	A1	52	C	Sidechain
3	A1	521	G	Sidechain
3	A1	522	C	Sidechain
3	A1	523	A	Sidechain
3	A1	524	G	Sidechain
3	A1	525	C	Sidechain
3	A1	528	C	Sidechain
3	A1	529	G	Sidechain
3	A1	530	G	Sidechain
3	A1	531	U	Sidechain
3	A1	532	A	Sidechain
3	A1	533	A	Sidechain
3	A1	534	U	Sidechain
3	A1	535	A	Sidechain
3	A1	536	C	Sidechain
3	A1	537	G	Sidechain
3	A1	538	G	Sidechain
3	A1	539	A	Sidechain
3	A1	540	G	Sidechain
3	A1	541	G	Sidechain
3	A1	542	G	Sidechain
3	A1	547	A	Sidechain
3	A1	548	G	Sidechain
3	A1	549	C	Sidechain
3	A1	55	A	Sidechain
3	A1	550	G	Sidechain
3	A1	553	A	Sidechain
3	A1	554	A	Sidechain
3	A1	555	U	Sidechain
3	A1	556	C	Sidechain
3	A1	558	G	Sidechain
3	A1	559	A	Sidechain
3	A1	560	A	Sidechain
3	A1	561	U	Sidechain
3	A1	562	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	A1	563	A	Sidechain
3	A1	565	U	Sidechain
3	A1	566	G	Sidechain
3	A1	567	G	Sidechain
3	A1	568	G	Sidechain
3	A1	569	C	Sidechain
3	A1	57	G	Sidechain
3	A1	570	G	Sidechain
3	A1	572	A	Sidechain
3	A1	573	A	Sidechain
3	A1	574	A	Sidechain
3	A1	575	G	Sidechain
3	A1	576	C	Sidechain
3	A1	577	G	Sidechain
3	A1	578	C	Sidechain
3	A1	581	G	Sidechain
3	A1	585	G	Sidechain
3	A1	586	C	Sidechain
3	A1	587	G	Sidechain
3	A1	59	A	Sidechain
3	A1	590	U	Sidechain
3	A1	591	U	Sidechain
3	A1	592	G	Sidechain
3	A1	593	U	Sidechain
3	A1	594	U	Sidechain
3	A1	595	A	Sidechain
3	A1	596	A	Sidechain
3	A1	597	G	Sidechain
3	A1	598	U	Sidechain
3	A1	6	G	Sidechain
3	A1	602	A	Sidechain
3	A1	603	U	Sidechain
3	A1	606	G	Sidechain
3	A1	607	A	Sidechain
3	A1	608	A	Sidechain
3	A1	610	U	Sidechain
3	A1	611	C	Sidechain
3	A1	612	C	Sidechain
3	A1	613	C	Sidechain
3	A1	614	C	Sidechain
3	A1	617	G	Sidechain
3	A1	621	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	A1	625	U	Sidechain
3	A1	626	G	Sidechain
3	A1	627	G	Sidechain
3	A1	628	G	Sidechain
3	A1	63	C	Sidechain
3	A1	632	U	Sidechain
3	A1	633	G	Sidechain
3	A1	634	C	Sidechain
3	A1	635	A	Sidechain
3	A1	636	U	Sidechain
3	A1	637	C	Sidechain
3	A1	638	U	Sidechain
3	A1	639	G	Sidechain
3	A1	640	A	Sidechain
3	A1	641	U	Sidechain
3	A1	642	A	Sidechain
3	A1	647	C	Sidechain
3	A1	648	A	Sidechain
3	A1	649	A	Sidechain
3	A1	650	G	Sidechain
3	A1	652	U	Sidechain
3	A1	653	U	Sidechain
3	A1	654	G	Sidechain
3	A1	656	G	Sidechain
3	A1	657	U	Sidechain
3	A1	660	C	Sidechain
3	A1	661	G	Sidechain
3	A1	662	U	Sidechain
3	A1	664	G	Sidechain
3	A1	666	G	Sidechain
3	A1	669	G	Sidechain
3	A1	670	G	Sidechain
3	A1	672	U	Sidechain
3	A1	674	G	Sidechain
3	A1	676	A	Sidechain
3	A1	678	U	Sidechain
3	A1	68	G	Sidechain
3	A1	681	A	Sidechain
3	A1	682	G	Sidechain
3	A1	686	U	Sidechain
3	A1	688	G	Sidechain
3	A1	690	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	A1	691	G	Sidechain
3	A1	694	A	Sidechain
3	A1	695	A	Sidechain
3	A1	697	U	Sidechain
3	A1	698	G	Sidechain
3	A1	70	U	Sidechain
3	A1	700	G	Sidechain
3	A1	701	U	Sidechain
3	A1	702	A	Sidechain
3	A1	703	G	Sidechain
3	A1	706	A	Sidechain
3	A1	707	U	Sidechain
3	A1	708	C	Sidechain
3	A1	709	U	Sidechain
3	A1	71	A	Sidechain
3	A1	710	G	Sidechain
3	A1	711	G	Sidechain
3	A1	712	A	Sidechain
3	A1	715	A	Sidechain
3	A1	716	A	Sidechain
3	A1	717	U	Sidechain
3	A1	718	A	Sidechain
3	A1	719	C	Sidechain
3	A1	720	C	Sidechain
3	A1	721	G	Sidechain
3	A1	722	G	Sidechain
3	A1	724	G	Sidechain
3	A1	725	G	Sidechain
3	A1	727	G	Sidechain
3	A1	728	A	Sidechain
3	A1	729	A	Sidechain
3	A1	73	C	Sidechain
3	A1	732	C	Sidechain
3	A1	734	G	Sidechain
3	A1	736	C	Sidechain
3	A1	737	C	Sidechain
3	A1	738	C	Sidechain
3	A1	74	A	Sidechain
3	A1	741	G	Sidechain
3	A1	742	G	Sidechain
3	A1	743	A	Sidechain
3	A1	747	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	A1	748	G	Sidechain
3	A1	749	A	Sidechain
3	A1	75	G	Sidechain
3	A1	752	G	Sidechain
3	A1	754	C	Sidechain
3	A1	755	G	Sidechain
3	A1	756	C	Sidechain
3	A1	757	U	Sidechain
3	A1	759	A	Sidechain
3	A1	76	G	Sidechain
3	A1	760	G	Sidechain
3	A1	762	U	Sidechain
3	A1	764	C	Sidechain
3	A1	766	A	Sidechain
3	A1	769	G	Sidechain
3	A1	770	C	Sidechain
3	A1	771	G	Sidechain
3	A1	775	G	Sidechain
3	A1	776	G	Sidechain
3	A1	778	G	Sidechain
3	A1	781	A	Sidechain
3	A1	785	G	Sidechain
3	A1	788	U	Sidechain
3	A1	789	U	Sidechain
3	A1	79	G	Sidechain
3	A1	791	G	Sidechain
3	A1	792	A	Sidechain
3	A1	794	A	Sidechain
3	A1	795	C	Sidechain
3	A1	796	C	Sidechain
3	A1	797	C	Sidechain
3	A1	798	U	Sidechain
3	A1	8	A	Sidechain
3	A1	800	G	Sidechain
3	A1	801	U	Sidechain
3	A1	802	A	Sidechain
3	A1	803	G	Sidechain
3	A1	809	G	Sidechain
3	A1	81	A	Sidechain
3	A1	810	C	Sidechain
3	A1	811	C	Sidechain
3	A1	812	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	A1	814	A	Sidechain
3	A1	816	A	Sidechain
3	A1	817	C	Sidechain
3	A1	818	G	Sidechain
3	A1	82	G	Sidechain
3	A1	820	U	Sidechain
3	A1	821	G	Sidechain
3	A1	822	U	Sidechain
3	A1	824	G	Sidechain
3	A1	826	C	Sidechain
3	A1	827	U	Sidechain
3	A1	828	U	Sidechain
3	A1	829	G	Sidechain
3	A1	830	G	Sidechain
3	A1	832	G	Sidechain
3	A1	833	G	Sidechain
3	A1	834	U	Sidechain
3	A1	836	G	Sidechain
3	A1	838	G	Sidechain
3	A1	843	U	Sidechain
3	A1	845	A	Sidechain
3	A1	847	G	Sidechain
3	A1	849	G	Sidechain
3	A1	852	G	Sidechain
3	A1	853	C	Sidechain
3	A1	855	U	Sidechain
3	A1	858	G	Sidechain
3	A1	859	G	Sidechain
3	A1	862	C	Sidechain
3	A1	863	U	Sidechain
3	A1	865	A	Sidechain
3	A1	867	G	Sidechain
3	A1	868	C	Sidechain
3	A1	869	G	Sidechain
3	A1	87	C	Sidechain
3	A1	871	U	Sidechain
3	A1	872	A	Sidechain
3	A1	874	G	Sidechain
3	A1	875	U	Sidechain
3	A1	877	G	Sidechain
3	A1	878	A	Sidechain
3	A1	880	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	A1	881	G	Sidechain
3	A1	883	C	Sidechain
3	A1	884	U	Sidechain
3	A1	885	G	Sidechain
3	A1	886	G	Sidechain
3	A1	89	U	Sidechain
3	A1	890	G	Sidechain
3	A1	891	U	Sidechain
3	A1	892	A	Sidechain
3	A1	893	C	Sidechain
3	A1	894	G	Sidechain
3	A1	895	G	Sidechain
3	A1	897	C	Sidechain
3	A1	9	G	Sidechain
3	A1	90	C	Sidechain
3	A1	901	A	Sidechain
3	A1	903	G	Sidechain
3	A1	905	U	Sidechain
3	A1	906	A	Sidechain
3	A1	908	A	Sidechain
3	A1	91	U	Sidechain
3	A1	910	C	Sidechain
3	A1	911	U	Sidechain
3	A1	913	A	Sidechain
3	A1	917	G	Sidechain
3	A1	919	A	Sidechain
3	A1	92	U	Sidechain
3	A1	920	U	Sidechain
3	A1	923	A	Sidechain
3	A1	924	C	Sidechain
3	A1	925	G	Sidechain
3	A1	926	G	Sidechain
3	A1	927	G	Sidechain
3	A1	929	G	Sidechain
3	A1	93	U	Sidechain
3	A1	931	C	Sidechain
3	A1	932	C	Sidechain
3	A1	933	G	Sidechain
3	A1	935	A	Sidechain
3	A1	937	A	Sidechain
3	A1	938	A	Sidechain
3	A1	939	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	A1	94	G	Sidechain
3	A1	940	C	Sidechain
3	A1	941	G	Sidechain
3	A1	942	G	Sidechain
3	A1	944	G	Sidechain
3	A1	945	G	Sidechain
3	A1	95	C	Sidechain
3	A1	950	U	Sidechain
3	A1	951	G	Sidechain
3	A1	952	U	Sidechain
3	A1	953	G	Sidechain
3	A1	954	G	Sidechain
3	A1	955	U	Sidechain
3	A1	956	U	Sidechain
3	A1	958	A	Sidechain
3	A1	959	A	Sidechain
3	A1	960	U	Sidechain
3	A1	961	U	Sidechain
3	A1	962	C	Sidechain
3	A1	963	G	Sidechain
3	A1	964	A	Sidechain
3	A1	965	U	Sidechain
3	A1	967	C	Sidechain
3	A1	968	A	Sidechain
3	A1	969	A	Sidechain
3	A1	97	G	Sidechain
3	A1	970	C	Sidechain
3	A1	971	G	Sidechain
3	A1	973	G	Sidechain
3	A1	974	A	Sidechain
3	A1	975	A	Sidechain
3	A1	976	G	Sidechain
3	A1	977	A	Sidechain
3	A1	978	A	Sidechain
3	A1	979	C	Sidechain
3	A1	98	A	Sidechain
3	A1	981	U	Sidechain
3	A1	984	C	Sidechain
3	A1	985	C	Sidechain
3	A1	987	G	Sidechain
3	A1	988	G	Sidechain
3	A1	99	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
3	A1	990	C	Sidechain
3	A1	992	U	Sidechain
3	A1	993	G	Sidechain
3	A1	994	A	Sidechain
3	A1	996	A	Sidechain
3	A1	998	C	Sidechain
3	A1	999	C	Sidechain
1	AA	1	G	Sidechain
1	AA	10	G	Sidechain
1	AA	11	C	Sidechain
1	AA	12	U	Sidechain
1	AA	14	A	Sidechain
1	AA	15	G	Sidechain
1	AA	16	U	Sidechain
1	AA	17	U	Sidechain
1	AA	18	G	Sidechain
1	AA	19	G	Sidechain
1	AA	22	G	Sidechain
1	AA	23	A	Sidechain
1	AA	28	C	Sidechain
1	AA	29	A	Sidechain
1	AA	3	G	Sidechain
1	AA	31	A	Sidechain
1	AA	32	C	Sidechain
1	AA	33	U	Sidechain
1	AA	34	G	Sidechain
1	AA	35	A	Sidechain
1	AA	36	A	Sidechain
1	AA	37	G	Sidechain
1	AA	38	A	Sidechain
1	AA	4	G	Sidechain
1	AA	41	U	Sidechain
1	AA	42	G	Sidechain
1	AA	43	G	Sidechain
1	AA	44	A	Sidechain
1	AA	45	G	Sidechain
1	AA	46	G	Sidechain
1	AA	47	U	Sidechain
1	AA	49	C	Sidechain
1	AA	5	A	Sidechain
1	AA	50	U	Sidechain
1	AA	51	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	53	G	Sidechain
1	AA	54	U	Sidechain
1	AA	55	U	Sidechain
1	AA	57	G	Sidechain
1	AA	58	A	Sidechain
1	AA	6	U	Sidechain
1	AA	60	C	Sidechain
1	AA	61	C	Sidechain
1	AA	63	C	Sidechain
1	AA	64	A	Sidechain
1	AA	65	G	Sidechain
1	AA	67	A	Sidechain
1	AA	68	U	Sidechain
1	AA	69	U	Sidechain
1	AA	7	U	Sidechain
1	AA	71	G	Sidechain
1	AA	73	A	Sidechain
1	AA	75	C	Sidechain
1	AA	8	U	Sidechain
1	AA	9	A	Sidechain
4	AB	21	TYR	Sidechain
4	AB	34	ARG	Sidechain
4	AB	49	PHE	Peptide
5	AC	36	ARG	Sidechain
5	AC	51	PHE	Sidechain
5	AC	97	ARG	Sidechain
6	AD	13	ARG	Sidechain
6	AD	2	THR	Peptide
6	AD	49	ARG	Sidechain
6	AD	82	ARG	Sidechain
6	AD	9	LYS	Peptide
6	AD	94	TYR	Sidechain
6	AD	97	VAL	Peptide
1	AE	10	G	Sidechain
1	AE	11	C	Sidechain
1	AE	12	U	Sidechain
1	AE	13	C	Sidechain
1	AE	14	A	Sidechain
1	AE	15	G	Sidechain
1	AE	16	U	Sidechain
1	AE	17	U	Sidechain
1	AE	18	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AE	2	C	Sidechain
1	AE	20	G	Sidechain
1	AE	21	A	Sidechain
1	AE	23	A	Sidechain
1	AE	24	G	Sidechain
1	AE	26	G	Sidechain
1	AE	27	C	Sidechain
1	AE	29	A	Sidechain
1	AE	30	G	Sidechain
1	AE	31	A	Sidechain
1	AE	32	C	Sidechain
1	AE	33	U	Sidechain
1	AE	34	G	Sidechain
1	AE	35	A	Sidechain
1	AE	37	G	Sidechain
1	AE	38	A	Sidechain
1	AE	39	U	Sidechain
1	AE	4	G	Sidechain
1	AE	42	G	Sidechain
1	AE	46	G	Sidechain
1	AE	48	C	Sidechain
1	AE	5	A	Sidechain
1	AE	50	U	Sidechain
1	AE	52	U	Sidechain
1	AE	53	G	Sidechain
1	AE	54	U	Sidechain
1	AE	55	U	Sidechain
1	AE	57	G	Sidechain
1	AE	58	A	Sidechain
1	AE	59	U	Sidechain
1	AE	6	U	Sidechain
1	AE	62	A	Sidechain
1	AE	67	A	Sidechain
1	AE	70	C	Sidechain
1	AE	71	G	Sidechain
1	AE	72	C	Sidechain
1	AE	73	A	Sidechain
1	AE	74	C	Sidechain
1	AE	76	A	Sidechain
1	AE	9	A	Sidechain
7	AF	104	ASN	Peptide
7	AF	106	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
7	AF	112	ARG	Sidechain
7	AF	79	LEU	Peptide
7	AF	94	LEU	Peptide
8	AG	20	PHE	Peptide
8	AG	60	ARG	Sidechain
8	AG	68	ARG	Sidechain
8	AG	84	ARG	Sidechain
9	AH	41	HIS	Sidechain
9	AH	45	HIS	Sidechain
9	AH	52	ARG	Sidechain
9	AH	57	ARG	Sidechain
9	AH	62	ARG	Sidechain
10	AI	40	ASN	Peptide
10	AI	5	ARG	Sidechain
10	AI	56	ARG	Sidechain
11	AJ	33	TYR	Sidechain
11	AJ	54	ILE	Peptide
11	AJ	64	ARG	Sidechain
11	AJ	80	LYS	Peptide
13	AL	2	ARG	Sidechain
13	AL	31	ARG	Sidechain
13	AL	35	ARG	Peptide
13	AL	37	SER	Peptide
13	AL	4	LEU	Peptide
13	AL	51	HIS	Peptide
13	AL	66	VAL	Peptide
13	AL	77	ARG	Sidechain
2	AM	10	U	Sidechain
2	AM	12	U	Sidechain
2	AM	13	U	Sidechain
2	AM	15	U	Sidechain
2	AM	17	U	Sidechain
2	AM	19	U	Sidechain
2	AM	20	U	Sidechain
2	AM	3	U	Sidechain
2	AM	4	U	Sidechain
14	AN	9	ARG	Sidechain
15	AO	39	ARG	Sidechain
15	AO	41	TYR	Sidechain
15	AO	62	SER	Peptide
1	AP	10	G	Sidechain
1	AP	11	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AP	13	C	Sidechain
1	AP	15	G	Sidechain
1	AP	16	U	Sidechain
1	AP	17	U	Sidechain
1	AP	18	G	Sidechain
1	AP	19	G	Sidechain
1	AP	20	G	Sidechain
1	AP	21	A	Sidechain
1	AP	22	G	Sidechain
1	AP	24	G	Sidechain
1	AP	25	C	Sidechain
1	AP	26	G	Sidechain
1	AP	27	C	Sidechain
1	AP	28	C	Sidechain
1	AP	29	A	Sidechain
1	AP	3	G	Sidechain
1	AP	30	G	Sidechain
1	AP	31	A	Sidechain
1	AP	32	C	Sidechain
1	AP	33	U	Sidechain
1	AP	34	G	Sidechain
1	AP	35	A	Sidechain
1	AP	37	G	Sidechain
1	AP	4	G	Sidechain
1	AP	41	U	Sidechain
1	AP	42	G	Sidechain
1	AP	43	G	Sidechain
1	AP	44	A	Sidechain
1	AP	45	G	Sidechain
1	AP	47	U	Sidechain
1	AP	48	C	Sidechain
1	AP	5	A	Sidechain
1	AP	50	U	Sidechain
1	AP	53	G	Sidechain
1	AP	56	C	Sidechain
1	AP	58	A	Sidechain
1	AP	6	U	Sidechain
1	AP	60	C	Sidechain
1	AP	61	C	Sidechain
1	AP	62	A	Sidechain
1	AP	64	A	Sidechain
1	AP	66	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AP	69	U	Sidechain
1	AP	71	G	Sidechain
1	AP	72	C	Sidechain
1	AP	73	A	Sidechain
1	AP	8	U	Sidechain
1	AP	9	A	Sidechain
16	AQ	34	ARG	Sidechain
16	AQ	44	ARG	Sidechain
16	AQ	6	ARG	Peptide
16	AQ	9	GLU	Peptide
17	AR	102	TYR	Sidechain
17	AR	103	ARG	Sidechain
17	AR	140	ASP	Peptide
17	AR	22	SER	Peptide,Mainchain
17	AR	56	GLU	Peptide
17	AR	69	ARG	Sidechain
18	AS	156	ARG	Sidechain
18	AS	25	LYS	Peptide
18	AS	26	GLY	Peptide
19	AT	49	TYR	Sidechain
19	AT	72	ASP	Sidechain
19	AT	8	PHE	Sidechain
19	AT	91	ARG	Sidechain
20	AU	118	ARG	Sidechain
20	AU	17	PHE	Sidechain
20	AU	73	GLU	Sidechain
20	AU	9	ARG	Peptide
21	AV	50	VAL	Peptide
21	AV	79	ARG	Sidechain
22	AW	118	ARG	Sidechain
22	AW	126	PHE	Peptide
22	AW	17	ARG	Sidechain
22	AW	24	ASN	Peptide
23	AX	62	ARG	Sidechain
23	AX	68	ARG	Sidechain
23	AX	73	LEU	Peptide
23	AX	9	ARG	Sidechain
50	B1	101	TYR	Sidechain
50	B1	102	ARG	Sidechain
50	B1	115	GLN	Peptide
50	B1	191	ASP	Peptide
50	B1	40	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
50	B1	45	ALA	Peptide
50	B1	49	ARG	Sidechain
50	B1	69	ARG	Sidechain
50	B1	78	TRP	Peptide
51	B2	111	ARG	Sidechain
51	B2	147	ARG	Sidechain
51	B2	149	ARG	Sidechain
51	B2	19	PHE	Sidechain
51	B2	74	ALA	Peptide
51	B2	94	ARG	Sidechain
52	B3	108	PHE	Peptide
52	B3	148	ARG	Sidechain
52	B3	151	ARG	Sidechain
52	B3	68	ARG	Sidechain
52	B3	93	TYR	Sidechain
53	B4	116	ARG	Sidechain
53	B4	16	GLY	Peptide
53	B4	31	VAL	Peptide
53	B4	91	PHE	Sidechain
54	B5	133	ARG	Sidechain
54	B5	51	GLY	Peptide
54	B5	66	PHE	Peptide
55	B6	109	LEU	Peptide
55	B6	124	VAL	Peptide
55	B6	31	GLU	Sidechain
55	B6	34	ARG	Sidechain
55	B6	49	ASP	Sidechain
55	B6	69	ARG	Sidechain
55	B6	75	TYR	Sidechain
55	B6	98	GLU	Sidechain
24	BA	10	G	Sidechain
24	BA	100	G	Sidechain
24	BA	101	A	Sidechain
24	BA	103	U	Sidechain
24	BA	104	A	Sidechain
24	BA	105	G	Sidechain
24	BA	106	G	Sidechain
24	BA	107	G	Sidechain
24	BA	108	A	Sidechain
24	BA	109	A	Sidechain
24	BA	112	G	Sidechain
24	BA	113	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
24	BA	114	C	Sidechain
24	BA	116	G	Sidechain
24	BA	118	C	Sidechain
24	BA	12	C	Sidechain
24	BA	13	G	Sidechain
24	BA	15	A	Sidechain
24	BA	16	G	Sidechain
24	BA	18	G	Sidechain
24	BA	2	G	Sidechain
24	BA	22	U	Sidechain
24	BA	23	G	Sidechain
24	BA	25	U	Sidechain
24	BA	26	C	Sidechain
24	BA	29	A	Sidechain
24	BA	31	C	Sidechain
24	BA	32	U	Sidechain
24	BA	33	G	Sidechain
24	BA	36	C	Sidechain
24	BA	37	C	Sidechain
24	BA	38	C	Sidechain
24	BA	41	G	Sidechain
24	BA	43	C	Sidechain
24	BA	44	G	Sidechain
24	BA	47	C	Sidechain
24	BA	48	U	Sidechain
24	BA	5	U	Sidechain
24	BA	50	A	Sidechain
24	BA	51	G	Sidechain
24	BA	53	A	Sidechain
24	BA	54	G	Sidechain
24	BA	55	U	Sidechain
24	BA	57	A	Sidechain
24	BA	60	C	Sidechain
24	BA	61	G	Sidechain
24	BA	64	G	Sidechain
24	BA	65	U	Sidechain
24	BA	66	A	Sidechain
24	BA	69	G	Sidechain
24	BA	7	G	Sidechain
24	BA	72	G	Sidechain
24	BA	73	A	Sidechain
24	BA	74	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
24	BA	75	G	Sidechain
24	BA	76	G	Sidechain
24	BA	77	U	Sidechain
24	BA	78	A	Sidechain
24	BA	80	U	Sidechain
24	BA	81	G	Sidechain
24	BA	83	G	Sidechain
24	BA	87	U	Sidechain
24	BA	93	C	Sidechain
24	BA	94	A	Sidechain
24	BA	95	U	Sidechain
24	BA	98	G	Sidechain
25	BB	1	G	Sidechain
25	BB	1000	A	Sidechain
25	BB	1001	A	Sidechain
25	BB	1003	G	Sidechain
25	BB	1007	C	Sidechain
25	BB	1008	A	Sidechain
25	BB	1009	A	Sidechain
25	BB	1010	A	Sidechain
25	BB	1011	G	Sidechain
25	BB	1012	U	Sidechain
25	BB	1013	C	Sidechain
25	BB	1016	G	Sidechain
25	BB	1017	G	Sidechain
25	BB	1019	U	Sidechain
25	BB	102	U	Sidechain
25	BB	1020	A	Sidechain
25	BB	1021	A	Sidechain
25	BB	1022	G	Sidechain
25	BB	1023	U	Sidechain
25	BB	1024	G	Sidechain
25	BB	1025	G	Sidechain
25	BB	1026	G	Sidechain
25	BB	1027	A	Sidechain
25	BB	1028	A	Sidechain
25	BB	1031	G	Sidechain
25	BB	1033	U	Sidechain
25	BB	1035	U	Sidechain
25	BB	1036	G	Sidechain
25	BB	1041	G	Sidechain
25	BB	1044	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	1045	C	Sidechain
25	BB	1046	A	Sidechain
25	BB	1047	G	Sidechain
25	BB	1049	C	Sidechain
25	BB	105	C	Sidechain
25	BB	1050	A	Sidechain
25	BB	1051	G	Sidechain
25	BB	1052	C	Sidechain
25	BB	1054	A	Sidechain
25	BB	1057	A	Sidechain
25	BB	1059	G	Sidechain
25	BB	1060	U	Sidechain
25	BB	1061	U	Sidechain
25	BB	1064	C	Sidechain
25	BB	1065	U	Sidechain
25	BB	1066	U	Sidechain
25	BB	1069	A	Sidechain
25	BB	1070	A	Sidechain
25	BB	1073	A	Sidechain
25	BB	1074	G	Sidechain
25	BB	1078	U	Sidechain
25	BB	1079	C	Sidechain
25	BB	108	G	Sidechain
25	BB	1080	A	Sidechain
25	BB	1081	U	Sidechain
25	BB	1082	U	Sidechain
25	BB	1083	U	Sidechain
25	BB	1089	A	Sidechain
25	BB	1093	G	Sidechain
25	BB	1095	A	Sidechain
25	BB	1098	A	Sidechain
25	BB	1099	G	Sidechain
25	BB	11	C	Sidechain
25	BB	110	G	Sidechain
25	BB	1100	C	Sidechain
25	BB	1102	C	Sidechain
25	BB	1104	C	Sidechain
25	BB	1107	G	Sidechain
25	BB	1108	U	Sidechain
25	BB	1109	C	Sidechain
25	BB	111	A	Sidechain
25	BB	1110	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	1111	A	Sidechain
25	BB	1113	U	Sidechain
25	BB	1115	G	Sidechain
25	BB	1116	G	Sidechain
25	BB	1118	C	Sidechain
25	BB	1119	U	Sidechain
25	BB	112	U	Sidechain
25	BB	1120	G	Sidechain
25	BB	1121	C	Sidechain
25	BB	1122	G	Sidechain
25	BB	1124	G	Sidechain
25	BB	1125	G	Sidechain
25	BB	1128	G	Sidechain
25	BB	1129	A	Sidechain
25	BB	113	U	Sidechain
25	BB	1132	U	Sidechain
25	BB	1134	A	Sidechain
25	BB	1137	G	Sidechain
25	BB	1139	G	Sidechain
25	BB	114	U	Sidechain
25	BB	1145	C	Sidechain
25	BB	1148	U	Sidechain
25	BB	115	C	Sidechain
25	BB	1150	C	Sidechain
25	BB	1151	A	Sidechain
25	BB	1152	C	Sidechain
25	BB	1154	G	Sidechain
25	BB	1156	A	Sidechain
25	BB	1157	G	Sidechain
25	BB	116	C	Sidechain
25	BB	1160	G	Sidechain
25	BB	1162	G	Sidechain
25	BB	1163	G	Sidechain
25	BB	1165	A	Sidechain
25	BB	1168	G	Sidechain
25	BB	117	G	Sidechain
25	BB	1170	C	Sidechain
25	BB	1172	C	Sidechain
25	BB	1174	U	Sidechain
25	BB	1175	A	Sidechain
25	BB	1176	U	Sidechain
25	BB	1178	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	1179	G	Sidechain
25	BB	118	A	Sidechain
25	BB	1180	U	Sidechain
25	BB	1181	U	Sidechain
25	BB	1186	G	Sidechain
25	BB	1189	A	Sidechain
25	BB	1190	G	Sidechain
25	BB	1192	G	Sidechain
25	BB	1193	G	Sidechain
25	BB	1194	A	Sidechain
25	BB	1197	G	Sidechain
25	BB	1199	U	Sidechain
25	BB	12	U	Sidechain
25	BB	120	U	Sidechain
25	BB	1201	U	Sidechain
25	BB	1203	U	Sidechain
25	BB	1206	G	Sidechain
25	BB	1208	C	Sidechain
25	BB	1209	U	Sidechain
25	BB	121	G	Sidechain
25	BB	1210	G	Sidechain
25	BB	1213	A	Sidechain
25	BB	1214	A	Sidechain
25	BB	1216	G	Sidechain
25	BB	1217	U	Sidechain
25	BB	1218	G	Sidechain
25	BB	1219	U	Sidechain
25	BB	122	G	Sidechain
25	BB	1220	G	Sidechain
25	BB	1221	C	Sidechain
25	BB	1222	U	Sidechain
25	BB	1223	G	Sidechain
25	BB	1224	U	Sidechain
25	BB	1225	G	Sidechain
25	BB	1227	G	Sidechain
25	BB	1228	G	Sidechain
25	BB	1229	C	Sidechain
25	BB	1230	A	Sidechain
25	BB	1232	G	Sidechain
25	BB	1233	C	Sidechain
25	BB	1234	U	Sidechain
25	BB	1235	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	1236	G	Sidechain
25	BB	1237	A	Sidechain
25	BB	1238	G	Sidechain
25	BB	1239	G	Sidechain
25	BB	1241	A	Sidechain
25	BB	1242	U	Sidechain
25	BB	1243	C	Sidechain
25	BB	1245	G	Sidechain
25	BB	1250	G	Sidechain
25	BB	1251	C	Sidechain
25	BB	1252	G	Sidechain
25	BB	1253	A	Sidechain
25	BB	1257	C	Sidechain
25	BB	1260	A	Sidechain
25	BB	1262	A	Sidechain
25	BB	1263	U	Sidechain
25	BB	1265	A	Sidechain
25	BB	1268	A	Sidechain
25	BB	1273	U	Sidechain
25	BB	1274	A	Sidechain
25	BB	1277	G	Sidechain
25	BB	1278	C	Sidechain
25	BB	1279	G	Sidechain
25	BB	128	C	Sidechain
25	BB	1281	G	Sidechain
25	BB	1282	U	Sidechain
25	BB	1283	G	Sidechain
25	BB	1286	A	Sidechain
25	BB	1288	G	Sidechain
25	BB	1290	C	Sidechain
25	BB	1291	C	Sidechain
25	BB	1292	G	Sidechain
25	BB	1293	C	Sidechain
25	BB	1297	C	Sidechain
25	BB	1299	G	Sidechain
25	BB	130	C	Sidechain
25	BB	1300	G	Sidechain
25	BB	1302	A	Sidechain
25	BB	1305	C	Sidechain
25	BB	1307	A	Sidechain
25	BB	1308	A	Sidechain
25	BB	1309	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	131	A	Sidechain
25	BB	1310	G	Sidechain
25	BB	1311	G	Sidechain
25	BB	1315	C	Sidechain
25	BB	1317	G	Sidechain
25	BB	1318	U	Sidechain
25	BB	1319	C	Sidechain
25	BB	132	G	Sidechain
25	BB	1320	C	Sidechain
25	BB	1321	A	Sidechain
25	BB	1323	C	Sidechain
25	BB	1324	G	Sidechain
25	BB	1326	U	Sidechain
25	BB	1327	A	Sidechain
25	BB	1328	A	Sidechain
25	BB	1329	U	Sidechain
25	BB	1330	C	Sidechain
25	BB	1332	G	Sidechain
25	BB	1334	G	Sidechain
25	BB	1335	C	Sidechain
25	BB	1337	G	Sidechain
25	BB	1338	G	Sidechain
25	BB	1339	G	Sidechain
25	BB	134	G	Sidechain
25	BB	1342	A	Sidechain
25	BB	1343	G	Sidechain
25	BB	1345	C	Sidechain
25	BB	1346	G	Sidechain
25	BB	1348	C	Sidechain
25	BB	135	U	Sidechain
25	BB	1350	C	Sidechain
25	BB	1351	C	Sidechain
25	BB	1352	U	Sidechain
25	BB	1353	A	Sidechain
25	BB	1355	G	Sidechain
25	BB	1357	C	Sidechain
25	BB	1358	G	Sidechain
25	BB	1364	G	Sidechain
25	BB	1365	A	Sidechain
25	BB	1366	A	Sidechain
25	BB	1367	A	Sidechain
25	BB	1369	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	137	U	Sidechain
25	BB	1371	G	Sidechain
25	BB	1379	U	Sidechain
25	BB	138	U	Sidechain
25	BB	1380	G	Sidechain
25	BB	1381	G	Sidechain
25	BB	1382	G	Sidechain
25	BB	1383	A	Sidechain
25	BB	1387	A	Sidechain
25	BB	1388	G	Sidechain
25	BB	1389	G	Sidechain
25	BB	139	U	Sidechain
25	BB	1391	U	Sidechain
25	BB	1392	A	Sidechain
25	BB	1393	A	Sidechain
25	BB	1394	U	Sidechain
25	BB	1396	U	Sidechain
25	BB	14	A	Sidechain
25	BB	140	C	Sidechain
25	BB	1400	U	Sidechain
25	BB	1403	A	Sidechain
25	BB	1404	C	Sidechain
25	BB	1405	U	Sidechain
25	BB	1407	G	Sidechain
25	BB	1408	G	Sidechain
25	BB	141	G	Sidechain
25	BB	1412	U	Sidechain
25	BB	1413	A	Sidechain
25	BB	1416	G	Sidechain
25	BB	1420	A	Sidechain
25	BB	1421	G	Sidechain
25	BB	1422	G	Sidechain
25	BB	1424	G	Sidechain
25	BB	1425	G	Sidechain
25	BB	1426	G	Sidechain
25	BB	143	C	Sidechain
25	BB	1432	G	Sidechain
25	BB	1433	A	Sidechain
25	BB	1434	A	Sidechain
25	BB	1435	G	Sidechain
25	BB	144	A	Sidechain
25	BB	1440	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	1442	U	Sidechain
25	BB	1443	U	Sidechain
25	BB	1444	G	Sidechain
25	BB	1445	G	Sidechain
25	BB	1446	C	Sidechain
25	BB	1450	G	Sidechain
25	BB	1451	C	Sidechain
25	BB	1452	G	Sidechain
25	BB	1455	G	Sidechain
25	BB	1458	U	Sidechain
25	BB	1459	G	Sidechain
25	BB	146	A	Sidechain
25	BB	1462	C	Sidechain
25	BB	1464	G	Sidechain
25	BB	1467	U	Sidechain
25	BB	1468	U	Sidechain
25	BB	1469	A	Sidechain
25	BB	1471	G	Sidechain
25	BB	1473	G	Sidechain
25	BB	1474	U	Sidechain
25	BB	1476	U	Sidechain
25	BB	1477	A	Sidechain
25	BB	1478	G	Sidechain
25	BB	1479	G	Sidechain
25	BB	1480	C	Sidechain
25	BB	1482	G	Sidechain
25	BB	1483	G	Sidechain
25	BB	1485	U	Sidechain
25	BB	1486	U	Sidechain
25	BB	1487	U	Sidechain
25	BB	1488	C	Sidechain
25	BB	1489	C	Sidechain
25	BB	1490	A	Sidechain
25	BB	1492	G	Sidechain
25	BB	1493	C	Sidechain
25	BB	1495	A	Sidechain
25	BB	1496	A	Sidechain
25	BB	1497	U	Sidechain
25	BB	1499	C	Sidechain
25	BB	15	G	Sidechain
25	BB	1500	G	Sidechain
25	BB	1501	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	1503	A	Sidechain
25	BB	1507	C	Sidechain
25	BB	1509	A	Sidechain
25	BB	151	C	Sidechain
25	BB	1511	G	Sidechain
25	BB	1514	G	Sidechain
25	BB	1515	A	Sidechain
25	BB	1516	G	Sidechain
25	BB	1517	G	Sidechain
25	BB	1519	G	Sidechain
25	BB	1521	G	Sidechain
25	BB	1522	A	Sidechain
25	BB	1524	G	Sidechain
25	BB	1525	A	Sidechain
25	BB	1529	G	Sidechain
25	BB	1532	A	Sidechain
25	BB	1533	C	Sidechain
25	BB	1535	A	Sidechain
25	BB	1536	C	Sidechain
25	BB	1537	G	Sidechain
25	BB	1538	G	Sidechain
25	BB	154	U	Sidechain
25	BB	1541	C	Sidechain
25	BB	1546	G	Sidechain
25	BB	1547	C	Sidechain
25	BB	1549	A	Sidechain
25	BB	1551	A	Sidechain
25	BB	1552	A	Sidechain
25	BB	1553	A	Sidechain
25	BB	1554	U	Sidechain
25	BB	1555	G	Sidechain
25	BB	1556	C	Sidechain
25	BB	1557	C	Sidechain
25	BB	1558	C	Sidechain
25	BB	1560	G	Sidechain
25	BB	1561	C	Sidechain
25	BB	1562	U	Sidechain
25	BB	1563	U	Sidechain
25	BB	1565	C	Sidechain
25	BB	157	C	Sidechain
25	BB	1570	A	Sidechain
25	BB	1574	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	1576	U	Sidechain
25	BB	1579	A	Sidechain
25	BB	158	U	Sidechain
25	BB	1581	G	Sidechain
25	BB	1582	C	Sidechain
25	BB	1583	A	Sidechain
25	BB	1586	A	Sidechain
25	BB	1587	G	Sidechain
25	BB	1588	G	Sidechain
25	BB	1589	U	Sidechain
25	BB	1590	A	Sidechain
25	BB	1593	A	Sidechain
25	BB	1594	U	Sidechain
25	BB	1597	A	Sidechain
25	BB	1598	A	Sidechain
25	BB	1599	U	Sidechain
25	BB	16	C	Sidechain
25	BB	1600	C	Sidechain
25	BB	1602	U	Sidechain
25	BB	1605	C	Sidechain
25	BB	1607	C	Sidechain
25	BB	1608	A	Sidechain
25	BB	161	A	Sidechain
25	BB	1610	A	Sidechain
25	BB	1613	G	Sidechain
25	BB	1615	C	Sidechain
25	BB	1616	A	Sidechain
25	BB	1617	C	Sidechain
25	BB	1618	A	Sidechain
25	BB	162	U	Sidechain
25	BB	1620	G	Sidechain
25	BB	1622	G	Sidechain
25	BB	1623	G	Sidechain
25	BB	1625	C	Sidechain
25	BB	1626	A	Sidechain
25	BB	1627	G	Sidechain
25	BB	1628	G	Sidechain
25	BB	1630	A	Sidechain
25	BB	1631	G	Sidechain
25	BB	1639	C	Sidechain
25	BB	164	C	Sidechain
25	BB	1640	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	1641	A	Sidechain
25	BB	1642	G	Sidechain
25	BB	1645	G	Sidechain
25	BB	1648	U	Sidechain
25	BB	165	A	Sidechain
25	BB	1650	A	Sidechain
25	BB	1651	G	Sidechain
25	BB	1653	G	Sidechain
25	BB	1654	A	Sidechain
25	BB	1657	U	Sidechain
25	BB	1658	C	Sidechain
25	BB	1659	G	Sidechain
25	BB	166	U	Sidechain
25	BB	1660	G	Sidechain
25	BB	1661	G	Sidechain
25	BB	1662	U	Sidechain
25	BB	1667	G	Sidechain
25	BB	1669	A	Sidechain
25	BB	1671	U	Sidechain
25	BB	1672	A	Sidechain
25	BB	1673	G	Sidechain
25	BB	1678	A	Sidechain
25	BB	1681	G	Sidechain
25	BB	1682	G	Sidechain
25	BB	1683	U	Sidechain
25	BB	1684	G	Sidechain
25	BB	1685	C	Sidechain
25	BB	1687	G	Sidechain
25	BB	1690	A	Sidechain
25	BB	1692	U	Sidechain
25	BB	1695	G	Sidechain
25	BB	1696	G	Sidechain
25	BB	1698	A	Sidechain
25	BB	1699	G	Sidechain
25	BB	1700	A	Sidechain
25	BB	1701	A	Sidechain
25	BB	1702	G	Sidechain
25	BB	1703	G	Sidechain
25	BB	1705	A	Sidechain
25	BB	1707	G	Sidechain
25	BB	1708	C	Sidechain
25	BB	1709	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	171	U	Sidechain
25	BB	1710	G	Sidechain
25	BB	1711	A	Sidechain
25	BB	1715	G	Sidechain
25	BB	1716	U	Sidechain
25	BB	1718	G	Sidechain
25	BB	1719	G	Sidechain
25	BB	172	A	Sidechain
25	BB	1720	U	Sidechain
25	BB	1721	G	Sidechain
25	BB	1722	A	Sidechain
25	BB	1723	G	Sidechain
25	BB	1724	G	Sidechain
25	BB	1726	C	Sidechain
25	BB	1729	U	Sidechain
25	BB	173	A	Sidechain
25	BB	1730	C	Sidechain
25	BB	1731	G	Sidechain
25	BB	1733	G	Sidechain
25	BB	1734	G	Sidechain
25	BB	1736	U	Sidechain
25	BB	1737	G	Sidechain
25	BB	1738	G	Sidechain
25	BB	1739	A	Sidechain
25	BB	174	U	Sidechain
25	BB	1742	U	Sidechain
25	BB	1745	A	Sidechain
25	BB	175	G	Sidechain
25	BB	1752	C	Sidechain
25	BB	1755	A	Sidechain
25	BB	1756	G	Sidechain
25	BB	1759	A	Sidechain
25	BB	1760	C	Sidechain
25	BB	1761	C	Sidechain
25	BB	1762	A	Sidechain
25	BB	1763	G	Sidechain
25	BB	1765	U	Sidechain
25	BB	1767	G	Sidechain
25	BB	1768	C	Sidechain
25	BB	1769	U	Sidechain
25	BB	177	G	Sidechain
25	BB	1771	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	1772	A	Sidechain
25	BB	1774	C	Sidechain
25	BB	1775	U	Sidechain
25	BB	1776	G	Sidechain
25	BB	178	G	Sidechain
25	BB	1780	A	Sidechain
25	BB	1781	U	Sidechain
25	BB	1782	U	Sidechain
25	BB	1783	A	Sidechain
25	BB	1785	A	Sidechain
25	BB	1786	A	Sidechain
25	BB	1788	C	Sidechain
25	BB	179	C	Sidechain
25	BB	1791	A	Sidechain
25	BB	1792	G	Sidechain
25	BB	1795	C	Sidechain
25	BB	1798	U	Sidechain
25	BB	1799	G	Sidechain
25	BB	18	U	Sidechain
25	BB	1802	A	Sidechain
25	BB	1806	C	Sidechain
25	BB	1807	G	Sidechain
25	BB	1808	A	Sidechain
25	BB	1809	A	Sidechain
25	BB	181	A	Sidechain
25	BB	1811	G	Sidechain
25	BB	1814	G	Sidechain
25	BB	1815	A	Sidechain
25	BB	1816	C	Sidechain
25	BB	182	A	Sidechain
25	BB	1820	U	Sidechain
25	BB	1821	A	Sidechain
25	BB	1822	C	Sidechain
25	BB	1823	G	Sidechain
25	BB	1825	U	Sidechain
25	BB	1826	G	Sidechain
25	BB	1827	U	Sidechain
25	BB	1828	G	Sidechain
25	BB	183	C	Sidechain
25	BB	1830	C	Sidechain
25	BB	1833	C	Sidechain
25	BB	1835	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	1836	C	Sidechain
25	BB	1837	C	Sidechain
25	BB	1838	C	Sidechain
25	BB	1839	G	Sidechain
25	BB	184	C	Sidechain
25	BB	1840	G	Sidechain
25	BB	1841	U	Sidechain
25	BB	1842	G	Sidechain
25	BB	1846	G	Sidechain
25	BB	1847	A	Sidechain
25	BB	1849	G	Sidechain
25	BB	185	G	Sidechain
25	BB	1851	U	Sidechain
25	BB	1853	A	Sidechain
25	BB	1855	U	Sidechain
25	BB	1857	G	Sidechain
25	BB	1858	A	Sidechain
25	BB	1859	U	Sidechain
25	BB	1860	G	Sidechain
25	BB	1862	G	Sidechain
25	BB	1864	U	Sidechain
25	BB	1865	U	Sidechain
25	BB	1867	G	Sidechain
25	BB	1869	G	Sidechain
25	BB	187	G	Sidechain
25	BB	1870	C	Sidechain
25	BB	1871	A	Sidechain
25	BB	1875	G	Sidechain
25	BB	1878	G	Sidechain
25	BB	1879	C	Sidechain
25	BB	188	G	Sidechain
25	BB	1880	U	Sidechain
25	BB	1882	U	Sidechain
25	BB	1883	U	Sidechain
25	BB	1884	G	Sidechain
25	BB	1885	A	Sidechain
25	BB	1886	U	Sidechain
25	BB	1888	G	Sidechain
25	BB	1889	A	Sidechain
25	BB	189	G	Sidechain
25	BB	1890	A	Sidechain
25	BB	1891	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	1892	C	Sidechain
25	BB	1893	C	Sidechain
25	BB	1894	C	Sidechain
25	BB	1896	G	Sidechain
25	BB	1898	U	Sidechain
25	BB	1899	A	Sidechain
25	BB	19	A	Sidechain
25	BB	190	A	Sidechain
25	BB	1901	A	Sidechain
25	BB	1904	G	Sidechain
25	BB	1905	C	Sidechain
25	BB	1907	G	Sidechain
25	BB	1909	C	Sidechain
25	BB	1910	G	Sidechain
25	BB	1912	A	Sidechain
25	BB	1915	U	Sidechain
25	BB	1916	A	Sidechain
25	BB	1917	U	Sidechain
25	BB	192	C	Sidechain
25	BB	1920	C	Sidechain
25	BB	1921	G	Sidechain
25	BB	1922	G	Sidechain
25	BB	1924	C	Sidechain
25	BB	1925	C	Sidechain
25	BB	1928	A	Sidechain
25	BB	1929	G	Sidechain
25	BB	1930	G	Sidechain
25	BB	1931	U	Sidechain
25	BB	1932	A	Sidechain
25	BB	1933	G	Sidechain
25	BB	1935	G	Sidechain
25	BB	1938	A	Sidechain
25	BB	1939	U	Sidechain
25	BB	1940	U	Sidechain
25	BB	1942	C	Sidechain
25	BB	1943	U	Sidechain
25	BB	1944	U	Sidechain
25	BB	1945	G	Sidechain
25	BB	1946	U	Sidechain
25	BB	1948	G	Sidechain
25	BB	1949	G	Sidechain
25	BB	1950	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	1951	U	Sidechain
25	BB	1952	A	Sidechain
25	BB	1953	A	Sidechain
25	BB	1955	U	Sidechain
25	BB	1956	U	Sidechain
25	BB	1959	G	Sidechain
25	BB	196	A	Sidechain
25	BB	1961	C	Sidechain
25	BB	1962	C	Sidechain
25	BB	1963	U	Sidechain
25	BB	1964	G	Sidechain
25	BB	1965	C	Sidechain
25	BB	1967	C	Sidechain
25	BB	1968	G	Sidechain
25	BB	1969	A	Sidechain
25	BB	1971	U	Sidechain
25	BB	1972	G	Sidechain
25	BB	1973	G	Sidechain
25	BB	1975	G	Sidechain
25	BB	1976	U	Sidechain
25	BB	1977	A	Sidechain
25	BB	198	C	Sidechain
25	BB	1980	G	Sidechain
25	BB	1981	A	Sidechain
25	BB	1983	G	Sidechain
25	BB	1984	G	Sidechain
25	BB	1989	G	Sidechain
25	BB	199	A	Sidechain
25	BB	1990	C	Sidechain
25	BB	1992	G	Sidechain
25	BB	1994	C	Sidechain
25	BB	1996	C	Sidechain
25	BB	2	G	Sidechain
25	BB	20	C	Sidechain
25	BB	200	U	Sidechain
25	BB	2000	C	Sidechain
25	BB	2001	C	Sidechain
25	BB	2002	G	Sidechain
25	BB	2004	G	Sidechain
25	BB	201	C	Sidechain
25	BB	2010	G	Sidechain
25	BB	2011	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	2012	G	Sidechain
25	BB	2013	A	Sidechain
25	BB	2017	U	Sidechain
25	BB	2018	G	Sidechain
25	BB	2020	A	Sidechain
25	BB	2021	C	Sidechain
25	BB	2022	U	Sidechain
25	BB	2024	G	Sidechain
25	BB	2028	U	Sidechain
25	BB	203	A	Sidechain
25	BB	2031	A	Sidechain
25	BB	2032	G	Sidechain
25	BB	2033	A	Sidechain
25	BB	2035	G	Sidechain
25	BB	2038	G	Sidechain
25	BB	2039	U	Sidechain
25	BB	2040	G	Sidechain
25	BB	2044	C	Sidechain
25	BB	2048	G	Sidechain
25	BB	205	G	Sidechain
25	BB	2050	C	Sidechain
25	BB	2051	A	Sidechain
25	BB	2053	G	Sidechain
25	BB	2056	G	Sidechain
25	BB	2057	G	Sidechain
25	BB	2059	A	Sidechain
25	BB	206	U	Sidechain
25	BB	2060	A	Sidechain
25	BB	2061	G	Sidechain
25	BB	2062	A	Sidechain
25	BB	2068	U	Sidechain
25	BB	2069	G	Sidechain
25	BB	2071	A	Sidechain
25	BB	2073	C	Sidechain
25	BB	2075	U	Sidechain
25	BB	2076	U	Sidechain
25	BB	2077	A	Sidechain
25	BB	208	C	Sidechain
25	BB	2083	G	Sidechain
25	BB	2087	G	Sidechain
25	BB	2088	A	Sidechain
25	BB	2089	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	209	C	Sidechain
25	BB	2090	A	Sidechain
25	BB	2093	G	Sidechain
25	BB	2095	A	Sidechain
25	BB	2096	C	Sidechain
25	BB	2097	A	Sidechain
25	BB	2098	U	Sidechain
25	BB	2099	U	Sidechain
25	BB	21	A	Sidechain
25	BB	2100	G	Sidechain
25	BB	2101	A	Sidechain
25	BB	2102	G	Sidechain
25	BB	2103	C	Sidechain
25	BB	2104	C	Sidechain
25	BB	2105	U	Sidechain
25	BB	2106	U	Sidechain
25	BB	2107	G	Sidechain
25	BB	2109	U	Sidechain
25	BB	2110	G	Sidechain
25	BB	2111	U	Sidechain
25	BB	2112	G	Sidechain
25	BB	2113	U	Sidechain
25	BB	2115	G	Sidechain
25	BB	2116	G	Sidechain
25	BB	2117	A	Sidechain
25	BB	2118	U	Sidechain
25	BB	2122	U	Sidechain
25	BB	2125	G	Sidechain
25	BB	2126	A	Sidechain
25	BB	2127	G	Sidechain
25	BB	2128	G	Sidechain
25	BB	213	A	Sidechain
25	BB	2130	U	Sidechain
25	BB	2131	U	Sidechain
25	BB	2133	G	Sidechain
25	BB	2136	G	Sidechain
25	BB	2138	G	Sidechain
25	BB	2140	G	Sidechain
25	BB	2141	G	Sidechain
25	BB	2144	G	Sidechain
25	BB	2145	C	Sidechain
25	BB	2147	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	2148	G	Sidechain
25	BB	2149	U	Sidechain
25	BB	2151	U	Sidechain
25	BB	2152	G	Sidechain
25	BB	2154	A	Sidechain
25	BB	2155	U	Sidechain
25	BB	2156	G	Sidechain
25	BB	2157	G	Sidechain
25	BB	2160	C	Sidechain
25	BB	2161	C	Sidechain
25	BB	2162	G	Sidechain
25	BB	2164	C	Sidechain
25	BB	2165	C	Sidechain
25	BB	2166	U	Sidechain
25	BB	2168	G	Sidechain
25	BB	2169	A	Sidechain
25	BB	2170	A	Sidechain
25	BB	2172	U	Sidechain
25	BB	2173	A	Sidechain
25	BB	2175	C	Sidechain
25	BB	2177	C	Sidechain
25	BB	2179	C	Sidechain
25	BB	2180	U	Sidechain
25	BB	2183	A	Sidechain
25	BB	2184	A	Sidechain
25	BB	2185	U	Sidechain
25	BB	2186	G	Sidechain
25	BB	2188	U	Sidechain
25	BB	2191	A	Sidechain
25	BB	2192	U	Sidechain
25	BB	2193	G	Sidechain
25	BB	2195	U	Sidechain
25	BB	2199	A	Sidechain
25	BB	220	G	Sidechain
25	BB	2200	C	Sidechain
25	BB	2201	G	Sidechain
25	BB	2202	U	Sidechain
25	BB	2204	G	Sidechain
25	BB	2205	A	Sidechain
25	BB	2206	C	Sidechain
25	BB	2209	G	Sidechain
25	BB	221	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	2210	U	Sidechain
25	BB	2213	U	Sidechain
25	BB	2214	C	Sidechain
25	BB	2215	C	Sidechain
25	BB	2216	G	Sidechain
25	BB	2217	G	Sidechain
25	BB	2218	G	Sidechain
25	BB	2219	U	Sidechain
25	BB	2220	U	Sidechain
25	BB	2221	G	Sidechain
25	BB	2223	G	Sidechain
25	BB	2224	G	Sidechain
25	BB	2225	A	Sidechain
25	BB	2227	A	Sidechain
25	BB	2228	G	Sidechain
25	BB	2229	U	Sidechain
25	BB	2231	U	Sidechain
25	BB	2234	G	Sidechain
25	BB	2235	G	Sidechain
25	BB	2236	U	Sidechain
25	BB	2240	U	Sidechain
25	BB	2241	A	Sidechain
25	BB	2243	U	Sidechain
25	BB	2244	U	Sidechain
25	BB	2245	U	Sidechain
25	BB	2246	G	Sidechain
25	BB	2249	U	Sidechain
25	BB	2251	G	Sidechain
25	BB	2252	G	Sidechain
25	BB	2256	G	Sidechain
25	BB	2257	U	Sidechain
25	BB	2259	U	Sidechain
25	BB	2262	U	Sidechain
25	BB	2265	U	Sidechain
25	BB	2269	G	Sidechain
25	BB	2271	G	Sidechain
25	BB	2273	A	Sidechain
25	BB	2274	A	Sidechain
25	BB	2275	C	Sidechain
25	BB	2276	G	Sidechain
25	BB	2277	G	Sidechain
25	BB	2279	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	2284	A	Sidechain
25	BB	2285	C	Sidechain
25	BB	2286	G	Sidechain
25	BB	2288	A	Sidechain
25	BB	2289	G	Sidechain
25	BB	2291	U	Sidechain
25	BB	2292	U	Sidechain
25	BB	2294	G	Sidechain
25	BB	2297	A	Sidechain
25	BB	2298	A	Sidechain
25	BB	23	G	Sidechain
25	BB	230	G	Sidechain
25	BB	2302	U	Sidechain
25	BB	2303	G	Sidechain
25	BB	2304	G	Sidechain
25	BB	2307	G	Sidechain
25	BB	2310	C	Sidechain
25	BB	2311	A	Sidechain
25	BB	2312	U	Sidechain
25	BB	2316	G	Sidechain
25	BB	2318	G	Sidechain
25	BB	232	G	Sidechain
25	BB	2322	A	Sidechain
25	BB	2323	G	Sidechain
25	BB	2324	U	Sidechain
25	BB	2326	C	Sidechain
25	BB	2327	A	Sidechain
25	BB	2328	A	Sidechain
25	BB	233	A	Sidechain
25	BB	2330	G	Sidechain
25	BB	2334	U	Sidechain
25	BB	2336	A	Sidechain
25	BB	2337	G	Sidechain
25	BB	2339	C	Sidechain
25	BB	234	U	Sidechain
25	BB	2340	A	Sidechain
25	BB	2341	G	Sidechain
25	BB	2343	U	Sidechain
25	BB	2344	U	Sidechain
25	BB	2345	G	Sidechain
25	BB	2347	C	Sidechain
25	BB	2348	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	2349	G	Sidechain
25	BB	2350	C	Sidechain
25	BB	2351	G	Sidechain
25	BB	2352	A	Sidechain
25	BB	2353	G	Sidechain
25	BB	2355	G	Sidechain
25	BB	2357	G	Sidechain
25	BB	2358	A	Sidechain
25	BB	2359	C	Sidechain
25	BB	2360	G	Sidechain
25	BB	2361	G	Sidechain
25	BB	2364	C	Sidechain
25	BB	2365	G	Sidechain
25	BB	2367	G	Sidechain
25	BB	2368	C	Sidechain
25	BB	2371	G	Sidechain
25	BB	2373	G	Sidechain
25	BB	2374	C	Sidechain
25	BB	2375	G	Sidechain
25	BB	2376	A	Sidechain
25	BB	238	C	Sidechain
25	BB	2380	C	Sidechain
25	BB	2381	A	Sidechain
25	BB	2382	G	Sidechain
25	BB	2385	C	Sidechain
25	BB	2387	U	Sidechain
25	BB	2388	A	Sidechain
25	BB	239	C	Sidechain
25	BB	2390	U	Sidechain
25	BB	2391	G	Sidechain
25	BB	2393	U	Sidechain
25	BB	2396	G	Sidechain
25	BB	2399	G	Sidechain
25	BB	24	G	Sidechain
25	BB	240	C	Sidechain
25	BB	2400	G	Sidechain
25	BB	2401	U	Sidechain
25	BB	2404	U	Sidechain
25	BB	2406	A	Sidechain
25	BB	2407	A	Sidechain
25	BB	2409	G	Sidechain
25	BB	2410	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	2411	A	Sidechain
25	BB	2412	A	Sidechain
25	BB	2413	G	Sidechain
25	BB	2415	G	Sidechain
25	BB	2416	C	Sidechain
25	BB	2418	A	Sidechain
25	BB	2419	U	Sidechain
25	BB	242	G	Sidechain
25	BB	2424	C	Sidechain
25	BB	2425	A	Sidechain
25	BB	2426	A	Sidechain
25	BB	2428	G	Sidechain
25	BB	2429	G	Sidechain
25	BB	243	U	Sidechain
25	BB	2430	A	Sidechain
25	BB	2432	A	Sidechain
25	BB	2435	A	Sidechain
25	BB	2436	G	Sidechain
25	BB	2437	G	Sidechain
25	BB	2441	U	Sidechain
25	BB	2443	C	Sidechain
25	BB	2446	G	Sidechain
25	BB	2447	G	Sidechain
25	BB	2449	U	Sidechain
25	BB	245	G	Sidechain
25	BB	2452	C	Sidechain
25	BB	2453	A	Sidechain
25	BB	2454	G	Sidechain
25	BB	2457	U	Sidechain
25	BB	2458	G	Sidechain
25	BB	2460	U	Sidechain
25	BB	2462	C	Sidechain
25	BB	2464	G	Sidechain
25	BB	2467	C	Sidechain
25	BB	2469	A	Sidechain
25	BB	247	G	Sidechain
25	BB	2470	G	Sidechain
25	BB	2471	A	Sidechain
25	BB	2472	G	Sidechain
25	BB	2473	U	Sidechain
25	BB	2476	A	Sidechain
25	BB	2477	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	2479	U	Sidechain
25	BB	248	G	Sidechain
25	BB	2480	C	Sidechain
25	BB	2481	G	Sidechain
25	BB	2482	A	Sidechain
25	BB	2483	C	Sidechain
25	BB	2484	G	Sidechain
25	BB	2488	G	Sidechain
25	BB	2489	U	Sidechain
25	BB	2492	U	Sidechain
25	BB	2493	U	Sidechain
25	BB	2494	G	Sidechain
25	BB	2496	C	Sidechain
25	BB	2497	A	Sidechain
25	BB	2499	C	Sidechain
25	BB	250	G	Sidechain
25	BB	2502	G	Sidechain
25	BB	2503	A	Sidechain
25	BB	2504	U	Sidechain
25	BB	2505	G	Sidechain
25	BB	2506	U	Sidechain
25	BB	2507	C	Sidechain
25	BB	2508	G	Sidechain
25	BB	2509	G	Sidechain
25	BB	2510	C	Sidechain
25	BB	2511	U	Sidechain
25	BB	2516	A	Sidechain
25	BB	2518	A	Sidechain
25	BB	2519	U	Sidechain
25	BB	2520	C	Sidechain
25	BB	2521	C	Sidechain
25	BB	2522	U	Sidechain
25	BB	2523	G	Sidechain
25	BB	2524	G	Sidechain
25	BB	2525	G	Sidechain
25	BB	2526	G	Sidechain
25	BB	2527	C	Sidechain
25	BB	2528	U	Sidechain
25	BB	2529	G	Sidechain
25	BB	253	C	Sidechain
25	BB	2530	A	Sidechain
25	BB	2531	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	2532	G	Sidechain
25	BB	2536	G	Sidechain
25	BB	2538	C	Sidechain
25	BB	2539	C	Sidechain
25	BB	254	G	Sidechain
25	BB	2540	C	Sidechain
25	BB	2541	A	Sidechain
25	BB	2543	G	Sidechain
25	BB	2544	G	Sidechain
25	BB	2545	G	Sidechain
25	BB	2548	U	Sidechain
25	BB	2549	G	Sidechain
25	BB	255	A	Sidechain
25	BB	2550	G	Sidechain
25	BB	2551	C	Sidechain
25	BB	2552	U	Sidechain
25	BB	2553	G	Sidechain
25	BB	2556	C	Sidechain
25	BB	2557	G	Sidechain
25	BB	2559	C	Sidechain
25	BB	256	A	Sidechain
25	BB	2560	A	Sidechain
25	BB	2562	U	Sidechain
25	BB	2563	U	Sidechain
25	BB	2564	A	Sidechain
25	BB	2566	A	Sidechain
25	BB	2567	G	Sidechain
25	BB	2569	G	Sidechain
25	BB	257	C	Sidechain
25	BB	2570	G	Sidechain
25	BB	2571	U	Sidechain
25	BB	2573	C	Sidechain
25	BB	2575	C	Sidechain
25	BB	2576	G	Sidechain
25	BB	2577	A	Sidechain
25	BB	2578	G	Sidechain
25	BB	2579	C	Sidechain
25	BB	258	G	Sidechain
25	BB	2581	G	Sidechain
25	BB	2585	U	Sidechain
25	BB	2586	U	Sidechain
25	BB	2588	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	259	G	Sidechain
25	BB	2591	C	Sidechain
25	BB	2592	G	Sidechain
25	BB	2593	U	Sidechain
25	BB	2594	C	Sidechain
25	BB	2595	G	Sidechain
25	BB	2596	U	Sidechain
25	BB	2597	G	Sidechain
25	BB	2599	G	Sidechain
25	BB	26	G	Sidechain
25	BB	2600	A	Sidechain
25	BB	2601	C	Sidechain
25	BB	2602	A	Sidechain
25	BB	2603	G	Sidechain
25	BB	2605	U	Sidechain
25	BB	2607	G	Sidechain
25	BB	2609	U	Sidechain
25	BB	261	G	Sidechain
25	BB	2611	C	Sidechain
25	BB	2612	C	Sidechain
25	BB	2613	U	Sidechain
25	BB	2614	A	Sidechain
25	BB	2615	U	Sidechain
25	BB	2616	C	Sidechain
25	BB	2617	U	Sidechain
25	BB	262	A	Sidechain
25	BB	2621	G	Sidechain
25	BB	2622	U	Sidechain
25	BB	2623	G	Sidechain
25	BB	2624	G	Sidechain
25	BB	2625	G	Sidechain
25	BB	2626	C	Sidechain
25	BB	2627	G	Sidechain
25	BB	2629	U	Sidechain
25	BB	263	G	Sidechain
25	BB	2632	A	Sidechain
25	BB	2634	A	Sidechain
25	BB	2635	A	Sidechain
25	BB	2636	C	Sidechain
25	BB	264	C	Sidechain
25	BB	2643	G	Sidechain
25	BB	2645	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	2646	C	Sidechain
25	BB	2649	C	Sidechain
25	BB	265	A	Sidechain
25	BB	2650	U	Sidechain
25	BB	2652	C	Sidechain
25	BB	2653	U	Sidechain
25	BB	2654	A	Sidechain
25	BB	2655	G	Sidechain
25	BB	2657	A	Sidechain
25	BB	2658	C	Sidechain
25	BB	2659	G	Sidechain
25	BB	266	G	Sidechain
25	BB	2661	G	Sidechain
25	BB	2662	A	Sidechain
25	BB	2663	G	Sidechain
25	BB	2664	G	Sidechain
25	BB	2668	G	Sidechain
25	BB	267	C	Sidechain
25	BB	2670	A	Sidechain
25	BB	2671	G	Sidechain
25	BB	2673	G	Sidechain
25	BB	2674	G	Sidechain
25	BB	2675	A	Sidechain
25	BB	2676	C	Sidechain
25	BB	2677	G	Sidechain
25	BB	2680	U	Sidechain
25	BB	2682	A	Sidechain
25	BB	2688	G	Sidechain
25	BB	2692	G	Sidechain
25	BB	2693	G	Sidechain
25	BB	2694	G	Sidechain
25	BB	2699	C	Sidechain
25	BB	27	G	Sidechain
25	BB	270	A	Sidechain
25	BB	2701	U	Sidechain
25	BB	2702	G	Sidechain
25	BB	2703	C	Sidechain
25	BB	2709	G	Sidechain
25	BB	2710	C	Sidechain
25	BB	2713	U	Sidechain
25	BB	2714	G	Sidechain
25	BB	2715	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	2718	G	Sidechain
25	BB	272	A	Sidechain
25	BB	2721	A	Sidechain
25	BB	2722	G	Sidechain
25	BB	2724	U	Sidechain
25	BB	2726	A	Sidechain
25	BB	2727	A	Sidechain
25	BB	2728	U	Sidechain
25	BB	2729	G	Sidechain
25	BB	273	G	Sidechain
25	BB	2730	C	Sidechain
25	BB	2731	G	Sidechain
25	BB	2732	G	Sidechain
25	BB	2733	A	Sidechain
25	BB	2736	A	Sidechain
25	BB	2739	U	Sidechain
25	BB	274	C	Sidechain
25	BB	2742	G	Sidechain
25	BB	2744	G	Sidechain
25	BB	2745	C	Sidechain
25	BB	2746	U	Sidechain
25	BB	2747	G	Sidechain
25	BB	2748	A	Sidechain
25	BB	2751	G	Sidechain
25	BB	2752	C	Sidechain
25	BB	2753	A	Sidechain
25	BB	2754	U	Sidechain
25	BB	2755	C	Sidechain
25	BB	2756	U	Sidechain
25	BB	2757	A	Sidechain
25	BB	2759	G	Sidechain
25	BB	276	U	Sidechain
25	BB	2760	C	Sidechain
25	BB	2761	A	Sidechain
25	BB	2763	G	Sidechain
25	BB	2765	A	Sidechain
25	BB	2766	A	Sidechain
25	BB	2767	C	Sidechain
25	BB	2771	C	Sidechain
25	BB	2772	C	Sidechain
25	BB	2774	C	Sidechain
25	BB	2775	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	2777	G	Sidechain
25	BB	2778	A	Sidechain
25	BB	2779	U	Sidechain
25	BB	278	A	Sidechain
25	BB	2780	G	Sidechain
25	BB	2781	A	Sidechain
25	BB	2782	G	Sidechain
25	BB	2784	U	Sidechain
25	BB	2785	C	Sidechain
25	BB	2786	U	Sidechain
25	BB	2788	C	Sidechain
25	BB	2789	C	Sidechain
25	BB	279	A	Sidechain
25	BB	2791	G	Sidechain
25	BB	2793	C	Sidechain
25	BB	2794	C	Sidechain
25	BB	2795	C	Sidechain
25	BB	2796	U	Sidechain
25	BB	2798	U	Sidechain
25	BB	2799	A	Sidechain
25	BB	280	U	Sidechain
25	BB	2801	G	Sidechain
25	BB	2802	G	Sidechain
25	BB	2803	G	Sidechain
25	BB	2805	C	Sidechain
25	BB	2806	C	Sidechain
25	BB	2808	G	Sidechain
25	BB	2811	G	Sidechain
25	BB	2812	G	Sidechain
25	BB	2813	A	Sidechain
25	BB	2819	G	Sidechain
25	BB	282	A	Sidechain
25	BB	2820	A	Sidechain
25	BB	2825	G	Sidechain
25	BB	2828	G	Sidechain
25	BB	2829	A	Sidechain
25	BB	283	G	Sidechain
25	BB	2831	G	Sidechain
25	BB	2832	U	Sidechain
25	BB	2834	G	Sidechain
25	BB	2836	U	Sidechain
25	BB	2838	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	2842	G	Sidechain
25	BB	2843	G	Sidechain
25	BB	2844	G	Sidechain
25	BB	2846	G	Sidechain
25	BB	2847	U	Sidechain
25	BB	2848	G	Sidechain
25	BB	2849	U	Sidechain
25	BB	2850	A	Sidechain
25	BB	2851	A	Sidechain
25	BB	2852	G	Sidechain
25	BB	2854	G	Sidechain
25	BB	2855	C	Sidechain
25	BB	2856	A	Sidechain
25	BB	2857	G	Sidechain
25	BB	2858	C	Sidechain
25	BB	2859	G	Sidechain
25	BB	286	U	Sidechain
25	BB	2864	G	Sidechain
25	BB	2866	U	Sidechain
25	BB	2867	G	Sidechain
25	BB	287	G	Sidechain
25	BB	2871	U	Sidechain
25	BB	2873	A	Sidechain
25	BB	2876	G	Sidechain
25	BB	2879	A	Sidechain
25	BB	288	U	Sidechain
25	BB	2881	U	Sidechain
25	BB	2884	U	Sidechain
25	BB	2885	G	Sidechain
25	BB	2886	A	Sidechain
25	BB	2887	A	Sidechain
25	BB	2890	G	Sidechain
25	BB	2892	G	Sidechain
25	BB	2894	G	Sidechain
25	BB	2896	C	Sidechain
25	BB	2897	U	Sidechain
25	BB	2899	A	Sidechain
25	BB	290	U	Sidechain
25	BB	2901	C	Sidechain
25	BB	293	U	Sidechain
25	BB	294	A	Sidechain
25	BB	295	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	297	G	Sidechain
25	BB	299	A	Sidechain
25	BB	3	U	Sidechain
25	BB	30	G	Sidechain
25	BB	305	C	Sidechain
25	BB	306	U	Sidechain
25	BB	307	G	Sidechain
25	BB	308	G	Sidechain
25	BB	31	C	Sidechain
25	BB	311	A	Sidechain
25	BB	313	G	Sidechain
25	BB	315	G	Sidechain
25	BB	316	C	Sidechain
25	BB	317	G	Sidechain
25	BB	319	G	Sidechain
25	BB	32	C	Sidechain
25	BB	320	A	Sidechain
25	BB	321	U	Sidechain
25	BB	322	A	Sidechain
25	BB	323	C	Sidechain
25	BB	325	G	Sidechain
25	BB	326	G	Sidechain
25	BB	327	G	Sidechain
25	BB	329	G	Sidechain
25	BB	33	C	Sidechain
25	BB	336	C	Sidechain
25	BB	338	G	Sidechain
25	BB	339	U	Sidechain
25	BB	340	A	Sidechain
25	BB	341	C	Sidechain
25	BB	342	A	Sidechain
25	BB	343	C	Sidechain
25	BB	345	A	Sidechain
25	BB	347	A	Sidechain
25	BB	348	A	Sidechain
25	BB	349	U	Sidechain
25	BB	35	G	Sidechain
25	BB	350	G	Sidechain
25	BB	351	C	Sidechain
25	BB	352	A	Sidechain
25	BB	354	A	Sidechain
25	BB	355	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	356	G	Sidechain
25	BB	357	C	Sidechain
25	BB	358	U	Sidechain
25	BB	361	G	Sidechain
25	BB	362	A	Sidechain
25	BB	364	C	Sidechain
25	BB	365	U	Sidechain
25	BB	370	G	Sidechain
25	BB	371	A	Sidechain
25	BB	372	G	Sidechain
25	BB	374	A	Sidechain
25	BB	376	G	Sidechain
25	BB	381	G	Sidechain
25	BB	384	A	Sidechain
25	BB	385	C	Sidechain
25	BB	386	G	Sidechain
25	BB	387	U	Sidechain
25	BB	389	G	Sidechain
25	BB	39	G	Sidechain
25	BB	390	U	Sidechain
25	BB	394	C	Sidechain
25	BB	396	G	Sidechain
25	BB	397	U	Sidechain
25	BB	399	U	Sidechain
25	BB	4	U	Sidechain
25	BB	401	A	Sidechain
25	BB	402	A	Sidechain
25	BB	403	U	Sidechain
25	BB	405	U	Sidechain
25	BB	406	G	Sidechain
25	BB	407	G	Sidechain
25	BB	409	G	Sidechain
25	BB	41	C	Sidechain
25	BB	410	G	Sidechain
25	BB	415	A	Sidechain
25	BB	416	U	Sidechain
25	BB	419	U	Sidechain
25	BB	420	C	Sidechain
25	BB	423	A	Sidechain
25	BB	424	G	Sidechain
25	BB	427	U	Sidechain
25	BB	431	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	433	C	Sidechain
25	BB	436	C	Sidechain
25	BB	437	U	Sidechain
25	BB	438	G	Sidechain
25	BB	439	A	Sidechain
25	BB	44	A	Sidechain
25	BB	440	C	Sidechain
25	BB	441	U	Sidechain
25	BB	442	G	Sidechain
25	BB	443	A	Sidechain
25	BB	446	G	Sidechain
25	BB	449	A	Sidechain
25	BB	450	G	Sidechain
25	BB	453	A	Sidechain
25	BB	456	C	Sidechain
25	BB	46	G	Sidechain
25	BB	461	C	Sidechain
25	BB	462	C	Sidechain
25	BB	463	G	Sidechain
25	BB	464	U	Sidechain
25	BB	465	G	Sidechain
25	BB	466	A	Sidechain
25	BB	467	G	Sidechain
25	BB	468	G	Sidechain
25	BB	470	A	Sidechain
25	BB	471	A	Sidechain
25	BB	473	G	Sidechain
25	BB	474	G	Sidechain
25	BB	475	C	Sidechain
25	BB	476	G	Sidechain
25	BB	477	A	Sidechain
25	BB	478	A	Sidechain
25	BB	48	G	Sidechain
25	BB	480	A	Sidechain
25	BB	481	G	Sidechain
25	BB	482	A	Sidechain
25	BB	483	A	Sidechain
25	BB	484	C	Sidechain
25	BB	485	C	Sidechain
25	BB	487	C	Sidechain
25	BB	488	G	Sidechain
25	BB	489	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	49	A	Sidechain
25	BB	490	C	Sidechain
25	BB	492	A	Sidechain
25	BB	496	G	Sidechain
25	BB	498	G	Sidechain
25	BB	499	U	Sidechain
25	BB	50	U	Sidechain
25	BB	501	A	Sidechain
25	BB	502	A	Sidechain
25	BB	505	A	Sidechain
25	BB	507	A	Sidechain
25	BB	509	C	Sidechain
25	BB	51	G	Sidechain
25	BB	510	C	Sidechain
25	BB	513	A	Sidechain
25	BB	515	A	Sidechain
25	BB	518	G	Sidechain
25	BB	522	A	Sidechain
25	BB	524	G	Sidechain
25	BB	526	A	Sidechain
25	BB	527	C	Sidechain
25	BB	529	A	Sidechain
25	BB	530	G	Sidechain
25	BB	532	A	Sidechain
25	BB	535	G	Sidechain
25	BB	536	G	Sidechain
25	BB	537	G	Sidechain
25	BB	541	A	Sidechain
25	BB	542	C	Sidechain
25	BB	543	G	Sidechain
25	BB	544	C	Sidechain
25	BB	545	U	Sidechain
25	BB	547	A	Sidechain
25	BB	548	G	Sidechain
25	BB	55	G	Sidechain
25	BB	551	G	Sidechain
25	BB	553	G	Sidechain
25	BB	554	U	Sidechain
25	BB	555	G	Sidechain
25	BB	556	A	Sidechain
25	BB	558	U	Sidechain
25	BB	559	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	56	A	Sidechain
25	BB	561	G	Sidechain
25	BB	565	C	Sidechain
25	BB	566	U	Sidechain
25	BB	567	U	Sidechain
25	BB	568	U	Sidechain
25	BB	57	C	Sidechain
25	BB	570	G	Sidechain
25	BB	573	U	Sidechain
25	BB	576	U	Sidechain
25	BB	577	G	Sidechain
25	BB	580	U	Sidechain
25	BB	581	C	Sidechain
25	BB	582	A	Sidechain
25	BB	583	G	Sidechain
25	BB	584	C	Sidechain
25	BB	585	G	Sidechain
25	BB	587	C	Sidechain
25	BB	588	U	Sidechain
25	BB	589	U	Sidechain
25	BB	59	U	Sidechain
25	BB	590	A	Sidechain
25	BB	592	A	Sidechain
25	BB	593	U	Sidechain
25	BB	594	U	Sidechain
25	BB	596	U	Sidechain
25	BB	597	G	Sidechain
25	BB	598	U	Sidechain
25	BB	6	A	Sidechain
25	BB	60	G	Sidechain
25	BB	602	A	Sidechain
25	BB	604	G	Sidechain
25	BB	606	U	Sidechain
25	BB	608	A	Sidechain
25	BB	61	C	Sidechain
25	BB	610	C	Sidechain
25	BB	612	G	Sidechain
25	BB	615	U	Sidechain
25	BB	617	G	Sidechain
25	BB	618	G	Sidechain
25	BB	619	G	Sidechain
25	BB	620	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	623	C	Sidechain
25	BB	624	C	Sidechain
25	BB	625	G	Sidechain
25	BB	626	A	Sidechain
25	BB	629	G	Sidechain
25	BB	630	G	Sidechain
25	BB	631	A	Sidechain
25	BB	632	A	Sidechain
25	BB	633	A	Sidechain
25	BB	636	G	Sidechain
25	BB	639	U	Sidechain
25	BB	640	C	Sidechain
25	BB	642	U	Sidechain
25	BB	644	A	Sidechain
25	BB	645	C	Sidechain
25	BB	646	U	Sidechain
25	BB	647	G	Sidechain
25	BB	649	G	Sidechain
25	BB	65	U	Sidechain
25	BB	654	A	Sidechain
25	BB	655	A	Sidechain
25	BB	656	G	Sidechain
25	BB	658	U	Sidechain
25	BB	66	C	Sidechain
25	BB	664	G	Sidechain
25	BB	665	U	Sidechain
25	BB	666	A	Sidechain
25	BB	669	G	Sidechain
25	BB	67	U	Sidechain
25	BB	672	C	Sidechain
25	BB	673	C	Sidechain
25	BB	675	A	Sidechain
25	BB	676	A	Sidechain
25	BB	677	A	Sidechain
25	BB	678	C	Sidechain
25	BB	679	C	Sidechain
25	BB	68	G	Sidechain
25	BB	681	G	Sidechain
25	BB	682	G	Sidechain
25	BB	683	U	Sidechain
25	BB	686	U	Sidechain
25	BB	687	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	688	U	Sidechain
25	BB	689	A	Sidechain
25	BB	690	G	Sidechain
25	BB	691	C	Sidechain
25	BB	693	A	Sidechain
25	BB	694	U	Sidechain
25	BB	695	G	Sidechain
25	BB	696	G	Sidechain
25	BB	698	C	Sidechain
25	BB	699	A	Sidechain
25	BB	7	G	Sidechain
25	BB	700	G	Sidechain
25	BB	701	G	Sidechain
25	BB	704	G	Sidechain
25	BB	707	G	Sidechain
25	BB	708	G	Sidechain
25	BB	709	U	Sidechain
25	BB	711	G	Sidechain
25	BB	712	G	Sidechain
25	BB	713	G	Sidechain
25	BB	716	A	Sidechain
25	BB	717	C	Sidechain
25	BB	719	C	Sidechain
25	BB	72	U	Sidechain
25	BB	721	A	Sidechain
25	BB	722	A	Sidechain
25	BB	725	G	Sidechain
25	BB	727	A	Sidechain
25	BB	728	G	Sidechain
25	BB	729	G	Sidechain
25	BB	73	A	Sidechain
25	BB	731	C	Sidechain
25	BB	732	C	Sidechain
25	BB	733	G	Sidechain
25	BB	734	A	Sidechain
25	BB	735	A	Sidechain
25	BB	736	C	Sidechain
25	BB	738	G	Sidechain
25	BB	739	A	Sidechain
25	BB	740	C	Sidechain
25	BB	742	A	Sidechain
25	BB	743	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	744	U	Sidechain
25	BB	745	G	Sidechain
25	BB	746	U	Sidechain
25	BB	747	U	Sidechain
25	BB	748	G	Sidechain
25	BB	749	A	Sidechain
25	BB	75	G	Sidechain
25	BB	752	A	Sidechain
25	BB	753	A	Sidechain
25	BB	754	U	Sidechain
25	BB	757	G	Sidechain
25	BB	758	C	Sidechain
25	BB	759	G	Sidechain
25	BB	76	C	Sidechain
25	BB	760	G	Sidechain
25	BB	761	A	Sidechain
25	BB	762	U	Sidechain
25	BB	763	G	Sidechain
25	BB	765	C	Sidechain
25	BB	766	U	Sidechain
25	BB	767	U	Sidechain
25	BB	768	G	Sidechain
25	BB	77	G	Sidechain
25	BB	770	G	Sidechain
25	BB	771	G	Sidechain
25	BB	774	G	Sidechain
25	BB	776	G	Sidechain
25	BB	777	G	Sidechain
25	BB	779	U	Sidechain
25	BB	78	U	Sidechain
25	BB	780	G	Sidechain
25	BB	781	A	Sidechain
25	BB	782	A	Sidechain
25	BB	783	A	Sidechain
25	BB	786	C	Sidechain
25	BB	788	A	Sidechain
25	BB	79	C	Sidechain
25	BB	790	U	Sidechain
25	BB	791	C	Sidechain
25	BB	794	A	Sidechain
25	BB	795	C	Sidechain
25	BB	796	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	799	G	Sidechain
25	BB	8	C	Sidechain
25	BB	800	A	Sidechain
25	BB	801	G	Sidechain
25	BB	803	U	Sidechain
25	BB	804	A	Sidechain
25	BB	808	G	Sidechain
25	BB	809	G	Sidechain
25	BB	811	U	Sidechain
25	BB	812	C	Sidechain
25	BB	813	U	Sidechain
25	BB	814	C	Sidechain
25	BB	816	C	Sidechain
25	BB	818	G	Sidechain
25	BB	820	A	Sidechain
25	BB	825	A	Sidechain
25	BB	829	A	Sidechain
25	BB	83	A	Sidechain
25	BB	830	G	Sidechain
25	BB	831	G	Sidechain
25	BB	832	U	Sidechain
25	BB	834	G	Sidechain
25	BB	836	G	Sidechain
25	BB	837	C	Sidechain
25	BB	838	C	Sidechain
25	BB	842	U	Sidechain
25	BB	843	G	Sidechain
25	BB	844	A	Sidechain
25	BB	847	U	Sidechain
25	BB	848	C	Sidechain
25	BB	849	A	Sidechain
25	BB	851	C	Sidechain
25	BB	852	U	Sidechain
25	BB	854	C	Sidechain
25	BB	858	G	Sidechain
25	BB	859	G	Sidechain
25	BB	86	G	Sidechain
25	BB	860	U	Sidechain
25	BB	861	A	Sidechain
25	BB	862	G	Sidechain
25	BB	863	A	Sidechain
25	BB	864	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	865	C	Sidechain
25	BB	867	C	Sidechain
25	BB	870	U	Sidechain
25	BB	871	U	Sidechain
25	BB	873	C	Sidechain
25	BB	874	G	Sidechain
25	BB	875	G	Sidechain
25	BB	876	C	Sidechain
25	BB	879	G	Sidechain
25	BB	88	G	Sidechain
25	BB	880	G	Sidechain
25	BB	882	G	Sidechain
25	BB	883	G	Sidechain
25	BB	885	C	Sidechain
25	BB	887	U	Sidechain
25	BB	889	C	Sidechain
25	BB	89	A	Sidechain
25	BB	891	G	Sidechain
25	BB	892	A	Sidechain
25	BB	893	C	Sidechain
25	BB	894	U	Sidechain
25	BB	896	A	Sidechain
25	BB	898	C	Sidechain
25	BB	901	C	Sidechain
25	BB	902	C	Sidechain
25	BB	904	G	Sidechain
25	BB	905	A	Sidechain
25	BB	906	U	Sidechain
25	BB	907	G	Sidechain
25	BB	909	A	Sidechain
25	BB	91	A	Sidechain
25	BB	911	A	Sidechain
25	BB	916	G	Sidechain
25	BB	918	A	Sidechain
25	BB	92	U	Sidechain
25	BB	922	C	Sidechain
25	BB	923	G	Sidechain
25	BB	924	G	Sidechain
25	BB	925	A	Sidechain
25	BB	929	U	Sidechain
25	BB	93	G	Sidechain
25	BB	930	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	931	U	Sidechain
25	BB	932	U	Sidechain
25	BB	934	U	Sidechain
25	BB	936	A	Sidechain
25	BB	937	C	Sidechain
25	BB	939	G	Sidechain
25	BB	94	A	Sidechain
25	BB	940	G	Sidechain
25	BB	942	G	Sidechain
25	BB	943	A	Sidechain
25	BB	947	A	Sidechain
25	BB	948	C	Sidechain
25	BB	949	G	Sidechain
25	BB	950	G	Sidechain
25	BB	952	G	Sidechain
25	BB	953	G	Sidechain
25	BB	954	G	Sidechain
25	BB	955	U	Sidechain
25	BB	96	C	Sidechain
25	BB	960	A	Sidechain
25	BB	961	C	Sidechain
25	BB	963	U	Sidechain
25	BB	964	C	Sidechain
25	BB	965	C	Sidechain
25	BB	966	G	Sidechain
25	BB	967	U	Sidechain
25	BB	969	G	Sidechain
25	BB	970	U	Sidechain
25	BB	971	G	Sidechain
25	BB	974	G	Sidechain
25	BB	976	G	Sidechain
25	BB	977	G	Sidechain
25	BB	978	G	Sidechain
25	BB	979	A	Sidechain
25	BB	98	G	Sidechain
25	BB	980	A	Sidechain
25	BB	981	A	Sidechain
25	BB	983	A	Sidechain
25	BB	984	A	Sidechain
25	BB	985	C	Sidechain
25	BB	986	C	Sidechain
25	BB	989	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BB	99	U	Sidechain
25	BB	991	C	Sidechain
25	BB	994	C	Sidechain
25	BB	996	A	Sidechain
25	BB	997	G	Sidechain
25	BB	998	C	Sidechain
25	BB	999	U	Sidechain
26	BC	22	ALA	Peptide
26	BC	57	TYR	Sidechain
26	BC	93	ARG	Sidechain
27	BD	105	ARG	Sidechain
27	BD	11	ALA	Peptide
27	BD	121	GLU	Sidechain
27	BD	30	ARG	Peptide
27	BD	33	ALA	Peptide
27	BD	40	LYS	Peptide
28	BE	117	THR	Peptide
28	BE	41	ARG	Sidechain
28	BE	47	ARG	Peptide
28	BE	54	GLN	Peptide
28	BE	78	ARG	Sidechain
28	BE	80	SER	Peptide
29	BF	110	GLU	Peptide
29	BF	51	ARG	Sidechain
29	BF	59	ARG	Sidechain
29	BF	66	ARG	Sidechain
30	BG	17	ARG	Sidechain
30	BG	30	ARG	Sidechain
30	BG	6	SER	Peptide
30	BG	63	ARG	Sidechain
31	BH	111	ARG	Sidechain
32	BI	102	ARG	Sidechain
32	BI	63	ILE	Peptide
32	BI	97	TYR	Sidechain
32	BI	98	TYR	Sidechain
33	BJ	23	TYR	Sidechain
33	BJ	24	TYR	Sidechain
33	BJ	46	TYR	Sidechain
33	BJ	47	ARG	Sidechain
34	BK	23	GLU	Sidechain
34	BK	75	VAL	Peptide
34	BK	79	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
34	BK	81	LYS	Peptide
34	BK	84	ARG	Sidechain
35	BL	25	ARG	Sidechain
35	BL	78	GLU	Peptide
35	BL	8	ARG	Sidechain
35	BL	84	ARG	Sidechain
35	BL	95	ARG	Sidechain
36	BM	38	ALA	Peptide
37	BN	125	PRO	Peptide
37	BN	145	MET	Peptide
37	BN	155	ARG	Sidechain
37	BN	19	VAL	Peptide
37	BN	192	GLY	Peptide
37	BN	207	ALA	Peptide
37	BN	246	PRO	Peptide
37	BN	257	ARG	Sidechain
37	BN	51	ARG	Sidechain
37	BN	65	ASP	Peptide
37	BN	79	ARG	Peptide
37	BN	95	TYR	Sidechain
38	BO	4	ILE	Peptide
38	BO	71	ILE	Peptide
38	BO	75	ALA	Peptide
38	BO	81	ARG	Sidechain
39	BP	31	LEU	Peptide
39	BP	67	LYS	Peptide
39	BP	81	ILE	Peptide
40	BQ	39	GLN	Peptide
40	BQ	48	ARG	Sidechain
40	BQ	52	ARG	Sidechain
41	BR	10	ARG	Sidechain
41	BR	15	ARG	Sidechain
41	BR	37	ARG	Peptide
42	BS	49	ARG	Sidechain
42	BS	6	HIS	Peptide
42	BS	69	SER	Peptide
43	BT	39	ARG	Sidechain
43	BT	47	TYR	Sidechain
44	BU	20	TYR	Sidechain
44	BU	24	LYS	Peptide
44	BU	32	LYS	Peptide
44	BU	34	GLU	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
44	BU	51	ALA	Peptide
45	BV	12	ARG	Sidechain
45	BV	35	ARG	Sidechain
46	BW	26	ALA	Peptide
46	BW	32	LEU	Peptide
46	BW	39	ARG	Sidechain
46	BW	63	TYR	Sidechain
47	BX	12	ARG	Sidechain
47	BX	36	ARG	Sidechain
48	BY	118	PHE	Sidechain
48	BY	119	ALA	Peptide
48	BY	129	THR	Peptide
48	BY	134	HIS	Peptide
48	BY	147	GLY	Peptide
48	BY	176	ASP	Peptide
48	BY	46	ARG	Peptide
48	BY	59	ARG	Sidechain
48	BY	7	LYS	Peptide
49	BZ	20	TYR	Sidechain
49	BZ	217	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	1600	0	760	11	0
1	AE	1622	0	769	7	0
1	AP	1600	0	755	42	0
2	AM	397	0	202	6	0
3	A1	32828	0	15511	162	0
4	AB	1704	0	1732	9	0
5	AC	876	0	887	3	0
6	AD	954	0	1019	4	0
7	AF	883	0	944	1	0
8	AG	773	0	825	2	0
9	AH	715	0	742	2	0
10	AI	648	0	666	5	0
11	AJ	648	0	691	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
12	AK	455	0	478	0	0
13	AL	637	0	665	0	0
14	AN	664	0	714	4	0
15	AO	1624	0	1699	5	0
16	AQ	425	0	449	1	0
17	AR	1642	0	1710	9	0
18	AS	1105	0	1148	4	0
19	AT	817	0	808	2	0
20	AU	1174	0	1230	3	0
21	AV	978	0	1034	0	0
22	AW	1021	0	1070	1	0
23	AX	786	0	828	4	0
24	BA	2504	0	1208	11	0
25	BB	62317	0	29633	224	0
26	BC	752	0	780	4	0
27	BD	930	0	1000	5	0
28	BE	1052	0	1129	9	0
29	BF	1073	0	1157	8	0
30	BG	1007	0	1045	4	0
31	BH	899	0	935	2	0
32	BI	916	0	965	6	0
33	BJ	946	0	1022	8	0
34	BK	815	0	839	4	0
35	BL	856	0	922	0	0
36	BM	777	0	840	2	0
37	BN	2053	0	2122	9	0
38	BO	779	0	834	2	0
39	BP	633	0	656	1	0
40	BQ	508	0	543	3	0
41	BR	448	0	491	2	0
42	BS	548	0	552	2	0
43	BT	443	0	461	2	0
44	BU	440	0	485	2	0
45	BV	376	0	418	2	0
46	BW	503	0	574	7	0
47	BX	301	0	343	1	0
48	BY	1564	0	1616	7	0
49	BZ	1687	0	1814	3	0
50	B1	1551	0	1619	7	0
51	B2	1419	0	1460	8	0
52	B3	1322	0	1374	3	0
53	B4	1110	0	1148	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
54	B5	1031	0	1088	4	0
55	B6	1112	0	1147	2	0
All	All	149248	0	97556	534	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (534) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
25:BB:1687:G:C2'	25:BB:1687:G:C3'	1.91	1.47
25:BB:1687:G:C2'	25:BB:1687:G:C1'	1.93	1.45
1:AP:31:A:C2'	3:A1:1340:A:H3'	1.45	1.44
25:BB:1687:G:C3'	25:BB:1687:G:C4'	1.96	1.43
1:AP:31:A:C2'	1:AP:31:A:C3'	2.01	1.39
1:AP:31:A:C2'	1:AP:31:A:C1'	2.02	1.36
1:AP:31:A:C3'	1:AP:31:A:C4'	2.11	1.26
25:BB:1687:G:C1'	25:BB:1687:G:O4'	1.87	1.21
25:BB:1687:G:C4'	25:BB:1687:G:O4'	1.87	1.21
1:AP:31:A:C4'	3:A1:1340:A:C3'	2.30	1.10
1:AP:31:A:C1'	1:AP:31:A:O4'	1.99	1.09
1:AP:31:A:C1'	3:A1:1340:A:C3'	2.31	1.08
1:AP:31:A:C4'	1:AP:31:A:O4'	2.03	1.06
1:AP:31:A:C3'	3:A1:1340:A:C3'	2.33	1.05
3:A1:1418:A:C4	25:BB:1960:A:P	2.49	1.05
3:A1:1418:A:C6	25:BB:1960:A:P	2.50	1.05
1:AP:31:A:C2'	3:A1:1340:A:C3'	2.35	1.04
3:A1:1418:A:C2	25:BB:1960:A:P	2.50	1.04
3:A1:1418:A:C5	25:BB:1960:A:P	2.52	1.02
3:A1:1429:A:P	25:BB:1687:G:C1'	2.48	1.01
3:A1:1429:A:P	25:BB:1687:G:C4'	2.49	1.01
3:A1:1429:A:P	25:BB:1687:G:C3'	2.55	0.95
1:AP:31:A:C4'	3:A1:1340:A:O3'	2.16	0.93
3:A1:1429:A:P	25:BB:1687:G:C2'	2.56	0.93
3:A1:1418:A:C6	25:BB:1959:G:O3'	2.21	0.93
1:AP:31:A:C1'	3:A1:1340:A:H3'	1.99	0.93
3:A1:1418:A:C5	25:BB:1959:G:O3'	2.21	0.92
3:A1:1418:A:C2	25:BB:1959:G:O3'	2.22	0.92
1:AP:31:A:C3'	3:A1:1340:A:O3'	2.18	0.91
3:A1:1418:A:C4	25:BB:1959:G:O3'	2.22	0.91
1:AP:31:A:C1'	3:A1:1340:A:O3'	2.20	0.90

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A1:1429:A:O5'	25:BB:1687:G:C4'	2.20	0.90
1:AP:31:A:H2'	3:A1:1340:A:H3'	1.52	0.90
1:AP:31:A:C2'	3:A1:1340:A:O3'	2.20	0.90
1:AP:31:A:C3'	3:A1:1340:A:H3'	2.02	0.90
1:AP:31:A:O4'	3:A1:1340:A:C3'	2.21	0.89
3:A1:1429:A:O5'	25:BB:1687:G:C1'	2.22	0.88
3:A1:1429:A:O5'	25:BB:1687:G:C3'	2.24	0.86
3:A1:1429:A:O5'	25:BB:1687:G:C2'	2.23	0.86
1:AP:75:C:C5	25:BB:2253:G:O6	2.22	0.84
3:A1:1418:A:N3	25:BB:1960:A:P	2.52	0.82
3:A1:1418:A:N1	25:BB:1960:A:P	2.53	0.81
3:A1:1429:A:P	25:BB:1687:G:O4'	2.40	0.80
1:AP:31:A:O4'	3:A1:1340:A:O3'	2.08	0.70
3:A1:1418:A:N1	25:BB:1959:G:O3'	2.23	0.70
3:A1:129:A:H61	3:A1:232:G:H1	1.39	0.69
3:A1:1429:A:HO5'	25:BB:1687:G:C2'	2.06	0.68
3:A1:1429:A:O5'	25:BB:1687:G:O4'	2.12	0.67
17:AR:131:ILE:HD12	17:AR:131:ILE:H	1.61	0.65
42:BS:5:ILE:HD12	42:BS:5:ILE:H	1.62	0.64
25:BB:1251:C:H1'	25:BB:1252:G:H3'	1.80	0.63
17:AR:27:ILE:HD12	17:AR:27:ILE:H	1.65	0.62
3:A1:1429:A:C5'	25:BB:1687:G:C4'	2.78	0.61
3:A1:1418:A:C4	25:BB:1959:G:C3'	2.83	0.61
15:AO:86:LEU:O	15:AO:90:VAL:HG22	2.01	0.60
32:BI:29:VAL:HG13	32:BI:31:VAL:HG23	1.82	0.60
1:AA:61:C:H2'	1:AA:62:A:C8	2.36	0.60
51:B2:2:LYS:HE3	51:B2:2:LYS:HA	1.81	0.60
3:A1:772:U:H3	3:A1:807:A:H61	1.47	0.60
26:BC:2:PHE:CE1	26:BC:50:MET:SD	2.95	0.60
4:AB:53:LEU:HD22	4:AB:53:LEU:H	1.67	0.60
24:BA:81:G:C5	24:BA:82:U:C5	2.90	0.60
3:A1:589:U:H3	3:A1:650:G:N2	2.00	0.59
1:AA:48:C:C5	1:AA:59:U:C4	2.91	0.59
28:BE:77:ILE:HG13	28:BE:78:ARG:H	1.67	0.59
25:BB:633:A:C5	25:BB:634:C:H1'	2.37	0.59
17:AR:131:ILE:H	17:AR:131:ILE:CD1	2.15	0.59
1:AA:48:C:H2'	1:AA:59:U:H1'	1.84	0.58
3:A1:1229:A:H2'	3:A1:1230:C:H2'	1.85	0.58
25:BB:18:U:H1'	33:BJ:20:ALA:HB1	1.84	0.58
51:B2:103:ILE:HG22	51:B2:175:PRO:HD3	1.85	0.58
54:B5:36:GLU:HA	54:B5:39:LYS:HE2	1.86	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A1:1429:A:P	25:BB:1687:G:H1'	2.42	0.58
1:AP:31:A:C4'	3:A1:1340:A:C2'	2.82	0.57
25:BB:2886:A:H2'	25:BB:2886:A:N3	2.20	0.57
24:BA:75:G:H21	26:BC:88:HIS:CD2	2.21	0.57
55:B6:122:LEU:HD23	55:B6:122:LEU:H	1.69	0.57
3:A1:335:C:H2'	3:A1:336:A:C8	2.40	0.56
15:AO:156:LEU:HD23	15:AO:156:LEU:H	1.70	0.56
1:AP:31:A:C1'	3:A1:1340:A:H4'	2.35	0.56
3:A1:321:A:N6	3:A1:332:G:H1	2.03	0.56
3:A1:1016:A:C6	3:A1:1017:U:H1'	2.41	0.56
25:BB:827:U:C6	25:BB:2426:A:H2'	2.40	0.56
48:BY:172:VAL:HG13	48:BY:173:GLN:H	1.70	0.56
1:AP:31:A:C1'	3:A1:1341:U:P	2.94	0.56
3:A1:954:G:H1	3:A1:1226:C:N4	2.04	0.56
18:AS:10:LEU:HD12	18:AS:10:LEU:H	1.70	0.56
22:AW:14:SER:HA	22:AW:15:ALA:HB3	1.87	0.56
54:B5:79:LEU:HD21	54:B5:128:ILE:HG22	1.88	0.55
3:A1:411:A:N6	3:A1:428:G:H1'	2.22	0.55
25:BB:978:G:H1	25:BB:986:C:N4	2.04	0.55
3:A1:1256:A:H4'	3:A1:1258:G:H1'	1.88	0.55
1:AP:74:C:O2'	1:AP:75:C:H5''	2.05	0.55
14:AN:38:ILE:HD13	14:AN:82:ILE:HG22	1.89	0.55
25:BB:2821:A:H3'	25:BB:2822:G:H5''	1.89	0.55
25:BB:1065:U:C6	25:BB:1066:U:H1'	2.42	0.55
25:BB:1981:A:H4'	25:BB:1981:A:OP2	2.06	0.54
25:BB:703:U:H2'	25:BB:704:G:C2	2.42	0.54
37:BN:249:VAL:HG13	37:BN:250:GLN:H	1.72	0.54
3:A1:25:C:N4	3:A1:26:A:H62	2.05	0.54
3:A1:1016:A:C5	3:A1:1017:U:H1'	2.43	0.54
3:A1:1317:C:C5	3:A1:1318:A:H1'	2.42	0.54
3:A1:730:G:H2'	3:A1:731:G:H5'	1.90	0.53
39:BP:27:GLY:HA2	39:BP:61:LYS:HE2	1.89	0.53
3:A1:1429:A:P	25:BB:1687:G:H3'	2.48	0.53
25:BB:771:G:H2'	25:BB:772:C:H5''	1.89	0.53
14:AN:3:ILE:CD1	14:AN:3:ILE:H	2.21	0.53
25:BB:2425:A:H1'	25:BB:2427:C:N4	2.24	0.53
3:A1:797:C:H2'	3:A1:798:U:H5''	1.90	0.53
3:A1:411:A:H61	3:A1:428:G:H1'	1.73	0.53
17:AR:131:ILE:HD12	17:AR:131:ILE:N	2.23	0.53
25:BB:646:U:C5	25:BB:647:G:C6	2.97	0.53
25:BB:2286:G:OP1	44:BU:29:LYS:HE3	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
34:BK:47:VAL:HG13	34:BK:49:ILE:H	1.73	0.53
25:BB:2061:G:H21	25:BB:2062:A:N6	2.07	0.52
25:BB:451:U:H3'	25:BB:452:G:H5'	1.91	0.52
1:AP:31:A:C1'	3:A1:1340:A:C4'	2.87	0.52
3:A1:1307:U:H2'	3:A1:1308:U:C6	2.44	0.52
3:A1:1429:A:OP1	25:BB:1687:G:H2'	2.10	0.52
25:BB:782:A:H4'	25:BB:783:A:H5''	1.91	0.52
25:BB:1349:C:H3'	25:BB:1350:C:H5''	1.90	0.52
52:B3:36:LEU:HD11	52:B3:42:VAL:HG13	1.92	0.52
3:A1:1418:A:C5	25:BB:1960:A:OP2	2.62	0.52
25:BB:447:A:H61	25:BB:455:C:N4	2.08	0.52
29:BF:46:ILE:HD12	29:BF:46:ILE:N	2.24	0.52
1:AP:31:A:O4'	3:A1:1340:A:C4'	2.58	0.51
25:BB:1937:A:H3'	25:BB:1938:A:H5''	1.93	0.51
2:AM:14:U:H3'	2:AM:15:U:C4'	2.40	0.51
14:AN:3:ILE:H	14:AN:3:ILE:HD13	1.75	0.51
48:BY:118:PHE:CE2	48:BY:120:GLY:HA3	2.46	0.51
53:B4:95:GLY:HA3	53:B4:121:VAL:HG21	1.93	0.51
25:BB:1140:C:H1'	25:BB:1143:A:N7	2.24	0.51
40:BQ:14:LEU:H	40:BQ:14:LEU:HD22	1.75	0.51
54:B5:77:VAL:HA	54:B5:80:LYS:HE2	1.92	0.51
3:A1:47:C:C6	3:A1:365:U:H3'	2.45	0.51
18:AS:37:VAL:HG11	18:AS:113:VAL:HG12	1.93	0.51
24:BA:29:A:H4'	24:BA:29:A:OP1	2.11	0.51
25:BB:730:A:OP1	25:BB:1775:U:H1'	2.10	0.51
25:BB:28:A:H3'	25:BB:29:U:H5''	1.93	0.51
33:BJ:16:ILE:HD13	33:BJ:16:ILE:H	1.76	0.51
4:AB:29:PHE:CE1	4:AB:44:LYS:HE2	2.45	0.51
18:AS:80:LEU:H	18:AS:80:LEU:HD23	1.76	0.51
48:BY:46:ARG:HD3	48:BY:80:TRP:CZ3	2.46	0.50
3:A1:1101:A:H1'	4:AB:97:GLY:HA2	1.93	0.50
3:A1:1428:A:O3'	25:BB:1687:G:H3'	2.11	0.50
11:AJ:32:ILE:HG12	11:AJ:33:TYR:H	1.74	0.50
32:BI:35:SER:HB3	32:BI:40:GLN:HA	1.93	0.50
46:BW:46:LYS:HE3	46:BW:48:MET:SD	2.51	0.50
25:BB:331:C:H41	25:BB:1210:G:H2'	1.75	0.50
3:A1:982:U:H2'	3:A1:982:U:O2	2.10	0.50
25:BB:2254:C:H2'	25:BB:2255:G:C5	2.47	0.50
1:AE:32:C:C5	1:AE:33:U:C5	2.99	0.50
3:A1:975:A:H4'	3:A1:976:G:H5''	1.93	0.50
3:A1:1429:A:H5''	25:BB:1687:G:H4'	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
25:BB:2525:G:C6	25:BB:2526:G:C6	3.00	0.50
25:BB:2680:U:H3	25:BB:2727:A:N6	2.09	0.50
24:BA:104:A:C5	24:BA:105:G:H1'	2.47	0.50
25:BB:295:G:H2'	25:BB:296:U:H5'	1.94	0.49
30:BG:119:SER:OG	30:BG:121:LYS:HE2	2.12	0.49
1:AP:31:A:O4'	3:A1:1340:A:H4'	2.11	0.49
3:A1:137:U:H1'	3:A1:227:G:N2	2.26	0.49
25:BB:1746:A:H2'	25:BB:1747:U:C6	2.47	0.49
25:BB:207:A:C2	25:BB:208:C:H1'	2.48	0.49
25:BB:2124:G:H3'	25:BB:2125:G:H5''	1.93	0.49
47:BX:23:ILE:HD13	47:BX:23:ILE:H	1.77	0.49
3:A1:13:U:H3	6:AD:12:ALA:HB2	1.76	0.49
3:A1:1305:G:H1'	3:A1:1307:U:C4	2.47	0.49
1:AP:31:A:H1'	3:A1:1341:U:P	2.52	0.49
23:AX:38:GLY:H	23:AX:39:PRO:CD	2.26	0.49
25:BB:1191:G:OP2	28:BE:36:LYS:HE3	2.12	0.49
3:A1:1418:A:N3	25:BB:1959:G:O3'	2.27	0.48
3:A1:1497:G:H3'	3:A1:1498:U:C6	2.48	0.48
25:BB:2472:G:H1'	25:BB:2479:U:O4	2.13	0.48
34:BK:47:VAL:HG22	34:BK:48:LYS:H	1.78	0.48
3:A1:1275:A:C5	3:A1:1276:G:H1'	2.47	0.48
5:AC:115:ILE:HD12	5:AC:115:ILE:H	1.78	0.48
3:A1:496:A:H61	3:A1:498:A:N6	2.12	0.48
3:A1:625:U:H2'	3:A1:626:G:C8	2.48	0.48
10:AI:9:HIS:CG	10:AI:10:GLY:H	2.31	0.48
1:AP:31:A:H4'	3:A1:1340:A:C2'	2.42	0.48
3:A1:158:G:H3'	3:A1:159:G:H5''	1.96	0.48
25:BB:1798:U:C5	25:BB:1819:A:C2	3.01	0.48
1:AP:31:A:C3'	3:A1:1340:A:C2'	2.92	0.48
25:BB:641:U:H1'	46:BW:43:LEU:HD12	1.94	0.48
25:BB:1943:U:H3'	25:BB:1944:U:H5''	1.95	0.48
25:BB:1470:A:N6	25:BB:1521:G:H1'	2.28	0.48
3:A1:207:C:H2'	3:A1:208:U:O4'	2.14	0.48
3:A1:1256:A:H4'	3:A1:1258:G:C1'	2.43	0.48
25:BB:1232:G:H3'	25:BB:1233:C:H5''	1.95	0.48
27:BD:32:TYR:CE2	27:BD:67:LYS:HE2	2.49	0.48
25:BB:1245:G:H5'	50:B1:33:VAL:HG22	1.94	0.48
3:A1:1219:A:C2	3:A1:1220:G:H1'	2.49	0.48
6:AD:9:LYS:H	6:AD:10:PRO:HD3	1.79	0.48
25:BB:1800:C:H42	25:BB:1817:G:N2	2.11	0.48
25:BB:1846:G:N2	25:BB:1848:A:H62	2.12	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A1:1429:A:C5'	25:BB:1687:G:O4'	2.62	0.47
25:BB:138:U:C5	25:BB:140:C:C2	3.02	0.47
25:BB:2138:G:C6	25:BB:2139:U:C4	3.02	0.47
33:BJ:30:VAL:HG23	33:BJ:31:TYR:H	1.79	0.47
1:AE:63:C:H2'	1:AE:64:A:C8	2.49	0.47
25:BB:1999:C:H1'	25:BB:2687:U:H1'	1.95	0.47
1:AP:56:C:C5	1:AP:57:G:C6	3.03	0.47
25:BB:1639:C:H3'	25:BB:1640:A:H5''	1.95	0.47
25:BB:2639:A:H1'	25:BB:2778:A:N1	2.30	0.47
1:AA:42:G:C2	1:AA:43:G:C4	3.02	0.47
3:A1:184:G:C6	3:A1:185:U:C4	3.02	0.47
3:A1:397:A:C5	3:A1:547:A:H2'	2.50	0.47
3:A1:1225:A:H3'	3:A1:1226:C:H5''	1.97	0.47
3:A1:1300:G:C6	3:A1:1334:G:H2'	2.50	0.47
3:A1:1402:C:C5	3:A1:1403:C:C6	3.03	0.47
25:BB:1175:A:H2'	25:BB:1176:U:H5'	1.97	0.47
34:BK:80:ARG:CD	34:BK:81:LYS:H	2.28	0.47
46:BW:28:LEU:CD1	46:BW:35:LYS:HE2	2.44	0.47
25:BB:308:G:C2	25:BB:501:A:C8	3.02	0.47
37:BN:110:LYS:O	37:BN:111:ALA:HB2	2.15	0.47
18:AS:24:VAL:HG22	18:AS:25:LYS:H	1.80	0.47
25:BB:2314:A:H1'	51:B2:154:THR:HG21	1.96	0.47
25:BB:2817:U:H3'	25:BB:2818:U:H5''	1.97	0.47
25:BB:2273:A:C2	25:BB:2274:A:C5	3.03	0.47
25:BB:2790:U:H5'	25:BB:2892:G:H1'	1.97	0.47
28:BE:95:LEU:N	28:BE:95:LEU:HD22	2.31	0.47
3:A1:54:C:C5	3:A1:352:C:C5	3.03	0.46
25:BB:2443:C:OP2	50:B1:63:LYS:HE2	2.16	0.46
3:A1:376:G:P	10:AI:5:ARG:HH21	2.39	0.46
25:BB:1532:A:C2	25:BB:1540:G:C5	3.04	0.46
29:BF:97:GLN:H	29:BF:98:PRO:HD3	1.80	0.46
51:B2:60:SER:HB2	51:B2:88:VAL:HG11	1.98	0.46
25:BB:842:U:H3'	25:BB:843:G:H5''	1.98	0.46
25:BB:1273:U:H3'	25:BB:1274:A:H5''	1.97	0.46
25:BB:1912:A:C2	25:BB:1919:A:C6	3.04	0.46
31:BH:34:HIS:CD2	31:BH:35:ILE:H	2.33	0.46
3:A1:1441:A:H3'	3:A1:1442:G:H5''	1.96	0.46
3:A1:1446:A:C4	3:A1:1447:A:N7	2.84	0.46
51:B2:103:ILE:HG22	51:B2:175:PRO:CD	2.45	0.46
1:AP:30:G:O2'	3:A1:1339:A:C8	2.69	0.46
1:AP:37:G:C6	1:AP:38:A:C5	3.04	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A1:5:U:H4'	3:A1:6:G:H5''	1.98	0.46
3:A1:1057:G:H21	23:AX:57:VAL:HG21	1.81	0.46
3:A1:502:A:H2'	3:A1:503:C:H4'	1.98	0.46
3:A1:978:A:N6	3:A1:1319:A:C6	2.83	0.46
3:A1:1418:A:C4	25:BB:1959:G:H3'	2.51	0.46
3:A1:1429:A:H5''	25:BB:1687:G:C4'	2.45	0.46
7:AF:92:ARG:HD2	7:AF:94:LEU:HD11	1.98	0.46
25:BB:771:G:H2'	25:BB:772:C:C5'	2.46	0.46
25:BB:2043:C:N4	25:BB:2625:G:H1	2.13	0.46
25:BB:2601:C:H2'	25:BB:2602:A:H5'	1.97	0.46
30:BG:108:ALA:HB1	30:BG:109:PRO:HD2	1.97	0.46
1:AA:19:G:N2	1:AA:57:G:H1'	2.31	0.46
3:A1:500:G:H4'	3:A1:501:C:OP1	2.16	0.46
24:BA:24:G:H1'	24:BA:56:G:O6	2.16	0.46
24:BA:30:C:H3'	24:BA:31:C:C6	2.51	0.46
25:BB:1528:A:C8	25:BB:1544:A:C8	3.04	0.46
3:A1:26:A:N3	3:A1:26:A:H2'	2.30	0.46
3:A1:172:A:H2'	3:A1:174:A:C5	2.51	0.46
1:AA:73:A:H2'	1:AA:74:C:H5'	1.98	0.45
2:AM:14:U:H4'	2:AM:15:U:OP2	2.16	0.45
3:A1:1194:U:H4'	3:A1:1195:C:OP2	2.14	0.45
25:BB:714:U:H1'	25:BB:718:A:N1	2.31	0.45
25:BB:2720:U:C2	25:BB:2846:G:H4'	2.51	0.45
37:BN:111:ALA:H	37:BN:112:GLY:HA2	1.82	0.45
37:BN:198:GLU:H	37:BN:198:GLU:CD	2.17	0.45
20:AU:125:ASP:HB3	20:AU:131:GLY:HA2	1.98	0.45
25:BB:278:A:N3	25:BB:362:A:H1'	2.31	0.45
25:BB:990:A:H2'	25:BB:1186:G:N2	2.30	0.45
32:BI:13:LYS:HE3	32:BI:15:ASP:OD2	2.16	0.45
1:AA:11:C:H2'	1:AA:12:U:C6	2.51	0.45
6:AD:86:VAL:HG12	6:AD:87:LYS:HD2	1.96	0.45
25:BB:712:G:H1	25:BB:719:C:N4	2.15	0.45
1:AA:23:A:H2'	1:AA:24:G:C8	2.52	0.45
3:A1:1127:G:H5''	3:A1:1128:C:C6	2.52	0.45
3:A1:1130:A:H3'	3:A1:1131:G:C8	2.52	0.45
24:BA:78:A:C6	24:BA:79:G:C2	3.04	0.45
20:AU:50:ALA:HA	20:AU:57:GLU:HB2	1.99	0.45
25:BB:356:G:H2'	25:BB:357:C:C6	2.51	0.45
25:BB:2358:A:H5''	46:BW:49:VAL:HG23	1.98	0.45
34:BK:67:GLY:HA2	34:BK:99:THR:HG22	1.98	0.45
1:AA:39:U:H2'	1:AA:40:C:H5'	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
31:BH:106:LEU:N	31:BH:106:LEU:HD22	2.32	0.45
3:A1:952:U:H1'	3:A1:964:A:N6	2.32	0.45
3:A1:1500:A:H2'	3:A1:1501:C:H5''	1.98	0.45
25:BB:1070:A:C2	54:B5:9:LYS:HE2	2.52	0.45
25:BB:2126:A:C2	25:BB:2173:A:C6	3.05	0.45
37:BN:175:LEU:HD13	37:BN:175:LEU:H	1.82	0.45
3:A1:383:A:C5	3:A1:384:G:H1'	2.51	0.45
25:BB:570:G:P	25:BB:972:A:H4'	2.57	0.45
41:BR:30:ARG:HG3	41:BR:31:ILE:H	1.82	0.45
3:A1:810:C:O2'	3:A1:898:G:H4'	2.17	0.45
3:A1:1098:C:H2'	3:A1:1099:G:O4'	2.17	0.45
3:A1:1441:A:H3'	3:A1:1442:G:C5'	2.47	0.44
8:AG:12:ARG:HD3	8:AG:54:SER:HA	1.98	0.44
1:AP:31:A:H5'	3:A1:1341:U:C6	2.52	0.44
2:AM:14:U:H3'	2:AM:15:U:H4'	1.99	0.44
25:BB:720:U:H2'	25:BB:721:A:C8	2.52	0.44
25:BB:733:G:N2	25:BB:734:A:C8	2.85	0.44
40:BQ:2:LYS:O	40:BQ:3:ALA:HB3	2.17	0.44
3:A1:283:U:H2'	3:A1:284:C:H5'	2.00	0.44
11:AJ:32:ILE:CG1	11:AJ:33:TYR:H	2.31	0.44
25:BB:2561:U:H2'	25:BB:2562:U:C4'	2.48	0.44
25:BB:2731:G:H4'	25:BB:2732:G:OP1	2.17	0.44
3:A1:887:G:C2	3:A1:888:G:H1'	2.53	0.44
25:BB:1471:G:C8	25:BB:1472:C:C5	3.05	0.44
29:BF:97:GLN:H	29:BF:98:PRO:CD	2.30	0.44
50:B1:108:ILE:HD12	50:B1:108:ILE:H	1.83	0.44
51:B2:159:ALA:HB1	51:B2:165:GLY:HA3	2.00	0.44
1:AE:25:C:C4	1:AE:26:G:C5	3.06	0.44
2:AM:12:U:H4'	2:AM:13:U:OP1	2.17	0.44
3:A1:468:A:C8	3:A1:468:A:H5''	2.53	0.44
25:BB:323:C:HO2'	25:BB:323:C:H6	1.64	0.44
25:BB:1252:G:H1	33:BJ:36:GLN:NE2	2.16	0.44
25:BB:143:C:H1'	36:BM:2:ILE:HG21	2.00	0.44
25:BB:1777:U:C4	25:BB:1981:A:C8	3.06	0.44
25:BB:2055:C:H4'	25:BB:2056:G:H5'	2.00	0.44
3:A1:1429:A:H5'	25:BB:1687:G:C8	2.53	0.44
3:A1:1492:A:H3'	25:BB:1913:A:N7	2.33	0.44
24:BA:52:A:H4'	24:BA:52:A:OP1	2.17	0.44
25:BB:1273:U:O2	25:BB:2003:A:H1'	2.17	0.44
3:A1:1073:U:H3	3:A1:1103:C:N4	2.16	0.44
3:A1:1515:G:H3'	3:A1:1516:G:O4'	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
25:BB:54:G:H5'	45:BV:35:ARG:CZ	2.47	0.44
25:BB:804:A:C2	28:BE:46:VAL:HG11	2.53	0.44
25:BB:1916:A:C8	25:BB:1917:U:C5	3.05	0.44
25:BB:2273:A:C2	25:BB:2274:A:C6	3.06	0.44
1:AP:28:C:H2'	1:AP:29:A:C8	2.53	0.44
4:AB:128:LEU:HD13	4:AB:128:LEU:C	2.39	0.44
15:AO:51:VAL:HG13	15:AO:51:VAL:O	2.17	0.44
24:BA:62:C:H2'	24:BA:63:C:C5	2.52	0.44
25:BB:2790:U:C6	25:BB:2893:A:C5	3.06	0.44
28:BE:106:GLU:H	28:BE:106:GLU:CD	2.21	0.44
3:A1:408:A:OP1	17:AR:21:LYS:HE2	2.18	0.43
3:A1:439:U:H1'	17:AR:118:SER:O	2.18	0.43
24:BA:81:G:C4	24:BA:82:U:C6	3.05	0.43
25:BB:674:G:H2'	25:BB:675:A:H1'	1.99	0.43
28:BE:117:THR:O	28:BE:120:VAL:HG23	2.18	0.43
46:BW:28:LEU:HD11	46:BW:35:LYS:HE2	1.99	0.43
25:BB:2860:A:C5	25:BB:2861:U:H1'	2.53	0.43
27:BD:11:ALA:CB	27:BD:63:VAL:HG11	2.48	0.43
6:AD:110:LYS:HD3	6:AD:110:LYS:H	1.83	0.43
25:BB:499:U:O2'	38:BO:42:LYS:HE3	2.18	0.43
3:A1:129:A:N6	3:A1:232:G:H1	2.12	0.43
25:BB:671:C:H2'	25:BB:672:C:C2	2.54	0.43
25:BB:1311:G:H22	25:BB:1602:U:P	2.42	0.43
25:BB:1502:A:OP1	37:BN:96:LYS:HE2	2.18	0.43
44:BU:8:ILE:CD1	44:BU:10:LEU:HD11	2.47	0.43
3:A1:977:A:H1'	3:A1:983:A:N1	2.34	0.43
10:AI:75:ILE:HA	10:AI:78:VAL:HG12	1.99	0.43
23:AX:38:GLY:H	23:AX:39:PRO:HD2	1.82	0.43
25:BB:402:A:H61	25:BB:423:A:H61	1.65	0.43
3:A1:242:G:H4'	3:A1:242:G:OP1	2.18	0.43
3:A1:579:A:H1'	3:A1:580:C:C5	2.54	0.43
29:BF:114:ARG:HG3	29:BF:114:ARG:HH11	1.83	0.43
3:A1:1429:A:OP1	25:BB:1687:G:C2'	2.64	0.43
25:BB:1189:A:OP2	25:BB:1189:A:C8	2.72	0.43
25:BB:2339:C:H1'	25:BB:2340:A:C8	2.54	0.43
3:A1:26:A:H5'	3:A1:27:G:OP2	2.19	0.43
3:A1:44:A:P	10:AI:12:LYS:HE2	2.59	0.43
3:A1:430:A:H2'	3:A1:431:A:H5'	2.00	0.43
4:AB:70:GLY:HA3	4:AB:79:VAL:HG21	2.00	0.43
25:BB:53:A:H62	25:BB:54:G:N2	2.15	0.43
25:BB:2194:U:H2'	25:BB:2195:U:H4'	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
49:BZ:20:TYR:HA	49:BZ:211:LYS:HB2	2.00	0.43
4:AB:66:ILE:HD12	4:AB:66:ILE:H	1.84	0.43
4:AB:86:CYS:SG	4:AB:221:ARG:HD3	2.59	0.43
4:AB:95:TRP:CZ3	4:AB:100:LEU:HD13	2.53	0.43
25:BB:2136:G:O6	25:BB:2156:G:H1'	2.19	0.43
25:BB:2467:C:H4'	29:BF:117:PHE:CZ	2.54	0.43
38:BO:84:PHE:HB2	38:BO:94:PHE:CD1	2.54	0.43
1:AE:71:G:C2	1:AE:72:C:H1'	2.53	0.43
3:A1:138:G:C5	3:A1:226:G:C2	3.07	0.43
3:A1:283:U:C2'	3:A1:284:C:H5'	2.49	0.43
9:AH:38:LEU:HD23	9:AH:41:HIS:CE1	2.53	0.43
25:BB:1710:G:C6	25:BB:1711:A:C6	3.07	0.43
25:BB:1773:A:H5''	25:BB:1790:C:H41	1.84	0.43
25:BB:1850:G:N2	25:BB:1851:U:H1'	2.34	0.43
25:BB:1854:A:H5''	25:BB:1855:U:C5	2.54	0.43
25:BB:2064:C:H1'	25:BB:2065:C:C4	2.53	0.43
25:BB:2748:A:H2'	25:BB:2749:A:C8	2.53	0.43
1:AA:12:U:C4	1:AA:13:C:C4	3.06	0.42
3:A1:864:A:H2'	3:A1:865:A:C8	2.54	0.42
25:BB:658:U:C4	25:BB:659:G:C4	3.07	0.42
1:AP:31:A:N9	3:A1:1340:A:H4'	2.34	0.42
3:A1:766:A:N1	3:A1:1511:G:H1'	2.34	0.42
5:AC:22:ILE:CD1	5:AC:22:ILE:H	2.31	0.42
25:BB:352:A:H2'	25:BB:353:C:O4'	2.18	0.42
36:BM:7:LEU:HD23	36:BM:46:ALA:HA	2.00	0.42
1:AP:29:A:C2	1:AP:42:G:C2	3.06	0.42
17:AR:94:GLU:HG3	17:AR:190:LEU:HD11	2.02	0.42
25:BB:538:A:O2'	55:B6:7:LYS:HE3	2.19	0.42
25:BB:1155:A:C8	25:BB:1157:G:C8	3.08	0.42
25:BB:1199:U:H3	33:BJ:1:ALA:N	2.18	0.42
43:BT:53:VAL:HG23	43:BT:54:ILE:H	1.85	0.42
1:AP:74:C:H2'	1:AP:75:C:H5'	1.34	0.42
3:A1:515:G:H2'	3:A1:516:U:C6	2.55	0.42
20:AU:73:GLU:OE2	20:AU:75:LYS:HE2	2.19	0.42
25:BB:308:G:H1'	25:BB:501:A:H5'	2.01	0.42
25:BB:2391:G:H2'	46:BW:31:ILE:HG21	2.02	0.42
26:BC:21:ARG:CZ	26:BC:87:GLN:HG3	2.50	0.42
48:BY:14:ILE:HD12	48:BY:14:ILE:HA	1.97	0.42
2:AM:14:U:H3'	2:AM:15:U:O4'	2.20	0.42
19:AT:67:PRO:O	19:AT:70:VAL:HG22	2.20	0.42
25:BB:208:C:H2'	25:BB:209:C:C6	2.54	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
25:BB:1142:A:C2	25:BB:1144:A:H1'	2.55	0.42
25:BB:1528:A:C6	25:BB:1529:G:H1'	2.54	0.42
25:BB:2005:A:H3'	25:BB:2006:C:H5''	2.00	0.42
25:BB:2256:G:N3	25:BB:2275:C:H5'	2.34	0.42
19:AT:55:HIS:CD2	19:AT:56:LYS:HE2	2.54	0.42
1:AP:14:A:H2'	1:AP:15:G:H5'	2.00	0.42
1:AE:25:C:H2'	1:AE:26:G:C8	2.55	0.42
25:BB:866:A:H2'	25:BB:867:C:C6	2.54	0.42
25:BB:1076:C:H2'	25:BB:1077:A:O4'	2.19	0.42
25:BB:2327:A:C2	25:BB:2328:A:N7	2.88	0.42
32:BI:71:ARG:HH22	32:BI:101:GLU:CD	2.22	0.42
37:BN:252:LYS:HE2	37:BN:253:GLY:O	2.20	0.42
48:BY:172:VAL:HG13	48:BY:173:GLN:N	2.33	0.42
1:AE:70:C:H2'	1:AE:71:G:C8	2.55	0.42
3:A1:1409:C:H2'	3:A1:1410:A:C8	2.55	0.42
25:BB:1901:A:C8	25:BB:1902:C:C5	3.08	0.42
25:BB:2027:G:H2'	25:BB:2028:U:C5	2.54	0.42
25:BB:2177:C:H5'	49:BZ:212:ALA:HB3	2.02	0.42
53:B4:6:LEU:HD23	53:B4:15:LEU:HA	2.02	0.42
1:AP:26:G:H2'	1:AP:27:C:O4'	2.20	0.42
3:A1:690:G:N2	3:A1:696:A:H62	2.17	0.42
3:A1:973:G:H2'	3:A1:974:A:C2	2.55	0.42
25:BB:45:G:H2'	25:BB:215:G:H2'	2.02	0.42
25:BB:230:G:H4'	25:BB:230:G:OP1	2.18	0.42
25:BB:1285:A:C8	25:BB:1328:A:H5''	2.53	0.42
25:BB:1697:G:H3'	25:BB:1698:A:H5''	2.02	0.42
43:BT:41:HIS:CD2	43:BT:48:TYR:HA	2.55	0.42
51:B2:103:ILE:HG22	51:B2:175:PRO:CG	2.49	0.42
3:A1:548:G:C8	3:A1:548:G:H5''	2.55	0.41
25:BB:1324:G:N2	25:BB:1330:C:H1'	2.34	0.41
25:BB:1923:U:H2'	25:BB:1924:C:C6	2.54	0.41
25:BB:2360:G:OP2	46:BW:46:LYS:HE2	2.20	0.41
3:A1:70:U:C5	3:A1:94:G:C5	3.08	0.41
24:BA:97:C:C2	26:BC:14:LYS:HD2	2.55	0.41
25:BB:2140:G:C6	25:BB:2141:G:C5	3.08	0.41
25:BB:2512:C:H5'	25:BB:2513:A:OP2	2.20	0.41
25:BB:2848:G:H2'	32:BI:94:ALA:O	2.20	0.41
11:AJ:16:MET:CB	11:AJ:19:SER:HB2	2.50	0.41
15:AO:156:LEU:H	15:AO:156:LEU:CD2	2.32	0.41
25:BB:1295:C:H2'	25:BB:1296:G:O5'	2.20	0.41
30:BG:1:MET:H1	30:BG:4:ARG:HG2	1.84	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
50:B1:108:ILE:HD12	50:B1:108:ILE:N	2.35	0.41
1:AP:40:C:H2'	1:AP:41:U:C6	2.56	0.41
3:A1:120:A:N3	3:A1:122:G:H1'	2.35	0.41
17:AR:46:ARG:HG2	17:AR:47:LEU:H	1.86	0.41
25:BB:61:C:H1'	40:BQ:41:HIS:CE1	2.55	0.41
25:BB:71:A:O5'	25:BB:72:U:H2'	2.20	0.41
25:BB:873:C:H4'	29:BF:64:TRP:CZ2	2.56	0.41
25:BB:1009:A:N6	33:BJ:54:ARG:HE	2.18	0.41
25:BB:1199:U:H3	33:BJ:1:ALA:H2	1.68	0.41
25:BB:1890:A:C4	25:BB:2234:G:H1'	2.55	0.41
25:BB:2156:G:H4'	25:BB:2158:A:C5	2.55	0.41
25:BB:2690:U:C5	30:BG:1:MET:HG3	2.55	0.41
28:BE:95:LEU:HD22	28:BE:95:LEU:H	1.85	0.41
33:BJ:63:ARG:H	33:BJ:63:ARG:HD3	1.85	0.41
3:A1:172:A:H2'	3:A1:174:A:C6	2.56	0.41
5:AC:41:LEU:HD21	5:AC:76:TYR:HB2	2.02	0.41
25:BB:406:G:C2	25:BB:407:G:C6	3.08	0.41
52:B3:6:ALA:H	52:B3:7:PRO:HD2	1.85	0.41
1:AA:68:U:H2'	1:AA:69:U:H5'	2.01	0.41
15:AO:90:VAL:HG23	15:AO:98:ALA:HB3	2.02	0.41
25:BB:1091:G:H2'	25:BB:1092:C:O4'	2.21	0.41
49:BZ:204:TYR:HA	49:BZ:215:VAL:HG23	2.02	0.41
1:AP:14:A:N1	1:AP:22:G:H1'	2.35	0.41
3:A1:1395:C:H1'	3:A1:1396:A:OP1	2.20	0.41
17:AR:53:GLN:HB2	17:AR:202:LEU:HD13	2.02	0.41
23:AX:102:LEU:HD23	23:AX:102:LEU:C	2.41	0.41
25:BB:584:C:H42	50:B1:79:ARG:HG2	1.85	0.41
25:BB:607:U:OP1	50:B1:95:LYS:HE2	2.20	0.41
25:BB:1854:A:H2'	25:BB:1855:U:H5'	2.02	0.41
25:BB:2138:G:C5	25:BB:2139:U:C5	3.09	0.41
25:BB:2199:A:H1'	25:BB:2225:A:N1	2.35	0.41
41:BR:15:ARG:HG2	41:BR:16:LEU:H	1.86	0.41
2:AM:4:U:C6	3:A1:1506:U:C6	3.09	0.41
3:A1:1418:A:C4	25:BB:1960:A:OP2	2.72	0.41
25:BB:1254:A:H2'	50:B1:69:ARG:HH21	1.86	0.41
27:BD:24:VAL:HG12	27:BD:25:LEU:N	2.36	0.41
42:BS:5:ILE:H	42:BS:5:ILE:CD1	2.29	0.41
51:B2:19:PHE:CE2	51:B2:164:GLU:HB3	2.56	0.41
3:A1:342:C:H2'	3:A1:343:U:H5'	2.03	0.41
3:A1:1034:G:O2'	3:A1:1035:A:H5'	2.21	0.41
3:A1:1418:A:N1	25:BB:1960:A:OP1	2.53	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A1:1428:A:O3'	25:BB:1687:G:C3'	2.68	0.41
4:AB:31:PHE:CD1	4:AB:41:ASN:HA	2.55	0.41
14:AN:3:ILE:HD13	14:AN:3:ILE:N	2.36	0.41
16:AQ:34:ARG:HH11	16:AQ:36:PHE:HA	1.85	0.41
25:BB:707:G:O5'	37:BN:25:LYS:HE2	2.21	0.41
25:BB:1036:G:C5	25:BB:1120:G:C6	3.09	0.41
25:BB:2654:A:H4'	25:BB:2655:G:H4'	2.02	0.41
37:BN:231:HIS:CD2	37:BN:242:HIS:CD2	3.08	0.41
48:BY:115:GLY:HA2	48:BY:165:MET:SD	2.61	0.41
48:BY:143:PRO:HA	48:BY:144:GLY:HA2	1.96	0.41
25:BB:1198:U:H5'	25:BB:1198:U:C6	2.56	0.41
25:BB:1946:U:OP1	25:BB:1946:U:H4'	2.21	0.41
25:BB:2366:A:H2'	25:BB:2366:A:N3	2.36	0.41
25:BB:2758:A:C6	25:BB:2759:G:H1'	2.56	0.41
29:BF:15:GLY:HA2	29:BF:74:THR:HG21	2.03	0.41
52:B3:126:THR:HG23	52:B3:128:THR:H	1.86	0.41
1:AE:72:C:H4'	25:BB:1884:G:H3'	2.03	0.40
3:A1:1188:A:H2'	3:A1:1189:U:C6	2.56	0.40
3:A1:1269:A:H3'	3:A1:1270:G:C5'	2.51	0.40
25:BB:602:A:C2	25:BB:656:G:C6	3.09	0.40
25:BB:2728:U:C2	25:BB:2729:G:C8	3.09	0.40
25:BB:2862:G:C6	25:BB:2863:C:N4	2.89	0.40
3:A1:6:G:N3	3:A1:6:G:H2'	2.36	0.40
3:A1:197:A:H4'	3:A1:198:G:OP1	2.22	0.40
3:A1:758:C:O2'	3:A1:880:C:H1'	2.21	0.40
8:AG:9:GLU:HB3	8:AG:59:GLN:HE22	1.86	0.40
25:BB:84:A:N3	25:BB:85:G:H1'	2.36	0.40
25:BB:598:U:H4'	28:BE:20:GLY:HA3	2.03	0.40
25:BB:1000:A:C5	25:BB:1001:A:C6	3.09	0.40
25:BB:1356:G:C8	25:BB:1356:G:H5''	2.56	0.40
25:BB:1414:C:C5	25:BB:1415:U:C5	3.09	0.40
27:BD:35:VAL:N	27:BD:36:GLY:HA2	2.37	0.40
29:BF:103:TYR:CZ	29:BF:105:MET:HB2	2.56	0.40
32:BI:92:ARG:HB2	32:BI:110:LYS:HG2	2.03	0.40
3:A1:1189:U:C5	3:A1:1190:G:C5	3.09	0.40
10:AI:9:HIS:CG	10:AI:10:GLY:N	2.89	0.40
25:BB:860:U:O2	25:BB:860:U:H2'	2.21	0.40
25:BB:1757:A:OP1	25:BB:1757:A:H3'	2.21	0.40
27:BD:19:VAL:HG23	27:BD:43:ILE:HD13	2.01	0.40
3:A1:972:C:C5	3:A1:973:G:N2	2.89	0.40
3:A1:1390:U:H2'	3:A1:1391:U:H5'	2.04	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:AH:2:LEU:HD23	9:AH:2:LEU:H	1.86	0.40
25:BB:873:C:C2	25:BB:905:A:N6	2.89	0.40
25:BB:1611:C:C2'	45:BV:6:GLN:HE21	2.35	0.40
25:BB:1810:A:H5''	25:BB:1811:G:C2	2.57	0.40
25:BB:2173:A:C5	25:BB:2174:C:C5	3.09	0.40
25:BB:2520:C:C2	25:BB:2521:C:O2	2.74	0.40
3:A1:872:A:HO2'	3:A1:872:A:H8	1.69	0.40
25:BB:630:G:H1	28:BE:69:ARG:NH2	2.19	0.40
25:BB:1516:G:H1	25:BB:1732:C:H42	1.69	0.40
25:BB:2468:A:N6	25:BB:2481:G:C2	2.90	0.40
25:BB:2851:A:H2'	25:BB:2852:G:H5'	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
4	AB	216/241 (90%)	178 (82%)	33 (15%)	5 (2%)	6 34
5	AC	115/129 (89%)	91 (79%)	17 (15%)	7 (6%)	1 17
6	AD	121/124 (98%)	78 (64%)	28 (23%)	15 (12%)	0 5
7	AF	112/118 (95%)	80 (71%)	24 (21%)	8 (7%)	1 14
8	AG	94/101 (93%)	69 (73%)	20 (21%)	5 (5%)	2 19
9	AH	86/89 (97%)	73 (85%)	11 (13%)	2 (2%)	6 34
10	AI	80/82 (98%)	55 (69%)	15 (19%)	10 (12%)	0 5
11	AJ	78/84 (93%)	52 (67%)	18 (23%)	8 (10%)	0 8
12	AK	53/75 (71%)	44 (83%)	7 (13%)	2 (4%)	3 24
13	AL	77/92 (84%)	51 (66%)	19 (25%)	7 (9%)	1 11
14	AN	83/87 (95%)	66 (80%)	13 (16%)	4 (5%)	2 21

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
15	AO	204/233 (88%)	151 (74%)	38 (19%)	15 (7%)	1	14
16	AQ	49/71 (69%)	35 (71%)	8 (16%)	6 (12%)	0	6
17	AR	203/206 (98%)	161 (79%)	29 (14%)	13 (6%)	1	16
18	AS	148/159 (93%)	114 (77%)	20 (14%)	14 (10%)	0	10
19	AT	98/135 (73%)	80 (82%)	13 (13%)	5 (5%)	2	19
20	AU	148/179 (83%)	118 (80%)	19 (13%)	11 (7%)	1	14
21	AV	127/130 (98%)	103 (81%)	19 (15%)	5 (4%)	3	23
22	AW	125/130 (96%)	95 (76%)	23 (18%)	7 (6%)	2	19
23	AX	96/103 (93%)	78 (81%)	9 (9%)	9 (9%)	0	10
26	BC	92/94 (98%)	74 (80%)	14 (15%)	4 (4%)	2	22
27	BD	119/123 (97%)	90 (76%)	16 (13%)	13 (11%)	0	8
28	BE	142/144 (99%)	91 (64%)	30 (21%)	21 (15%)	0	3
29	BF	134/136 (98%)	73 (54%)	40 (30%)	21 (16%)	0	3
30	BG	125/127 (98%)	84 (67%)	32 (26%)	9 (7%)	1	14
31	BH	115/117 (98%)	72 (63%)	32 (28%)	11 (10%)	0	10
32	BI	112/115 (97%)	63 (56%)	32 (29%)	17 (15%)	0	4
33	BJ	115/118 (98%)	77 (67%)	27 (24%)	11 (10%)	0	10
34	BK	101/103 (98%)	59 (58%)	33 (33%)	9 (9%)	1	11
35	BL	108/110 (98%)	72 (67%)	27 (25%)	9 (8%)	1	12
36	BM	97/99 (98%)	69 (71%)	18 (19%)	10 (10%)	0	8
37	BN	265/270 (98%)	165 (62%)	61 (23%)	39 (15%)	0	4
38	BO	100/103 (97%)	60 (60%)	22 (22%)	18 (18%)	0	3
39	BP	82/85 (96%)	44 (54%)	21 (26%)	17 (21%)	0	2
40	BQ	61/63 (97%)	42 (69%)	14 (23%)	5 (8%)	1	12
41	BR	56/59 (95%)	38 (68%)	13 (23%)	5 (9%)	1	11
42	BS	68/70 (97%)	38 (56%)	22 (32%)	8 (12%)	0	6
43	BT	54/57 (95%)	32 (59%)	11 (20%)	11 (20%)	0	2
44	BU	52/54 (96%)	33 (64%)	14 (27%)	5 (10%)	0	10
45	BV	44/46 (96%)	33 (75%)	6 (14%)	5 (11%)	0	7
46	BW	62/64 (97%)	35 (56%)	20 (32%)	7 (11%)	0	7
47	BX	36/38 (95%)	23 (64%)	8 (22%)	5 (14%)	0	4

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
48	BY	207/209 (99%)	113 (55%)	54 (26%)	40 (19%)	0	2
49	BZ	211/213 (99%)	163 (77%)	33 (16%)	15 (7%)	1	14
50	B1	199/201 (99%)	111 (56%)	53 (27%)	35 (18%)	0	3
51	B2	176/178 (99%)	123 (70%)	26 (15%)	27 (15%)	0	3
52	B3	174/177 (98%)	149 (86%)	20 (12%)	5 (3%)	4	29
53	B4	147/149 (99%)	103 (70%)	33 (22%)	11 (8%)	1	13
54	B5	139/142 (98%)	113 (81%)	17 (12%)	9 (6%)	1	16
55	B6	138/140 (99%)	79 (57%)	41 (30%)	18 (13%)	0	5
All	All	5844/6172 (95%)	4093 (70%)	1173 (20%)	578 (10%)	1	9

All (578) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	AB	36	LYS
4	AB	97	GLY
4	AB	169	HIS
6	AD	9	LYS
6	AD	15	VAL
6	AD	19	ASN
6	AD	34	THR
6	AD	49	ARG
6	AD	113	ARG
7	AF	44	ILE
7	AF	65	GLU
7	AF	101	THR
8	AG	64	ARG
9	AH	86	LEU
10	AI	72	ALA
11	AJ	68	LYS
12	AK	70	THR
12	AK	71	ASP
13	AL	25	GLY
13	AL	36	ARG
13	AL	37	SER
14	AN	3	ILE
15	AO	14	VAL
15	AO	25	THR
15	AO	50	SER
15	AO	159	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
16	AQ	9	GLU
16	AQ	16	ARG
16	AQ	39	LYS
17	AR	32	LYS
17	AR	36	ALA
17	AR	131	ILE
17	AR	151	GLN
17	AR	152	SER
18	AS	20	VAL
18	AS	25	LYS
18	AS	100	GLU
18	AS	124	ALA
19	AT	55	HIS
20	AU	31	VAL
20	AU	34	LYS
20	AU	35	LYS
20	AU	56	SER
20	AU	88	VAL
21	AV	106	SER
23	AX	80	THR
27	BD	17	ARG
27	BD	30	ARG
27	BD	32	TYR
27	BD	95	ILE
28	BE	13	LYS
28	BE	77	ILE
28	BE	128	THR
28	BE	143	GLU
29	BF	5	LYS
29	BF	11	LYS
29	BF	30	SER
29	BF	59	ARG
29	BF	74	THR
30	BG	28	LEU
30	BG	61	ALA
31	BH	9	ARG
31	BH	16	ARG
31	BH	28	VAL
31	BH	46	GLU
31	BH	54	VAL
32	BI	94	ALA
33	BJ	5	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
34	BK	24	LYS
35	BL	20	VAL
35	BL	93	ALA
36	BM	73	ARG
36	BM	88	LYS
36	BM	92	ASN
37	BN	53	ILE
37	BN	58	LYS
37	BN	111	ALA
37	BN	159	THR
37	BN	217	PRO
37	BN	235	GLU
38	BO	3	LYS
38	BO	6	ARG
38	BO	18	LYS
38	BO	43	LYS
38	BO	61	GLU
38	BO	67	SER
38	BO	73	ASN
38	BO	100	GLU
39	BP	9	THR
39	BP	11	ASN
39	BP	28	GLU
39	BP	35	ILE
39	BP	56	HIS
39	BP	77	LYS
40	BQ	2	LYS
40	BQ	3	ALA
40	BQ	42	LEU
41	BR	51	SER
42	BS	20	ASN
42	BS	45	THR
42	BS	50	ASP
43	BT	6	LYS
43	BT	10	SER
43	BT	29	VAL
44	BU	42	VAL
44	BU	50	GLU
45	BV	3	ARG
46	BW	20	GLY
47	BX	5	ALA
47	BX	34	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
48	BY	14	ILE
48	BY	29	VAL
48	BY	47	ALA
48	BY	155	VAL
48	BY	191	GLY
49	BZ	24	ARG
49	BZ	94	GLN
49	BZ	161	ASP
49	BZ	172	GLU
50	B1	17	THR
50	B1	78	TRP
50	B1	90	GLN
50	B1	105	LEU
50	B1	142	ALA
50	B1	144	GLU
50	B1	165	HIS
50	B1	189	THR
51	B2	42	ALA
51	B2	77	LYS
51	B2	116	LEU
51	B2	122	ASP
51	B2	145	VAL
51	B2	159	ALA
51	B2	177	ARG
52	B3	170	THR
53	B4	3	VAL
53	B4	77	THR
54	B5	17	ALA
54	B5	93	ASN
55	B6	39	LYS
55	B6	49	ASP
55	B6	64	VAL
6	AD	40	THR
6	AD	50	LYS
6	AD	109	ARG
7	AF	25	GLY
7	AF	112	ARG
8	AG	89	ARG
9	AH	19	ASN
10	AI	8	ARG
10	AI	31	ARG
10	AI	51	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	AJ	6	THR
11	AJ	37	ILE
11	AJ	53	GLY
13	AL	78	THR
14	AN	13	SER
15	AO	4	VAL
15	AO	78	LYS
15	AO	106	ARG
16	AQ	34	ARG
17	AR	17	ASP
17	AR	129	VAL
18	AS	70	MET
18	AS	72	ASN
18	AS	107	GLY
18	AS	126	ALA
19	AT	4	TYR
19	AT	92	THR
21	AV	19	ALA
22	AW	39	GLY
22	AW	54	VAL
22	AW	69	GLY
22	AW	118	ARG
23	AX	63	ASP
23	AX	99	GLN
26	BC	37	PRO
27	BD	77	ILE
28	BE	22	GLY
28	BE	75	ALA
28	BE	80	SER
28	BE	100	ILE
28	BE	140	GLY
29	BF	6	ARG
29	BF	9	PHE
29	BF	38	ARG
29	BF	52	ALA
29	BF	64	TRP
29	BF	70	ASP
29	BF	83	GLY
29	BF	127	LYS
30	BG	18	GLN
30	BG	19	ALA
30	BG	99	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
31	BH	3	LYS
31	BH	36	TYR
31	BH	52	SER
31	BH	55	GLU
32	BI	33	GLU
32	BI	40	GLN
32	BI	58	PHE
32	BI	60	VAL
32	BI	67	GLU
32	BI	79	VAL
33	BJ	3	VAL
33	BJ	15	LYS
33	BJ	25	GLY
34	BK	7	SER
34	BK	99	THR
34	BK	101	ILE
35	BL	7	HIS
35	BL	19	LEU
35	BL	64	ALA
35	BL	74	ILE
35	BL	106	VAL
36	BM	81	LYS
36	BM	87	LEU
37	BN	4	LYS
37	BN	32	LEU
37	BN	143	VAL
37	BN	162	GLN
37	BN	170	TYR
37	BN	176	ARG
37	BN	219	VAL
37	BN	221	GLY
37	BN	227	VAL
37	BN	230	PRO
37	BN	238	ASN
37	BN	249	VAL
37	BN	252	LYS
37	BN	260	LYS
37	BN	266	ILE
38	BO	57	ILE
38	BO	64	ILE
38	BO	82	VAL
39	BP	10	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
39	BP	33	GLY
39	BP	55	ASP
39	BP	65	LYS
39	BP	69	GLU
39	BP	74	LYS
40	BQ	32	ALA
41	BR	14	GLY
42	BS	12	ILE
42	BS	27	THR
43	BT	8	THR
43	BT	15	ARG
43	BT	17	SER
43	BT	38	LEU
44	BU	17	GLY
45	BV	2	LYS
45	BV	43	THR
46	BW	2	LYS
46	BW	4	LYS
46	BW	41	ARG
46	BW	63	TYR
47	BX	3	VAL
47	BX	8	LYS
47	BX	14	CYS
48	BY	33	ARG
48	BY	97	SER
48	BY	131	ASP
48	BY	135	GLY
48	BY	146	ILE
48	BY	147	GLY
48	BY	159	LYS
48	BY	160	LYS
48	BY	171	THR
48	BY	172	VAL
49	BZ	50	GLU
49	BZ	116	SER
49	BZ	195	LYS
50	B1	4	VAL
50	B1	22	ASP
50	B1	57	LYS
50	B1	73	ILE
50	B1	75	SER
50	B1	77	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
50	B1	118	LEU
50	B1	146	VAL
50	B1	170	ARG
50	B1	171	ASP
50	B1	172	ALA
50	B1	175	ILE
50	B1	186	VAL
50	B1	193	VAL
51	B2	30	VAL
51	B2	38	GLY
51	B2	65	LEU
51	B2	76	PHE
51	B2	80	GLN
51	B2	106	ALA
51	B2	108	PRO
51	B2	132	ARG
51	B2	144	LYS
51	B2	152	ASP
52	B3	99	GLY
52	B3	118	ALA
53	B4	12	LEU
54	B5	59	THR
55	B6	11	VAL
55	B6	41	LYS
55	B6	63	ALA
55	B6	95	ARG
4	AB	21	TYR
5	AC	23	HIS
5	AC	52	ARG
5	AC	112	VAL
6	AD	22	ALA
6	AD	25	ALA
6	AD	78	VAL
6	AD	104	SER
7	AF	23	GLY
7	AF	49	GLU
8	AG	41	TRP
10	AI	59	HIS
11	AJ	43	LEU
13	AL	4	LEU
13	AL	71	GLY
14	AN	64	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
15	AO	79	LYS
15	AO	176	THR
16	AQ	10	PRO
17	AR	28	ASP
17	AR	34	GLU
17	AR	125	ASN
17	AR	190	LEU
18	AS	24	VAL
19	AT	44	ARG
19	AT	94	HIS
20	AU	30	MET
20	AU	76	SER
20	AU	110	ARG
22	AW	128	LYS
23	AX	38	GLY
23	AX	46	LYS
23	AX	60	ASP
23	AX	69	THR
26	BC	66	ASP
27	BD	3	GLN
27	BD	46	ALA
27	BD	51	LYS
28	BE	5	THR
28	BE	39	LYS
28	BE	98	ALA
28	BE	125	LEU
29	BF	77	PRO
29	BF	94	ALA
29	BF	97	GLN
30	BG	11	ASN
30	BG	98	LEU
30	BG	123	GLU
31	BH	26	LEU
32	BI	41	ALA
32	BI	56	SER
32	BI	86	LYS
32	BI	96	LEU
33	BJ	7	VAL
33	BJ	31	TYR
34	BK	31	GLU
35	BL	80	PRO
36	BM	16	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
36	BM	46	ALA
36	BM	78	SER
37	BN	98	GLY
37	BN	160	TYR
37	BN	169	ALA
37	BN	182	LYS
37	BN	225	ASN
38	BO	33	VAL
38	BO	59	GLU
38	BO	71	ILE
39	BP	61	LYS
39	BP	78	PHE
40	BQ	16	THR
41	BR	13	ILE
42	BS	4	ASP
42	BS	7	PRO
42	BS	34	LEU
43	BT	49	ARG
44	BU	2	LYS
44	BU	5	ARG
45	BV	4	THR
46	BW	26	ALA
48	BY	4	LEU
48	BY	10	GLY
48	BY	31	ALA
48	BY	38	LYS
48	BY	46	ARG
48	BY	56	LYS
48	BY	89	GLU
48	BY	99	GLU
48	BY	127	PHE
48	BY	136	ASN
48	BY	139	SER
48	BY	145	SER
48	BY	169	ARG
48	BY	183	GLU
49	BZ	197	GLU
49	BZ	214	LYS
50	B1	11	ALA
50	B1	83	VAL
51	B2	3	LEU
51	B2	19	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	B2	64	PRO
53	B4	14	SER
53	B4	131	SER
53	B4	141	LYS
54	B5	4	VAL
54	B5	51	GLY
54	B5	92	PRO
55	B6	14	ASP
55	B6	99	ARG
55	B6	104	ALA
5	AC	54	SER
5	AC	87	GLY
5	AC	88	PRO
5	AC	102	ALA
7	AF	64	VAL
8	AG	5	MET
11	AJ	27	PHE
14	AN	15	LYS
15	AO	105	VAL
15	AO	157	GLY
16	AQ	11	PHE
18	AS	83	PRO
18	AS	101	GLY
18	AS	127	TYR
20	AU	6	ILE
23	AX	40	ILE
23	AX	43	PRO
26	BC	43	ASP
27	BD	26	GLY
27	BD	55	GLY
28	BE	9	ALA
29	BF	40	ARG
32	BI	106	ALA
33	BJ	24	TYR
34	BK	34	GLU
34	BK	69	GLY
35	BL	70	LYS
36	BM	72	GLN
37	BN	57	HIS
37	BN	127	ASN
37	BN	141	HIS
37	BN	181	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
38	BO	53	GLN
38	BO	54	PRO
38	BO	84	PHE
39	BP	34	SER
41	BR	18	LYS
43	BT	4	GLN
46	BW	14	LYS
48	BY	84	LEU
48	BY	86	GLU
48	BY	115	GLY
48	BY	123	LYS
48	BY	126	ASN
48	BY	186	LEU
49	BZ	37	LYS
50	B1	71	GLY
50	B1	123	LYS
50	B1	166	LYS
50	B1	176	ASP
51	B2	71	LYS
51	B2	125	GLY
53	B4	63	ALA
53	B4	88	GLY
54	B5	18	ASN
54	B5	79	LEU
55	B6	9	GLU
55	B6	47	HIS
55	B6	65	THR
4	AB	128	LEU
6	AD	121	PRO
10	AI	11	ALA
10	AI	45	GLU
11	AJ	34	GLY
15	AO	107	LYS
15	AO	126	ARG
18	AS	105	ILE
21	AV	64	TYR
22	AW	106	ASP
27	BD	6	THR
28	BE	12	SER
28	BE	52	GLY
29	BF	121	ALA
30	BG	74	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
31	BH	62	LEU
32	BI	4	ILE
32	BI	11	GLN
32	BI	21	PRO
32	BI	31	VAL
33	BJ	22	GLY
33	BJ	73	ILE
33	BJ	106	THR
37	BN	54	GLY
37	BN	107	LYS
37	BN	191	LEU
39	BP	4	LYS
41	BR	32	GLY
43	BT	34	GLY
43	BT	35	GLU
45	BV	44	VAL
49	BZ	77	LYS
49	BZ	129	GLY
50	B1	55	SER
51	B2	49	LEU
51	B2	160	LYS
53	B4	15	LEU
53	B4	35	LYS
54	B5	15	GLY
8	AG	55	SER
15	AO	156	LEU
15	AO	173	PRO
17	AR	128	VAL
22	AW	30	ASN
27	BD	76	VAL
28	BE	10	GLU
28	BE	42	SER
28	BE	59	ARG
29	BF	17	ASN
29	BF	55	ARG
29	BF	78	LEU
37	BN	27	LYS
38	BO	35	VAL
48	BY	87	GLY
48	BY	142	VAL
48	BY	198	GLY
49	BZ	38	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
49	BZ	169	ILE
50	B1	113	VAL
50	B1	129	PRO
52	B3	6	ALA
53	B4	116	ARG
55	B6	124	VAL
55	B6	127	GLY
11	AJ	11	VAL
18	AS	90	GLY
20	AU	87	PRO
28	BE	16	GLY
33	BJ	30	VAL
36	BM	65	GLY
37	BN	140	VAL
39	BP	47	GLY
48	BY	104	VAL
48	BY	205	PRO
50	B1	120	VAL
55	B6	81	ILE
10	AI	2	VAL
32	BI	83	ILE
34	BK	27	ILE
34	BK	72	VAL
50	B1	196	VAL
51	B2	39	VAL
51	B2	75	GLY
6	AD	27	PRO
10	AI	64	GLY
13	AL	66	VAL
26	BC	32	GLY
28	BE	46	VAL
37	BN	9	SER
37	BN	41	GLY
10	AI	15	PRO
20	AU	7	GLY
21	AV	81	GLY
27	BD	63	VAL
37	BN	151	GLY
49	BZ	137	PRO
50	B1	89	PRO
55	B6	100	VAL
21	AV	71	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
37	BN	178	GLY
50	B1	128	ALA
51	B2	136	ILE
52	B3	155	PRO
55	B6	73	VAL
17	AR	6	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
4	AB	180/199 (90%)	164 (91%)	16 (9%)	9 30
5	AC	90/99 (91%)	81 (90%)	9 (10%)	7 26
6	AD	103/104 (99%)	87 (84%)	16 (16%)	2 14
7	AF	92/96 (96%)	84 (91%)	8 (9%)	10 31
8	AG	79/84 (94%)	75 (95%)	4 (5%)	24 48
9	AH	76/77 (99%)	73 (96%)	3 (4%)	32 56
10	AI	65/65 (100%)	61 (94%)	4 (6%)	18 43
11	AJ	74/78 (95%)	69 (93%)	5 (7%)	16 41
12	AK	48/66 (73%)	44 (92%)	4 (8%)	11 34
13	AL	70/79 (89%)	59 (84%)	11 (16%)	2 14
14	AN	65/66 (98%)	59 (91%)	6 (9%)	9 29
15	AO	170/190 (90%)	158 (93%)	12 (7%)	14 39
16	AQ	44/61 (72%)	40 (91%)	4 (9%)	9 29
17	AR	172/173 (99%)	156 (91%)	16 (9%)	9 28
18	AS	113/119 (95%)	98 (87%)	15 (13%)	4 18
19	AT	87/116 (75%)	77 (88%)	10 (12%)	5 21
20	AU	123/147 (84%)	108 (88%)	15 (12%)	5 20
21	AV	104/105 (99%)	98 (94%)	6 (6%)	20 45
22	AW	105/107 (98%)	98 (93%)	7 (7%)	16 41

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
23	AX	86/90 (96%)	78 (91%)	8 (9%)	9	28
26	BC	78/78 (100%)	74 (95%)	4 (5%)	24	48
27	BD	102/104 (98%)	98 (96%)	4 (4%)	32	56
28	BE	103/103 (100%)	84 (82%)	19 (18%)	1	9
29	BF	109/109 (100%)	95 (87%)	14 (13%)	4	18
30	BG	103/103 (100%)	90 (87%)	13 (13%)	4	19
31	BH	87/87 (100%)	81 (93%)	6 (7%)	15	40
32	BI	99/100 (99%)	96 (97%)	3 (3%)	41	63
33	BJ	89/90 (99%)	78 (88%)	11 (12%)	4	19
34	BK	84/84 (100%)	73 (87%)	11 (13%)	4	18
35	BL	93/93 (100%)	83 (89%)	10 (11%)	6	23
36	BM	83/83 (100%)	69 (83%)	14 (17%)	2	12
37	BN	213/215 (99%)	189 (89%)	24 (11%)	6	21
38	BO	83/84 (99%)	76 (92%)	7 (8%)	11	33
39	BP	62/63 (98%)	55 (89%)	7 (11%)	6	21
40	BQ	55/55 (100%)	47 (86%)	8 (14%)	3	15
41	BR	48/49 (98%)	46 (96%)	2 (4%)	30	54
42	BS	62/62 (100%)	58 (94%)	4 (6%)	17	42
43	BT	47/48 (98%)	35 (74%)	12 (26%)	0	3
44	BU	48/48 (100%)	45 (94%)	3 (6%)	18	43
45	BV	38/38 (100%)	34 (90%)	4 (10%)	7	24
46	BW	51/51 (100%)	43 (84%)	8 (16%)	2	14
47	BX	34/34 (100%)	30 (88%)	4 (12%)	5	20
48	BY	164/164 (100%)	145 (88%)	19 (12%)	5	21
49	BZ	187/187 (100%)	174 (93%)	13 (7%)	15	40
50	B1	165/165 (100%)	147 (89%)	18 (11%)	6	23
51	B2	149/149 (100%)	130 (87%)	19 (13%)	4	18
52	B3	137/138 (99%)	125 (91%)	12 (9%)	10	31
53	B4	114/114 (100%)	104 (91%)	10 (9%)	10	31
54	B5	109/110 (99%)	102 (94%)	7 (6%)	17	42
55	B6	114/114 (100%)	107 (94%)	7 (6%)	18	44

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	4856/5043 (96%)	4380 (90%)	476 (10%)	11	26

All (476) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	AB	14	HIS
4	AB	31	PHE
4	AB	38	HIS
4	AB	59	ILE
4	AB	84	LEU
4	AB	87	ASP
4	AB	92	ASN
4	AB	93	HIS
4	AB	94	ARG
4	AB	101	THR
4	AB	131	LYS
4	AB	185	ILE
4	AB	187	ASP
4	AB	202	ASN
4	AB	203	ASP
4	AB	206	ILE
5	AC	22	ILE
5	AC	25	SER
5	AC	30	ILE
5	AC	36	ARG
5	AC	39	ASN
5	AC	68	ARG
5	AC	78	ILE
5	AC	100	ASN
5	AC	123	PRO
6	AD	11	ARG
6	AD	13	ARG
6	AD	20	VAL
6	AD	23	LEU
6	AD	24	GLU
6	AD	38	THR
6	AD	50	LYS
6	AD	64	SER
6	AD	79	ILE
6	AD	87	LYS
6	AD	94	TYR
6	AD	98	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	AD	110	LYS
6	AD	111	GLN
6	AD	119	LYS
6	AD	121	PRO
7	AF	7	ASN
7	AF	8	ILE
7	AF	28	ARG
7	AF	29	SER
7	AF	41	ASP
7	AF	59	VAL
7	AF	77	LYS
7	AF	82	LEU
8	AG	45	LEU
8	AG	50	LEU
8	AG	52	ARG
8	AG	68	ARG
9	AH	57	ARG
9	AH	72	LYS
9	AH	86	LEU
10	AI	17	TYR
10	AI	23	ASP
10	AI	63	GLN
10	AI	74	LEU
11	AJ	10	ARG
11	AJ	25	GLU
11	AJ	27	PHE
11	AJ	46	HIS
11	AJ	76	ARG
12	AK	25	ILE
12	AK	34	GLU
12	AK	49	LYS
12	AK	72	ARG
13	AL	5	LYS
13	AL	6	LYS
13	AL	11	ASP
13	AL	12	LEU
13	AL	14	LEU
13	AL	19	GLU
13	AL	39	ILE
13	AL	40	PHE
13	AL	50	VAL
13	AL	56	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
13	AL	73	PHE
14	AN	3	ILE
14	AN	9	ARG
14	AN	69	ASN
14	AN	73	ARG
14	AN	78	LEU
14	AN	85	LEU
15	AO	17	TRP
15	AO	24	ASN
15	AO	40	GLN
15	AO	86	LEU
15	AO	106	ARG
15	AO	127	VAL
15	AO	129	PHE
15	AO	139	ASN
15	AO	163	ARG
15	AO	174	LEU
15	AO	187	GLU
15	AO	198	LYS
16	AQ	3	ILE
16	AQ	32	ARG
16	AQ	34	ARG
16	AQ	39	LYS
17	AR	13	ARG
17	AR	14	GLU
17	AR	40	HIS
17	AR	47	LEU
17	AR	48	SER
17	AR	69	ARG
17	AR	80	ARG
17	AR	89	LEU
17	AR	109	THR
17	AR	112	GLU
17	AR	119	HIS
17	AR	131	ILE
17	AR	163	GLN
17	AR	170	LEU
17	AR	189	ASP
17	AR	196	GLU
18	AS	14	LEU
18	AS	42	ASN
18	AS	47	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	AS	53	ARG
18	AS	80	LEU
18	AS	81	GLN
18	AS	87	VAL
18	AS	88	HIS
18	AS	89	THR
18	AS	105	ILE
18	AS	110	MET
18	AS	141	ASP
18	AS	144	GLU
18	AS	145	ASN
18	AS	156	ARG
19	AT	1	MET
19	AT	11	HIS
19	AT	15	SER
19	AT	16	GLU
19	AT	17	GLN
19	AT	33	GLU
19	AT	46	GLN
19	AT	72	ASP
19	AT	86	ARG
19	AT	93	LYS
20	AU	4	ARG
20	AU	12	LEU
20	AU	14	ASP
20	AU	43	TYR
20	AU	55	LYS
20	AU	58	LEU
20	AU	74	VAL
20	AU	75	LYS
20	AU	79	VAL
20	AU	88	VAL
20	AU	95	ARG
20	AU	98	LEU
20	AU	115	MET
20	AU	132	THR
20	AU	137	ARG
21	AV	20	ASN
21	AV	24	VAL
21	AV	53	ASP
21	AV	72	GLU
21	AV	75	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
21	AV	79	ARG
22	AW	8	THR
22	AW	40	ARG
22	AW	71	ILE
22	AW	105	ARG
22	AW	118	ARG
22	AW	125	GLN
22	AW	128	LYS
23	AX	15	HIS
23	AX	19	ASP
23	AX	27	GLU
23	AX	53	ILE
23	AX	71	LEU
23	AX	89	ARG
23	AX	92	LEU
23	AX	100	ILE
26	BC	7	GLU
26	BC	42	LEU
26	BC	76	ASP
26	BC	92	VAL
27	BD	9	ASN
27	BD	20	MET
27	BD	52	VAL
27	BD	90	ASN
28	BE	6	LEU
28	BE	18	ARG
28	BE	19	LEU
28	BE	35	HIS
28	BE	47	ARG
28	BE	54	GLN
28	BE	63	LYS
28	BE	78	ARG
28	BE	92	LEU
28	BE	93	ASN
28	BE	101	ILE
28	BE	104	GLN
28	BE	106	GLU
28	BE	109	LYS
28	BE	112	LEU
28	BE	125	LEU
28	BE	126	ARG
28	BE	141	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
28	BE	144	GLU
29	BF	6	ARG
29	BF	18	ARG
29	BF	22	GLN
29	BF	44	ARG
29	BF	51	ARG
29	BF	71	LYS
29	BF	76	LYS
29	BF	82	MET
29	BF	90	GLU
29	BF	95	LEU
29	BF	114	ARG
29	BF	115	GLU
29	BF	127	LYS
29	BF	136	MET
30	BG	4	ARG
30	BG	10	LEU
30	BG	18	GLN
30	BG	32	GLU
30	BG	52	ILE
30	BG	63	ARG
30	BG	73	ASN
30	BG	83	LEU
30	BG	89	SER
30	BG	99	LYS
30	BG	113	ILE
30	BG	115	LEU
30	BG	121	LYS
31	BH	9	ARG
31	BH	20	GLU
31	BH	30	ARG
31	BH	31	THR
31	BH	65	THR
31	BH	84	GLU
32	BI	73	PHE
32	BI	83	ILE
32	BI	99	LEU
33	BJ	7	VAL
33	BJ	13	HIS
33	BJ	16	ILE
33	BJ	21	LYS
33	BJ	31	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
33	BJ	40	LYS
33	BJ	52	ARG
33	BJ	63	ARG
33	BJ	73	ILE
33	BJ	90	ASP
33	BJ	91	ARG
34	BK	23	GLU
34	BK	27	ILE
34	BK	41	ILE
34	BK	47	VAL
34	BK	59	ILE
34	BK	80	ARG
34	BK	82	HIS
34	BK	84	ARG
34	BK	87	GLN
34	BK	97	LYS
34	BK	98	ILE
35	BL	4	ILE
35	BL	24	ILE
35	BL	38	TYR
35	BL	46	LEU
35	BL	59	GLU
35	BL	67	ASP
35	BL	85	ILE
35	BL	90	LYS
35	BL	98	LYS
35	BL	100	THR
36	BM	1	MET
36	BM	2	ILE
36	BM	5	GLU
36	BM	6	ARG
36	BM	10	VAL
36	BM	12	ARG
36	BM	15	HIS
36	BM	33	LYS
36	BM	42	GLU
36	BM	51	PHE
36	BM	68	LYS
36	BM	73	ARG
36	BM	80	TRP
36	BM	87	LEU
37	BN	3	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
37	BN	4	LYS
37	BN	13	ARG
37	BN	24	HIS
37	BN	29	PHE
37	BN	42	ARG
37	BN	49	THR
37	BN	61	TYR
37	BN	65	ASP
37	BN	66	PHE
37	BN	82	TYR
37	BN	104	LEU
37	BN	107	LYS
37	BN	113	ASP
37	BN	123	ILE
37	BN	141	HIS
37	BN	155	ARG
37	BN	175	LEU
37	BN	179	GLU
37	BN	181	ARG
37	BN	215	VAL
37	BN	231	HIS
37	BN	239	PHE
37	BN	269	ARG
38	BO	5	ARG
38	BO	24	VAL
38	BO	25	LYS
38	BO	34	ILE
38	BO	38	ILE
38	BO	73	ASN
38	BO	95	PHE
39	BP	2	HIS
39	BP	10	ARG
39	BP	24	ARG
39	BP	36	ILE
39	BP	45	HIS
39	BP	50	VAL
39	BP	77	LYS
40	BQ	27	ASN
40	BQ	31	GLN
40	BQ	36	GLN
40	BQ	38	GLN
40	BQ	39	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
40	BQ	43	LEU
40	BQ	47	ARG
40	BQ	59	GLU
41	BR	17	PRO
41	BR	50	VAL
42	BS	30	HIS
42	BS	36	VAL
42	BS	47	LYS
42	BS	70	LYS
43	BT	3	GLN
43	BT	4	GLN
43	BT	8	THR
43	BT	16	ARG
43	BT	17	SER
43	BT	31	LYS
43	BT	36	LYS
43	BT	37	HIS
43	BT	39	ARG
43	BT	42	ILE
43	BT	48	TYR
43	BT	51	ARG
44	BU	42	VAL
44	BU	53	ILE
44	BU	54	LYS
45	BV	2	LYS
45	BV	4	THR
45	BV	25	LYS
45	BV	35	ARG
46	BW	4	LYS
46	BW	6	VAL
46	BW	12	ARG
46	BW	23	HIS
46	BW	28	LEU
46	BW	29	ARG
46	BW	43	LEU
46	BW	46	LYS
47	BX	12	ARG
47	BX	23	ILE
47	BX	24	ARG
47	BX	32	LYS
48	BY	20	VAL
48	BY	22	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
48	BY	26	VAL
48	BY	36	GLN
48	BY	38	LYS
48	BY	62	LYS
48	BY	67	HIS
48	BY	77	ARG
48	BY	84	LEU
48	BY	110	THR
48	BY	123	LYS
48	BY	125	TRP
48	BY	126	ASN
48	BY	128	ARG
48	BY	131	ASP
48	BY	165	MET
48	BY	177	VAL
48	BY	184	ARG
48	BY	201	LEU
49	BZ	5	LYS
49	BZ	24	ARG
49	BZ	34	LEU
49	BZ	39	ILE
49	BZ	62	LYS
49	BZ	87	ARG
49	BZ	106	GLN
49	BZ	123	ILE
49	BZ	131	ARG
49	BZ	167	VAL
49	BZ	191	GLU
49	BZ	196	VAL
49	BZ	208	THR
50	B1	4	VAL
50	B1	13	THR
50	B1	23	PHE
50	B1	51	GLU
50	B1	57	LYS
50	B1	69	ARG
50	B1	74	LYS
50	B1	109	LEU
50	B1	117	ARG
50	B1	120	VAL
50	B1	130	LYS
50	B1	132	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
50	B1	152	GLU
50	B1	154	ASP
50	B1	162	ARG
50	B1	189	THR
50	B1	191	ASP
50	B1	194	LYS
51	B2	2	LYS
51	B2	4	HIS
51	B2	11	VAL
51	B2	19	PHE
51	B2	46	LYS
51	B2	49	LEU
51	B2	56	LEU
51	B2	63	LYS
51	B2	65	LEU
51	B2	77	LYS
51	B2	80	GLN
51	B2	99	PHE
51	B2	131	VAL
51	B2	136	ILE
51	B2	142	TYR
51	B2	146	ASP
51	B2	154	THR
51	B2	160	LYS
51	B2	177	ARG
52	B3	23	ILE
52	B3	32	LEU
52	B3	34	ARG
52	B3	42	VAL
52	B3	47	ASN
52	B3	54	ARG
52	B3	59	ASP
52	B3	88	LEU
52	B3	100	ASN
52	B3	130	ILE
52	B3	146	ASP
52	B3	150	TYR
53	B4	5	LEU
53	B4	11	ASN
53	B4	17	ASP
53	B4	18	GLN
53	B4	25	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
53	B4	43	ASN
53	B4	44	ILE
53	B4	60	GLU
53	B4	79	THR
53	B4	133	GLN
54	B5	46	ASP
54	B5	54	ILE
54	B5	63	ASP
54	B5	64	ARG
54	B5	85	ILE
54	B5	92	PRO
54	B5	121	ILE
55	B6	39	LYS
55	B6	67	ASN
55	B6	72	LYS
55	B6	75	TYR
55	B6	81	ILE
55	B6	102	GLU
55	B6	108	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
4	AB	202	ASN
5	AC	21	HIS
6	AD	58	ASN
7	AF	99	GLN
8	AG	70	HIS
9	AH	41	HIS
10	AI	26	ASN
14	AN	54	GLN
17	AR	130	ASN
23	AX	56	HIS
23	AX	58	ASN
27	BD	5	GLN
31	BH	34	HIS
33	BJ	36	GLN
34	BK	91	GLN
37	BN	133	ASN
40	BQ	41	HIS
43	BT	4	GLN
44	BU	45	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
45	BV	6	GLN
48	BY	136	ASN
48	BY	148	GLN
55	B6	76	HIS

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	75/76 (98%)	20 (26%)	8 (10%)
1	AE	75/76 (98%)	11 (14%)	1 (1%)
1	AP	74/76 (97%)	15 (20%)	6 (8%)
2	AM	20/20 (100%)	9 (45%)	7 (35%)
24	BA	116/117 (99%)	37 (31%)	11 (9%)
25	BB	2901/2903 (99%)	1516 (52%)	511 (17%)
3	A1	1529/1530 (99%)	753 (49%)	280 (18%)
All	All	4790/4798 (99%)	2361 (49%)	824 (17%)

All (2361) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	2	C
1	AA	3	G
1	AA	10	G
1	AA	13	C
1	AA	17	U
1	AA	18	G
1	AA	20	G
1	AA	23	A
1	AA	27	C
1	AA	28	C
1	AA	33	U
1	AA	42	G
1	AA	43	G
1	AA	44	A
1	AA	46	G
1	AA	47	U
1	AA	48	C
1	AA	52	U
1	AA	59	U
1	AA	75	C
1	AP	8	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AP	9	A
1	AP	10	G
1	AP	13	C
1	AP	16	U
1	AP	17	U
1	AP	19	G
1	AP	21	A
1	AP	31	A
1	AP	32	C
1	AP	40	C
1	AP	49	C
1	AP	59	U
1	AP	68	U
1	AP	75	C
1	AE	9	A
1	AE	13	C
1	AE	14	A
1	AE	15	G
1	AE	17	U
1	AE	18	G
1	AE	19	G
1	AE	21	A
1	AE	36	A
1	AE	46	G
1	AE	76	A
2	AM	2	U
2	AM	3	U
2	AM	5	U
2	AM	6	U
2	AM	7	U
2	AM	10	U
2	AM	13	U
2	AM	14	U
2	AM	15	U
3	A1	6	G
3	A1	7	A
3	A1	8	A
3	A1	9	G
3	A1	10	A
3	A1	12	U
3	A1	14	U
3	A1	15	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A1	16	A
3	A1	20	U
3	A1	22	G
3	A1	25	C
3	A1	26	A
3	A1	27	G
3	A1	28	A
3	A1	29	U
3	A1	30	U
3	A1	31	G
3	A1	32	A
3	A1	36	C
3	A1	39	G
3	A1	42	G
3	A1	46	G
3	A1	47	C
3	A1	48	C
3	A1	49	U
3	A1	50	A
3	A1	51	A
3	A1	52	C
3	A1	60	A
3	A1	61	G
3	A1	65	A
3	A1	66	A
3	A1	67	C
3	A1	69	G
3	A1	70	U
3	A1	76	G
3	A1	83	C
3	A1	84	U
3	A1	85	U
3	A1	86	G
3	A1	87	C
3	A1	89	U
3	A1	93	U
3	A1	94	G
3	A1	95	C
3	A1	96	U
3	A1	100	G
3	A1	103	U
3	A1	105	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A1	106	C
3	A1	107	G
3	A1	108	G
3	A1	109	A
3	A1	112	G
3	A1	114	U
3	A1	118	U
3	A1	119	A
3	A1	120	A
3	A1	121	U
3	A1	122	G
3	A1	123	U
3	A1	124	C
3	A1	125	U
3	A1	129	A
3	A1	130	A
3	A1	131	A
3	A1	142	G
3	A1	143	A
3	A1	149	A
3	A1	150	U
3	A1	153	C
3	A1	159	G
3	A1	163	C
3	A1	169	C
3	A1	170	U
3	A1	171	A
3	A1	172	A
3	A1	175	C
3	A1	176	C
3	A1	182	A
3	A1	184	G
3	A1	186	C
3	A1	188	C
3	A1	189	A
3	A1	191	G
3	A1	198	G
3	A1	201	G
3	A1	209	U
3	A1	210	C
3	A1	212	G
3	A1	214	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A1	217	C
3	A1	220	G
3	A1	224	U
3	A1	225	C
3	A1	226	G
3	A1	227	G
3	A1	229	U
3	A1	230	G
3	A1	234	C
3	A1	238	A
3	A1	239	U
3	A1	240	G
3	A1	241	G
3	A1	242	G
3	A1	244	U
3	A1	245	U
3	A1	246	A
3	A1	250	A
3	A1	251	G
3	A1	252	U
3	A1	254	G
3	A1	256	U
3	A1	257	G
3	A1	261	U
3	A1	264	C
3	A1	265	G
3	A1	266	G
3	A1	267	C
3	A1	268	U
3	A1	274	A
3	A1	277	C
3	A1	280	C
3	A1	281	G
3	A1	287	U
3	A1	289	G
3	A1	290	C
3	A1	291	U
3	A1	293	G
3	A1	294	U
3	A1	295	C
3	A1	296	U
3	A1	297	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A1	298	A
3	A1	299	G
3	A1	300	A
3	A1	301	G
3	A1	305	G
3	A1	306	A
3	A1	307	C
3	A1	309	A
3	A1	311	C
3	A1	312	C
3	A1	313	A
3	A1	316	C
3	A1	317	U
3	A1	318	G
3	A1	319	G
3	A1	320	A
3	A1	325	A
3	A1	326	G
3	A1	327	A
3	A1	328	C
3	A1	329	A
3	A1	330	C
3	A1	331	G
3	A1	332	G
3	A1	338	A
3	A1	339	C
3	A1	344	A
3	A1	345	C
3	A1	352	C
3	A1	353	A
3	A1	354	G
3	A1	356	A
3	A1	358	U
3	A1	359	G
3	A1	363	A
3	A1	364	A
3	A1	365	U
3	A1	366	A
3	A1	367	U
3	A1	368	U
3	A1	369	G
3	A1	370	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A1	371	A
3	A1	372	C
3	A1	373	A
3	A1	374	A
3	A1	376	G
3	A1	379	C
3	A1	381	C
3	A1	382	A
3	A1	391	G
3	A1	396	C
3	A1	397	A
3	A1	398	U
3	A1	400	C
3	A1	401	C
3	A1	406	G
3	A1	412	A
3	A1	414	A
3	A1	415	A
3	A1	421	U
3	A1	422	C
3	A1	423	G
3	A1	424	G
3	A1	425	G
3	A1	426	U
3	A1	427	U
3	A1	428	G
3	A1	429	U
3	A1	432	A
3	A1	433	G
3	A1	435	A
3	A1	438	U
3	A1	439	U
3	A1	441	A
3	A1	442	G
3	A1	446	G
3	A1	449	G
3	A1	451	A
3	A1	454	G
3	A1	462	G
3	A1	463	U
3	A1	465	A
3	A1	467	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A1	468	A
3	A1	469	C
3	A1	471	U
3	A1	476	U
3	A1	479	U
3	A1	483	C
3	A1	485	U
3	A1	486	U
3	A1	487	A
3	A1	493	A
3	A1	498	A
3	A1	499	A
3	A1	500	G
3	A1	501	C
3	A1	503	C
3	A1	504	C
3	A1	505	G
3	A1	506	G
3	A1	508	U
3	A1	512	U
3	A1	516	U
3	A1	518	C
3	A1	519	C
3	A1	521	G
3	A1	522	C
3	A1	523	A
3	A1	524	G
3	A1	528	C
3	A1	529	G
3	A1	530	G
3	A1	531	U
3	A1	532	A
3	A1	535	A
3	A1	536	C
3	A1	543	U
3	A1	547	A
3	A1	550	G
3	A1	551	U
3	A1	553	A
3	A1	554	A
3	A1	555	U
3	A1	560	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A1	561	U
3	A1	564	C
3	A1	565	U
3	A1	567	G
3	A1	568	G
3	A1	570	G
3	A1	571	U
3	A1	572	A
3	A1	573	A
3	A1	574	A
3	A1	578	C
3	A1	580	C
3	A1	581	G
3	A1	582	C
3	A1	586	C
3	A1	587	G
3	A1	588	G
3	A1	591	U
3	A1	598	U
3	A1	601	G
3	A1	602	A
3	A1	607	A
3	A1	608	A
3	A1	610	U
3	A1	619	U
3	A1	622	A
3	A1	623	C
3	A1	625	U
3	A1	630	A
3	A1	631	C
3	A1	639	G
3	A1	642	A
3	A1	649	A
3	A1	650	G
3	A1	651	C
3	A1	652	U
3	A1	653	U
3	A1	654	G
3	A1	655	A
3	A1	665	A
3	A1	666	G
3	A1	667	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A1	670	G
3	A1	671	G
3	A1	673	A
3	A1	681	A
3	A1	682	G
3	A1	683	G
3	A1	684	U
3	A1	685	G
3	A1	687	A
3	A1	688	G
3	A1	695	A
3	A1	697	U
3	A1	699	C
3	A1	701	U
3	A1	702	A
3	A1	703	G
3	A1	705	G
3	A1	706	A
3	A1	715	A
3	A1	716	A
3	A1	718	A
3	A1	719	C
3	A1	720	C
3	A1	721	G
3	A1	723	U
3	A1	724	G
3	A1	726	C
3	A1	727	G
3	A1	731	G
3	A1	732	C
3	A1	733	G
3	A1	735	C
3	A1	736	C
3	A1	741	G
3	A1	742	G
3	A1	743	A
3	A1	744	C
3	A1	747	A
3	A1	748	G
3	A1	753	A
3	A1	755	G
3	A1	756	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A1	763	G
3	A1	764	C
3	A1	771	G
3	A1	774	G
3	A1	776	G
3	A1	777	A
3	A1	781	A
3	A1	783	C
3	A1	784	A
3	A1	785	G
3	A1	789	U
3	A1	790	A
3	A1	791	G
3	A1	792	A
3	A1	793	U
3	A1	796	C
3	A1	797	C
3	A1	798	U
3	A1	801	U
3	A1	805	C
3	A1	808	C
3	A1	811	C
3	A1	812	G
3	A1	813	U
3	A1	815	A
3	A1	817	C
3	A1	818	G
3	A1	819	A
3	A1	820	U
3	A1	821	G
3	A1	822	U
3	A1	823	C
3	A1	826	C
3	A1	827	U
3	A1	828	U
3	A1	829	G
3	A1	830	G
3	A1	841	C
3	A1	843	U
3	A1	844	G
3	A1	846	G
3	A1	847	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A1	849	G
3	A1	855	U
3	A1	856	C
3	A1	857	C
3	A1	858	G
3	A1	861	G
3	A1	862	C
3	A1	863	U
3	A1	865	A
3	A1	867	G
3	A1	868	C
3	A1	869	G
3	A1	870	U
3	A1	871	U
3	A1	872	A
3	A1	873	A
3	A1	874	G
3	A1	876	C
3	A1	877	G
3	A1	880	C
3	A1	881	G
3	A1	882	C
3	A1	883	C
3	A1	884	U
3	A1	885	G
3	A1	887	G
3	A1	889	A
3	A1	890	G
3	A1	891	U
3	A1	892	A
3	A1	893	C
3	A1	894	G
3	A1	899	C
3	A1	900	A
3	A1	901	A
3	A1	902	G
3	A1	906	A
3	A1	907	A
3	A1	910	C
3	A1	911	U
3	A1	914	A
3	A1	915	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A1	916	U
3	A1	918	A
3	A1	919	A
3	A1	920	U
3	A1	921	U
3	A1	922	G
3	A1	923	A
3	A1	924	C
3	A1	925	G
3	A1	926	G
3	A1	927	G
3	A1	931	C
3	A1	934	C
3	A1	936	C
3	A1	938	A
3	A1	939	G
3	A1	943	U
3	A1	944	G
3	A1	945	G
3	A1	953	G
3	A1	956	U
3	A1	957	U
3	A1	961	U
3	A1	962	C
3	A1	963	G
3	A1	964	A
3	A1	965	U
3	A1	966	G
3	A1	967	C
3	A1	968	A
3	A1	969	A
3	A1	970	C
3	A1	971	G
3	A1	972	C
3	A1	973	G
3	A1	974	A
3	A1	976	G
3	A1	977	A
3	A1	978	A
3	A1	979	C
3	A1	980	C
3	A1	981	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A1	982	U
3	A1	984	C
3	A1	986	U
3	A1	991	U
3	A1	992	U
3	A1	993	G
3	A1	994	A
3	A1	997	U
3	A1	998	C
3	A1	999	C
3	A1	1000	A
3	A1	1002	G
3	A1	1004	A
3	A1	1017	U
3	A1	1026	G
3	A1	1029	U
3	A1	1030	U
3	A1	1031	C
3	A1	1037	C
3	A1	1045	C
3	A1	1049	U
3	A1	1050	G
3	A1	1051	C
3	A1	1052	U
3	A1	1053	G
3	A1	1054	C
3	A1	1055	A
3	A1	1057	G
3	A1	1058	G
3	A1	1062	U
3	A1	1063	C
3	A1	1064	G
3	A1	1065	U
3	A1	1066	C
3	A1	1067	A
3	A1	1068	G
3	A1	1069	C
3	A1	1071	C
3	A1	1072	G
3	A1	1077	G
3	A1	1078	U
3	A1	1081	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A1	1082	A
3	A1	1083	U
3	A1	1084	G
3	A1	1085	U
3	A1	1089	G
3	A1	1094	G
3	A1	1097	C
3	A1	1101	A
3	A1	1103	C
3	A1	1104	G
3	A1	1106	G
3	A1	1109	C
3	A1	1110	A
3	A1	1111	A
3	A1	1116	U
3	A1	1117	A
3	A1	1123	U
3	A1	1124	G
3	A1	1125	U
3	A1	1126	U
3	A1	1127	G
3	A1	1128	C
3	A1	1129	C
3	A1	1130	A
3	A1	1131	G
3	A1	1133	G
3	A1	1135	U
3	A1	1137	C
3	A1	1139	G
3	A1	1140	C
3	A1	1141	C
3	A1	1142	G
3	A1	1143	G
3	A1	1146	A
3	A1	1148	U
3	A1	1149	C
3	A1	1152	A
3	A1	1154	G
3	A1	1158	C
3	A1	1159	U
3	A1	1162	C
3	A1	1167	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A1	1168	U
3	A1	1169	A
3	A1	1170	A
3	A1	1171	A
3	A1	1177	G
3	A1	1178	G
3	A1	1180	A
3	A1	1182	G
3	A1	1183	U
3	A1	1189	U
3	A1	1191	A
3	A1	1193	G
3	A1	1195	C
3	A1	1196	A
3	A1	1198	G
3	A1	1199	U
3	A1	1200	C
3	A1	1201	A
3	A1	1202	U
3	A1	1203	C
3	A1	1209	C
3	A1	1212	U
3	A1	1217	C
3	A1	1218	C
3	A1	1221	G
3	A1	1223	C
3	A1	1224	U
3	A1	1225	A
3	A1	1226	C
3	A1	1227	A
3	A1	1229	A
3	A1	1230	C
3	A1	1231	G
3	A1	1233	G
3	A1	1235	U
3	A1	1237	C
3	A1	1238	A
3	A1	1239	A
3	A1	1240	U
3	A1	1241	G
3	A1	1242	G
3	A1	1250	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A1	1251	A
3	A1	1253	G
3	A1	1256	A
3	A1	1257	A
3	A1	1258	G
3	A1	1262	C
3	A1	1263	C
3	A1	1266	G
3	A1	1268	G
3	A1	1270	G
3	A1	1276	G
3	A1	1278	G
3	A1	1279	G
3	A1	1280	A
3	A1	1281	C
3	A1	1283	U
3	A1	1287	A
3	A1	1290	G
3	A1	1292	G
3	A1	1296	C
3	A1	1297	G
3	A1	1298	U
3	A1	1299	A
3	A1	1300	G
3	A1	1301	U
3	A1	1302	C
3	A1	1309	G
3	A1	1310	G
3	A1	1318	A
3	A1	1319	A
3	A1	1320	C
3	A1	1322	C
3	A1	1323	G
3	A1	1326	U
3	A1	1330	U
3	A1	1334	G
3	A1	1336	C
3	A1	1337	G
3	A1	1338	G
3	A1	1339	A
3	A1	1340	A
3	A1	1341	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A1	1343	G
3	A1	1344	C
3	A1	1345	U
3	A1	1346	A
3	A1	1347	G
3	A1	1351	U
3	A1	1352	C
3	A1	1357	A
3	A1	1359	C
3	A1	1361	G
3	A1	1362	A
3	A1	1363	A
3	A1	1364	U
3	A1	1365	G
3	A1	1366	C
3	A1	1367	C
3	A1	1370	G
3	A1	1371	G
3	A1	1374	A
3	A1	1377	A
3	A1	1378	C
3	A1	1379	G
3	A1	1380	U
3	A1	1381	U
3	A1	1384	C
3	A1	1388	C
3	A1	1392	G
3	A1	1393	U
3	A1	1395	C
3	A1	1396	A
3	A1	1397	C
3	A1	1398	A
3	A1	1399	C
3	A1	1400	C
3	A1	1401	G
3	A1	1402	C
3	A1	1404	C
3	A1	1405	G
3	A1	1406	U
3	A1	1409	C
3	A1	1410	A
3	A1	1412	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A1	1414	U
3	A1	1415	G
3	A1	1416	G
3	A1	1417	G
3	A1	1418	A
3	A1	1419	G
3	A1	1421	G
3	A1	1427	C
3	A1	1428	A
3	A1	1429	A
3	A1	1432	G
3	A1	1434	A
3	A1	1442	G
3	A1	1444	U
3	A1	1445	U
3	A1	1446	A
3	A1	1447	A
3	A1	1450	U
3	A1	1451	U
3	A1	1452	C
3	A1	1456	A
3	A1	1460	C
3	A1	1461	G
3	A1	1469	C
3	A1	1470	U
3	A1	1471	U
3	A1	1473	G
3	A1	1474	U
3	A1	1475	G
3	A1	1476	A
3	A1	1477	U
3	A1	1479	C
3	A1	1480	A
3	A1	1481	U
3	A1	1482	G
3	A1	1483	A
3	A1	1484	C
3	A1	1485	U
3	A1	1486	G
3	A1	1488	G
3	A1	1490	U
3	A1	1491	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A1	1492	A
3	A1	1493	A
3	A1	1494	G
3	A1	1495	U
3	A1	1496	C
3	A1	1497	G
3	A1	1498	U
3	A1	1499	A
3	A1	1501	C
3	A1	1502	A
3	A1	1504	G
3	A1	1505	G
3	A1	1506	U
3	A1	1507	A
3	A1	1508	A
3	A1	1510	C
3	A1	1516	G
3	A1	1517	G
3	A1	1519	A
3	A1	1520	C
3	A1	1521	C
3	A1	1522	U
3	A1	1523	G
3	A1	1525	G
3	A1	1526	G
3	A1	1527	U
3	A1	1528	U
3	A1	1529	G
3	A1	1530	G
3	A1	1531	A
3	A1	1534	A
24	BA	11	C
24	BA	13	G
24	BA	14	U
24	BA	15	A
24	BA	16	G
24	BA	23	G
24	BA	27	C
24	BA	29	A
24	BA	30	C
24	BA	31	C
24	BA	34	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
24	BA	35	C
24	BA	40	U
24	BA	41	G
24	BA	42	C
24	BA	44	G
24	BA	45	A
24	BA	46	A
24	BA	51	G
24	BA	52	A
24	BA	54	G
24	BA	57	A
24	BA	58	A
24	BA	65	U
24	BA	66	A
24	BA	67	G
24	BA	70	C
24	BA	72	G
24	BA	75	G
24	BA	80	U
24	BA	82	U
24	BA	88	C
24	BA	98	G
24	BA	100	G
24	BA	105	G
24	BA	108	A
24	BA	109	A
25	BB	3	U
25	BB	4	U
25	BB	7	G
25	BB	9	G
25	BB	10	A
25	BB	11	C
25	BB	12	U
25	BB	13	A
25	BB	14	A
25	BB	15	G
25	BB	16	C
25	BB	17	G
25	BB	18	U
25	BB	20	C
25	BB	23	G
25	BB	24	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	25	U
25	BB	26	G
25	BB	27	G
25	BB	29	U
25	BB	31	C
25	BB	33	C
25	BB	34	U
25	BB	35	G
25	BB	36	G
25	BB	40	U
25	BB	45	G
25	BB	48	G
25	BB	49	A
25	BB	50	U
25	BB	52	A
25	BB	55	G
25	BB	57	C
25	BB	59	U
25	BB	61	C
25	BB	62	U
25	BB	63	A
25	BB	64	A
25	BB	65	U
25	BB	67	U
25	BB	68	G
25	BB	69	C
25	BB	70	G
25	BB	71	A
25	BB	72	U
25	BB	73	A
25	BB	74	A
25	BB	75	G
25	BB	81	G
25	BB	84	A
25	BB	85	G
25	BB	88	G
25	BB	89	A
25	BB	90	U
25	BB	91	A
25	BB	92	U
25	BB	96	C
25	BB	100	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	101	A
25	BB	102	U
25	BB	103	A
25	BB	104	A
25	BB	105	C
25	BB	106	C
25	BB	107	G
25	BB	112	U
25	BB	113	U
25	BB	114	U
25	BB	117	G
25	BB	118	A
25	BB	119	A
25	BB	120	U
25	BB	122	G
25	BB	124	G
25	BB	125	A
25	BB	126	A
25	BB	128	C
25	BB	129	C
25	BB	130	C
25	BB	131	A
25	BB	142	A
25	BB	144	A
25	BB	149	A
25	BB	150	U
25	BB	152	A
25	BB	162	U
25	BB	164	C
25	BB	165	A
25	BB	170	U
25	BB	178	G
25	BB	186	G
25	BB	187	G
25	BB	188	G
25	BB	189	G
25	BB	190	A
25	BB	192	C
25	BB	194	G
25	BB	195	A
25	BB	196	A
25	BB	197	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	200	U
25	BB	204	A
25	BB	205	G
25	BB	207	A
25	BB	208	C
25	BB	212	G
25	BB	213	A
25	BB	216	A
25	BB	222	A
25	BB	223	A
25	BB	224	U
25	BB	227	A
25	BB	228	C
25	BB	230	G
25	BB	235	U
25	BB	239	C
25	BB	243	U
25	BB	246	C
25	BB	248	G
25	BB	249	C
25	BB	250	G
25	BB	251	A
25	BB	254	G
25	BB	264	C
25	BB	265	A
25	BB	270	A
25	BB	275	C
25	BB	277	G
25	BB	278	A
25	BB	281	C
25	BB	294	A
25	BB	297	G
25	BB	302	C
25	BB	308	G
25	BB	310	A
25	BB	311	A
25	BB	312	G
25	BB	316	C
25	BB	317	G
25	BB	318	C
25	BB	319	G
25	BB	321	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	322	A
25	BB	323	C
25	BB	324	A
25	BB	325	G
25	BB	327	G
25	BB	328	U
25	BB	329	G
25	BB	330	A
25	BB	331	C
25	BB	333	G
25	BB	334	C
25	BB	335	C
25	BB	336	C
25	BB	340	A
25	BB	347	A
25	BB	351	C
25	BB	361	G
25	BB	362	A
25	BB	370	G
25	BB	371	A
25	BB	372	G
25	BB	376	G
25	BB	377	G
25	BB	379	G
25	BB	380	G
25	BB	381	G
25	BB	382	A
25	BB	384	A
25	BB	385	C
25	BB	386	G
25	BB	387	U
25	BB	389	G
25	BB	391	A
25	BB	392	U
25	BB	393	C
25	BB	394	C
25	BB	398	C
25	BB	403	U
25	BB	404	A
25	BB	405	U
25	BB	406	G
25	BB	409	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	411	G
25	BB	413	C
25	BB	422	A
25	BB	423	A
25	BB	424	G
25	BB	426	C
25	BB	427	U
25	BB	431	U
25	BB	433	C
25	BB	434	U
25	BB	435	C
25	BB	437	U
25	BB	438	G
25	BB	441	U
25	BB	443	A
25	BB	444	C
25	BB	447	A
25	BB	448	U
25	BB	449	A
25	BB	450	G
25	BB	451	U
25	BB	452	G
25	BB	453	A
25	BB	454	A
25	BB	455	C
25	BB	456	C
25	BB	459	U
25	BB	462	C
25	BB	463	G
25	BB	464	U
25	BB	465	G
25	BB	467	G
25	BB	469	G
25	BB	470	A
25	BB	474	G
25	BB	475	C
25	BB	476	G
25	BB	477	A
25	BB	478	A
25	BB	479	A
25	BB	481	G
25	BB	482	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	484	C
25	BB	491	G
25	BB	495	G
25	BB	498	G
25	BB	500	G
25	BB	502	A
25	BB	503	A
25	BB	504	A
25	BB	505	A
25	BB	508	A
25	BB	509	C
25	BB	510	C
25	BB	511	U
25	BB	512	G
25	BB	513	A
25	BB	515	A
25	BB	520	G
25	BB	522	A
25	BB	525	U
25	BB	526	A
25	BB	527	C
25	BB	528	A
25	BB	529	A
25	BB	530	G
25	BB	531	C
25	BB	533	G
25	BB	534	U
25	BB	535	G
25	BB	536	G
25	BB	540	C
25	BB	543	G
25	BB	544	C
25	BB	547	A
25	BB	548	G
25	BB	550	C
25	BB	551	G
25	BB	552	U
25	BB	553	G
25	BB	554	U
25	BB	555	G
25	BB	556	A
25	BB	559	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	562	U
25	BB	564	C
25	BB	565	C
25	BB	566	U
25	BB	567	U
25	BB	568	U
25	BB	569	U
25	BB	570	G
25	BB	571	U
25	BB	572	A
25	BB	573	U
25	BB	574	A
25	BB	575	A
25	BB	576	U
25	BB	577	G
25	BB	580	U
25	BB	581	C
25	BB	582	A
25	BB	583	G
25	BB	584	C
25	BB	585	G
25	BB	586	A
25	BB	587	C
25	BB	588	U
25	BB	589	U
25	BB	590	A
25	BB	591	U
25	BB	592	A
25	BB	593	U
25	BB	594	U
25	BB	598	U
25	BB	600	G
25	BB	603	A
25	BB	607	U
25	BB	610	C
25	BB	614	A
25	BB	615	U
25	BB	616	A
25	BB	619	G
25	BB	620	G
25	BB	623	C
25	BB	627	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	628	G
25	BB	629	G
25	BB	634	C
25	BB	637	A
25	BB	638	G
25	BB	642	U
25	BB	643	A
25	BB	644	A
25	BB	645	C
25	BB	646	U
25	BB	653	U
25	BB	654	A
25	BB	655	A
25	BB	658	U
25	BB	660	C
25	BB	661	A
25	BB	664	G
25	BB	665	U
25	BB	668	A
25	BB	669	G
25	BB	670	A
25	BB	671	C
25	BB	672	C
25	BB	673	C
25	BB	675	A
25	BB	676	A
25	BB	677	A
25	BB	678	C
25	BB	679	C
25	BB	683	U
25	BB	684	G
25	BB	685	A
25	BB	686	U
25	BB	687	C
25	BB	688	U
25	BB	690	G
25	BB	691	C
25	BB	692	C
25	BB	696	G
25	BB	697	G
25	BB	701	G
25	BB	702	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	703	U
25	BB	704	G
25	BB	705	A
25	BB	707	G
25	BB	708	G
25	BB	715	A
25	BB	716	A
25	BB	719	C
25	BB	722	A
25	BB	727	A
25	BB	728	G
25	BB	729	G
25	BB	730	A
25	BB	732	C
25	BB	733	G
25	BB	734	A
25	BB	736	C
25	BB	740	C
25	BB	742	A
25	BB	743	A
25	BB	744	U
25	BB	745	G
25	BB	747	U
25	BB	748	G
25	BB	749	A
25	BB	750	A
25	BB	756	A
25	BB	757	G
25	BB	759	G
25	BB	760	G
25	BB	762	U
25	BB	763	G
25	BB	764	A
25	BB	765	C
25	BB	766	U
25	BB	767	U
25	BB	768	G
25	BB	769	U
25	BB	770	G
25	BB	772	C
25	BB	773	U
25	BB	774	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	775	G
25	BB	776	G
25	BB	777	G
25	BB	779	U
25	BB	780	G
25	BB	783	A
25	BB	784	G
25	BB	786	C
25	BB	788	A
25	BB	789	A
25	BB	790	U
25	BB	791	C
25	BB	792	A
25	BB	793	A
25	BB	794	A
25	BB	796	C
25	BB	797	G
25	BB	799	G
25	BB	802	A
25	BB	803	U
25	BB	804	A
25	BB	806	C
25	BB	808	G
25	BB	809	G
25	BB	810	U
25	BB	811	U
25	BB	812	C
25	BB	815	C
25	BB	818	G
25	BB	820	A
25	BB	821	A
25	BB	823	C
25	BB	825	A
25	BB	826	U
25	BB	827	U
25	BB	830	G
25	BB	831	G
25	BB	832	U
25	BB	834	G
25	BB	835	C
25	BB	836	G
25	BB	837	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	838	C
25	BB	839	U
25	BB	843	G
25	BB	846	U
25	BB	847	U
25	BB	856	G
25	BB	860	U
25	BB	861	A
25	BB	862	G
25	BB	865	C
25	BB	868	U
25	BB	869	G
25	BB	872	U
25	BB	878	A
25	BB	887	U
25	BB	888	C
25	BB	889	C
25	BB	897	C
25	BB	899	A
25	BB	900	A
25	BB	901	C
25	BB	902	C
25	BB	906	U
25	BB	908	C
25	BB	909	A
25	BB	910	A
25	BB	911	A
25	BB	912	C
25	BB	914	G
25	BB	915	C
25	BB	919	U
25	BB	920	A
25	BB	921	C
25	BB	922	C
25	BB	932	U
25	BB	933	A
25	BB	934	U
25	BB	936	A
25	BB	937	C
25	BB	941	A
25	BB	942	G
25	BB	943	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	944	C
25	BB	945	A
25	BB	947	A
25	BB	948	C
25	BB	951	C
25	BB	952	G
25	BB	953	G
25	BB	954	G
25	BB	955	U
25	BB	956	G
25	BB	957	C
25	BB	958	U
25	BB	959	A
25	BB	960	A
25	BB	961	C
25	BB	964	C
25	BB	965	C
25	BB	966	G
25	BB	967	U
25	BB	968	C
25	BB	969	G
25	BB	971	G
25	BB	972	A
25	BB	974	G
25	BB	975	A
25	BB	976	G
25	BB	978	G
25	BB	980	A
25	BB	983	A
25	BB	984	A
25	BB	985	C
25	BB	988	A
25	BB	991	C
25	BB	992	C
25	BB	993	G
25	BB	994	C
25	BB	996	A
25	BB	998	C
25	BB	1003	G
25	BB	1004	U
25	BB	1006	C
25	BB	1007	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	1008	A
25	BB	1009	A
25	BB	1010	A
25	BB	1011	G
25	BB	1012	U
25	BB	1013	C
25	BB	1014	A
25	BB	1015	U
25	BB	1016	G
25	BB	1022	G
25	BB	1023	U
25	BB	1024	G
25	BB	1026	G
25	BB	1027	A
25	BB	1028	A
25	BB	1029	A
25	BB	1031	G
25	BB	1033	U
25	BB	1034	G
25	BB	1035	U
25	BB	1036	G
25	BB	1046	A
25	BB	1047	G
25	BB	1049	C
25	BB	1050	A
25	BB	1058	U
25	BB	1059	G
25	BB	1060	U
25	BB	1061	U
25	BB	1062	G
25	BB	1069	A
25	BB	1070	A
25	BB	1072	C
25	BB	1079	C
25	BB	1082	U
25	BB	1083	U
25	BB	1087	G
25	BB	1088	A
25	BB	1090	A
25	BB	1091	G
25	BB	1092	C
25	BB	1098	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	1104	C
25	BB	1110	G
25	BB	1112	G
25	BB	1124	G
25	BB	1126	A
25	BB	1127	A
25	BB	1128	G
25	BB	1129	A
25	BB	1130	U
25	BB	1131	G
25	BB	1132	U
25	BB	1133	A
25	BB	1134	A
25	BB	1135	C
25	BB	1136	G
25	BB	1138	G
25	BB	1139	G
25	BB	1140	C
25	BB	1141	U
25	BB	1142	A
25	BB	1143	A
25	BB	1144	A
25	BB	1153	C
25	BB	1155	A
25	BB	1156	A
25	BB	1158	C
25	BB	1159	U
25	BB	1161	C
25	BB	1162	G
25	BB	1172	C
25	BB	1175	A
25	BB	1176	U
25	BB	1177	G
25	BB	1185	G
25	BB	1186	G
25	BB	1188	U
25	BB	1189	A
25	BB	1190	G
25	BB	1192	G
25	BB	1198	U
25	BB	1200	C
25	BB	1201	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	1203	U
25	BB	1204	A
25	BB	1205	A
25	BB	1207	C
25	BB	1208	C
25	BB	1210	G
25	BB	1211	C
25	BB	1212	G
25	BB	1213	A
25	BB	1214	A
25	BB	1216	G
25	BB	1217	U
25	BB	1218	G
25	BB	1219	U
25	BB	1220	G
25	BB	1221	C
25	BB	1224	U
25	BB	1225	G
25	BB	1226	A
25	BB	1227	G
25	BB	1230	A
25	BB	1233	C
25	BB	1234	U
25	BB	1235	G
25	BB	1236	G
25	BB	1237	A
25	BB	1238	G
25	BB	1239	G
25	BB	1240	U
25	BB	1241	A
25	BB	1242	U
25	BB	1243	C
25	BB	1244	A
25	BB	1246	A
25	BB	1248	G
25	BB	1249	U
25	BB	1251	C
25	BB	1252	G
25	BB	1253	A
25	BB	1254	A
25	BB	1256	G
25	BB	1257	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	1258	U
25	BB	1260	A
25	BB	1261	C
25	BB	1262	A
25	BB	1264	A
25	BB	1265	A
25	BB	1266	G
25	BB	1268	A
25	BB	1269	A
25	BB	1270	C
25	BB	1272	A
25	BB	1274	A
25	BB	1275	A
25	BB	1276	A
25	BB	1282	U
25	BB	1284	A
25	BB	1285	A
25	BB	1287	A
25	BB	1300	G
25	BB	1301	A
25	BB	1302	A
25	BB	1303	G
25	BB	1305	C
25	BB	1306	C
25	BB	1308	A
25	BB	1309	G
25	BB	1310	G
25	BB	1311	G
25	BB	1313	U
25	BB	1314	C
25	BB	1315	C
25	BB	1316	U
25	BB	1321	A
25	BB	1323	C
25	BB	1324	G
25	BB	1325	U
25	BB	1326	U
25	BB	1327	A
25	BB	1330	C
25	BB	1331	G
25	BB	1332	G
25	BB	1333	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	1334	G
25	BB	1338	G
25	BB	1339	G
25	BB	1341	G
25	BB	1342	A
25	BB	1343	G
25	BB	1344	U
25	BB	1345	C
25	BB	1346	G
25	BB	1347	A
25	BB	1348	C
25	BB	1349	C
25	BB	1350	C
25	BB	1351	C
25	BB	1352	U
25	BB	1353	A
25	BB	1357	C
25	BB	1360	G
25	BB	1362	C
25	BB	1363	C
25	BB	1364	G
25	BB	1365	A
25	BB	1368	G
25	BB	1371	G
25	BB	1372	U
25	BB	1374	G
25	BB	1375	U
25	BB	1378	A
25	BB	1379	U
25	BB	1380	G
25	BB	1384	A
25	BB	1385	A
25	BB	1390	U
25	BB	1391	U
25	BB	1392	A
25	BB	1393	A
25	BB	1394	U
25	BB	1395	A
25	BB	1396	U
25	BB	1399	C
25	BB	1400	U
25	BB	1403	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	1404	C
25	BB	1405	U
25	BB	1413	A
25	BB	1416	G
25	BB	1417	C
25	BB	1419	A
25	BB	1420	A
25	BB	1421	G
25	BB	1425	G
25	BB	1426	G
25	BB	1428	C
25	BB	1430	G
25	BB	1432	G
25	BB	1438	U
25	BB	1439	A
25	BB	1442	U
25	BB	1444	G
25	BB	1446	C
25	BB	1450	G
25	BB	1451	C
25	BB	1454	C
25	BB	1457	U
25	BB	1458	U
25	BB	1459	G
25	BB	1460	U
25	BB	1461	C
25	BB	1462	C
25	BB	1467	U
25	BB	1469	A
25	BB	1471	G
25	BB	1472	C
25	BB	1473	G
25	BB	1474	U
25	BB	1475	G
25	BB	1476	U
25	BB	1478	G
25	BB	1479	G
25	BB	1482	G
25	BB	1490	A
25	BB	1491	G
25	BB	1497	U
25	BB	1498	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	1508	A
25	BB	1509	A
25	BB	1510	G
25	BB	1514	G
25	BB	1524	G
25	BB	1530	G
25	BB	1532	A
25	BB	1540	G
25	BB	1544	A
25	BB	1554	U
25	BB	1558	C
25	BB	1559	U
25	BB	1560	G
25	BB	1561	C
25	BB	1566	A
25	BB	1567	G
25	BB	1568	G
25	BB	1569	A
25	BB	1572	A
25	BB	1574	C
25	BB	1578	U
25	BB	1581	G
25	BB	1585	C
25	BB	1589	U
25	BB	1590	A
25	BB	1597	A
25	BB	1598	A
25	BB	1599	U
25	BB	1600	C
25	BB	1601	G
25	BB	1604	C
25	BB	1605	C
25	BB	1607	C
25	BB	1608	A
25	BB	1609	A
25	BB	1610	A
25	BB	1614	A
25	BB	1615	C
25	BB	1616	A
25	BB	1617	C
25	BB	1618	A
25	BB	1619	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	1620	G
25	BB	1621	U
25	BB	1626	A
25	BB	1627	G
25	BB	1631	G
25	BB	1634	A
25	BB	1635	A
25	BB	1636	U
25	BB	1639	C
25	BB	1640	A
25	BB	1642	G
25	BB	1644	C
25	BB	1646	C
25	BB	1648	U
25	BB	1649	G
25	BB	1651	G
25	BB	1654	A
25	BB	1655	A
25	BB	1656	C
25	BB	1657	U
25	BB	1658	C
25	BB	1661	G
25	BB	1662	U
25	BB	1663	G
25	BB	1665	A
25	BB	1666	G
25	BB	1668	A
25	BB	1669	A
25	BB	1670	C
25	BB	1672	A
25	BB	1674	G
25	BB	1675	C
25	BB	1677	A
25	BB	1678	A
25	BB	1679	A
25	BB	1680	U
25	BB	1681	G
25	BB	1682	G
25	BB	1686	C
25	BB	1687	G
25	BB	1689	A
25	BB	1691	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	1693	U
25	BB	1694	C
25	BB	1695	G
25	BB	1698	A
25	BB	1699	G
25	BB	1700	A
25	BB	1701	A
25	BB	1702	G
25	BB	1703	G
25	BB	1704	C
25	BB	1706	C
25	BB	1715	G
25	BB	1716	U
25	BB	1718	G
25	BB	1722	A
25	BB	1723	G
25	BB	1730	C
25	BB	1731	G
25	BB	1732	C
25	BB	1738	G
25	BB	1739	A
25	BB	1745	A
25	BB	1749	A
25	BB	1750	G
25	BB	1752	C
25	BB	1754	A
25	BB	1755	A
25	BB	1756	G
25	BB	1757	A
25	BB	1758	U
25	BB	1762	A
25	BB	1763	G
25	BB	1764	C
25	BB	1766	G
25	BB	1767	G
25	BB	1768	C
25	BB	1769	U
25	BB	1770	G
25	BB	1773	A
25	BB	1774	C
25	BB	1775	U
25	BB	1776	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	1777	U
25	BB	1778	U
25	BB	1779	U
25	BB	1780	A
25	BB	1781	U
25	BB	1782	U
25	BB	1783	A
25	BB	1784	A
25	BB	1785	A
25	BB	1789	A
25	BB	1790	C
25	BB	1791	A
25	BB	1793	C
25	BB	1800	C
25	BB	1802	A
25	BB	1803	A
25	BB	1805	A
25	BB	1807	G
25	BB	1809	A
25	BB	1810	A
25	BB	1811	G
25	BB	1812	U
25	BB	1813	G
25	BB	1814	G
25	BB	1816	C
25	BB	1817	G
25	BB	1819	A
25	BB	1820	U
25	BB	1821	A
25	BB	1822	C
25	BB	1824	G
25	BB	1825	U
25	BB	1826	G
25	BB	1827	U
25	BB	1828	G
25	BB	1829	A
25	BB	1830	C
25	BB	1835	G
25	BB	1836	C
25	BB	1837	C
25	BB	1838	C
25	BB	1844	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	1847	A
25	BB	1849	G
25	BB	1852	U
25	BB	1855	U
25	BB	1858	A
25	BB	1859	U
25	BB	1869	G
25	BB	1870	C
25	BB	1873	G
25	BB	1875	G
25	BB	1883	U
25	BB	1885	A
25	BB	1888	G
25	BB	1889	A
25	BB	1890	A
25	BB	1891	G
25	BB	1892	C
25	BB	1894	C
25	BB	1896	G
25	BB	1897	G
25	BB	1899	A
25	BB	1900	A
25	BB	1901	A
25	BB	1903	G
25	BB	1906	G
25	BB	1907	G
25	BB	1909	C
25	BB	1912	A
25	BB	1913	A
25	BB	1914	C
25	BB	1915	U
25	BB	1916	A
25	BB	1918	A
25	BB	1919	A
25	BB	1920	C
25	BB	1926	U
25	BB	1928	A
25	BB	1929	G
25	BB	1930	G
25	BB	1931	U
25	BB	1932	A
25	BB	1933	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	1934	C
25	BB	1935	G
25	BB	1936	A
25	BB	1937	A
25	BB	1938	A
25	BB	1939	U
25	BB	1940	U
25	BB	1942	C
25	BB	1943	U
25	BB	1944	U
25	BB	1945	G
25	BB	1946	U
25	BB	1947	C
25	BB	1948	G
25	BB	1952	A
25	BB	1953	A
25	BB	1954	G
25	BB	1955	U
25	BB	1956	U
25	BB	1957	C
25	BB	1958	C
25	BB	1959	G
25	BB	1961	C
25	BB	1962	C
25	BB	1963	U
25	BB	1964	G
25	BB	1965	C
25	BB	1967	C
25	BB	1968	G
25	BB	1969	A
25	BB	1971	U
25	BB	1972	G
25	BB	1973	G
25	BB	1977	A
25	BB	1978	A
25	BB	1979	U
25	BB	1980	G
25	BB	1981	A
25	BB	1982	U
25	BB	1983	G
25	BB	1984	G
25	BB	1986	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	1989	G
25	BB	1990	C
25	BB	1992	G
25	BB	1995	U
25	BB	1997	C
25	BB	1999	C
25	BB	2001	C
25	BB	2002	G
25	BB	2003	A
25	BB	2004	G
25	BB	2006	C
25	BB	2007	U
25	BB	2010	G
25	BB	2011	U
25	BB	2013	A
25	BB	2015	A
25	BB	2018	G
25	BB	2020	A
25	BB	2021	C
25	BB	2022	U
25	BB	2023	C
25	BB	2025	C
25	BB	2026	U
25	BB	2027	G
25	BB	2028	U
25	BB	2030	A
25	BB	2031	A
25	BB	2032	G
25	BB	2033	A
25	BB	2034	U
25	BB	2035	G
25	BB	2036	C
25	BB	2037	A
25	BB	2043	C
25	BB	2044	C
25	BB	2046	G
25	BB	2047	C
25	BB	2049	G
25	BB	2050	C
25	BB	2051	A
25	BB	2052	A
25	BB	2054	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	2055	C
25	BB	2056	G
25	BB	2057	G
25	BB	2060	A
25	BB	2061	G
25	BB	2062	A
25	BB	2063	C
25	BB	2064	C
25	BB	2066	C
25	BB	2067	G
25	BB	2068	U
25	BB	2069	G
25	BB	2071	A
25	BB	2072	C
25	BB	2075	U
25	BB	2076	U
25	BB	2077	A
25	BB	2079	U
25	BB	2080	A
25	BB	2086	U
25	BB	2090	A
25	BB	2091	C
25	BB	2092	U
25	BB	2093	G
25	BB	2095	A
25	BB	2099	U
25	BB	2103	C
25	BB	2104	C
25	BB	2105	U
25	BB	2106	U
25	BB	2109	U
25	BB	2113	U
25	BB	2114	A
25	BB	2116	G
25	BB	2118	U
25	BB	2121	G
25	BB	2123	G
25	BB	2125	G
25	BB	2126	A
25	BB	2127	G
25	BB	2132	U
25	BB	2136	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	2138	G
25	BB	2144	G
25	BB	2145	C
25	BB	2146	C
25	BB	2147	A
25	BB	2148	G
25	BB	2149	U
25	BB	2154	A
25	BB	2158	A
25	BB	2159	G
25	BB	2163	A
25	BB	2164	C
25	BB	2172	U
25	BB	2174	C
25	BB	2176	A
25	BB	2178	C
25	BB	2179	C
25	BB	2182	U
25	BB	2192	U
25	BB	2195	U
25	BB	2196	C
25	BB	2197	U
25	BB	2198	A
25	BB	2199	A
25	BB	2203	U
25	BB	2204	G
25	BB	2211	A
25	BB	2212	A
25	BB	2213	U
25	BB	2214	C
25	BB	2215	C
25	BB	2223	G
25	BB	2228	G
25	BB	2229	U
25	BB	2235	G
25	BB	2239	G
25	BB	2240	U
25	BB	2242	G
25	BB	2243	U
25	BB	2244	U
25	BB	2245	U
25	BB	2246	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	2247	A
25	BB	2249	U
25	BB	2250	G
25	BB	2251	G
25	BB	2254	C
25	BB	2255	G
25	BB	2256	G
25	BB	2257	U
25	BB	2258	C
25	BB	2259	U
25	BB	2261	C
25	BB	2266	A
25	BB	2269	G
25	BB	2270	A
25	BB	2271	G
25	BB	2272	U
25	BB	2273	A
25	BB	2274	A
25	BB	2275	C
25	BB	2276	G
25	BB	2277	G
25	BB	2278	A
25	BB	2279	G
25	BB	2282	G
25	BB	2283	C
25	BB	2286	G
25	BB	2289	G
25	BB	2290	G
25	BB	2292	U
25	BB	2293	G
25	BB	2295	C
25	BB	2297	A
25	BB	2305	U
25	BB	2307	G
25	BB	2308	G
25	BB	2310	C
25	BB	2312	U
25	BB	2313	C
25	BB	2314	A
25	BB	2317	A
25	BB	2318	G
25	BB	2320	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	2321	U
25	BB	2322	A
25	BB	2323	G
25	BB	2325	G
25	BB	2326	C
25	BB	2327	A
25	BB	2331	G
25	BB	2332	C
25	BB	2333	A
25	BB	2334	U
25	BB	2335	A
25	BB	2336	A
25	BB	2337	G
25	BB	2338	C
25	BB	2343	U
25	BB	2345	G
25	BB	2346	A
25	BB	2347	C
25	BB	2349	G
25	BB	2353	G
25	BB	2354	C
25	BB	2356	U
25	BB	2358	A
25	BB	2360	G
25	BB	2361	G
25	BB	2364	C
25	BB	2367	G
25	BB	2370	G
25	BB	2371	G
25	BB	2374	C
25	BB	2376	A
25	BB	2379	G
25	BB	2382	G
25	BB	2383	G
25	BB	2384	U
25	BB	2385	C
25	BB	2387	U
25	BB	2388	A
25	BB	2390	U
25	BB	2391	G
25	BB	2392	A
25	BB	2393	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	2394	C
25	BB	2397	G
25	BB	2398	U
25	BB	2402	U
25	BB	2403	C
25	BB	2406	A
25	BB	2407	A
25	BB	2408	U
25	BB	2409	G
25	BB	2417	C
25	BB	2418	A
25	BB	2420	C
25	BB	2421	G
25	BB	2422	C
25	BB	2423	U
25	BB	2424	C
25	BB	2425	A
25	BB	2426	A
25	BB	2428	G
25	BB	2430	A
25	BB	2431	U
25	BB	2432	A
25	BB	2433	A
25	BB	2434	A
25	BB	2435	A
25	BB	2437	G
25	BB	2439	A
25	BB	2440	C
25	BB	2442	C
25	BB	2444	G
25	BB	2446	G
25	BB	2447	G
25	BB	2448	A
25	BB	2449	U
25	BB	2451	A
25	BB	2453	A
25	BB	2454	G
25	BB	2455	G
25	BB	2456	C
25	BB	2457	U
25	BB	2458	G
25	BB	2459	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	2461	A
25	BB	2465	C
25	BB	2467	C
25	BB	2468	A
25	BB	2472	G
25	BB	2473	U
25	BB	2474	U
25	BB	2475	C
25	BB	2476	A
25	BB	2478	A
25	BB	2480	C
25	BB	2482	A
25	BB	2484	G
25	BB	2486	C
25	BB	2489	U
25	BB	2490	G
25	BB	2491	U
25	BB	2492	U
25	BB	2495	G
25	BB	2496	C
25	BB	2497	A
25	BB	2498	C
25	BB	2499	C
25	BB	2500	U
25	BB	2501	C
25	BB	2502	G
25	BB	2503	A
25	BB	2504	U
25	BB	2505	G
25	BB	2507	C
25	BB	2508	G
25	BB	2509	G
25	BB	2510	C
25	BB	2511	U
25	BB	2512	C
25	BB	2513	A
25	BB	2514	U
25	BB	2516	A
25	BB	2517	C
25	BB	2518	A
25	BB	2519	U
25	BB	2520	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	2521	C
25	BB	2522	U
25	BB	2523	G
25	BB	2529	G
25	BB	2530	A
25	BB	2531	A
25	BB	2532	G
25	BB	2534	A
25	BB	2536	G
25	BB	2538	C
25	BB	2539	C
25	BB	2540	C
25	BB	2542	A
25	BB	2543	G
25	BB	2544	G
25	BB	2545	G
25	BB	2547	A
25	BB	2548	U
25	BB	2549	G
25	BB	2551	C
25	BB	2552	U
25	BB	2553	G
25	BB	2554	U
25	BB	2555	U
25	BB	2556	C
25	BB	2557	G
25	BB	2558	C
25	BB	2559	C
25	BB	2562	U
25	BB	2563	U
25	BB	2566	A
25	BB	2567	G
25	BB	2570	G
25	BB	2571	U
25	BB	2572	A
25	BB	2573	C
25	BB	2574	G
25	BB	2575	C
25	BB	2576	G
25	BB	2577	A
25	BB	2578	G
25	BB	2579	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	2580	U
25	BB	2581	G
25	BB	2582	G
25	BB	2584	U
25	BB	2586	U
25	BB	2587	A
25	BB	2588	G
25	BB	2590	A
25	BB	2591	C
25	BB	2594	C
25	BB	2595	G
25	BB	2598	A
25	BB	2599	G
25	BB	2601	C
25	BB	2602	A
25	BB	2604	U
25	BB	2609	U
25	BB	2610	C
25	BB	2612	C
25	BB	2613	U
25	BB	2614	A
25	BB	2615	U
25	BB	2616	C
25	BB	2617	U
25	BB	2620	C
25	BB	2621	G
25	BB	2622	U
25	BB	2623	G
25	BB	2627	G
25	BB	2629	U
25	BB	2630	G
25	BB	2637	U
25	BB	2638	G
25	BB	2639	A
25	BB	2640	G
25	BB	2641	G
25	BB	2642	G
25	BB	2644	G
25	BB	2646	C
25	BB	2647	U
25	BB	2649	C
25	BB	2653	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	2654	A
25	BB	2655	G
25	BB	2661	G
25	BB	2663	G
25	BB	2666	C
25	BB	2675	A
25	BB	2676	C
25	BB	2677	G
25	BB	2678	C
25	BB	2681	C
25	BB	2682	A
25	BB	2683	C
25	BB	2684	U
25	BB	2689	U
25	BB	2690	U
25	BB	2691	C
25	BB	2694	G
25	BB	2695	U
25	BB	2696	U
25	BB	2699	C
25	BB	2700	A
25	BB	2701	U
25	BB	2709	G
25	BB	2710	C
25	BB	2711	A
25	BB	2712	C
25	BB	2714	G
25	BB	2715	C
25	BB	2716	C
25	BB	2718	G
25	BB	2719	G
25	BB	2720	U
25	BB	2721	A
25	BB	2722	G
25	BB	2726	A
25	BB	2727	A
25	BB	2728	U
25	BB	2729	G
25	BB	2731	G
25	BB	2732	G
25	BB	2733	A
25	BB	2735	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	2745	C
25	BB	2750	A
25	BB	2751	G
25	BB	2752	C
25	BB	2753	A
25	BB	2755	C
25	BB	2756	U
25	BB	2757	A
25	BB	2758	A
25	BB	2759	G
25	BB	2764	A
25	BB	2765	A
25	BB	2766	A
25	BB	2767	C
25	BB	2769	U
25	BB	2770	G
25	BB	2771	C
25	BB	2775	G
25	BB	2776	A
25	BB	2777	G
25	BB	2779	U
25	BB	2780	G
25	BB	2781	A
25	BB	2784	U
25	BB	2785	C
25	BB	2791	G
25	BB	2796	U
25	BB	2797	U
25	BB	2799	A
25	BB	2801	G
25	BB	2807	U
25	BB	2808	G
25	BB	2811	G
25	BB	2815	C
25	BB	2816	G
25	BB	2818	U
25	BB	2819	G
25	BB	2820	A
25	BB	2821	A
25	BB	2822	G
25	BB	2828	G
25	BB	2829	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	2836	U
25	BB	2839	G
25	BB	2841	C
25	BB	2844	G
25	BB	2847	U
25	BB	2848	G
25	BB	2849	U
25	BB	2850	A
25	BB	2857	G
25	BB	2858	C
25	BB	2859	G
25	BB	2864	G
25	BB	2865	U
25	BB	2870	C
25	BB	2871	U
25	BB	2872	A
25	BB	2873	A
25	BB	2875	C
25	BB	2880	C
25	BB	2881	U
25	BB	2882	A
25	BB	2883	A
25	BB	2884	U
25	BB	2886	A
25	BB	2887	A
25	BB	2890	G
25	BB	2891	U
25	BB	2894	G
25	BB	2895	G
25	BB	2903	U

All (824) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	AA	1	G
1	AA	19	G
1	AA	22	G
1	AA	27	C
1	AA	32	C
1	AA	42	G
1	AA	44	A
1	AA	55	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AP	9	A
1	AP	18	G
1	AP	58	A
1	AP	63	C
1	AP	65	G
1	AP	74	C
1	AE	16	U
2	AM	1	U
2	AM	4	U
2	AM	5	U
2	AM	9	U
2	AM	11	U
2	AM	12	U
2	AM	14	U
3	A1	6	G
3	A1	12	U
3	A1	15	G
3	A1	21	G
3	A1	25	C
3	A1	26	A
3	A1	29	U
3	A1	31	G
3	A1	46	G
3	A1	48	C
3	A1	50	A
3	A1	60	A
3	A1	65	A
3	A1	70	U
3	A1	83	C
3	A1	86	G
3	A1	87	C
3	A1	93	U
3	A1	115	G
3	A1	118	U
3	A1	119	A
3	A1	121	U
3	A1	122	G
3	A1	124	C
3	A1	142	G
3	A1	149	A
3	A1	159	G
3	A1	170	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A1	174	A
3	A1	190	A
3	A1	197	A
3	A1	209	U
3	A1	214	C
3	A1	218	U
3	A1	224	U
3	A1	225	C
3	A1	226	G
3	A1	237	G
3	A1	240	G
3	A1	244	U
3	A1	264	C
3	A1	278	G
3	A1	293	G
3	A1	303	A
3	A1	306	A
3	A1	316	C
3	A1	317	U
3	A1	328	C
3	A1	355	C
3	A1	357	G
3	A1	363	A
3	A1	366	A
3	A1	368	U
3	A1	370	C
3	A1	372	C
3	A1	376	G
3	A1	381	C
3	A1	390	U
3	A1	397	A
3	A1	399	G
3	A1	400	C
3	A1	421	U
3	A1	422	C
3	A1	427	U
3	A1	432	A
3	A1	438	U
3	A1	441	A
3	A1	445	G
3	A1	468	A
3	A1	470	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A1	484	G
3	A1	486	U
3	A1	500	G
3	A1	503	C
3	A1	504	C
3	A1	505	G
3	A1	509	A
3	A1	510	A
3	A1	523	A
3	A1	530	G
3	A1	545	C
3	A1	559	A
3	A1	572	A
3	A1	573	A
3	A1	580	C
3	A1	583	A
3	A1	587	G
3	A1	589	U
3	A1	597	G
3	A1	607	A
3	A1	625	U
3	A1	629	A
3	A1	632	U
3	A1	649	A
3	A1	651	C
3	A1	652	U
3	A1	654	G
3	A1	665	A
3	A1	670	G
3	A1	672	U
3	A1	680	C
3	A1	682	G
3	A1	684	U
3	A1	688	G
3	A1	706	A
3	A1	709	U
3	A1	715	A
3	A1	720	C
3	A1	723	U
3	A1	727	G
3	A1	731	G
3	A1	743	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A1	744	C
3	A1	755	G
3	A1	773	G
3	A1	774	G
3	A1	777	A
3	A1	783	C
3	A1	785	G
3	A1	794	A
3	A1	795	C
3	A1	798	U
3	A1	805	C
3	A1	807	A
3	A1	811	C
3	A1	813	U
3	A1	821	G
3	A1	823	C
3	A1	825	A
3	A1	826	C
3	A1	827	U
3	A1	830	G
3	A1	846	G
3	A1	850	U
3	A1	864	A
3	A1	867	G
3	A1	869	G
3	A1	870	U
3	A1	872	A
3	A1	875	U
3	A1	881	G
3	A1	884	U
3	A1	886	G
3	A1	887	G
3	A1	888	G
3	A1	891	U
3	A1	893	C
3	A1	906	A
3	A1	910	C
3	A1	914	A
3	A1	919	A
3	A1	920	U
3	A1	921	U
3	A1	924	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A1	925	G
3	A1	934	C
3	A1	937	A
3	A1	938	A
3	A1	952	U
3	A1	956	U
3	A1	957	U
3	A1	962	C
3	A1	963	G
3	A1	964	A
3	A1	965	U
3	A1	968	A
3	A1	971	G
3	A1	972	C
3	A1	973	G
3	A1	975	A
3	A1	976	G
3	A1	979	C
3	A1	980	C
3	A1	981	U
3	A1	992	U
3	A1	993	G
3	A1	997	U
3	A1	1000	A
3	A1	1004	A
3	A1	1009	U
3	A1	1016	A
3	A1	1025	U
3	A1	1028	C
3	A1	1036	A
3	A1	1040	U
3	A1	1049	U
3	A1	1052	U
3	A1	1054	C
3	A1	1056	U
3	A1	1062	U
3	A1	1067	A
3	A1	1081	A
3	A1	1083	U
3	A1	1109	C
3	A1	1125	U
3	A1	1130	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A1	1136	C
3	A1	1140	C
3	A1	1141	C
3	A1	1148	U
3	A1	1151	A
3	A1	1152	A
3	A1	1158	C
3	A1	1159	U
3	A1	1162	C
3	A1	1167	A
3	A1	1173	U
3	A1	1188	A
3	A1	1194	U
3	A1	1197	A
3	A1	1198	G
3	A1	1199	U
3	A1	1202	U
3	A1	1204	A
3	A1	1209	C
3	A1	1214	C
3	A1	1216	A
3	A1	1217	C
3	A1	1220	G
3	A1	1225	A
3	A1	1242	G
3	A1	1250	A
3	A1	1255	G
3	A1	1262	C
3	A1	1267	C
3	A1	1270	G
3	A1	1278	G
3	A1	1279	G
3	A1	1281	C
3	A1	1286	U
3	A1	1289	A
3	A1	1296	C
3	A1	1298	U
3	A1	1300	G
3	A1	1337	G
3	A1	1340	A
3	A1	1343	G
3	A1	1344	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A1	1346	A
3	A1	1350	A
3	A1	1351	U
3	A1	1363	A
3	A1	1365	G
3	A1	1366	C
3	A1	1367	C
3	A1	1378	C
3	A1	1381	U
3	A1	1382	C
3	A1	1386	G
3	A1	1391	U
3	A1	1395	C
3	A1	1397	C
3	A1	1398	A
3	A1	1399	C
3	A1	1400	C
3	A1	1401	G
3	A1	1410	A
3	A1	1414	U
3	A1	1420	U
3	A1	1426	G
3	A1	1452	C
3	A1	1459	G
3	A1	1469	C
3	A1	1472	U
3	A1	1475	G
3	A1	1476	A
3	A1	1479	C
3	A1	1482	G
3	A1	1483	A
3	A1	1485	U
3	A1	1494	G
3	A1	1497	G
3	A1	1503	A
3	A1	1504	G
3	A1	1516	G
3	A1	1518	A
3	A1	1519	A
3	A1	1520	C
3	A1	1526	G
3	A1	1530	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
24	BA	25	U
24	BA	26	C
24	BA	29	A
24	BA	33	G
24	BA	34	A
24	BA	50	A
24	BA	51	G
24	BA	65	U
24	BA	98	G
24	BA	102	G
24	BA	105	G
25	BB	6	A
25	BB	13	A
25	BB	16	C
25	BB	17	G
25	BB	19	A
25	BB	33	C
25	BB	35	G
25	BB	48	G
25	BB	61	C
25	BB	64	A
25	BB	69	C
25	BB	70	G
25	BB	73	A
25	BB	75	G
25	BB	83	A
25	BB	90	U
25	BB	91	A
25	BB	95	A
25	BB	100	U
25	BB	101	A
25	BB	102	U
25	BB	106	C
25	BB	112	U
25	BB	117	G
25	BB	120	U
25	BB	125	A
25	BB	147	C
25	BB	149	A
25	BB	151	C
25	BB	185	G
25	BB	190	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	194	G
25	BB	196	A
25	BB	207	A
25	BB	221	A
25	BB	226	A
25	BB	232	G
25	BB	242	G
25	BB	247	G
25	BB	250	G
25	BB	256	A
25	BB	280	U
25	BB	281	C
25	BB	301	G
25	BB	313	G
25	BB	320	A
25	BB	321	U
25	BB	322	A
25	BB	332	A
25	BB	333	G
25	BB	339	U
25	BB	376	G
25	BB	379	G
25	BB	381	G
25	BB	384	A
25	BB	391	A
25	BB	409	G
25	BB	410	G
25	BB	425	G
25	BB	444	C
25	BB	446	G
25	BB	448	U
25	BB	449	A
25	BB	453	A
25	BB	454	A
25	BB	456	C
25	BB	463	G
25	BB	464	U
25	BB	469	G
25	BB	473	G
25	BB	475	C
25	BB	476	G
25	BB	478	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	486	C
25	BB	497	A
25	BB	501	A
25	BB	503	A
25	BB	514	A
25	BB	528	A
25	BB	529	A
25	BB	532	A
25	BB	533	G
25	BB	535	G
25	BB	536	G
25	BB	546	U
25	BB	547	A
25	BB	552	U
25	BB	555	G
25	BB	564	C
25	BB	565	C
25	BB	568	U
25	BB	570	G
25	BB	574	A
25	BB	575	A
25	BB	589	U
25	BB	593	U
25	BB	613	A
25	BB	619	G
25	BB	633	A
25	BB	637	A
25	BB	641	U
25	BB	645	C
25	BB	653	U
25	BB	664	G
25	BB	672	C
25	BB	683	U
25	BB	685	A
25	BB	691	C
25	BB	694	U
25	BB	696	G
25	BB	698	C
25	BB	700	G
25	BB	701	G
25	BB	704	G
25	BB	718	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	721	A
25	BB	727	A
25	BB	729	G
25	BB	732	C
25	BB	734	A
25	BB	739	A
25	BB	742	A
25	BB	748	G
25	BB	760	G
25	BB	763	G
25	BB	764	A
25	BB	768	G
25	BB	769	U
25	BB	772	C
25	BB	774	G
25	BB	776	G
25	BB	781	A
25	BB	782	A
25	BB	783	A
25	BB	784	G
25	BB	792	A
25	BB	796	C
25	BB	808	G
25	BB	810	U
25	BB	811	U
25	BB	814	C
25	BB	819	A
25	BB	824	U
25	BB	825	A
25	BB	855	G
25	BB	861	A
25	BB	864	G
25	BB	867	C
25	BB	899	A
25	BB	908	C
25	BB	914	G
25	BB	918	A
25	BB	921	C
25	BB	932	U
25	BB	936	A
25	BB	954	G
25	BB	957	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	958	U
25	BB	960	A
25	BB	967	U
25	BB	968	C
25	BB	971	G
25	BB	973	A
25	BB	974	G
25	BB	975	A
25	BB	976	G
25	BB	979	A
25	BB	982	C
25	BB	983	A
25	BB	996	A
25	BB	1008	A
25	BB	1010	A
25	BB	1015	U
25	BB	1022	G
25	BB	1030	C
25	BB	1038	G
25	BB	1046	A
25	BB	1058	U
25	BB	1061	U
25	BB	1062	G
25	BB	1070	A
25	BB	1074	G
25	BB	1087	G
25	BB	1090	A
25	BB	1094	U
25	BB	1111	A
25	BB	1139	G
25	BB	1143	A
25	BB	1144	A
25	BB	1157	G
25	BB	1175	A
25	BB	1185	G
25	BB	1188	U
25	BB	1193	G
25	BB	1198	U
25	BB	1200	C
25	BB	1201	U
25	BB	1203	U
25	BB	1204	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	1206	G
25	BB	1209	U
25	BB	1210	G
25	BB	1212	G
25	BB	1216	G
25	BB	1219	U
25	BB	1226	A
25	BB	1235	G
25	BB	1250	G
25	BB	1251	C
25	BB	1252	G
25	BB	1253	A
25	BB	1256	G
25	BB	1257	C
25	BB	1259	G
25	BB	1270	C
25	BB	1284	A
25	BB	1286	A
25	BB	1287	A
25	BB	1305	C
25	BB	1308	A
25	BB	1313	U
25	BB	1314	C
25	BB	1323	C
25	BB	1324	G
25	BB	1326	U
25	BB	1330	C
25	BB	1333	G
25	BB	1338	G
25	BB	1341	G
25	BB	1343	G
25	BB	1351	C
25	BB	1352	U
25	BB	1356	G
25	BB	1361	G
25	BB	1367	A
25	BB	1371	G
25	BB	1379	U
25	BB	1383	A
25	BB	1390	U
25	BB	1393	A
25	BB	1399	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	1403	A
25	BB	1419	A
25	BB	1425	G
25	BB	1437	C
25	BB	1441	G
25	BB	1450	G
25	BB	1451	C
25	BB	1454	C
25	BB	1457	U
25	BB	1461	C
25	BB	1462	C
25	BB	1466	U
25	BB	1468	U
25	BB	1473	G
25	BB	1474	U
25	BB	1477	A
25	BB	1485	U
25	BB	1555	G
25	BB	1558	C
25	BB	1567	G
25	BB	1568	G
25	BB	1575	C
25	BB	1580	A
25	BB	1588	G
25	BB	1597	A
25	BB	1599	U
25	BB	1608	A
25	BB	1614	A
25	BB	1615	C
25	BB	1616	A
25	BB	1617	C
25	BB	1618	A
25	BB	1641	A
25	BB	1643	G
25	BB	1647	U
25	BB	1654	A
25	BB	1655	A
25	BB	1656	C
25	BB	1657	U
25	BB	1662	U
25	BB	1668	A
25	BB	1669	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	1678	A
25	BB	1680	U
25	BB	1681	G
25	BB	1693	U
25	BB	1698	A
25	BB	1699	G
25	BB	1702	G
25	BB	1717	A
25	BB	1721	G
25	BB	1722	A
25	BB	1744	A
25	BB	1754	A
25	BB	1756	G
25	BB	1757	A
25	BB	1758	U
25	BB	1766	G
25	BB	1767	G
25	BB	1774	C
25	BB	1775	U
25	BB	1776	G
25	BB	1777	U
25	BB	1778	U
25	BB	1780	A
25	BB	1789	A
25	BB	1800	C
25	BB	1805	A
25	BB	1806	C
25	BB	1807	G
25	BB	1810	A
25	BB	1813	G
25	BB	1816	C
25	BB	1821	A
25	BB	1825	U
25	BB	1833	C
25	BB	1837	C
25	BB	1846	G
25	BB	1849	G
25	BB	1854	A
25	BB	1874	C
25	BB	1876	A
25	BB	1889	A
25	BB	1890	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	1895	C
25	BB	1896	G
25	BB	1906	G
25	BB	1913	A
25	BB	1917	U
25	BB	1919	A
25	BB	1930	G
25	BB	1934	C
25	BB	1935	G
25	BB	1937	A
25	BB	1939	U
25	BB	1942	C
25	BB	1947	C
25	BB	1952	A
25	BB	1954	G
25	BB	1958	C
25	BB	1961	C
25	BB	1962	C
25	BB	1967	C
25	BB	1970	A
25	BB	1972	G
25	BB	1977	A
25	BB	1981	A
25	BB	1982	U
25	BB	1983	G
25	BB	1994	C
25	BB	2003	A
25	BB	2010	G
25	BB	2012	G
25	BB	2020	A
25	BB	2022	U
25	BB	2030	A
25	BB	2032	G
25	BB	2034	U
25	BB	2035	G
25	BB	2036	C
25	BB	2043	C
25	BB	2045	C
25	BB	2046	G
25	BB	2052	A
25	BB	2053	G
25	BB	2054	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	2061	G
25	BB	2066	C
25	BB	2070	A
25	BB	2072	C
25	BB	2079	U
25	BB	2107	G
25	BB	2117	A
25	BB	2125	G
25	BB	2126	A
25	BB	2147	A
25	BB	2148	G
25	BB	2149	U
25	BB	2173	A
25	BB	2178	C
25	BB	2194	U
25	BB	2195	U
25	BB	2198	A
25	BB	2203	U
25	BB	2227	A
25	BB	2228	G
25	BB	2232	C
25	BB	2238	G
25	BB	2239	G
25	BB	2242	G
25	BB	2244	U
25	BB	2249	U
25	BB	2251	G
25	BB	2259	U
25	BB	2266	A
25	BB	2270	A
25	BB	2272	U
25	BB	2274	A
25	BB	2275	C
25	BB	2277	G
25	BB	2278	A
25	BB	2282	G
25	BB	2290	G
25	BB	2293	G
25	BB	2311	A
25	BB	2313	C
25	BB	2322	A
25	BB	2330	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	2333	A
25	BB	2334	U
25	BB	2335	A
25	BB	2336	A
25	BB	2346	A
25	BB	2356	U
25	BB	2366	A
25	BB	2382	G
25	BB	2385	C
25	BB	2399	G
25	BB	2420	C
25	BB	2423	U
25	BB	2431	U
25	BB	2432	A
25	BB	2436	G
25	BB	2443	C
25	BB	2445	G
25	BB	2446	G
25	BB	2448	A
25	BB	2455	G
25	BB	2456	C
25	BB	2458	G
25	BB	2460	U
25	BB	2472	G
25	BB	2474	U
25	BB	2479	U
25	BB	2481	G
25	BB	2485	G
25	BB	2488	G
25	BB	2489	U
25	BB	2491	U
25	BB	2492	U
25	BB	2495	G
25	BB	2496	C
25	BB	2497	A
25	BB	2498	C
25	BB	2502	G
25	BB	2506	U
25	BB	2509	G
25	BB	2521	C
25	BB	2529	G
25	BB	2530	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	2533	U
25	BB	2536	G
25	BB	2541	A
25	BB	2543	G
25	BB	2546	U
25	BB	2548	U
25	BB	2554	U
25	BB	2556	C
25	BB	2564	A
25	BB	2566	A
25	BB	2570	G
25	BB	2571	U
25	BB	2573	C
25	BB	2575	C
25	BB	2577	A
25	BB	2578	G
25	BB	2579	C
25	BB	2580	U
25	BB	2589	A
25	BB	2590	A
25	BB	2593	U
25	BB	2594	C
25	BB	2601	C
25	BB	2610	C
25	BB	2615	U
25	BB	2620	C
25	BB	2638	G
25	BB	2646	C
25	BB	2675	A
25	BB	2677	G
25	BB	2681	C
25	BB	2689	U
25	BB	2690	U
25	BB	2694	G
25	BB	2700	A
25	BB	2711	A
25	BB	2725	A
25	BB	2726	A
25	BB	2730	C
25	BB	2731	G
25	BB	2752	C
25	BB	2754	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BB	2756	U
25	BB	2758	A
25	BB	2760	C
25	BB	2766	A
25	BB	2776	A
25	BB	2819	G
25	BB	2823	A
25	BB	2827	C
25	BB	2849	U
25	BB	2858	C
25	BB	2870	C
25	BB	2872	A
25	BB	2875	C
25	BB	2880	C
25	BB	2889	C
25	BB	2890	G
25	BB	2891	U
25	BB	2894	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
25	BB	1
1	AP	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	BB	1959:G	O3'	1960:A	P	3.50
1	AP	74:C	O3'	75:C	P	1.08


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-1055. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 65



Y Index: 65




Z Index: 65


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [\(i\)](#)


6.3.1 Primary map



X Index: 68



Y Index: 68




Z Index: 59


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [\(i\)](#)


6.4.1 Primary map



X



Y




Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 57.2. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2467 nm³; this corresponds to an approximate mass of 2228 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i



*Reported resolution corresponds to spatial frequency of 0.111 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-1055 and PDB model 4V65. Per-residue inclusion information can be found in section 3 on page 14.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 57.2 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (57.2).

9.4 Atom inclusion [i](#)



At the recommended contour level, 37% of all backbone atoms, 38% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary















































The table lists the average atom inclusion at the recommended contour level (57.2) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.3760	-0.0070
A1	0.3220	-0.0130
AA	0.3780	-0.0130
AB	0.2190	-0.0010
AC	0.4260	-0.0050
AD	0.2170	-0.0200
AE	0.4110	-0.0070
AF	0.4210	-0.0010
AG	0.0860	-0.0290
AH	0.1550	-0.0100
AI	0.0000	-0.0440
AJ	0.2480	-0.0170
AK	0.5960	0.0120
AL	0.0340	-0.0240
AM	0.6420	0.0200
AN	0.4280	0.0120
AO	0.6140	0.0210
AP	0.4060	-0.0080
AQ	0.3970	-0.0520
AR	0.3640	-0.0030
AS	0.5510	-0.0110
AT	0.2370	-0.0150
AU	0.5410	0.0030
AV	0.4380	0.0190
AW	0.1440	0.0260
AX	0.2300	0.0050
B1	0.2650	0.0020
B2	0.6520	0.0280
B3	0.1800	-0.0280
B4	0.0720	-0.0250
B5	0.4570	-0.0390
B6	0.5180	0.0080
BA	0.2920	-0.0240
BB	0.4270	-0.0050
BC	0.2500	-0.0150



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
BD	 0.4830	 0.0040
BE	 0.3080	 -0.0030
BF	 0.3510	 -0.0060
BG	 0.5990	 -0.0100
BH	 0.3760	 -0.0030
BI	 0.4390	 -0.0430
BJ	 0.1550	 -0.0360
BK	 0.0730	 -0.0250
BL	 0.5110	 0.0130
BM	 0.2860	 -0.0330
BN	 0.4240	 -0.0100
BO	 0.0000	 -0.0070
BP	 0.6370	 0.0410
BQ	 0.4540	 0.0330
BR	 0.4200	 -0.0110
BS	 0.3110	 -0.0130
BT	 0.4940	 -0.0230
BU	 0.1760	 -0.0250
BV	 0.5110	 0.0300
BW	 0.2590	 -0.0140
BX	 0.3060	 -0.0010
BY	 0.5940	 0.0050
BZ	 0.0400	 0.0080