

# Full wwPDB EM Validation Report (i)

Mar 20, 2024 – 02:36 AM JST

EMDB ID : EMD-0916

Title : Neutralization mechanism of a monoclonal antibody targeting a porcine cir-

covirus type 2 Cap protein conformational epitope

Authors : Sun, Z.; Huang, L.

Deposited on : 2019-12-24

Resolution : 6.70 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/EMMapValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev70

Validation Pipeline (wwPDB-VP) : 2.3

# 1 Experimental information (i)

| Property                         | Value               | Source    |
|----------------------------------|---------------------|-----------|
| EM reconstruction method         | SINGLE PARTICLE     | Depositor |
| Imposed symmetry                 | Not Provided        |           |
| Number of particles used         | 2011                | Depositor |
| Resolution determination method  | FSC 0.143 CUT-OFF   | Depositor |
| CTF correction method            | Not provided        |           |
| Microscope                       | FEI TALOS ARCTICA   | Depositor |
| Voltage (kV)                     | 200                 | Depositor |
| Electron dose $(e^-/\text{Å}^2)$ | 35.0                | Depositor |
| Minimum defocus (nm)             | Not provided        |           |
| Maximum defocus (nm)             | Not provided        |           |
| Magnification                    | Not provided        |           |
| Image detector                   | FEI CETA (4k x 4k)  | Depositor |
| Maximum map value                | 0.090               | Depositor |
| Minimum map value                | -0.073              | Depositor |
| Average map value                | 0.001               | Depositor |
| Map value standard deviation     | 0.007               | Depositor |
| Recommended contour level        | 0.02                | Depositor |
| Map size (Å)                     | 240.0, 240.0, 240.0 | wwPDB     |
| Map dimensions                   | 300, 300, 300       | wwPDB     |
| Map angles (°)                   | 90.0, 90.0, 90.0    | wwPDB     |
| Pixel spacing (Å)                | 0.8, 0.8, 0.8       | Depositor |




## 2 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-0916. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 2.1 Orthogonal projections (i)


#### 2.1.1 Primary map




The images above show the map projected in three orthogonal directions.

### 2.2 Central slices (i)

#### 2.2.1 Primary map







Y Index: 150




Z Index: 150



The images above show central slices of the map in three orthogonal directions.

## 2.3 Largest variance slices (i)


#### 2.3.1 Primary map



The images above show the largest variance slices of the map in three orthogonal directions.

## 2.4 Orthogonal standard-deviation projections (False-color) (i)

#### 2.4.1 Primary map




The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



## 2.5 Orthogonal surface views (i)

#### 2.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 2.6 Mask visualisation (i)


This section was not generated. No masks/segmentation were deposited.



## 3 Map analysis (i)

This section contains the results of statistical analysis of the map.


## 3.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



## 3.2 Volume estimate (i)




The volume at the recommended contour level is  $386~\mathrm{nm}^3$ ; this corresponds to an approximate mass of  $349~\mathrm{kDa}$ .

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



## 3.3 Rotationally averaged power spectrum (i)



<sup>\*</sup>Reported resolution corresponds to spatial frequency of 0.149  $\rm \AA^{-1}$ 



# 4 Fourier-Shell correlation (i)

This section was not generated. No FSC curve or half-maps provided.

