

# wwPDB X-ray Structure Validation Summary Report (i)

May 1, 2021 – 08:08 am BST

PDB ID : 7A80

Title : rsGreen0.7-K206A-E222V in the green-on state Authors De Zitter, E.; Dedecker, P.; Van Meervelt, L.

2020-08-30 Deposited on

2.05 Å(reported) Resolution

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at

https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity 4.02b-467

1.8.5 (274361), CSD as541be (2020) Mogul

Xtriage (Phenix) 1.13 EDS 2.18

Percentile statistics 20191225.v01 (using entries in the PDB archive December 25th 2019)

> Refmac 5.8.0158

CCP4 7.0.044 (Gargrove) Engh & Huber (2001)

Ideal geometry (proteins) Ideal geometry (DNA, RNA) Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) 2.18

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$\begin{array}{c} \text{Whole archive} \\ (\#\text{Entries}) \end{array}$	$\begin{array}{c} {\rm Similar\ resolution} \\ (\#{\rm Entries,\ resolution\ range(\mathring{A})}) \end{array}$
$R_{free}$	130704	1692 (2.04-2.04)
Clashscore	141614	1773 (2.04-2.04)
Ramachandran outliers	138981	1752 (2.04-2.04)
Sidechain outliers	138945	1752 (2.04-2.04)
RSRZ outliers	127900	1672 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	A	270	79% 5%	16%
1	В	270	79% 6%	16%
1	С	270	79% 5%	16%
1	D	270	78% 6%	16%



# 2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 8063 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Green fluorescent protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Λ	227	Total	С	N	О	S	0	0	0
1	A	221	1877	1190	322	360	5	0	8	
1	В	227	Total	С	N	О	S	0	1	0
1	Ъ		1838	1169	313	351	5	U	4	0
1	С	C 227	Total	С	N	О	S	0	5	0
1			1844	1169	313	357	5	0		
1	D	228	Total	С	N	О	S	0	10	0
1		228	1906	1208	327	366	5		10	

There are 188 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-33	MET	-	initiating methionine	UNP A0A059PIQ0
A	-32	ARG	-	expression tag	UNP A0A059PIQ0
A	-31	GLY	-	expression tag	UNP A0A059PIQ0
A	-30	SER	_	expression tag	UNP A0A059PIQ0
A	-29	HIS	-	expression tag	UNP A0A059PIQ0
A	-28	HIS	_	expression tag	UNP A0A059PIQ0
A	-27	HIS	_	expression tag	UNP A0A059PIQ0
A	-26	HIS	_	expression tag	UNP A0A059PIQ0
A	-25	HIS	-	expression tag	UNP A0A059PIQ0
A	-24	HIS	-	expression tag	UNP A0A059PIQ0
A	-23	GLY	-	expression tag	UNP A0A059PIQ0
A	-22	MET	-	expression tag	UNP A0A059PIQ0
A	-21	ALA	_	expression tag	UNP A0A059PIQ0
A	-20	SER	_	expression tag	UNP A0A059PIQ0
A	-19	MET	-	expression tag	UNP A0A059PIQ0
A	-18	THR	_	expression tag	UNP A0A059PIQ0
A	-17	GLY	=	expression tag	UNP A0A059PIQ0
A	-16	GLY	=	expression tag	UNP A0A059PIQ0
A	-15	GLN	-	expression tag	UNP A0A059PIQ0
A	-14	GLN	-	expression tag	UNP A0A059PIQ0
A	-13	MET	-	expression tag	UNP A0A059PIQ0



Continued from previous page...

Chain	Residue	$oxed{f Modelled}$	Actual	Comment	Reference
A	-12	GLY	-	expression tag	UNP A0A059PIQ0
A	-11	ARG	-	expression tag	UNP A0A059PIQ0
A	-10	ASP	-	expression tag	UNP A0A059PIQ0
A	-9	LEU	-	expression tag	UNP A0A059PIQ0
A	-8	TYR	=	expression tag	UNP A0A059PIQ0
A	-7	ASP	_	expression tag	UNP A0A059PIQ0
A	-6	ASP	-	expression tag	UNP A0A059PIQ0
A	-5	ASP	-	expression tag	UNP A0A059PIQ0
A	-4	ASP	ı	expression tag	UNP A0A059PIQ0
A	-3	LYS	_	expression tag	UNP A0A059PIQ0
A	-2	ASP	ı	expression tag	UNP A0A059PIQ0
A	-1	PRO	I	expression tag	UNP A0A059PIQ0
A	0	MET	-	expression tag	UNP A0A059PIQ0
A	1	VAL	-	expression tag	UNP A0A059PIQ0
A	2	SER	-	expression tag	UNP A0A059PIQ0
A	30	ARG	SER	conflict	UNP A0A059PIQ0
A	66	CRO	THR	chromophore	UNP A0A059PIQ0
A	66	CRO	TYR	chromophore	UNP A0A059PIQ0
A	66	CRO	$\operatorname{GLY}$	$\operatorname{chromophore}$	UNP A0A059PIQ0
A	69	LEU	$\operatorname{GLN}$	$\operatorname{conflict}$	UNP A0A059PIQ0
A	105	TYR	THR	$\operatorname{conflict}$	UNP A0A059PIQ0
A	150	ALA	VAL	conflict	UNP A0A059PIQ0
A	163	SER	ALA	conflict	UNP A0A059PIQ0
A	205	ASN	SER	conflict	UNP A0A059PIQ0
A	222	VAL	$\operatorname{GLU}$	engineered mutation	UNP A0A059PIQ0
A	231	LEU	HIS	conflict	UNP A0A059PIQ0
В	-33	MET	-	initiating methionine	UNP A0A059PIQ0
В	-32	ARG	-	expression tag	UNP A0A059PIQ0
В	-31	GLY	-	expression tag	UNP A0A059PIQ0
В	-30	SER	=	expression tag	UNP A0A059PIQ0
В	-29	HIS	_	expression tag	UNP A0A059PIQ0
В	-28	HIS	-	expression tag	UNP A0A059PIQ0
В	-27	HIS	_	expression tag	UNP A0A059PIQ0
В	-26	HIS	-	expression tag	UNP A0A059PIQ0
В	-25	HIS	_	expression tag	UNP A0A059PIQ0
В	-24	HIS	-	expression tag	UNP A0A059PIQ0
В	-23	GLY	_	expression tag	UNP A0A059PIQ0
В	-22	MET	-	expression tag	UNP A0A059PIQ0
В	-21	ALA	-	expression tag	UNP A0A059PIQ0
В	-20	SER	-	expression tag	UNP A0A059PIQ0
В	-19	MET	-	expression tag	UNP A0A059PIQ0
В	-18	THR	-	expression tag	UNP A0A059PIQ0



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
В	-17	GLY	ı	expression tag	UNP A0A059PIQ0
В	-16	GLY	ı	expression tag	UNP A0A059PIQ0
В	-15	GLN	-	expression tag	UNP A0A059PIQ0
В	-14	GLN	_	expression tag	UNP A0A059PIQ0
В	-13	MET	-	expression tag	UNP A0A059PIQ0
В	-12	GLY	-	expression tag	UNP A0A059PIQ0
В	-11	ARG	=	expression tag	UNP A0A059PIQ0
В	-10	ASP	=	expression tag	UNP A0A059PIQ0
В	-9	LEU	=	expression tag	UNP A0A059PIQ0
В	-8	TYR	_	expression tag	UNP A0A059PIQ0
В	-7	ASP	_	expression tag	UNP A0A059PIQ0
В	-6	ASP	-	expression tag	UNP A0A059PIQ0
В	-5	ASP	-	expression tag	UNP A0A059PIQ0
В	-4	ASP	ı	expression tag	UNP A0A059PIQ0
В	-3	LYS	I	expression tag	UNP A0A059PIQ0
В	-2	ASP	ı	expression tag	UNP A0A059PIQ0
В	-1	PRO	I	expression tag	UNP A0A059PIQ0
В	0	MET	-	expression tag	UNP A0A059PIQ0
В	1	VAL	ı	expression tag	UNP A0A059PIQ0
В	2	SER	1	expression tag	UNP A0A059PIQ0
В	30	ARG	SER	$\operatorname{conflict}$	UNP A0A059PIQ0
В	66	CRO	THR	chromophore	UNP A0A059PIQ0
В	66	CRO	TYR	${\it chromophore}$	UNP A0A059PIQ0
В	66	CRO	GLY	chromophore	UNP A0A059PIQ0
В	69	LEU	GLN	$\operatorname{conflict}$	UNP A0A059PIQ0
В	105	TYR	THR	conflict	UNP A0A059PIQ0
В	150	ALA	VAL	conflict	UNP A0A059PIQ0
В	163	SER	ALA	conflict	UNP A0A059PIQ0
В	205	ASN	SER	conflict	UNP A0A059PIQ0
В	222	VAL	GLU	engineered mutation	UNP A0A059PIQ0
В	231	LEU	HIS	conflict	UNP A0A059PIQ0
С	-33	MET	_	initiating methionine	UNP A0A059PIQ0
С	-32	ARG	_	expression tag	UNP A0A059PIQ0
С	-31	GLY	-	expression tag	UNP A0A059PIQ0
C	-30	SER	-	expression tag	UNP A0A059PIQ0
С	-29	HIS	-	expression tag	UNP A0A059PIQ0
С	-28	HIS	-	expression tag	UNP A0A059PIQ0
С	-27	HIS	-	expression tag	UNP A0A059PIQ0
С	-26	HIS	-	expression tag	UNP A0A059PIQ0
С	-25	HIS	-	expression tag	UNP A0A059PIQ0
С	-24	HIS	-	expression tag	UNP A0A059PIQ0
С	-23	GLY	-	expression tag	UNP A0A059PIQ0



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
С	-22	MET	-	expression tag	UNP A0A059PIQ0
С	-21	ALA	_	expression tag	UNP A0A059PIQ0
С	-20	SER	_	expression tag	UNP A0A059PIQ0
С	-19	MET	-	expression tag	UNP A0A059PIQ0
С	-18	THR	-	expression tag	UNP A0A059PIQ0
С	-17	GLY	-	expression tag	UNP A0A059PIQ0
С	-16	GLY	-	expression tag	UNP A0A059PIQ0
С	-15	GLN	-	expression tag	UNP A0A059PIQ0
С	-14	GLN	-	expression tag	UNP A0A059PIQ0
С	-13	MET	-	expression tag	UNP A0A059PIQ0
С	-12	GLY	-	expression tag	UNP A0A059PIQ0
С	-11	ARG	-	expression tag	UNP A0A059PIQ0
С	-10	ASP	-	expression tag	UNP A0A059PIQ0
С	-9	LEU	-	expression tag	UNP A0A059PIQ0
С	-8	TYR	-	expression tag	UNP A0A059PIQ0
С	-7	ASP	-	expression tag	UNP A0A059PIQ0
С	-6	ASP	-	expression tag	UNP A0A059PIQ0
С	-5	ASP	-	expression tag	UNP A0A059PIQ0
С	-4	ASP	-	expression tag	UNP A0A059PIQ0
С	-3	LYS	-	expression tag	UNP A0A059PIQ0
С	-2	ASP	-	expression tag	UNP A0A059PIQ0
С	-1	PRO	-	expression tag	UNP A0A059PIQ0
С	0	MET	-	expression tag	UNP A0A059PIQ0
С	1	VAL	-	expression tag	UNP A0A059PIQ0
С	2	SER	_	expression tag	UNP A0A059PIQ0
С	30	ARG	SER	$\operatorname{conflict}$	UNP A0A059PIQ0
С	66	CRO	THR	chromophore	UNP A0A059PIQ0
С	66	CRO	TYR	chromophore	UNP A0A059PIQ0
С	66	CRO	GLY	$\operatorname{chromophore}$	UNP A0A059PIQ0
С	69	LEU	GLN	$\operatorname{conflict}$	UNP A0A059PIQ0
С	105	TYR	THR	conflict	UNP A0A059PIQ0
С	150	ALA	VAL	$\operatorname{conflict}$	UNP A0A059PIQ0
С	163	SER	ALA	conflict	UNP A0A059PIQ0
С	205	ASN	SER	conflict	UNP A0A059PIQ0
С	222	VAL	GLU	engineered mutation	UNP A0A059PIQ0
С	231	LEU	HIS	conflict	UNP A0A059PIQ0
D	-33	MET		initiating methionine	UNP A0A059PIQ0
D	-32	ARG	-	expression tag	UNP A0A059PIQ0
D	-31	GLY	-	expression tag	UNP A0A059PIQ0
D	-30	SER	-	expression tag	UNP A0A059PIQ0
D	-29	HIS	-	expression tag	UNP A0A059PIQ0
D	-28	HIS	-	expression tag	UNP A0A059PIQ0




Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-27	HIS	=	expression tag	UNP A0A059PIQ0
D	-26	HIS	_	expression tag	UNP A0A059PIQ0
D	-25	HIS	_	expression tag	UNP A0A059PIQ0
D	-24	HIS	_	expression tag	UNP A0A059PIQ0
D	-23	GLY	-	expression tag	UNP A0A059PIQ0
D	-22	MET	-	expression tag	UNP A0A059PIQ0
D	-21	ALA	-	expression tag	UNP A0A059PIQ0
D	-20	SER	=	expression tag	UNP A0A059PIQ0
D	-19	MET	=	expression tag	UNP A0A059PIQ0
D	-18	THR	_	expression tag	UNP A0A059PIQ0
D	-17	GLY	=	expression tag	UNP A0A059PIQ0
D	-16	GLY	_	expression tag	UNP A0A059PIQ0
D	-15	GLN	=	expression tag	UNP A0A059PIQ0
D	-14	GLN	-	expression tag	UNP A0A059PIQ0
D	-13	MET	_	expression tag	UNP A0A059PIQ0
D	-12	GLY	-	expression tag	UNP A0A059PIQ0
D	-11	ARG	-	expression tag	UNP A0A059PIQ0
D	-10	ASP	ı	expression tag	UNP A0A059PIQ0
D	-9	LEU	ı	expression tag	UNP A0A059PIQ0
D	-8	TYR	-	expression tag	UNP A0A059PIQ0
D	-7	ASP	-	expression tag	UNP A0A059PIQ0
D	-6	ASP	1	expression tag	UNP A0A059PIQ0
D	-5	ASP	-	expression tag	UNP A0A059PIQ0
D	-4	ASP	-	expression tag	UNP A0A059PIQ0
D	-3	LYS	-	expression tag	UNP A0A059PIQ0
D	-2	ASP	-	expression tag	UNP A0A059PIQ0
D	-1	PRO	-	expression tag	UNP A0A059PIQ0
D	0	MET	-	expression tag	UNP A0A059PIQ0
D	1	VAL	-	expression tag	UNP A0A059PIQ0
D	2	SER	-	expression tag	UNP A0A059PIQ0
D	30	ARG	SER	$\operatorname{conflict}$	UNP A0A059PIQ0
D	66	CRO	THR	${\it chromophore}$	UNP A0A059PIQ0
D	66	CRO	TYR	$\operatorname{chromophore}$	UNP A0A059PIQ0
D	66	CRO	GLY	chromophore	UNP A0A059PIQ0
D	69	LEU	GLN	conflict	UNP A0A059PIQ0
D	105	TYR	THR	$\operatorname{conflict}$	UNP A0A059PIQ0
D	150	ALA	VAL	$\operatorname{conflict}$	UNP A0A059PIQ0
D	163	SER	ALA	conflict	UNP A0A059PIQ0
D	205	ASN	SER	$\operatorname{conflict}$	UNP A0A059PIQ0
D	222	VAL	GLU	engineered mutation	UNP A0A059PIQ0
D	231	LEU	HIS	conflict	UNP A0A059PIQ0

 $\bullet$  Molecule 2 is NITRATE ION (three-letter code: NO3) (formula: NO3).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total N O 4 1 3	0	0
2	В	1	Total N O 4 1 3	0	0
2	С	1	Total N O 4 1 3	0	0
2	D	1	Total N O 4 1 3	0	0

#### • Molecule 3 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	165	Total O 165 165	0	0
3	В	135	Total O 135 135	0	0
3	С	131	Total O 131 131	0	0
3	D	151	Total O 151 151	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Green fluorescent protein











# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	69.82Å 61.80Å 112.12Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $91.01^{\circ}$ $90.00^{\circ}$	Depositor
Resolution (Å)	46.27 - 2.05	Depositor
Resolution (A)	46.27 - 2.05	EDS
% Data completeness	99.9 (46.27-2.05)	Depositor
(in resolution range)	$99.9 \ (46.27 - 2.05)$	EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	2.75 (at 2.05Å)	Xtriage
Refinement program	PHENIX	Depositor
υ .	0.183 , 0.234	Depositor
$R, R_{free}$	0.183 , $0.234$	DCC
$R_{free}$ test set	3006 reflections $(4.99%)$	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	27.7	Xtriage
Anisotropy	0.209	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$ , $B_{sol}(Å^2)$	0.36 , 54.1	EDS
L-test for twinning <sup>2</sup>	$< L >=0.47, < L^2>=0.30$	Xtriage
Estimated twinning fraction	0.029 for h,-k,-l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	8063	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 6.03% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of <|L|>,  $< L^2>$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



 $<sup>^{1}</sup>$ Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CRO, NO3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles	
Moi   Chain		RMSZ	# Z >5	RMSZ	# Z  > 5
1	A	0.26	0/1896	0.46	0/2565
1	В	0.25	0/1856	0.45	0/2511
1	С	0.25	0/1862	0.45	0/2521
1	D	0.25	0/1903	0.45	0/2576
All	All	0.25	0/7517	0.45	0/10173

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1877	0	1806	7	0
1	В	1838	0	1777	9	0
1	С	1844	0	1767	7	0
1	D	1906	0	1820	11	0
2	A	4	0	0	0	0
2	В	4	0	0	0	0
2	С	4	0	0	0	0
2	D	4	0	0	0	0
3	A	165	0	0	0	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	$\mathbf{H}(\mathbf{added})$	Clashes	Symm-Clashes
3	В	135	0	0	2	0
3	С	131	0	0	0	0
3	D	151	0	0	1	0
All	All	8063	0	7170	33	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 33 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$egin{aligned}  ext{Interatomic} \  ext{distance} \ ( ext{Å}) \end{aligned}$	$egin{aligned}  ext{Clash} \  ext{overlap} & ( ext{Å}) \end{aligned}$
1:A:148[B]:HIS:NE2	1:A:165:PHE:HB2	2.09	0.67
1:D:66[C]:CRO:HD2	1:D:96:ARG:NH2	2.14	0.63
1:C:115:GLU:OE2	1:C:122:ARG:NH1	2.27	0.62
1:C:161:ILE:HG13	1:C:185:ASN:HB2	1.83	0.60
1:A:17:GLU:OE1	1:A:122:ARG:NH1	2.34	0.60

There are no symmetry-related clashes.

## 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	A	$230/270 \; (85\%)$	224 (97%)	6 (3%)	0	100	100
1	В	$226/270 \; (84\%)$	223 (99%)	3 (1%)	0	100	100
1	С	227/270 (84%)	224 (99%)	3 (1%)	0	100	100
1	D	232/270~(86%)	229 (99%)	3 (1%)	0	100	100
All	All	915/1080 (85%)	900 (98%)	15 (2%)	0	100	100

There are no Ramachandran outliers to report.



#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Analysed Rotameric Outlie		Percentiles	$\mathbf{s}$
1	A	$202/232 \; (87\%)$	202 (100%)	0	100 100	
1	В	197/232 (85%)	197 (100%)	0	100 100	
1	С	$198/232 \ (85\%)$	198 (100%)	0	100 100	
1	D	$202/232 \ (87\%)$	202 (100%)	0	100 100	
All	All	799/928 (86%)	799 (100%)	0	100 100	

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

5 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Trino	Chain	Res	Link	Bond lengths			Bond angles		
MIOI	Type	Chain	nes	Link	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	CRO	С	66	1	23,23,24	2.75	8 (34%)	30,32,34	2.80	7 (23%)
1	CRO	D	66[C]	1	23,23,24	2.82	8 (34%)	30,32,34	3.01	9 (30%)
1	CRO	В	66	1	23,23,24	2.71	8 (34%)	30,32,34	2.87	7 (23%)
1	CRO	A	66	1	23,23,24	2.69	8 (34%)	30,32,34	2.86	8 (26%)



Mol	Tuno	Chain	Res	Link	Bond lengths			Bond angles		
MIOI	туре	Chain	nes	LIIIK	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	CRO	D	66[A]	1	23,23,24	2.74	8 (34%)	30,32,34	2.77	8 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CRO	С	66	1	-	2/12/31/32	0/2/2/2
1	CRO	D	66[C]	1	-	4/12/31/32	0/2/2/2
1	CRO	В	66	1	-	1/12/31/32	0/2/2/2
1	CRO	A	66	1	-	2/12/31/32	0/2/2/2
1	CRO	D	66[A]	1	-	2/12/31/32	0/2/2/2

The worst 5 of 40 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(\mathbf{\mathring{A}})$	$\operatorname{Ideal}(\text{\AA})$
1	D	66[C]	CRO	CA2-C2	6.29	1.54	1.48
1	В	66	CRO	C1-N2	6.01	1.41	1.32
1	A	66	CRO	C1-N2	6.00	1.41	1.32
1	С	66	CRO	C1-N2	5.98	1.41	1.32
1	D	66[C]	CRO	C1-N2	5.91	1.40	1.32

The worst 5 of 39 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$Observed(^o)$	$Ideal(^{o})$
1	В	66	CRO	O2-C2-CA2	-9.79	125.46	130.96
1	A	66	CRO	O2-C2-CA2	-9.45	125.65	130.96
1	С	66	CRO	O2-C2-CA2	-8.84	125.99	130.96
1	D	66[A]	CRO	O2-C2-CA2	-8.34	126.28	130.96
1	A	66	CRO	CA2-C2-N3	8.23	107.26	103.37

There are no chirality outliers.

5 of 11 torsion outliers are listed below:

Mol	Chain	${f Res}$	Type	Atoms
1	С	66	CRO	C2-CA2-CB2-CG2
1	D	66[A]	CRO	C2-CA2-CB2-CG2
1	D	66[C]	CRO	N2-CA2-CB2-CG2
1	D	66[C]	CRO	C2-CA2-CB2-CG2



Continued from previous page...

I	Mol	Chain	Res	Type	Atoms
	1	A	66	CRO	N2-CA2-CB2-CG2

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	$\operatorname{Res}$	Type	Clashes	Symm-Clashes
1	D	66[C]	CRO	2	0
1	D	66[A]	CRO	1	0

## 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry (i)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Ty	Tuno	Chain	Res	Link	Bond lengths			Bond angles		
	туре				Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2
2	NO3	D	301	-	1,3,3	0.68	0	0,3,3	0.00	-
2	NO3	С	301	_	1,3,3	0.64	0	0,3,3	0.00	-
2	NO3	В	301	_	1,3,3	0.64	0	0,3,3	0.00	-
2	NO3	A	301	-	1,3,3	0.65	0	0,3,3	0.00	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.



# 5.7 Other polymers (i)

There are no such residues in this entry.

# 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	$\#\mathrm{RSRZ}{>}2$	$OWAB(A^2)$	Q < 0.9
1	A	226/270~(83%)	-0.11	3 (1%) 77 79	18, 26, 38, 72	0
1	В	226/270~(83%)	-0.06	8 (3%) 44 48	17, 28, 46, 66	0
1	С	226/270~(83%)	-0.05	6 (2%) 54 59	19, 29, 48, 60	0
1	D	227/270 (84%)	-0.08	4 (1%) 68 71	18, 27, 46, 64	0
All	All	905/1080 (83%)	-0.08	21 (2%) 60 64	17, 27, 46, 72	0

The worst 5 of 21 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	230	THR	5.8
1	D	191	GLY	4.1
1	В	190	ASP	3.4
1	В	230	THR	3.0
1	D	230	THR	2.9

## 6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B-factors}({f A}^2)$	Q<0.9
1	CRO	В	66	22/23	0.91	0.13	20,26,34,37	0
1	CRO	С	66	22/23	0.92	0.12	19,28,36,44	0
1	CRO	D	66[A]	22/23	0.94	0.15	18,23,28,33	22
1	CRO	D	66[C]	22/23	0.94	0.15	19,24,28,35	22
1	CRO	A	66	22/23	0.95	0.11	14,22,30,34	0



## 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B-factors}({f A}^2)$	Q<0.9
2	NO3	В	301	4/4	0.95	0.15	37,37,39,40	0
2	NO3	A	301	4/4	0.96	0.12	36,36,38,41	0
2	NO3	С	301	4/4	0.96	0.10	35,37,38,38	0
2	NO3	D	301	4/4	0.96	0.14	33,35,36,39	0

### 6.5 Other polymers (i)

There are no such residues in this entry.

