



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 16, 2021 – 02:14 pm BST

PDB ID : 7AE7
Title : Structure of *Sedimentibacter hydroxybenzoicus* vanillic acid decarboxylase (ShVdcCD) in open form, with truncated ShVdcD (V59X)
Authors : Marshall, S.A.; Leys, D.
Deposited on : 2020-09-17
Resolution : 2.66 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.23.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.66 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1332 (2.68-2.64)
Clashscore	141614	1374 (2.68-2.64)
Ramachandran outliers	138981	1349 (2.68-2.64)
Sidechain outliers	138945	1349 (2.68-2.64)
RSRZ outliers	127900	1318 (2.68-2.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	480	
1	B	480	
1	C	480	
1	D	480	
1	E	480	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	480	<p>2% 82% 16% ..</p>
2	a	58	<p>95% ..</p>
2	b	58	<p>19% 78% 5% 17% ..</p>
2	c	58	<p>10% 97% ..</p>
2	d	58	<p>95% ..</p>
2	e	58	<p>14% 98% .</p>
2	f	58	<p>5% 91% 7% .</p>

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 24349 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phenolic acid decarboxylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	467	Total 3608	C 2315	N 608	O 670	S 15	0	0	0
1	B	468	Total 3508	C 2252	N 590	O 652	S 14	0	0	0
1	C	471	Total 3534	C 2268	N 596	O 656	S 14	0	0	0
1	D	475	Total 3675	C 2352	N 617	O 691	S 15	0	0	0
1	E	461	Total 3491	C 2238	N 584	O 655	S 14	0	0	0
1	F	471	Total 3565	C 2286	N 601	O 663	S 15	0	0	0

- Molecule 2 is a protein called Protein ShdD.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	a	57	Total 454	C 280	N 79	O 86	S 9	0	0	0
2	b	48	Total 286	C 179	N 50	O 53	S 4	0	0	0
2	c	57	Total 415	C 259	N 74	O 74	S 8	0	0	0
2	d	57	Total 441	C 275	N 77	O 80	S 9	0	0	0
2	e	57	Total 406	C 257	N 72	O 68	S 9	0	0	0
2	f	57	Total 419	C 262	N 74	O 74	S 9	0	0	0

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Na 1 1	0	0
3	B	1	Total Na 1 1	0	0
3	C	1	Total Na 1 1	0	0
3	E	1	Total Na 1 1	0	0
3	F	1	Total Na 1 1	0	0

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	a	1	Total Zn 1 1	0	0
4	b	1	Total Zn 1 1	0	0
4	c	1	Total Zn 1 1	0	0
4	d	1	Total Zn 1 1	0	0
4	e	1	Total Zn 1 1	0	0
4	f	1	Total Zn 1 1	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	139	Total O 139 139	0	0
5	B	74	Total O 74 74	0	0
5	C	60	Total O 60 60	0	0
5	D	92	Total O 92 92	0	0
5	E	65	Total O 65 65	0	0
5	F	67	Total O 67 67	0	0
5	a	21	Total O 21 21	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	c	3	Total O 3 3	0	0
5	d	6	Total O 6 6	0	0
5	e	3	Total O 3 3	0	0
5	f	6	Total O 6 6	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Phenolic acid decarboxylase




- Molecule 1: Phenolic acid decarboxylase




- Molecule 1: Phenolic acid decarboxylase






- Molecule 1: Phenolic acid decarboxylase

Chain D: 85% 14%




- Molecule 1: Phenolic acid decarboxylase

Chain E: 4% 82% 14%



- Molecule 1: Phenolic acid decarboxylase

Chain F: 2% 82% 16%






- Molecule 2: Protein ShdD

Chain a: 95%




- Molecule 2: Protein ShdD

Chain b: 19% 78% 5% 17%



- Molecule 2: Protein ShdD

Chain c: 10% 97%




- Molecule 2: Protein ShdD

Chain d: 95%



- Molecule 2: Protein ShdD

Chain e: 14% 98%



- Molecule 2: Protein ShdD

Chain f: 5% 91% 7%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	101.55Å 200.94Å 201.99Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	71.42 – 2.66 71.42 – 2.66	Depositor EDS
% Data completeness (in resolution range)	99.5 (71.42-2.66) 99.5 (71.42-2.66)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.87 (at 2.65Å)	Xtrriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.180 , 0.227 0.180 , 0.226	Depositor DCC
R_{free} test set	5824 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å ²)	37.4	Xtrriage
Anisotropy	0.386	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 51.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.009 for -h,l,k	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	24349	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.32% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/3697	0.51	0/5048
1	B	0.28	0/3598	0.52	0/4930
1	C	0.26	0/3620	0.51	0/4961
1	D	0.26	0/3768	0.51	0/5153
1	E	0.26	0/3577	0.50	0/4898
1	F	0.26	0/3654	0.51	0/5003
2	a	0.25	0/463	0.51	0/623
2	b	0.24	0/292	0.48	0/406
2	c	0.26	0/424	0.52	0/577
2	d	0.26	0/450	0.53	0/606
2	e	0.25	0/415	0.50	0/564
2	f	0.24	0/428	0.52	0/581
All	All	0.26	0/24386	0.51	0/33350

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3608	0	3544	29	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	3508	0	3326	50	0
1	C	3534	0	3379	47	0
1	D	3675	0	3573	39	0
1	E	3491	0	3338	39	0
1	F	3565	0	3416	43	0
2	a	454	0	426	0	0
2	b	286	0	186	0	0
2	c	415	0	362	0	0
2	d	441	0	412	0	0
2	e	406	0	357	0	0
2	f	419	0	371	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
4	a	1	0	0	0	0
4	b	1	0	0	0	0
4	c	1	0	0	0	0
4	d	1	0	0	0	0
4	e	1	0	0	0	0
4	f	1	0	0	0	0
5	A	139	0	0	1	0
5	B	74	0	0	2	0
5	C	60	0	0	1	0
5	D	92	0	0	1	0
5	E	65	0	0	1	0
5	F	67	0	0	2	0
5	a	21	0	0	0	0
5	c	3	0	0	0	0
5	d	6	0	0	0	0
5	e	3	0	0	0	0
5	f	6	0	0	0	0
All	All	24349	0	22690	235	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (235) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:322:ALA:HB1	1:F:346:MET:HG2	1.62	0.81
1:E:77:MET:HG3	1:E:211:PRO:HB2	1.63	0.80
1:A:322:ALA:HB1	1:A:346:MET:HG2	1.64	0.80
1:B:112:ALA:HB2	1:B:243:VAL:HG11	1.69	0.73
1:F:289:GLN:NE2	5:F:601:HOH:O	2.24	0.69
1:E:112:ALA:HB2	1:E:243:VAL:HG11	1.75	0.68
1:A:6:LYS:NZ	5:A:601:HOH:O	2.26	0.67
1:C:145:LYS:HE2	1:C:214:THR:HG21	1.77	0.67
1:F:6:LYS:N	1:F:10:GLU:OE2	2.23	0.66
1:C:63:VAL:HG12	1:C:305:PHE:HB3	1.77	0.64
1:C:423:MET:HB3	1:C:425:LEU:HD23	1.79	0.64
1:B:355:ILE:HD11	1:B:372:LEU:HD13	1.78	0.64
1:D:333:LEU:HD22	1:D:371:ARG:HG3	1.79	0.64
1:A:407:ARG:HH22	1:A:457:LEU:HD21	1.63	0.63
1:E:92:GLU:OE2	1:E:95:ARG:NH2	2.31	0.63
1:C:18:GLU:HB3	1:C:82:LYS:HD3	1.81	0.62
1:C:119:ILE:HG22	1:C:123:ILE:HD13	1.80	0.62
1:E:22:ILE:HD11	1:F:475:LEU:HG	1.80	0.62
1:B:143:ILE:HB	1:B:169:ILE:HB	1.82	0.62
1:A:150:THR:HG21	1:A:187:ILE:HD11	1.81	0.61
1:F:336:THR:HG21	1:F:371:ARG:HH21	1.64	0.61
1:B:344:ASN:OD1	1:B:346:MET:HG3	2.01	0.61
1:E:344:ASN:OD1	1:E:346:MET:HG3	2.01	0.61
1:C:206:THR:HG21	1:C:254:PRO:HD2	1.83	0.60
1:D:150:THR:HG22	1:D:203:ILE:HG22	1.83	0.60
1:F:266:ILE:HB	1:F:269:VAL:HG11	1.84	0.60
1:C:22:ILE:HG12	1:D:475:LEU:HD13	1.83	0.59
1:E:115:LYS:HD3	1:E:298:THR:HG21	1.83	0.59
1:C:118:VAL:HG13	1:C:298:THR:HG22	1.84	0.59
1:C:247:LEU:HD11	1:C:296:ARG:HE	1.67	0.59
1:B:261:LEU:HD12	1:B:297:ILE:HD12	1.84	0.58
1:F:216:MET:O	1:F:226:ASN:ND2	2.37	0.57
1:B:4:VAL:HG22	1:B:235:GLN:HB3	1.85	0.57
1:B:396:ASN:OD1	1:B:398:GLU:HG2	2.04	0.57
1:B:153:PRO:HA	1:B:156:PRO:HG3	1.85	0.57
1:F:200:PRO:HB3	1:F:264:HIS:CD2	2.40	0.57
1:A:167:TYR:CZ	1:A:184:MET:HG2	2.40	0.56
1:A:475:LEU:HG	1:B:22:ILE:HD11	1.87	0.56
1:E:322:ALA:HB1	1:E:346:MET:SD	2.46	0.56
1:E:355:ILE:HD11	1:E:372:LEU:HD13	1.88	0.56
1:F:181:ALA:N	5:F:601:HOH:O	2.37	0.56
1:E:120:ASP:OD1	1:E:120:ASP:N	2.39	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:366:LYS:NZ	1:D:415:SER:OG	2.38	0.56
1:D:258:GLU:HA	1:D:300:ARG:HD2	1.87	0.56
1:B:150:THR:HG22	1:B:203:ILE:HD13	1.87	0.55
1:F:162:LEU:HD11	1:F:252:TYR:H	1.72	0.55
1:E:244:LYS:HE2	1:E:249:ASP:HA	1.88	0.54
1:D:142:TYR:CZ	1:D:170:GLN:HB2	2.43	0.54
1:B:97:TRP:CZ2	1:B:328:PRO:HG3	2.43	0.54
1:A:137:GLN:HB2	1:A:283:TYR:CZ	2.42	0.53
1:B:321:MET:HG3	1:B:349:HIS:CE1	2.43	0.53
1:A:164:VAL:H	1:A:227:GLU:HG3	1.72	0.53
1:F:247:LEU:HD21	1:F:296:ARG:NH1	2.23	0.53
1:C:206:THR:HG22	1:C:260:VAL:HG22	1.90	0.53
1:B:77:MET:HG3	1:B:211:PRO:HB2	1.89	0.53
1:F:384:ILE:HG12	1:F:438:MET:HE3	1.91	0.53
1:F:145:LYS:HE2	1:F:214:THR:HG21	1.91	0.52
1:A:37:ALA:HB3	1:A:53:PHE:HZ	1.73	0.52
1:C:435:HIS:HB3	1:C:437:LYS:HD3	1.92	0.52
1:E:137:GLN:HB2	1:E:283:TYR:CZ	2.45	0.51
1:A:142:TYR:CZ	1:A:170:GLN:HB2	2.46	0.51
1:A:200:PRO:HB3	1:A:264:HIS:CD2	2.45	0.51
1:A:219:THR:HG23	1:A:220:PRO:HD2	1.92	0.51
1:C:37:ALA:HB3	1:C:53:PHE:HZ	1.74	0.51
1:D:223:TYR:CZ	1:D:328:PRO:HB2	2.46	0.51
1:F:143:ILE:HB	1:F:169:ILE:HB	1.92	0.51
1:B:171:VAL:HA	1:B:177:VAL:HG12	1.92	0.51
1:C:137:GLN:HB2	1:C:283:TYR:CZ	2.45	0.51
1:C:98:ASP:OD1	1:C:98:ASP:N	2.43	0.50
1:B:266:ILE:HD11	1:B:293:LYS:CB	2.42	0.50
1:E:142:TYR:CZ	1:E:170:GLN:HB2	2.47	0.50
1:F:97:TRP:HB3	1:F:331:LYS:HE2	1.94	0.50
1:D:247:LEU:HD11	1:D:296:ARG:HB2	1.93	0.50
1:A:423:MET:HB3	1:A:425:LEU:HD22	1.94	0.49
1:F:168:ARG:NH2	1:F:273:GLU:OE1	2.45	0.49
1:B:93:LEU:HB3	1:B:327:VAL:HG21	1.95	0.49
1:B:371:ARG:NH2	5:B:606:HOH:O	2.45	0.49
1:C:336:THR:O	1:C:338:PRO:HD3	2.11	0.49
1:F:97:TRP:CZ2	1:F:328:PRO:HG3	2.48	0.49
1:F:94:ASN:OD1	1:F:331:LYS:NZ	2.37	0.49
1:F:137:GLN:HB2	1:F:283:TYR:CZ	2.48	0.49
1:B:168:ARG:NH1	1:B:276:PHE:HB3	2.27	0.49
1:A:99:LYS:NZ	1:A:236:ASP:OD1	2.43	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:97:TRP:CZ2	1:D:328:PRO:HG3	2.48	0.49
1:D:416:ILE:HD13	1:D:438:MET:HG3	1.94	0.49
1:E:11:PHE:CG	1:E:211:PRO:HG3	2.48	0.48
1:E:23:ARG:NH1	1:E:54:GLU:OE2	2.46	0.48
1:E:475:LEU:HD13	1:F:22:ILE:HG12	1.95	0.48
1:F:37:ALA:HB3	1:F:53:PHE:HZ	1.78	0.48
1:C:2:ALA:HB1	1:C:79:GLY:HA3	1.95	0.48
1:C:149:VAL:HG22	1:C:164:VAL:HG22	1.94	0.48
1:E:5:TYR:HE1	1:E:14:VAL:HG21	1.77	0.48
1:C:162:LEU:HD21	1:C:252:TYR:H	1.78	0.48
1:C:97:TRP:CZ2	1:C:328:PRO:HG3	2.48	0.48
1:B:142:TYR:HE2	1:B:168:ARG:HG2	1.78	0.48
1:C:11:PHE:CG	1:C:211:PRO:HG3	2.49	0.48
1:B:125:LEU:HG	1:B:174:ARG:O	2.14	0.47
1:F:279:PHE:CG	1:F:280:PRO:HD3	2.48	0.47
1:E:151:ALA:HA	1:E:162:LEU:HD23	1.96	0.47
1:F:341:VAL:HG21	1:F:390:GLU:HB2	1.96	0.47
1:C:164:VAL:O	1:C:226:ASN:ND2	2.48	0.47
1:B:11:PHE:CG	1:B:211:PRO:HG3	2.50	0.47
1:B:135:ASN:ND2	5:B:602:HOH:O	2.28	0.47
1:C:175:ASP:OD2	1:C:293:LYS:HE3	2.14	0.47
1:E:72:GLN:HG3	1:E:82:LYS:HG3	1.95	0.47
1:B:299:HIS:ND1	1:B:300:ARG:O	2.37	0.47
1:D:322:ALA:HB1	1:D:346:MET:HG2	1.95	0.47
1:D:7:ASP:OD2	1:D:300:ARG:NH2	2.48	0.47
1:B:148:VAL:HG22	1:B:205:ILE:HG12	1.98	0.46
1:C:175:ASP:OD1	1:C:175:ASP:N	2.47	0.46
1:D:421:PRO:O	1:D:435:HIS:HB2	2.15	0.46
1:C:97:TRP:HB3	1:C:331:LYS:HE3	1.98	0.46
1:E:37:ALA:HB3	1:E:53:PHE:HZ	1.80	0.46
1:B:205:ILE:HB	1:B:261:LEU:HB2	1.97	0.46
1:B:202:PRO:HB3	1:B:248:TYR:CE2	2.51	0.46
1:B:360:ARG:HG2	1:B:361:TYR:CD2	2.51	0.46
1:E:424:PRO:O	1:F:453:ARG:NH1	2.49	0.46
1:C:203:ILE:HD11	1:C:292:VAL:HG11	1.98	0.45
1:F:348:THR:O	1:F:351:ILE:HG13	2.15	0.45
1:D:348:THR:O	1:D:351:ILE:HG13	2.17	0.45
1:A:104:PRO:HD3	1:A:229:GLU:HG2	1.97	0.45
1:C:176:ARG:HD2	1:C:291:GLU:OE1	2.17	0.45
1:F:123:ILE:HD13	1:F:294:ILE:HG22	1.98	0.45
1:F:205:ILE:HB	1:F:261:LEU:HB2	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:269:VAL:O	1:B:270:ARG:NH1	2.50	0.45
1:F:172:LYS:HZ1	1:F:271:THR:HG23	1.82	0.45
1:D:358:LYS:HA	1:D:390:GLU:HG3	1.98	0.45
1:E:336:THR:HG23	1:E:337:MET:HG3	1.99	0.45
1:B:275:PRO:HB3	1:B:284:SER:O	2.17	0.45
1:D:4:VAL:HG22	1:D:235:GLN:HB3	1.97	0.45
1:F:337:MET:HE1	1:F:368:VAL:HA	1.98	0.45
1:F:7:ASP:OD1	1:F:10:GLU:HG3	2.16	0.44
1:F:266:ILE:HB	1:F:269:VAL:CG1	2.47	0.44
1:D:137:GLN:O	1:D:275:PRO:HG2	2.17	0.44
1:F:184:MET:O	1:F:188:ALA:N	2.51	0.44
1:B:142:TYR:CE2	1:B:168:ARG:HG2	2.51	0.44
1:B:173:ASP:OD1	1:B:174:ARG:N	2.44	0.44
1:D:279:PHE:CG	1:D:280:PRO:HD3	2.52	0.44
1:B:120:ASP:OD1	1:B:120:ASP:N	2.46	0.44
1:E:379:MET:HG2	1:E:421:PRO:HG2	2.00	0.44
1:F:464:THR:O	1:F:468:GLU:HG3	2.18	0.44
1:E:227:GLU:HG3	1:E:229:GLU:HB3	2.00	0.44
1:D:137:GLN:HB2	1:D:283:TYR:CZ	2.53	0.44
1:A:199:LYS:HE3	1:A:199:LYS:HB2	1.66	0.43
1:B:132:TYR:OH	1:B:307:ASN:HB3	2.18	0.43
1:D:336:THR:OG1	1:D:371:ARG:NH1	2.51	0.43
1:F:11:PHE:CG	1:F:211:PRO:HG3	2.53	0.43
1:F:201:LEU:HD12	1:F:202:PRO:HD2	2.00	0.43
1:B:279:PHE:CG	1:B:280:PRO:HD3	2.53	0.43
1:E:403:ALA:O	1:E:407:ARG:HB2	2.19	0.43
1:C:125:LEU:HD11	1:C:294:ILE:HD13	2.01	0.43
1:C:174:ARG:HD2	5:C:642:HOH:O	2.18	0.43
1:C:279:PHE:CG	1:C:280:PRO:HD3	2.53	0.43
1:D:77:MET:HG3	1:D:211:PRO:HB2	1.99	0.43
1:D:390:GLU:CD	1:D:390:GLU:H	2.21	0.43
1:C:169:ILE:HG23	1:C:177:VAL:HB	2.00	0.43
1:E:206:THR:HG21	1:E:254:PRO:HD2	2.00	0.43
1:C:75:ALA:HB2	1:C:89:GLN:NE2	2.34	0.43
1:E:419:ASN:ND2	5:E:611:HOH:O	2.52	0.43
1:A:29:ASN:O	1:A:33:ASP:HB2	2.19	0.43
1:F:422:GLY:HA2	1:F:435:HIS:ND1	2.33	0.43
1:A:168:ARG:HD2	1:A:276:PHE:CD2	2.54	0.43
1:B:168:ARG:NH2	1:B:180:GLN:OE1	2.52	0.43
1:C:113:PRO:O	1:C:300:ARG:HG2	2.19	0.43
1:D:200:PRO:HB3	1:D:264:HIS:CD2	2.54	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:177:VAL:HG12	1:F:292:VAL:HB	2.00	0.43
1:B:296:ARG:O	1:B:297:ILE:HD13	2.18	0.43
1:E:215:PHE:CZ	1:E:324:ASN:HB3	2.54	0.43
1:A:75:ALA:HB2	1:A:89:GLN:NE2	2.34	0.43
1:D:145:LYS:HE2	1:D:214:THR:HG21	2.00	0.43
1:A:279:PHE:CG	1:A:280:PRO:HD3	2.53	0.42
1:A:22:ILE:HD11	1:B:475:LEU:HD13	2.00	0.42
1:C:13:GLU:O	1:C:17:GLN:HG3	2.18	0.42
1:B:359:VAL:HG13	1:B:364:TYR:HB3	2.00	0.42
1:A:6:LYS:NZ	1:A:241:ASP:H	2.17	0.42
1:A:317:ILE:HD12	1:A:317:ILE:HA	1.90	0.42
1:E:458:LEU:HD13	1:F:311:GLY:HA2	2.02	0.42
1:C:373:LEU:HD22	1:C:437:LYS:HE3	2.00	0.42
1:D:265:ILE:HG12	1:D:292:VAL:HG22	2.02	0.42
1:D:97:TRP:HB3	1:D:331:LYS:HE3	2.01	0.42
1:A:436:THR:HG22	1:B:410:PRO:HB2	2.01	0.42
1:B:206:THR:HG21	1:B:254:PRO:HD2	2.01	0.42
1:C:336:THR:HG21	1:C:371:ARG:NH1	2.35	0.42
1:C:377:HIS:O	1:C:380:PRO:HD2	2.20	0.42
1:D:72:GLN:HG3	1:D:82:LYS:HG3	2.01	0.42
1:E:145:LYS:HE2	1:E:214:THR:HG21	2.02	0.42
1:C:77:MET:HG3	1:C:211:PRO:HB2	2.01	0.42
1:C:223:TYR:CZ	1:C:328:PRO:HB2	2.55	0.42
1:E:279:PHE:CG	1:E:280:PRO:HD3	2.54	0.42
1:A:455:THR:HG21	1:B:427:PRO:HB3	2.02	0.41
1:E:34:ILE:HD11	1:E:56:ILE:HG12	2.02	0.41
1:E:53:PHE:O	1:E:62:SER:HB2	2.20	0.41
1:F:31:GLU:HA	1:F:32:PRO:HA	1.88	0.41
1:B:113:PRO:O	1:B:300:ARG:HG2	2.20	0.41
1:D:416:ILE:CD1	1:D:438:MET:HG3	2.51	0.41
1:E:336:THR:HG21	1:E:371:ARG:HE	1.86	0.41
1:F:93:LEU:HB3	1:F:327:VAL:HG21	2.02	0.41
1:C:322:ALA:HB1	1:C:346:MET:HG2	2.02	0.41
1:D:431:PRO:HA	1:D:432:PRO:HD3	1.98	0.41
1:D:168:ARG:HD3	5:D:552:HOH:O	2.21	0.41
1:E:11:PHE:CD2	1:E:211:PRO:HG3	2.56	0.41
1:C:169:ILE:HD13	1:C:205:ILE:HD13	2.02	0.41
1:C:471:LEU:HD22	1:D:22:ILE:HD11	2.03	0.41
1:F:164:VAL:O	1:F:226:ASN:HB3	2.20	0.41
1:A:339:GLU:OE2	1:A:360:ARG:HD3	2.21	0.41
1:A:310:LEU:HD13	1:A:317:ILE:HG21	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:6:LYS:HA	1:D:6:LYS:HD2	1.76	0.41
1:D:80:LEU:HD21	1:D:92:GLU:HG2	2.03	0.41
1:D:164:VAL:O	1:D:226:ASN:HB3	2.21	0.41
1:E:137:GLN:O	1:E:275:PRO:HG2	2.20	0.41
1:F:329:LEU:HD23	1:F:329:LEU:HA	1.94	0.41
1:A:413:ASP:HB3	1:A:441:ASP:O	2.22	0.41
1:B:134:ILE:HG22	1:B:135:ASN:ND2	2.36	0.41
1:C:149:VAL:HB	1:C:204:ALA:HB3	2.03	0.41
1:C:311:GLY:HA2	1:D:458:LEU:HD13	2.03	0.41
1:C:313:PRO:HG2	1:D:402:TRP:CD1	2.55	0.41
1:D:425:LEU:HD23	1:D:425:LEU:HA	1.75	0.41
1:D:349:HIS:CE1	1:D:377:HIS:HE1	2.40	0.40
1:E:181:ALA:HB2	1:E:290:CYS:SG	2.61	0.40
1:B:164:VAL:O	1:B:226:ASN:HB3	2.21	0.40
1:C:212:LEU:HD23	1:C:212:LEU:HA	1.89	0.40
1:D:449:GLU:HA	1:D:450:PRO:HD3	1.97	0.40
1:E:390:GLU:HG2	1:E:391:PHE:N	2.35	0.40
1:E:457:LEU:HD23	1:E:457:LEU:HA	1.91	0.40
1:B:37:ALA:HB3	1:B:53:PHE:HZ	1.84	0.40
1:B:137:GLN:HB2	1:B:283:TYR:CE1	2.56	0.40
1:B:313:PRO:HA	1:B:314:TRP:HA	1.80	0.40
1:B:322:ALA:HB1	1:B:346:MET:SD	2.60	0.40
1:C:85:SER:O	1:C:89:GLN:HG3	2.21	0.40
1:E:92:GLU:O	1:E:96:ARG:HG3	2.22	0.40
1:A:113:PRO:O	1:A:116:GLU:HG3	2.21	0.40
1:B:85:SER:O	1:B:89:GLN:HG3	2.22	0.40
1:B:168:ARG:HG3	1:B:276:PHE:CD2	2.56	0.40
1:C:278:GLU:OE2	1:C:284:SER:HB3	2.20	0.40
1:F:180:GLN:HA	1:F:289:GLN:NE2	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	463/480 (96%)	446 (96%)	17 (4%)	0	100	100
1	B	462/480 (96%)	453 (98%)	9 (2%)	0	100	100
1	C	465/480 (97%)	455 (98%)	10 (2%)	0	100	100
1	D	473/480 (98%)	464 (98%)	9 (2%)	0	100	100
1	E	453/480 (94%)	439 (97%)	14 (3%)	0	100	100
1	F	467/480 (97%)	456 (98%)	11 (2%)	0	100	100
2	a	55/58 (95%)	54 (98%)	1 (2%)	0	100	100
2	b	46/58 (79%)	43 (94%)	2 (4%)	1 (2%)	6	9
2	c	55/58 (95%)	53 (96%)	2 (4%)	0	100	100
2	d	55/58 (95%)	55 (100%)	0	0	100	100
2	e	55/58 (95%)	54 (98%)	1 (2%)	0	100	100
2	f	55/58 (95%)	53 (96%)	2 (4%)	0	100	100
All	All	3104/3228 (96%)	3025 (98%)	78 (2%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	b	618	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	386/419 (92%)	381 (99%)	5 (1%)	69	82
1	B	358/419 (85%)	354 (99%)	4 (1%)	73	85
1	C	362/419 (86%)	352 (97%)	10 (3%)	43	61
1	D	394/419 (94%)	389 (99%)	5 (1%)	69	82
1	E	364/419 (87%)	355 (98%)	9 (2%)	47	66
1	F	369/419 (88%)	358 (97%)	11 (3%)	41	59
2	a	52/53 (98%)	50 (96%)	2 (4%)	33	49

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	b	16/53 (30%)	14 (88%)	2 (12%)	4	6
2	c	41/53 (77%)	40 (98%)	1 (2%)	49	67
2	d	48/53 (91%)	46 (96%)	2 (4%)	30	45
2	e	38/53 (72%)	38 (100%)	0	100	100
2	f	42/53 (79%)	38 (90%)	4 (10%)	8	12
All	All	2470/2832 (87%)	2415 (98%)	55 (2%)	52	70

All (55) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	287	ARG
1	A	361	TYR
1	A	425	LEU
1	A	435	HIS
1	A	456	GLN
1	B	245	SER
1	B	372	LEU
1	B	423	MET
1	B	435	HIS
1	C	9	ARG
1	C	98	ASP
1	C	152	ASP
1	C	236	ASP
1	C	245	SER
1	C	308	LEU
1	C	361	TYR
1	C	372	LEU
1	C	425	LEU
1	C	435	HIS
1	D	157	ASP
1	D	174	ARG
1	D	236	ASP
1	D	435	HIS
1	D	462	ASP
1	E	114	CYS
1	E	236	ASP
1	E	243	VAL
1	E	245	SER
1	E	308	LEU
1	E	336	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	372	LEU
1	E	425	LEU
1	E	453	ARG
1	F	33	ASP
1	F	82	LYS
1	F	168	ARG
1	F	177	VAL
1	F	216	MET
1	F	236	ASP
1	F	245	SER
1	F	356	SER
1	F	361	TYR
1	F	435	HIS
1	F	462	ASP
2	a	615	VAL
2	a	646	LYS
2	b	617	SER
2	b	628	CYS
2	c	613	LYS
2	d	601	MET
2	d	621	ASP
2	f	608	SER
2	f	621	ASP
2	f	628	CYS
2	f	640	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	225	GLN
1	B	135	ASN
1	B	163	ASN
1	B	209	ASN
1	C	17	GLN
1	C	209	ASN
1	C	226	ASN
1	D	160	ASN
1	D	377	HIS
1	E	29	ASN
1	E	377	HIS
1	E	419	ASN
1	F	17	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	289	GLN
2	c	610	ASN
2	f	604	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 11 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	467/480 (97%)	-0.01	5 (1%) 80 79	16, 27, 76, 119	0
1	B	468/480 (97%)	0.26	23 (4%) 29 26	16, 46, 96, 128	0
1	C	471/480 (98%)	0.35	23 (4%) 29 26	19, 50, 90, 113	0
1	D	475/480 (98%)	-0.14	0 100 100	20, 37, 67, 110	0
1	E	461/480 (96%)	0.17	19 (4%) 37 33	20, 44, 82, 118	0
1	F	471/480 (98%)	0.06	9 (1%) 66 63	21, 44, 88, 113	0
2	a	57/58 (98%)	0.08	0 100 100	21, 30, 71, 85	0
2	b	48/58 (82%)	1.19	11 (22%) 0 0	58, 79, 94, 104	0
2	c	57/58 (98%)	0.86	6 (10%) 6 4	47, 60, 91, 101	0
2	d	57/58 (98%)	-0.06	0 100 100	30, 41, 60, 75	0
2	e	57/58 (98%)	0.85	8 (14%) 2 2	46, 60, 87, 102	0
2	f	57/58 (98%)	0.47	3 (5%) 26 23	43, 58, 83, 96	0
All	All	3146/3228 (97%)	0.16	107 (3%) 45 41	16, 43, 86, 128	0

All (107) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	b	643	VAL	3.5
1	B	153	PRO	3.4
1	F	294	ILE	3.4
1	B	58	GLY	3.3
1	B	171	VAL	3.3
2	e	651	ASP	3.3
1	C	196	ALA	3.2
2	c	638	THR	3.2
1	E	452	PRO	3.2
2	b	632	CYS	3.1
2	e	608	SER	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	199	LYS	3.1
1	E	159	PHE	3.0
2	f	649	LEU	3.0
1	F	200	PRO	3.0
1	A	221	VAL	3.0
2	b	649	LEU	2.9
1	E	297	ILE	2.9
1	E	155	TYR	2.9
2	e	654	ILE	2.9
1	C	162	LEU	2.9
1	B	265	ILE	2.9
1	C	152	ASP	2.8
1	B	292	VAL	2.8
1	E	122	ASP	2.8
1	C	237	GLY	2.8
2	c	639	GLU	2.8
2	b	609	ASP	2.8
1	C	292	VAL	2.8
1	B	30	PRO	2.7
1	C	239	PRO	2.7
1	C	151	ALA	2.7
2	b	650	ASP	2.7
1	F	223	TYR	2.7
1	C	183	ALA	2.6
1	F	3	LYS	2.6
1	B	223	TYR	2.6
1	B	286	ALA	2.6
1	F	186	ASP	2.6
1	E	269	VAL	2.6
1	B	269	VAL	2.6
1	C	200	PRO	2.5
2	b	637	SER	2.5
1	B	290	CYS	2.5
1	E	178	GLY	2.5
1	C	191	LEU	2.5
1	B	203	ILE	2.5
1	B	266	ILE	2.5
1	A	462	ASP	2.5
1	B	129	LEU	2.5
1	B	28	VAL	2.4
2	c	637	SER	2.4
1	C	294	ILE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	f	612	ARG	2.4
1	C	124	ASN	2.4
1	E	112	ALA	2.4
2	e	622	ALA	2.4
2	c	622	ALA	2.4
2	c	621	ASP	2.4
1	C	107	VAL	2.4
1	E	194	ALA	2.4
2	c	615	VAL	2.4
1	B	132	TYR	2.3
1	E	100	PHE	2.3
1	F	292	VAL	2.3
2	b	635	TRP	2.3
1	C	267	PRO	2.3
1	E	298	THR	2.3
2	e	642	VAL	2.3
1	B	173	ASP	2.3
1	E	288	LEU	2.3
1	B	305	PHE	2.3
1	C	295	ASP	2.3
2	b	610	ASN	2.2
1	A	471	LEU	2.2
2	e	652	ASN	2.2
1	E	179	ILE	2.2
1	E	162	LEU	2.2
1	E	175	ASP	2.2
1	E	128	ILE	2.2
2	f	643	VAL	2.2
1	F	101	PRO	2.2
2	b	641	PRO	2.2
1	F	240	MET	2.2
1	B	125	LEU	2.2
1	C	189	VAL	2.1
1	C	221	VAL	2.1
1	C	2	ALA	2.1
2	e	655	ALA	2.1
1	A	160	ASN	2.1
1	B	122	ASP	2.1
1	B	53	PHE	2.1
1	C	171	VAL	2.1
1	E	63	VAL	2.1
1	E	148	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	275	PRO	2.1
2	b	633	TYR	2.1
1	B	31	GLU	2.1
1	C	178	GLY	2.1
1	E	189	VAL	2.0
1	C	240	MET	2.0
1	B	289	GLN	2.0
1	C	251	LEU	2.0
2	b	639	GLU	2.0
2	e	650	ASP	2.0
1	F	160	ASN	2.0
1	A	222	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NA	A	501	1/1	0.82	0.23	49,49,49,49	0
4	ZN	b	701	1/1	0.85	0.09	84,84,84,84	0
3	NA	E	501	1/1	0.86	0.21	41,41,41,41	0
3	NA	C	501	1/1	0.88	0.26	31,31,31,31	0
3	NA	F	501	1/1	0.89	0.15	43,43,43,43	0
4	ZN	c	701	1/1	0.90	0.22	100,100,100,100	0
3	NA	B	501	1/1	0.94	0.24	28,28,28,28	0
4	ZN	d	701	1/1	0.95	0.19	56,56,56,56	0
4	ZN	e	701	1/1	0.98	0.07	69,69,69,69	0
4	ZN	f	701	1/1	0.98	0.09	56,56,56,56	0
4	ZN	a	701	1/1	0.99	0.15	28,28,28,28	0

6.5 Other polymers

There are no such residues in this entry.