



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 12, 2023 – 07:21 pm BST

PDB ID : 8AEN
Title : Human acetylcholinesterase in complex with zinc and N,N,N-trimethyl-2-oxo-2-(2-(pyridin-2-ylmethylene)hydrazineyl)ethan-1-aminium
Authors : Nachon, F.; Dias, J.; Brazzolotto, X.
Deposited on : 2022-07-13
Resolution : 3.01 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.33
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.33


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2399 (3.04-3.00)
Clashscore	141614	2734 (3.04-3.00)
Ramachandran outliers	138981	2640 (3.04-3.00)
Sidechain outliers	138945	2643 (3.04-3.00)
RSRZ outliers	127900	2287 (3.04-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	543	 83% 15%
1	B	543	 79% 19%
2	C	3	 33% 33% 33%
2	F	3	 33% 67%
3	D	2	 50% 50%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	E	3	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	FUC	F	3	-	-	-	X
4	NAG	E	1	-	-	-	X
8	CL	B	622	-	-	X	-

2 Entry composition [i](#)


There are 10 unique types of molecules in this entry. The entry contains 8794 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetylcholinesterase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	533	Total 4158	C 2669	N 728	O 748	S 13	0	1	0
1	B	535	Total 4161	C 2671	N 727	O 750	S 13	0	0	0

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	C	3	Total 38	C 22	N 2	O 14	0	0	0
2	F	3	Total 38	C 22	N 2	O 14	0	0	0

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	D	2	Total 28	C 16	N 2	O 10	0	0	0

- Molecule 4 is an oligosaccharide called N-acetyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	E	3	46	25	2	19	0	0	0

- Molecule 5 is N,N,N-trimethyl-2-oxo-2-(2-(pyridin-2-ylmethylene)hydrazineyl)ethan-1-aminium (three-letter code: LWL) (formula: C₁₁H₁₇N₄O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
5	A	1	16	11	4	1	0	0
5	B	1	16	11	4	1	0	0

- Molecule 6 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Zn		
6	A	3	3	3	0	0
6	B	1	1	1	0	0

- Molecule 7 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	A	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		
7	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 8 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	17	Total	Cl	0	0
			17	17		
8	B	19	Total	Cl	0	0
			19	19		

- Molecule 9 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	5	Total	Mg	0	0
			5	5		
9	B	7	Total	Mg	0	0
			7	7		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	80	Total	O	0	0
			80	80		
10	B	56	Total	O	0	0
			56	56		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Acetylcholinesterase



- Molecule 1: Acetylcholinesterase



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  33% 67%

MAG1
MAG2
FUC3

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  50% 50%

MAG1
MAG2

- Molecule 4: N-acetyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  33% 33% 33%

MAG1
GAL2
SIA3

4 Data and refinement statistics

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, α , β , γ	210.85Å 210.85Å 114.76Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	91.30 – 3.01 182.60 – 3.01	Depositor EDS
% Data completeness (in resolution range)	99.7 (91.30-3.01) 95.1 (182.60-3.01)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.18 (at 3.01Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.162 , 0.196 0.163 , 0.196	Depositor DCC
R_{free} test set	2831 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å ²)	74.0	Xtrriage
Anisotropy	0.653	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 69.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.022 for h,-h-k,-l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8794	wwPDB-VP
Average B, all atoms (Å ²)	87.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.32% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, MG, ZN, NAG, SIA, LWL, GAL, FUC, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.52	0/4288	0.71	1/5860 (0.0%)
1	B	0.49	0/4289	0.68	0/5863
All	All	0.50	0/8577	0.70	1/11723 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	138	LEU	CB-CG-CD2	-5.81	101.12	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4158	0	4045	61	0
1	B	4161	0	4043	68	0
2	C	38	0	34	1	0
2	F	38	0	34	1	0
3	D	28	0	25	1	0
4	E	46	0	40	1	0
5	A	16	0	0	0	0
5	B	16	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	A	3	0	0	0	0
6	B	1	0	0	0	0
7	A	55	0	0	1	0
7	B	50	0	0	1	0
8	A	17	0	0	0	0
8	B	19	0	0	5	0
9	A	5	0	0	0	0
9	B	7	0	0	0	0
10	A	80	0	0	2	0
10	B	56	0	0	2	0
All	All	8794	0	8221	130	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (130) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:24:THR:HG22	1:B:26:GLY:H	1.31	0.95
1:B:44:PRO:O	1:B:274:ARG:NH1	2.15	0.78
1:A:24:THR:HG22	1:A:26:GLY:H	1.48	0.78
1:B:381:HIS:CD2	8:B:622:CL:CL	2.80	0.71
1:A:143:ARG:NH2	7:A:610:SO4:O3	2.24	0.70
1:B:24:THR:HG22	1:B:26:GLY:N	2.08	0.68
1:B:305:GLY:HA2	1:B:309:SER:HA	1.75	0.67
1:B:491:GLU:HB3	1:B:494:ASP:HB3	1.77	0.67
1:A:381:HIS:CE1	8:B:622:CL:CL	2.85	0.66
1:A:466:THR:HG22	1:A:468:GLU:N	2.11	0.66
1:B:376:GLU:O	1:B:380:LEU:HG	1.98	0.63
1:B:213:LEU:HD22	1:B:324:LEU:HD21	1.78	0.63
1:A:66:GLN:HG3	1:A:67:SER:H	1.64	0.62
1:A:291:GLN:O	1:A:291:GLN:HG2	1.99	0.62
1:A:13:ARG:HD2	1:A:185:GLU:OE2	1.99	0.62
1:A:24:THR:HB	1:A:27:GLY:O	2.00	0.61
1:B:348:LYS:NZ	1:B:349:ASP:OD1	2.32	0.61
1:B:381:HIS:NE2	8:B:622:CL:CL	2.70	0.61
1:A:466:THR:HG22	1:A:468:GLU:H	1.67	0.60
1:A:347:SER:HB2	2:C:1:NAG:H62	1.84	0.60
1:B:203:SER:OG	1:B:204:ALA:N	2.34	0.60
1:B:328:VAL:O	1:B:427:ALA:HA	2.02	0.60
1:A:162:PRO:HD2	1:A:245:ARG:HG2	1.83	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:247:ARG:HD3	1:B:298:SER:HB2	1.84	0.59
1:A:380:LEU:HD23	1:A:385:TRP:CZ2	2.39	0.58
2:F:1:NAG:H62	2:F:3:FUC:O2	2.03	0.57
1:B:291:GLN:NE2	1:B:295:PHE:O	2.37	0.57
1:B:458:PRO:HA	1:B:465:TYR:CD1	2.40	0.57
1:A:66:GLN:HG2	1:A:98:TYR:CE1	2.40	0.56
1:B:24:THR:HB	1:B:27:GLY:O	2.06	0.56
1:A:24:THR:HG22	1:A:26:GLY:N	2.19	0.55
1:A:433:ARG:HG3	1:A:437:LEU:HD23	1.88	0.55
1:A:66:GLN:HG2	1:A:98:TYR:CD1	2.42	0.55
1:A:543:THR:HG22	1:B:543:THR:HG22	1.88	0.55
1:A:106:PRO:HG2	1:A:143:ARG:HH12	1.72	0.54
1:A:452:GLU:HG3	10:A:708:HOH:O	2.06	0.54
1:A:113:PRO:HG3	1:A:485:ARG:HG2	1.88	0.54
1:A:381:HIS:HE1	8:B:622:CL:CL	2.26	0.54
1:A:328:VAL:O	1:A:427:ALA:HA	2.08	0.54
1:A:66:GLN:HG2	1:A:98:TYR:CZ	2.43	0.53
1:B:113:PRO:HG3	1:B:485:ARG:HG2	1.89	0.53
1:B:177:ARG:NH1	4:E:3:SIA:O1B	2.41	0.53
1:B:270:VAL:HG12	1:B:274:ARG:HE	1.74	0.53
1:B:80:PHE:HD2	1:B:83:THR:HG23	1.73	0.53
1:B:207:ALA:O	1:B:211:MET:HG3	2.09	0.53
1:B:45:ARG:NE	1:B:51:GLU:OE2	2.40	0.53
1:B:292:GLU:O	1:B:342:GLY:HA3	2.10	0.52
1:B:511:VAL:HB	1:B:518:LEU:HD22	1.91	0.52
1:A:245:ARG:HH22	1:A:266:ASP:CG	2.14	0.51
1:A:458:PRO:HA	1:A:465:TYR:CD2	2.45	0.51
1:B:413:GLN:HG3	7:B:608:SO4:O1	2.11	0.50
1:B:172:GLY:O	1:B:175:ASP:HB2	2.12	0.50
1:B:433:ARG:HG3	1:B:437:LEU:HD23	1.93	0.50
1:B:466:THR:HG22	1:B:468:GLU:H	1.77	0.50
1:B:387:HIS:HD2	10:B:755:HOH:O	1.95	0.49
1:B:310:ASP:OD1	1:B:311:THR:N	2.43	0.49
1:A:80:PHE:O	1:A:84:GLU:HG2	2.12	0.49
1:B:466:THR:O	1:B:470:LYS:HG3	2.13	0.49
1:B:162:PRO:HG2	1:B:241:MET:HB3	1.95	0.49
1:B:68:VAL:HG23	1:B:90:ARG:HB2	1.93	0.49
1:A:66:GLN:HG2	1:A:98:TYR:CE2	2.48	0.48
1:B:105:TYR:HB3	1:B:106:PRO:HD3	1.94	0.48
1:A:66:GLN:HG2	1:A:98:TYR:CG	2.49	0.48
1:A:373:LEU:HD23	1:A:543:THR:HG21	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:329:GLY:HA3	1:A:428:TYR:CE1	2.50	0.47
1:A:453:PHE:HB3	1:A:476:LEU:HD12	1.96	0.47
1:A:534:ARG:HH11	1:A:534:ARG:HG2	1.80	0.47
1:B:164:SER:C	1:B:166:GLU:H	2.18	0.47
1:A:329:GLY:HA3	1:A:428:TYR:CZ	2.51	0.46
1:B:198:THR:HG23	1:B:224:ARG:HB2	1.98	0.46
1:A:271:ALA:O	1:A:275:THR:HG23	2.15	0.46
1:A:295:PHE:CZ	1:A:338:PHE:HB3	2.50	0.46
1:B:264:GLY:O	1:B:268:GLU:HG2	2.15	0.46
1:B:518:LEU:HD23	1:B:518:LEU:HA	1.79	0.46
1:A:139:VAL:HG22	1:A:144:THR:O	2.15	0.46
1:B:138:LEU:HD23	1:B:146:LEU:HD12	1.98	0.46
1:B:68:VAL:HG13	1:B:127:ALA:HB2	1.98	0.45
1:A:343:ALA:HA	1:A:344:PRO:HD3	1.85	0.45
1:B:200:PHE:CB	1:B:226:VAL:HB	2.46	0.45
1:A:509:GLN:HG3	10:A:716:HOH:O	2.16	0.45
3:D:2:NAG:H83	3:D:2:NAG:H3	1.99	0.45
1:A:180:LEU:HD21	1:A:199:LEU:HD21	1.99	0.45
1:A:324:LEU:HG	1:A:326:VAL:HG23	1.99	0.45
1:B:332:LYS:HD3	1:B:431:GLU:HB2	1.99	0.45
1:A:66:GLN:HG2	1:A:98:TYR:CD2	2.52	0.45
1:B:16:ARG:HB3	1:B:59:VAL:HG12	1.98	0.45
1:A:510:TYR:CZ	1:A:521:ARG:HB2	2.51	0.45
1:B:326:VAL:HG12	1:B:328:VAL:HG23	2.00	0.44
1:B:447:HIS:CD2	5:B:601:LWL:O07	2.71	0.44
1:B:202:GLU:HA	1:B:228:GLN:O	2.18	0.44
1:B:213:LEU:HA	1:B:219:ARG:HD3	1.99	0.43
1:B:374:ALA:HA	1:B:539:LEU:HD21	1.99	0.43
1:A:200:PHE:HB2	1:A:226:VAL:HB	2.00	0.43
1:B:77:TYR:CZ	1:B:348:LYS:HG2	2.53	0.43
1:B:274:ARG:HD2	10:B:748:HOH:O	2.18	0.43
1:B:453:PHE:HB3	1:B:476:LEU:HD12	2.01	0.43
1:A:339:LEU:HD13	1:A:346:PHE:CZ	2.54	0.43
1:A:346:PHE:CZ	1:A:354:ILE:HG13	2.54	0.43
1:A:466:THR:HB	1:A:469:GLU:HB2	2.00	0.42
1:B:389:GLU:HB2	8:B:616:CL:CL	2.55	0.42
1:B:200:PHE:HB2	1:B:226:VAL:HB	2.01	0.42
1:B:49:PRO:HB3	1:B:174:LEU:CD1	2.49	0.42
1:B:325:GLN:HG2	1:B:487:GLY:HA3	2.01	0.42
1:A:45:ARG:HA	1:A:48:LEU:HD12	2.00	0.42
1:B:228:GLN:HG2	1:B:428:TYR:OH	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:113:PRO:HG2	1:A:144:THR:HG22	2.02	0.42
1:B:24:THR:HG23	1:B:25:PRO:HD2	2.00	0.41
1:B:525:ARG:HB3	1:B:528:ALA:HB3	2.01	0.41
1:A:306:ASP:HB3	1:A:307:PHE:H	1.55	0.41
1:B:293:SER:HB3	1:B:295:PHE:CE2	2.55	0.41
1:A:202:GLU:HA	1:A:228:GLN:O	2.21	0.41
1:A:366:GLY:HA3	1:A:402:VAL:HG12	2.03	0.41
1:B:12:VAL:HG12	1:B:14:GLY:H	1.85	0.41
1:B:164:SER:O	1:B:165:ARG:HB3	2.20	0.41
1:A:245:ARG:NH2	1:A:266:ASP:OD1	2.54	0.41
1:B:224:ARG:HD3	1:B:487:GLY:HA2	2.02	0.41
1:A:459:LEU:HD23	1:A:459:LEU:HA	1.78	0.41
1:B:432:HIS:CE1	1:B:515:LEU:HD11	2.55	0.41
1:A:200:PHE:CB	1:A:226:VAL:HB	2.50	0.41
1:A:322:HIS:HA	1:A:422:GLY:O	2.21	0.41
1:A:203:SER:OG	1:A:204:ALA:N	2.54	0.41
1:A:431:GLU:OE2	1:A:521:ARG:NH1	2.50	0.41
1:A:226:VAL:HA	1:A:327:LEU:O	2.22	0.40
1:A:374:ALA:O	1:A:378:VAL:HG23	2.21	0.40
1:A:68:VAL:HG23	1:A:90:ARG:HB2	2.01	0.40
1:A:491:GLU:HG3	1:A:492:PRO:HD2	2.04	0.40
1:B:289:LEU:HA	1:B:289:LEU:HD23	1.74	0.40
1:B:466:THR:HG22	1:B:467:ALA:N	2.36	0.40
1:B:146:LEU:HD23	1:B:147:VAL:N	2.37	0.40
1:B:68:VAL:HG11	1:B:88:PRO:HB3	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	530/543 (98%)	500 (94%)	30 (6%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	531/543 (98%)	503 (95%)	26 (5%)	2 (0%)	34	71
All	All	1061/1086 (98%)	1003 (94%)	56 (5%)	2 (0%)	47	81

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	495	PRO
1	B	492	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	434/438 (99%)	432 (100%)	2 (0%)	88	96
1	B	434/438 (99%)	430 (99%)	4 (1%)	78	92
All	All	868/876 (99%)	862 (99%)	6 (1%)	84	94

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	356	ARG
1	A	494	ASP
1	B	72	TYR
1	B	196	SER
1	B	200	PHE
1	B	381	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	381	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

11 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	1	2,1	14,14,15	0.42	0	17,19,21	1.00	1 (5%)
2	NAG	C	2	2	14,14,15	0.33	0	17,19,21	0.54	0
2	FUC	C	3	2	10,10,11	1.69	3 (30%)	14,14,16	1.33	1 (7%)
3	NAG	D	1	3,1	14,14,15	0.95	1 (7%)	17,19,21	0.59	0
3	NAG	D	2	3	14,14,15	0.72	0	17,19,21	1.50	3 (17%)
4	NAG	E	1	4	15,15,15	0.25	0	21,21,21	0.71	0
4	GAL	E	2	4	11,11,12	1.20	0	15,15,17	1.50	3 (20%)
4	SIA	E	3	4	20,20,21	1.99	3 (15%)	24,28,31	2.00	8 (33%)
2	NAG	F	1	2,1	14,14,15	0.35	0	17,19,21	0.94	1 (5%)
2	NAG	F	2	2	14,14,15	0.78	1 (7%)	17,19,21	0.50	0
2	FUC	F	3	2	10,10,11	2.22	4 (40%)	14,14,16	1.38	2 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2,1	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	2	2	-	2/6/23/26	0/1/1/1
2	FUC	C	3	2	-	-	0/1/1/1
3	NAG	D	1	3,1	-	4/6/23/26	0/1/1/1
3	NAG	D	2	3	-	4/6/23/26	0/1/1/1
4	NAG	E	1	4	-	3/6/26/26	0/1/1/1
4	GAL	E	2	4	-	2/2/19/22	0/1/1/1
4	SIA	E	3	4	-	6/18/34/38	0/1/1/1
2	NAG	F	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	F	2	2	-	4/6/23/26	0/1/1/1
2	FUC	F	3	2	-	-	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	E	3	SIA	C2-C1	6.78	1.58	1.52
2	F	3	FUC	C1-C2	4.75	1.63	1.52
4	E	3	SIA	O6-C2	3.66	1.48	1.43
2	F	3	FUC	C4-C5	3.09	1.59	1.52
2	F	3	FUC	C2-C3	2.93	1.56	1.52
3	D	1	NAG	C1-C2	2.90	1.56	1.52
2	C	3	FUC	C4-C5	2.89	1.59	1.52
2	C	3	FUC	C2-C3	2.57	1.56	1.52
2	F	2	NAG	O5-C1	2.55	1.47	1.43
2	C	3	FUC	O5-C5	2.53	1.49	1.43
2	F	3	FUC	C4-C3	2.09	1.57	1.52
4	E	3	SIA	C7-C6	2.01	1.55	1.53

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	3	SIA	O1A-C1-C2	-5.08	110.58	122.57
4	E	3	SIA	C6-O6-C2	4.67	121.32	111.34
3	D	2	NAG	C2-N2-C7	4.58	129.42	122.90
4	E	2	GAL	O5-C1-C2	-3.66	105.12	110.77
2	F	3	FUC	O2-C2-C1	3.41	116.12	109.15
2	C	3	FUC	O5-C5-C4	3.02	114.94	109.52
4	E	3	SIA	O6-C2-C3	-2.91	106.46	110.46
4	E	3	SIA	O1B-C1-O1A	2.84	130.54	124.09
2	C	1	NAG	C1-O5-C5	2.73	115.89	112.19
4	E	3	SIA	C4-C5-N5	-2.66	105.10	110.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	2	NAG	C1-O5-C5	2.63	115.76	112.19
2	F	3	FUC	O5-C5-C4	2.43	113.89	109.52
4	E	3	SIA	C6-C5-N5	2.43	114.94	110.91
4	E	2	GAL	O3-C3-C2	2.39	114.58	109.99
2	F	1	NAG	C1-O5-C5	2.37	115.41	112.19
3	D	2	NAG	C1-C2-N2	2.37	114.53	110.49
4	E	3	SIA	O4-C4-C3	2.26	115.55	109.94
4	E	2	GAL	C1-C2-C3	-2.20	106.96	109.67
4	E	3	SIA	O1B-C1-C2	2.05	118.87	113.03

There are no chirality outliers.

All (31) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	E	3	SIA	C5-C6-C7-O7
4	E	3	SIA	O6-C6-C7-O7
2	F	1	NAG	C4-C5-C6-O6
2	F	2	NAG	O5-C5-C6-O6
2	C	2	NAG	O5-C5-C6-O6
4	E	2	GAL	O5-C5-C6-O6
3	D	1	NAG	C4-C5-C6-O6
2	F	1	NAG	O5-C5-C6-O6
2	F	2	NAG	C4-C5-C6-O6
3	D	1	NAG	O5-C5-C6-O6
2	F	1	NAG	C8-C7-N2-C2
2	F	1	NAG	O7-C7-N2-C2
2	F	2	NAG	C8-C7-N2-C2
2	F	2	NAG	O7-C7-N2-C2
3	D	1	NAG	C8-C7-N2-C2
3	D	1	NAG	O7-C7-N2-C2
3	D	2	NAG	C8-C7-N2-C2
3	D	2	NAG	O7-C7-N2-C2
4	E	1	NAG	C8-C7-N2-C2
4	E	1	NAG	O7-C7-N2-C2
4	E	3	SIA	C11-C10-N5-C5
4	E	3	SIA	O10-C10-N5-C5
3	D	2	NAG	O5-C5-C6-O6
2	C	2	NAG	C4-C5-C6-O6
4	E	1	NAG	O5-C5-C6-O6
4	E	3	SIA	C6-C7-C8-C9
2	C	1	NAG	C3-C2-N2-C7
4	E	2	GAL	C4-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	D	2	NAG	C3-C2-N2-C7
2	C	1	NAG	C1-C2-N2-C7
4	E	3	SIA	O7-C7-C8-C9


There are no ring outliers.


5 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	1	NAG	1	0
2	F	3	FUC	1	0
4	E	3	SIA	1	0
3	D	2	NAG	1	0
2	C	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

Of 75 ligands modelled in this entry, 52 are monoatomic - leaving 23 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	SO4	B	603	-	4,4,4	0.22	0	6,6,6	0.26	0
7	SO4	A	608	-	4,4,4	0.19	0	6,6,6	0.19	0
7	SO4	A	603	-	4,4,4	0.18	0	6,6,6	0.22	0
7	SO4	B	604	-	4,4,4	0.25	0	6,6,6	0.44	0
7	SO4	A	604	-	4,4,4	0.23	0	6,6,6	0.36	0
7	SO4	A	612	-	4,4,4	0.20	0	6,6,6	0.32	0
7	SO4	A	613	9	4,4,4	0.32	0	6,6,6	0.42	0
7	SO4	B	606	-	4,4,4	0.22	0	6,6,6	0.23	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	SO4	A	610	-	4,4,4	0.28	0	6,6,6	0.15	0
7	SO4	B	611	-	4,4,4	0.11	0	6,6,6	0.20	0
7	SO4	B	608	-	4,4,4	0.28	0	6,6,6	0.37	0
7	SO4	A	606	-	4,4,4	0.29	0	6,6,6	0.29	0
7	SO4	B	605	-	4,4,4	0.26	0	6,6,6	0.11	0
7	SO4	B	610	-	4,4,4	0.17	0	6,6,6	0.47	0
7	SO4	B	612	-	4,4,4	0.24	0	6,6,6	0.34	0
7	SO4	A	611	-	4,4,4	0.14	0	6,6,6	0.33	0
7	SO4	A	609	-	4,4,4	0.27	0	6,6,6	0.29	0
7	SO4	B	609	-	4,4,4	0.24	0	6,6,6	0.24	0
5	LWL	A	601	6	16,16,16	1.63	2 (12%)	20,21,21	2.80	5 (25%)
7	SO4	A	605	-	4,4,4	0.24	0	6,6,6	0.62	0
5	LWL	B	601	6	16,16,16	1.61	3 (18%)	20,21,21	2.79	4 (20%)
7	SO4	B	607	-	4,4,4	0.20	0	6,6,6	0.32	0
7	SO4	A	607	-	4,4,4	0.22	0	6,6,6	0.56	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	LWL	A	601	6	-	6/11/11/11	0/1/1/1
5	LWL	B	601	6	-	6/11/11/11	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	601	LWL	C06-N08	4.40	1.41	1.35
5	B	601	LWL	C06-N08	4.04	1.41	1.35
5	B	601	LWL	C11-N16	2.18	1.39	1.35
5	A	601	LWL	C03-N02	2.10	1.56	1.50
5	B	601	LWL	C05-C06	2.10	1.55	1.52

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	601	LWL	C06-N08-N09	-8.63	106.67	120.05
5	B	601	LWL	C06-N08-N09	-8.42	106.99	120.05
5	A	601	LWL	O07-C06-N08	5.99	133.38	122.02
5	B	601	LWL	O07-C06-N08	5.63	132.70	122.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	601	LWL	O07-C06-C05	-5.12	112.80	122.42
5	A	601	LWL	O07-C06-C05	-4.38	114.18	122.42
5	B	601	LWL	C01-N02-C05	2.58	116.20	109.91
5	A	601	LWL	C15-N16-C11	2.25	120.22	117.37
5	A	601	LWL	C04-N02-C01	-2.17	103.39	108.97

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	601	LWL	N09-C10-C11-C12
5	A	601	LWL	N09-C10-C11-N16
5	A	601	LWL	C06-C05-N02-C01
5	A	601	LWL	C06-C05-N02-C03
5	A	601	LWL	C06-C05-N02-C04
5	B	601	LWL	N09-C10-C11-C12
5	B	601	LWL	N09-C10-C11-N16
5	B	601	LWL	C06-C05-N02-C01
5	B	601	LWL	C06-C05-N02-C03
5	B	601	LWL	C06-C05-N02-C04
5	B	601	LWL	C06-N08-N09-C10
5	A	601	LWL	C06-N08-N09-C10


There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	610	SO4	1	0
7	B	608	SO4	1	0
5	B	601	LWL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.



5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	533/543 (98%)	0.35	0	100 100	60, 80, 112, 170	0
1	B	535/543 (98%)	0.37	6 (1%)	80 55	61, 84, 121, 208	0
All	All	1068/1086 (98%)	0.36	6 (0%)	89 72	60, 82, 119, 208	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	259	PRO	3.6
1	B	493	ARG	2.5
1	B	292	GLU	2.4
1	B	380	LEU	2.1
1	B	542	ALA	2.1
1	B	543	THR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	E	1	15/15	0.55	0.45	196,201,214,216	0
2	FUC	F	3	10/11	0.64	0.43	164,177,184,185	0
3	NAG	D	2	14/15	0.70	0.24	174,183,190,192	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	NAG	F	2	14/15	0.79	0.35	125,147,154,155	0
4	GAL	E	2	11/12	0.83	0.24	171,178,185,187	0
2	FUC	C	3	10/11	0.84	0.29	137,146,149,150	0
3	NAG	D	1	14/15	0.85	0.12	129,147,163,167	0
2	NAG	C	2	14/15	0.85	0.25	123,141,143,147	0
4	SIA	E	3	20/21	0.87	0.35	167,173,179,182	0
2	NAG	F	1	14/15	0.91	0.32	130,138,152,160	0
2	NAG	C	1	14/15	0.92	0.21	117,126,132,140	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain F:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain D:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	CL	A	627	1/1	0.42	0.11	127,127,127,127	0
8	CL	B	620	1/1	0.43	0.19	122,122,122,122	0
9	MG	B	633	1/1	0.46	0.39	105,105,105,105	0
9	MG	A	634	1/1	0.47	0.17	108,108,108,108	0
9	MG	B	637	1/1	0.57	0.09	122,122,122,122	0
9	MG	A	633	1/1	0.60	0.29	105,105,105,105	0
8	CL	B	621	1/1	0.66	0.12	132,132,132,132	0
9	MG	B	632	1/1	0.67	0.15	78,78,78,78	0
7	SO4	B	606	5/5	0.68	0.19	156,158,170,171	0
8	CL	B	618	1/1	0.69	0.11	108,108,108,108	0
8	CL	B	613	1/1	0.72	0.19	93,93,93,93	0
8	CL	B	616	1/1	0.72	0.15	103,103,103,103	0
8	CL	B	626	1/1	0.73	0.15	111,111,111,111	0
8	CL	B	614	1/1	0.73	0.09	123,123,123,123	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	CL	B	624	1/1	0.73	0.10	115,115,115,115	0
8	CL	A	626	1/1	0.74	0.20	95,95,95,95	0
9	MG	B	638	1/1	0.76	0.22	99,99,99,99	0
7	SO4	A	608	5/5	0.77	0.27	96,99,104,107	5
8	CL	A	614	1/1	0.77	0.13	109,109,109,109	0
8	CL	B	625	1/1	0.78	0.15	115,115,115,115	0
7	SO4	B	603	5/5	0.80	0.42	132,141,155,158	0
8	CL	B	628	1/1	0.80	0.21	114,114,114,114	0
7	SO4	A	609	5/5	0.81	0.24	89,92,101,110	5
8	CL	A	616	1/1	0.81	0.15	109,109,109,109	0
8	CL	A	628	1/1	0.81	0.21	111,111,111,111	0
9	MG	A	637	1/1	0.81	0.24	64,64,64,64	0
8	CL	A	615	1/1	0.82	0.12	105,105,105,105	0
8	CL	B	619	1/1	0.82	0.28	97,97,97,97	0
7	SO4	B	609	5/5	0.82	0.27	135,137,150,151	0
8	CL	A	624	1/1	0.83	0.12	96,96,96,96	0
8	CL	B	631	1/1	0.83	0.34	111,111,111,111	0
8	CL	A	629	1/1	0.83	0.10	104,104,104,104	0
8	CL	B	627	1/1	0.83	0.17	109,109,109,109	0
9	MG	A	636	1/1	0.83	0.34	98,98,98,98	0
9	MG	B	635	1/1	0.84	0.39	107,107,107,107	0
8	CL	B	615	1/1	0.84	0.17	99,99,99,99	0
7	SO4	A	611	5/5	0.84	0.24	96,96,106,108	5
9	MG	B	634	1/1	0.85	0.19	89,89,89,89	0
7	SO4	B	612	5/5	0.86	0.11	120,126,136,140	0
8	CL	B	617	1/1	0.86	0.28	106,106,106,106	0
8	CL	B	630	1/1	0.87	0.14	120,120,120,120	0
7	SO4	A	604	5/5	0.87	0.21	116,117,130,134	0
7	SO4	A	612	5/5	0.87	0.21	99,103,106,112	5
8	CL	B	629	1/1	0.87	0.16	92,92,92,92	0
8	CL	A	623	1/1	0.88	0.18	92,92,92,92	0
7	SO4	B	610	5/5	0.88	0.14	127,127,143,143	0
8	CL	A	618	1/1	0.88	0.20	93,93,93,93	0
8	CL	A	621	1/1	0.89	0.23	102,102,102,102	0
9	MG	B	636	1/1	0.89	0.16	93,93,93,93	0
8	CL	B	623	1/1	0.90	0.26	103,103,103,103	0
7	SO4	A	606	5/5	0.90	0.10	121,128,137,144	0
7	SO4	A	613	5/5	0.90	0.21	106,113,117,123	0
7	SO4	B	611	5/5	0.90	0.19	103,104,111,112	5
7	SO4	B	607	5/5	0.91	0.11	130,130,132,140	0
7	SO4	B	605	5/5	0.91	0.18	111,116,126,130	0
6	ZN	A	631	1/1	0.91	0.22	116,116,116,116	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
6	ZN	A	632	1/1	0.92	0.21	117,117,117,117	0
7	SO4	A	603	5/5	0.92	0.17	91,92,105,109	5
9	MG	A	635	1/1	0.92	0.13	108,108,108,108	0
7	SO4	A	607	5/5	0.92	0.17	104,105,120,123	0
8	CL	A	619	1/1	0.93	0.12	111,111,111,111	0
8	CL	A	620	1/1	0.93	0.19	109,109,109,109	0
8	CL	A	617	1/1	0.93	0.17	115,115,115,115	0
8	CL	A	625	1/1	0.94	0.39	103,103,103,103	0
8	CL	A	630	1/1	0.94	0.24	84,84,84,84	0
8	CL	B	622	1/1	0.94	0.14	89,89,89,89	0
7	SO4	A	605	5/5	0.94	0.14	96,97,111,114	0
7	SO4	B	608	5/5	0.95	0.15	92,92,104,110	0
7	SO4	A	610	5/5	0.96	0.10	113,118,122,130	0
7	SO4	B	604	5/5	0.96	0.17	85,89,101,102	0
8	CL	A	622	1/1	0.96	0.26	107,107,107,107	0
5	LWL	B	601	16/16	0.98	0.36	89,94,99,100	0
5	LWL	A	601	16/16	0.99	0.43	71,76,84,87	0
6	ZN	A	602	1/1	0.99	0.28	69,69,69,69	0
6	ZN	B	602	1/1	0.99	0.25	83,83,83,83	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ZN A 631:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN A 632:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LWL B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LWL A 601:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ZN A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.