



wwPDB X-ray Structure Validation Summary Report

Oct 17, 2023 – 02:13 PM EDT

PDB ID : 2B8H
Title : A/NWS/whale/Maine/1/84 (H1N9) reassortant influenza virus neuraminidase
Authors : Smith, B.J.; Platis, D.; Cox, M.M.J.; Huyton, T.; Joosten, R.P.; McKimm-Breschkin, J.L.; Zhang, J.-G.; Luo, C.S.; Lou, M.-Z.; Garrett, T.P.J.; Labrou, N.E.
Deposited on : 2005-10-07
Resolution : 2.20 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	388	 89% 10% ..
1	B	388	 89% 10% .
1	C	388	 91% 9% .
1	D	388	 84% 14% .
2	E	2	 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	G	2	
2	I	2	
2	K	2	
3	F	9	
3	J	9	
3	L	9	
4	H	10	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	I	2	-	-	-	X

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 14424 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Neuraminidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	388	Total 3069	C 1910	N 539	O 595	S 25	0	4	0
1	B	388	Total 3067	C 1908	N 540	O 594	S 25	0	4	0
1	C	388	Total 3067	C 1909	N 540	O 593	S 25	0	4	0
1	D	388	Total 3082	C 1919	N 544	O 594	S 25	0	6	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	368	VAL	ILE	conflict	UNP P05803
B	368	VAL	ILE	conflict	UNP P05803
C	368	VAL	ILE	conflict	UNP P05803
D	368	VAL	ILE	conflict	UNP P05803

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	E	2	Total 28	C 16	N 2	O 10	0	0	0
2	G	2	Total 28	C 16	N 2	O 10	0	0	0
2	I	2	Total 28	C 16	N 2	O 10	0	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	K	2	28	16	2	10	0	0	0

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	F	9	105	58	2	45	0	0	0
3	J	9	105	58	2	45	0	0	0
3	L	9	105	58	2	45	0	0	0

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	H	10	116	64	2	50	0	0	0

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
5	A	1	Total 14	C 8	N 1	O 5	0	0
5	B	1	Total 14	C 8	N 1	O 5	0	0
5	C	1	Total 14	C 8	N 1	O 5	0	0
5	D	1	Total 14	C 8	N 1	O 5	0	0

- Molecule 6 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	C	1	Total O S 5 4 1	0	0
6	D	1	Total O S 5 4 1	0	0
6	D	1	Total O S 5 4 1	0	0
6	D	1	Total O S 5 4 1	0	0
6	D	1	Total O S 5 4 1	0	0
6	D	1	Total O S 5 4 1	0	0
6	D	1	Total O S 5 4 1	0	0

- Molecule 7 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total Cl 1 1	0	0
7	B	1	Total Cl 1 1	0	0
7	C	1	Total Cl 1 1	0	0
7	D	1	Total Cl 1 1	0	0

- Molecule 8 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C O 6 3 3	0	0
8	A	1	Total C O 6 3 3	0	0
8	A	1	Total C O 6 3 3	0	0


- Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	369	Total O 369 369	0	0
9	B	315	Total O 315 315	0	0
9	C	324	Total O 324 324	0	0
9	D	365	Total O 365 365	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Neuraminidase




- Molecule 1: Neuraminidase



- Molecule 1: Neuraminidase



- Molecule 1: Neuraminidase





- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G: 50% 50%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I: 100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K: 50% 50%


MAG1
MAG2

- Molecule 3: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F: 100%


MAG1
MAG2
BMA3
MAN4
MAN5
MAN6
MAN7
MAN8
MAN9

- Molecule 3: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  89% 11%


MAG1
MAG2
BMA3
MAN4
MAN5
MAN6
MAN7
MAN8
MAN9

- Molecule 3: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  78% 22%

MAG1
MAG2
BMA3
MAN4
MAN5
MAN6
MAN7
MAN8
MAN9

- Molecule 4: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  90% 10%

MAG1
MAG2
BMA3
MAN4
MAN5
MAN6
MAN7
MAN8
MAN9
MAN10

4 Data and refinement statistics i

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	107.52Å 107.52Å 338.49Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 2.20 19.95 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.7 (20.00-2.20) 99.7 (19.95-2.20)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.21 (at 2.19Å)	Xtrriage
Refinement program	REFMAC 5.2.0003	Depositor
R, R_{free}	0.139 , 0.189 0.152 , 0.153	Depositor DCC
R_{free} test set	5837 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	21.1	Xtrriage
Anisotropy	0.003	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 52.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.025 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	14424	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.65% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, MAN, CL, SO4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.11	7/3169 (0.2%)	0.99	9/4316 (0.2%)
1	B	1.10	2/3167 (0.1%)	0.98	7/4314 (0.2%)
1	C	1.13	5/3169 (0.2%)	0.98	8/4315 (0.2%)
1	D	1.15	8/3195 (0.3%)	1.02	7/4352 (0.2%)
All	All	1.12	22/12700 (0.2%)	0.99	31/17297 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1
1	D	0	1
All	All	0	2

The worst 5 of 22 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	128	GLU	CD-OE2	8.05	1.34	1.25
1	D	319	CYS	CB-SG	-7.90	1.68	1.82
1	A	128	GLU	CG-CD	7.25	1.62	1.51
1	C	128	GLU	CD-OE2	6.97	1.33	1.25
1	C	319	CYS	CB-SG	-6.88	1.70	1.82

The worst 5 of 31 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	156	ARG	NE-CZ-NH2	-14.08	113.26	120.30
1	D	156	ARG	NE-CZ-NH1	12.58	126.59	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	156	ARG	NE-CZ-NH2	-11.53	114.54	120.30
1	A	156	ARG	NE-CZ-NH1	11.17	125.88	120.30
1	C	293	ARG	NE-CZ-NH1	9.74	125.17	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	270	THR	Peptide
1	D	246	SER	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3069	0	2880	23	0
1	B	3067	0	2878	21	0
1	C	3067	0	2878	20	0
1	D	3082	0	2891	37	0
2	E	28	0	25	0	0
2	G	28	0	25	1	0
2	I	28	0	25	0	0
2	K	28	0	25	1	0
3	F	105	0	87	1	0
3	J	105	0	88	1	0
3	L	105	0	88	2	0
4	H	116	0	97	1	0
5	A	14	0	13	1	0
5	B	14	0	13	1	0
5	C	14	0	13	1	0
5	D	14	0	13	0	0
6	A	40	0	0	1	0
6	B	30	0	0	1	0
6	C	45	0	0	3	0
6	D	30	0	0	0	0
7	A	1	0	0	0	0
7	B	1	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	C	1	0	0	0	0
7	D	1	0	0	0	0
8	A	18	0	24	1	0
9	A	369	0	0	3	1
9	B	315	0	0	5	0
9	C	324	0	0	4	0
9	D	365	0	0	10	1
All	All	14424	0	12063	105	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 105 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:275:HIS:HB3	1:B:295[A]:ASN:HD21	1.04	1.16
1:B:275:HIS:HB3	1:B:295[A]:ASN:ND2	1.78	0.98
6:A:2516:SO4:O1	9:A:5368:HOH:O	1.84	0.93
1:B:271:GLY:O	1:B:274:LYS:NZ	2.02	0.93
6:B:3516:SO4:O4	9:B:3772:HOH:O	1.86	0.93

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:A:5115:HOH:O	9:D:4752:HOH:O[4_565]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	390/388 (100%)	374 (96%)	16 (4%)	0	100	100
1	B	390/388 (100%)	369 (95%)	19 (5%)	2 (0%)	29	31
1	C	390/388 (100%)	366 (94%)	24 (6%)	0	100	100
1	D	392/388 (101%)	365 (93%)	23 (6%)	4 (1%)	15	14
All	All	1562/1552 (101%)	1474 (94%)	82 (5%)	6 (0%)	34	37

5 of 6 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	249	GLY
1	B	348	GLY
1	D	348	GLY
1	D	246	SER
1	B	347	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	343/340 (101%)	338 (98%)	5 (2%)	65	78
1	B	343/340 (101%)	333 (97%)	10 (3%)	42	54
1	C	343/340 (101%)	332 (97%)	11 (3%)	39	50
1	D	345/340 (102%)	336 (97%)	9 (3%)	46	58
All	All	1374/1360 (101%)	1339 (98%)	35 (2%)	49	60

5 of 35 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	200	ASN
1	D	234[A]	GLN
1	D	284	GLU
1	B	389	LYS
1	B	346	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 10 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	200	ASN
1	D	297	GLN
1	D	347	ASN
1	B	235	ASN
1	C	95	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

45 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	E	1	2,1	14,14,15	1.26	2 (14%)	17,19,21	1.80	4 (23%)
2	NAG	E	2	2	14,14,15	0.76	0	17,19,21	1.29	2 (11%)
3	NAG	F	1	3,1	14,14,15	1.12	1 (7%)	17,19,21	1.48	3 (17%)
3	NAG	F	2	3	14,14,15	1.21	1 (7%)	17,19,21	1.82	6 (35%)
3	BMA	F	3	3	11,11,12	0.92	0	15,15,17	0.93	0
3	MAN	F	4	3	11,11,12	0.73	0	15,15,17	1.87	5 (33%)
3	MAN	F	5	3	11,11,12	1.36	1 (9%)	15,15,17	1.63	3 (20%)
3	MAN	F	6	3	11,11,12	0.90	0	15,15,17	1.49	3 (20%)
3	MAN	F	7	3	11,11,12	1.12	1 (9%)	15,15,17	1.51	2 (13%)
3	MAN	F	8	3	11,11,12	1.19	1 (9%)	15,15,17	1.56	3 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	MAN	F	9	3	11,11,12	0.86	0	15,15,17	2.61	7 (46%)
2	NAG	G	1	2,1	14,14,15	1.06	1 (7%)	17,19,21	1.82	4 (23%)
2	NAG	G	2	2	14,14,15	0.71	0	17,19,21	1.73	2 (11%)
4	NAG	H	1	1,4	14,14,15	1.26	2 (14%)	17,19,21	1.86	7 (41%)
4	MAN	H	10	4	11,11,12	0.68	0	15,15,17	1.57	3 (20%)
4	NAG	H	2	4	14,14,15	0.93	0	17,19,21	1.66	3 (17%)
4	BMA	H	3	4	11,11,12	1.02	1 (9%)	15,15,17	1.44	2 (13%)
4	MAN	H	4	4	11,11,12	1.31	2 (18%)	15,15,17	2.04	3 (20%)
4	MAN	H	5	4	11,11,12	0.97	0	15,15,17	1.41	4 (26%)
4	MAN	H	6	4	11,11,12	0.58	0	15,15,17	1.12	1 (6%)
4	MAN	H	7	4	11,11,12	0.96	1 (9%)	15,15,17	1.37	3 (20%)
4	MAN	H	8	4	11,11,12	0.84	0	15,15,17	1.12	1 (6%)
4	MAN	H	9	4	11,11,12	0.78	0	15,15,17	1.44	1 (6%)
2	NAG	I	1	2,1	14,14,15	1.41	2 (14%)	17,19,21	2.28	5 (29%)
2	NAG	I	2	2	14,14,15	1.17	1 (7%)	17,19,21	2.95	3 (17%)
3	NAG	J	1	3,1	14,14,15	0.89	0	17,19,21	1.62	6 (35%)
3	NAG	J	2	3	14,14,15	1.18	1 (7%)	17,19,21	1.35	2 (11%)
3	BMA	J	3	3	11,11,12	1.33	2 (18%)	15,15,17	1.59	3 (20%)
3	MAN	J	4	3	11,11,12	1.10	1 (9%)	15,15,17	2.31	6 (40%)
3	MAN	J	5	3	11,11,12	1.11	1 (9%)	15,15,17	1.23	2 (13%)
3	MAN	J	6	3	11,11,12	1.08	0	15,15,17	1.43	1 (6%)
3	MAN	J	7	3	11,11,12	1.20	2 (18%)	15,15,17	0.96	1 (6%)
3	MAN	J	8	3	11,11,12	0.76	0	15,15,17	1.37	1 (6%)
3	MAN	J	9	3	11,11,12	1.06	0	15,15,17	2.27	4 (26%)
2	NAG	K	1	2,1	14,14,15	0.99	1 (7%)	17,19,21	2.16	6 (35%)
2	NAG	K	2	2	14,14,15	0.82	0	17,19,21	1.68	4 (23%)
3	NAG	L	1	3,1	14,14,15	1.16	2 (14%)	17,19,21	1.43	3 (17%)
3	NAG	L	2	3	14,14,15	0.94	1 (7%)	17,19,21	1.89	6 (35%)
3	BMA	L	3	3	11,11,12	0.76	0	15,15,17	0.98	1 (6%)
3	MAN	L	4	3	11,11,12	1.37	1 (9%)	15,15,17	1.84	4 (26%)
3	MAN	L	5	3	11,11,12	0.91	1 (9%)	15,15,17	1.69	4 (26%)
3	MAN	L	6	3	11,11,12	0.89	0	15,15,17	1.21	1 (6%)
3	MAN	L	7	3	11,11,12	0.87	0	15,15,17	1.26	1 (6%)
3	MAN	L	8	3	11,11,12	0.72	0	15,15,17	1.45	1 (6%)
3	MAN	L	9	3	11,11,12	1.04	1 (9%)	15,15,17	1.44	3 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	E	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1
3	NAG	F	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	F	2	3	-	0/6/23/26	0/1/1/1
3	BMA	F	3	3	-	0/2/19/22	0/1/1/1
3	MAN	F	4	3	-	0/2/19/22	0/1/1/1
3	MAN	F	5	3	-	0/2/19/22	0/1/1/1
3	MAN	F	6	3	-	0/2/19/22	0/1/1/1
3	MAN	F	7	3	-	0/2/19/22	0/1/1/1
3	MAN	F	8	3	-	2/2/19/22	0/1/1/1
3	MAN	F	9	3	-	1/2/19/22	0/1/1/1
2	NAG	G	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	G	2	2	-	2/6/23/26	0/1/1/1
4	NAG	H	1	1,4	-	0/6/23/26	0/1/1/1
4	MAN	H	10	4	-	0/2/19/22	0/1/1/1
4	NAG	H	2	4	-	0/6/23/26	0/1/1/1
4	BMA	H	3	4	-	0/2/19/22	0/1/1/1
4	MAN	H	4	4	-	0/2/19/22	0/1/1/1
4	MAN	H	5	4	-	0/2/19/22	0/1/1/1
4	MAN	H	6	4	-	0/2/19/22	0/1/1/1
4	MAN	H	7	4	-	0/2/19/22	0/1/1/1
4	MAN	H	8	4	-	0/2/19/22	0/1/1/1
4	MAN	H	9	4	-	0/2/19/22	0/1/1/1
2	NAG	I	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	I	2	2	-	4/6/23/26	0/1/1/1
3	NAG	J	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	J	2	3	-	0/6/23/26	0/1/1/1
3	BMA	J	3	3	-	0/2/19/22	0/1/1/1
3	MAN	J	4	3	-	0/2/19/22	0/1/1/1
3	MAN	J	5	3	-	0/2/19/22	0/1/1/1
3	MAN	J	6	3	-	0/2/19/22	0/1/1/1
3	MAN	J	7	3	-	0/2/19/22	0/1/1/1
3	MAN	J	8	3	-	0/2/19/22	0/1/1/1
3	MAN	J	9	3	-	2/2/19/22	0/1/1/1
2	NAG	K	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	K	2	2	-	2/6/23/26	0/1/1/1
3	NAG	L	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	L	2	3	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BMA	L	3	3	-	0/2/19/22	0/1/1/1
3	MAN	L	4	3	-	1/2/19/22	0/1/1/1
3	MAN	L	5	3	-	0/2/19/22	0/1/1/1
3	MAN	L	6	3	-	0/2/19/22	0/1/1/1
3	MAN	L	7	3	-	0/2/19/22	0/1/1/1
3	MAN	L	8	3	-	0/2/19/22	0/1/1/1
3	MAN	L	9	3	-	0/2/19/22	0/1/1/1

The worst 5 of 31 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	J	2	NAG	O5-C1	-3.72	1.37	1.43
2	I	2	NAG	C1-C2	3.60	1.57	1.52
2	I	1	NAG	O5-C1	-3.52	1.38	1.43
3	F	5	MAN	O3-C3	-3.48	1.34	1.43
2	E	1	NAG	O5-C1	-3.42	1.38	1.43

The worst 5 of 140 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	2	NAG	C1-O5-C5	10.67	126.65	112.19
3	J	9	MAN	O2-C2-C1	5.54	120.48	109.15
3	J	4	MAN	C1-O5-C5	5.40	119.50	112.19
3	F	9	MAN	O3-C3-C2	5.28	120.11	109.99
3	F	4	MAN	O2-C2-C1	-4.98	98.96	109.15

There are no chirality outliers.

5 of 16 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	J	9	MAN	O5-C5-C6-O6
2	G	2	NAG	O5-C5-C6-O6
3	J	9	MAN	C4-C5-C6-O6
2	G	2	NAG	C4-C5-C6-O6
2	I	2	NAG	C8-C7-N2-C2

There are no ring outliers.

7 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	J	3	BMA	1	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	L	3	BMA	1	0
3	L	6	MAN	1	0
3	F	3	BMA	1	0
2	K	1	NAG	1	0
2	G	2	NAG	1	0
4	H	3	BMA	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.




















5.6 Ligand geometry [i](#)

Of 40 ligands modelled in this entry, 4 are monoatomic - leaving 36 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	SO4	D	4519	-	4,4,4	0.65	0	6,6,6	0.83	0
6	SO4	C	3514	-	4,4,4	0.16	0	6,6,6	1.02	0
5	NAG	B	500	1	14,14,15	0.77	0	17,19,21	1.86	2 (11%)
6	SO4	B	2519	-	4,4,4	0.49	0	6,6,6	0.43	0
6	SO4	B	2514	-	4,4,4	0.15	0	6,6,6	0.64	0
6	SO4	C	3513	-	4,4,4	0.41	0	6,6,6	0.51	0
6	SO4	A	1518	-	4,4,4	0.23	0	6,6,6	1.06	1 (16%)
6	SO4	B	2513	-	4,4,4	0.42	0	6,6,6	0.53	0
6	SO4	A	1514	-	4,4,4	0.29	0	6,6,6	0.75	0
8	GOL	A	5002	-	5,5,5	0.77	0	5,5,5	1.30	1 (20%)
5	NAG	D	500	1	14,14,15	1.05	1 (7%)	17,19,21	2.02	7 (41%)
6	SO4	A	1515	-	4,4,4	0.23	0	6,6,6	0.66	0
6	SO4	D	4514	-	4,4,4	0.52	0	6,6,6	0.70	0
6	SO4	C	3521	-	4,4,4	0.45	0	6,6,6	0.74	0
6	SO4	D	1516	-	4,4,4	0.25	0	6,6,6	0.66	0
6	SO4	B	2520	-	4,4,4	0.09	0	6,6,6	0.72	0
6	SO4	C	4516	-	4,4,4	0.11	0	6,6,6	0.51	0
6	SO4	B	3516	-	4,4,4	0.20	0	6,6,6	0.82	0
8	GOL	A	5003	-	5,5,5	0.60	0	5,5,5	0.37	0
6	SO4	A	1520	-	4,4,4	0.12	0	6,6,6	0.91	0
6	SO4	A	1513	-	4,4,4	0.37	0	6,6,6	0.82	0
6	SO4	B	2515	-	4,4,4	0.48	0	6,6,6	0.62	0
6	SO4	C	3518	-	4,4,4	0.29	0	6,6,6	1.20	1 (16%)
6	SO4	D	4520	-	4,4,4	0.16	0	6,6,6	0.48	0
6	SO4	A	1519	-	4,4,4	0.39	0	6,6,6	0.38	0
6	SO4	A	2516	-	4,4,4	0.19	0	6,6,6	0.80	0
6	SO4	D	4513	-	4,4,4	0.56	0	6,6,6	0.63	0
5	NAG	C	500	1	14,14,15	0.63	0	17,19,21	1.37	1 (5%)
6	SO4	D	4515	-	4,4,4	0.43	0	6,6,6	0.85	0
6	SO4	C	3515	-	4,4,4	0.21	0	6,6,6	1.16	0
8	GOL	A	5001	-	5,5,5	0.74	0	5,5,5	0.89	0
6	SO4	A	1517	-	4,4,4	0.23	0	6,6,6	0.51	0
6	SO4	C	3520	-	4,4,4	0.22	0	6,6,6	0.62	0
6	SO4	C	3519	-	4,4,4	0.34	0	6,6,6	0.61	0
5	NAG	A	500	1	14,14,15	0.88	0	17,19,21	2.41	9 (52%)
6	SO4	C	3517	-	4,4,4	0.31	0	6,6,6	0.63	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	GOL	A	5002	-	-	2/4/4/4	-
5	NAG	D	500	1	-	2/6/23/26	0/1/1/1
8	GOL	A	5001	-	-	4/4/4/4	-
5	NAG	B	500	1	-	4/6/23/26	0/1/1/1
8	GOL	A	5003	-	-	0/4/4/4	-
5	NAG	A	500	1	-	2/6/23/26	0/1/1/1
5	NAG	C	500	1	-	4/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	500	NAG	C4-C5	2.42	1.58	1.53

The worst 5 of 22 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	500	NAG	O5-C5-C6	4.92	114.92	107.20
5	A	500	NAG	O5-C5-C6	4.65	114.50	107.20
5	D	500	NAG	C4-C3-C2	-4.22	104.83	111.02
5	B	500	NAG	C1-C2-N2	-4.04	103.59	110.49
5	A	500	NAG	O3-C3-C4	-3.89	101.36	110.35

There are no chirality outliers.

5 of 18 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	500	NAG	C8-C7-N2-C2
5	A	500	NAG	O7-C7-N2-C2
5	B	500	NAG	C8-C7-N2-C2
5	B	500	NAG	O7-C7-N2-C2
5	C	500	NAG	C8-C7-N2-C2

There are no ring outliers.

9 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	500	NAG	1	0
6	C	3521	SO4	1	0
6	C	4516	SO4	1	0
6	B	3516	SO4	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	A	5003	GOL	1	0
6	A	2516	SO4	1	0
5	C	500	NAG	1	0
6	C	3520	SO4	1	0
5	A	500	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	388/388 (100%)	-0.90	2 (0%) 91 90	11, 18, 31, 44	5 (1%)
1	B	388/388 (100%)	-0.75	7 (1%) 68 66	12, 20, 37, 53	5 (1%)
1	C	388/388 (100%)	-0.77	3 (0%) 86 85	12, 20, 43, 58	0
1	D	388/388 (100%)	-0.78	10 (2%) 56 53	11, 18, 38, 58	3 (0%)
All	All	1552/1552 (100%)	-0.80	22 (1%) 75 73	11, 19, 38, 58	13 (0%)

The worst 5 of 22 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	248	THR	9.2
1	D	250	PRO	5.4
1	D	247	ALA	5.1
1	B	346	ASN	4.5
1	D	249	GLY	4.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	I	2	14/15	0.62	0.45	63,67,69,69	0
2	NAG	G	2	14/15	0.81	0.31	44,52,57,59	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	NAG	K	2	14/15	0.82	0.33	46,51,55,56	0
3	MAN	J	9	11/12	0.84	0.27	46,51,56,57	0
2	NAG	K	1	14/15	0.85	0.18	25,33,47,47	0
4	MAN	H	9	11/12	0.86	0.32	52,56,57,57	0
4	MAN	H	8	11/12	0.88	0.31	44,50,54,56	0
2	NAG	E	2	14/15	0.88	0.33	43,51,56,58	0
4	MAN	H	10	11/12	0.88	0.24	49,52,53,55	0
2	NAG	I	1	14/15	0.89	0.20	33,44,48,58	0
2	NAG	G	1	14/15	0.89	0.18	33,39,47,48	0
4	MAN	H	7	11/12	0.90	0.14	35,39,44,44	0
3	MAN	F	9	11/12	0.90	0.28	43,48,50,53	0
2	NAG	E	1	14/15	0.90	0.15	30,37,41,45	0
3	MAN	L	9	11/12	0.90	0.15	35,38,41,43	0
3	MAN	J	8	11/12	0.92	0.24	32,39,44,46	0
3	MAN	L	8	11/12	0.93	0.18	32,35,38,39	0
4	NAG	H	2	14/15	0.93	0.10	17,22,26,38	0
3	NAG	F	1	14/15	0.95	0.09	15,18,27,29	0
4	MAN	H	4	11/12	0.95	0.10	16,20,26,33	0
3	NAG	J	1	14/15	0.95	0.08	20,21,25,26	0
3	NAG	L	2	14/15	0.95	0.08	17,21,25,31	0
3	MAN	J	4	11/12	0.95	0.12	18,22,24,31	0
3	MAN	J	7	11/12	0.95	0.15	29,35,38,42	0
4	NAG	H	1	14/15	0.96	0.10	18,22,25,26	0
3	NAG	F	2	14/15	0.96	0.08	15,18,24,24	0
3	MAN	F	4	11/12	0.96	0.09	16,19,25,26	0
4	MAN	H	5	11/12	0.96	0.10	22,28,32,33	0
3	NAG	J	2	14/15	0.96	0.07	17,21,27,32	0
3	MAN	F	8	11/12	0.96	0.19	32,36,38,43	0
3	MAN	J	5	11/12	0.96	0.11	18,21,26,27	0
3	MAN	J	6	11/12	0.96	0.10	16,19,22,22	0
3	MAN	L	6	11/12	0.97	0.07	19,21,23,23	0
3	NAG	L	1	14/15	0.97	0.10	17,22,28,30	0
4	MAN	H	6	11/12	0.97	0.09	18,25,26,26	0
3	MAN	F	5	11/12	0.97	0.06	18,20,22,24	0
3	MAN	L	4	11/12	0.97	0.10	16,21,28,34	0
3	MAN	L	5	11/12	0.97	0.09	18,20,24,27	0
4	BMA	H	3	11/12	0.97	0.07	20,22,28,29	0
3	BMA	J	3	11/12	0.98	0.09	18,23,25,29	0
3	BMA	L	3	11/12	0.98	0.06	20,24,26,26	0
3	MAN	F	6	11/12	0.98	0.07	15,17,18,21	0
3	MAN	F	7	11/12	0.98	0.15	21,26,32,37	0
3	BMA	F	3	11/12	0.98	0.06	14,19,22,23	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	MAN	L	7	11/12	0.98	0.12	24,27,29,31	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain I:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain L:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
6	SO4	A	1518	5/5	0.69	0.30	76,77,81,81	0
5	NAG	D	500	14/15	0.84	0.24	45,50,57,58	0
5	NAG	A	500	14/15	0.85	0.24	40,48,52,52	0
8	GOL	A	5003	6/6	0.85	0.21	56,56,58,59	0
5	NAG	C	500	14/15	0.86	0.27	47,55,58,59	0
5	NAG	B	500	14/15	0.87	0.25	45,50,59,61	0
8	GOL	A	5001	6/6	0.89	0.23	55,57,59,59	0
6	SO4	A	1515	5/5	0.89	0.24	50,54,57,60	0
6	SO4	D	4515	5/5	0.90	0.23	50,54,58,59	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
7	CL	A	1522	1/1	0.90	0.06	46,46,46,46	0
6	SO4	B	2513	5/5	0.91	0.25	70,71,73,75	0
6	SO4	C	3515	5/5	0.93	0.28	55,56,58,61	0
6	SO4	D	4513	5/5	0.93	0.19	55,59,62,63	0
8	GOL	A	5002	6/6	0.93	0.13	34,40,43,44	0
6	SO4	C	3513	5/5	0.93	0.27	63,65,66,67	0
7	CL	C	3522	1/1	0.94	0.04	50,50,50,50	0
6	SO4	B	3516	5/5	0.94	0.20	72,73,75,76	0
6	SO4	D	4520	5/5	0.94	0.24	63,64,64,64	0
6	SO4	B	2515	5/5	0.94	0.27	53,55,57,59	0
6	SO4	C	3519	5/5	0.95	0.30	57,61,61,63	0
6	SO4	A	1520	5/5	0.96	0.20	60,63,64,65	0
6	SO4	C	3517	5/5	0.96	0.30	59,61,64,66	0
6	SO4	B	2519	5/5	0.96	0.27	46,46,48,52	0
7	CL	D	4522	1/1	0.96	0.07	46,46,46,46	0
6	SO4	A	2516	5/5	0.96	0.23	60,61,62,64	0
6	SO4	D	4514	5/5	0.96	0.16	35,48,50,52	0
6	SO4	A	1517	5/5	0.96	0.29	53,56,58,59	0
6	SO4	C	3514	5/5	0.97	0.14	32,38,41,43	0
6	SO4	C	3520	5/5	0.97	0.31	63,64,65,67	0
7	CL	B	2522	1/1	0.97	0.05	45,45,45,45	0
6	SO4	D	1516	5/5	0.97	0.21	52,55,57,58	0
6	SO4	A	1513	5/5	0.98	0.13	40,41,47,47	0
6	SO4	C	4516	5/5	0.98	0.12	56,57,58,60	0
6	SO4	B	2520	5/5	0.98	0.25	47,50,52,52	0
6	SO4	D	4519	5/5	0.98	0.24	40,42,44,45	0
6	SO4	B	2514	5/5	0.99	0.15	40,41,45,45	0
6	SO4	A	1519	5/5	0.99	0.25	40,43,45,45	0
6	SO4	A	1514	5/5	0.99	0.07	29,29,32,32	0
6	SO4	C	3518	5/5	0.99	0.08	21,22,24,25	0
6	SO4	C	3521	5/5	1.00	0.08	17,20,21,23	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.