



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 28, 2024 – 06:25 PM EDT

PDB ID : 9BI1
Title : Crystal structure of GMPPNP bound KRAS G12D in complex with CYPA and RMC-7977
Authors : Pourfarjam, Y.; Goldgur, Y.; Cuevas-Navarro, A.; Lito, P.
Deposited on : 2024-04-22
Resolution : 1.65 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	2328 (1.66-1.66)
Clashscore	180529	2515 (1.66-1.66)
Ramachandran outliers	177936	2475 (1.66-1.66)
Sidechain outliers	177891	2475 (1.66-1.66)
RSRZ outliers	164620	2328 (1.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	170	
1	C	170	
2	B	166	
2	D	166	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	ZNI	B	201	X	-	-	-
5	ZNI	D	201	X	-	-	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 11241 atoms, of which 5238 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GTPase KRas.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
1	A	170	2694	849	1336	233	269	7	0	0	0
1	C	168	2657	838	1317	230	265	7	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLY	-	expression tag	UNP P01116
A	12	ASP	GLY	variant	UNP P01116
C	0	GLY	-	expression tag	UNP P01116
C	12	ASP	GLY	variant	UNP P01116


- Molecule 2 is a protein called Peptidyl-prolyl cis-trans isomerase A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
2	B	163	2468	792	1220	216	232	8	0	0	0
2	D	163	2467	792	1219	216	232	8	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	GLY	-	expression tag	UNP P62937
D	0	GLY	-	expression tag	UNP P62937

- Molecule 3 is PHOSPHOAMINOPHOSPHONIC ACID-GUANYLATE ESTER (three-letter code: GNP) (formula: C₁₀H₁₇N₆O₁₃P₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	H	N	O			P
3	A	1	45	10	13	6	13	3	0	0
3	C	1	45	10	13	6	13	3	0	0

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Mg		
4	A	1	1	1	0	0
4	C	1	1	1	0	0

- Molecule 5 is (1R,5S,6r)-N-[(1P,7S,9S,13S,20M)-20-{5-(4-cyclopropylpiperazin-1-yl)-2-[(1S)-1-methoxyethyl]pyridin-3-yl}-21-ethyl-17,17-dimethyl-8,14-dioxo-15-oxa-4-thia-9,21,27,28-tetraazapentacyclo[17.5.2.1 2,5 .1 9,13 .0 22,26]octacos-1(24),2,5(28),19,22,25-hexaen-7-yl]-3-oxabicyclo[3.1.0]hexane-6-carboxamide (three-letter code: ZNI) (formula: C₄₇H₆₀N₈O₆S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	H	N	O			S
5	B	1	Total	C	H	N	O	S	0	0
			122	47	60	8	6	1		
5	D	1	Total	C	H	N	O	S	0	0
			122	47	60	8	6	1		



- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	162	Total	O	0	0
			162	162		
6	B	191	Total	O	0	0
			191	191		
6	D	156	Total	O	0	0
			156	156		
6	C	110	Total	O	0	0
			110	110		



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: GTPase KRas




- Molecule 1: GTPase KRas



- Molecule 2: Peptidyl-prolyl cis-trans isomerase A



- Molecule 2: Peptidyl-prolyl cis-trans isomerase A



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	65.52Å 82.05Å 127.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	34.53 – 1.65 34.53 – 1.66	Depositor EDS
% Data completeness (in resolution range)	96.3 (34.53-1.65) 96.3 (34.53-1.66)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.10 (at 1.65Å)	Xtrriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
R, R_{free}	0.218 , 0.260 0.218 , 0.259	Depositor DCC
R_{free} test set	4214 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å ²)	24.9	Xtrriage
Anisotropy	0.249	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 41.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	11241	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZNI, GNP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.52	0/1379	0.71	0/1859
1	C	0.51	0/1361	0.69	0/1836
2	B	0.67	0/1276	0.79	1/1711 (0.1%)
2	D	0.52	0/1276	0.70	0/1711
All	All	0.56	0/5292	0.72	1/7117 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	B	61	MET	CG-SD-CE	-12.56	80.10	100.20

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	149	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1358	1336	1336	17	1
1	C	1340	1317	1317	35	0
2	B	1248	1220	1219	11	0
2	D	1248	1219	1219	15	0
3	A	32	13	13	1	0
3	C	32	13	13	2	0
4	A	1	0	0	0	0
4	C	1	0	0	0	0
5	B	62	60	0	0	0
5	D	62	60	0	0	0
6	A	162	0	0	9	5
6	B	191	0	0	4	8
6	C	110	0	0	17	1
6	D	156	0	0	8	5
All	All	6003	5238	5117	77	10

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (77) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:41:ARG:NH1	6:C:301:HOH:O	1.74	1.20
2:B:61:MET:SD	6:B:427:HOH:O	2.10	1.07
3:C:201:GNP:O2G	6:C:302:HOH:O	1.79	1.01
1:A:88:LYS:NZ	6:A:301:HOH:O	1.92	0.98
1:C:116:ASN:OD1	6:C:303:HOH:O	1.80	0.97
1:C:160:VAL:O	6:C:304:HOH:O	1.85	0.93
2:D:31:LYS:NZ	2:D:84:GLU:OE2	2.07	0.87
1:C:134:ALA:O	6:C:305:HOH:O	1.93	0.87
1:C:116:ASN:OD1	1:C:117:LYS:N	2.11	0.83
2:B:144:ARG:NH1	6:B:302:HOH:O	2.13	0.78
1:C:139:ILE:N	6:C:305:HOH:O	2.02	0.77
1:C:164:ARG:N	6:C:304:HOH:O	2.12	0.76
2:B:81:GLU:OE2	6:B:301:HOH:O	2.04	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:153:ASP:OD2	6:A:302:HOH:O	2.05	0.75
1:C:74:THR:O	6:C:306:HOH:O	2.05	0.75
1:C:138:GLY:O	6:C:307:HOH:O	2.06	0.74
1:C:133:LEU:HD11	1:C:137:TYR:OH	1.89	0.73
1:A:104:LYS:NZ	6:A:307:HOH:O	2.23	0.72
1:C:138:GLY:N	6:C:305:HOH:O	2.25	0.68
2:D:6:VAL:O	6:D:301:HOH:O	2.14	0.66
2:D:2:VAL:N	6:D:302:HOH:O	2.32	0.62
1:A:142:ILE:HD12	1:A:155:ALA:HA	1.83	0.61
1:C:22:GLN:HG3	1:C:149:ARG:HD3	1.81	0.61
1:A:12:ASP:OD1	6:A:303:HOH:O	2.16	0.60
2:B:61:MET:CE	6:B:427:HOH:O	2.46	0.59
1:C:68:ARG:NH2	6:C:309:HOH:O	2.19	0.59
1:C:41:ARG:NH2	6:C:311:HOH:O	2.31	0.59
1:C:86:ASN:ND2	6:C:313:HOH:O	2.34	0.58
2:D:21:SER:HB2	6:D:301:HOH:O	2.04	0.57
1:A:60:GLY:O	6:A:304:HOH:O	2.18	0.57
1:A:72:MET:O	1:A:104:LYS:HE2	2.04	0.57
2:D:69:ARG:HD3	1:C:31:GLU:OE2	2.05	0.57
1:C:14:VAL:O	1:C:116:ASN:ND2	2.38	0.56
1:A:29:VAL:O	1:A:29:VAL:HG23	2.06	0.56
1:C:133:LEU:HD11	1:C:137:TYR:CZ	2.41	0.55
2:D:84:GLU:H	2:D:84:GLU:CD	2.09	0.55
2:B:81:GLU:O	2:B:82:LYS:HD3	2.07	0.54
1:C:29:VAL:HG23	1:C:29:VAL:O	2.08	0.54
1:C:92:ASP:OD1	6:C:308:HOH:O	2.18	0.53
1:C:139:ILE:HG22	6:C:307:HOH:O	2.07	0.53
1:C:142:ILE:N	1:C:142:ILE:HD12	2.25	0.52
1:C:22:GLN:CG	1:C:149:ARG:HD3	2.41	0.51
1:C:35:THR:O	1:C:59:ALA:HB2	2.11	0.51
1:A:12:ASP:HB3	6:A:306:HOH:O	2.10	0.51
1:A:126:ASP:HB2	1:A:129:GLN:HB2	1.94	0.50
1:C:139:ILE:HG12	6:C:305:HOH:O	2.11	0.50
2:D:7:PHE:HB3	6:D:301:HOH:O	2.11	0.49
1:C:68:ARG:NE	6:C:309:HOH:O	2.40	0.48
2:B:82:LYS:HA	2:B:108:ASN:O	2.14	0.47
2:D:82:LYS:HA	2:D:108:ASN:O	2.16	0.46
2:B:97:ILE:HD13	2:B:131:LYS:HD2	1.96	0.46
2:D:164:LEU:CD1	6:D:301:HOH:O	2.62	0.46
2:D:144:ARG:NH1	6:D:304:HOH:O	2.38	0.46
2:B:75:GLY:O	2:B:82:LYS:NZ	2.49	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:163:ILE:HG22	1:A:167:LYS:HE2	1.98	0.45
1:C:41:ARG:NH1	1:C:52:LEU:HD21	2.31	0.45
2:D:91:LYS:HD2	2:D:123:ASP:HB3	1.98	0.44
2:D:25:PHE:CZ	2:D:131:LYS:HG2	2.53	0.44
2:D:52:CYS:HB3	6:D:417:HOH:O	2.18	0.44
1:A:11:ALA:CB	6:A:301:HOH:O	2.65	0.43
1:C:141:PHE:C	1:C:142:ILE:HD12	2.39	0.43
2:B:5:THR:HG22	2:B:164:LEU:HD12	1.99	0.43
1:C:159:LEU:O	1:C:163:ILE:HG13	2.19	0.43
1:A:148:THR:HG21	6:A:325:HOH:O	2.19	0.42
1:A:5:LYS:HD3	6:A:445:HOH:O	2.19	0.42
1:C:69:ASP:HB3	1:C:73:ARG:CZ	2.49	0.42
1:C:100:ILE:HD12	1:C:111:MET:HE1	2.00	0.42
2:B:28:LYS:HA	2:B:28:LYS:HD2	1.79	0.41
1:A:6:LEU:HD12	1:A:55:ILE:CD1	2.50	0.41
2:D:125:LYS:NZ	1:C:63:GLU:OE2	2.53	0.41
1:C:149:ARG:O	1:C:149:ARG:HD2	2.20	0.41
1:A:12:ASP:HA	3:A:201:GNP:O2G	2.21	0.41
1:C:22:GLN:OE1	1:C:26:ASN:HA	2.21	0.41
2:B:27:ASP:OD1	2:B:27:ASP:N	2.55	0.40
1:A:67:MET:HE2	1:A:67:MET:HB3	1.99	0.40
2:D:2:VAL:CA	6:D:302:HOH:O	2.69	0.40
1:C:29:VAL:O	3:C:201:GNP:O2'	2.31	0.40

All (10) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:325:HOH:O	6:B:481:HOH:O[4_555]	1.57	0.63
6:A:315:HOH:O	6:D:456:HOH:O[1_455]	1.77	0.43
6:B:488:HOH:O	6:D:308:HOH:O[3_645]	1.80	0.40
6:A:416:HOH:O	6:D:456:HOH:O[1_455]	1.91	0.29
1:A:150:GLN:OE1	6:B:481:HOH:O[4_555]	1.93	0.27
6:A:411:HOH:O	6:B:452:HOH:O[4_555]	1.97	0.23
6:B:424:HOH:O	6:D:425:HOH:O[4_455]	1.99	0.21
6:A:459:HOH:O	6:B:470:HOH:O[4_555]	2.01	0.19
6:B:459:HOH:O	6:C:353:HOH:O[2_554]	2.09	0.11
6:B:426:HOH:O	6:D:425:HOH:O[4_455]	2.12	0.08

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	168/170 (99%)	164 (98%)	4 (2%)	0	100	100
1	C	166/170 (98%)	157 (95%)	9 (5%)	0	100	100
2	B	161/166 (97%)	156 (97%)	5 (3%)	0	100	100
2	D	161/166 (97%)	155 (96%)	6 (4%)	0	100	100
All	All	656/672 (98%)	632 (96%)	24 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	150/150 (100%)	149 (99%)	1 (1%)	81	71
1	C	148/150 (99%)	147 (99%)	1 (1%)	81	71
2	B	131/133 (98%)	128 (98%)	3 (2%)	45	22
2	D	131/133 (98%)	129 (98%)	2 (2%)	60	41
All	All	560/566 (99%)	553 (99%)	7 (1%)	65	47

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	ASN
2	B	29	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	61	MET
2	B	125	LYS
2	D	28	LYS
2	D	61	MET
1	C	12	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	150	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	ZNI	B	201	-	63,71,71	1.81	13 (20%)	73,107,107	2.31	22 (30%)
3	GNP	C	201	4	29,34,34	1.74	6 (20%)	33,54,54	2.38	9 (27%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	ZNI	D	201	-	63,71,71	1.76	13 (20%)	73,107,107	2.45	25 (34%)
3	GNP	A	201	4	29,34,34	1.73	5 (17%)	33,54,54	2.35	7 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	ZNI	B	201	-	1/1/16/16	5/55/96/96	0/8/10/10
3	GNP	C	201	4	-	3/14/38/38	0/3/3/3
5	ZNI	D	201	-	3/3/16/16	8/55/96/96	0/8/10/10
3	GNP	A	201	4	-	5/14/38/38	0/3/3/3

All (37) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	201	ZNI	C17-C15	-6.05	1.39	1.49
5	B	201	ZNI	C5-N2	5.81	1.43	1.35
3	A	201	GNP	PB-O3A	5.15	1.65	1.59
3	C	201	GNP	PB-O3A	4.77	1.65	1.59
3	C	201	GNP	PG-N3B	4.50	1.75	1.63
5	D	201	ZNI	C5-N2	4.31	1.41	1.35
5	D	201	ZNI	C13-C14	4.23	1.52	1.49
5	D	201	ZNI	C41-C19	4.12	1.47	1.41
3	C	201	GNP	PB-O1B	3.96	1.52	1.46
5	B	201	ZNI	C42-C43	-3.76	1.54	1.55
5	D	201	ZNI	C42-C41	3.73	1.56	1.52
3	A	201	GNP	PB-O1B	3.73	1.51	1.46
3	A	201	GNP	C6-N1	3.69	1.39	1.33
5	B	201	ZNI	C8-C7	-3.58	1.45	1.51
5	D	201	ZNI	C42-C43	3.51	1.57	1.55
5	D	201	ZNI	N1-N2	-3.31	1.40	1.43
5	D	201	ZNI	C44-C43	3.23	1.59	1.53
3	A	201	GNP	PB-O2B	-3.21	1.48	1.56
5	D	201	ZNI	C15-N4	3.15	1.47	1.37
5	B	201	ZNI	N1-N2	-3.13	1.40	1.43
3	A	201	GNP	PG-N3B	3.13	1.71	1.63
5	D	201	ZNI	C40-C32	3.13	1.45	1.39
5	B	201	ZNI	C11-C10	-3.02	1.47	1.53
5	B	201	ZNI	C26-C25	-3.00	1.45	1.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	201	GNP	C6-N1	2.99	1.38	1.33
5	B	201	ZNI	C41-C19	2.94	1.46	1.41
5	B	201	ZNI	C46-C43	-2.90	1.46	1.52
5	B	201	ZNI	C15-N4	2.66	1.45	1.37
5	B	201	ZNI	C13-C14	2.64	1.51	1.49
5	D	201	ZNI	C32-N7	2.49	1.45	1.38
3	C	201	GNP	PA-O3A	2.42	1.62	1.59
5	D	201	ZNI	C22-C17	2.26	1.43	1.39
5	D	201	ZNI	C8-C10	2.25	1.55	1.51
5	B	201	ZNI	C39-C38	2.09	1.59	1.51
5	D	201	ZNI	C18-C19	2.07	1.46	1.42
3	C	201	GNP	C5-C6	2.06	1.44	1.41
5	B	201	ZNI	C44-C43	2.06	1.57	1.53

All (63) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	201	ZNI	C40-C32-C31	-9.24	111.55	119.67
5	D	201	ZNI	C40-C32-C31	-8.98	111.79	119.67
3	A	201	GNP	C5-C6-N1	-8.69	111.80	123.42
5	B	201	ZNI	C36-C35-N8	8.61	127.32	117.84
3	C	201	GNP	C5-C6-N1	-8.53	112.01	123.42
3	A	201	GNP	C2-N1-C6	6.74	125.33	115.96
3	C	201	GNP	C2-N1-C6	6.72	125.31	115.96
5	D	201	ZNI	C36-C35-N8	6.50	125.01	117.84
5	D	201	ZNI	C9-C8-C7	5.86	130.74	117.18
5	D	201	ZNI	C37-C35-N8	-5.54	111.74	117.84
5	B	201	ZNI	C37-C35-N8	-5.21	112.10	117.84
5	D	201	ZNI	O3-C11-C10	-4.79	99.66	106.27
5	B	201	ZNI	C26-C40-C32	4.68	127.81	119.30
5	D	201	ZNI	C26-C40-C32	4.41	127.32	119.30
5	B	201	ZNI	C31-C32-N7	4.27	128.28	121.80
5	D	201	ZNI	C31-C32-N7	3.73	127.46	121.80
5	B	201	ZNI	O3-C11-C10	-3.58	101.33	106.27
5	D	201	ZNI	C31-N6-C27	3.44	124.45	118.88
5	B	201	ZNI	C10-C8-C7	3.40	125.05	117.18
5	D	201	ZNI	C8-C7-N3	3.40	122.52	114.82
5	D	201	ZNI	C13-C6-C5	-3.33	102.96	109.94
5	D	201	ZNI	C21-C20-C19	-3.25	116.53	120.94
5	B	201	ZNI	O3-C12-C9	-3.13	101.95	106.27
3	A	201	GNP	O1G-PG-N3B	-3.09	107.22	111.77
5	B	201	ZNI	C21-C20-C19	-3.00	116.86	120.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	201	GNP	N3-C2-N1	-2.99	123.41	127.21
5	D	201	ZNI	C10-C8-C7	2.98	124.07	117.18
5	D	201	ZNI	C15-C16-S1	2.92	115.38	111.79
3	C	201	GNP	N3-C2-N1	-2.92	123.50	127.21
3	C	201	GNP	O3A-PB-N3B	2.86	114.53	106.59
5	D	201	ZNI	O5-C46-C43	2.80	114.06	109.25
5	B	201	ZNI	C31-N6-C27	2.79	123.39	118.88
5	B	201	ZNI	C33-C34-N8	2.77	115.48	110.61
3	C	201	GNP	O1B-PB-N3B	-2.73	107.75	111.77
5	D	201	ZNI	O3-C12-C9	-2.66	102.60	106.27
5	D	201	ZNI	C22-C21-C20	2.62	123.61	119.82
5	D	201	ZNI	C1-C4-C3	2.61	114.19	110.75
3	A	201	GNP	O2A-PA-O3A	2.58	114.24	107.27
5	B	201	ZNI	O1-C5-N2	2.52	124.08	121.25
5	D	201	ZNI	C22-C17-C18	-2.50	113.89	118.03
3	C	201	GNP	C2-N3-C4	-2.49	112.80	115.48
5	D	201	ZNI	C40-C26-C25	2.46	122.11	118.75
5	B	201	ZNI	C34-N8-C35	-2.43	106.61	112.79
5	D	201	ZNI	C34-N8-C35	-2.43	106.62	112.79
5	D	201	ZNI	O2-C7-N3	-2.41	118.64	122.96
5	B	201	ZNI	C13-C6-N3	2.39	115.77	110.83
5	B	201	ZNI	C25-C26-C27	2.35	123.92	119.86
5	B	201	ZNI	C39-C38-N8	2.33	114.71	110.61
5	B	201	ZNI	C4-C3-N2	-2.31	105.72	110.54
3	C	201	GNP	O3G-PG-O1G	-2.30	107.67	113.45
5	D	201	ZNI	C25-C26-C27	2.27	123.79	119.86
5	B	201	ZNI	C6-N3-C7	2.25	126.48	121.65
5	B	201	ZNI	C40-C26-C25	2.24	121.82	118.75
3	A	201	GNP	O2B-PB-O1B	2.24	114.68	109.87
5	B	201	ZNI	C45-C43-C42	-2.23	106.18	109.27
5	D	201	ZNI	C13-C6-N3	2.21	115.42	110.83
3	A	201	GNP	C2-N3-C4	-2.20	113.11	115.48
5	D	201	ZNI	C44-C43-C46	2.17	113.19	109.06
5	B	201	ZNI	C38-N8-C34	2.14	113.21	109.13
5	B	201	ZNI	C9-C8-C7	2.14	122.14	117.18
3	C	201	GNP	O2A-PA-O3A	2.05	112.83	107.27
3	C	201	GNP	O4'-C1'-N9	-2.05	106.02	108.75
5	D	201	ZNI	C39-C38-N8	2.04	114.21	110.61

All (4) chirality outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
-----	-------	-----	------	------

Mol	Chain	Res	Type	Atom
5	B	201	ZNI	N2
5	D	201	ZNI	C10
5	D	201	ZNI	C9
5	D	201	ZNI	N2

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	201	GNP	PB-N3B-PG-O1G
3	A	201	GNP	PG-N3B-PB-O1B
3	A	201	GNP	PA-O3A-PB-O2B
3	C	201	GNP	PB-N3B-PG-O1G
3	C	201	GNP	PG-N3B-PB-O1B
3	C	201	GNP	PG-N3B-PB-O3A
5	B	201	ZNI	C14-C13-C6-N3
5	D	201	ZNI	C14-C13-C6-N3
5	D	201	ZNI	C14-C13-C6-C5
5	B	201	ZNI	C14-C13-C6-C5
5	B	201	ZNI	C26-C27-C28-C30
5	D	201	ZNI	C26-C27-C28-C30
5	B	201	ZNI	C26-C27-C28-O4
5	D	201	ZNI	C26-C27-C28-O4
5	B	201	ZNI	C27-C28-O4-C29
3	A	201	GNP	PG-N3B-PB-O3A
5	D	201	ZNI	C36-C35-N8-C34
5	D	201	ZNI	C27-C28-O4-C29
5	D	201	ZNI	O2-C7-C8-C10
5	D	201	ZNI	N3-C7-C8-C10
3	A	201	GNP	PA-O3A-PB-O1B


There are no ring outliers.



2 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	201	GNP	2	0
3	A	201	GNP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	170/170 (100%)	0.18	3 (1%) 67 71	18, 35, 55, 83	0
1	C	168/170 (98%)	1.88	74 (44%) 1 0	28, 52, 73, 86	0
2	B	163/166 (98%)	-0.28	1 (0%) 85 88	16, 26, 39, 69	0
2	D	163/166 (98%)	0.06	0 100 100	23, 34, 46, 65	0
All	All	664/672 (98%)	0.47	78 (11%) 10 11	16, 35, 64, 86	0

All (78) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	81	VAL	4.8
1	C	100	ILE	4.7
1	C	96	TYR	4.2
1	C	137	TYR	4.1
1	C	109	VAL	4.1
1	C	74	THR	3.8
2	B	2	VAL	3.8
1	C	75	GLY	3.7
1	C	93	ILE	3.7
1	A	122	SER	3.7
1	C	83	ALA	3.5
1	C	84	ILE	3.5
1	C	79	LEU	3.5
1	C	113	LEU	3.5
1	C	112	VAL	3.4
1	C	159	LEU	3.3
1	C	134	ALA	3.3
1	C	121	PRO	3.3
1	C	21	ILE	3.2
1	C	28	PHE	3.2
1	C	90	PHE	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	163	ILE	3.1
1	C	133	LEU	3.0
1	C	139	ILE	3.0
1	C	71	TYR	3.0
1	C	120	LEU	3.0
1	C	14	VAL	3.0
1	C	67	MET	2.9
1	C	82	PHE	2.9
1	C	151	GLY	2.8
1	C	138	GLY	2.8
1	C	103	VAL	2.8
1	C	4	TYR	2.8
1	C	158	THR	2.8
1	C	167	LYS	2.8
1	C	95	HIS	2.7
1	C	142	ILE	2.7
1	C	125	VAL	2.7
1	C	111	MET	2.7
1	C	7	VAL	2.7
1	C	78	PHE	2.7
1	C	118	CYS	2.7
1	C	26	ASN	2.7
1	C	114	VAL	2.7
1	C	141	PHE	2.7
1	C	29	VAL	2.6
1	C	27	HIS	2.6
1	C	106	SER	2.6
1	C	148	THR	2.6
1	A	29	VAL	2.6
1	C	152	VAL	2.5
1	C	94	HIS	2.5
1	C	72	MET	2.5
1	C	77	GLY	2.5
1	C	66	ALA	2.5
1	A	169	LYS	2.5
1	C	12	ASP	2.5
1	C	146	ALA	2.5
1	C	58	THR	2.4
1	C	99	GLN	2.4
1	C	80	CYS	2.4
1	C	9	VAL	2.3
1	C	119	ASP	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	130	ALA	2.3
1	C	108	ASP	2.2
1	C	85	ASN	2.2
1	C	160	VAL	2.2
1	C	116	ASN	2.2
1	C	73	ARG	2.2
1	C	122	SER	2.1
1	C	65	SER	2.1
1	C	70	GLN	2.1
1	C	101	LYS	2.1
1	C	155	ALA	2.0
1	C	127	THR	2.0
1	C	13	GLY	2.0
1	C	30	ASP	2.0
1	C	165	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	GNP	C	201	32/32	0.90	0.11	28,42,51,52	0
5	ZNI	D	201	62/62	0.92	0.10	20,34,48,57	0
5	ZNI	B	201	62/62	0.96	0.07	14,21,38,46	0
3	GNP	A	201	32/32	0.96	0.06	17,23,31,35	0
4	MG	C	202	1/1	0.97	0.05	35,35,35,35	0
4	MG	A	202	1/1	0.99	0.02	18,18,18,18	0




The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around ZNI D 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ZNI B 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.