



## wwPDB EM Validation Summary Report ⓘ

Dec 16, 2024 – 01:46 PM EST

PDB ID : 9BSL  
EMDB ID : EMD-44869  
Title : 45SRbgA particle in complex with RbgA and YphC. Class A  
Authors : Arpin, D.; Ortega, J.  
Deposited on : 2024-05-13  
Resolution : 3.10 Å (reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.40

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2927	
2	C	277	
3	D	209	
4	E	207	
5	F	179	
6	G	145	
7	H	122	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	I	146	
9	J	120	
10	K	115	
11	L	118	
12	M	102	
13	N	113	
14	O	95	
15	P	103	
16	R	66	
17	S	59	
18	T	59	
19	U	44	
20	V	282	
21	W	436	
22	Y	232	

## 2 Entry composition [i](#)

There are 23 unique types of molecules in this entry. The entry contains 75353 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	A	2414	51839	23125	9565	16735	2414	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1558	C	G	conflict	GB 467326

- Molecule 2 is a protein called Large ribosomal subunit protein uL2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	C	246	1895	1177	373	340	5	0	0

- Molecule 3 is a protein called Large ribosomal subunit protein uL3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	D	207	1575	988	290	292	5	0	0

- Molecule 4 is a protein called Large ribosomal subunit protein uL4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	E	200	1511	951	278	280	2	0	0

- Molecule 5 is a protein called Large ribosomal subunit protein uL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	F	175	1285	793	237	254	1	0	0

- Molecule 6 is a protein called Large ribosomal subunit protein uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	G	142	Total	C	N	O	S	0	0
			1123	710	206	202	5		

- Molecule 7 is a protein called Large ribosomal subunit protein uL14.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	H	122	Total	C	N	O	S	0	0
			920	571	173	172	4		

- Molecule 8 is a protein called Large ribosomal subunit protein uL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	I	108	Total	C	N	O	S	0	0
			753	461	146	145	1		

- Molecule 9 is a protein called Large ribosomal subunit protein bL17.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	J	119	Total	C	N	O	S	0	0
			953	583	186	180	4		

- Molecule 10 is a protein called Large ribosomal subunit protein bL19.

Mol	Chain	Residues	Atoms				AltConf	Trace
10	K	113	Total	C	N	O	0	0
			925	589	180	156		

- Molecule 11 is a protein called Large ribosomal subunit protein bL20.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	L	117	Total	C	N	O	S	0	0
			934	588	186	156	4		

- Molecule 12 is a protein called Large ribosomal subunit protein bL21.

Mol	Chain	Residues	Atoms				AltConf	Trace
12	M	101	Total	C	N	O	0	0
			786	501	139	146		

- Molecule 13 is a protein called Large ribosomal subunit protein uL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	N	109	Total	C	N	O	S	0	0
			842	525	164	150	3		

- Molecule 14 is a protein called Large ribosomal subunit protein uL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	O	92	Total	C	N	O	S	0	0
			741	464	136	138	3		

- Molecule 15 is a protein called Large ribosomal subunit protein uL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	P	98	Total	C	N	O	S	0	0
			737	463	137	133	4		

- Molecule 16 is a protein called Large ribosomal subunit protein uL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	R	65	Total	C	N	O	S	0	0
			530	328	102	98	2		

- Molecule 17 is a protein called Large ribosomal subunit protein uL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	S	58	Total	C	N	O	S	0	0
			455	281	89	84	1		

- Molecule 18 is a protein called Large ribosomal subunit protein bL32.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	T	54	Total	C	N	O	S	0	0
			394	241	80	68	5		

- Molecule 19 is a protein called Large ribosomal subunit protein bL34.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	U	44	Total	C	N	O	S	0	0
			367	222	89	54	2		

- Molecule 20 is a protein called Ribosome biogenesis GTPase A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	V	267	2119	1349	378	387	5	0	0


- Molecule 21 is a protein called GTPase Der.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	W	417	3239	2056	559	615	9	0	0

- Molecule 22 is a protein called Large ribosomal subunit protein uL1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	Y	178	1334	853	223	254	4	0	0

- Molecule 23 is PHOSPHOAMINOPHOSPHONIC ACID-GUANYLATE ESTER (three-letter code: GNP) (formula: C<sub>10</sub>H<sub>17</sub>N<sub>6</sub>O<sub>13</sub>P<sub>3</sub>).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
23	V	1	32	10	6	13	3	0
23	W	1	32	10	6	13	3	0
23	W	1	32	10	6	13	3	0

### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: 23S rRNA








A	G1068	G1192	G1311	G1427	U1505	U1684	U1790	G	G	A	G2002
C	U1069	G1209	A1312	G1428	A1506	A1685	A1791	U	U	A	A
U	G1070	A1210	A1313	U1433	U1507	G1690	A1792	A	A	U	G
G	G1071	A1211	G1315	A1434	C1508	U1691	G1793	A	A	U	
A	A1072	U1212	G1328	U1435	G1512	U1692	A1802	C	C	A	
U	A1073	G1213	C1328	U1436	G1513	C1693	A1802	A	A	A	
U	A1074	U1214	C1334	C1437	C1514	G1696	U1808	A	A	U	
G	A1075	U1215	G1334	C1438	C1515	A1697	U1809	A	A	G	
G	A1076	C1216	A1335	U1439	A1516	U1697	G1810	A	A	G	
A	G1077	U1217	G1339	U1444	A1517	G1712	A1812	C	C	A	
A	A1078	U1218	A1340	A1445	G1518	A1713	A1813	G	G	C	
U	U1079	U1219	C1343	A1446	A1519	A1714	A1813	C	C	C	
A	G1080	G1220	U1344	U1448	A1520	C1715	C1819	U	U	C	
G	U1081	A1221	C1344	U1449	G1521	G1719	A1820	C	C	C	
G	G1082	U1242	A1346	C1450	A1524	G1719	C1824	U	U	A	
C	G1083	U1243	U1346	U1451	G1525	U1596	U1824	A	A	G	
C	A1084	A1244	A1347	C1452	A1526	C1597	U1825	A	A	C	
C	G1085	U1245	G1348	U1452	C1527	U1599	C1829	A	A	G	
C	U1086	G1245	U1349	C1455	U1528	G1600	G1830	G	G	U	
U	A	G1246	U1351	A1456	G1529	A1606	A1831	A	A	A	
U	A	U1247	C1353	U1457	A1533	C1607	A1832	A	A	A	
C	U1009	U1249	G1353	U1458	A1534	A1608	G1833	G	G	G	
C	C1010	G1250	A1360	G1460	U1539	A1614	U1837	A	A	A	
C	C1011	U1251	A1361	U1461	A1540	U1617	A1838	A	A	A	
C	G1012	G1252	G1362	G1462	A1541	A1618	U1758	A	A	G	
G	G1015	A1254	C1364	U1465	A1542	A1619	U1759	U	U	U	
U	U1016	A1260	C1374	U1466	U1543	A1620	U1760	C	C	C	
U	C1017	G1263	G1375	G1467	U1547	U1626	G1761	G	G	G	
A	G1018	U1268	U1380	C1473	C1550	G1630	U1766	U	U	A	
C	A1019	A1276	A1388	G1475	C1551	A1631	G1775	U	U	A	
C	A1020	A1277	A1388	C1476	C1552	G1632	A1776	G	G	A	
G	C1041	G1278	U1391	A1477	A1553	G1633	U1777	A	A	A	
U	A1042	G1279	G1394	G1478	U1554	U1634	G1778	C	C	C	
C	A1046	G1280	C1395	A1480	A1555	A1638	A1779	C	C	C	
A	A1047	C1281	C1396	G1481	A1556	G1651	G1779	A	A	A	
A	G1048	A1287	G1397	G1482	U1557	C1652	G1782	G	G	A	
C	G1049	G1288	A1404	A1483	C1558	A1653	C1783	U	U	A	
U	U1050	U1289	A1405	U1484	U1559	A1654	A1784	C	C	C	
C	C1051	G1291	A1406	U1491	C1563	G1655	U1785	A	A	G	
G	A1054	A1292	G1407	G1494	G1563	A1657	G1786	C	C	C	
A	A1055	A1293	G1414	C1495	C1564	A1667	A1787	C	C	C	
A	A1056	A1294	U1418	G1496	U1565	G1671	G1788	C	C	C	
G	G1057	G1296	U1418	G1497	U1566	U1677	A1789	A	A	A	
C	U1058	U1303	A1423	A1498	G1567	A1678	U1789	C	C	C	
C	A1059	G1304	A1424	U1500	G1568	A1679	A1789	A	A	A	
A	G1063	A1305	A1425	U1501	U1569	U1680	A1789	C	C	C	
U	U1064	G1306	A1426	G1502	U1570	A1681	A1789	A	A	A	
U	U1065	C1310	C1310	A1504	G1571	C1572	A1789	C	C	C	
					G1576	C1573	A1789	A	A	A	




• Molecule 2: Large ribosomal subunit protein uL2




- Molecule 3: Large ribosomal subunit protein uL3




- Molecule 4: Large ribosomal subunit protein uL4




- Molecule 5: Large ribosomal subunit protein uL6



- Molecule 6: Large ribosomal subunit protein uL13




- Molecule 7: Large ribosomal subunit protein uL14



- Molecule 8: Large ribosomal subunit protein uL15






- Molecule 9: Large ribosomal subunit protein bL17

Chain J: 94% 5%




- Molecule 10: Large ribosomal subunit protein bL19

Chain K: 15% 85% 13%




- Molecule 11: Large ribosomal subunit protein bL20

Chain L: 88% 10%



- Molecule 12: Large ribosomal subunit protein bL21

Chain M: 9% 89% 9%




- Molecule 13: Large ribosomal subunit protein uL22

Chain N: 88% 8%





- Molecule 14: Large ribosomal subunit protein uL23

Chain O:  88% 7% . .




- Molecule 15: Large ribosomal subunit protein uL24

Chain P:  8% 87% 8% 5%





- Molecule 16: Large ribosomal subunit protein uL29

Chain R:  8% 71% 27%





- Molecule 17: Large ribosomal subunit protein uL30

Chain S:  49% 92% 7%




- Molecule 18: Large ribosomal subunit protein bL32

Chain T:  12% 75% 15% 8%




- Molecule 19: Large ribosomal subunit protein bL34


Chain U:  98%





- Molecule 20: Ribosome biogenesis GTPase A

Chain V:  53% 77% 17% 5%







• Molecule 21: GTPase Der



• Molecule 22: Large ribosomal subunit protein uL1



M121	G122	E123	V124	G125	K126	I127	G128	R129	V130	L131	G132	P133	K134	G135	L136	M137	P138	N139	P140	K141	T142	G143	T144	V145	T146	F147	E148	V149	E150	K151	A152	I153	G154	E155	I156	K157	ALA	GLY	LYS	VAL	GLU	TYR	ARG	VAL	ASP	LYS	A168	G169	N170	I171	H172	V173	P174	I175	G176	K177	V178	S179	F180
E181	D182	E183	K184	L185	V186	E187	M188	F189	T190	T191	M192	Y193	D194	T195	I196	L197	K198	A199	K200	P201	A202	A203	A204	K205	G206	V207	Y208	V209	K210	N211	V212	A213	V214	THR	SER	THR	MET	GLY	PRO	GLY	VAL	VAL	LYS	VAL	ASP	SER	SER	THR	THR	PHE	ASN	VAL	VAL	LYS					

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	40501	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	40	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2750	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.576	Depositor
Minimum map value	-0.191	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.028	Depositor
Recommended contour level	0.142	Depositor
Map size (Å)	383.04, 383.04, 383.04	wwPDB
Map dimensions	448, 448, 448	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.855, 0.855, 0.855	Depositor



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GNP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.36	0/58047	0.86	49/90517 (0.1%)
2	C	0.27	0/1921	0.57	2/2570 (0.1%)
3	D	0.27	0/1597	0.52	0/2140
4	E	0.28	0/1529	0.52	0/2064
5	F	0.25	0/1303	0.58	1/1760 (0.1%)
6	G	0.26	0/1146	0.50	0/1542
7	H	0.28	0/927	0.61	0/1245
8	I	0.27	0/754	0.58	0/1007
9	J	0.26	0/960	0.58	0/1284
10	K	0.28	0/938	0.59	0/1255
11	L	0.30	0/946	0.55	1/1259 (0.1%)
12	M	0.30	0/797	0.54	0/1070
13	N	0.29	0/851	0.55	0/1146
14	O	0.30	0/748	0.64	1/997 (0.1%)
15	P	0.27	0/746	0.53	0/996
16	R	0.29	0/531	0.59	0/707
17	S	0.27	0/457	0.58	0/613
18	T	0.26	0/400	0.65	0/536
19	U	0.27	0/370	0.64	0/483
20	V	0.25	0/2152	0.52	0/2902
21	W	0.25	0/3295	0.54	2/4463 (0.0%)
22	Y	0.35	0/1352	0.71	1/1822 (0.1%)
All	All	0.33	0/81767	0.79	57/122378 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
21	W	0	1

There are no bond length outliers.

The worst 5 of 57 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1433	U	C2-N1-C1'	8.40	127.78	117.70
1	A	698	C	N1-C2-O2	8.23	123.84	118.90
1	A	698	C	C2-N1-C1'	7.65	127.21	118.80
1	A	100	U	C2-N1-C1'	7.52	126.73	117.70
1	A	100	U	N1-C2-O2	7.23	127.86	122.80

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
21	W	391	LYS	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	51839	0	26098	657	0
2	C	1895	0	1985	11	0
3	D	1575	0	1642	12	0
4	E	1511	0	1585	9	0
5	F	1285	0	1246	43	0
6	G	1123	0	1162	1	0
7	H	920	0	977	4	0
8	I	753	0	754	23	0
9	J	953	0	983	4	0
10	K	925	0	995	10	0
11	L	934	0	994	10	0
12	M	786	0	826	8	0
13	N	842	0	899	5	0
14	O	741	0	781	6	0
15	P	737	0	789	5	0
16	R	530	0	568	11	0
17	S	455	0	491	2	0
18	T	394	0	373	6	0
19	U	367	0	410	1	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
20	V	2119	0	2190	31	0
21	W	3239	0	3203	104	0
22	Y	1334	0	1351	123	0
23	V	32	0	13	1	0
23	W	64	0	26	4	0
All	All	75353	0	50341	998	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 998 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
21:W:132:ASP:HA	22:Y:137:MET:CE	1.21	1.59
21:W:98:ALA:N	22:Y:52:PRO:HD3	1.48	1.26
21:W:98:ALA:H	22:Y:52:PRO:CD	1.46	1.26
21:W:132:ASP:CA	22:Y:137:MET:CE	2.16	1.24
21:W:132:ASP:CA	22:Y:137:MET:HE1	1.70	1.22

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	C	242/277 (87%)	234 (97%)	8 (3%)	0	100	100
3	D	205/209 (98%)	198 (97%)	7 (3%)	0	100	100
4	E	196/207 (95%)	188 (96%)	8 (4%)	0	100	100
5	F	173/179 (97%)	159 (92%)	14 (8%)	0	100	100
6	G	140/145 (97%)	134 (96%)	6 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
7	H	120/122 (98%)	117 (98%)	3 (2%)	0	100	100
8	I	100/146 (68%)	94 (94%)	6 (6%)	0	100	100
9	J	117/120 (98%)	113 (97%)	4 (3%)	0	100	100
10	K	111/115 (96%)	109 (98%)	2 (2%)	0	100	100
11	L	115/118 (98%)	107 (93%)	8 (7%)	0	100	100
12	M	99/102 (97%)	93 (94%)	6 (6%)	0	100	100
13	N	107/113 (95%)	102 (95%)	5 (5%)	0	100	100
14	O	90/95 (95%)	87 (97%)	3 (3%)	0	100	100
15	P	94/103 (91%)	89 (95%)	5 (5%)	0	100	100
16	R	63/66 (96%)	57 (90%)	6 (10%)	0	100	100
17	S	56/59 (95%)	55 (98%)	1 (2%)	0	100	100
18	T	52/59 (88%)	49 (94%)	3 (6%)	0	100	100
19	U	42/44 (96%)	41 (98%)	1 (2%)	0	100	100
20	V	263/282 (93%)	253 (96%)	10 (4%)	0	100	100
21	W	409/436 (94%)	392 (96%)	17 (4%)	0	100	100
22	Y	168/232 (72%)	148 (88%)	17 (10%)	3 (2%)	7	29
All	All	2962/3229 (92%)	2819 (95%)	140 (5%)	3 (0%)	50	79

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
22	Y	66	PRO
22	Y	67	ASN
22	Y	130	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	C	200/225 (89%)	197 (98%)	3 (2%)	60	80

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	D	168/170 (99%)	168 (100%)	0	100	100
4	E	162/170 (95%)	162 (100%)	0	100	100
5	F	131/151 (87%)	131 (100%)	0	100	100
6	G	120/123 (98%)	119 (99%)	1 (1%)	79	89
7	H	101/101 (100%)	96 (95%)	5 (5%)	20	50
8	I	71/110 (64%)	70 (99%)	1 (1%)	62	81
9	J	99/100 (99%)	99 (100%)	0	100	100
10	K	98/100 (98%)	98 (100%)	0	100	100
11	L	95/97 (98%)	93 (98%)	2 (2%)	48	72
12	M	83/84 (99%)	82 (99%)	1 (1%)	67	83
13	N	90/93 (97%)	89 (99%)	1 (1%)	70	84
14	O	82/85 (96%)	82 (100%)	0	100	100
15	P	82/87 (94%)	82 (100%)	0	100	100
16	R	56/57 (98%)	55 (98%)	1 (2%)	54	76
17	S	52/53 (98%)	52 (100%)	0	100	100
18	T	38/53 (72%)	37 (97%)	1 (3%)	41	68
19	U	39/39 (100%)	39 (100%)	0	100	100
20	V	227/244 (93%)	223 (98%)	4 (2%)	54	76
21	W	343/371 (92%)	338 (98%)	5 (2%)	60	80
22	Y	138/185 (75%)	125 (91%)	13 (9%)	7	27
All	All	2475/2698 (92%)	2437 (98%)	38 (2%)	60	80

5 of 38 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
22	Y	60	ARG
22	Y	200	LYS
22	Y	65	LEU
22	Y	123	GLU
22	Y	207	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 11 such sidechains are listed below:

Mol	Chain	Res	Type
22	Y	57	GLN
22	Y	67	ASN
22	Y	188	ASN
22	Y	106	GLN
21	W	349	ASN

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	2396/2927 (81%)	711 (29%)	53 (2%)

5 of 711 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	10	A
1	A	28	A
1	A	34	U
1	A	36	G
1	A	39	C

5 of 53 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A	1250	G
1	A	1478	G
1	A	2779	A
1	A	1339	A
1	A	1434	A

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
23	GNP	W	502	-	29,34,34	1.65	7 (24%)	33,54,54	2.22	6 (18%)
23	GNP	W	501	-	29,34,34	1.62	7 (24%)	33,54,54	2.20	5 (15%)
23	GNP	V	301	-	29,34,34	1.56	7 (24%)	33,54,54	2.20	5 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
23	GNP	W	502	-	-	5/14/38/38	0/3/3/3
23	GNP	W	501	-	-	6/14/38/38	0/3/3/3
23	GNP	V	301	-	-	6/14/38/38	0/3/3/3

The worst 5 of 21 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
23	W	502	GNP	PB-O3A	4.72	1.64	1.59
23	W	501	GNP	PB-O3A	4.49	1.64	1.59
23	V	301	GNP	PB-O3A	4.05	1.64	1.59
23	W	502	GNP	PB-O1B	3.22	1.51	1.46
23	W	501	GNP	PB-O1B	3.11	1.50	1.46

The worst 5 of 16 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
23	W	501	GNP	C5-C6-N1	-8.60	111.92	123.42
23	W	502	GNP	C5-C6-N1	-8.60	111.93	123.42
23	V	301	GNP	C5-C6-N1	-8.55	111.98	123.42
23	W	501	GNP	C2-N1-C6	6.64	125.20	115.96
23	W	502	GNP	C2-N1-C6	6.64	125.19	115.96

There are no chirality outliers.

5 of 17 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
23	V	301	GNP	PB-N3B-PG-O1G
23	V	301	GNP	PG-N3B-PB-O1B
23	V	301	GNP	PA-O3A-PB-O2B
23	V	301	GNP	C5'-O5'-PA-O3A
23	W	501	GNP	PG-N3B-PB-O1B



There are no ring outliers.


3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
23	W	502	GNP	1	0
23	W	501	GNP	3	0
23	V	301	GNP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-44869. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)

#### 6.1.1 Primary map




#### 6.1.2 Raw map




The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 224




Y Index: 224




Z Index: 224


### 6.2.2 Raw map



X Index: 224



Y Index: 224




Z Index: 224


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 246




Y Index: 221




Z Index: 255


### 6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.142. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)

This section contains the results of statistical analysis of the map.


### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.




## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 472 nm<sup>3</sup>; this corresponds to an approximate mass of 426 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.323 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.323 Å<sup>-1</sup>

## 8.2 Resolution estimates


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.10	-	-
Author-provided FSC curve	3.14	3.52	3.17
Unmasked-calculated*	4.13	7.32	4.26

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.13 differs from the reported value 3.1 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-44869 and PDB model 9BSL. Per-residue inclusion information can be found in section 3 on page 8.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.142 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.142).















































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 75% of all backbone atoms, 72% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.142) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7200	 0.4140
A	 0.8020	 0.4260
C	 0.7320	 0.5150
D	 0.7280	 0.4610
E	 0.6990	 0.4840
F	 0.0370	 0.0990
G	 0.7370	 0.4410
H	 0.6300	 0.4650
I	 0.3110	 0.2860
J	 0.8140	 0.4970
K	 0.6660	 0.4490
L	 0.7770	 0.4670
M	 0.6690	 0.4600
N	 0.7790	 0.5070
O	 0.7540	 0.4990
P	 0.6950	 0.4810
R	 0.7240	 0.4400
S	 0.3820	 0.3840
T	 0.7060	 0.3680
U	 0.8290	 0.5510
V	 0.3820	 0.3580
W	 0.2940	 0.2870
Y	 0.0260	 0.0790

