



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 11, 2024 – 03:14 PM EST

PDB ID : 3CCR
Title : Structure of Anisomycin resistant 50S Ribosomal Subunit: 23S rRNA mutation A2488C. Density for anisomycin is visible but not included in the model.
Authors : Blaha, G.; Gurel, G.
Deposited on : 2008-02-26
Resolution : 3.00 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)
RNA backbone	3102	1173 (3.30-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	240	
2	B	338	
3	C	246	
4	D	177	



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	178	
6	F	120	
7	G	348	
8	H	177	
9	I	162	
10	J	145	
11	K	132	
12	L	165	
13	M	196	
14	N	187	
15	O	116	
16	P	149	
17	Q	96	
18	R	155	
19	S	85	
20	T	120	
21	U	67	
22	V	71	
23	W	154	
24	X	92	
25	Y	241	
26	Z	116	
27	1	57	
28	2	50	
29	3	92	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
30	0	2923	
31	9	122	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
33	CL	3	8804	-	-	X	-
33	CL	B	8819	-	-	X	-
33	CL	M	8818	-	-	X	-
34	SR	0	8957	-	-	-	X
34	SR	0	8982	-	-	-	X
34	SR	0	8986	-	-	-	X
34	SR	0	8997	-	-	-	X
34	SR	0	9004	-	-	-	X
34	SR	0	9006	-	-	-	X
35	NA	0	8528	-	-	-	X
35	NA	0	8559	-	-	-	X
35	NA	0	8563	-	-	-	X

2 Entry composition [i](#)

There are 38 unique types of molecules in this entry. The entry contains 99120 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L2P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	237	1753	1072	352	324	5	0	0	0

- Molecule 2 is a protein called 50S ribosomal protein L3P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	337	2625	1616	493	511	5	0	0	0

- Molecule 3 is a protein called 50S ribosomal protein L4P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	246	1860	1130	345	384	1	0	0	0

- Molecule 4 is a protein called 50S ribosomal protein L5P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	140	1094	685	195	210	4	0	0	0

- Molecule 5 is a protein called 50S ribosomal protein L6P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	E	172	1357	840	224	289	4	0	0	0

- Molecule 6 is a protein called 50S ribosomal protein L7Ae.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	F	119	890	551	141	197	1	0	0	0

- Molecule 7 is a protein called 50S ribosomal protein L10E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
7	G	29	240	149	39	51	1	0	0	0

- Molecule 8 is a protein called 50S ribosomal protein L10e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
8	H	160	1282	798	240	238	6	0	0	0

- Molecule 9 is a protein called 50S ribosomal protein L11P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
9	I	70	519	323	81	114	1	0	0	0

- Molecule 10 is a protein called 50S ribosomal protein L13P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	J	142	1120	696	199	222	3	0	0	0

- Molecule 11 is a protein called 50S ribosomal protein L14P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
11	K	132	994	609	189	192	4	0	0	0

- Molecule 12 is a protein called 50S ribosomal protein L15P.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
12	L	145	1118	670	222	226	0	0	0

- Molecule 13 is a protein called 50S ribosomal protein L15e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
13	M	194	1558	943	333	281	1	0	0	0

- Molecule 14 is a protein called 50S ribosomal protein L18P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
14	N	186	1445	895	262	286	2	0	0	0

- Molecule 15 is a protein called 50S ribosomal protein L18e.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
15	O	115	865	529	161	175	0	0	0

- Molecule 16 is a protein called 50S ribosomal protein L19e.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
16	P	143	1136	683	229	224	0	0	0

- Molecule 17 is a protein called 50S ribosomal protein L21e.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
17	Q	95	735	450	141	144	0	0	0

- Molecule 18 is a protein called 50S ribosomal protein L22P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
18	R	150	1149	713	209	223	4	0	0	0

- Molecule 19 is a protein called 50S ribosomal protein L23P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
19	S	81	641	389	111	138	3	0	0	0

- Molecule 20 is a protein called 50S ribosomal protein L24P.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
20	T	119	950	568	180	202	0	0	0

- Molecule 21 is a protein called 50S ribosomal protein L24e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	U	53	Total	C	N	O	S	0	0	0
			410	244	75	86	5			

- Molecule 22 is a protein called 50S ribosomal protein L29P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	V	65	Total	C	N	O	S	0	0	0
			499	304	94	100	1			

- Molecule 23 is a protein called 50S ribosomal protein L30P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	W	154	Total	C	N	O	S	0	0	0
			1196	737	209	244	6			

- Molecule 24 is a protein called 50S ribosomal protein L31e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	X	82	Total	C	N	O	S	0	0	0
			654	402	129	122	1			

- Molecule 25 is a protein called 50S ribosomal protein L32e.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
25	Y	142	Total	C	N	O	0	0	0
			1130	686	228	216			

- Molecule 26 is a protein called 50S ribosomal protein L37Ae.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	Z	73	Total	C	N	O	S	0	0	0
			573	343	113	112	5			

- Molecule 27 is a protein called 50S ribosomal protein L37e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	1	56	Total	C	N	O	S	0	0	0
			431	258	86	83	4			

- Molecule 28 is a protein called 50S ribosomal protein L39e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	2	46	Total	C	N	O	S	0	0	0
			396	239	89	67	1			

- Molecule 29 is a protein called 50S ribosomal protein L44E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	3	92	Total	C	N	O	S	0	0	0
			755	458	153	137	7			

- Molecule 30 is a RNA chain called 23S RIBOSOMAL RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	0	2754	Total	C	N	O	P	0	0	0
			59018	26348	10871	19054	2745			

- Molecule 31 is a RNA chain called 5S RIBOSOMAL RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	9	122	Total	C	N	O	P	0	0	0
			2599	1160	471	847	121			

- Molecule 32 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
32	A	1	Total	Mg	0	0
			1	1		
32	B	2	Total	Mg	0	0
			2	2		
32	K	1	Total	Mg	0	0
			1	1		
32	T	1	Total	Mg	0	0
			1	1		
32	Y	1	Total	Mg	0	0
			1	1		
32	2	1	Total	Mg	0	0
			1	1		
32	3	1	Total	Mg	0	0
			1	1		
32	0	84	Total	Mg	0	0
			84	84		
32	9	1	Total	Mg	0	0
			1	1		

- Molecule 33 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
33	A	1	Total Cl 1 1	0	0
33	B	1	Total Cl 1 1	0	0
33	J	3	Total Cl 3 3	0	0
33	K	1	Total Cl 1 1	0	0
33	L	1	Total Cl 1 1	0	0
33	M	1	Total Cl 1 1	0	0
33	N	1	Total Cl 1 1	0	0
33	O	1	Total Cl 1 1	0	0
33	R	1	Total Cl 1 1	0	0
33	Y	1	Total Cl 1 1	0	0
33	3	1	Total Cl 1 1	0	0
33	0	9	Total Cl 9 9	0	0

- Molecule 34 is STRONTIUM ION (three-letter code: SR) (formula: Sr).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
34	A	3	Total Sr 3 3	0	0
34	B	2	Total Sr 2 2	0	0
34	F	1	Total Sr 1 1	0	0
34	R	1	Total Sr 1 1	0	0
34	S	1	Total Sr 1 1	0	0
34	1	2	Total Sr 2 2	0	0
34	3	2	Total Sr 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
34	0	93	Total 93	Sr 93	0	0
34	9	3	Total 3	Sr 3	0	0

- Molecule 35 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
35	C	1	Total 1	Na 1	0	0
35	J	1	Total 1	Na 1	0	0
35	M	1	Total 1	Na 1	0	0
35	Q	1	Total 1	Na 1	0	0
35	R	2	Total 2	Na 2	0	0
35	S	1	Total 1	Na 1	0	0
35	0	66	Total 66	Na 66	0	0
35	9	2	Total 2	Na 2	0	0

- Molecule 36 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
36	M	1	Total 1	K 1	0	0
36	0	1	Total 1	K 1	0	0

- Molecule 37 is CADMIUM ION (three-letter code: CD) (formula: Cd).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
37	O	1	Total 1	Cd 1	0	0
37	U	1	Total 1	Cd 1	0	0
37	Z	1	Total 1	Cd 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
37	1	1	Total 1	Cd 1	0	0
37	3	1	Total 1	Cd 1	0	0

- Molecule 38 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
38	A	121	Total 121	O 121	0	0
38	B	145	Total 145	O 145	0	0
38	C	166	Total 166	O 166	0	0
38	D	46	Total 46	O 46	0	0
38	E	43	Total 43	O 43	0	0
38	F	31	Total 31	O 31	0	0
38	G	17	Total 17	O 17	0	0
38	H	72	Total 72	O 72	0	0
38	I	5	Total 5	O 5	0	0
38	J	52	Total 52	O 52	0	0
38	K	52	Total 52	O 52	0	0
38	L	81	Total 81	O 81	0	0
38	M	133	Total 133	O 133	0	0
38	N	56	Total 56	O 56	0	0
38	O	41	Total 41	O 41	0	0
38	P	63	Total 63	O 63	0	0
38	Q	52	Total 52	O 52	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
38	R	75	Total 75	O 75	0	0
38	S	37	Total 37	O 37	0	0
38	T	40	Total 40	O 40	0	0
38	U	28	Total 28	O 28	0	0
38	V	15	Total 15	O 15	0	0
38	W	69	Total 69	O 69	0	0
38	X	22	Total 22	O 22	0	0
38	Y	100	Total 100	O 100	0	0
38	Z	28	Total 28	O 28	0	0
38	1	61	Total 61	O 61	0	0
38	2	45	Total 45	O 45	0	0
38	3	76	Total 76	O 76	0	0
38	0	5897	Total 5897	O 5897	0	0
38	9	154	Total 154	O 154	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L2P




- Molecule 2: 50S ribosomal protein L3P





- Molecule 3: 50S ribosomal protein L4P







• Molecule 4: 50S ribosomal protein L5P




• Molecule 5: 50S ribosomal protein L6P




• Molecule 6: 50S ribosomal protein L7Ae




• Molecule 7: 50S ribosomal protein L10E







• Molecule 12: 50S ribosomal protein L15P



• Molecule 13: 50S ribosomal protein L15e




• Molecule 14: 50S ribosomal protein L18P




• Molecule 15: 50S ribosomal protein L18e




- Molecule 16: 50S ribosomal protein L19e




- Molecule 17: 50S ribosomal protein L21e




- Molecule 18: 50S ribosomal protein L22P




- Molecule 19: 50S ribosomal protein L23P




- Molecule 20: 50S ribosomal protein L24P



- Molecule 21: 50S ribosomal protein L24e





● Molecule 22: 50S ribosomal protein L29P




● Molecule 23: 50S ribosomal protein L30P





● Molecule 24: 50S ribosomal protein L31e




● Molecule 25: 50S ribosomal protein L32e




● Molecule 26: 50S ribosomal protein L37Ae








• Molecule 27: 50S ribosomal protein L37e





• Molecule 28: 50S ribosomal protein L39e




• Molecule 29: 50S ribosomal protein L44E





• Molecule 30: 23S RIBOSOMAL RNA



G1475	U1405	C1251	G1112	C1025	G964	G887	G814	C735	A591	G514	A441
A1476	A1406	G1255	U1115	U1026	A965	U888	U815	A736	C591	U517	A442
C1477	A1407	C1256	U1116	G1027	U966	C890	G817	A737	C594	G518	C443
U1478	U1408	C1255	U1117	U1028	U967	C891	A818	G738	C595	C444	C596
G1484	G1409	G1260	U1118	U1029	G968	A894	A819	U675	C596	A519	U445
A1485	G1410	G1260	U1119	U1030	G969	A895	A820	U676	C597	A520	U446
	A1413	U1264	G1120	G1031	U970	C896	G821	U677	C598	A521	A447
	A1414	U1284	U1121	A1032	G	C897	U822	U678	C599	U522	G448
	G1415	G1265	G1122	U1041	U	A897	C822	G681	C600	C523	A449
	G1416	U1266	C1127	U1042	U	C898	U823	G682	A603	A524	A450
	G1417	C1267	U1128	C1043	U	C899	U824	U683	G604	A532	C451
	U1418	G1268	U1129	C1044	C	G902	G747	U684	C605	A533	C452
	U1419	G1269	U1130	G1045	G	U903	C748	C685	C606	A534	A453
	C1420	U1270	G1131	G1052	C	U904	A750	C687	U611	G535	U457
	C1421	A1271	U1132	U1053	C	C905	U751	C688	U612	A536	G458
	U1422	C1272	G1133	G1054	U	A916	C764	U689	C613	G537	A459
	C1423	A1273	U1134	A1055	U	U917	G765	C690	U614	C538	A460
	C1424	C1275	G1137	C1056	G	C920	U840	C691	U615	G539	C461
	G1425	U1276	U1138	G1057	A	A912	A884	C692	U616	A540	A462
	C1426	C1277	G1139	U1058	G	A913	U885	A693	C617	C541	
	A1427	U1278	U1139	A1056	A	A916	C838	A694	A542	A542	A466
	C1428	U1279	C1140	A1057	G	U917	C839	A695	G543	G543	G467
	U1429	C1281	U1149	C1058	G	C920	U840	C696	A620	G544	U468
	G1430	U1284	A1150	G1060	A	A926	A884	C697	C621	G545	G469
	A1434	U1285	G1151	C1061	U	G921	C842	A698	G622	U470	
	U1435	A1286	U1152	U1062	G	A922	A843	C699	U623	A549	A473
	C1436	A1287	G1153	G1063	A	A923	A844	C700	U624	C550	A474
	A1437	U1288	U1154	G1066	G	A924	C848	C701	U625	A551	
	G1438	C1289	A1155	U1067	G	U926	C883	C702	U626	G552	A477
	C1439	U1290	G1156	C1068	C	A926	C884	C703	G627	G553	C478
	U1440	G1292	U1158	C1069	A	U927	C885	C704	A628	G479	
	G1441	U1293	G1159	U1070	C	A929	C885	C705	A629	C557	G482
	A1442	U1294	U1160	G1071	A	U938	U855	C706	A630	C558	C483
	G1443	U1298	A1161	G1072	C	G938	A857	C707	A631	U659	A484
	U1444	G1299	G1162	A1073	C	A939	C859	C708	A632	U660	A485
	G1445	G1300	U1163	G1074	U	G940	C859	C709	A633	G561	A486
	U1446	U1300	G1164	U1074	C	G941	C859	C710	A634	A562	G487
	U1447	C1303	U1165	U1074	C	U942	U862	C711	A635	C563	U488
	C1448	U1304	G1166	C1080	A	U945	C863	C712	A636	G564	
	U1449	C1305	U1167	A1081	C	U946	U862	U713	G644	C491	C491
	G1450	U1309	U1169	U1081	C	U947	C868	U714	G652	G492	U493
	C1451	U1310	U1170	G1087	U	U947	C868	C715	U653	C494	C494
	G1452	G1311	A1171	A1088	C	G948	C870	C716	U654	C571	A495
	U1453	G1312	G1172	G1089	C	U949	C871	C717	U655	C571	G496
	G1460	G1313	U1173	U1095	C	U950	U872	C718	G656	G577	A497
	U1461	A1314	A1174	U1096	C	A951	C873	C719	C658	U498	A498
	C1462	U1314	G1175	A1097	C	G952	A874	C720	C659	G577	G499
	U1463	G1315	C1176	U1097	C	U953	U875	C721	A659	G581	C499
	C1464	U1316	U1177	A1098	U	G956	A876	C722	A660	U582	G500
	U1469	G1324	G1178	U1098	U	U956	C877	C723	A661	C583	G506
	C1470	U1325	U1179	C1102	U	G956	C877	C724	G661	U584	G506
	A1471	C1326	U1180	C1103	U	U958	C878	C725	U662	C584	A507
	U1472	U1327	A1181	C1104	C	C959	C879	C726	U663	C585	A507
	C1473	G1327	C1182	U1109	C	G960	C880	C727	U664	C586	A508
	U1474	U1328	U1183	A1022	C	A961	C881	C728	U665	A587	A509
	C1474	A1330	U1185	U1111	U	G962	C884	C729	A666	G588	U510
				U1111	U	C963	A886	U731	U667	U588	A511
				G1024	U	G963	A886	U732	U668	C589	U511



● Molecule 31: 5S RIBOSOMAL RNA



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	212.41Å 299.52Å 574.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.81 – 3.00 85.66 – 2.40	Depositor EDS
% Data completeness (in resolution range)	77.8 (49.81-3.00) 77.4 (85.66-2.40)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.00 (at 2.40Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.180 , 0.247 0.177 , 0.239	Depositor DCC
R_{free} test set	6547 reflections (0.98%)	wwPDB-VP
Wilson B-factor (Å ²)	52.9	Xtrriage
Anisotropy	0.446	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 82.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	99120	wwPDB-VP
Average B, all atoms (Å ²)	60.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.09% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CD, UR3, PSU, NA, OMG, CL, MG, SR, 1MA, OMU, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.34	0/1786	0.65	0/2408
2	B	0.34	0/2690	0.64	0/3652
3	C	0.38	0/1885	0.65	0/2552
4	D	0.32	0/1111	0.56	0/1498
5	E	0.34	0/1382	0.59	0/1880
6	F	0.34	0/901	0.58	0/1224
7	G	0.33	0/241	0.48	0/324
8	H	0.34	0/1302	0.65	0/1743
9	I	0.31	0/526	0.51	0/716
10	J	0.38	0/1136	0.62	0/1530
11	K	0.36	0/1004	0.67	0/1351
12	L	0.33	0/1130	0.62	0/1509
13	M	0.38	0/1582	0.63	0/2116
14	N	0.32	0/1474	0.63	0/1999
15	O	0.37	0/874	0.60	0/1181
16	P	0.34	0/1147	0.53	0/1528
17	Q	0.33	0/749	0.69	0/1005
18	R	0.37	0/1172	0.63	0/1578
19	S	0.38	0/648	0.60	0/875
20	T	0.34	0/958	0.66	1/1289 (0.1%)
21	U	0.45	0/417	0.67	0/562
22	V	0.32	0/502	0.55	0/675
23	W	0.36	0/1219	0.64	0/1655
24	X	0.35	0/664	0.61	0/895
25	Y	0.36	0/1146	0.62	0/1536
26	Z	0.45	0/584	0.63	0/781
27	1	0.43	0/438	0.57	0/578
28	2	0.35	0/401	0.60	0/529
29	3	0.48	0/771	0.66	0/1024
30	0	0.41	0/65954	0.68	4/102862 (0.0%)
31	9	0.35	0/2904	0.68	0/4526
All	All	0.39	0/98698	0.67	5/147581 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
23	W	0	1
30	0	0	18
31	9	0	1
All	All	0	20

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	0	1819	G	C5'-C4'-C3'	5.99	125.59	116.00
30	0	871	G	C5'-C4'-O4'	-5.85	102.08	109.10
30	0	1504	A	C1'-O4'-C4'	-5.36	105.62	109.90
20	T	52	ARG	N-CA-C	5.08	124.73	111.00
30	0	2726	U	N1-C1'-C2'	5.01	120.52	114.00

There are no chirality outliers.

5 of 20 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
30	0	214	U	Sidechain
30	0	324	G	Sidechain
30	0	393	G	Sidechain
30	0	435	A	Sidechain
23	W	90	TYR	Sidechain

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1753	0	1766	97	0
2	B	2625	0	2532	127	0
3	C	1860	0	1813	70	0
4	D	1094	0	1085	50	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	E	1357	0	1266	55	0
6	F	890	0	843	27	0
7	G	240	0	231	11	0
8	H	1282	0	1292	55	0
9	I	519	0	500	26	0
10	J	1120	0	1098	44	0
11	K	994	0	1027	39	0
12	L	1118	0	1076	29	0
13	M	1558	0	1573	98	0
14	N	1445	0	1401	59	0
15	O	865	0	873	32	0
16	P	1136	0	1123	44	0
17	Q	735	0	729	21	0
18	R	1149	0	1122	37	0
19	S	641	0	605	16	0
20	T	950	0	924	33	0
21	U	410	0	368	38	0
22	V	499	0	511	19	0
23	W	1196	0	1137	52	0
24	X	654	0	653	24	0
25	Y	1130	0	1133	44	0
26	Z	573	0	535	64	0
27	1	431	0	426	20	0
28	2	396	0	413	21	0
29	3	755	0	732	90	0
30	0	59018	0	29810	2239	0
31	9	2599	0	1325	161	0
32	0	84	0	0	0	0
32	2	1	0	0	0	0
32	3	1	0	0	0	0
32	9	1	0	0	0	0
32	A	1	0	0	0	0
32	B	2	0	0	0	0
32	K	1	0	0	0	0
32	T	1	0	0	0	0
32	Y	1	0	0	0	0
33	0	9	0	0	2	0
33	3	1	0	0	3	0
33	A	1	0	0	1	0
33	B	1	0	0	2	0
33	J	3	0	0	2	0
33	K	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
33	L	1	0	0	1	0
33	M	1	0	0	2	0
33	N	1	0	0	0	0
33	O	1	0	0	0	0
33	R	1	0	0	0	0
33	Y	1	0	0	0	0
34	0	93	0	0	0	0
34	1	2	0	0	0	0
34	3	2	0	0	0	0
34	9	3	0	0	0	0
34	A	3	0	0	0	0
34	B	2	0	0	0	0
34	F	1	0	0	0	0
34	R	1	0	0	0	0
34	S	1	0	0	0	0
35	0	66	0	0	0	0
35	9	2	0	0	0	0
35	C	1	0	0	0	0
35	J	1	0	0	0	0
35	M	1	0	0	0	0
35	Q	1	0	0	0	0
35	R	2	0	0	0	0
35	S	1	0	0	0	0
36	0	1	0	0	0	0
36	M	1	0	0	0	0
37	1	1	0	0	0	0
37	3	1	0	0	0	0
37	O	1	0	0	0	0
37	U	1	0	0	0	0
37	Z	1	0	0	0	0
38	0	5897	0	0	323	0
38	1	61	0	0	3	0
38	2	45	0	0	1	0
38	3	76	0	0	7	0
38	9	154	0	0	11	0
38	A	121	0	0	3	0
38	B	145	0	0	20	0
38	C	166	0	0	13	0
38	D	46	0	0	7	0
38	E	43	0	0	4	0
38	F	31	0	0	1	0
38	G	17	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
38	H	72	0	0	10	0
38	I	5	0	0	2	0
38	J	52	0	0	4	0
38	K	52	0	0	3	0
38	L	81	0	0	4	0
38	M	133	0	0	12	0
38	N	56	0	0	6	0
38	O	41	0	0	2	0
38	P	63	0	0	5	0
38	Q	52	0	0	1	0
38	R	75	0	0	2	0
38	S	37	0	0	0	0
38	T	40	0	0	3	0
38	U	28	0	0	5	0
38	V	15	0	0	1	0
38	W	69	0	0	7	0
38	X	22	0	0	4	0
38	Y	100	0	0	5	0
38	Z	28	0	0	5	0
All	All	99120	0	59922	3377	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

The worst 5 of 3377 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
30:0:871:G:C8	30:0:871:G:H5'	1.74	1.22
30:0:1160:G:H5'	30:0:1161:A:C5'	1.70	1.20
30:0:1160:G:C5'	30:0:1161:A:H5'	1.73	1.18
30:0:1278:A:H4'	30:0:1279:U:C4	1.81	1.16
13:M:171:ARG:HD3	30:0:156:C:H5''	1.15	1.13

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	235/240 (98%)	200 (85%)	30 (13%)	5 (2%)	7	33
2	B	335/338 (99%)	305 (91%)	23 (7%)	7 (2%)	7	33
3	C	244/246 (99%)	216 (88%)	26 (11%)	2 (1%)	19	57
4	D	134/177 (76%)	105 (78%)	23 (17%)	6 (4%)	2	14
5	E	170/178 (96%)	158 (93%)	11 (6%)	1 (1%)	25	64
6	F	117/120 (98%)	97 (83%)	16 (14%)	4 (3%)	3	20
7	G	25/348 (7%)	22 (88%)	3 (12%)	0	100	100
8	H	156/177 (88%)	139 (89%)	16 (10%)	1 (1%)	25	64
9	I	68/162 (42%)	49 (72%)	16 (24%)	3 (4%)	2	15
10	J	140/145 (97%)	128 (91%)	10 (7%)	2 (1%)	11	43
11	K	130/132 (98%)	120 (92%)	9 (7%)	1 (1%)	19	57
12	L	141/165 (86%)	116 (82%)	22 (16%)	3 (2%)	7	33
13	M	192/196 (98%)	171 (89%)	17 (9%)	4 (2%)	7	33
14	N	184/187 (98%)	163 (89%)	17 (9%)	4 (2%)	6	31
15	O	113/116 (97%)	106 (94%)	7 (6%)	0	100	100
16	P	141/149 (95%)	133 (94%)	8 (6%)	0	100	100
17	Q	93/96 (97%)	86 (92%)	5 (5%)	2 (2%)	6	31
18	R	148/155 (96%)	138 (93%)	9 (6%)	1 (1%)	22	60
19	S	79/85 (93%)	75 (95%)	4 (5%)	0	100	100
20	T	117/120 (98%)	108 (92%)	9 (8%)	0	100	100
21	U	51/67 (76%)	44 (86%)	6 (12%)	1 (2%)	7	34
22	V	63/71 (89%)	58 (92%)	4 (6%)	1 (2%)	9	40
23	W	152/154 (99%)	142 (93%)	9 (6%)	1 (1%)	22	60
24	X	80/92 (87%)	72 (90%)	6 (8%)	2 (2%)	5	28
25	Y	140/241 (58%)	132 (94%)	7 (5%)	1 (1%)	22	60

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
26	Z	71/116 (61%)	55 (78%)	12 (17%)	4 (6%)	2	10
27	1	54/57 (95%)	49 (91%)	5 (9%)	0	100	100
28	2	42/50 (84%)	41 (98%)	1 (2%)	0	100	100
29	3	90/92 (98%)	64 (71%)	17 (19%)	9 (10%)	0	2
All	All	3705/4472 (83%)	3292 (89%)	348 (9%)	65 (2%)	8	37

5 of 65 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	206	THR
2	B	306	LYS
4	D	137	PRO
6	F	61	MET
6	F	101	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	179/182 (98%)	170 (95%)	9 (5%)	24	60
2	B	282/283 (100%)	263 (93%)	19 (7%)	16	49
3	C	193/193 (100%)	180 (93%)	13 (7%)	16	49
4	D	117/148 (79%)	110 (94%)	7 (6%)	19	53
5	E	152/156 (97%)	146 (96%)	6 (4%)	32	69
6	F	93/94 (99%)	92 (99%)	1 (1%)	73	90
7	G	27/282 (10%)	25 (93%)	2 (7%)	13	44
8	H	134/145 (92%)	124 (92%)	10 (8%)	13	43
9	I	58/130 (45%)	57 (98%)	1 (2%)	60	85
10	J	118/121 (98%)	109 (92%)	9 (8%)	13	43
11	K	106/106 (100%)	103 (97%)	3 (3%)	43	77
12	L	113/127 (89%)	106 (94%)	7 (6%)	18	52

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
13	M	158/160 (99%)	147 (93%)	11 (7%)	15	47
14	N	149/150 (99%)	146 (98%)	3 (2%)	55	83
15	O	93/94 (99%)	93 (100%)	0	100	100
16	P	113/117 (97%)	111 (98%)	2 (2%)	59	85
17	Q	79/80 (99%)	74 (94%)	5 (6%)	18	51
18	R	117/122 (96%)	113 (97%)	4 (3%)	37	72
19	S	71/74 (96%)	70 (99%)	1 (1%)	67	88
20	T	105/106 (99%)	98 (93%)	7 (7%)	16	49
21	U	44/53 (83%)	43 (98%)	1 (2%)	50	80
22	V	51/57 (90%)	51 (100%)	0	100	100
23	W	130/130 (100%)	126 (97%)	4 (3%)	40	75
24	X	66/74 (89%)	61 (92%)	5 (8%)	13	43
25	Y	120/196 (61%)	117 (98%)	3 (2%)	47	79
26	Z	60/94 (64%)	60 (100%)	0	100	100
27	1	46/47 (98%)	46 (100%)	0	100	100
28	2	42/46 (91%)	41 (98%)	1 (2%)	49	79
29	3	79/79 (100%)	73 (92%)	6 (8%)	13	43
All	All	3095/3646 (85%)	2955 (96%)	140 (4%)	27	64

5 of 140 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
20	T	48	VAL
20	T	117	ASP
25	Y	118	THR
5	E	7	ILE
4	D	149	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 88 such sidechains are listed below:

Mol	Chain	Res	Type
18	R	98	ASN
24	X	23	HIS
19	S	9	HIS
22	V	34	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	Y	189	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
30	0	2745/2923 (93%)	243 (8%)	22 (0%)
31	9	121/122 (99%)	19 (15%)	2 (1%)
All	All	2866/3045 (94%)	262 (9%)	24 (0%)

5 of 262 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
30	0	31	C
30	0	67	A
30	0	69	A
30	0	70	A
30	0	71	G

5 of 24 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
30	0	1352	A
30	0	2011	A
30	0	1970	G
30	0	2536	C
30	0	644	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

5 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
30	1MA	0	628	35,30	16,25,26	1.41	3 (18%)	18,37,40	1.06	2 (11%)
30	PSU	0	2621	30	18,21,22	1.49	2 (11%)	22,30,33	1.27	3 (13%)
30	OMU	0	2587	35,30	19,22,23	0.32	0	26,31,34	0.40	0
30	OMG	0	2588	30	18,26,27	1.11	2 (11%)	19,38,41	0.69	1 (5%)
30	UR3	0	2619	30	19,22,23	0.42	0	26,32,35	0.59	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
30	1MA	0	628	35,30	-	0/3/25/26	0/3/3/3
30	PSU	0	2621	30	-	0/7/25/26	0/2/2/2
30	OMU	0	2587	35,30	-	0/9/27/28	0/2/2/2
30	OMG	0	2588	30	-	0/5/27/28	0/3/3/3
30	UR3	0	2619	30	-	0/7/25/26	0/2/2/2

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
30	0	2621	PSU	C2-N1	4.86	1.43	1.36
30	0	628	1MA	C2-N3	3.92	1.33	1.29
30	0	2588	OMG	C5-C6	-3.07	1.41	1.47
30	0	2621	PSU	C6-C5	2.81	1.38	1.35
30	0	628	1MA	C6-N6	2.58	1.34	1.27

The worst 5 of 7 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	0	2621	PSU	C6-C5-C4	3.37	120.55	118.20
30	0	628	1MA	N1-C2-N3	2.87	129.36	126.02
30	0	2621	PSU	C6-N1-C2	-2.82	119.80	122.68
30	0	2621	PSU	O2-C2-N1	2.81	125.89	122.79
30	0	628	1MA	C5-C6-N1	2.49	117.61	113.90

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
30	0	628	1MA	2	0
30	0	2621	PSU	2	0
30	0	2587	OMU	2	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 305 ligands modelled in this entry, 305 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	237/240 (98%)	-0.60	1 (0%) 92 79	29, 65, 98, 115	0
2	B	337/338 (99%)	-0.73	0 100 100	31, 59, 87, 97	0
3	C	246/246 (100%)	-0.82	0 100 100	23, 47, 69, 80	0
4	D	140/177 (79%)	0.45	15 (10%) 6 2	74, 109, 132, 140	0
5	E	172/178 (96%)	-0.64	0 100 100	50, 74, 97, 103	0
6	F	119/120 (99%)	-0.30	1 (0%) 86 65	50, 73, 106, 113	0
7	G	29/348 (8%)	0.08	0 100 100	75, 96, 105, 109	0
8	H	160/177 (90%)	-0.49	0 100 100	48, 67, 99, 109	0
9	I	70/162 (43%)	1.80	29 (41%) 0 0	134, 152, 167, 169	0
10	J	142/145 (97%)	-0.79	1 (0%) 87 69	40, 58, 75, 97	0
11	K	132/132 (100%)	-0.87	0 100 100	39, 55, 81, 86	0
12	L	145/165 (87%)	-0.24	1 (0%) 87 69	35, 72, 113, 129	0
13	M	194/196 (98%)	-0.51	8 (4%) 37 14	31, 46, 99, 106	0
14	N	186/187 (99%)	-0.33	0 100 100	60, 80, 126, 132	0
15	O	115/116 (99%)	-0.86	0 100 100	43, 56, 74, 80	0
16	P	143/149 (95%)	-0.75	0 100 100	40, 59, 79, 85	0
17	Q	95/96 (98%)	-0.71	0 100 100	44, 56, 72, 88	0
18	R	150/155 (96%)	-0.83	0 100 100	33, 49, 70, 83	0
19	S	81/85 (95%)	-0.67	1 (1%) 79 54	40, 62, 82, 92	0
20	T	119/120 (99%)	-0.55	0 100 100	40, 59, 87, 116	0
21	U	53/67 (79%)	2.66	32 (60%) 0 0	107, 117, 125, 126	0
22	V	65/71 (91%)	-0.02	4 (6%) 20 7	46, 74, 118, 123	0
23	W	154/154 (100%)	-0.69	0 100 100	39, 54, 73, 87	0
24	X	82/92 (89%)	-0.45	1 (1%) 79 54	46, 65, 94, 108	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
25	Y	142/241 (58%)	-0.88	0 100 100	30, 49, 71, 92	0
26	Z	73/116 (62%)	3.62	45 (61%) 0 0	98, 116, 126, 130	0
27	1	56/57 (98%)	-0.78	0 100 100	28, 36, 43, 48	0
28	2	46/50 (92%)	-0.57	1 (2%) 62 33	31, 66, 97, 104	0
29	3	92/92 (100%)	4.21	71 (77%) 0 0	104, 119, 130, 134	0
30	0	2749/2923 (94%)	-0.83	2 (0%) 95 89	23, 51, 96, 175	0
31	9	122/122 (100%)	-0.97	1 (0%) 86 65	45, 75, 103, 154	0
All	All	6646/7517 (88%)	-0.53	214 (3%) 47 20	23, 57, 116, 175	0

The worst 5 of 214 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
26	Z	46	SER	17.2
26	Z	58	ASN	13.1
29	3	39	GLN	12.1
26	Z	36	GLY	11.6
29	3	34	LYS	11.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
30	1MA	0	628	23/24	0.98	0.14	31,36,38,38	0
30	OMU	0	2587	21/22	0.98	0.12	41,44,50,50	0
30	OMG	0	2588	24/25	0.98	0.13	39,41,42,45	0
30	UR3	0	2619	21/22	0.98	0.14	39,43,45,48	0
30	PSU	0	2621	20/21	0.98	0.18	40,43,44,44	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands i

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
34	SR	0	9006	1/1	0.31	0.83	180,180,180,180	0
35	NA	0	8557	1/1	0.41	0.08	59,59,59,59	0
34	SR	0	9004	1/1	0.44	1.01	200,200,200,200	0
34	SR	0	8985	1/1	0.45	0.12	182,182,182,182	0
35	NA	0	8567	1/1	0.50	0.30	68,68,68,68	0
35	NA	0	8563	1/1	0.53	0.68	65,65,65,65	0
34	SR	0	8997	1/1	0.54	0.83	194,194,194,194	0
34	SR	0	8971	1/1	0.54	0.11	170,170,170,170	0
33	CL	J	8802	1/1	0.54	0.08	76,76,76,76	0
34	SR	0	9001	1/1	0.55	0.08	166,166,166,166	0
34	SR	0	8959	1/1	0.56	0.28	200,200,200,200	0
34	SR	0	8957	1/1	0.57	0.73	200,200,200,200	0
34	SR	0	8974	1/1	0.57	0.14	164,164,164,164	0
34	SR	0	8979	1/1	0.61	0.18	198,198,198,198	0
35	NA	0	8553	1/1	0.62	0.33	70,70,70,70	0
34	SR	0	8986	1/1	0.63	0.45	200,200,200,200	0
35	NA	0	8528	1/1	0.63	0.91	83,83,83,83	0
34	SR	0	8975	1/1	0.64	0.11	171,171,171,171	0
34	SR	0	8962	1/1	0.67	0.08	179,179,179,179	0
34	SR	0	8977	1/1	0.72	0.11	181,181,181,181	0
32	MG	0	8091	1/1	0.73	0.07	58,58,58,58	0
37	CD	U	8701	1/1	0.74	0.35	200,200,200,200	0
34	SR	0	8998	1/1	0.75	0.30	184,184,184,184	0
34	SR	0	8922	1/1	0.75	0.29	169,169,169,169	0
36	K	0	8401	1/1	0.75	0.15	156,156,156,156	0
34	SR	9	8980	1/1	0.75	0.14	182,182,182,182	0
34	SR	0	8960	1/1	0.76	0.05	152,152,152,152	0
34	SR	0	8919	1/1	0.76	0.32	200,200,200,200	0
34	SR	0	8982	1/1	0.78	1.88	200,200,200,200	0
34	SR	0	8969	1/1	0.78	0.31	192,192,192,192	0
32	MG	0	8063	1/1	0.78	0.22	86,86,86,86	0
33	CL	0	8814	1/1	0.78	0.18	72,72,72,72	0
35	NA	0	8518	1/1	0.79	0.26	75,75,75,75	0
35	NA	0	8559	1/1	0.79	0.46	122,122,122,122	0
34	SR	0	8944	1/1	0.80	0.08	165,165,165,165	0
34	SR	0	8973	1/1	0.80	0.14	112,112,112,112	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
34	SR	0	8967	1/1	0.81	0.05	133,133,133,133	0
34	SR	0	8988	1/1	0.81	0.13	170,170,170,170	0
35	NA	0	8566	1/1	0.81	0.32	62,62,62,62	0
35	NA	0	8556	1/1	0.82	0.44	63,63,63,63	0
34	SR	0	8968	1/1	0.82	0.15	177,177,177,177	0
35	NA	0	8571	1/1	0.82	0.17	46,46,46,46	0
35	NA	0	8573	1/1	0.82	0.28	55,55,55,55	0
35	NA	9	8572	1/1	0.82	0.17	71,71,71,71	0
34	SR	0	9007	1/1	0.82	0.24	179,179,179,179	0
34	SR	3	8932	1/1	0.82	0.09	158,158,158,158	0
35	NA	0	8535	1/1	0.83	0.20	64,64,64,64	0
35	NA	0	8541	1/1	0.83	0.24	54,54,54,54	0
34	SR	0	8931	1/1	0.83	0.07	110,110,110,110	0
33	CL	0	8815	1/1	0.83	0.09	87,87,87,87	0
34	SR	0	8947	1/1	0.83	0.30	194,194,194,194	0
34	SR	0	9002	1/1	0.83	0.06	157,157,157,157	0
32	MG	A	8051	1/1	0.83	0.22	101,101,101,101	0
34	SR	0	8955	1/1	0.85	0.17	200,200,200,200	0
34	SR	0	8946	1/1	0.85	0.12	123,123,123,123	0
35	NA	0	8548	1/1	0.85	0.12	68,68,68,68	0
35	NA	0	8564	1/1	0.86	0.34	57,57,57,57	0
35	NA	0	8546	1/1	0.86	0.47	80,80,80,80	0
35	NA	0	8507	1/1	0.86	0.16	32,32,32,32	0
35	NA	0	8515	1/1	0.86	0.15	44,44,44,44	0
32	MG	0	8081	1/1	0.86	0.32	80,80,80,80	0
34	SR	A	8993	1/1	0.86	0.08	159,159,159,159	0
32	MG	2	8060	1/1	0.86	0.10	35,35,35,35	0
34	SR	0	8989	1/1	0.86	0.18	200,200,200,200	0
37	CD	Z	8703	1/1	0.86	0.28	200,200,200,200	0
32	MG	0	8093	1/1	0.87	0.05	28,28,28,28	0
35	NA	0	8525	1/1	0.87	0.25	85,85,85,85	0
34	SR	B	8987	1/1	0.87	0.39	200,200,200,200	0
35	NA	0	8545	1/1	0.88	0.24	33,33,33,33	0
34	SR	0	8953	1/1	0.88	0.07	200,200,200,200	0
34	SR	0	8915	1/1	0.88	0.07	118,118,118,118	0
34	SR	0	8991	1/1	0.88	0.35	193,193,193,193	0
34	SR	0	8964	1/1	0.88	0.08	129,129,129,129	0
35	NA	0	8530	1/1	0.88	0.37	49,49,49,49	0
34	SR	0	8939	1/1	0.88	0.08	152,152,152,152	0
35	NA	0	8562	1/1	0.88	0.53	89,89,89,89	0
34	SR	0	8942	1/1	0.88	0.07	130,130,130,130	0
33	CL	3	8804	1/1	0.89	0.19	120,120,120,120	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
35	NA	0	8570	1/1	0.89	0.07	25,25,25,25	0
34	SR	0	8928	1/1	0.89	0.09	146,146,146,146	0
32	MG	0	8071	1/1	0.89	0.13	31,31,31,31	0
37	CD	3	8704	1/1	0.89	0.71	200,200,200,200	0
32	MG	0	8047	1/1	0.90	0.15	67,67,67,67	0
32	MG	B	8042	1/1	0.90	0.08	56,56,56,56	0
35	NA	0	8522	1/1	0.90	0.21	45,45,45,45	0
34	SR	0	8976	1/1	0.90	0.23	197,197,197,197	0
32	MG	0	8069	1/1	0.90	0.19	55,55,55,55	0
35	NA	0	8549	1/1	0.90	0.17	77,77,77,77	0
35	NA	0	8552	1/1	0.90	0.26	58,58,58,58	0
32	MG	0	8036	1/1	0.90	0.05	37,37,37,37	0
32	MG	0	8032	1/1	0.91	0.05	27,27,27,27	0
34	SR	3	8999	1/1	0.91	0.28	172,172,172,172	0
34	SR	0	8981	1/1	0.91	0.13	157,157,157,157	0
34	SR	9	9003	1/1	0.91	0.09	177,177,177,177	0
35	NA	0	8505	1/1	0.91	1.13	53,53,53,53	0
34	SR	0	8956	1/1	0.91	0.05	151,151,151,151	0
34	SR	0	8965	1/1	0.91	0.07	127,127,127,127	0
32	MG	0	8050	1/1	0.91	0.08	52,52,52,52	0
32	MG	0	8052	1/1	0.91	0.04	51,51,51,51	0
35	NA	0	8565	1/1	0.92	0.94	70,70,70,70	0
34	SR	F	9005	1/1	0.92	0.09	131,131,131,131	0
35	NA	0	8519	1/1	0.92	0.27	51,51,51,51	0
32	MG	0	8075	1/1	0.92	0.09	83,83,83,83	0
32	MG	0	8049	1/1	0.92	0.38	74,74,74,74	0
32	MG	0	8068	1/1	0.92	0.11	49,49,49,49	0
34	SR	0	8984	1/1	0.92	0.07	105,105,105,105	0
34	SR	0	9000	1/1	0.92	0.31	200,200,200,200	0
32	MG	0	8046	1/1	0.92	0.13	26,26,26,26	0
35	NA	0	8509	1/1	0.92	0.14	54,54,54,54	0
32	MG	K	8054	1/1	0.92	0.15	40,40,40,40	0
32	MG	0	8010	1/1	0.93	0.17	24,24,24,24	0
35	NA	0	8511	1/1	0.93	0.09	48,48,48,48	0
34	SR	0	8937	1/1	0.93	0.17	100,100,100,100	0
34	SR	0	8994	1/1	0.93	0.24	200,200,200,200	0
32	MG	0	8016	1/1	0.93	0.22	48,48,48,48	0
35	NA	0	8521	1/1	0.93	0.20	53,53,53,53	0
33	CL	L	8810	1/1	0.93	0.10	64,64,64,64	0
33	CL	Y	8820	1/1	0.94	0.11	47,47,47,47	0
35	NA	0	8560	1/1	0.94	0.76	74,74,74,74	0
32	MG	0	8039	1/1	0.94	0.18	71,71,71,71	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
35	NA	J	8538	1/1	0.94	0.08	49,49,49,49	0
35	NA	R	8532	1/1	0.94	0.14	37,37,37,37	0
34	SR	0	8910	1/1	0.94	0.08	99,99,99,99	0
35	NA	0	8544	1/1	0.94	0.11	41,41,41,41	0
32	MG	0	8033	1/1	0.94	0.13	40,40,40,40	0
34	SR	0	8916	1/1	0.94	0.10	114,114,114,114	0
35	NA	0	8547	1/1	0.94	0.67	47,47,47,47	0
32	MG	0	8037	1/1	0.94	0.17	76,76,76,76	0
33	CL	J	8821	1/1	0.94	0.11	66,66,66,66	0
34	SR	0	8927	1/1	0.94	0.20	196,196,196,196	0
34	SR	0	8970	1/1	0.94	0.04	131,131,131,131	0
32	MG	0	8088	1/1	0.94	0.16	35,35,35,35	0
33	CL	N	8807	1/1	0.94	0.35	99,99,99,99	0
33	CL	R	8806	1/1	0.95	0.11	47,47,47,47	0
35	NA	0	8504	1/1	0.95	0.09	27,27,27,27	0
32	MG	0	8082	1/1	0.95	0.12	66,66,66,66	0
35	NA	0	8506	1/1	0.95	0.51	58,58,58,58	0
32	MG	0	8065	1/1	0.95	0.12	50,50,50,50	0
35	NA	0	8508	1/1	0.95	0.56	61,61,61,61	0
34	SR	0	8983	1/1	0.95	0.27	191,191,191,191	0
33	CL	0	8803	1/1	0.95	0.14	69,69,69,69	0
33	CL	K	8812	1/1	0.95	0.07	48,48,48,48	0
34	SR	0	8914	1/1	0.95	0.20	105,105,105,105	0
32	MG	0	8080	1/1	0.95	0.28	68,68,68,68	0
33	CL	0	8822	1/1	0.95	0.60	97,97,97,97	0
34	SR	0	8945	1/1	0.95	0.06	107,107,107,107	0
32	MG	0	8062	1/1	0.95	0.20	57,57,57,57	0
35	NA	0	8526	1/1	0.95	0.13	33,33,33,33	0
34	SR	0	8996	1/1	0.96	0.22	199,199,199,199	0
32	MG	B	8043	1/1	0.96	0.11	53,53,53,53	0
33	CL	0	8816	1/1	0.96	0.39	94,94,94,94	0
34	SR	0	8943	1/1	0.96	0.09	72,72,72,72	0
33	CL	0	8817	1/1	0.96	0.20	69,69,69,69	0
35	NA	0	8554	1/1	0.96	0.55	65,65,65,65	0
35	NA	0	8513	1/1	0.96	0.34	66,66,66,66	0
32	MG	0	8040	1/1	0.96	0.21	54,54,54,54	0
35	NA	0	8516	1/1	0.96	0.08	20,20,20,20	0
34	SR	0	8917	1/1	0.96	0.10	109,109,109,109	0
35	NA	0	8561	1/1	0.96	0.36	57,57,57,57	0
34	SR	A	8929	1/1	0.96	0.04	117,117,117,117	0
32	MG	0	8041	1/1	0.96	0.31	36,36,36,36	0
33	CL	J	8801	1/1	0.96	0.13	71,71,71,71	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
34	SR	0	8972	1/1	0.96	0.10	150,150,150,150	0
32	MG	0	8035	1/1	0.96	0.10	61,61,61,61	0
35	NA	0	8527	1/1	0.96	0.15	54,54,54,54	0
35	NA	M	8539	1/1	0.96	0.09	32,32,32,32	0
35	NA	Q	8540	1/1	0.96	0.11	67,67,67,67	0
35	NA	0	8533	1/1	0.96	0.08	53,53,53,53	0
35	NA	0	8574	1/1	0.96	0.35	54,54,54,54	0
34	SR	0	8990	1/1	0.96	0.15	125,125,125,125	0
35	NA	S	8510	1/1	0.96	0.04	26,26,26,26	0
35	NA	0	8501	1/1	0.96	0.14	43,43,43,43	0
32	MG	3	8090	1/1	0.96	0.12	80,80,80,80	0
32	MG	0	8004	1/1	0.96	0.18	21,21,21,21	0
32	MG	0	8055	1/1	0.97	0.10	45,45,45,45	0
35	NA	0	8529	1/1	0.97	0.18	41,41,41,41	0
32	MG	T	8057	1/1	0.97	0.04	63,63,63,63	0
32	MG	0	8020	1/1	0.97	0.14	29,29,29,29	0
35	NA	0	8534	1/1	0.97	0.18	37,37,37,37	0
32	MG	0	8064	1/1	0.97	0.06	33,33,33,33	0
35	NA	0	8536	1/1	0.97	0.06	40,40,40,40	0
34	SR	0	8920	1/1	0.97	0.05	106,106,106,106	0
34	SR	0	8948	1/1	0.97	0.08	103,103,103,103	0
32	MG	0	8083	1/1	0.97	0.12	71,71,71,71	0
34	SR	0	8924	1/1	0.97	0.17	133,133,133,133	0
32	MG	0	8025	1/1	0.97	0.10	30,30,30,30	0
32	MG	0	8089	1/1	0.97	0.17	59,59,59,59	0
34	SR	0	8995	1/1	0.97	0.14	140,140,140,140	0
35	NA	0	8550	1/1	0.97	0.27	47,47,47,47	0
32	MG	0	8027	1/1	0.97	0.12	26,26,26,26	0
32	MG	0	8029	1/1	0.97	0.07	68,68,68,68	0
33	CL	A	8809	1/1	0.97	0.35	100,100,100,100	0
32	MG	Y	8086	1/1	0.97	0.06	37,37,37,37	0
34	SR	0	8901	1/1	0.98	0.14	63,63,63,63	0
34	SR	0	8951	1/1	0.98	0.09	139,139,139,139	0
34	SR	0	8908	1/1	0.98	0.13	77,77,77,77	0
34	SR	0	8909	1/1	0.98	0.13	89,89,89,89	0
32	MG	0	8014	1/1	0.98	0.19	21,21,21,21	0
34	SR	0	8911	1/1	0.98	0.06	79,79,79,79	0
34	SR	0	8958	1/1	0.98	0.07	114,114,114,114	0
32	MG	0	8073	1/1	0.98	0.06	51,51,51,51	0
35	NA	0	8542	1/1	0.98	0.16	51,51,51,51	0
32	MG	0	8005	1/1	0.98	0.22	34,34,34,34	0
32	MG	0	8078	1/1	0.98	0.23	51,51,51,51	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
34	SR	0	8963	1/1	0.98	0.05	123,123,123,123	0
32	MG	0	8017	1/1	0.98	0.10	20,20,20,20	0
32	MG	0	8034	1/1	0.98	0.13	53,53,53,53	0
32	MG	0	8053	1/1	0.98	0.05	45,45,45,45	0
34	SR	0	8921	1/1	0.98	0.09	75,75,75,75	0
35	NA	0	8551	1/1	0.98	0.15	55,55,55,55	0
32	MG	0	8018	1/1	0.98	0.14	34,34,34,34	0
34	SR	0	8923	1/1	0.98	0.12	85,85,85,85	0
35	NA	R	8575	1/1	0.98	0.34	89,89,89,89	0
35	NA	0	8555	1/1	0.98	0.34	50,50,50,50	0
32	MG	0	8087	1/1	0.98	0.09	26,26,26,26	0
34	SR	0	8926	1/1	0.98	0.09	109,109,109,109	0
35	NA	0	8558	1/1	0.98	0.22	44,44,44,44	0
32	MG	0	8006	1/1	0.98	0.13	20,20,20,20	0
32	MG	0	8021	1/1	0.98	0.11	25,25,25,25	0
32	MG	0	8023	1/1	0.98	0.18	24,24,24,24	0
34	SR	0	8935	1/1	0.98	0.09	87,87,87,87	0
34	SR	0	8936	1/1	0.98	0.08	87,87,87,87	0
32	MG	0	8092	1/1	0.98	0.02	44,44,44,44	0
34	SR	0	8938	1/1	0.98	0.07	164,164,164,164	0
32	MG	0	8024	1/1	0.98	0.12	96,96,96,96	0
34	SR	0	8940	1/1	0.98	0.11	77,77,77,77	0
35	NA	0	8568	1/1	0.98	0.10	38,38,38,38	0
34	SR	0	8941	1/1	0.98	0.18	122,122,122,122	0
34	SR	B	8950	1/1	0.98	0.16	113,113,113,113	0
32	MG	0	8066	1/1	0.98	0.31	75,75,75,75	0
35	NA	0	8520	1/1	0.98	0.10	39,39,39,39	0
32	MG	0	8067	1/1	0.98	0.13	32,32,32,32	0
36	K	M	8402	1/1	0.98	0.11	60,60,60,60	0
34	SR	S	8961	1/1	0.98	0.05	126,126,126,126	0
37	CD	O	8705	1/1	0.98	0.08	93,93,93,93	0
32	MG	0	8009	1/1	0.98	0.21	24,24,24,24	0
32	MG	0	8002	1/1	0.98	0.08	29,29,29,29	0
34	SR	0	8992	1/1	0.98	0.08	130,130,130,130	0
35	NA	0	8523	1/1	0.99	0.11	51,51,51,51	0
35	NA	0	8524	1/1	0.99	0.40	54,54,54,54	0
32	MG	0	8003	1/1	0.99	0.17	22,22,22,22	0
32	MG	0	8001	1/1	0.99	0.12	26,26,26,26	0
32	MG	0	8056	1/1	0.99	0.08	75,75,75,75	0
32	MG	0	8058	1/1	0.99	0.06	22,22,22,22	0
34	SR	A	8930	1/1	0.99	0.07	125,125,125,125	0
32	MG	0	8084	1/1	0.99	0.14	24,24,24,24	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
35	NA	0	8531	1/1	0.99	0.10	15,15,15,15	0
32	MG	0	8085	1/1	0.99	0.12	67,67,67,67	0
32	MG	0	8059	1/1	0.99	0.12	53,53,53,53	0
32	MG	0	8061	1/1	0.99	0.18	19,19,19,19	0
32	MG	0	8038	1/1	0.99	0.05	61,61,61,61	0
34	SR	1	8913	1/1	0.99	0.11	100,100,100,100	0
32	MG	0	8012	1/1	0.99	0.14	15,15,15,15	0
34	SR	0	8949	1/1	0.99	0.05	102,102,102,102	0
32	MG	0	8019	1/1	0.99	0.15	23,23,23,23	0
32	MG	0	8030	1/1	0.99	0.34	86,86,86,86	0
34	SR	0	8902	1/1	0.99	0.16	67,67,67,67	0
34	SR	0	8905	1/1	0.99	0.23	62,62,62,62	0
32	MG	9	8074	1/1	0.99	0.05	63,63,63,63	0
34	SR	0	9008	1/1	0.99	0.17	97,97,97,97	0
32	MG	0	8044	1/1	0.99	0.14	52,52,52,52	0
33	CL	B	8819	1/1	0.99	0.15	59,59,59,59	0
35	NA	C	8503	1/1	0.99	0.17	45,45,45,45	0
32	MG	0	8045	1/1	0.99	0.10	24,24,24,24	0
32	MG	0	8031	1/1	0.99	0.23	52,52,52,52	0
32	MG	0	8013	1/1	0.99	0.04	24,24,24,24	0
32	MG	0	8070	1/1	0.99	0.10	40,40,40,40	0
32	MG	0	8048	1/1	0.99	0.21	20,20,20,20	0
34	SR	0	8966	1/1	0.99	0.07	97,97,97,97	0
34	SR	0	8918	1/1	0.99	0.09	71,71,71,71	0
35	NA	0	8502	1/1	0.99	0.05	56,56,56,56	0
33	CL	M	8818	1/1	0.99	0.05	39,39,39,39	0
32	MG	0	8072	1/1	0.99	0.08	47,47,47,47	0
33	CL	O	8808	1/1	0.99	0.11	87,87,87,87	0
32	MG	0	8008	1/1	0.99	0.14	26,26,26,26	0
32	MG	0	8022	1/1	0.99	0.12	17,17,17,17	0
32	MG	0	8076	1/1	0.99	0.11	27,27,27,27	0
34	SR	0	8925	1/1	0.99	0.15	94,94,94,94	0
35	NA	0	8569	1/1	0.99	0.20	67,67,67,67	0
35	NA	0	8512	1/1	0.99	0.08	36,36,36,36	0
32	MG	0	8077	1/1	0.99	0.10	43,43,43,43	0
35	NA	0	8514	1/1	0.99	0.19	17,17,17,17	0
33	CL	0	8805	1/1	0.99	0.14	70,70,70,70	0
35	NA	9	8543	1/1	0.99	0.11	38,38,38,38	0
33	CL	0	8811	1/1	0.99	0.38	79,79,79,79	0
35	NA	0	8517	1/1	0.99	0.15	21,21,21,21	0
33	CL	0	8813	1/1	0.99	0.03	46,46,46,46	0
34	SR	0	8933	1/1	0.99	0.07	126,126,126,126	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
34	SR	0	8934	1/1	0.99	0.09	99,99,99,99	0
32	MG	0	8015	1/1	0.99	0.13	25,25,25,25	0
32	MG	0	8079	1/1	0.99	0.11	36,36,36,36	0
34	SR	0	8906	1/1	1.00	0.20	64,64,64,64	0
34	SR	0	8954	1/1	1.00	0.12	103,103,103,103	0
34	SR	0	8907	1/1	1.00	0.12	40,40,40,40	0
34	SR	1	8952	1/1	1.00	0.11	72,72,72,72	0
34	SR	9	8978	1/1	1.00	0.07	125,125,125,125	0
32	MG	0	8028	1/1	1.00	0.13	19,19,19,19	0
32	MG	0	8011	1/1	1.00	0.21	24,24,24,24	0
34	SR	R	8912	1/1	1.00	0.12	86,86,86,86	0
32	MG	0	8026	1/1	1.00	0.04	27,27,27,27	0
34	SR	0	8903	1/1	1.00	0.13	46,46,46,46	0
34	SR	0	8904	1/1	1.00	0.17	58,58,58,58	0
35	NA	0	8537	1/1	1.00	0.17	29,29,29,29	0
37	CD	1	8702	1/1	1.00	0.13	61,61,61,61	0
32	MG	0	8007	1/1	1.00	0.19	18,18,18,18	0

6.5 Other polymers [i](#)

There are no such residues in this entry.