



wwPDB X-ray Structure Validation Summary Report ⓘ

Oct 15, 2023 – 07:05 PM EDT

PDB ID : 8CT0
Title : Crystal structure of FAD reductase CtcQ from *Kitasatospora aureofaciens* in complex with FAD and NAD
Authors : Hou, C.; Tsodikov, O.V.
Deposited on : 2022-05-13
Resolution : 2.45 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1544 (2.48-2.44)
Clashscore	141614	1613 (2.48-2.44)
Ramachandran outliers	138981	1598 (2.48-2.44)
Sidechain outliers	138945	1598 (2.48-2.44)
RSRZ outliers	127900	1523 (2.48-2.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	199	 4% 76% 9% 15%
1	B	199	 4% 78% 8% 14%
1	C	199	 5% 76% 11% 14%
1	D	199	 4% 77% 9% 14%
1	E	199	 2% 75% 8% 16%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	199	 6% 78% 10% 12%
1	G	199	 3% 83% 14%
1	H	199	 7% 75% 14% 11%

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 11093 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Flavin reductase (NADH).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	170	Total 1236	C 782	N 217	O 230	S 7	0	0	0
1	B	171	Total 1243	C 786	N 218	O 232	S 7	0	0	0
1	C	172	Total 1254	C 794	N 222	O 231	S 7	0	0	0
1	D	172	Total 1255	C 795	N 222	O 231	S 7	0	0	0
1	E	168	Total 1218	C 771	N 212	O 228	S 7	0	0	0
1	F	175	Total 1268	C 805	N 222	O 234	S 7	0	0	0
1	G	172	Total 1256	C 794	N 222	O 233	S 7	0	0	0
1	H	178	Total 1281	C 813	N 225	O 235	S 8	0	0	0

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	192	LEU	-	expression tag	UNP S4S3E3
A	193	GLU	-	expression tag	UNP S4S3E3
A	194	HIS	-	expression tag	UNP S4S3E3
A	195	HIS	-	expression tag	UNP S4S3E3
A	196	HIS	-	expression tag	UNP S4S3E3
A	197	HIS	-	expression tag	UNP S4S3E3
A	198	HIS	-	expression tag	UNP S4S3E3
A	199	HIS	-	expression tag	UNP S4S3E3
B	192	LEU	-	expression tag	UNP S4S3E3
B	193	GLU	-	expression tag	UNP S4S3E3
B	194	HIS	-	expression tag	UNP S4S3E3
B	195	HIS	-	expression tag	UNP S4S3E3
B	196	HIS	-	expression tag	UNP S4S3E3

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	197	HIS	-	expression tag	UNP S4S3E3
B	198	HIS	-	expression tag	UNP S4S3E3
B	199	HIS	-	expression tag	UNP S4S3E3
C	192	LEU	-	expression tag	UNP S4S3E3
C	193	GLU	-	expression tag	UNP S4S3E3
C	194	HIS	-	expression tag	UNP S4S3E3
C	195	HIS	-	expression tag	UNP S4S3E3
C	196	HIS	-	expression tag	UNP S4S3E3
C	197	HIS	-	expression tag	UNP S4S3E3
C	198	HIS	-	expression tag	UNP S4S3E3
C	199	HIS	-	expression tag	UNP S4S3E3
D	192	LEU	-	expression tag	UNP S4S3E3
D	193	GLU	-	expression tag	UNP S4S3E3
D	194	HIS	-	expression tag	UNP S4S3E3
D	195	HIS	-	expression tag	UNP S4S3E3
D	196	HIS	-	expression tag	UNP S4S3E3
D	197	HIS	-	expression tag	UNP S4S3E3
D	198	HIS	-	expression tag	UNP S4S3E3
D	199	HIS	-	expression tag	UNP S4S3E3
E	192	LEU	-	expression tag	UNP S4S3E3
E	193	GLU	-	expression tag	UNP S4S3E3
E	194	HIS	-	expression tag	UNP S4S3E3
E	195	HIS	-	expression tag	UNP S4S3E3
E	196	HIS	-	expression tag	UNP S4S3E3
E	197	HIS	-	expression tag	UNP S4S3E3
E	198	HIS	-	expression tag	UNP S4S3E3
E	199	HIS	-	expression tag	UNP S4S3E3
F	192	LEU	-	expression tag	UNP S4S3E3
F	193	GLU	-	expression tag	UNP S4S3E3
F	194	HIS	-	expression tag	UNP S4S3E3
F	195	HIS	-	expression tag	UNP S4S3E3
F	196	HIS	-	expression tag	UNP S4S3E3
F	197	HIS	-	expression tag	UNP S4S3E3
F	198	HIS	-	expression tag	UNP S4S3E3
F	199	HIS	-	expression tag	UNP S4S3E3
G	192	LEU	-	expression tag	UNP S4S3E3
G	193	GLU	-	expression tag	UNP S4S3E3
G	194	HIS	-	expression tag	UNP S4S3E3
G	195	HIS	-	expression tag	UNP S4S3E3
G	196	HIS	-	expression tag	UNP S4S3E3
G	197	HIS	-	expression tag	UNP S4S3E3
G	198	HIS	-	expression tag	UNP S4S3E3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	199	HIS	-	expression tag	UNP S4S3E3
H	192	LEU	-	expression tag	UNP S4S3E3
H	193	GLU	-	expression tag	UNP S4S3E3
H	194	HIS	-	expression tag	UNP S4S3E3
H	195	HIS	-	expression tag	UNP S4S3E3
H	196	HIS	-	expression tag	UNP S4S3E3
H	197	HIS	-	expression tag	UNP S4S3E3
H	198	HIS	-	expression tag	UNP S4S3E3
H	199	HIS	-	expression tag	UNP S4S3E3

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total	C	N	O	P	0	0
53	27	9	15	2					
2	A	1	Total	C	N	O	P	0	0
53	27	9	15	2					
2	B	1	Total	C	N	O	P	0	0
53	27	9	15	2					
2	B	1	Total	C	N	O	P	0	0
53	27	9	15	2					
2	C	1	Total	C	N	O	P	0	0
44	22	5	15	2					
2	D	1	Total	C	N	O	P	0	0
53	27	9	15	2					

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	D	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	E	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	E	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	F	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	F	1	Total	C	N	O	P	0	0
			36	18	4	12	2		
2	G	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	G	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	H	1	Total	C	N	O	P	0	0
			36	18	4	12	2		

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		
3	C	1	Total	O	P	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	P		
3	C	1	5	4	1	0	0
3	D	1	5	4	1	0	0
3	D	1	5	4	1	0	0
3	E	1	5	4	1	0	0
3	F	1	5	4	1	0	0
3	F	1	5	4	1	0	0
3	G	1	5	4	1	0	0
3	H	1	5	4	1	0	0
3	H	1	5	4	1	0	0


- Molecule 4 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
4	C	1	44	21	7	14	2	0	0

- Molecule 5 is 1,4-DIHYDRONICOTINAMIDE ADENINE DINUCLEOTIDE (three-letter

code: NAI) (formula: C₂₁H₂₉N₇O₁₄P₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
5	H	1	44	21	7	14	2	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	46	Total	O	0	0
			46	46		
6	B	34	Total	O	0	0
			34	34		
6	C	29	Total	O	0	0
			29	29		
6	D	17	Total	O	0	0
			17	17		
6	E	26	Total	O	0	0
			26	26		
6	F	24	Total	O	0	0
			24	24		
6	G	45	Total	O	0	0
			45	45		
6	H	14	Total	O	0	0
			14	14		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Flavin reductase (NADH)




- Molecule 1: Flavin reductase (NADH)



- Molecule 1: Flavin reductase (NADH)




- Molecule 1: Flavin reductase (NADH)



GLU
GLY
LEU
LEU
HIS
HIS
HIS
HIS


● Molecule 1: Flavin reductase (NADH)



MET PRO PRO E4 L8 A13 P14 V36 L39 G47 L63 R80 G81 E82 R89 D104 G118 A124 D126 V127 V128 P158 VAL VAL S162 P163 Y166 R169 W174 PRO VAL GLU GLU ASP PRO ARG THR ALA ALA LEU THR LEU ALA

ALA
GLU
GLY
LEU
GLU
HIS
HIS
HIS
HIS


● Molecule 1: Flavin reductase (NADH)



MET P2 L8 D11 L12 A13 D18 V36 G40 P41 D42 G47 L48 S55 V56 L64 D70 S71 R72 K75 N86 E93 D104 D109 V127 A150 Y166 W167 R168 R169 V176 GLU GLU ASP PRO ARG THR ALA ALA LEU THR LEU


ALA
ALA
GLU
GLY
LEU
GLU
HIS
HIS
HIS
HIS

● Molecule 1: Flavin reductase (NADH)



MET PRO PRO E4 P41 D42 L48 S51 S55 L63 A124 S125 D126 Y166 P175 VAL GLU GLU ASP PRO ARG THR ALA ALA LEU THR LEU ALA ALA GLU GLY LEU GLU HIS HIS HIS HIS

● Molecule 1: Flavin reductase (NADH)



H1 L8 D11 L12 A13 P14 L23 V36 L39 G40 P41 D42 Y46 G47 S51 A52 S55 P61 L64 R70 S71 R72 V73 L74 K75 R80 G81 E82 R89 R108 P121 V128 L139 H144 V147 G155 P156 R157 P158 E159

V160 P161 S162 P163 L164 R169 R173 W174 P175 V176 E177 E178 ASP PRO ARG THR ALA ALA LEU THR LEU LEU ALA ALA GLU GLY LEU LEU GLU HIS HIS HIS HIS

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	56.74Å 123.60Å 102.70Å 90.00° 99.10° 90.00°	Depositor
Resolution (Å)	34.97 – 2.45 34.94 – 2.45	Depositor EDS
% Data completeness (in resolution range)	95.4 (34.97-2.45) 95.3 (34.94-2.45)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.53 (at 2.45Å)	Xtrriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.194 , 0.256 0.198 , 0.259	Depositor DCC
R_{free} test set	2512 reflections (5.12%)	wwPDB-VP
Wilson B-factor (Å ²)	20.8	Xtrriage
Anisotropy	0.771	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 42.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	11093	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, NAI, NAD, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.64	0/1265	0.77	0/1731
1	B	0.65	0/1272	0.78	0/1740
1	C	0.63	0/1284	0.78	0/1757
1	D	0.65	0/1285	0.78	0/1759
1	E	0.64	0/1245	0.76	0/1702
1	F	0.63	0/1300	0.77	0/1782
1	G	0.64	0/1286	0.77	0/1761
1	H	0.63	0/1313	0.76	0/1798
All	All	0.64	0/10250	0.77	0/14030

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1236	0	1237	13	0
1	B	1243	0	1240	17	0
1	C	1254	0	1262	10	0
1	D	1255	0	1263	12	0
1	E	1218	0	1212	14	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	1268	0	1269	12	0
1	G	1256	0	1257	2	0
1	H	1281	0	1281	25	0
2	A	106	0	62	1	0
2	B	106	0	62	7	0
2	C	44	0	27	0	0
2	D	106	0	62	3	0
2	E	106	0	62	8	0
2	F	89	0	50	2	0
2	G	106	0	62	2	0
2	H	36	0	19	1	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0
3	C	10	0	0	0	0
3	D	10	0	0	0	0
3	E	5	0	0	0	0
3	F	10	0	0	0	0
3	G	5	0	0	0	0
3	H	10	0	0	0	0
4	C	44	0	26	1	0
5	H	44	0	27	5	0
6	A	46	0	0	1	0
6	B	34	0	0	1	0
6	C	29	0	0	0	0
6	D	17	0	0	0	0
6	E	26	0	0	0	0
6	F	24	0	0	2	0
6	G	45	0	0	1	0
6	H	14	0	0	1	0
All	All	11093	0	10480	106	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 106 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:201:FAD:O2'	2:B:201:FAD:H2A	1.50	1.10
1:D:55:SER:HB3	2:E:201:FAD:H8A	1.45	0.96
2:B:201:FAD:O2'	2:B:201:FAD:C2A	2.29	0.81
2:E:201:FAD:H2A	2:E:201:FAD:O2'	1.81	0.80

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:55:SER:OG	2:F:201:FAD:H8A	1.87	0.74

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	168/199 (84%)	161 (96%)	7 (4%)	0	100	100
1	B	168/199 (84%)	157 (94%)	11 (6%)	0	100	100
1	C	170/199 (85%)	166 (98%)	4 (2%)	0	100	100
1	D	170/199 (85%)	166 (98%)	4 (2%)	0	100	100
1	E	164/199 (82%)	158 (96%)	6 (4%)	0	100	100
1	F	173/199 (87%)	165 (95%)	8 (5%)	0	100	100
1	G	170/199 (85%)	164 (96%)	6 (4%)	0	100	100
1	H	176/199 (88%)	168 (96%)	8 (4%)	0	100	100
All	All	1359/1592 (85%)	1305 (96%)	54 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	130/155 (84%)	127 (98%)	3 (2%)	50	63
1	B	131/155 (84%)	129 (98%)	2 (2%)	65	76
1	C	132/155 (85%)	127 (96%)	5 (4%)	33	43
1	D	132/155 (85%)	129 (98%)	3 (2%)	50	63
1	E	127/155 (82%)	123 (97%)	4 (3%)	40	52
1	F	133/155 (86%)	127 (96%)	6 (4%)	27	36
1	G	132/155 (85%)	128 (97%)	4 (3%)	41	52
1	H	133/155 (86%)	129 (97%)	4 (3%)	41	52
All	All	1050/1240 (85%)	1019 (97%)	31 (3%)	41	52

5 of 31 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	82	GLU
1	H	39	LEU
1	F	42	ASP
1	H	55	SER
1	G	51	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	68	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

28 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PO4	D	204	-	4,4,4	0.71	0	6,6,6	0.43	0
2	FAD	B	201	-	53,58,58	0.62	0	68,89,89	0.93	4 (5%)
3	PO4	G	203	-	4,4,4	0.82	0	6,6,6	0.40	0
2	FAD	E	202	-	53,58,58	0.60	0	68,89,89	0.75	1 (1%)
3	PO4	H	204	-	4,4,4	0.66	0	6,6,6	0.41	0
2	FAD	E	201	-	53,58,58	0.63	0	68,89,89	0.95	5 (7%)
3	PO4	E	203	-	4,4,4	0.72	0	6,6,6	0.45	0
4	NAD	C	202	-	42,48,48	0.60	0	50,73,73	0.84	3 (6%)
3	PO4	A	203	-	4,4,4	0.66	0	6,6,6	0.41	0
5	NAI	H	202	-	42,48,48	0.67	1 (2%)	47,73,73	0.78	2 (4%)
2	FAD	G	201	-	53,58,58	0.62	0	68,89,89	0.90	2 (2%)
2	FAD	A	202	-	53,58,58	0.64	0	68,89,89	0.85	5 (7%)
2	FAD	A	201	-	53,58,58	0.60	0	68,89,89	0.71	2 (2%)
3	PO4	C	203	-	4,4,4	0.83	0	6,6,6	0.45	0
3	PO4	F	204	-	4,4,4	0.59	0	6,6,6	0.44	0
2	FAD	G	202	-	53,58,58	0.64	0	68,89,89	0.78	2 (2%)
2	FAD	D	202	-	53,58,58	0.61	0	68,89,89	0.78	2 (2%)
2	FAD	B	202	-	53,58,58	0.64	0	68,89,89	0.71	1 (1%)
2	FAD	F	202	-	36,38,58	0.62	0	51,58,89	0.69	0
2	FAD	H	201	-	36,38,58	0.62	0	51,58,89	0.70	0
2	FAD	F	201	-	53,58,58	0.64	0	68,89,89	0.88	2 (2%)
3	PO4	C	204	-	4,4,4	0.70	0	6,6,6	0.45	0
2	FAD	C	201	-	44,47,58	0.57	0	61,72,89	0.65	0
3	PO4	F	203	-	4,4,4	0.62	0	6,6,6	0.43	0
3	PO4	D	203	-	4,4,4	0.69	0	6,6,6	0.43	0
3	PO4	B	203	-	4,4,4	0.69	0	6,6,6	0.42	0
3	PO4	H	203	-	4,4,4	0.68	0	6,6,6	0.45	0
2	FAD	D	201	-	53,58,58	0.66	0	68,89,89	1.00	4 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	C	201	-	-	9/30/46/50	0/4/4/6
2	FAD	B	201	-	-	6/30/50/50	0/6/6/6
2	FAD	D	202	-	-	13/30/50/50	0/6/6/6
2	FAD	B	202	-	-	5/30/50/50	0/6/6/6
2	FAD	E	201	-	-	1/30/50/50	0/6/6/6
2	FAD	F	202	-	-	4/27/27/50	0/3/3/6
2	FAD	G	202	-	-	11/30/50/50	0/6/6/6
2	FAD	E	202	-	-	1/30/50/50	0/6/6/6
2	FAD	H	201	-	-	6/27/27/50	0/3/3/6
4	NAD	C	202	-	-	11/26/62/62	0/5/5/5
2	FAD	F	201	-	-	11/30/50/50	0/6/6/6
5	NAI	H	202	-	-	14/25/72/72	0/5/5/5
2	FAD	G	201	-	-	10/30/50/50	0/6/6/6
2	FAD	A	202	-	-	5/30/50/50	0/6/6/6
2	FAD	A	201	-	-	4/30/50/50	0/6/6/6
2	FAD	D	201	-	-	9/30/50/50	0/6/6/6

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	H	202	NAI	C8A-N7A	-2.03	1.31	1.34

The worst 5 of 35 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	201	FAD	P-O3P-PA	3.56	145.03	132.83
2	F	201	FAD	C1'-C2'-C3'	3.20	118.72	109.79
2	B	201	FAD	P-O3P-PA	-2.97	122.64	132.83
2	D	201	FAD	C1'-C2'-C3'	2.72	117.39	109.79
4	C	202	NAD	C3D-C2D-C1D	2.71	105.06	100.98

There are no chirality outliers.

5 of 120 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	201	FAD	C5B-O5B-PA-O1A
2	A	201	FAD	C5B-O5B-PA-O3P
2	A	202	FAD	C3'-C4'-C5'-O5'
2	A	202	FAD	O4'-C4'-C5'-O5'
2	B	201	FAD	C3'-C4'-C5'-O5'


There are no ring outliers.


12 monomers are involved in 30 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	201	FAD	7	0
2	E	202	FAD	1	0
2	E	201	FAD	7	0
4	C	202	NAD	1	0
5	H	202	NAI	5	0
2	G	201	FAD	1	0
2	A	201	FAD	1	0
2	G	202	FAD	1	0
2	D	202	FAD	2	0
2	H	201	FAD	1	0
2	F	201	FAD	2	0
2	D	201	FAD	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.
















































































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	170/199 (85%)	0.06	7 (4%) 37 34	10, 20, 45, 61	2 (1%)
1	B	171/199 (85%)	0.16	7 (4%) 37 34	12, 20, 42, 50	2 (1%)
1	C	172/199 (86%)	0.09	9 (5%) 27 24	10, 20, 38, 47	2 (1%)
1	D	172/199 (86%)	-0.08	7 (4%) 37 34	12, 21, 38, 51	2 (1%)
1	E	168/199 (84%)	-0.15	3 (1%) 68 65	12, 21, 37, 69	2 (1%)
1	F	175/199 (87%)	0.08	11 (6%) 20 16	11, 22, 43, 53	2 (1%)
1	G	172/199 (86%)	-0.16	5 (2%) 51 47	10, 17, 33, 46	2 (1%)
1	H	178/199 (89%)	0.18	14 (7%) 12 9	12, 22, 44, 56	2 (1%)
All	All	1378/1592 (86%)	0.02	63 (4%) 32 30	10, 20, 41, 69	16 (1%)

The worst 5 of 63 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	14	PRO	4.9
1	B	175	PRO	4.0
1	F	104	ASP	3.9
1	C	14	PRO	3.9
1	B	13	ALA	3.9

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NAI	H	202	44/44	0.82	0.23	28,44,55,57	0
2	FAD	F	201	53/53	0.87	0.19	28,34,47,50	0
2	FAD	D	202	53/53	0.90	0.18	22,31,52,55	0
2	FAD	B	201	53/53	0.90	0.18	13,20,29,34	0
2	FAD	B	202	53/53	0.90	0.18	9,14,49,52	0
4	NAD	C	202	44/44	0.91	0.14	24,35,47,51	0
2	FAD	D	201	53/53	0.92	0.16	13,17,37,39	0
2	FAD	G	201	53/53	0.92	0.17	8,13,51,52	0
3	PO4	D	203	5/5	0.92	0.20	42,42,43,45	0
2	FAD	C	201	44/53	0.92	0.15	10,14,35,36	0
2	FAD	E	202	53/53	0.92	0.16	12,16,62,65	0
2	FAD	A	201	53/53	0.93	0.16	9,13,51,52	0
2	FAD	E	201	53/53	0.93	0.14	17,18,23,26	0
3	PO4	A	203	5/5	0.94	0.14	43,43,46,47	0
3	PO4	C	203	5/5	0.94	0.16	43,44,46,46	0
2	FAD	F	202	36/53	0.94	0.12	14,16,39,41	0
3	PO4	F	204	5/5	0.94	0.21	44,45,46,46	0
2	FAD	A	202	53/53	0.94	0.14	14,16,27,32	0
2	FAD	G	202	53/53	0.94	0.13	14,15,27,31	0
3	PO4	E	203	5/5	0.95	0.11	44,46,47,48	0
2	FAD	H	201	36/53	0.95	0.12	11,13,32,37	0
3	PO4	H	204	5/5	0.96	0.23	39,39,40,42	0
3	PO4	B	203	5/5	0.96	0.13	39,39,40,41	0
3	PO4	D	204	5/5	0.96	0.23	38,38,40,41	0
3	PO4	H	203	5/5	0.97	0.08	52,53,54,54	0
3	PO4	G	203	5/5	0.97	0.11	33,33,34,35	0
3	PO4	C	204	5/5	0.98	0.12	31,31,32,32	0
3	PO4	F	203	5/5	0.98	0.11	42,43,43,44	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NAI H 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD F 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD D 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD B 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD B 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD C 202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD D 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD G 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PO4 D 203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around FAD C 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD E 202:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around FAD E 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PO4 A 203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PO4 C 203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD F 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PO4 F 204:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD A 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD G 202:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around PO4 E 203:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around PO4 H 204:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PO4 B 203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PO4 D 204:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PO4 H 203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PO4 G 203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PO4 C 204:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around PO4 F 203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.