

wwPDB X-ray Structure Validation Summary Report (i)

Oct 14, 2023 – 06:42 PM EDT

| PDB ID | : | 8CX9 |
|--------------|---|--|
| Title | : | Structure of the SARS-COV2 PLpro (C111S) in complex with a dimeric Ubv |
| | | that inhibits activity by an unusual allosteric mechanism |
| Authors | : | Singer, A.U.; Slater, C.L.; Patel, A.; Russel, R.; Mark, B.L.; Sidhu, S.S. |
| Deposited on | : | 2022-05-20 |
| Resolution | : | 3.50 Å(reported) |

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

| MolProbity | : | 4.02b-467 |
|--------------------------------|---|--|
| Xtriage (Phenix) | : | 1.13 |
| EDS | : | 2.36 |
| buster-report | : | 1.1.7(2018) |
| Percentile statistics | : | 20191225.v01 (using entries in the PDB archive December 25th 2019) |
| Refmac | : | 5.8.0158 |
| CCP4 | : | 7.0.044 (Gargrove) |
| Ideal geometry (proteins) | : | Engh & Huber (2001) |
| Ideal geometry (DNA, RNA) | : | Parkinson et al. (1996) |
| Validation Pipeline (wwPDB-VP) | : | 2.36 |

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric | Whole archive | Similar resolution |
|-----------------------|---------------------|---|
| | $(\# { m Entries})$ | $(\# { m Entries}, { m resolution} { m range}({ m \AA}))$ |
| R_{free} | 130704 | 1659 (3.60-3.40) |
| Clashscore | 141614 | 1036 (3.58-3.42) |
| Ramachandran outliers | 138981 | 1005 (3.58-3.42) |
| Sidechain outliers | 138945 | 1006 (3.58-3.42) |
| RSRZ outliers | 127900 | 1559 (3.60-3.40) |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain | | | | | |
|-----|-------|--------|-------------------|-----|---|-----|-----|--|
| 1 | А | 320 | 65% | | | 32% | ••• | |
| 1 | В | 320 | 73% | | | 24% | •• | |
| 1 | С | 320 | 69% | | | 28% | •• | |
| 1 | D | 320 | .% 6 7% | | | 28% | • • | |
| 2 | Е | 103 | 36% | 35% | • | 28% | | |



| Mol | Chain | Length | Qu | ality of chain | | | |
|-----|-------|--------|-----------|----------------|----|-----|---|
| 2 | F | 103 | 41% | 32% | | 27% | _ |
| 2 | G | 103 | 42% | 30% | • | 27% | |
| 2 | Н | 103 | 45% | 27% | | 28% | - |
| 2 | Ι | 103 | 47% | 26% | | 27% | - |
| 2 | J | 103 | 50% | 20% | · | 28% | - |
| 2 | K | 103 | 2% 44% | 27% | | 29% | _ |
| 2 | L | 103 | 38% | 32% | •• | 28% | _ |

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

| Mol | Type | Chain | Res | Chirality | Geometry | Clashes | Electron density |
|-----|------|-------|-----|-----------|----------|---------|------------------|
| 4 | BR | А | 402 | - | - | Х | - |



2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 13989 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

| Mol | Chain | Residues | | At | oms | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|--------------|---------|---------|-------|
| 1 | В | 214 | Total | С | Ν | Ο | \mathbf{S} | 0 | 0 | 0 |
| 1 | D | 314 | 2430 | 1542 | 399 | 470 | 19 | 0 | 0 | U |
| 1 | Λ | 214 | Total | С | Ν | 0 | S | 0 | 0 | 0 |
| 1 | A | 314 | 2450 | 1555 | 402 | 474 | 19 | 0 | 0 | U |
| 1 | C | 312 | Total | С | Ν | 0 | S | 0 | 0 | 0 |
| | U | | 2387 | 1514 | 392 | 462 | 19 | 0 | 0 | 0 |
| 1 | 1 D | 210 | Total | С | Ν | 0 | S | 0 | 0 | 0 |
| | 310 | 2365 | 1503 | 385 | 458 | 19 | 0 | 0 | U | |

• Molecule 1 is a protein called Papain-like protease nsp3.

There are 20 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| В | -4 | GLY | - | expression tag | UNP P0DTC1 |
| В | -3 | PRO | - | expression tag | UNP P0DTC1 |
| В | -2 | LEU | - | expression tag | UNP P0DTC1 |
| В | -1 | GLY | - | expression tag | UNP P0DTC1 |
| В | 0 | SER | - | expression tag | UNP P0DTC1 |
| А | -4 | GLY | - | expression tag | UNP P0DTC1 |
| А | -3 | PRO | - | expression tag | UNP P0DTC1 |
| А | -2 | LEU | - | expression tag | UNP P0DTC1 |
| А | -1 | GLY | - | expression tag | UNP P0DTC1 |
| А | 0 | SER | - | expression tag | UNP P0DTC1 |
| С | -4 | GLY | - | expression tag | UNP P0DTC1 |
| С | -3 | PRO | - | expression tag | UNP P0DTC1 |
| С | -2 | LEU | - | expression tag | UNP P0DTC1 |
| С | -1 | GLY | - | expression tag | UNP P0DTC1 |
| С | 0 | SER | - | expression tag | UNP P0DTC1 |
| D | -4 | GLY | - | expression tag | UNP P0DTC1 |
| D | -3 | PRO | - | expression tag | UNP P0DTC1 |
| D | -2 | LEU | - | expression tag | UNP P0DTC1 |
| D | -1 | GLY | - | expression tag | UNP P0DTC1 |
| D | 0 | SER | - | expression tag | UNP P0DTC1 |





| Mol | Chain | Residues | | At | oms | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|--------------|---------|---------|-------|
| 0 | Б | 74 | Total | С | Ν | 0 | S | 0 | 0 | 0 |
| | E | 14 | 571 | 358 | 97 | 113 | 3 | 0 | 0 | 0 |
| 0 | т | 75 | Total | С | Ν | 0 | S | 0 | 0 | 0 |
| | 1 | 15 | 551 | 349 | 95 | 105 | 2 | 0 | 0 | 0 |
| 0 | Б | 75 | Total | С | Ν | 0 | S | 0 | 0 | 0 |
| | Г | 15 | 580 | 365 | 100 | 112 | 3 | 0 | 0 | 0 |
| 0 | C | G 75 | Total | С | Ν | 0 | S | 0 | 0 | 0 |
| | G | | 545 | 343 | 93 | 106 | 3 | | 0 | 0 |
| 0 | K | K 73 | Total | С | Ν | 0 | \mathbf{S} | 0 | 0 | 0 |
| | Γ | | 505 | 316 | 86 | 101 | 2 | 0 | 0 | 0 |
| 0 | т | 74 | Total | С | Ν | Ο | S | 0 | 0 | 0 |
| | L | 14 | 517 | 322 | 90 | 102 | 3 | 0 | 0 | 0 |
| 0 | п | 74 | Total | С | Ν | 0 | \mathbf{S} | 0 | 0 | 0 |
| | | 14 | 545 | 344 | 94 | 104 | 3 | 0 | 0 | 0 |
| 0 | 0 I | 74 | Total | С | Ν | 0 | S | 0 | 0 | 0 |
| Z J | 74 | 530 | 333 | 91 | 103 | 3 | 0 | 0 | U | |

• Molecule 2 is a protein called Ubiquitin variant UbV.CV2.1.

There are 320 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| Е | -24 | HIS | - | expression tag | UNP P62987 |
| Е | -23 | HIS | - | expression tag | UNP P62987 |
| Е | -22 | HIS | - | expression tag | UNP P62987 |
| Е | -21 | HIS | - | expression tag | UNP P62987 |
| Е | -20 | HIS | - | expression tag | UNP P62987 |
| Е | -19 | HIS | - | expression tag | UNP P62987 |
| E | -18 | VAL | - | expression tag | UNP P62987 |
| Е | -17 | THR | - | expression tag | UNP P62987 |
| E | -16 | SER | - | expression tag | UNP P62987 |
| Е | -15 | LEU | - | expression tag | UNP P62987 |
| Е | -14 | TYR | - | expression tag | UNP P62987 |
| E | -13 | LYS | - | expression tag | UNP P62987 |
| Е | -12 | LYS | - | expression tag | UNP P62987 |
| E | -11 | ALA | - | expression tag | UNP P62987 |
| Ε | -10 | GLY | - | expression tag | UNP P62987 |
| Е | -9 | SER | - | expression tag | UNP P62987 |
| E | -8 | THR | - | expression tag | UNP P62987 |
| Е | -7 | ASP | - | expression tag | UNP P62987 |
| Е | -6 | TYR | - | expression tag | UNP P62987 |
| E | -5 | LYS | - | expression tag | UNP P62987 |
| E | -4 | ASP | - | expression tag | UNP P62987 |
| E | -3 | ASP | - | expression tag | UNP P62987 |



| Continued from previous page | | | | | | | |
|------------------------------|---------|----------|--------|----------------|------------|--|--|
| Chain | Residue | Modelled | Actual | Comment | Reference | | |
| E | -2 | ASP | - | expression tag | UNP P62987 | | |
| E | -1 | ASP | - | expression tag | UNP P62987 | | |
| E | 0 | LYS | - | expression tag | UNP P62987 | | |
| E | 4 | SER | PHE | variant | UNP P62987 | | |
| Е | 9 | MET | THR | variant | UNP P62987 | | |
| Е | 10 | ARG | GLY | variant | UNP P62987 | | |
| E | 12 | ARG | THR | variant | UNP P62987 | | |
| Е | 46 | SER | ALA | variant | UNP P62987 | | |
| Е | 48 | MET | LYS | variant | UNP P62987 | | |
| Е | 49 | LEU | GLN | variant | UNP P62987 | | |
| Е | 64 | GLY | GLU | variant | UNP P62987 | | |
| Е | 68 | THR | HIS | variant | UNP P62987 | | |
| Е | 70 | GLY | VAL | variant | UNP P62987 | | |
| Е | 72 | ILE | ARG | variant | UNP P62987 | | |
| Е | 75 | ALA | GLY | variant | UNP P62987 | | |
| Е | 76 | ASN | GLY | variant | UNP P62987 | | |
| Е | 77 | GLY | - | insertion | UNP P62987 | | |
| Е | 78 | VAL | ILE | variant | UNP P62987 | | |
| Ι | -24 | HIS | - | expression tag | UNP P62987 | | |
| Ι | -23 | HIS | - | expression tag | UNP P62987 | | |
| Ι | -22 | HIS | - | expression tag | UNP P62987 | | |
| Ι | -21 | HIS | - | expression tag | UNP P62987 | | |
| Ι | -20 | HIS | - | expression tag | UNP P62987 | | |
| Ι | -19 | HIS | - | expression tag | UNP P62987 | | |
| Ι | -18 | VAL | - | expression tag | UNP P62987 | | |
| Ι | -17 | THR | - | expression tag | UNP P62987 | | |
| Ι | -16 | SER | - | expression tag | UNP P62987 | | |
| Ι | -15 | LEU | - | expression tag | UNP P62987 | | |
| Ι | -14 | TYR | - | expression tag | UNP P62987 | | |
| Ι | -13 | LYS | - | expression tag | UNP P62987 | | |
| Ι | -12 | LYS | - | expression tag | UNP P62987 | | |
| Ι | -11 | ALA | - | expression tag | UNP P62987 | | |
| Ι | -10 | GLY | - | expression tag | UNP P62987 | | |
| Ι | -9 | SER | - | expression tag | UNP P62987 | | |
| Ι | -8 | THR | - | expression tag | UNP P62987 | | |
| Ι | -7 | ASP | - | expression tag | UNP P62987 | | |
| Ι | -6 | TYR | - | expression tag | UNP P62987 | | |
| Ι | -5 | LYS | - | expression tag | UNP P62987 | | |
| Ι | -4 | ASP | - | expression tag | UNP P62987 | | |
| Ι | -3 | ASP | - | expression tag | UNP P62987 | | |
| Ι | -2 | ASP | - | expression tag | UNP P62987 | | |
| Ι | -1 | ASP | - | expression tag | UNP P62987 | | |

..... α *,* · 1 C



| Chain | Residue | Modelled | Actual | Comment | Reference |
|----------|---------|----------|----------|----------------|------------|
| I | 0 | LYS | _ | expression tag | UNP P62987 |
| I | 4 | SER | PHE | variant | UNP P62987 |
| Ι | 9 | MET | THR | variant | UNP P62987 |
| Ι | 10 | ARG | GLY | variant | UNP P62987 |
| Ι | 12 | ARG | THR | variant | UNP P62987 |
| Ι | 46 | SER | ALA | variant | UNP P62987 |
| Ι | 48 | MET | LYS | variant | UNP P62987 |
| Ι | 49 | LEU | GLN | variant | UNP P62987 |
| Ι | 64 | GLY | GLU | variant | UNP P62987 |
| Ι | 68 | THR | HIS | variant | UNP P62987 |
| Ι | 70 | GLY | VAL | variant | UNP P62987 |
| Ι | 72 | ILE | ARG | variant | UNP P62987 |
| Ι | 75 | ALA | GLY | variant | UNP P62987 |
| Ι | 76 | ASN | GLY | variant | UNP P62987 |
| Ι | 77 | GLY | - | insertion | UNP P62987 |
| Ι | 78 | VAL | ILE | variant | UNP P62987 |
| F | -24 | HIS | - | expression tag | UNP P62987 |
| F | -23 | HIS | - | expression tag | UNP P62987 |
| F | -22 | HIS | - | expression tag | UNP P62987 |
| F | -21 | HIS | - | expression tag | UNP P62987 |
| F | -20 | HIS | - | expression tag | UNP P62987 |
| F | -19 | HIS | - | expression tag | UNP P62987 |
| F | -18 | VAL | - | expression tag | UNP P62987 |
| F | -17 | THR | - | expression tag | UNP P62987 |
| F | -16 | SER | - | expression tag | UNP P62987 |
| F | -15 | LEU | - | expression tag | UNP P62987 |
| F | -14 | TYR | - | expression tag | UNP P62987 |
| F | -13 | LYS | - | expression tag | UNP P62987 |
| F' | -12 | LYS | - | expression tag | UNP P62987 |
| <u>F</u> | -11 | ALA | - | expression tag | UNP P62987 |
| F' | -10 | GLY | - | expression tag | UNP P62987 |
| | -9 | SER | - | expression tag | UNP P62987 |
| F | -8 | THR | - | expression tag | UNP P62987 |
| F | -(| ASP | - | expression tag | UNP P62987 |
| F | -0 | IYR | - | expression tag | UNP P62987 |
| F | -0 | | - | expression tag | UNP P02987 |
| F F | -4 | ASP | - | expression tag | UNP P02987 |
| F | -3 | ASP | - | expression tag | UNP P02987 |
| | -2 | | - | expression tag | UNF F0298/ |
| | -1 | | - | expression tag | UNF F02987 |
| | | | - DUE | expression tag | UNF F02987 |
| Г | 4 | SLK | гпь | variant | UNF F02987 |

ntin , ic d fa C



Chain

F

F

F

F

F

F

F

F

F

F

F

F

F

F

G

G

G

G

G

G

G

G

G

G

G

G

G

G

G

G

G

G

G

G

G

G

G

G

G

G

G

G

| | page | | | |
|---------|----------|--------|----------------|------------|
| Residue | Modelled | Actual | Comment | Reference |
| 9 | MET | THR | variant | UNP P62987 |
| 10 | ARG | GLY | variant | UNP P62987 |
| 12 | ARG | THR | variant | UNP P62987 |
| 46 | SER | ALA | variant | UNP P62987 |
| 48 | MET | LYS | variant | UNP P62987 |
| 49 | LEU | GLN | variant | UNP P62987 |
| 64 | GLY | GLU | variant | UNP P62987 |
| 68 | THR | HIS | variant | UNP P62987 |
| 70 | GLY | VAL | variant | UNP P62987 |
| 72 | ILE | ARG | variant | UNP P62987 |
| 75 | ALA | GLY | variant | UNP P62987 |
| 76 | ASN | GLY | variant | UNP P62987 |
| 77 | GLY | - | insertion | UNP P62987 |
| 78 | VAL | ILE | variant | UNP P62987 |
| -24 | HIS | - | expression tag | UNP P62987 |
| -23 | HIS | - | expression tag | UNP P62987 |
| -22 | HIS | - | expression tag | UNP P62987 |
| -21 | HIS | - | expression tag | UNP P62987 |
| -20 | HIS | - | expression tag | UNP P62987 |
| -19 | HIS | - | expression tag | UNP P62987 |
| -18 | VAL | - | expression tag | UNP P62987 |
| -17 | THR | - | expression tag | UNP P62987 |
| -16 | SER | - | expression tag | UNP P62987 |
| -15 | LEU | - | expression tag | UNP P62987 |
| -14 | TYR | - | expression tag | UNP P62987 |
| -13 | LYS | - | expression tag | UNP P62987 |
| -12 | LYS | - | expression tag | UNP P62987 |
| -11 | ALA | - | expression tag | UNP P62987 |
| -10 | GLY | - | expression tag | UNP P62987 |
| -9 | SER | - | expression tag | UNP P62987 |
| -8 | THR | - | expression tag | UNP P62987 |
| -7 | ASP | - | expression tag | UNP P62987 |
| -6 | TYR | - | expression tag | UNP P62987 |
| -5 | LYS | - | expression tag | UNP P62987 |

Continued from previous page...

-4

-3

-2

-1

0

4

9

10

ASP

ASP

ASP

ASP

LYS

SER

MET

ARG

_

-

-

-

-

PHE

THR

GLY

Continued on next page...

UNP P62987



expression tag

expression tag

expression tag

expression tag

expression tag

variant

variant

variant

| o | 1 | 11 | \mathcal{T} | \mathbf{O} |
|------------|---|----|---------------|--------------|
| $^{\circ}$ | L | 11 | Λ. | Э |
| \sim | ~ | | - | ~ |

| Continuea from previous page | | | | | | |
|------------------------------|---------|----------|--------|----------------|------------|--|
| Chain | Residue | Modelled | Actual | Comment | Reference | |
| G | 12 | ARG | THR | variant | UNP P62987 | |
| G | 46 | SER | ALA | variant | UNP P62987 | |
| G | 48 | MET | LYS | variant | UNP P62987 | |
| G | 49 | LEU | GLN | variant | UNP P62987 | |
| G | 64 | GLY | GLU | variant | UNP P62987 | |
| G | 68 | THR | HIS | variant | UNP P62987 | |
| G | 70 | GLY | VAL | variant | UNP P62987 | |
| G | 72 | ILE | ARG | variant | UNP P62987 | |
| G | 75 | ALA | GLY | variant | UNP P62987 | |
| G | 76 | ASN | GLY | variant | UNP P62987 | |
| G | 77 | GLY | - | insertion | UNP P62987 | |
| G | 78 | VAL | ILE | variant | UNP P62987 | |
| K | -24 | HIS | - | expression tag | UNP P62987 | |
| K | -23 | HIS | - | expression tag | UNP P62987 | |
| K | -22 | HIS | - | expression tag | UNP P62987 | |
| K | -21 | HIS | - | expression tag | UNP P62987 | |
| K | -20 | HIS | - | expression tag | UNP P62987 | |
| K | -19 | HIS | - | expression tag | UNP P62987 | |
| K | -18 | VAL | - | expression tag | UNP P62987 | |
| K | -17 | THR | - | expression tag | UNP P62987 | |
| K | -16 | SER | - | expression tag | UNP P62987 | |
| K | -15 | LEU | - | expression tag | UNP P62987 | |
| K | -14 | TYR | - | expression tag | UNP P62987 | |
| К | -13 | LYS | - | expression tag | UNP P62987 | |
| K | -12 | LYS | - | expression tag | UNP P62987 | |
| K | -11 | ALA | - | expression tag | UNP P62987 | |
| K | -10 | GLY | - | expression tag | UNP P62987 | |
| K | -9 | SER | - | expression tag | UNP P62987 | |
| К | -8 | THR | - | expression tag | UNP P62987 | |
| K | -7 | ASP | - | expression tag | UNP P62987 | |
| K | -6 | TYR | - | expression tag | UNP P62987 | |
| K | -5 | LYS | - | expression tag | UNP P62987 | |
| K | -4 | ASP | - | expression tag | UNP P62987 | |
| К | -3 | ASP | - | expression tag | UNP P62987 | |
| K | -2 | ASP | - | expression tag | UNP P62987 | |
| K | -1 | ASP | - | expression tag | UNP P62987 | |
| K | 0 | LYS | - | expression tag | UNP P62987 | |
| K | 4 | SER | PHE | variant | UNP P62987 | |
| K | 9 | MET | THR | variant | UNP P62987 | |
| K | 10 | ARG | GLY | variant | UNP P62987 | |
| K | 12 | ARG | THR | variant | UNP P62987 | |
| K | 46 | SER | ALA | variant | UNP P62987 | |



| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| K | 48 | MET | LYS | variant | UNP P62987 |
| К | 49 | LEU | GLN | variant | UNP P62987 |
| K | 64 | GLY | GLU | variant | UNP P62987 |
| К | 68 | THR | HIS | variant | UNP P62987 |
| К | 70 | GLY | VAL | variant | UNP P62987 |
| К | 72 | ILE | ARG | variant | UNP P62987 |
| K | 75 | ALA | GLY | variant | UNP P62987 |
| K | 76 | ASN | GLY | variant | UNP P62987 |
| K | 77 | GLY | - | insertion | UNP P62987 |
| K | 78 | VAL | ILE | variant | UNP P62987 |
| L | -24 | HIS | - | expression tag | UNP P62987 |
| L | -23 | HIS | - | expression tag | UNP P62987 |
| L | -22 | HIS | - | expression tag | UNP P62987 |
| L | -21 | HIS | - | expression tag | UNP P62987 |
| L | -20 | HIS | - | expression tag | UNP P62987 |
| L | -19 | HIS | - | expression tag | UNP P62987 |
| L | -18 | VAL | _ | expression tag | UNP P62987 |
| L | -17 | THR | - | expression tag | UNP P62987 |
| L | -16 | SER | - | expression tag | UNP P62987 |
| L | -15 | LEU | _ | expression tag | UNP P62987 |
| L | -14 | TYR | - | expression tag | UNP P62987 |
| L | -13 | LYS | - | expression tag | UNP P62987 |
| L | -12 | LYS | - | expression tag | UNP P62987 |
| L | -11 | ALA | - | expression tag | UNP P62987 |
| L | -10 | GLY | - | expression tag | UNP P62987 |
| L | -9 | SER | - | expression tag | UNP P62987 |
| L | -8 | THR | - | expression tag | UNP P62987 |
| L | -7 | ASP | - | expression tag | UNP P62987 |
| L | -6 | TYR | - | expression tag | UNP P62987 |
| L | -5 | LYS | - | expression tag | UNP P62987 |
| L | -4 | ASP | - | expression tag | UNP P62987 |
| L | -3 | ASP | - | expression tag | UNP P62987 |
| L | -2 | ASP | - | expression tag | UNP P62987 |
| L | -1 | ASP | - | expression tag | UNP P62987 |
| L | 0 | LYS | - | expression tag | UNP P62987 |
| L | 4 | SER | PHE | variant | UNP P62987 |
| L | 9 | MET | THR | variant | UNP P62987 |
| L | 10 | ARG | GLY | variant | UNP P62987 |
| L | 12 | ARG | THR | variant | UNP P62987 |
| L | 46 | SER | ALA | variant | UNP P62987 |
| L | 48 | MET | LYS | variant | UNP P62987 |
| L | 49 | LEU | GLN | variant | UNP P62987 |



Chain

L

L

L

L L

L

L

L

Η

Η

Η Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Η

Comment

Reference

| GLY | GLU | variant | UNP P62987 |
|-----|-----|----------------|------------|
| THR | HIS | variant | UNP P62987 |
| GLY | VAL | variant | UNP P62987 |
| ILE | ARG | variant | UNP P62987 |
| ALA | GLY | variant | UNP P62987 |
| ASN | GLY | variant | UNP P62987 |
| GLY | - | insertion | UNP P62987 |
| VAL | ILE | variant | UNP P62987 |
| HIS | - | expression tag | UNP P62987 |
| HIS | - | expression tag | UNP P62987 |
| HIS | - | expression tag | UNP P62987 |
| HIS | - | expression tag | UNP P62987 |
| HIS | - | expression tag | UNP P62987 |
| HIS | - | expression tag | UNP P62987 |
| VAL | - | expression tag | UNP P62987 |
| THR | - | expression tag | UNP P62987 |
| SER | - | expression tag | UNP P62987 |
| LEU | - | expression tag | UNP P62987 |
| TYR | - | expression tag | UNP P62987 |
| LYS | - | expression tag | UNP P62987 |
| LYS | - | expression tag | UNP P62987 |
| ALA | - | expression tag | UNP P62987 |
| GLY | - | expression tag | UNP P62987 |
| SER | - | expression tag | UNP P62987 |
| THR | - | expression tag | UNP P62987 |
| ASP | - | expression tag | UNP P62987 |
| TYR | - | expression tag | UNP P62987 |
| LYS | - | expression tag | UNP P62987 |
| ASP | - | expression tag | UNP P62987 |
| ASP | - | expression tag | UNP P62987 |
| ASP | - | expression tag | UNP P62987 |
| ASP | - | expression tag | UNP P62987 |
| LYS | - | expression tag | UNP P62987 |
| SER | PHE | variant | UNP P62987 |

Continued from previous page...

Modelled

Actual

Residue

64

68

7072

75

76

77

78

-24 -23

-22

-21

-20

-19

-18

-17

-16

-15

-14

-13

-12

-11

-10

-9

-8

-7

-6

-5

-4

-3

-2

-1

0

4

9

10

12

46

48

49

64

68

MET

ARG

ARG

SER

MET

LEU

GLY

THR

THR

GLY

THR

ALA

LYS

GLN

GLU

HIS

Continued on next page...

UNP P62987



variant

variant

variant

variant

variant

variant

variant

variant

| o | 1 | 11 | \mathcal{T} | n | |
|------------|---|----|---------------|---|--|
| $^{\circ}$ | L | 11 | Λ. | м | |
| \sim | ~ | | - | ~ | |

| Continued from previous page | | | | | | |
|------------------------------|---------|----------|--------|----------------|------------|--|
| Chain | Residue | Modelled | Actual | Comment | Reference | |
| Н | 70 | GLY | VAL | variant | UNP P62987 | |
| Н | 72 | ILE | ARG | variant | UNP P62987 | |
| Н | 75 | ALA | GLY | variant | UNP P62987 | |
| Н | 76 | ASN | GLY | variant | UNP P62987 | |
| Н | 77 | GLY | - | insertion | UNP P62987 | |
| Н | 78 | VAL | ILE | variant | UNP P62987 | |
| J | -24 | HIS | - | expression tag | UNP P62987 | |
| J | -23 | HIS | - | expression tag | UNP P62987 | |
| J | -22 | HIS | - | expression tag | UNP P62987 | |
| J | -21 | HIS | - | expression tag | UNP P62987 | |
| J | -20 | HIS | - | expression tag | UNP P62987 | |
| J | -19 | HIS | - | expression tag | UNP P62987 | |
| J | -18 | VAL | - | expression tag | UNP P62987 | |
| J | -17 | THR | - | expression tag | UNP P62987 | |
| J | -16 | SER | - | expression tag | UNP P62987 | |
| J | -15 | LEU | - | expression tag | UNP P62987 | |
| J | -14 | TYR | - | expression tag | UNP P62987 | |
| J | -13 | LYS | - | expression tag | UNP P62987 | |
| J | -12 | LYS | - | expression tag | UNP P62987 | |
| J | -11 | ALA | - | expression tag | UNP P62987 | |
| J | -10 | GLY | - | expression tag | UNP P62987 | |
| J | -9 | SER | - | expression tag | UNP P62987 | |
| J | -8 | THR | - | expression tag | UNP P62987 | |
| J | -7 | ASP | - | expression tag | UNP P62987 | |
| J | -6 | TYR | - | expression tag | UNP P62987 | |
| J | -5 | LYS | - | expression tag | UNP P62987 | |
| J | -4 | ASP | - | expression tag | UNP P62987 | |
| J | -3 | ASP | - | expression tag | UNP P62987 | |
| J | -2 | ASP | - | expression tag | UNP P62987 | |
| J | -1 | ASP | - | expression tag | UNP P62987 | |
| J | 0 | LYS | - | expression tag | UNP P62987 | |
| J | 4 | SER | PHE | variant | UNP P62987 | |
| J | 9 | MET | THR | variant | UNP P62987 | |
| J | 10 | ARG | GLY | variant | UNP P62987 | |
| J | 12 | ARG | THR | variant | UNP P62987 | |
| J | 46 | SER | ALA | variant | UNP P62987 | |
| J | 48 | MET | LYS | variant | UNP P62987 | |
| J | 49 | LEU | GLN | variant | UNP P62987 | |
| J | 64 | GLY | GLU | variant | UNP P62987 | |
| J | 68 | THR | HIS | variant | UNP P62987 | |
| J | 70 | GLY | VAL | variant | UNP P62987 | |
| J | 72 | ILE | ARG | variant | UNP P62987 | |

..... α tia 1 [



| $J \rightarrow J \rightarrow$ | | | | | | |
|---|---------|----------|--------|-----------|------------|--|
| Chain | Residue | Modelled | Actual | Comment | Reference | |
| J | 75 | ALA | GLY | variant | UNP P62987 | |
| J | 76 | ASN | GLY | variant | UNP P62987 | |
| J | 77 | GLY | - | insertion | UNP P62987 | |
| J | 78 | VAL | ILE | variant | UNP P62987 | |

• Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

| Mol | Chain | Residues | Atoms | ZeroOcc | AltConf |
|-----|-------|----------|-----------------|---------|---------|
| 3 | В | 1 | Total Zn 1 1 | 0 | 0 |
| 3 | А | 1 | Total Zn 1 1 | 0 | 0 |
| 3 | С | 1 | Total Zn 1 1 | 0 | 0 |
| 3 | D | 1 | Total Zn 1 1 | 0 | 0 |

• Molecule 4 is BROMIDE ION (three-letter code: BR) (formula: Br).

| Mol | Chain | Residues | Atoms | ZeroOcc | AltConf |
|-----|-------|----------|-----------------|---------|---------|
| 4 | В | 1 | Total Br 1 1 | 0 | 0 |
| 4 | А | 2 | Total Br 2 2 | 0 | 0 |
| 4 | D | 1 | Total Br 1 1 | 0 | 0 |
| 4 | Е | 1 | Total Br 1 1 | 0 | 0 |
| 4 | F | 1 | Total Br 1 1 | 0 | 0 |

• Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).

| Mol | Chain | Residues | Atoms | ZeroOcc | AltConf |
|-----|-------|----------|-----------------|---------|---------|
| 5 | А | 1 | Total Na 1 1 | 0 | 0 |
| 5 | С | 1 | Total Na 1 1 | 0 | 0 |

• Molecule 6 is CHLORIDE ION (three-letter code: CL) (formula: Cl).



| Mol | Chain | Residues | Atoms | | ZeroOcc | AltConf |
|-----|-------|----------|----------------|--|---------|---------|
| 6 | D | 1 | Total C 1 1 | | 0 | 0 |



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Papain-like protease nsp3





• Molecule 1: Papain-like protease nsp3







| Chain G: | 42% | 30% | • 27% | - |
|---|---|--|--|----------------------------------|
| HIS HIS HIS HIS HIS VAL THR SER LEU | TYR LYS LYS LYS LYS GEY GEY ASP ASP ASP ASP ASP ASP ASP ASP | A6 12 18 18 19 19 19 12 12 12 12 12 | N25 K29 B37 P33 P33 P33 P33 P33 P33 P33 P33 P34 P33 P34 P34 | r 45 846 150 155 155 |
| Y59 N60 161 161 663 K63 K63 K63 C64 C64 C64 C65 S65 | 670 171 172 173 173 ALA ALA ALA ALA ALA VAL | | | |
| • Molecule 2: | Ubiquitin variant UbV | .CV2.1 | | |
| Chain K: | 44% | 27% | 29% | _ |
| HIS HIS HIS HIS HIS VAL THR SER SER LEU | TTR LVS LVS CLVS CLVS CLVS CLVS CLVS ASP ASP ASP ASP ASP ASP ASP ASP ASP AS | 84 V5 V5 V6 V6 T1 T1 4 E18 E18 E18 | 820 121 122 123 123 123 123 123 123 123 123 | 441 R42 F45 L49 L50 |
| R54 T55 L56 S57 S57 D58 V59 N60 I61 | ses 1766 1767 173 173 173 173 173 173 173 173 173 17 | | | |
| • Molecule 2: | Ubiquitin variant UbV | .CV2.1 | | |
| Chain L: | 38% | 32% | •• 28% | - |
| HIS HIS HIS HIS HIS VAL THR SER LEU | LYR LYS LYS ALA ALA ALA ASP ASP ASP ASP ASP ASP ASP ASP ASP AS | 845 V5 V5 T7 T7 M9 M9 R10 T13 T13 T13 T15 T15 T15 | E16 E18 E18 F19 P21 P21 F22 F23 F23 F23 F24 F24 F28 F28 F29 F29 F29 F29 F29 F29 F29 F29 F29 F29 | D32 440 144 144 |
| F45 647 647 149 150 152 156 | 161 161 062 063 165 064 064 064 166 171 172 172 172 172 172 172 172 173 173 173 173 173 173 173 173 173 173 | ИАР | | |
| • Molecule 2: | Ubiquitin variant UbV | .CV2.1 | | |
| Chain H: | 45% | 27% | 28% | _ |
| HIS HIS HIS HIS HIS VAL THR SER SER LEU | TYR LVS LVS GLY ALA ALA THR TYR ASP ASP ASP ASP ASP ASP ASP | T T T T M9 M9 M10 T 14 L 13 E 16 E 16 E 16 E 16 F 19 P 19 | 123 K29 130 q31 d35 144 F45 F45 | L50 L56 S57 T61 |
| 462 K63 664 865 166 167 168 173 173 | ALA ASN GLY VAL | | | |
| • Molecule 2: | Ubiquitin variant UbV | .CV2.1 | | |
| Chain J: | 50% | 20% | • 28% | - |
| HIS HIS HIS HIS HIS VAL THR SER LEU | TYR LYS LYS LYS LYS GET GET ASP ASP ASP ASP ASP ASP ASP ASP ASP ASP | 54 R12 L15 L15 L15 L15 V17 V26 V26 K29 | 130 130 136 136 136 144 144 144 144 144 144 144 144 144 14 | EST K54 K63 K63 |
| G64 S65 L69 L6 ALA ALA ALA GLY VAL | | | | |



4 Data and refinement statistics (i)

| Property | Value | Source |
|---|---|-----------|
| Space group | P 1 21 1 | Depositor |
| Cell constants | 54.58Å 174.86Å 121.56Å | Depositor |
| a, b, c, α , β , γ | 90.00° 95.74° 90.00° | Depositor |
| Bosolution(Å) | 47.79 - 3.50 | Depositor |
| Resolution (A) | 47.79 - 3.50 | EDS |
| % Data completeness | 81.5 (47.79-3.50) | Depositor |
| (in resolution range) | 81.6(47.79-3.50) | EDS |
| R_{merge} | 0.12 | Depositor |
| R _{sym} | (Not available) | Depositor |
| $< I/\sigma(I) > 1$ | $2.31 (at 3.48 \text{\AA})$ | Xtriage |
| Refinement program | PHENIX 1.19.2_4158 | Depositor |
| P. P. | 0.225 , 0.270 | Depositor |
| Π, Π_{free} | 0.224 , 0.269 | DCC |
| R_{free} test set | 1998 reflections (8.56%) | wwPDB-VP |
| Wilson B-factor $(Å^2)$ | 61.5 | Xtriage |
| Anisotropy | 0.562 | Xtriage |
| Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$ | 0.30,45.8 | EDS |
| L-test for twinning ² | $ L > = 0.47, < L^2 > = 0.30$ | Xtriage |
| Estimated twinning fraction | No twinning to report. | Xtriage |
| F_o, F_c correlation | 0.88 | EDS |
| Total number of atoms | 13989 | wwPDB-VP |
| Average B, all atoms $(Å^2)$ | 63.0 | wwPDB-VP |

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.30% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, NA, CL, BR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mal | Chain | Bond | lengths | Bond angles | | |
|-----|---------|------|----------|-------------|------------------------------|--|
| MOI | Ullalli | RMSZ | # Z > 5 | RMSZ | # Z > 5 | |
| 1 | А | 0.29 | 0/2509 | 0.55 | 1/3416~(0.0%) | |
| 1 | В | 0.30 | 0/2488 | 0.55 | 0/3390 | |
| 1 | С | 0.29 | 0/2445 | 0.59 | 0/3338 | |
| 1 | D | 0.32 | 0/2422 | 0.59 | 0/3310 | |
| 2 | Е | 0.30 | 0/575 | 0.66 | 0/775 | |
| 2 | F | 0.35 | 0/584 | 0.68 | 0/785 | |
| 2 | G | 0.31 | 0/549 | 0.68 | 1/742~(0.1%) | |
| 2 | Н | 0.37 | 0/549 | 0.70 | 2/741~(0.3%) | |
| 2 | Ι | 0.30 | 0/555 | 0.70 | 0/750 | |
| 2 | J | 0.31 | 0/534 | 0.70 | 0/724 | |
| 2 | Κ | 0.27 | 0/509 | 0.61 | 0/692 | |
| 2 | L | 0.30 | 0/520 | 0.78 | 2/707~(0.3%) | |
| All | All | 0.31 | 0/14239 | 0.61 | $6/1\overline{9370}~(0.0\%)$ | |

There are no bond length outliers.

The worst 5 of 6 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Ζ | $\mathbf{Observed}(^{o})$ | $Ideal(^{o})$ |
|-----|-------|-----|------|----------|------|---------------------------|---------------|
| 2 | L | 43 | LEU | CA-CB-CG | 6.71 | 130.74 | 115.30 |
| 1 | А | 58 | LEU | CA-CB-CG | 5.63 | 128.26 | 115.30 |
| 2 | Н | 8 | LEU | CA-CB-CG | 5.34 | 127.58 | 115.30 |
| 2 | Н | 43 | LEU | CA-CB-CG | 5.34 | 127.57 | 115.30 |
| 2 | G | 71 | LEU | CA-CB-CG | 5.18 | 127.22 | 115.30 |

There are no chirality outliers.

There are no planarity outliers.



5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1 | А | 2450 | 0 | 2324 | 81 | 0 |
| 1 | В | 2430 | 0 | 2295 | 55 | 1 |
| 1 | С | 2387 | 0 | 2220 | 77 | 0 |
| 1 | D | 2365 | 0 | 2185 | 84 | 0 |
| 2 | Е | 571 | 0 | 592 | 48 | 0 |
| 2 | F | 580 | 0 | 615 | 29 | 0 |
| 2 | G | 545 | 0 | 548 | 32 | 0 |
| 2 | Н | 545 | 0 | 556 | 21 | 1 |
| 2 | Ι | 551 | 0 | 566 | 29 | 0 |
| 2 | J | 530 | 0 | 519 | 24 | 0 |
| 2 | Κ | 505 | 0 | 470 | 27 | 0 |
| 2 | L | 517 | 0 | 490 | 33 | 0 |
| 3 | А | 1 | 0 | 0 | 0 | 0 |
| 3 | В | 1 | 0 | 0 | 0 | 0 |
| 3 | С | 1 | 0 | 0 | 0 | 0 |
| 3 | D | 1 | 0 | 0 | 0 | 0 |
| 4 | А | 2 | 0 | 0 | 3 | 0 |
| 4 | В | 1 | 0 | 0 | 1 | 0 |
| 4 | D | 1 | 0 | 0 | 0 | 0 |
| 4 | Е | 1 | 0 | 0 | 0 | 0 |
| 4 | F | 1 | 0 | 0 | 1 | 0 |
| 5 | А | 1 | 0 | 0 | 0 | 0 |
| 5 | С | 1 | 0 | 0 | 0 | 0 |
| 6 | D | 1 | 0 | 0 | 1 | 0 |
| All | All | 13989 | 0 | 13380 | 461 | 1 |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

The worst 5 of 461 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|-----------------|------------------|-----------------------------|----------------------|
| 1:D:189:CYS:SG | 1:D:192:CYS:HB2 | 1.99 | 1.02 |
| 1:D:283:TYR:HD2 | 1:D:290:LEU:HD11 | 1.36 | 0.91 |
| 2:J:23:ILE:HD11 | 2:J:54:ARG:H | 1.36 | 0.87 |



| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) | |
|-----------------|----------------|-----------------------------|----------------------|--|
| 1:A:23:MET:HA | 1:A:46:PRO:HG2 | 1.59 | 0.85 | |
| 2:I:15:LEU:HD22 | 2:I:29:LYS:HZ3 | 1.44 | 0.82 | |

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

| Atom-1 Atom-2 | | Interatomic distance (Å) | Clash overlap (Å) |
|-----------------|----------------------|-----------------------------|----------------------|
| 1:B:215:GLN:OE1 | 2:H:57:SER:OG[1_554] | 2.07 | 0.13 |

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Perce | entiles |
|-----|-------|-----------------|------------|----------|----------|-------|---------|
| 1 | А | 312/320~(98%) | 295~(95%) | 17~(5%) | 0 | 100 | 100 |
| 1 | В | 312/320~(98%) | 293~(94%) | 19 (6%) | 0 | 100 | 100 |
| 1 | С | 310/320~(97%) | 284 (92%) | 26~(8%) | 0 | 100 | 100 |
| 1 | D | 306/320~(96%) | 284 (93%) | 22~(7%) | 0 | 100 | 100 |
| 2 | Е | 72/103~(70%) | 65~(90%) | 7 (10%) | 0 | 100 | 100 |
| 2 | F | 73/103~(71%) | 65~(89%) | 8 (11%) | 0 | 100 | 100 |
| 2 | G | 73/103~(71%) | 65~(89%) | 8 (11%) | 0 | 100 | 100 |
| 2 | Н | 72/103~(70%) | 64 (89%) | 8 (11%) | 0 | 100 | 100 |
| 2 | Ι | 73/103~(71%) | 64 (88%) | 9 (12%) | 0 | 100 | 100 |
| 2 | J | 72/103~(70%) | 68~(94%) | 4 (6%) | 0 | 100 | 100 |
| 2 | Κ | 71/103~(69%) | 67~(94%) | 4 (6%) | 0 | 100 | 100 |
| 2 | L | 72/103~(70%) | 59(82%) | 13 (18%) | 0 | 100 | 100 |
| All | All | 1818/2104 (86%) | 1673 (92%) | 145 (8%) | 0 | 100 | 100 |

There are no Ramachandran outliers to report.



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Perce | \mathbf{ntiles} |
|-----|-------|-----------------|------------|----------|-------|-------------------|
| 1 | А | 263/278~(95%) | 260~(99%) | 3~(1%) | 73 | 88 |
| 1 | В | 259/278~(93%) | 253~(98%) | 6 (2%) | 50 | 77 |
| 1 | С | 250/278~(90%) | 243~(97%) | 7 (3%) | 43 | 72 |
| 1 | D | 246/278~(88%) | 238~(97%) | 8~(3%) | 38 | 68 |
| 2 | Ε | 65/93~(70%) | 64~(98%) | 1 (2%) | 65 | 84 |
| 2 | F | 66/93~(71%) | 66 (100%) | 0 | 100 | 100 |
| 2 | G | 58/93~(62%) | 55~(95%) | 3~(5%) | 23 | 56 |
| 2 | Η | 58/93~(62%) | 57~(98%) | 1 (2%) | 60 | 82 |
| 2 | Ι | 59/93~(63%) | 59~(100%) | 0 | 100 | 100 |
| 2 | J | 54/93~(58%) | 50~(93%) | 4 (7%) | 13 | 44 |
| 2 | Κ | 48/93~(52%) | 47 (98%) | 1 (2%) | 53 | 79 |
| 2 | L | 50/93~(54%) | 47 (94%) | 3~(6%) | 19 | 52 |
| All | All | 1476/1856~(80%) | 1439 (98%) | 37~(2%) | 47 | 75 |

5 of 37 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type | |
|-----|-------|-----|------|--|
| 2 | Κ | 33 | LYS | |
| 2 | J | 54 | ARG | |
| 2 | L | 32 | ASP | |
| 2 | Н | 15 | LEU | |
| 1 | С | 216 | PHE | |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1 | А | 174 | GLN |
| 1 | С | 17 | HIS |
| 1 | С | 308 | ASN |
| 2 | F | 41 | GLN |



Continued from previous page...

| Mol | Chain | \mathbf{Res} | Type |
|-----|-------|----------------|------|
| 2 | G | 41 | GLN |

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 13 ligands modelled in this entry, 13 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

| Mol | Chain | Analysed | < RSRZ > | #RSRZ>2 | $OWAB(Å^2)$ | Q<0.9 |
|-----|-------|-----------------|-----------------|---------------|-------------------|-------|
| 1 | А | 314/320~(98%) | -0.29 | 0 100 100 | 26, 49, 89, 107 | 0 |
| 1 | В | 314/320~(98%) | -0.39 | 0 100 100 | 28, 46, 74, 102 | 0 |
| 1 | C | 312/320~(97%) | -0.25 | 1 (0%) 94 91 | 24, 53, 95, 108 | 0 |
| 1 | D | 310/320~(96%) | -0.09 | 2 (0%) 89 86 | 37, 70, 102, 150 | 0 |
| 2 | E | 74/103~(71%) | -0.35 | 0 100 100 | 35, 50, 77, 93 | 0 |
| 2 | F | 75/103~(72%) | -0.28 | 0 100 100 | 35, 50, 70, 98 | 0 |
| 2 | G | 75/103~(72%) | 0.08 | 0 100 100 | 35, 68, 91, 101 | 0 |
| 2 | Н | 74/103~(71%) | -0.10 | 0 100 100 | 44, 67, 99, 107 | 0 |
| 2 | Ι | 75/103~(72%) | -0.13 | 0 100 100 | 43, 82, 101, 108 | 0 |
| 2 | J | 74/103~(71%) | 0.03 | 0 100 100 | 59, 92, 102, 119 | 0 |
| 2 | К | 73/103 (70%) | 0.22 | 2 (2%) 54 48 | 67, 96, 119, 134 | 0 |
| 2 | L | 74/103~(71%) | 0.57 | 5 (6%) 17 16 | 87, 109, 132, 167 | 0 |
| All | All | 1844/2104 (87%) | -0.17 | 10 (0%) 91 88 | 24, 59, 105, 167 | 0 |

The worst 5 of 10 RSRZ outliers are listed below:

| Mol | Chain | Res | Type | RSRZ |
|-----|-------|-----|------|------|
| 2 | L | 2 | GLN | 2.9 |
| 1 | D | 4 | THR | 2.8 |
| 2 | L | 1 | MET | 2.8 |
| 2 | L | 21 | ASP | 2.7 |
| 2 | L | 47 | GLY | 2.6 |

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

| Mol | Type | Chain | Res | Atoms | RSCC | RSR | $B-factors(Å^2)$ | Q<0.9 |
|-----|------|-------|-----|-------|------|------|---------------------|-------|
| 3 | ZN | А | 401 | 1/1 | 0.85 | 0.13 | $57,\!57,\!57,\!57$ | 0 |
| 5 | NA | А | 404 | 1/1 | 0.86 | 0.45 | 26, 26, 26, 26 | 0 |
| 4 | BR | D | 402 | 1/1 | 0.87 | 0.17 | 104,104,104,104 | 0 |
| 5 | NA | С | 402 | 1/1 | 0.92 | 0.39 | 36,36,36,36 | 0 |
| 4 | BR | А | 403 | 1/1 | 0.93 | 0.08 | 86,86,86,86 | 0 |
| 4 | BR | А | 402 | 1/1 | 0.94 | 0.09 | 87,87,87,87 | 0 |
| 6 | CL | D | 403 | 1/1 | 0.94 | 0.15 | $53,\!53,\!53,\!53$ | 0 |
| 4 | BR | F | 101 | 1/1 | 0.95 | 0.07 | 82,82,82,82 | 0 |
| 4 | BR | В | 402 | 1/1 | 0.95 | 0.06 | 77,77,77,77 | 0 |
| 3 | ZN | В | 401 | 1/1 | 0.96 | 0.08 | 66,66,66,66 | 0 |
| 3 | ZN | D | 401 | 1/1 | 0.96 | 0.12 | 185,185,185,185 | 0 |
| 4 | BR | E | 101 | 1/1 | 0.97 | 0.07 | 62,62,62,62 | 0 |
| 3 | ZN | С | 401 | 1/1 | 0.99 | 0.10 | 49,49,49,49 | 0 |

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

















6.5 Other polymers (i)

There are no such residues in this entry.

