



# Full wwPDB X-ray Structure Validation Report ⓘ

May 15, 2020 – 11:39 pm BST

PDB ID : 2D1C  
Title : Crystal Structure Of TT0538 protein from *Thermus thermophilus* HB8  
Authors : Lokanath, N.K.; Kunishima, N.; RIKEN Structural Genomics/Proteomics Initiative (RSGI)  
Deposited on : 2005-08-15  
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	496	
1	B	496	

## 2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 8644 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isocitrate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	495	Total 3826	2429	667	719	11	0	0	0
1	B	495	Total 3826	2429	667	719	11	5	0	0

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: C<sub>21</sub>H<sub>28</sub>N<sub>7</sub>O<sub>17</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total 48	21	7	17	3	0	0
2	B	1	Total 48	21	7	17	3	0	0

- Molecule 3 is CITRIC ACID (three-letter code: CIT) (formula: C<sub>6</sub>H<sub>8</sub>O<sub>7</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 13 6 7	0	0
3	B	1	Total C O 13 6 7	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	438	Total O 438 438	0	0
4	B	432	Total O 432 432	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Isocitrate dehydrogenase



- Molecule 1: Isocitrate dehydrogenase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	73.02Å 95.18Å 72.99Å 90.00° 92.07° 90.00°	Depositor
Resolution (Å)	36.49 – 1.80 46.00 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.7 (36.49-1.80) 99.3 (46.00-1.80)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.31 (at 1.79Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.207 , 0.238 0.203 , 0.232	Depositor DCC
$R_{free}$ test set	4638 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	19.2	Xtriage
Anisotropy	0.187	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 33.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.023 for -l,k,h 0.031 for -h,-k,l 0.457 for l,-k,h	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	8644	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.40% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, CIT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.31	0/3897	0.62	0/5281
1	B	0.39	1/3897 (0.0%)	0.67	0/5281
All	All	0.35	1/7794 (0.0%)	0.65	0/10562

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	474	TRP	NE1-CE2	8.52	1.48	1.37

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3826	0	3898	65	0
1	B	3826	0	3898	85	0
2	A	48	0	25	1	0
2	B	48	0	25	2	0
3	A	13	0	5	0	0
3	B	13	0	5	0	0
4	A	438	0	0	4	0
4	B	432	0	0	14	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	8644	0	7856	134	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (134) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:144:TYR:CE1	1:B:245:MET:HG3	2.01	0.95
1:B:144:TYR:HE1	1:B:245:MET:HG3	1.49	0.77
1:B:359:PRO:O	1:B:362:THR:HG22	1.85	0.76
1:A:343:LYS:HB2	1:A:346:GLU:HG3	1.69	0.74
1:A:290:ASN:ND2	1:A:343:LYS:HB3	2.08	0.69
1:B:343:LYS:HB2	1:B:346:GLU:HG3	1.74	0.69
1:A:245:MET:HE1	4:B:1718:HOH:O	1.95	0.66
1:B:290:ASN:ND2	1:B:343:LYS:HB3	2.10	0.66
1:A:143:LEU:HD11	1:B:143:LEU:HD11	1.79	0.65
1:B:117:ARG:HB3	1:B:365:ARG:HH21	1.60	0.65
1:A:477:LEU:HD12	1:B:477:LEU:HD12	1.80	0.64
1:B:395:PHE:HB2	1:B:476:HIS:HB3	1.78	0.64
1:A:203:LYS:O	1:A:207:GLU:HG3	1.99	0.63
1:B:323:TYR:CE2	1:B:357:LYS:HG2	2.34	0.62
1:B:33:GLU:HG3	4:B:1637:HOH:O	1.99	0.62
1:B:185:LYS:HD2	1:B:187:HIS:CE1	2.34	0.62
1:A:421:LYS:HD2	1:A:449:LEU:HD11	1.81	0.61
1:A:493:GLN:NE2	1:B:97:LYS:HE3	2.16	0.61
1:A:245:MET:SD	1:B:245:MET:CE	2.89	0.61
1:B:116:VAL:HG12	1:B:133:LEU:CD1	2.32	0.59
1:B:365:ARG:NH1	4:B:1965:HOH:O	2.23	0.59
1:A:245:MET:HE2	4:B:1716:HOH:O	2.02	0.59
1:A:78:ARG:HD3	1:B:435:GLY:O	2.03	0.58
1:A:245:MET:SD	1:B:245:MET:HE1	2.43	0.58
1:B:285:LYS:HE3	1:B:286:TYR:CE2	2.38	0.58
1:B:349:GLU:HG3	1:B:353:GLN:HE21	1.69	0.58
1:B:97:LYS:HG2	4:B:1727:HOH:O	2.03	0.57
1:B:253:LEU:C	1:B:253:LEU:HD23	2.25	0.57
1:A:191:LYS:HE2	1:A:194:ILE:HD12	1.85	0.57
1:A:10:LYS:HD3	4:A:1756:HOH:O	2.04	0.56
1:A:435:GLY:O	1:B:78:ARG:HD2	2.05	0.56
1:B:31:GLY:HA2	1:B:87:PRO:HD2	1.87	0.56
1:A:117:ARG:NH2	1:A:362:THR:HG23	2.20	0.56

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:143:LEU:HD12	1:B:245:MET:CE	2.35	0.56
1:B:289:LYS:O	1:B:291:VAL:HG13	2.05	0.55
1:B:116:VAL:CG2	1:B:258:ILE:HG12	2.36	0.55
1:A:365:ARG:HH11	1:A:365:ARG:HG2	1.72	0.55
1:B:250:LEU:O	1:B:254:THR:HG23	2.07	0.55
1:A:105:LYS:HE3	1:B:428:THR:OG1	2.06	0.55
1:B:361:LYS:O	1:B:363:GLN:N	2.39	0.54
1:A:233:ARG:O	1:A:236:GLN:HG2	2.08	0.54
1:A:30:ILE:HG12	1:A:282:SER:O	2.07	0.54
1:A:202:LEU:HD22	1:A:243:THR:HG23	1.90	0.54
1:B:116:VAL:HG12	1:B:133:LEU:HD12	1.90	0.54
1:B:185:LYS:HD2	1:B:187:HIS:HE1	1.71	0.53
1:B:116:VAL:HG22	1:B:258:ILE:HG12	1.89	0.53
1:A:395:PHE:HB2	1:A:476:HIS:HB3	1.90	0.53
1:A:253:LEU:HD23	1:A:253:LEU:C	2.29	0.53
1:A:31:GLY:HA2	1:A:87:PRO:HD2	1.91	0.53
1:A:268:ASN:HB2	1:A:275:ILE:HB	1.91	0.52
1:B:202:LEU:HD22	1:B:243:THR:HG23	1.91	0.52
1:B:261:LEU:HB3	1:B:280:HIS:HB3	1.92	0.52
1:A:97:LYS:HE3	1:B:493:GLN:NE2	2.25	0.52
1:B:203:LYS:O	1:B:207:GLU:HG3	2.10	0.52
1:A:97:LYS:HG2	4:A:1729:HOH:O	2.10	0.51
1:B:406:GLY:O	1:B:410:GLU:HG3	2.10	0.51
1:A:189:ALA:HA	1:A:221:ILE:O	2.10	0.51
1:B:185:LYS:HE2	4:B:1904:HOH:O	2.11	0.51
1:A:463:ASP:O	1:A:467:ARG:HG3	2.12	0.50
1:B:407:LYS:HG2	4:B:1868:HOH:O	2.11	0.49
1:A:165:LYS:HE2	1:B:439:ASP:OD2	2.12	0.49
1:B:233:ARG:O	1:B:236:GLN:HG2	2.12	0.49
1:B:142:ASP:CG	1:B:143:LEU:H	2.16	0.49
1:B:357:LYS:O	1:B:359:PRO:HD3	2.13	0.49
1:A:261:LEU:HB3	1:A:280:HIS:HB3	1.95	0.48
1:B:177:LEU:C	1:B:177:LEU:HD23	2.34	0.48
1:B:117:ARG:HB3	1:B:365:ARG:NH2	2.29	0.47
1:B:233:ARG:HD3	4:B:1839:HOH:O	2.13	0.47
1:B:374:GLN:HA	1:B:374:GLN:HE21	1.79	0.47
1:B:189:ALA:HA	1:B:221:ILE:O	2.14	0.47
1:B:71:GLN:NE2	4:B:1937:HOH:O	2.47	0.47
1:B:285:LYS:HE3	1:B:286:TYR:CZ	2.50	0.47
1:A:30:ILE:HD13	1:A:283:ALA:HB3	1.98	0.46
1:B:463:ASP:O	1:B:467:ARG:HG3	2.15	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:230:LEU:O	1:B:234:PRO:HB3	2.16	0.46
1:B:268:ASN:HB2	1:B:275:ILE:HB	1.98	0.46
1:A:95:GLY:O	1:B:196:LYS:HE3	2.15	0.46
1:B:8:THR:HG21	4:B:1833:HOH:O	2.16	0.46
1:A:289:LYS:O	1:A:291:VAL:HG13	2.17	0.45
1:A:290:ASN:HD21	1:A:343:LYS:HB3	1.78	0.45
1:A:406:GLY:O	1:A:410:GLU:HG3	2.17	0.45
1:B:374:GLN:HA	1:B:374:GLN:NE2	2.32	0.45
1:A:133:LEU:HD12	1:A:133:LEU:C	2.38	0.45
1:B:374:GLN:HB3	1:B:376:ASP:OD1	2.17	0.44
1:A:78:ARG:NH2	4:A:1894:HOH:O	2.50	0.44
1:B:290:ASN:HD21	1:B:343:LYS:HB3	1.78	0.44
1:B:306:ARG:NH2	1:B:318:GLU:OE1	2.49	0.44
1:B:299:LEU:HD21	1:B:321:LEU:HD23	1.99	0.44
1:A:273:VAL:HG12	1:A:274:ALA:N	2.33	0.44
1:B:116:VAL:CG1	1:B:133:LEU:CD1	2.95	0.44
1:A:144:TYR:N	1:A:144:TYR:CD1	2.86	0.43
1:A:16:GLU:H	1:A:16:GLU:CD	2.21	0.43
1:A:196:LYS:HE3	1:B:95:GLY:O	2.18	0.43
1:B:165:LYS:O	1:B:169:LYS:HG3	2.18	0.43
1:A:72:GLU:HA	1:A:75:GLU:OE1	2.19	0.43
1:A:58:ALA:HA	1:A:61:PHE:CD2	2.53	0.43
1:B:101:VAL:HG13	4:B:1792:HOH:O	2.19	0.43
1:B:141:GLU:O	1:B:142:ASP:HB3	2.19	0.42
1:B:293:ASN:HB3	2:B:1003:NAP:N1A	2.34	0.42
1:A:349:GLU:O	1:A:353:GLN:HG3	2.20	0.42
1:B:245:MET:HE3	1:B:245:MET:HB3	1.94	0.42
1:A:23:THR:HB	1:A:83:VAL:HG22	2.01	0.42
1:A:364:VAL:HG23	1:A:364:VAL:O	2.19	0.42
1:A:208:GLN:NE2	1:A:379:ILE:HG21	2.34	0.42
1:B:17:ASP:OD1	1:B:19:ARG:HB2	2.19	0.42
1:A:142:ASP:CG	1:A:143:LEU:H	2.23	0.42
1:A:230:LEU:O	1:A:234:PRO:HB3	2.19	0.42
1:B:273:VAL:HG12	1:B:274:ALA:N	2.34	0.42
1:B:88:LEU:O	2:B:1003:NAP:H2N	2.20	0.42
1:A:144:TYR:CE2	1:B:191:LYS:HE2	2.55	0.42
1:A:56:ALA:O	1:A:88:LEU:HD22	2.20	0.42
1:A:60:VAL:HG21	1:A:70:PRO:HD3	2.02	0.42
1:B:445:ARG:HD2	1:B:445:ARG:C	2.40	0.42
1:B:60:VAL:HG11	1:B:70:PRO:HD3	2.00	0.41
1:A:125:PRO:CB	1:B:125:PRO:HB2	2.50	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:421:LYS:HE2	4:A:1838:HOH:O	2.20	0.41
1:A:431:TYR:HA	1:A:432:PRO:C	2.41	0.41
1:A:184:LYS:HD2	1:A:184:LYS:N	2.35	0.41
1:A:141:GLU:HB2	1:A:142:ASP:H	1.76	0.41
1:A:144:TYR:N	1:A:144:TYR:HD1	2.19	0.41
1:B:30:ILE:HD13	1:B:283:ALA:HB3	2.02	0.41
1:B:357:LYS:N	4:B:1934:HOH:O	2.54	0.41
1:B:375:VAL:HG13	4:B:1877:HOH:O	2.20	0.41
1:A:144:TYR:HA	1:B:194:ILE:HG21	2.03	0.41
1:A:125:PRO:HG3	4:B:1843:HOH:O	2.20	0.41
1:A:183:ARG:HD2	1:A:239:VAL:CG2	2.52	0.41
1:B:141:GLU:HB2	1:B:142:ASP:H	1.74	0.40
1:B:326:GLU:OE1	1:B:360:ARG:N	2.53	0.40
1:A:125:PRO:HB3	1:B:125:PRO:CB	2.51	0.40
1:A:88:LEU:O	2:A:1002:NAP:H2N	2.21	0.40
1:B:133:LEU:C	1:B:133:LEU:HD12	2.40	0.40
1:A:142:ASP:HB3	1:A:244:ASN:HB3	2.04	0.40
1:B:258:ILE:HD12	1:B:258:ILE:C	2.41	0.40
1:B:61:PHE:CE1	1:B:68:GLY:HA3	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	493/496 (99%)	470 (95%)	23 (5%)	0	100	100
1	B	493/496 (99%)	471 (96%)	21 (4%)	1 (0%)	47	33
All	All	986/992 (99%)	941 (95%)	44 (4%)	1 (0%)	51	36

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	362	THR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	407/408 (100%)	404 (99%)	3 (1%)	84	81
1	B	407/408 (100%)	400 (98%)	7 (2%)	60	51
All	All	814/816 (100%)	804 (99%)	10 (1%)	71	65

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	THR
1	A	252	ASP
1	A	422	MET
1	B	8	THR
1	B	20	LYS
1	B	245	MET
1	B	361	LYS
1	B	364	VAL
1	B	365	ARG
1	B	422	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	208	GLN
1	A	211	GLN
1	A	399	ASN
1	B	71	GLN
1	B	208	GLN
1	B	353	GLN
1	B	374	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	CIT	A	1585	-	3,12,12	1.54	1 (33%)	3,17,17	0.73	0
3	CIT	B	1586	-	3,12,12	1.53	1 (33%)	3,17,17	0.67	0
2	NAP	A	1002	-	45,52,52	3.49	23 (51%)	56,80,80	2.66	18 (32%)
2	NAP	B	1003	-	45,52,52	3.50	23 (51%)	56,80,80	2.64	18 (32%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CIT	A	1585	-	-	0/6/16/16	-
3	CIT	B	1586	-	-	0/6/16/16	-
2	NAP	A	1002	-	-	5/31/67/67	0/5/5/5
2	NAP	B	1003	-	-	5/31/67/67	0/5/5/5

All (48) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1002	NAP	C4N-C3N	10.55	1.57	1.39
2	B	1003	NAP	C4N-C3N	10.45	1.57	1.39
2	B	1003	NAP	O4D-C1D	-8.11	1.29	1.41
2	A	1002	NAP	O4D-C1D	-8.09	1.29	1.41
2	A	1002	NAP	O2D-C2D	7.36	1.60	1.43
2	B	1003	NAP	O2D-C2D	7.33	1.60	1.43
2	B	1003	NAP	C5N-C4N	6.26	1.52	1.38
2	A	1002	NAP	C5N-C4N	6.22	1.52	1.38
2	A	1002	NAP	C2N-N1N	5.71	1.41	1.35
2	B	1003	NAP	C2N-N1N	5.61	1.41	1.35
2	B	1003	NAP	C5D-C4D	5.57	1.69	1.51
2	A	1002	NAP	C5D-C4D	5.44	1.68	1.51
2	A	1002	NAP	O5D-C5D	-5.15	1.24	1.44
2	B	1003	NAP	O5D-C5D	-5.15	1.25	1.44
2	B	1003	NAP	C3B-C4B	-4.42	1.41	1.53
2	A	1002	NAP	C3B-C4B	-4.36	1.41	1.53
2	A	1002	NAP	O4D-C4D	-4.34	1.35	1.45
2	B	1003	NAP	O4D-C4D	-4.23	1.35	1.45
2	B	1003	NAP	PN-O5D	4.16	1.76	1.59
2	A	1002	NAP	PN-O5D	4.15	1.76	1.59
2	B	1003	NAP	O4B-C1B	4.12	1.46	1.41
2	B	1003	NAP	C4A-N3A	3.93	1.41	1.35
2	A	1002	NAP	C4A-N3A	3.76	1.40	1.35
2	A	1002	NAP	O4B-C1B	3.70	1.46	1.41
2	A	1002	NAP	PA-O2A	-3.54	1.38	1.55
2	B	1003	NAP	PA-O2A	-3.48	1.39	1.55
2	A	1002	NAP	O2B-C2B	3.33	1.56	1.44
2	A	1002	NAP	C6N-N1N	3.32	1.43	1.35
2	B	1003	NAP	O2B-C2B	3.28	1.56	1.44
2	B	1003	NAP	C6N-N1N	3.25	1.43	1.35
2	B	1003	NAP	C8A-N7A	-3.01	1.29	1.34
2	A	1002	NAP	C8A-N7A	-2.97	1.29	1.34
2	A	1002	NAP	C3D-C4D	2.81	1.60	1.53
2	B	1003	NAP	C3D-C4D	2.79	1.60	1.53
2	B	1003	NAP	C2N-C3N	2.70	1.43	1.39
2	B	1003	NAP	O5B-C5B	2.66	1.55	1.44
2	A	1002	NAP	C2N-C3N	2.64	1.43	1.39
2	A	1002	NAP	O5B-C5B	2.62	1.54	1.44
2	B	1003	NAP	P2B-O2X	-2.45	1.45	1.54
2	B	1003	NAP	O3D-C3D	-2.45	1.37	1.43
2	A	1002	NAP	P2B-O2X	-2.39	1.45	1.54
2	A	1002	NAP	O3D-C3D	-2.19	1.37	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1002	NAP	C2A-N3A	2.12	1.35	1.32
2	B	1003	NAP	C2A-N3A	2.09	1.35	1.32
3	B	1586	CIT	C2-C3	2.07	1.57	1.54
3	A	1585	CIT	C2-C3	2.06	1.57	1.54
2	A	1002	NAP	P2B-O3X	-2.02	1.47	1.54
2	B	1003	NAP	C2A-N1A	2.02	1.37	1.33

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1002	NAP	C5N-C4N-C3N	-9.70	108.87	120.34
2	B	1003	NAP	C5N-C4N-C3N	-9.62	108.96	120.34
2	A	1002	NAP	O4D-C1D-C2D	-7.97	95.28	106.93
2	B	1003	NAP	O4D-C1D-C2D	-7.77	95.57	106.93
2	A	1002	NAP	C2N-C3N-C4N	5.75	124.77	118.26
2	B	1003	NAP	O3D-C3D-C4D	5.71	127.57	111.05
2	B	1003	NAP	C2N-C3N-C4N	5.68	124.70	118.26
2	A	1002	NAP	O3D-C3D-C4D	5.68	127.48	111.05
2	A	1002	NAP	C6N-C5N-C4N	5.00	126.70	119.44
2	B	1003	NAP	C6N-C5N-C4N	4.91	126.57	119.44
2	B	1003	NAP	PN-O3-PA	4.02	146.62	132.83
2	A	1002	NAP	PN-O3-PA	3.88	146.15	132.83
2	A	1002	NAP	O3B-C3B-C4B	3.82	122.08	111.05
2	B	1003	NAP	O3B-C3B-C4B	3.78	121.97	111.05
2	A	1002	NAP	C3N-C7N-N7N	3.65	122.12	117.75
2	B	1003	NAP	C3N-C7N-N7N	3.63	122.10	117.75
2	A	1002	NAP	C3N-C2N-N1N	-3.44	117.07	120.43
2	A	1002	NAP	C2D-C3D-C4D	-3.37	96.09	102.64
2	B	1003	NAP	C3N-C2N-N1N	-3.36	117.14	120.43
2	B	1003	NAP	C2D-C3D-C4D	-3.27	96.28	102.64
2	B	1003	NAP	O4D-C4D-C3D	-3.08	99.03	105.11
2	A	1002	NAP	O4D-C4D-C3D	-3.03	99.11	105.11
2	A	1002	NAP	O5B-C5B-C4B	2.85	118.81	108.99
2	B	1003	NAP	C6N-N1N-C2N	2.83	124.56	121.97
2	A	1002	NAP	C6N-N1N-C2N	2.75	124.48	121.97
2	B	1003	NAP	O5B-C5B-C4B	2.71	118.33	108.99
2	A	1002	NAP	O7N-C7N-N7N	-2.64	118.82	122.58
2	B	1003	NAP	O7N-C7N-N7N	-2.63	118.84	122.58
2	B	1003	NAP	N3A-C2A-N1A	-2.59	124.62	128.68
2	A	1002	NAP	N3A-C2A-N1A	-2.53	124.73	128.68
2	B	1003	NAP	O5D-C5D-C4D	-2.35	100.90	108.99
2	A	1002	NAP	C5D-C4D-C3D	2.30	123.78	115.18

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1003	NAP	C5D-C4D-C3D	2.25	123.62	115.18
2	A	1002	NAP	O5D-C5D-C4D	-2.22	101.36	108.99
2	A	1002	NAP	C4A-C5A-N7A	2.16	111.65	109.40
2	B	1003	NAP	C4A-C5A-N7A	2.11	111.60	109.40

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1002	NAP	O4D-C1D-N1N-C2N
2	A	1002	NAP	O4D-C1D-N1N-C6N
2	B	1003	NAP	O4D-C1D-N1N-C2N
2	B	1003	NAP	O4D-C1D-N1N-C6N
2	B	1003	NAP	C2D-C1D-N1N-C2N
2	B	1003	NAP	C1B-C2B-O2B-P2B
2	A	1002	NAP	C1B-C2B-O2B-P2B
2	A	1002	NAP	C2D-C1D-N1N-C2N
2	B	1003	NAP	C2D-C1D-N1N-C6N
2	A	1002	NAP	C5D-O5D-PN-O2N


There are no ring outliers.


2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1002	NAP	1	0
2	B	1003	NAP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	495/496 (99%)	0.01	10 (2%) 65 61	8, 22, 42, 60	0
1	B	495/496 (99%)	-0.02	10 (2%) 65 61	7, 22, 42, 69	1 (0%)
All	All	990/992 (99%)	-0.01	20 (2%) 65 61	7, 22, 42, 69	1 (0%)

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	367	TYR	8.0
1	B	362	THR	6.5
1	B	366	GLY	6.1
1	A	362	THR	5.3
1	B	358	THR	3.6
1	B	360	ARG	3.4
1	B	361	LYS	3.3
1	B	370	PHE	3.1
1	A	7	GLU	3.0
1	A	145	ALA	2.8
1	B	340	ARG	2.7
1	A	146	GLY	2.6
1	B	339	ASP	2.6
1	A	37	ALA	2.5
1	A	351	ILE	2.3
1	A	184	LYS	2.3
1	A	340	ARG	2.2
1	B	364	VAL	2.1
1	A	16	GLU	2.0
1	A	349	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	CIT	B	1586	13/13	0.89	0.14	18,24,27,27	0
3	CIT	A	1585	13/13	0.90	0.13	17,26,28,31	0
2	NAP	A	1002	48/48	0.91	0.11	17,23,26,28	0
2	NAP	B	1003	48/48	0.94	0.10	17,22,26,29	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around NAP A 1002:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around NAP B 1003:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.