



Full wwPDB X-ray Structure Validation Report ⓘ

May 13, 2020 – 10:25 am BST

PDB ID : 2D1F
Title : Structure of Mycobacterium tuberculosis threonine synthase
Authors : Covarrubias, A.S.; Bergfors, T.; Mannerstedt, K.; Oscarson, S.; Jones, T.A.;
Mowbray, S.L.; Hogbom, M.
Deposited on : 2005-08-20
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	360	 4% 69% 23% . .
1	B	360	 3% 75% 19% . .

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 5168 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Threonine synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	349	Total	C	N	O	S	0	0	0
			2542	1605	440	485	12			
1	B	349	Total	C	N	O	S	0	0	0
			2542	1605	440	485	12			

- Molecule 2 is PYRIDOXAL-5'-PHOSPHATE (three-letter code: PLP) (formula: C₈H₁₀NO₆P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	B	1	Total	C	N	O	P	0	0
			15	8	1	5	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	26	Total 26	O 26	0	0
3	B	28	Total 28	O 28	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Threonine synthase



- Molecule 1: Threonine synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, α , β , γ	55.96 Å 55.96 Å 368.38 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 2.50 19.91 – 2.50	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-2.50) 92.8 (19.91-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.43 (at 2.50 Å)	Xtrriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.187 , 0.256 0.189 , 0.180	Depositor DCC
R_{free} test set	1035 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	51.7	Xtrriage
Anisotropy	0.673	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 36.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.104 for h,-h-k,-l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5168	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.48	0/2592	0.63	0/3541
1	B	0.68	3/2592 (0.1%)	0.67	2/3541 (0.1%)
All	All	0.59	3/5184 (0.1%)	0.65	2/7082 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	269	LYS	CE-NZ	17.88	1.93	1.49
1	B	269	LYS	CD-CE	9.91	1.76	1.51
1	B	313	GLY	C-N	6.70	1.49	1.34

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	269	LYS	CD-CE-NZ	-5.89	98.14	111.70
1	B	269	LYS	CG-CD-CE	-5.06	96.71	111.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2542	0	2569	63	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2542	0	2569	51	0
2	A	15	0	7	1	0
2	B	15	0	7	0	0
3	A	26	0	0	1	0
3	B	28	0	0	0	0
All	All	5168	0	5152	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:269:LYS:CD	1:B:269:LYS:CE	1.76	1.63
1:B:269:LYS:CE	1:B:269:LYS:NZ	1.93	1.30
1:A:138:ILE:HD11	1:A:148:LEU:HD12	1.46	0.94
1:A:287:VAL:HG11	1:A:303:ILE:HD13	1.53	0.90
1:B:269:LYS:CG	1:B:269:LYS:CE	2.52	0.88
1:A:295:VAL:HG13	1:A:299:SER:HB2	1.57	0.86
1:B:138:ILE:HD11	1:B:148:LEU:HD12	1.59	0.81
1:B:328:ASN:HD22	1:B:330:LEU:H	1.29	0.80
1:B:295:VAL:HG13	1:B:299:SER:HB2	1.61	0.80
1:B:263:GLU:O	1:B:267:GLN:HG2	1.83	0.77
1:A:75:MET:HG3	1:A:168:VAL:HG12	1.66	0.77
1:A:287:VAL:CG1	1:A:303:ILE:HD13	2.14	0.76
1:B:46:ASN:HB2	1:B:290:VAL:HG13	1.71	0.71
1:B:23:LEU:HD13	1:B:75:MET:HE1	1.73	0.70
1:A:198:ALA:HB1	1:A:261:ALA:HB2	1.75	0.69
1:B:285:HIS:O	1:B:289:ARG:HG3	1.92	0.69
1:A:22:ARG:HH11	1:A:22:ARG:HG3	1.61	0.65
1:A:307:LEU:O	1:A:310:ILE:HG13	1.96	0.65
1:B:299:SER:HB3	1:B:325:VAL:HG22	1.80	0.64
1:A:16:ILE:HG12	1:A:75:MET:CE	2.28	0.64
1:A:287:VAL:HG11	1:A:303:ILE:CD1	2.26	0.63
1:B:296:GLU:HG2	1:B:297:PRO:HD2	1.80	0.63
1:A:308:LYS:O	1:A:312:ASP:OD1	2.16	0.63
1:B:295:VAL:HG21	1:B:325:VAL:HG21	1.79	0.63
1:B:40:PRO:HG2	1:B:62:LEU:HD12	1.81	0.63
1:B:59:VAL:HA	1:B:325:VAL:HG12	1.82	0.62
1:A:23:LEU:HD13	1:A:75:MET:HE1	1.80	0.62
1:B:56:HIS:CE1	1:B:184:LEU:HD21	2.35	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:307:LEU:O	1:B:310:ILE:HG13	2.01	0.61
1:A:75:MET:HG3	1:A:168:VAL:CG1	2.30	0.60
1:A:40:PRO:HG2	1:A:62:LEU:HD12	1.85	0.59
1:B:193:LEU:HD21	1:B:201:ILE:HG13	1.84	0.59
1:B:71:ARG:O	1:B:74:THR:HG22	2.02	0.59
1:A:36:GLU:CD	1:A:36:GLU:H	2.06	0.59
1:B:198:ALA:HB1	1:B:261:ALA:HB2	1.83	0.59
1:A:16:ILE:HG12	1:A:75:MET:HE1	1.84	0.59
1:B:296:GLU:HG2	1:B:297:PRO:CD	2.33	0.59
1:A:46:ASN:HB2	1:A:290:VAL:HG13	1.85	0.58
1:A:210:GLU:HG3	3:A:523:HOH:O	2.02	0.58
1:A:22:ARG:CG	1:A:22:ARG:HH11	2.15	0.58
1:A:51:THR:O	1:A:317:ARG:NH1	2.37	0.58
1:B:65:THR:HG21	1:B:99:SER:HA	1.84	0.58
1:A:29:TRP:N	1:A:29:TRP:CD1	2.71	0.58
1:A:291:GLU:HA	1:A:291:GLU:OE1	2.03	0.57
1:A:306:LEU:HD11	1:A:321:VAL:HG11	1.88	0.55
1:A:295:VAL:HG21	1:A:325:VAL:HG21	1.87	0.55
1:A:193:LEU:HD21	1:A:201:ILE:HD12	1.88	0.55
1:A:59:VAL:HA	1:A:325:VAL:HG12	1.88	0.54
1:A:138:ILE:CD1	1:A:148:LEU:HD12	2.30	0.54
1:A:35:LEU:HD12	1:B:40:PRO:HB3	1.89	0.53
1:A:193:LEU:HD11	1:A:201:ILE:HA	1.91	0.52
1:B:46:ASN:CB	1:B:290:VAL:HG13	2.37	0.52
1:B:295:VAL:HG21	1:B:325:VAL:CG2	2.39	0.51
1:B:355:GLU:C	1:B:357:LEU:H	2.12	0.51
1:B:252:ILE:HG22	1:B:254:SER:H	1.76	0.51
1:B:73:MET:HG2	1:B:100:ALA:HA	1.93	0.51
1:B:138:ILE:CD1	1:B:148:LEU:HD12	2.34	0.50
1:A:21:ASP:OD1	1:A:21:ASP:N	2.44	0.50
1:A:295:VAL:HG21	1:A:325:VAL:CG2	2.42	0.50
1:A:355:GLU:C	1:A:357:LEU:H	2.14	0.49
1:A:303:ILE:HG13	1:A:323:CYS:SG	2.52	0.49
1:A:299:SER:HB3	1:A:325:VAL:HG22	1.93	0.49
1:A:129:VAL:HG11	1:B:340:MET:SD	2.53	0.49
1:B:32:VAL:HG11	1:B:77:VAL:HG12	1.95	0.48
1:B:75:MET:CG	1:B:168:VAL:HG12	2.44	0.47
1:B:328:ASN:ND2	1:B:330:LEU:H	2.05	0.47
1:B:194:PRO:HD3	1:B:302:SER:HB2	1.96	0.47
1:A:89:LEU:HD11	1:A:114:LEU:HG	1.98	0.46
1:B:163:ASN:O	1:B:169:ARG:HD3	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:357:LEU:HD21	1:B:136:ILE:HD11	1.98	0.46
1:B:75:MET:HG3	1:B:168:VAL:HG12	1.98	0.46
1:B:269:LYS:CD	1:B:269:LYS:NZ	2.79	0.46
1:A:74:THR:O	1:A:78:THR:OG1	2.23	0.45
1:B:171:GLU:O	1:B:174:LYS:HG2	2.17	0.45
1:A:227:GLN:O	1:A:274:ALA:HA	2.17	0.44
1:A:22:ARG:CG	1:A:22:ARG:NH1	2.76	0.44
1:A:46:ASN:ND2	1:A:290:VAL:O	2.42	0.44
1:A:353:VAL:HG23	1:B:136:ILE:HD13	1.99	0.44
1:A:10:GLN:N	1:A:11:PRO:HD3	2.32	0.44
1:A:85:GLN:HB3	1:A:158:THR:O	2.18	0.44
1:A:278:GLU:N	1:A:278:GLU:OE2	2.51	0.44
1:A:343:VAL:HG21	1:B:135:ILE:HB	2.00	0.44
1:A:80:ALA:HA	1:A:85:GLN:HG3	2.00	0.44
1:A:190:VAL:HG13	1:A:321:VAL:HG22	1.99	0.44
1:B:269:LYS:CG	1:B:269:LYS:HE3	2.47	0.43
1:A:271:ARG:NH1	1:A:314:TRP:CB	2.82	0.43
1:A:23:LEU:HD13	1:A:75:MET:CE	2.49	0.42
1:B:21:ASP:N	1:B:21:ASP:OD1	2.52	0.42
1:B:238:GLU:HB2	1:B:239:PRO:HD2	2.02	0.42
1:A:40:PRO:HB2	1:A:59:VAL:HG13	2.01	0.42
1:B:89:LEU:HD12	1:B:112:ALA:HB3	2.01	0.42
1:A:25:VAL:HG12	1:A:29:TRP:CZ3	2.54	0.42
1:B:73:MET:CG	1:B:100:ALA:HA	2.50	0.41
1:A:29:TRP:HD1	1:A:29:TRP:N	2.16	0.41
1:A:25:VAL:HG12	1:A:29:TRP:CE3	2.56	0.41
1:B:85:GLN:OE1	1:B:160:SER:HB2	2.20	0.41
1:A:258:TRP:O	1:A:262:VAL:HG23	2.21	0.41
1:A:34:LEU:HD12	1:A:103:TYR:CZ	2.56	0.41
1:B:68:PHE:HD2	1:B:326:THR:HB	1.86	0.41
1:A:10:GLN:N	1:A:11:PRO:CD	2.84	0.41
1:A:171:GLU:O	1:A:174:LYS:HG2	2.20	0.41
1:B:114:LEU:HD12	1:B:136:ILE:HB	2.03	0.41
1:A:127:GLN:O	1:A:130:MET:HB2	2.21	0.41
1:A:197:ASN:O	1:A:198:ALA:HB3	2.21	0.41
1:A:156:PHE:HB2	1:A:159:ILE:HG12	2.02	0.40
1:B:193:LEU:HB2	1:B:194:PRO:HD2	2.03	0.40
1:A:93:THR:HG22	1:A:125:LEU:HD21	2.03	0.40
1:B:197:ASN:O	1:B:198:ALA:HB3	2.22	0.40
1:A:95:ASN:HD22	2:A:500:PLP:H2A1	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	347/360 (96%)	330 (95%)	14 (4%)	3 (1%)	17	31
1	B	347/360 (96%)	326 (94%)	19 (6%)	2 (1%)	25	43
All	All	694/720 (96%)	656 (94%)	33 (5%)	5 (1%)	22	39

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	356	LYS
1	B	163	ASN
1	A	13	PRO
1	B	15	VAL
1	A	347	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	264/273 (97%)	223 (84%)	41 (16%)	2	4
1	B	264/273 (97%)	237 (90%)	27 (10%)	7	14
All	All	528/546 (97%)	460 (87%)	68 (13%)	4	8

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	21	ASP
1	A	22	ARG
1	A	28	ASP
1	A	32	VAL
1	A	36	GLU
1	A	59	VAL
1	A	67	SER
1	A	74	THR
1	A	85	GLN
1	A	117	GLN
1	A	147	GLU
1	A	148	LEU
1	A	150	ARG
1	A	164	SER
1	A	165	VAL
1	A	183	VAL
1	A	186	THR
1	A	189	ASP
1	A	190	VAL
1	A	193	LEU
1	A	210	GLU
1	A	211	TYR
1	A	214	LEU
1	A	219	LYS
1	A	254	SER
1	A	278	GLU
1	A	281	LEU
1	A	286	LEU
1	A	293	VAL
1	A	295	VAL
1	A	296	GLU
1	A	302	SER
1	A	306	LEU
1	A	312	ASP
1	A	315	VAL
1	A	325	VAL
1	A	342	SER
1	A	348	VAL
1	A	351	VAL
1	A	355	GLU
1	B	25	VAL
1	B	45	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	54	THR
1	B	59	VAL
1	B	114	LEU
1	B	119	LYS
1	B	129	VAL
1	B	138	ILE
1	B	148	LEU
1	B	165	VAL
1	B	190	VAL
1	B	193	LEU
1	B	210	GLU
1	B	218	ASP
1	B	236	LEU
1	B	269	LYS
1	B	281	LEU
1	B	287	VAL
1	B	290	VAL
1	B	295	VAL
1	B	306	LEU
1	B	325	VAL
1	B	328	ASN
1	B	342	SER
1	B	344	SER
1	B	354	VAL
1	B	355	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	10	GLN
1	B	56	HIS
1	B	328	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PLP	A	500	1	15,15,16	0.90	1 (6%)	20,22,23	1.17	2 (10%)
2	PLP	B	500	1	15,15,16	0.92	1 (6%)	20,22,23	0.97	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PLP	A	500	1	-	0/6/6/8	0/1/1/1
2	PLP	B	500	1	-	0/6/6/8	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	500	PLP	C2-N1	2.61	1.38	1.33
2	B	500	PLP	C2-N1	2.02	1.37	1.33

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	500	PLP	C6-C5-C4	2.97	120.50	118.16
2	A	500	PLP	C5-C6-N1	-2.32	119.96	123.82
2	B	500	PLP	C6-C5-C4	2.23	119.91	118.16

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	500	PLP	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	349/360 (96%)	-0.00	15 (4%) 35 38	31, 40, 55, 58	0
1	B	349/360 (96%)	0.01	11 (3%) 47 51	31, 40, 55, 58	0
All	All	698/720 (96%)	0.00	26 (3%) 41 45	31, 40, 55, 58	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	28	ASP	5.1
1	B	157	PRO	5.0
1	B	344	SER	4.2
1	A	347	PRO	3.9
1	B	218	ASP	3.5
1	A	348	VAL	3.4
1	A	342	SER	3.3
1	A	143	ASP	3.3
1	B	347	PRO	3.1
1	B	165	VAL	3.0
1	A	27	ASP	2.9
1	A	341	PRO	2.8
1	B	141	ASN	2.7
1	A	118	GLY	2.6
1	A	150	ARG	2.6
1	A	121	ALA	2.5
1	A	10	GLN	2.5
1	A	122	MET	2.5
1	A	76	ALA	2.3
1	B	74	THR	2.3
1	B	119	LYS	2.2
1	A	119	LYS	2.2
1	B	154	ALA	2.1
1	B	11	PRO	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	157	PRO	2.0
1	B	219	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PLP	A	500	15/16	0.98	0.08	39,42,44,44	0
2	PLP	B	500	15/16	0.98	0.09	39,41,43,45	0

6.5 Other polymers [i](#)

There are no such residues in this entry.