



# wwPDB X-ray Structure Validation Summary Report ⓘ

Oct 10, 2023 – 07:55 AM EDT

PDB ID : 5DM6  
Title : Crystal structure of the 50S ribosomal subunit from *Deinococcus radiodurans*  
Authors : Kaminishi, T.; Schedlbauer, A.; Ochoa-Lizarralde, B.; Connell, S.R.; Fucini, P.  
Deposited on : 2015-09-08  
Resolution : 2.90 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)
RNA backbone	3102	1007 (3.16-2.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	224	89% 54% 38% 8%
2	A	274	11% 58% 37% 5%
3	B	205	3% 53% 40% 7%
4	C	197	8% 44% 46% 10%

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	D	177	
6	E	171	
7	F	144	
8	G	142	
9	H	134	
10	I	141	
11	J	136	
12	K	113	
13	L	104	
14	M	109	
15	N	117	
16	O	94	
17	P	127	
18	Q	93	
19	R	110	
20	S	175	
21	T	84	
22	U	72	
23	V	66	
24	W	55	
25	Z	57	
26	1	54	
27	2	47	
28	3	65	
29	X	2881	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
30	Y	122	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
31	MG	X	6014	-	-	-	X
31	MG	X	6038	-	-	-	X
31	MG	X	6046	-	-	-	X
31	MG	X	6048	-	-	-	X
31	MG	X	6058	-	-	-	X
31	MG	X	6093	-	-	-	X
31	MG	X	6098	-	-	-	X
31	MG	X	6099	-	-	-	X
31	MG	X	6107	-	-	-	X
31	MG	X	6108	-	-	-	X
31	MG	X	6111	-	-	-	X
31	MG	X	6113	-	-	-	X
31	MG	X	6119	-	-	-	X
31	MG	X	6121	-	-	-	X
31	MG	X	6133	-	-	-	X
31	MG	X	6138	-	-	-	X
31	MG	X	6141	-	-	-	X
31	MG	X	6146	-	-	-	X
31	MG	X	6156	-	-	-	X
31	MG	X	6159	-	-	-	X
31	MG	X	6162	-	-	-	X
31	MG	X	6167	-	-	-	X
31	MG	X	6170	-	-	-	X
31	MG	X	6175	-	-	-	X
31	MG	X	6177	-	-	-	X
31	MG	X	6179	-	-	-	X
31	MG	X	6180	-	-	-	X
31	MG	X	6183	-	-	-	X
31	MG	X	6186	-	-	-	X
31	MG	X	6187	-	-	-	X
31	MG	X	6191	-	-	-	X
31	MG	X	6192	-	-	-	X

## 2 Entry composition [i](#)

There are 31 unique types of molecules in this entry. The entry contains 89337 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	0	224	1651	1031	302	313	5	0	0	0

- Molecule 2 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	A	274	2107	1313	423	368	3	0	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	7	LYS	ARG	conflict	UNP Q9RXJ9
A	25	ALA	THR	conflict	UNP Q9RXJ9
A	270	LEU	ILE	conflict	UNP Q9RXJ9

- Molecule 3 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	B	205	1540	965	295	272	8	0	0	0

- Molecule 4 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	C	197	1507	935	287	283	2	0	0	0

- Molecule 5 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	D	177	1401	892	247	255	7	0	0	0

- Molecule 6 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	E	171	1287	812	237	237	1	0	0	0

- Molecule 7 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
7	F	144	1048	663	183	197	5	0	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	1	MET	-	expression tag	UNP Q9RSS7
F	2	ARG	-	expression tag	UNP Q9RSS7
F	3	ARG	-	expression tag	UNP Q9RSS7

- Molecule 8 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
8	G	142	1115	704	209	199	3	0	0	0

- Molecule 9 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
9	H	134	997	614	198	180	5	0	0	0

- Molecule 10 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
10	I	141	1068	655	216	197	0	0	0

- Molecule 11 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
11	J	136	1091	696	202	186	7	0	0	0

- Molecule 12 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
12	K	113	879	541	178	158	2	0	0	0

- Molecule 13 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
13	L	104	778	476	159	143	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
L	26	LYS	ARG	conflict	UNP Q9RSL2

- Molecule 14 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
14	M	109	867	540	171	156	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
M	107	GLY	-	expression tag	UNP Q9RWB4
M	108	LYS	-	expression tag	UNP Q9RWB4
M	109	ALA	-	expression tag	UNP Q9RWB4
M	110	ALA	-	expression tag	UNP Q9RWB4

- Molecule 15 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
15	N	117	978	608	210	159	1	0	0	0

- Molecule 16 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
16	O	94	742	465	139	138	0	0	0

- Molecule 17 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
17	P	127	1014	639	199	174	2	0	0	0

- Molecule 18 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
18	Q	93	727	458	136	131	2	0	0	0

- Molecule 19 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
19	R	110	826	513	160	152	1	0	0	0

- Molecule 20 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
20	S	175	1346	849	236	255	6	0	0	0

- Molecule 21 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
21	T	84	626	393	122	110	1	0	0	0

- Molecule 22 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace	
			Total	C	N				O
22	U	72	553	341	116	96	0	0	0

There is a discrepancy between the modelled and reference sequences:



Chain	Residue	Modelled	Actual	Comment	Reference
U	67	ILE	LEU	conflict	UNP Q9RRG8

- Molecule 23 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
23	V	66	534	327	107	97	3	0	0	0

- Molecule 24 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
24	W	55	424	264	82	76	2	0	0	0

- Molecule 25 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
25	Z	57	453	278	93	77	5	0	0	0

- Molecule 26 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
26	1	54	404	256	73	74	1	0	0	0

- Molecule 27 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
27	2	47	393	235	92	64	2	0	0	0

- Molecule 28 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
28	3	65	509	320	104	80	5	0	0	0

- Molecule 29 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
29	X	2780	59673	26617	11011	19265	2780	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
X	1510	U	UNK	conflict	GB 11612676

- Molecule 30 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
30	Y	122	2601	1161	476	842	122	0	0	0


- Molecule 31 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
31	M	1	Total 1	Mg 1	0	0
31	X	192	Total 192	Mg 192	0	0
31	Y	5	Total 5	Mg 5	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L1




- Molecule 2: 50S ribosomal protein L2









- Molecule 7: 50S ribosomal protein L11




- Molecule 8: 50S ribosomal protein L13




- Molecule 9: 50S ribosomal protein L14





- Molecule 10: 50S ribosomal protein L15








- Molecule 11: 50S ribosomal protein L16





- Molecule 12: 50S ribosomal protein L17



- Molecule 13: 50S ribosomal protein L18




- Molecule 14: 50S ribosomal protein L19




- Molecule 15: 50S ribosomal protein L20







• Molecule 16: 50S ribosomal protein L21




• Molecule 17: 50S ribosomal protein L22




• Molecule 18: 50S ribosomal protein L23




• Molecule 19: 50S ribosomal protein L24




- Molecule 20: 50S ribosomal protein L25




- Molecule 21: 50S ribosomal protein L27




- Molecule 22: 50S ribosomal protein L28



- Molecule 23: 50S ribosomal protein L29




- Molecule 24: 50S ribosomal protein L30







• Molecule 25: 50S ribosomal protein L32




• Molecule 26: 50S ribosomal protein L33




• Molecule 27: 50S ribosomal protein L34



• Molecule 28: 50S ribosomal protein L35




• Molecule 29: 23S ribosomal RNA






A2378	G2168	C1987	G1883	C1800	G1730	C1638	U1466	C1372
C2379	A2169	C1988	C1882	C1801	A1731	U1639	U1467	A1373
U2380	A2170	C1989	G1883	C1802	C1734	A1640	G1468	A1378
C2381	A2171	U1963	A1884	A1805	U1736	A1641	U1474	U1379
G2382	U2172	A1966	A1886	A1808	U1737	G1642	A1380	A1384
G2383	C2173	C1987	U1887	A1810	G1738	C1644	A1377	A1390
G2384	C2175	G1988	A1900	G1810	G1739	G1645	G1478	U1399
C2385	A2176	A1989	A1901	G1811	U1740	G1646	G1479	C1391
U2386	C2177	U1970	G1902	G1812	G1741	G1647	G1480	U1392
U2387	C2178	A1971	A1903	G1813	U1741	G1648	G1481	G1393
G2388	U2179	G1972	G1904	G1814	G1745	G1649	G1482	A1394
U2389	U2180	G1973	G1905	A1815	G1746	A1650	A1483	A1395
G2390	G2181	C1974	G1906	C1816	G1747	G1651	U1484	A1405
A2391	A2182	A1977	G1907	A1817	C1748	A1652	C1485	A1406
A2392	G2183	U1977	U1908	U1818	A1749	G1653	G1486	C1407
A2393	A2184	U1978	G1909	U1819	U1750	A1654	G1487	U1412
A2394	A2185	G1979	U1910	U1820	A1751	U1655	G1492	G1413
A2395	U2186	U1980	C1909	U1821	U1752	U1656	A1493	G1414
A2396	U2187	G1981	G1911	G1822	G1753	C1657	A1494	G1415
G2400	U2188	G1982	G1912	U1823	U1754	U1658	A1495	U1416
U2401	U2189	U1983	U1913	U1824	G1755	A1659	A1496	G1418
A2402	G2190	G1986	A1914	U1825	U1756	U1660	U1497	G1422
A2403	G2191	U1987	A1915	U1826	A1757	G1661	A1500	A1423
C2404	U2192	U1988	U1916	U1827	G1758	U1662	C1501	G1424
G2405	U2193	U1989	A1917	G1828	G1759	U1663	U1502	A1427
U2406	U2194	G1990	U1918	U1829	C1760	A1664	G1503	C1428
G2407	U2195	U1991	A1919	C1830	A1761	A1665	U1504	G1429
U2408	U2196	U1992	U1920	C1831	U1762	U1666	U1505	A1430
U2409	U2197	U1993	C1921	U1832	A1763	G1667	U1506	G1435
G2410	A2200	U1994	G1922	G1833	G1770	A1668	C1507	G1436
A2411	A2201	G2000	U1926	C1834	U1771	A1669	U1508	C1437
U2412	A2202	G2001	A1927	C1835	C1772	G1606	A1509	U1440
G2413	A2203	U2002	U1928	G1836	A1773	A1607	U1510	C1440A
G2414	A2204	G2003	A1929	U1837	G1774	C1608	G1526	U1444
G2415	A2205	G2004	G1930	G1838	U1775	A1609	G1527	G1445
G2416	A2206	G2005	U1931	A1848	U1776	A1610	U1529	G1450
G2417	A2207	G2006	U1932	G1849	U1777	A1611	U1532	U1452
A2418	U2217	A2005	G1933	U1850	U1778	C1612	C1533	A1453
U2419	U2218	G2006	U1934	U1851	U1779	A1613	U1534	U1454
C2420	G2070	U2007	U1935	A1852	A1780	A1614	U1535	G1455
G2421	A2071	G2008	A1936	U1853	G1781	A1615	U1536	U1458
A2422	G2072	G2009	A1937	U1854	C1782	A1616	C1537	A1459
U2423	U2075	G2010	A1938	U1855	U1783	A1616	U1538	U1460
C2424	U2076	U2011	U1939	C1852	A1784	G1619	A1539	G1461
A2425	A2077	G2012	U1940	U1852	U1785	G1620	U1540	G1464
U2426	A2078	A2013	U1941	A1854	A1786	U1621	G1546	G1465
C2427	A2079	A2014	U1942	A1855	U1787	G1622	U1547	
G2428	U2081	U2015	U1943	G1858	U1788	G1622	U1547	
G2429	U2081	U2016	U1944	G1858	C1789	G1622	U1547	
A2430	A2090	U2017	G1945	G1862	A1791	G1622	U1547	
U2431	U2091	A2018	U1949	G1863	U1792	G1622	U1547	
G2432	U2092	A2019	U1864	U1863	U1793	G1622	U1547	
A2433	G2093	A2020	U1865	U1864	U1794	G1622	U1547	
A2434	U2094	U2021	A1952	G1874	A1795	G1622	U1547	
U2438	G2094	U2022	A1953	C1875	U1796	G1622	U1547	
A2439	U2095	U2023	U1954	A1877	U1797	G1622	U1547	
C2440	G2096	G2024	U1955	G1878	C1797	G1622	U1547	
C2441	U2100	U2026	U1956	U1880	G1799	G1622	U1547	



• Molecule 30: 5S ribosomal RNA



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	169.90Å 410.76Å 696.12Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	58.96 – 2.90 58.96 – 2.90	Depositor EDS
% Data completeness (in resolution range)	99.2 (58.96-2.90) 81.6 (58.96-2.90)	Depositor EDS
$R_{merge}$	0.24	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	0.61 (at 2.91Å)	Xtrriage
Refinement program	PHENIX	Depositor
R, $R_{free}$	0.235 , 0.270 0.243 , 0.277	Depositor DCC
$R_{free}$ test set	24732 reflections (4.66%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	76.9	Xtrriage
Anisotropy	0.500	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.22 , 65.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	89337	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	125.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.28% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	0	0.30	0/1674	0.49	0/2257
2	A	0.39	0/2149	0.59	0/2890
3	B	0.69	1/1568 (0.1%)	0.86	1/2105 (0.0%)
4	C	0.51	0/1530	0.73	1/2070 (0.0%)
5	D	0.36	0/1420	0.56	0/1903
6	E	0.39	0/1309	0.55	0/1771
7	F	0.33	0/1067	0.52	1/1446 (0.1%)
8	G	0.47	0/1139	0.67	0/1539
9	H	0.76	0/1007	0.91	2/1352 (0.1%)
10	I	0.52	0/1082	0.76	1/1448 (0.1%)
11	J	0.65	0/1114	0.78	0/1486
12	K	0.83	0/887	1.04	0/1188
13	L	0.52	0/784	0.73	0/1045
14	M	0.77	0/880	0.83	0/1179
15	N	0.64	0/994	0.80	1/1323 (0.1%)
16	O	0.53	0/751	0.73	0/1000
17	P	0.69	0/1027	0.83	0/1373
18	Q	0.45	0/738	0.59	0/988
19	R	0.54	0/836	0.72	0/1121
20	S	0.41	0/1371	0.67	0/1862
21	T	0.54	0/634	0.69	0/838
22	U	0.61	0/557	0.88	1/741 (0.1%)
23	V	0.41	0/538	0.57	0/714
24	W	0.51	0/426	0.68	0/568
25	Z	0.71	0/465	0.90	0/622
26	1	0.49	0/411	0.73	0/554
27	2	0.48	0/397	0.65	0/521
28	3	0.54	0/516	0.70	0/673
29	X	0.78	37/66826 (0.1%)	1.44	971/104247 (0.9%)
30	Y	0.64	0/2907	1.20	8/4529 (0.2%)
All	All	0.72	38/97004 (0.0%)	1.29	987/145353 (0.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	B	0	3
4	C	0	1
8	G	0	1
25	Z	0	2
All	All	0	7

The worst 5 of 38 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
29	X	761	A	C6-N1	8.06	1.41	1.35
29	X	1999	C	N3-C4	-7.01	1.29	1.33
29	X	1638	C	N1-C6	-6.80	1.33	1.37
29	X	1661	G	C6-N1	-6.69	1.34	1.39
29	X	1661	G	C5-C4	-6.50	1.33	1.38

The worst 5 of 987 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
29	X	761	A	N1-C6-N6	22.08	131.85	118.60
29	X	761	A	C5-N7-C8	-17.56	95.12	103.90
29	X	2713	U	O5'-P-OP2	-17.29	89.95	110.70
29	X	761	A	C4-C5-N7	16.33	118.87	110.70
29	X	761	A	C5-C6-N6	-14.62	112.00	123.70

There are no chirality outliers.

5 of 7 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	B	178	GLY	Peptide
3	B	73	ALA	Peptide
3	B	85	ALA	Peptide
4	C	187	VAL	Peptide
8	G	37	ASP	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	1651	0	1693	59	0
2	A	2107	0	2190	82	0
3	B	1540	0	1600	75	0
4	C	1507	0	1525	80	0
5	D	1401	0	1481	64	0
6	E	1287	0	1336	49	0
7	F	1048	0	1088	23	0
8	G	1115	0	1144	47	0
9	H	997	0	1046	67	0
10	I	1068	0	1103	60	0
11	J	1091	0	1125	64	0
12	K	879	0	930	43	0
13	L	778	0	820	38	0
14	M	867	0	890	43	0
15	N	978	0	1020	72	0
16	O	742	0	756	37	0
17	P	1014	0	1096	60	0
18	Q	727	0	753	25	0
19	R	826	0	881	54	0
20	S	1346	0	1372	65	0
21	T	626	0	655	33	0
22	U	553	0	604	59	0
23	V	534	0	558	16	0
24	W	424	0	470	20	0
25	Z	453	0	455	38	0
26	1	404	0	416	21	0
27	2	393	0	420	19	0
28	3	509	0	565	40	0
29	X	59673	0	30060	1282	0
30	Y	2601	0	1327	57	0
31	M	1	0	0	0	0
31	X	192	0	0	0	0
31	Y	5	0	0	0	0
All	All	89337	0	59379	2369	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.



The worst 5 of 2369 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
12:K:103:ARG:HD2	29:X:1287:A:H5'	1.33	1.04
9:H:41:ASN:ND2	29:X:2674:A:O2'	1.91	1.04
15:N:48:ARG:HD2	29:X:1156:A:H61	1.20	1.03
8:G:31:THR:HG21	15:N:61:TRP:HE1	1.26	1.00
29:X:500:G:H22	29:X:503:A:H5''	1.26	0.97

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	222/224 (99%)	135 (61%)	65 (29%)	22 (10%)	0	1
2	A	272/274 (99%)	238 (88%)	25 (9%)	9 (3%)	4	15
3	B	203/205 (99%)	168 (83%)	24 (12%)	11 (5%)	2	6
4	C	195/197 (99%)	151 (77%)	30 (15%)	14 (7%)	1	3
5	D	175/177 (99%)	124 (71%)	39 (22%)	12 (7%)	1	3
6	E	169/171 (99%)	130 (77%)	22 (13%)	17 (10%)	0	1
7	F	142/144 (99%)	99 (70%)	34 (24%)	9 (6%)	1	4
8	G	140/142 (99%)	121 (86%)	13 (9%)	6 (4%)	2	10
9	H	132/134 (98%)	103 (78%)	19 (14%)	10 (8%)	1	2
10	I	139/141 (99%)	104 (75%)	23 (16%)	12 (9%)	1	2
11	J	134/136 (98%)	102 (76%)	20 (15%)	12 (9%)	1	1
12	K	111/113 (98%)	95 (86%)	11 (10%)	5 (4%)	2	9
13	L	102/104 (98%)	65 (64%)	21 (21%)	16 (16%)	0	0
14	M	107/109 (98%)	93 (87%)	7 (6%)	7 (6%)	1	3

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
15	N	115/117 (98%)	104 (90%)	8 (7%)	3 (3%)	5	20
16	O	92/94 (98%)	75 (82%)	11 (12%)	6 (6%)	1	3
17	P	125/127 (98%)	99 (79%)	16 (13%)	10 (8%)	1	2
18	Q	91/93 (98%)	87 (96%)	4 (4%)	0	100	100
19	R	108/110 (98%)	84 (78%)	14 (13%)	10 (9%)	0	1
20	S	173/175 (99%)	123 (71%)	32 (18%)	18 (10%)	0	1
21	T	82/84 (98%)	68 (83%)	11 (13%)	3 (4%)	3	13
22	U	70/72 (97%)	38 (54%)	16 (23%)	16 (23%)	0	0
23	V	64/66 (97%)	55 (86%)	5 (8%)	4 (6%)	1	4
24	W	53/55 (96%)	48 (91%)	3 (6%)	2 (4%)	3	13
25	Z	55/57 (96%)	41 (74%)	11 (20%)	3 (6%)	2	5
26	1	52/54 (96%)	33 (64%)	13 (25%)	6 (12%)	0	1
27	2	45/47 (96%)	40 (89%)	3 (7%)	2 (4%)	2	10
28	3	63/65 (97%)	47 (75%)	12 (19%)	4 (6%)	1	4
All	All	3431/3487 (98%)	2670 (78%)	512 (15%)	249 (7%)	1	3

5 of 249 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	0	28	LEU
1	0	30	THR
1	0	45	ILE
1	0	157	ILE
1	0	216	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	167/167 (100%)	150 (90%)	17 (10%)	7	22
2	A	214/214 (100%)	190 (89%)	24 (11%)	6	18

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	B	155/155 (100%)	139 (90%)	16 (10%)	7	22
4	C	157/157 (100%)	137 (87%)	20 (13%)	4	13
5	D	153/153 (100%)	131 (86%)	22 (14%)	3	9
6	E	136/136 (100%)	114 (84%)	22 (16%)	2	7
7	F	107/107 (100%)	97 (91%)	10 (9%)	9	27
8	G	118/118 (100%)	108 (92%)	10 (8%)	10	31
9	H	103/103 (100%)	76 (74%)	27 (26%)	0	1
10	I	108/108 (100%)	85 (79%)	23 (21%)	1	3
11	J	110/110 (100%)	89 (81%)	21 (19%)	1	4
12	K	90/90 (100%)	78 (87%)	12 (13%)	4	11
13	L	74/74 (100%)	52 (70%)	22 (30%)	0	1
14	M	92/92 (100%)	79 (86%)	13 (14%)	3	10
15	N	96/96 (100%)	86 (90%)	10 (10%)	7	21
16	O	75/75 (100%)	57 (76%)	18 (24%)	0	2
17	P	109/109 (100%)	92 (84%)	17 (16%)	2	8
18	Q	75/75 (100%)	69 (92%)	6 (8%)	12	33
19	R	91/91 (100%)	76 (84%)	15 (16%)	2	7
20	S	149/149 (100%)	117 (78%)	32 (22%)	1	3
21	T	62/62 (100%)	48 (77%)	14 (23%)	1	2
22	U	57/57 (100%)	42 (74%)	15 (26%)	0	1
23	V	54/54 (100%)	48 (89%)	6 (11%)	6	19
24	W	48/48 (100%)	43 (90%)	5 (10%)	7	21
25	Z	51/51 (100%)	43 (84%)	8 (16%)	2	8
26	1	38/38 (100%)	30 (79%)	8 (21%)	1	3
27	2	40/40 (100%)	33 (82%)	7 (18%)	2	6
28	3	51/51 (100%)	40 (78%)	11 (22%)	1	3
All	All	2780/2780 (100%)	2349 (84%)	431 (16%)	2	8

5 of 431 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
13	L	37	HIS
16	O	84	THR

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
25	Z	20	ARG
13	L	60	LYS
15	N	9	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 13 such sidechains are listed below:

Mol	Chain	Res	Type
9	H	41	ASN
14	M	58	ASN
19	R	77	HIS
18	Q	86	GLN
19	R	69	GLN

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
29	X	2776/2881 (96%)	655 (23%)	41 (1%)
30	Y	121/122 (99%)	35 (28%)	1 (0%)
All	All	2897/3003 (96%)	690 (23%)	42 (1%)

5 of 690 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
29	X	13	A
29	X	14	A
29	X	22	C
29	X	28	A
29	X	46	C

5 of 42 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
29	X	2022	U
29	X	2468	G
29	X	2035	G
29	X	2347	C
29	X	2714	G

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 198 ligands modelled in this entry, 198 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	0	224/224 (100%)	5.93	199 (88%) 0 0	238, 259, 280, 290	0
2	A	274/274 (100%)	0.53	31 (11%) 5 4	93, 135, 154, 161	0
3	B	205/205 (100%)	0.24	7 (3%) 45 40	60, 89, 107, 124	0
4	C	197/197 (100%)	0.37	15 (7%) 13 10	77, 125, 145, 159	0
5	D	177/177 (100%)	1.65	67 (37%) 0 0	155, 174, 190, 197	0
6	E	171/171 (100%)	0.85	35 (20%) 1 0	110, 148, 175, 177	0
7	F	144/144 (100%)	3.56	102 (70%) 0 0	213, 230, 235, 237	0
8	G	142/142 (100%)	0.27	11 (7%) 13 10	79, 112, 127, 144	0
9	H	134/134 (100%)	0.03	5 (3%) 41 37	62, 79, 94, 111	0
10	I	141/141 (100%)	0.98	32 (22%) 0 0	86, 138, 155, 161	0
11	J	136/136 (100%)	1.04	33 (24%) 0 0	94, 113, 135, 141	0
12	K	113/113 (100%)	0.14	3 (2%) 54 50	61, 72, 83, 88	0
13	L	104/104 (100%)	1.48	33 (31%) 0 0	121, 136, 153, 162	0
14	M	109/109 (100%)	-0.19	3 (2%) 53 49	65, 80, 98, 127	0
15	N	117/117 (100%)	0.40	10 (8%) 10 8	80, 107, 126, 133	0
16	O	94/94 (100%)	0.07	8 (8%) 10 8	89, 122, 141, 152	0
17	P	127/127 (100%)	0.40	10 (7%) 12 10	71, 85, 109, 156	0
18	Q	93/93 (100%)	0.94	14 (15%) 2 1	98, 124, 140, 144	0
19	R	110/110 (100%)	0.58	14 (12%) 3 2	110, 121, 146, 157	0
20	S	175/175 (100%)	0.72	35 (20%) 1 0	124, 151, 164, 168	0
21	T	84/84 (100%)	2.25	38 (45%) 0 0	102, 117, 133, 146	0
22	U	72/72 (100%)	2.89	46 (63%) 0 0	117, 148, 161, 164	0
23	V	66/66 (100%)	0.35	8 (12%) 4 3	129, 141, 159, 163	0
24	W	55/55 (100%)	0.70	10 (18%) 1 1	95, 110, 126, 139	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
25	Z	57/57 (100%)	-0.12	1 (1%) 68 67	74, 82, 104, 112	0
26	1	54/54 (100%)	1.45	20 (37%) 0 0	125, 136, 152, 168	0
27	2	47/47 (100%)	0.21	1 (2%) 63 61	91, 108, 116, 117	0
28	3	65/65 (100%)	2.07	32 (49%) 0 0	107, 118, 127, 129	0
29	X	2780/2881 (96%)	-0.13	108 (3%) 39 35	51, 111, 221, 347	0
30	Y	122/122 (100%)	-0.53	4 (3%) 46 41	96, 136, 161, 172	0
All	All	6389/6490 (98%)	0.57	935 (14%) 2 1	51, 119, 242, 347	0

The worst 5 of 935 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
29	X	2137	C	31.2
29	X	1916	A	26.7
1	0	54	VAL	23.5
29	X	2112	G	20.1
1	0	86	GLY	19.7

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
31	MG	X	6108	1/1	0.36	0.64	120,120,120,120	0
31	MG	X	6119	1/1	0.46	0.53	128,128,128,128	0
31	MG	X	6177	1/1	0.48	0.59	113,113,113,113	0
31	MG	X	6159	1/1	0.49	0.44	111,111,111,111	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
31	MG	X	6093	1/1	0.52	0.69	106,106,106,106	0
31	MG	X	6167	1/1	0.56	0.57	103,103,103,103	0
31	MG	X	6046	1/1	0.56	0.40	91,91,91,91	0
31	MG	X	6183	1/1	0.58	0.71	105,105,105,105	0
31	MG	X	6179	1/1	0.61	0.54	117,117,117,117	0
31	MG	X	6175	1/1	0.64	0.41	121,121,121,121	0
31	MG	X	6098	1/1	0.65	1.04	97,97,97,97	0
31	MG	X	6144	1/1	0.65	0.37	87,87,87,87	0
31	MG	X	6162	1/1	0.67	0.81	111,111,111,111	0
31	MG	X	6041	1/1	0.69	0.35	83,83,83,83	0
31	MG	X	6038	1/1	0.71	0.67	85,85,85,85	0
31	MG	X	6099	1/1	0.72	0.68	89,89,89,89	0
31	MG	X	6186	1/1	0.72	1.02	134,134,134,134	0
31	MG	X	6170	1/1	0.73	1.97	127,127,127,127	0
31	MG	X	6133	1/1	0.73	1.20	111,111,111,111	0
31	MG	X	6141	1/1	0.74	0.60	122,122,122,122	0
31	MG	X	6191	1/1	0.74	1.56	101,101,101,101	0
31	MG	X	6138	1/1	0.75	0.78	94,94,94,94	0
31	MG	X	6085	1/1	0.76	0.36	101,101,101,101	0
31	MG	X	6058	1/1	0.76	0.52	97,97,97,97	0
31	MG	X	6113	1/1	0.77	0.53	115,115,115,115	0
31	MG	X	6187	1/1	0.77	0.57	92,92,92,92	0
31	MG	X	6111	1/1	0.77	0.70	98,98,98,98	0
31	MG	X	6192	1/1	0.77	0.69	138,138,138,138	0
31	MG	X	6048	1/1	0.78	0.80	102,102,102,102	0
31	MG	X	6020	1/1	0.78	0.34	79,79,79,79	0
31	MG	X	6014	1/1	0.78	0.42	91,91,91,91	0
31	MG	X	6117	1/1	0.78	0.36	90,90,90,90	0
31	MG	X	6180	1/1	0.78	1.59	101,101,101,101	0
31	MG	X	6121	1/1	0.79	0.80	99,99,99,99	0
31	MG	X	6156	1/1	0.79	0.63	105,105,105,105	0
31	MG	X	6107	1/1	0.79	0.75	113,113,113,113	0
31	MG	X	6022	1/1	0.80	0.40	77,77,77,77	0
31	MG	X	6146	1/1	0.80	1.51	129,129,129,129	0
31	MG	X	6164	1/1	0.81	0.99	124,124,124,124	0
31	MG	X	6006	1/1	0.81	0.48	69,69,69,69	0
31	MG	X	6122	1/1	0.81	0.46	100,100,100,100	0
31	MG	X	6157	1/1	0.82	0.31	111,111,111,111	0
31	MG	X	6110	1/1	0.82	0.38	130,130,130,130	0
31	MG	X	6171	1/1	0.82	0.80	111,111,111,111	0
31	MG	X	6136	1/1	0.83	0.81	122,122,122,122	0

Continued on next page...



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
31	MG	X	6090	1/1	0.83	0.45	117,117,117,117	0
31	MG	X	6013	1/1	0.83	0.57	76,76,76,76	0
31	MG	X	6080	1/1	0.83	0.71	108,108,108,108	0
31	MG	X	6018	1/1	0.83	0.46	74,74,74,74	0
31	MG	X	6154	1/1	0.83	1.09	113,113,113,113	0
31	MG	X	6155	1/1	0.83	0.33	115,115,115,115	0
31	MG	X	6100	1/1	0.83	0.59	97,97,97,97	0
31	MG	Y	205	1/1	0.83	0.90	129,129,129,129	0
31	MG	X	6028	1/1	0.84	0.33	88,88,88,88	0
31	MG	X	6190	1/1	0.84	1.33	129,129,129,129	0
31	MG	X	6172	1/1	0.84	0.66	124,124,124,124	0
31	MG	X	6109	1/1	0.84	0.31	101,101,101,101	0
31	MG	X	6016	1/1	0.84	0.35	77,77,77,77	0
31	MG	X	6137	1/1	0.85	0.57	135,135,135,135	0
31	MG	X	6173	1/1	0.85	1.91	102,102,102,102	0
31	MG	X	6174	1/1	0.85	0.72	87,87,87,87	0
31	MG	X	6003	1/1	0.85	0.49	70,70,70,70	0
31	MG	X	6030	1/1	0.85	1.19	83,83,83,83	0
31	MG	X	6011	1/1	0.85	0.45	89,89,89,89	0
31	MG	X	6052	1/1	0.85	0.52	97,97,97,97	0
31	MG	X	6072	1/1	0.86	0.56	102,102,102,102	0
31	MG	X	6158	1/1	0.86	2.46	114,114,114,114	0
31	MG	X	6105	1/1	0.86	1.40	118,118,118,118	0
31	MG	X	6142	1/1	0.86	0.77	89,89,89,89	0
31	MG	X	6143	1/1	0.86	1.04	100,100,100,100	0
31	MG	X	6127	1/1	0.86	0.59	122,122,122,122	0
31	MG	X	6074	1/1	0.86	0.74	80,80,80,80	0
31	MG	X	6151	1/1	0.86	0.34	98,98,98,98	0
31	MG	X	6135	1/1	0.86	0.76	91,91,91,91	0
31	MG	X	6012	1/1	0.86	0.50	82,82,82,82	0
31	MG	X	6066	1/1	0.86	1.08	84,84,84,84	0
31	MG	X	6189	1/1	0.87	0.75	120,120,120,120	0
31	MG	X	6160	1/1	0.87	0.68	104,104,104,104	0
31	MG	X	6023	1/1	0.87	0.52	97,97,97,97	0
31	MG	X	6147	1/1	0.87	1.00	82,82,82,82	0
31	MG	Y	201	1/1	0.87	0.85	112,112,112,112	0
31	MG	Y	204	1/1	0.87	0.96	109,109,109,109	0
31	MG	X	6124	1/1	0.87	1.14	107,107,107,107	0
31	MG	X	6114	1/1	0.88	0.55	91,91,91,91	0
31	MG	X	6149	1/1	0.88	0.59	94,94,94,94	0
31	MG	X	6034	1/1	0.88	0.81	90,90,90,90	0
31	MG	X	6008	1/1	0.88	0.42	81,81,81,81	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
31	MG	X	6083	1/1	0.88	0.80	91,91,91,91	0
31	MG	X	6176	1/1	0.88	0.50	107,107,107,107	0
31	MG	X	6165	1/1	0.88	0.99	99,99,99,99	0
31	MG	X	6057	1/1	0.88	0.99	93,93,93,93	0
31	MG	X	6123	1/1	0.88	0.48	130,130,130,130	0
31	MG	X	6182	1/1	0.88	0.97	120,120,120,120	0
31	MG	X	6035	1/1	0.89	0.43	86,86,86,86	0
31	MG	X	6115	1/1	0.89	0.74	103,103,103,103	0
31	MG	X	6037	1/1	0.89	0.41	86,86,86,86	0
31	MG	X	6132	1/1	0.89	0.54	94,94,94,94	0
31	MG	X	6047	1/1	0.89	0.54	74,74,74,74	0
31	MG	X	6027	1/1	0.89	1.04	86,86,86,86	0
31	MG	X	6039	1/1	0.89	1.17	104,104,104,104	0
31	MG	X	6055	1/1	0.90	0.64	90,90,90,90	0
31	MG	X	6059	1/1	0.90	0.46	87,87,87,87	0
31	MG	X	6021	1/1	0.90	0.70	75,75,75,75	0
31	MG	X	6168	1/1	0.90	0.84	107,107,107,107	0
31	MG	X	6067	1/1	0.90	0.49	79,79,79,79	0
31	MG	X	6015	1/1	0.91	0.55	77,77,77,77	0
31	MG	X	6075	1/1	0.91	0.85	103,103,103,103	0
31	MG	X	6064	1/1	0.91	0.63	96,96,96,96	0
31	MG	X	6188	1/1	0.91	0.44	98,98,98,98	0
31	MG	X	6104	1/1	0.91	0.59	86,86,86,86	0
31	MG	X	6082	1/1	0.91	0.76	83,83,83,83	0
31	MG	X	6019	1/1	0.91	0.81	77,77,77,77	0
31	MG	X	6017	1/1	0.91	0.48	83,83,83,83	0
31	MG	X	6071	1/1	0.91	0.40	81,81,81,81	0
31	MG	X	6140	1/1	0.91	1.02	97,97,97,97	0
31	MG	X	6051	1/1	0.91	0.39	69,69,69,69	0
31	MG	X	6056	1/1	0.92	0.88	85,85,85,85	0
31	MG	X	6076	1/1	0.92	0.73	102,102,102,102	0
31	MG	X	6095	1/1	0.92	0.85	79,79,79,79	0
31	MG	X	6001	1/1	0.92	0.56	69,69,69,69	0
31	MG	X	6045	1/1	0.92	1.03	89,89,89,89	0
31	MG	X	6004	1/1	0.92	0.36	76,76,76,76	0
31	MG	Y	202	1/1	0.92	0.43	125,125,125,125	0
31	MG	X	6084	1/1	0.92	0.30	93,93,93,93	0
31	MG	X	6010	1/1	0.92	0.83	69,69,69,69	0
31	MG	X	6178	1/1	0.93	0.58	103,103,103,103	0
31	MG	X	6161	1/1	0.93	0.68	95,95,95,95	0
31	MG	X	6002	1/1	0.93	0.33	78,78,78,78	0
31	MG	X	6163	1/1	0.93	0.37	156,156,156,156	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
31	MG	X	6081	1/1	0.93	0.42	78,78,78,78	0
31	MG	X	6128	1/1	0.93	0.81	97,97,97,97	0
31	MG	X	6129	1/1	0.93	0.89	104,104,104,104	0
31	MG	X	6101	1/1	0.93	0.87	89,89,89,89	0
31	MG	X	6092	1/1	0.93	0.26	93,93,93,93	0
31	MG	X	6024	1/1	0.93	0.61	87,87,87,87	0
31	MG	X	6118	1/1	0.93	0.72	90,90,90,90	0
31	MG	X	6094	1/1	0.93	0.45	92,92,92,92	0
31	MG	X	6120	1/1	0.93	1.04	102,102,102,102	0
31	MG	X	6033	1/1	0.93	0.53	98,98,98,98	0
31	MG	X	6097	1/1	0.93	1.26	93,93,93,93	0
31	MG	X	6007	1/1	0.93	0.46	70,70,70,70	0
31	MG	X	6106	1/1	0.94	0.54	80,80,80,80	0
31	MG	X	6091	1/1	0.94	1.11	88,88,88,88	0
31	MG	X	6126	1/1	0.94	1.19	94,94,94,94	0
31	MG	X	6150	1/1	0.94	0.69	111,111,111,111	0
31	MG	X	6044	1/1	0.94	0.29	73,73,73,73	0
31	MG	X	6077	1/1	0.94	0.65	98,98,98,98	0
31	MG	X	6078	1/1	0.94	0.57	93,93,93,93	0
31	MG	X	6130	1/1	0.94	0.67	108,108,108,108	0
31	MG	X	6131	1/1	0.94	0.86	101,101,101,101	0
31	MG	X	6029	1/1	0.94	0.43	69,69,69,69	0
31	MG	X	6112	1/1	0.94	0.68	84,84,84,84	0
31	MG	X	6026	1/1	0.94	0.41	91,91,91,91	0
31	MG	X	6068	1/1	0.94	0.66	90,90,90,90	0
31	MG	X	6032	1/1	0.94	0.34	78,78,78,78	0
31	MG	X	6040	1/1	0.94	0.78	80,80,80,80	0
31	MG	X	6036	1/1	0.94	0.84	82,82,82,82	0
31	MG	X	6102	1/1	0.94	0.25	89,89,89,89	0
31	MG	X	6103	1/1	0.94	0.32	117,117,117,117	0
31	MG	X	6088	1/1	0.94	0.87	99,99,99,99	0
31	MG	X	6169	1/1	0.94	0.57	101,101,101,101	0
31	MG	X	6062	1/1	0.94	0.41	85,85,85,85	0
31	MG	X	6145	1/1	0.94	0.20	104,104,104,104	0
31	MG	X	6031	1/1	0.95	0.53	69,69,69,69	0
31	MG	M	201	1/1	0.95	0.94	69,69,69,69	0
31	MG	X	6139	1/1	0.95	0.54	126,126,126,126	0
31	MG	X	6073	1/1	0.95	0.79	85,85,85,85	0
31	MG	X	6079	1/1	0.95	0.35	102,102,102,102	0
31	MG	X	6061	1/1	0.95	0.71	83,83,83,83	0
31	MG	X	6152	1/1	0.95	0.93	112,112,112,112	0
31	MG	X	6089	1/1	0.95	0.51	90,90,90,90	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
31	MG	X	6185	1/1	0.95	0.59	109,109,109,109	0
31	MG	X	6054	1/1	0.95	0.54	92,92,92,92	0
31	MG	X	6069	1/1	0.96	0.51	91,91,91,91	0
31	MG	X	6070	1/1	0.96	0.58	107,107,107,107	0
31	MG	X	6065	1/1	0.96	0.61	81,81,81,81	0
31	MG	X	6049	1/1	0.96	0.67	88,88,88,88	0
31	MG	X	6166	1/1	0.96	0.73	106,106,106,106	0
31	MG	X	6184	1/1	0.96	0.76	102,102,102,102	0
31	MG	X	6063	1/1	0.96	1.29	87,87,87,87	0
31	MG	X	6153	1/1	0.96	0.62	113,113,113,113	0
31	MG	X	6005	1/1	0.96	0.89	69,69,69,69	0
31	MG	X	6096	1/1	0.97	1.19	89,89,89,89	0
31	MG	X	6050	1/1	0.97	0.50	84,84,84,84	0
31	MG	X	6181	1/1	0.97	0.31	121,121,121,121	0
31	MG	X	6116	1/1	0.97	0.59	106,106,106,106	0
31	MG	X	6060	1/1	0.97	0.68	80,80,80,80	0
31	MG	X	6125	1/1	0.97	0.46	123,123,123,123	0
31	MG	X	6009	1/1	0.97	0.67	69,69,69,69	0
31	MG	Y	203	1/1	0.97	0.97	102,102,102,102	0
31	MG	X	6025	1/1	0.97	0.45	83,83,83,83	0
31	MG	X	6043	1/1	0.97	0.85	69,69,69,69	0
31	MG	X	6042	1/1	0.98	0.59	83,83,83,83	0
31	MG	X	6086	1/1	0.98	0.93	87,87,87,87	0
31	MG	X	6087	1/1	0.98	0.54	98,98,98,98	0
31	MG	X	6053	1/1	0.99	0.85	91,91,91,91	0
31	MG	X	6148	1/1	0.99	0.57	130,130,130,130	0
31	MG	X	6134	1/1	0.99	0.67	112,112,112,112	0

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.