



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 12, 2023 – 06:07 PM EDT

PDB ID : 8E8P
Title : GSTZ1A
Authors : McKenna, R.; Combs, J.E.
Deposited on : 2022-08-25
Resolution : 2.28 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.35.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.28 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6980 (2.30-2.26)
Clashscore	141614	7711 (2.30-2.26)
Ramachandran outliers	138981	7597 (2.30-2.26)
Sidechain outliers	138945	7598 (2.30-2.26)
RSRZ outliers	127900	6849 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	216	
1	B	216	

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 3274 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Maleylacetoacetate isomerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	208	1637	1045	282	301	9	0	0	0
1	B	208	1637	1045	282	301	9	0	0	0


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	82	THR	MET	variant	UNP O43708
B	82	THR	MET	variant	UNP O43708


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Maleylacetoacetate isomerase



- Molecule 1: Maleylacetoacetate isomerase



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	42.06Å 50.08Å 54.65Å 83.47° 69.76° 73.68°	Depositor
Resolution (Å)	26.68 – 2.28 26.68 – 2.28	Depositor EDS
% Data completeness (in resolution range)	95.3 (26.68-2.28) 95.3 (26.68-2.28)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.31 (at 2.29Å)	Xtrriage
Refinement program	PHENIX 1.14 3260	Depositor
R, R_{free}	0.252 , 0.296 0.252 , 0.296	Depositor DCC
R_{free} test set	858 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	34.4	Xtrriage
Anisotropy	0.800	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 47.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.007 for -h,-k,-h+1	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	3274	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.33% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.52	0/1669	0.83	4/2268 (0.2%)
1	B	0.80	2/1669 (0.1%)	1.13	10/2268 (0.4%)
All	All	0.67	2/3338 (0.1%)	0.99	14/4536 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	204	PRO	N-CD	-22.45	1.16	1.47
1	B	12	PHE	CE2-CZ	6.00	1.48	1.37

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	53	LEU	CB-CG-CD2	27.03	156.95	111.00
1	B	53	LEU	CB-CG-CD1	-19.06	78.59	111.00
1	B	144	GLN	CA-CB-CG	-9.49	92.51	113.40
1	B	59	VAL	CG1-CB-CG2	-7.83	98.38	110.90
1	B	53	LEU	CA-CB-CG	6.91	131.18	115.30
1	B	53	LEU	CD1-CG-CD2	-6.67	90.51	110.50
1	B	119	LEU	CB-CG-CD2	6.53	122.10	111.00
1	B	12	PHE	CB-CG-CD2	-6.49	116.26	120.80
1	B	206	ARG	CG-CD-NE	6.19	124.81	111.80
1	A	63	LYS	CB-CG-CD	5.93	127.01	111.60
1	A	128	LEU	CB-CG-CD1	5.91	121.05	111.00
1	A	53	LEU	CA-CB-CG	-5.90	101.72	115.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	206	ARG	NE-CZ-NH2	-5.05	117.78	120.30
1	A	53	LEU	C-N-CA	-5.04	109.10	121.70

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	209	ASP	Peptide
1	A	46	PHE	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1637	0	1691	87	5
1	B	1637	0	1691	84	4
All	All	3274	0	3382	167	7

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (167) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:118:VAL:HG12	1:B:119:LEU:HD23	1.35	1.05
1:B:119:LEU:HD22	1:B:122:VAL:HG11	1.37	1.04
1:A:45:GLN:O	1:A:51:GLN:NE2	1.96	0.97
1:A:53:LEU:HD11	1:A:68:THR:HG21	1.45	0.95
1:A:114:GLN:HE22	1:A:172:ASN:HD22	1.12	0.93
1:A:46:PHE:O	1:A:48:LYS:NZ	2.01	0.93
1:B:203:HIS:ND1	1:B:204:PRO:HD2	1.86	0.90
1:A:202:SER:HA	1:A:207:GLN:HE21	1.35	0.89
1:A:119:LEU:HA	1:A:122:VAL:HG13	1.57	0.87
1:A:114:GLN:HE22	1:A:172:ASN:ND2	1.73	0.84
1:B:58:GLN:HE21	1:B:115:ASN:HD21	1.26	0.83

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:22:ILE:HG21	1:B:164:LEU:HD22	1.61	0.82
1:B:46:PHE:HA	1:B:51:GLN:HE21	1.45	0.81
1:A:114:GLN:NE2	1:A:172:ASN:HD22	1.79	0.80
1:B:203:HIS:CG	1:B:204:PRO:HD2	2.18	0.79
1:B:56:MET:O	1:B:56:MET:SD	2.41	0.78
1:A:118:VAL:HG12	1:A:119:LEU:HD23	1.68	0.76
1:B:190:ASN:O	1:B:194:LEU:HD13	1.86	0.76
1:B:111:GLN:OE1	1:B:115:ASN:HB2	1.87	0.75
1:A:124:GLU:HA	1:A:127:GLN:HG3	1.69	0.74
1:B:36:ILE:HG22	1:B:44:GLN:HB3	1.68	0.74
1:B:136:THR:O	1:B:140:ASN:ND2	2.19	0.74
1:A:53:LEU:HD21	1:A:61:THR:HG21	1.70	0.74
1:A:10:SER:HB2	1:A:17:SER:OG	1.86	0.74
1:B:36:ILE:CG2	1:B:44:GLN:HB3	2.18	0.72
1:A:207:GLN:OE1	1:A:208:PRO:HD3	1.89	0.71
1:B:22:ILE:CG2	1:B:164:LEU:HD22	2.21	0.69
1:B:46:PHE:HA	1:B:51:GLN:NE2	2.07	0.69
1:A:53:LEU:O	1:A:70:HIS:NE2	2.26	0.69
1:A:11:TYR:HB3	1:A:14:SER:HB2	1.75	0.68
1:A:56:MET:CG	1:B:105:LEU:HD13	2.23	0.68
1:A:143:GLU:O	1:A:147:GLN:HG3	1.93	0.68
1:A:22:ILE:HG21	1:A:164:LEU:HD22	1.76	0.68
1:B:119:LEU:HA	1:B:122:VAL:HG13	1.75	0.67
1:B:51:GLN:OE1	1:B:57:LYS:HG2	1.95	0.67
1:A:22:ILE:CG2	1:A:164:LEU:HD22	2.25	0.67
1:B:117:SER:HA	1:B:120:LYS:HD2	1.76	0.66
1:A:13:ARG:HH12	1:A:175:ARG:NE	1.93	0.66
1:B:33:THR:HB	1:B:208:PRO:HG2	1.77	0.66
1:A:54:ASN:HB2	1:A:70:HIS:ND1	2.11	0.65
1:A:56:MET:HE2	1:A:71:GLN:HE21	1.61	0.64
1:B:207:GLN:HA	1:B:207:GLN:OE1	1.97	0.64
1:A:115:ASN:O	1:A:118:VAL:HB	1.97	0.64
1:B:202:SER:HA	1:B:207:GLN:HE21	1.63	0.64
1:A:47:SER:C	1:A:49:ASP:H	2.00	0.64
1:A:38:LEU:HD13	1:A:58:GLN:HE22	1.62	0.63
1:B:204:PRO:O	1:B:206:ARG:N	2.32	0.63
1:A:56:MET:HG3	1:B:105:LEU:HD13	1.80	0.63
1:A:119:LEU:O	1:A:122:VAL:HG22	1.99	0.62
1:A:122:VAL:HG21	1:A:127:GLN:HA	1.81	0.62
1:B:111:GLN:OE1	1:B:115:ASN:CB	2.47	0.62
1:B:115:ASN:O	1:B:118:VAL:HB	2.00	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:64:ILE:HD11	1:B:83:ARG:NH2	2.15	0.62
1:B:119:LEU:HD22	1:B:122:VAL:CG1	2.23	0.61
1:A:136:THR:O	1:A:140:ASN:ND2	2.33	0.60
1:A:27:LYS:HE2	1:A:88:LEU:HG	1.84	0.60
1:A:144:GLN:HA	1:A:144:GLN:OE1	1.99	0.59
1:B:12:PHE:CE2	1:B:204:PRO:O	2.56	0.59
1:A:11:TYR:HB3	1:A:14:SER:CB	2.33	0.58
1:B:144:GLN:HA	1:B:144:GLN:OE1	2.03	0.58
1:A:132:GLN:HG2	1:A:178:VAL:HG22	1.86	0.58
1:B:47:SER:C	1:B:49:ASP:H	2.07	0.57
1:A:38:LEU:HB3	1:A:45:GLN:HG2	1.86	0.57
1:A:207:GLN:HB3	1:A:208:PRO:CD	2.35	0.57
1:A:202:SER:HA	1:A:207:GLN:NE2	2.15	0.56
1:B:48:LYS:HA	1:B:51:GLN:HG3	1.86	0.56
1:B:115:ASN:HB3	1:B:118:VAL:HG23	1.87	0.56
1:B:36:ILE:HG21	1:B:50:PHE:CD2	2.40	0.56
1:A:200:GLN:O	1:A:206:ARG:HG3	2.06	0.56
1:B:119:LEU:O	1:B:122:VAL:HG22	2.05	0.56
1:A:56:MET:CE	1:A:71:GLN:HE21	2.18	0.56
1:A:26:LEU:HD12	1:A:198:ALA:HB1	1.87	0.55
1:B:50:PHE:HA	1:B:53:LEU:HB2	1.88	0.55
1:B:119:LEU:HD13	1:B:127:GLN:HA	1.89	0.55
1:A:54:ASN:HB2	1:A:70:HIS:CE1	2.41	0.55
1:A:54:ASN:OD1	1:A:56:MET:SD	2.65	0.55
1:B:38:LEU:C	1:B:43:GLY:HA3	2.26	0.55
1:A:51:GLN:CD	1:A:57:LYS:HG2	2.27	0.54
1:B:54:ASN:ND2	1:B:58:GLN:O	2.40	0.54
1:A:114:GLN:O	1:A:114:GLN:OE1	2.26	0.54
1:A:47:SER:HB3	1:A:49:ASP:HB3	1.90	0.53
1:A:54:ASN:HB2	1:A:70:HIS:CG	2.44	0.53
1:B:27:LYS:HE2	1:B:88:LEU:HG	1.91	0.52
1:B:38:LEU:CD2	1:B:45:GLN:HB3	2.40	0.52
1:A:11:TYR:CG	1:A:38:LEU:HG	2.44	0.52
1:B:112:PRO:O	1:B:118:VAL:HG21	2.09	0.52
1:B:144:GLN:HA	1:B:147:GLN:HG3	1.91	0.52
1:B:124:GLU:O	1:B:127:GLN:HG3	2.10	0.52
1:A:203:HIS:ND1	1:A:204:PRO:HD2	2.26	0.51
1:B:50:PHE:CD2	1:B:53:LEU:HD12	2.45	0.51
1:A:53:LEU:O	1:A:70:HIS:CE1	2.64	0.51
1:A:143:GLU:CG	1:A:147:GLN:HE21	2.22	0.51
1:B:53:LEU:O	1:B:70:HIS:CE1	2.64	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:54:ASN:ND2	1:A:70:HIS:HB3	2.26	0.51
1:B:37:ASN:O	1:B:44:GLN:HB2	2.11	0.51
1:A:51:GLN:O	1:A:55:PRO:HA	2.11	0.50
1:B:122:VAL:HG23	1:B:127:GLN:HG2	1.94	0.50
1:A:18:TRP:CD2	1:A:204:PRO:HD3	2.46	0.50
1:B:143:GLU:O	1:B:147:GLN:HG3	2.11	0.50
1:A:51:GLN:NE2	1:A:57:LYS:HB3	2.28	0.49
1:A:89:LEU:HD23	1:A:99:VAL:HG11	1.94	0.49
1:A:33:THR:HB	1:A:208:PRO:HG2	1.95	0.48
1:A:38:LEU:C	1:A:43:GLY:HA3	2.33	0.48
1:B:11:TYR:CG	1:B:38:LEU:HD12	2.47	0.48
1:A:122:VAL:HG23	1:A:123:GLY:O	2.13	0.48
1:A:38:LEU:HD13	1:A:58:GLN:NE2	2.27	0.48
1:B:122:VAL:CG2	1:B:127:GLN:HG2	2.43	0.48
1:B:50:PHE:CD2	1:B:53:LEU:CD1	2.96	0.47
1:A:128:LEU:HD12	1:A:176:PHE:HD2	1.78	0.47
1:B:12:PHE:CZ	1:B:204:PRO:C	2.87	0.47
1:B:36:ILE:HG23	1:B:44:GLN:HB3	1.94	0.47
1:A:42:ARG:O	1:A:42:ARG:HG3	2.15	0.47
1:A:93:PRO:HA	1:A:96:ARG:HD3	1.95	0.47
1:A:109:GLY:O	1:A:113:LEU:HD13	2.14	0.47
1:A:13:ARG:HH12	1:A:175:ARG:HE	1.59	0.47
1:A:53:LEU:HD21	1:A:61:THR:CG2	2.44	0.47
1:B:58:GLN:NE2	1:B:115:ASN:HD21	2.04	0.47
1:B:36:ILE:HD12	1:B:50:PHE:HD2	1.81	0.46
1:A:119:LEU:HD11	1:A:131:ALA:HB2	1.97	0.46
1:A:33:THR:CB	1:A:208:PRO:HG2	2.46	0.46
1:A:51:GLN:OE1	1:A:57:LYS:HG2	2.15	0.46
1:A:116:LEU:O	1:A:119:LEU:N	2.46	0.46
1:A:21:ARG:NE	1:A:207:GLN:HG3	2.30	0.46
1:B:181:THR:OG1	1:B:182:PRO:HD3	2.16	0.46
1:B:118:VAL:CG1	1:B:119:LEU:HD23	2.26	0.46
1:B:38:LEU:HD22	1:B:45:GLN:HB3	1.97	0.46
1:A:38:LEU:HD22	1:A:45:GLN:HB3	1.98	0.46
1:A:56:MET:HG2	1:B:105:LEU:HD13	1.95	0.45
1:B:89:LEU:HD23	1:B:99:VAL:HG11	1.98	0.45
1:B:47:SER:C	1:B:49:ASP:N	2.69	0.45
1:B:203:HIS:CE1	1:B:204:PRO:HD2	2.48	0.45
1:B:166:LEU:O	1:B:170:VAL:HG23	2.17	0.45
1:B:172:ASN:OD1	1:B:175:ARG:NH2	2.50	0.45
1:B:207:GLN:HB3	1:B:208:PRO:HD3	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:207:GLN:HB3	1:A:208:PRO:HD3	1.99	0.44
1:A:47:SER:C	1:A:49:ASP:N	2.68	0.44
1:B:33:THR:CB	1:B:208:PRO:HG2	2.48	0.44
1:A:119:LEU:HD22	1:A:122:VAL:HG11	2.00	0.44
1:B:54:ASN:HB2	1:B:61:THR:OG1	2.17	0.44
1:B:39:ILE:HG22	1:B:116:LEU:HD21	1.99	0.43
1:B:45:GLN:HG3	1:B:46:PHE:N	2.32	0.43
1:A:26:LEU:HD12	1:A:198:ALA:CB	2.48	0.43
1:A:11:TYR:HE1	1:A:37:ASN:ND2	2.16	0.43
1:B:207:GLN:HB3	1:B:208:PRO:CD	2.49	0.43
1:A:46:PHE:CD1	1:A:48:LYS:HE3	2.54	0.43
1:A:56:MET:HE3	1:B:105:LEU:HB2	2.01	0.43
1:B:64:ILE:HD11	1:B:83:ARG:HH22	1.83	0.42
1:A:58:GLN:HA	1:A:58:GLN:OE1	2.19	0.42
1:B:12:PHE:CZ	1:B:205:CYS:HA	2.54	0.42
1:B:122:VAL:HG23	1:B:123:GLY:N	2.35	0.42
1:B:10:SER:HB3	1:B:21:ARG:NH1	2.35	0.41
1:B:37:ASN:O	1:B:44:GLN:N	2.38	0.41
1:B:53:LEU:HB3	1:B:54:ASN:H	1.68	0.41
1:A:47:SER:O	1:A:51:GLN:HG3	2.21	0.41
1:B:45:GLN:HA	1:B:50:PHE:CD1	2.54	0.41
1:B:45:GLN:NE2	1:B:46:PHE:HB2	2.36	0.41
1:A:115:ASN:OD1	1:A:116:LEU:N	2.52	0.41
1:B:205:CYS:O	1:B:206:ARG:HD3	2.20	0.41
1:A:181:THR:HB	1:A:182:PRO:HD3	2.03	0.41
1:A:45:GLN:HB2	1:A:57:LYS:O	2.21	0.41
1:A:116:LEU:HD12	1:A:116:LEU:HA	1.87	0.41
1:B:122:VAL:HG21	1:B:127:GLN:HA	2.03	0.41
1:B:204:PRO:C	1:B:206:ARG:H	2.22	0.40
1:B:131:ALA:O	1:B:135:ILE:HD12	2.22	0.40
1:A:5:LYS:HA	1:A:6:PRO:HD3	1.95	0.40
1:A:18:TRP:CE2	1:A:204:PRO:HD3	2.56	0.40
1:A:125:GLU:OE2	1:A:125:GLU:N	2.54	0.40

All (7) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:49:ASP:O	1:A:144:GLN:NE2[1_655]	1.83	0.37
1:A:33:THR:O	1:B:206:ARG:NH2[1_556]	1.88	0.32

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:53:LEU:N	1:A:144:GLN:OE1[1_655]	1.91	0.29
1:B:49:ASP:O	1:B:144:GLN:NE2[1_455]	1.91	0.29
1:A:63:LYS:NZ	1:A:150:ALA:O[1_655]	1.94	0.26
1:A:5:LYS:NZ	1:B:197:GLU:OE2[1_556]	2.06	0.14
1:B:83:ARG:NH2	1:B:125:GLU:OE2[1_545]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	206/216 (95%)	194 (94%)	11 (5%)	1 (0%)	29	34
1	B	206/216 (95%)	189 (92%)	15 (7%)	2 (1%)	15	16
All	All	412/432 (95%)	383 (93%)	26 (6%)	3 (1%)	22	25

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	205	CYS
1	A	208	PRO
1	B	208	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	185/190 (97%)	182 (98%)	3 (2%)	62	76

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	185/190 (97%)	183 (99%)	2 (1%)	73	84
All	All	370/380 (97%)	365 (99%)	5 (1%)	67	79

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	87	ARG
1	A	117	SER
1	A	187	SER
1	B	53	LEU
1	B	114	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	71	GLN
1	A	91	GLN
1	A	114	GLN
1	A	140	ASN
1	A	147	GLN
1	A	169	GLN
1	B	58	GLN
1	B	121	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	208/216 (96%)	2.40	66 (31%) 0 0	25, 46, 105, 123	0
1	B	208/216 (96%)	2.25	62 (29%) 0 0	23, 45, 107, 117	0
All	All	416/432 (96%)	2.33	128 (30%) 0 0	23, 46, 107, 123	0

All (128) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	50	PHE	21.3
1	B	50	PHE	18.7
1	A	212	THR	16.6
1	B	117	SER	15.9
1	A	55	PRO	15.6
1	B	47	SER	15.0
1	B	38	LEU	14.9
1	B	53	LEU	13.9
1	A	49	ASP	13.8
1	A	53	LEU	13.2
1	A	122	VAL	13.0
1	B	49	ASP	12.9
1	A	208	PRO	12.7
1	B	55	PRO	12.5
1	B	123	GLY	12.3
1	A	207	GLN	11.7
1	A	38	LEU	11.6
1	A	36	ILE	11.5
1	B	209	ASP	11.4
1	B	208	PRO	11.1
1	B	52	ALA	11.1
1	A	42	ARG	11.1
1	A	48	LYS	11.1
1	A	12	PHE	10.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	119	LEU	10.7
1	A	46	PHE	10.5
1	B	51	GLN	10.5
1	A	47	SER	9.9
1	A	128	LEU	9.8
1	B	116	LEU	9.5
1	A	52	ALA	9.5
1	B	41	ASP	9.4
1	A	54	ASN	9.4
1	A	209	ASP	9.0
1	B	212	THR	8.6
1	B	207	GLN	8.5
1	B	118	VAL	8.5
1	A	39	ILE	8.4
1	B	44	GLN	8.1
1	B	12	PHE	8.1
1	A	210	THR	8.0
1	A	37	ASN	7.6
1	B	46	PHE	7.5
1	A	45	GLN	7.4
1	B	45	GLN	7.4
1	A	205	CYS	7.3
1	B	48	LYS	7.2
1	B	59	VAL	7.2
1	B	119	LEU	6.9
1	B	54	ASN	6.8
1	A	40	LYS	6.1
1	A	211	PRO	6.1
1	B	124	GLU	5.9
1	B	210	THR	5.9
1	A	56	MET	5.8
1	A	130	TRP	5.7
1	B	36	ILE	5.7
1	B	37	ASN	5.6
1	B	120	LYS	5.6
1	A	43	GLY	5.5
1	A	124	GLU	5.5
1	B	39	ILE	5.5
1	B	40	LYS	5.2
1	B	211	PRO	5.1
1	B	13	ARG	5.0
1	B	128	LEU	5.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	126	MET	4.9
1	A	44	GLN	4.9
1	A	127	GLN	4.9
1	A	129	THR	4.8
1	B	206	ARG	4.7
1	B	42	ARG	4.6
1	A	117	SER	4.4
1	A	123	GLY	4.4
1	A	58	GLN	4.4
1	A	116	LEU	4.4
1	B	43	GLY	4.3
1	B	56	MET	4.2
1	A	41	ASP	4.2
1	B	144	GLN	4.1
1	B	125	GLU	4.0
1	A	11	TYR	3.9
1	A	59	VAL	3.9
1	A	35	PRO	3.8
1	B	57	LYS	3.6
1	A	120	LYS	3.6
1	B	127	GLN	3.6
1	B	10	SER	3.5
1	A	51	GLN	3.4
1	B	176	PHE	3.4
1	A	13	ARG	3.4
1	A	107	ALA	3.4
1	A	57	LYS	3.4
1	B	11	TYR	3.2
1	B	177	LYS	3.1
1	A	30	ASP	3.1
1	A	203	HIS	3.0
1	A	177	LYS	3.0
1	A	125	GLU	3.0
1	B	107	ALA	2.9
1	A	206	ARG	2.8
1	A	197	GLU	2.7
1	B	204	PRO	2.7
1	B	112	PRO	2.7
1	A	144	GLN	2.7
1	A	113	LEU	2.7
1	B	34	VAL	2.6
1	A	176	PHE	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	105	LEU	2.5
1	B	115	ASN	2.4
1	B	75	ILE	2.4
1	A	105	LEU	2.4
1	B	35	PRO	2.4
1	A	126	MET	2.3
1	A	204	PRO	2.3
1	A	165	CYS	2.2
1	B	121	GLN	2.2
1	B	165	CYS	2.2
1	A	118	VAL	2.2
1	A	164	LEU	2.2
1	A	162	ALA	2.2
1	A	108	GLY	2.1
1	B	9	TYR	2.1
1	B	164	LEU	2.0
1	A	103	SER	2.0
1	B	111	GLN	2.0
1	A	109	GLY	2.0
1	B	58	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.