



Full wwPDB X-ray Structure Validation Report ⓘ

May 21, 2020 – 06:02 am BST

PDB ID : 4EAL
Title : Co-crystal of AMPK core with ATP soaked with AMP
Authors : Chen, L.; Wang, J.; Zhang, Y.-Y.; Yan, S.F.; Neumann, D.; Schlattner, U.;
Wang, Z.-X.; Wu, J.-W.
Deposited on : 2012-03-22
Resolution : 2.51 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.51 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	106	<div style="display: flex; align-items: center;"> <div style="width: 16%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 54%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 29%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 13%; height: 10px; background-color: grey;"></div> </div> <p style="font-size: small; margin-top: 5px;">16% 54% 29% 13%</p>
2	B	72	<div style="display: flex; align-items: center;"> <div style="width: 6%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 32%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 25%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 42%; height: 10px; background-color: grey;"></div> </div> <p style="font-size: small; margin-top: 5px;">6% 32% 25% 42%</p>
3	C	330	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 58%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 22%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 14%; height: 10px; background-color: grey;"></div> </div> <p style="font-size: small; margin-top: 5px;">5% 58% 22% 5% 14%</p>

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 3493 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 5'-AMP-activated protein kinase catalytic subunit alpha-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	92	770	492	136	137	5	0	0	0

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	389	GLY	-	expression tag	UNP P54645
A	390	PRO	-	expression tag	UNP P54645
A	391	HIS	-	expression tag	UNP P54645
A	392	MET	-	expression tag	UNP P54645
A	393	GLY	-	expression tag	UNP P54645
A	523	GLY	-	linker	UNP P54645
A	524	GLY	-	linker	UNP P54645
A	525	GLY	-	linker	UNP P54645
A	526	GLY	-	linker	UNP P54645
A	527	GLY	-	linker	UNP P54645
A	528	GLY	-	linker	UNP P54645

- Molecule 2 is a protein called 5'-AMP-activated protein kinase subunit beta-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	42	340	226	57	55	2	0	0	0


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	199	MET	-	expression tag	UNP P80386

- Molecule 3 is a protein called 5'-AMP-activated protein kinase subunit gamma-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	285	2279	1475	383	414	7	0	0	0

- Molecule 4 is ADENOSINE MONOPHOSPHATE (three-letter code: AMP) (formula: C₁₀H₁₄N₅O₇P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
4	C	1	23	10	5	7	1	0	0
4	C	1	23	10	5	7	1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	7	Total 7 7	0	0
5	B	7	Total 7 7	0	0
5	C	44	Total 44 44	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 5'-AMP-activated protein kinase catalytic subunit alpha-1



- Molecule 2: 5'-AMP-activated protein kinase subunit beta-1



- Molecule 3: 5'-AMP-activated protein kinase subunit gamma-1



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	175.85Å 40.50Å 77.74Å 90.00° 105.53° 90.00°	Depositor
Resolution (Å)	24.97 – 2.51 24.97 – 2.51	Depositor EDS
% Data completeness (in resolution range)	96.0 (24.97-2.51) 99.5 (24.97-2.51)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.73 (at 2.50Å)	Xtrriage
Refinement program	PHENIX 1.5_2	Depositor
R, R_{free}	0.232 , 0.277 0.229 , 0.277	Depositor DCC
R_{free} test set	924 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	60.8	Xtrriage
Anisotropy	0.099	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 57.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3493	wwPDB-VP
Average B, all atoms (Å ²)	75.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.51% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: AMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.21	0/786	0.38	0/1058
2	B	0.21	0/348	0.44	0/469
3	C	0.22	0/2321	0.41	0/3146
All	All	0.22	0/3455	0.41	0/4673

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	770	0	772	28	0
2	B	340	0	366	16	0
3	C	2279	0	2359	74	0
4	C	46	0	24	0	0
5	A	7	0	0	0	0
5	B	7	0	0	0	0
5	C	44	0	0	2	0
All	All	3493	0	3521	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:253:THR:O	3:C:256:ASN:N	1.86	1.07
3:C:256:ASN:O	3:C:257:LEU:HB2	1.57	1.02
1:A:428:ASN:HB3	1:A:431:TYR:HB3	1.53	0.89
3:C:291:LEU:HD13	3:C:299:LEU:HG	1.57	0.85
3:C:57:LYS:HB3	3:C:109:GLU:HB2	1.58	0.83
1:A:451:LEU:HD11	1:A:459:TYR:HB3	1.68	0.74
3:C:256:ASN:O	3:C:257:LEU:CB	2.34	0.74
2:B:244:ILE:HD12	2:B:244:ILE:H	1.57	0.69
3:C:218:ILE:HD11	3:C:227:LEU:HD22	1.75	0.68
3:C:233:LYS:HD3	3:C:235:ARG:NH2	2.09	0.67
1:A:413:VAL:O	1:A:417:ILE:HG13	1.94	0.67
1:A:532:THR:H	3:C:161:ASN:HD21	1.42	0.65
3:C:218:ILE:HD11	3:C:227:LEU:CD2	2.27	0.65
1:A:428:ASN:CB	1:A:431:TYR:HB3	2.27	0.63
3:C:133:PRO:HG3	3:C:163:LEU:HD12	1.81	0.63
3:C:72:PRO:HG3	3:C:165:ILE:HD11	1.80	0.63
1:A:409:ILE:O	1:A:413:VAL:HG13	2.00	0.61
3:C:40:LEU:HD11	3:C:166:LEU:HD11	1.83	0.60
3:C:23:SER:O	3:C:27:VAL:HG13	2.01	0.59
2:B:243:SER:O	2:B:245:LYS:HG3	2.03	0.58
3:C:25:SER:HA	3:C:185:PRO:HB3	1.86	0.58
3:C:94:LEU:HD13	3:C:216:LEU:HD11	1.86	0.58
3:C:232:GLU:H	3:C:232:GLU:CD	2.09	0.56
3:C:87:ILE:HD11	3:C:246:ILE:HG13	1.87	0.55
3:C:214:VAL:O	3:C:218:ILE:HG23	2.06	0.55
3:C:32:MET:HG3	3:C:322:VAL:HG22	1.89	0.54
1:A:406:PRO:HG3	1:A:459:TYR:CE1	2.43	0.53
1:A:438:ASN:HD22	1:A:439:PRO:HD2	1.73	0.53
3:C:299:LEU:HB2	3:C:312:VAL:HG13	1.91	0.53
3:C:208:THR:HB	3:C:262:THR:HG21	1.91	0.53
3:C:302:VAL:HG13	3:C:303:ASP:O	2.09	0.52
1:A:448:SER:HB3	1:A:466:ILE:HD11	1.91	0.52
3:C:228:PRO:HA	3:C:239:ILE:HD12	1.90	0.52
1:A:410:MET:O	1:A:413:VAL:HG22	2.10	0.52
3:C:224:VAL:O	3:C:242:LYS:HE3	2.10	0.52
3:C:109:GLU:CD	3:C:109:GLU:H	2.13	0.51
1:A:428:ASN:ND2	1:A:429:PRO:HD2	2.26	0.51
1:A:542:LEU:O	1:A:546:LEU:HD22	2.11	0.51
1:A:396:TRP:CH2	2:B:242:LEU:HG	2.46	0.51
3:C:304:GLU:H	3:C:304:GLU:CD	2.14	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:204:ALA:HB1	3:C:218:ILE:HD13	1.93	0.50
3:C:176:LYS:NZ	3:C:180:THR:HG21	2.26	0.50
3:C:192:LEU:HD22	3:C:200:TYR:OH	2.12	0.50
1:A:538:MET:O	1:A:542:LEU:HD23	2.12	0.50
3:C:24:ASN:O	3:C:185:PRO:HG3	2.12	0.50
3:C:212:VAL:HG23	3:C:259:VAL:O	2.13	0.49
3:C:296:VAL:HG22	3:C:297:HIS:H	1.77	0.49
3:C:169:LYS:NZ	5:C:535:HOH:O	2.46	0.49
3:C:262:THR:O	3:C:266:GLN:HG2	2.13	0.49
3:C:259:VAL:HG12	3:C:260:SER:O	2.13	0.49
3:C:28:TYR:O	3:C:32:MET:HG2	2.12	0.49
3:C:169:LYS:HB3	3:C:169:LYS:HE2	1.52	0.47
3:C:87:ILE:CD1	3:C:246:ILE:HG13	2.44	0.47
3:C:287:ILE:HG23	3:C:299:LEU:HD12	1.96	0.47
3:C:204:ALA:HB1	3:C:218:ILE:CD1	2.45	0.47
3:C:297:HIS:O	3:C:314:LEU:HG	2.15	0.47
3:C:32:MET:CE	3:C:137:LEU:HB3	2.46	0.47
3:C:24:ASN:O	3:C:27:VAL:HG22	2.15	0.46
2:B:203:PRO:HA	2:B:204:PRO:HD3	1.84	0.46
3:C:278:CYS:HB3	3:C:299:LEU:HD13	1.95	0.46
1:A:410:MET:HE2	1:A:410:MET:HB2	1.86	0.46
1:A:396:TRP:CZ3	2:B:242:LEU:HG	2.52	0.45
3:C:240:TYR:HE1	3:C:245:VAL:HG22	1.80	0.45
2:B:244:ILE:HD12	2:B:244:ILE:N	2.29	0.45
3:C:303:ASP:HB2	3:C:307:VAL:H	1.82	0.45
3:C:205:MET:SD	3:C:308:VAL:HG11	2.56	0.45
1:A:438:ASN:HD22	1:A:439:PRO:CD	2.29	0.45
3:C:206:VAL:HG23	3:C:229:VAL:HA	1.99	0.45
3:C:94:LEU:HD22	3:C:94:LEU:O	2.17	0.45
1:A:441:THR:OG1	1:A:443:THR:HG22	2.17	0.44
1:A:533:ILE:HG21	3:C:74:TRP:CD2	2.52	0.44
3:C:289:ASN:O	3:C:293:GLU:HG2	2.18	0.44
3:C:302:VAL:HG22	3:C:306:ASP:C	2.37	0.44
2:B:236:LEU:HD22	2:B:254:THR:O	2.17	0.44
3:C:199:THR:O	3:C:203:ILE:HD11	2.18	0.44
3:C:55:GLN:HB3	3:C:57:LYS:HG2	1.99	0.43
3:C:137:LEU:HD12	3:C:137:LEU:HA	1.89	0.43
1:A:463:PHE:HB2	2:B:239:LEU:HB3	2.00	0.43
2:B:252:SER:HA	2:B:264:THR:O	2.19	0.43
1:A:436:ARG:NH1	1:A:438:ASN:HA	2.34	0.43
1:A:437:LYS:O	1:A:439:PRO:HD3	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:265:LEU:HD22	3:C:46:LYS:HE2	2.01	0.43
2:B:268:LYS:HA	2:B:269:PRO:HD3	1.92	0.43
3:C:24:ASN:HA	3:C:27:VAL:HG13	2.01	0.43
3:C:297:HIS:HB2	3:C:298:ARG:CZ	2.48	0.43
3:C:115:THR:O	3:C:118:GLU:HB3	2.19	0.43
1:A:533:ILE:HG21	3:C:74:TRP:CE2	2.53	0.43
2:B:269:PRO:HG3	3:C:54:LEU:HA	2.01	0.43
1:A:420:LEU:HB3	1:A:422:TYR:CD2	2.54	0.42
3:C:69:ARG:HD2	5:C:535:HOH:O	2.20	0.42
3:C:260:SER:H	3:C:263:LYS:HE2	1.85	0.42
3:C:260:SER:OG	3:C:263:LYS:HD3	2.20	0.42
3:C:83:GLY:HA2	3:C:128:LEU:HD13	2.01	0.42
1:A:398:LEU:HB2	2:B:240:TYR:CE2	2.55	0.42
3:C:318:LEU:HD13	3:C:318:LEU:HA	1.84	0.41
2:B:236:LEU:O	2:B:237:ASN:HB2	2.20	0.41
2:B:244:ILE:CD1	2:B:244:ILE:H	2.29	0.41
2:B:204:PRO:C	2:B:205:ILE:HD12	2.40	0.41
3:C:52:THR:O	3:C:114:GLU:HG3	2.20	0.41
1:A:539:CYS:O	1:A:543:ILE:HG13	2.20	0.41
3:C:185:PRO:HB2	3:C:187:PHE:CD2	2.56	0.41
3:C:207:ARG:HG2	3:C:208:THR:N	2.35	0.41
1:A:405:ARG:HH21	1:A:407:ASN:HD22	1.68	0.41
3:C:279:TYR:HE2	3:C:303:ASP:O	2.04	0.41
3:C:218:ILE:O	3:C:218:ILE:HD12	2.21	0.40
3:C:230:VAL:HA	3:C:235:ARG:O	2.21	0.40
3:C:185:PRO:HD2	3:C:188:MET:HG3	2.03	0.40
1:A:425:LYS:HD3	1:A:425:LYS:HA	1.84	0.40
3:C:57:LYS:HG3	3:C:58:LYS:N	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	88/106 (83%)	84 (96%)	3 (3%)	1 (1%)	14	26
2	B	38/72 (53%)	35 (92%)	3 (8%)	0	100	100
3	C	277/330 (84%)	263 (95%)	13 (5%)	1 (0%)	34	54
All	All	403/508 (79%)	382 (95%)	19 (5%)	2 (0%)	29	48

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	257	LEU
1	A	404	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	86/91 (94%)	81 (94%)	5 (6%)	20	38
2	B	38/66 (58%)	35 (92%)	3 (8%)	12	24
3	C	262/299 (88%)	243 (93%)	19 (7%)	14	27
All	All	386/456 (85%)	359 (93%)	27 (7%)	15	29

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	405	ARG
1	A	420	LEU
1	A	438	ASN
1	A	446	LYS
1	A	546	LEU
2	B	233	HIS
2	B	248	VAL
2	B	268	LYS
3	C	54	LEU
3	C	137	LEU
3	C	166	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	169	LYS
3	C	175	LEU
3	C	176	LYS
3	C	186	GLU
3	C	192	LEU
3	C	216	LEU
3	C	218	ILE
3	C	224	VAL
3	C	253	THR
3	C	298	ARG
3	C	302	VAL
3	C	303	ASP
3	C	304	GLU
3	C	308	VAL
3	C	312	VAL
3	C	318	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	407	ASN
1	A	419	GLN
1	A	428	ASN
1	A	438	ASN
2	B	238	HIS
2	B	255	HIS
3	C	24	ASN
3	C	111	HIS
3	C	161	ASN
3	C	256	ASN
3	C	305	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	AMP	C	401	-	22,25,25	0.95	1 (4%)	25,38,38	1.35	3 (12%)
4	AMP	C	402	-	22,25,25	0.97	1 (4%)	25,38,38	1.42	4 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	AMP	C	401	-	-	1/6/26/26	0/3/3/3
4	AMP	C	402	-	-	0/6/26/26	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	402	AMP	C5-C4	2.53	1.47	1.40
4	C	401	AMP	C5-C4	2.46	1.47	1.40

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	402	AMP	N3-C2-N1	-3.19	123.69	128.68
4	C	401	AMP	N3-C2-N1	-3.18	123.70	128.68
4	C	402	AMP	C4-C5-N7	-2.88	106.40	109.40
4	C	402	AMP	C3'-C2'-C1'	2.56	104.83	100.98
4	C	401	AMP	C4-C5-N7	-2.46	106.84	109.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	401	AMP	C3'-C2'-C1'	2.17	104.24	100.98
4	C	402	AMP	O3P-P-O2P	2.07	115.55	107.64

There are no chirality outliers.


All (1) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	C	401	AMP	C5'-O5'-P-O1P

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	92/106 (86%)	1.12	17 (18%) 1 1	41, 100, 134, 174	0
2	B	42/72 (58%)	0.63	4 (9%) 8 8	45, 63, 151, 178	0
3	C	285/330 (86%)	0.33	16 (5%) 24 25	36, 62, 106, 161	0
All	All	419/508 (82%)	0.53	37 (8%) 10 10	36, 68, 129, 178	0

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	C	23	SER	6.2
1	A	430	TYR	5.7
3	C	253	THR	5.1
1	A	548	GLN	5.0
3	C	321	LEU	4.1
2	B	270	ILE	4.0
3	C	269	SER	3.7
3	C	317	ILE	3.7
1	A	444	PHE	3.6
2	B	234	VAL	3.5
1	A	418	LYS	3.4
1	A	397	HIS	3.3
3	C	183	PRO	3.2
3	C	182	PHE	3.1
3	C	305	HIS	3.1
2	B	202	ALA	3.0
1	A	419	GLN	3.0
1	A	407	ASN	2.9
1	A	424	TRP	2.8
1	A	415	ARG	2.6
1	A	420	LEU	2.6
1	A	437	LYS	2.5
3	C	202	ASN	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	440	VAL	2.4
1	A	396	TRP	2.4
1	A	435	ARG	2.4
3	C	186	GLU	2.3
3	C	318	LEU	2.3
1	A	446	LYS	2.3
3	C	312	VAL	2.2
1	A	547	ALA	2.2
2	B	235	MET	2.1
3	C	69	ARG	2.1
3	C	213	TYR	2.1
1	A	439	PRO	2.1
3	C	189	SER	2.0
3	C	175	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	AMP	C	401	23/23	0.94	0.14	44,50,59,66	0
4	AMP	C	402	23/23	0.94	0.16	55,66,73,76	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around AMP C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.