

# Full wwPDB X-ray Structure Validation Report (i)

#### Nov 21, 2023 – 06:15 AM JST

PDB ID	:	7EXZ
Title	:	DgpB-DgpC complex apo 2.5 angstrom
Authors	:	Mori, T.; Senda, M.; Senda, T.; Abe, I.
Deposited on	:	2021-05-29
Resolution	:	2.50  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559(2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	337	82%	14%	·
1	С	337	% 	10%	•••
1	Е	337	85%	10%	·
1	G	337	82%	15%	·
2	В	142	92%	(	5% •
2	D	142	86%	11%	••



Mol	Chain	Length	Quality of chain			
2	F	142	90%	8%	·	
2	Н	142	87%	11%	·	



## 2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 15242 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	Δ	204	Total	С	Ν	Ο	$\mathbf{S}$	0	0	0	
	A	324	2548	1615	420	486	27	0	0	U	
1	C	202	Total	С	Ν	Ο	S	0	0	0	
		323	2540	1611	418	484	27	0	0	U	
1	Б	292	Total	С	Ν	0	S	0	0	0	
	323	2543	1612	417	487	27	0	0			
1 G	204	Total	С	Ν	Ο	S	0	0	0		
	324	2529	1598	417	487	27	0		U		

• Molecule 1 is a protein called AP\_endonuc\_2 domain-containing protein.

There are 52 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	325	LYS	-	expression tag	UNP A0A3Q9WXL1
А	326	LEU	-	expression tag	UNP A0A3Q9WXL1
А	327	ALA	-	expression tag	UNP A0A3Q9WXL1
А	328	ALA	-	expression tag	UNP A0A3Q9WXL1
А	329	ALA	-	expression tag	UNP A0A3Q9WXL1
А	330	LEU	-	expression tag	UNP A0A3Q9WXL1
А	331	GLU	-	expression tag	UNP A0A3Q9WXL1
А	332	HIS	-	expression tag	UNP A0A3Q9WXL1
А	333	HIS	-	expression tag	UNP A0A3Q9WXL1
А	334	HIS	-	expression tag	UNP A0A3Q9WXL1
А	335	HIS	-	expression tag	UNP A0A3Q9WXL1
А	336	HIS	-	expression tag	UNP A0A3Q9WXL1
А	337	HIS	-	expression tag	UNP A0A3Q9WXL1
С	325	LYS	-	expression tag	UNP A0A3Q9WXL1
С	326	LEU	-	expression tag	UNP A0A3Q9WXL1
С	327	ALA	-	expression tag	UNP A0A3Q9WXL1
С	328	ALA	-	expression tag	UNP A0A3Q9WXL1
С	329	ALA	-	expression tag	UNP A0A3Q9WXL1
С	330	LEU	-	expression tag	UNP A0A3Q9WXL1
С	331	GLU	-	expression tag	UNP A0A3Q9WXL1
С	332	HIS	-	expression tag	UNP A0A3Q9WXL1
				Cor	ntinued on next page



Chain	Residue	Modelled	Actual	Comment	Reference
С	333	HIS	-	expression tag	UNP A0A3Q9WXL1
С	334	HIS	-	expression tag	UNP A0A3Q9WXL1
С	335	HIS	-	expression tag	UNP A0A3Q9WXL1
С	336	HIS	-	expression tag	UNP A0A3Q9WXL1
С	337	HIS	-	expression tag	UNP A0A3Q9WXL1
Е	325	LYS	-	expression tag	UNP A0A3Q9WXL1
Е	326	LEU	-	expression tag	UNP A0A3Q9WXL1
Е	327	ALA	-	expression tag	UNP A0A3Q9WXL1
Е	328	ALA	-	expression tag	UNP A0A3Q9WXL1
Е	329	ALA	-	expression tag	UNP A0A3Q9WXL1
Е	330	LEU	-	expression tag	UNP A0A3Q9WXL1
Е	331	GLU	-	expression tag	UNP A0A3Q9WXL1
Е	332	HIS	-	expression tag	UNP A0A3Q9WXL1
Е	333	HIS	-	expression tag	UNP A0A3Q9WXL1
Е	334	HIS	-	expression tag	UNP A0A3Q9WXL1
Е	335	HIS	-	expression tag	UNP A0A3Q9WXL1
Е	336	HIS	-	expression tag	UNP A0A3Q9WXL1
Е	337	HIS	-	expression tag	UNP A0A3Q9WXL1
G	325	LYS	-	expression tag	UNP A0A3Q9WXL1
G	326	LEU	-	expression tag	UNP A0A3Q9WXL1
G	327	ALA	-	expression tag	UNP A0A3Q9WXL1
G	328	ALA	-	expression tag	UNP A0A3Q9WXL1
G	329	ALA	-	expression tag	UNP A0A3Q9WXL1
G	330	LEU	-	expression tag	UNP A0A3Q9WXL1
G	331	GLU	-	expression tag	UNP A0A3Q9WXL1
G	332	HIS	-	expression tag	UNP A0A3Q9WXL1
G	333	HIS	-	expression tag	UNP A0A3Q9WXL1
G	334	HIS	-	expression tag	UNP A0A3Q9WXL1
G	335	HIS	-	expression tag	UNP A0A3Q9WXL1
G	336	HIS	-	expression tag	UNP A0A3Q9WXL1
G	337	HIS	-	expression tag	UNP A0A3Q9WXL1

• Molecule 2 is a protein called DgpB.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
2	В	130	Total	С	Ν	0	S	0	0	0	
	D	159	1110	714	179	213	4	0	0	0	
0	Л	128	Total	С	Ν	0	S	0	0	0	
	D	199	1096	705	177	210	4	0	0		
0	Г	140	Total	С	Ν	0	S	0	0	0	
	Г	140	1111	714	181	212	4	0	0	0	
9	о II	120	Total	С	Ν	Ο	S	0	0	0	
	139	1107	711	178	214	4	0	0	0		





• Molecule 3 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	Total Mn 1 1	0	0
3	С	1	Total Mn 1 1	0	0
3	Е	1	Total Mn 1 1	0	0
3	G	1	Total Mn 1 1	0	0

• Molecule 4 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
4	С	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
4	Е	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
4	G	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0

• Molecule 5 is SULFATE ION (three-letter code: SO4) (formula:  $O_4S$ ).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	Е	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	F	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	F	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	G	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	G	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	G	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	G	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0



$\alpha$ $\cdot$ 1	C		
Continued	trom	previous	page
	5	1	1 5

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	Н	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	Н	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 6 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (three-letter code: EPE) (formula:  $C_8H_{18}N_2O_4S$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf		
6	В	1	Total	С	Ν	0	S	0	0
0	D	I	15	8	2	4	1	0	0
6	В	1	Total	С	Ν	0	S	0	0
0	D	I	15	8	2	4	1	0	0
6	Л	1	Total	С	Ν	0	S	0	0
0	D	I	15	8	2	4	1	0	0
6	Б	1	Total	С	Ν	0	S	0	0
0	Г	I	15	8	2	4	1	0	0
6	Ц	1	Total	С	Ν	0	S	0	0
0	11		15	8	2	4	1		0

• Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	А	53	$\begin{array}{cc} \text{Total} & \text{O} \\ 53 & 53 \end{array}$	0	0
7	В	61	Total         O           61         61	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	С	65	Total O 65 65	0	0
7	D	51	$\begin{array}{cc} \text{Total} & \text{O} \\ 51 & 51 \end{array}$	0	0
7	Ε	93	Total O 93 93	0	0
7	F	52	$\begin{array}{cc} \text{Total} & \text{O} \\ 52 & 52 \end{array}$	0	0
7	G	54	$\begin{array}{cc} \text{Total} & \text{O} \\ 54 & 54 \end{array}$	0	0
7	Н	46	$\begin{array}{cc} \text{Total} & \text{O} \\ 46 & 46 \end{array}$	0	0



## 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: AP\_endonuc\_2 domain-containing protein







## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	86.52Å 156.72Å 158.93Å	Deperitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $90.00^{\circ}$	Depositor
$\mathbf{P}_{\text{acclution}}(\hat{\mathbf{A}})$	46.89 - 2.50	Depositor
Resolution (A)	46.89 - 2.50	EDS
% Data completeness	100.0 (46.89-2.50)	Depositor
(in resolution range)	$100.0 \ (46.89-2.50)$	EDS
R <sub>merge</sub>	0.12	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.27 (at 2.51 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.19.2_4158	Depositor
D D.	0.182 , $0.233$	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.183 , $0.233$	DCC
$R_{free}$ test set	2007  reflections (2.66%)	wwPDB-VP
Wilson B-factor $(Å^2)$	37.6	Xtriage
Anisotropy	0.165	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$ , $B_{sol}(Å^2)$	0.35 , $42.9$	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.50, < L^2 > = 0.33$	Xtriage
Estimated twinning fraction	0.000 for -h,l,k	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	15242	wwPDB-VP
Average B, all atoms $(Å^2)$	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 20.49 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 8.5844e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MN, SO4, EPE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bond	lengths	Bond angles	
	Unam	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.41	0/2604	0.57	0/3517
1	С	0.41	0/2596	0.57	0/3504
1	Е	0.45	0/2599	0.61	0/3510
1	G	0.40	0/2585	0.56	0/3496
2	В	0.48	0/1136	0.61	0/1542
2	D	0.41	0/1122	0.62	0/1523
2	F	0.45	0/1137	0.63	0/1544
2	Н	0.46	0/1133	0.60	0/1539
All	All	0.43	0/14912	0.59	0/20175

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2548	0	2453	26	0
1	С	2540	0	2448	24	0
1	Е	2543	0	2451	22	0
1	G	2529	0	2392	30	0
2	В	1110	0	1069	7	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	1096	0	1053	11	0
2	F	1111	0	1070	5	0
2	Н	1107	0	1061	9	0
3	А	1	0	0	0	0
3	С	1	0	0	0	0
3	Е	1	0	0	0	0
3	G	1	0	0	0	0
4	А	6	0	8	1	0
4	С	6	0	8	0	0
4	Е	6	0	8	1	0
4	G	6	0	8	1	0
5	А	5	0	0	0	0
5	В	10	0	0	0	0
5	С	10	0	0	0	0
5	D	10	0	0	1	0
5	Е	5	0	0	0	0
5	F	10	0	0	0	0
5	G	20	0	0	0	0
5	Н	10	0	0	0	0
6	В	30	0	34	3	0
6	D	15	0	17	0	0
6	F	15	0	17	0	0
6	Н	15	0	17	0	0
7	А	53	0	0	0	0
7	В	61	0	0	0	0
7	С	65	0	0	0	0
7	D	51	0	0	0	0
7	Е	93	0	0	2	0
7	F	52	0	0	0	0
7	G	54	0	0	0	0
7	Н	46	0	0	0	0
All	All	15242	0	14114	132	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (132) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:202:ALA:HB1	1:E:232:MET:HG3	1.61	0.83
2:B:49:GLU:HA	6:B:201:EPE:H91	1.64	0.78



	to de pagem	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:172:PRO:HG2	1:C:262:MET:HG2	1.71	0.72
1:A:172:PRO:HG2	1:A:262:MET:HG2	1.73	0.71
1:G:205:MET:HG2	1:G:210:VAL:HG21	1.73	0.70
1:A:226:LYS:O	1:A:230:THR:HG22	1.95	0.66
1:A:122:GLU:H	1:A:122:GLU:CD	2.00	0.65
1:G:271:GLU:H	1:G:271:GLU:CD	2.00	0.65
1:A:213:ASP:OD1	1:A:214:GLU:N	2.31	0.63
1:G:171:ILE:HG12	1:G:261:HIS:HB3	1.82	0.62
1:A:284:MET:HG3	1:A:322:PHE:CD2	2.36	0.60
1:G:53:VAL:HG12	1:G:107:LYS:HE2	1.84	0.60
1:A:26:ASP:O	1:A:30:THR:HG23	2.03	0.59
2:H:39:TYR:OH	2:H:119:TYR:OH	2.14	0.59
2:F:39:TYR:OH	2:F:119:TYR:OH	2.19	0.59
1:A:219:LEU:HG	1:A:224:ALA:HB2	1.83	0.59
1:G:114:ARG:HH12	4:G:402:GOL:H32	1.68	0.59
1:A:56:LYS:HE2	1:A:60:GLU:OE2	2.04	0.58
1:C:237:THR:OG1	1:C:238:PHE:N	2.34	0.58
1:C:203:ARG:NH1	1:C:204:ASP:OD1	2.38	0.57
4:E:402:GOL:H31	2:F:39:TYR:OH	2.04	0.56
1:C:212:TYR:HB2	1:C:236:TYR:CD2	2.41	0.56
2:D:46:THR:HA	2:D:116:ARG:NH1	2.21	0.56
1:C:233:ARG:O	1:C:237:THR:HG23	2.05	0.56
2:H:39:TYR:HH	2:H:119:TYR:HH	1.44	0.55
1:A:242:LYS:NZ	1:A:248:GLU:OE2	2.37	0.55
2:H:50:ILE:HD12	2:H:113:LEU:HD13	1.89	0.55
2:H:124:GLU:H	2:H:124:GLU:CD	2.11	0.54
1:C:73:VAL:HG21	1:C:295:TYR:CZ	2.43	0.53
1:E:81:ARG:CZ	1:E:118:LEU:HD22	2.38	0.53
1:G:40:GLU:HB2	1:G:74:CYS:HB3	1.90	0.53
1:E:201:MET:HE1	1:E:219:LEU:HA	1.91	0.52
1:C:219:LEU:HD22	1:C:232:MET:SD	2.49	0.51
1:A:151:GLN:NE2	1:A:155:ASP:OD1	2.43	0.51
2:D:53:LYS:HD3	2:D:56:GLY:HA2	1.92	0.51
1:E:73:VAL:HG21	1:E:295:TYR:CZ	2.46	0.50
1:G:79:CYS:SG	1:G:119:MET:HB3	2.51	0.50
1:A:179:ASN:OD1	1:A:180:LYS:HE3	2.11	0.50
2:D:72:GLU:OE1	1:G:103:LYS:NZ	2.31	0.49
2:F:46:THR:HA	2:F:116:ARG:NH1	2.27	0.49
1:G:231:THR:O	1:G:235:MET:HG3	2.13	0.49
2:H:12:VAL:O	2:H:34:VAL:HA	2.13	0.49
1:C:50:TYR:CG	1:C:51:PRO:HA	2.48	0.49



	ti a	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:268:TYR:HA	1:A:311:MET:HE3	1.95	0.48	
1:C:198:LEU:HB3	1:C:228:GLU:HG2	1.94	0.48	
2:D:39:TYR:OH	2:D:119:TYR:OH	2.19	0.48	
2:H:62:GLU:OE1	2:H:62:GLU:N	2.41	0.48	
2:B:50:ILE:HG22	6:B:201:EPE:H92	1.95	0.48	
2:D:67:CYS:HA	2:D:71:LYS:O	2.13	0.48	
1:E:201:MET:O	1:E:205:MET:HG3	2.14	0.48	
1:A:159:ALA:O	1:A:163:THR:HG23	2.14	0.48	
1:E:159:ALA:O	1:E:163:THR:HG23	2.13	0.48	
1:G:73:VAL:HG21	1:G:295:TYR:CZ	2.49	0.48	
1:E:119:MET:HE2	1:E:119:MET:HB2	1.76	0.47	
1:A:171:ILE:HG12	1:A:261:HIS:HB3	1.95	0.47	
2:F:108:ASP:OD1	2:F:137:ARG:HD2	2.14	0.47	
1:C:107:LYS:HE3	1:E:63:SER:OG	2.14	0.47	
2:D:47:ILE:HG22	5:D:202:SO4:O4	2.15	0.47	
1:C:205:MET:SD	1:C:218:ARG:HD2	2.55	0.47	
1:C:115:GLU:CD	1:C:119:MET:HE1	2.36	0.46	
2:B:39:TYR:HH	2:B:119:TYR:HH	1.59	0.46	
1:G:2:SER:HB3	1:G:290:SER:O	2.16	0.46	
1:C:73:VAL:HG11	1:C:295:TYR:CD1	2.51	0.46	
2:D:71:LYS:HD3	1:G:52:TYR:CE2	2.51	0.46	
1:G:50:TYR:CG	1:G:51:PRO:HA	2.51	0.46	
1:A:50:TYR:CG	1:A:51:PRO:HA	2.51	0.45	
1:A:172:PRO:CG	1:A:262:MET:HG2	2.45	0.45	
1:G:183:LYS:HD3	1:G:268:TYR:CG	2.51	0.45	
2:B:85:PHE:O	2:B:87:PRO:HD3	2.16	0.45	
1:A:157:ILE:HG23	1:A:258:TYR:CE2	2.51	0.45	
1:C:7:GLY:O	1:C:297:VAL:HA	2.17	0.45	
1:C:51:PRO:O	1:C:100:ARG:HD3	2.16	0.45	
1:G:315:HIS:O	1:G:319:MET:HG2	2.17	0.45	
1:E:73:VAL:HG21	1:E:295:TYR:CE1	2.52	0.45	
1:E:313:ARG:HG2	1:E:317:LYS:HE3	1.99	0.45	
1:G:157:ILE:HG23	1:G:258:TYR:CZ	2.52	0.45	
1:G:185:ASN:OD1	1:G:231:THR:HG23	2.17	0.44	
1:A:132:GLU:HG3	1:A:167:TYR:CE1	2.52	0.44	
2:F:12:VAL:O	2:F:34:VAL:HA	2.17	0.44	
1:E:266:TYR:CZ	1:E:300:TYR:HB2	2.53	0.44	
1:C:251:GLY:O	1:C:255:MET:HB2	2.17	0.44	
2:B:39:TYR:OH	2:B:119:TYR:OH	2.31	0.44	
2:H:67:CYS:SG	2:H:72:GLU:HG2	2.58	0.44	
1:E:81:ARG:NH1	1:E:118:LEU:HD22	2.33	0.44	



	,	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:H:46:THR:HA	2:H:116:ARG:NH1	2.31	0.44
1:G:144:ASN:OD1	1:G:240:THR:OG1	2.32	0.43
1:G:179:ASN:HA	1:G:242:LYS:O	2.16	0.43
1:A:203:ARG:HD3	1:A:207:TYR:CE2	2.54	0.43
4:A:402:GOL:H31	2:B:39:TYR:OH	2.18	0.43
2:B:12:VAL:O	2:B:34:VAL:HA	2.17	0.43
1:C:212:TYR:O	1:C:216:VAL:HG13	2.18	0.43
1:A:252:LEU:HA	1:A:255:MET:HE2	2.00	0.43
1:A:29:ARG:NH1	1:A:30:THR:HG22	2.34	0.43
1:C:300:TYR:CZ	1:C:302:GLU:HB2	2.53	0.43
1:E:62:LYS:NZ	7:E:503:HOH:O	2.33	0.43
1:E:319:MET:HG3	7:E:567:HOH:O	2.18	0.43
1:C:73:VAL:HG21	1:C:295:TYR:CE1	2.54	0.43
1:E:231:THR:O	1:E:235:MET:HG3	2.18	0.43
2:D:53:LYS:HB3	2:D:110:ASP:HB2	2.01	0.43
1:G:58:LEU:HD22	1:G:107:LYS:HG3	2.00	0.43
1:E:132:GLU:HG3	1:E:167:TYR:CE1	2.54	0.43
1:G:114:ARG:HD3	1:G:141:GLU:OE1	2.18	0.43
1:G:156:TYR:O	1:G:160:ILE:HG13	2.18	0.43
1:G:195:ASP:HB3	1:G:198:LEU:HD12	2.00	0.43
1:E:50:TYR:CG	1:E:51:PRO:HA	2.54	0.43
1:C:183:LYS:NZ	1:C:187:ASP:OD2	2.39	0.42
1:G:62:LYS:HD3	1:G:62:LYS:HA	1.59	0.42
1:A:137:LYS:HG2	1:A:167:TYR:HA	2.01	0.42
2:D:67:CYS:HB2	2:D:93:THR:HB	2.01	0.42
1:G:147:THR:HB	1:G:148:PRO:HD2	2.01	0.42
1:C:153:THR:O	1:C:157:ILE:HG13	2.20	0.42
1:G:71:GLU:HG2	1:G:73:VAL:HG22	2.01	0.42
1:G:256:ILE:HG21	1:G:290:SER:HB2	2.02	0.42
1:C:115:GLU:CG	1:C:119:MET:HE1	2.49	0.42
1:G:71:GLU:O	1:G:73:VAL:HG23	2.19	0.42
1:E:102:ILE:HD11	1:E:138:VAL:HG21	2.01	0.42
1:E:115:GLU:CD	1:E:119:MET:HE1	2.40	0.42
1:G:143:HIS:HD1	1:G:144:ASN:N	2.18	0.42
1:A:181:PRO:HG3	1:A:203:ARG:HG3	2.01	0.41
1:E:139:GLY:HA2	1:E:169:GLY:O	2.20	0.41
1:A:8:VAL:HG23	1:A:36:ALA:HB2	2.02	0.41
1:A:45:GLN:HG2	1:A:46:MET:HG3	2.02	0.41
1:E:118:LEU:HD23	1:E:118:LEU:HA	1.67	0.41
2:H:28:ILE:HA	2:H:99:PRO:HA	2.03	0.41
1:C:119:MET:HE2	1:C:119:MET:HB2	1.73	0.41



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:32:LYS:HB2	1:A:70:MET:SD	2.61	0.41
2:D:39:TYR:CE1	2:D:40:ARG:HG2	2.56	0.41
1:E:40:GLU:HB2	1:E:74:CYS:HB3	2.03	0.41
2:D:12:VAL:O	2:D:34:VAL:HA	2.21	0.40
1:G:214:GLU:O	1:G:218:ARG:HG3	2.21	0.40
6:B:202:EPE:H102	6:B:202:EPE:H22	1.84	0.40
1:C:203:ARG:HG3	1:C:204:ASP:N	2.37	0.40

There are no symmetry-related clashes.

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	322/337~(96%)	313~(97%)	9~(3%)	0	100	100
1	С	321/337~(95%)	306 (95%)	15 (5%)	0	100	100
1	Ε	321/337~(95%)	308 (96%)	13~(4%)	0	100	100
1	G	322/337~(96%)	313 (97%)	9~(3%)	0	100	100
2	В	137/142~(96%)	132 (96%)	5(4%)	0	100	100
2	D	136/142~(96%)	131 (96%)	5 (4%)	0	100	100
2	F	138/142~(97%)	134 (97%)	4(3%)	0	100	100
2	Н	137/142~(96%)	135 (98%)	2 (2%)	0	100	100
All	All	1834/1916~(96%)	1772 (97%)	62 (3%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar



resolution.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	269/287~(94%)	265~(98%)	4 (2%)	65	85
1	С	268/287~(93%)	263~(98%)	5(2%)	57	80
1	Ε	270/287~(94%)	266~(98%)	4 (2%)	65	85
1	G	263/287~(92%)	261~(99%)	2(1%)	81	93
2	В	122/125~(98%)	122 (100%)	0	100	100
2	D	120/125~(96%)	118 (98%)	2(2%)	60	82
2	F	122/125~(98%)	118 (97%)	4(3%)	38	64
2	Η	122/125~(98%)	121 (99%)	1 (1%)	81	93
All	All	1556/1648~(94%)	1534 (99%)	22 (1%)	67	86

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	$\mathbf{Res}$	Type
1	А	117	TRP
1	А	207	TYR
1	А	285	LYS
1	А	317	LYS
1	С	117	TRP
1	С	119	MET
1	С	192	ASP
1	С	203	ARG
1	С	265	LYS
2	D	53	LYS
2	D	129	SER
1	Е	144	ASN
1	Е	207	TYR
1	Е	235	MET
1	Е	291	ASP
2	F	19	LYS
2	F	53	LYS
2	F	58	ASP
2	F	142	ASN
1	G	117	TRP
1	G	307	HIS
2	Н	110	ASP



Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry (i)

Of 29 ligands modelled in this entry, 4 are monoatomic - leaving 25 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Type	Chain	Dog	Link	Bo	Bond lengths		Bond angles		
WIOI	туре	Ullalli	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2
5	SO4	А	403	-	4,4,4	0.14	0	$6,\!6,\!6$	0.39	0
5	SO4	Н	202	-	4,4,4	0.17	0	$6,\!6,\!6$	0.42	0
5	SO4	F	202	-	4,4,4	0.14	0	$6,\!6,\!6$	0.44	0
5	SO4	Е	403	-	4,4,4	0.19	0	$6,\!6,\!6$	0.34	0
5	SO4	В	203	-	4,4,4	0.14	0	$6,\!6,\!6$	0.70	0
5	SO4	С	403	-	4,4,4	0.12	0	$6,\!6,\!6$	0.23	0
5	SO4	Н	203	-	4,4,4	0.12	0	$6,\!6,\!6$	0.46	0
5	SO4	D	202	-	4,4,4	0.17	0	$6,\!6,\!6$	0.27	0
6	EPE	Н	201	-	15,15,15	0.72	1 (6%)	18,20,20	2.06	6 (33%)
5	SO4	G	406	-	4,4,4	0.19	0	$6,\!6,\!6$	0.13	0
5	SO4	G	405	-	4,4,4	0.14	0	$6,\!6,\!6$	0.22	0
6	EPE	D	201	-	15,15,15	0.72	1 (6%)	18,20,20	2.14	7 (38%)
5	SO4	С	404	-	4,4,4	0.16	0	$6,\!6,\!6$	0.31	0



Mal	Turne	Chain	Dec	Tink	Bo	Bond lengths		Bond angles		
WIOI	туре	Ullalli	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	EPE	В	202	-	15,15,15	0.79	1 (6%)	18,20,20	2.24	5 (27%)
5	SO4	D	203	-	4,4,4	0.19	0	$6,\!6,\!6$	0.41	0
5	SO4	G	403	-	4,4,4	0.12	0	$6,\!6,\!6$	0.21	0
4	GOL	G	402	-	5,5,5	1.19	0	$5,\!5,\!5$	0.89	0
5	SO4	G	404	-	4,4,4	0.18	0	$6,\!6,\!6$	0.20	0
4	GOL	Е	402	-	$5,\!5,\!5$	0.91	0	$5,\!5,\!5$	1.03	0
5	SO4	В	204	-	4,4,4	0.16	0	6,6,6	0.35	0
6	EPE	F	201	-	15,15,15	0.89	1 (6%)	18,20,20	2.41	7 (38%)
6	EPE	В	201	-	15,15,15	1.04	1 (6%)	18,20,20	2.47	6 (33%)
5	SO4	F	203	-	4,4,4	0.12	0	$6,\!6,\!6$	0.19	0
4	GOL	C	402	-	5,5,5	0.98	0	$5,\!5,\!5$	0.85	0
4	GOL	А	402	-	5,5,5	1.04	0	$5,\!5,\!5$	0.89	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EPE	Н	201	-	-	0/9/19/19	0/1/1/1
6	EPE	F	201	-	-	1/9/19/19	0/1/1/1
4	GOL	Е	402	-	-	3/4/4/4	-
6	EPE	В	201	-	-	3/9/19/19	0/1/1/1
4	GOL	G	402	-	-	0/4/4/4	-
4	GOL	С	402	-	-	2/4/4/4	-
6	EPE	D	201	-	-	6/9/19/19	0/1/1/1
6	EPE	В	202	-	-	1/9/19/19	0/1/1/1
4	GOL	А	402	-	-	2/4/4/4	_

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
6	В	201	EPE	C10-S	3.47	1.82	1.77
6	F	201	EPE	C10-S	2.97	1.81	1.77
6	В	202	EPE	C10-S	2.70	1.81	1.77
6	D	201	EPE	C10-S	2.33	1.80	1.77
6	Н	201	EPE	C10-S	2.31	1.80	1.77

All (31) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
6	F	201	EPE	O2S-S-C10	6.43	114.66	106.92
6	В	201	EPE	01S-S-C10	5.79	113.88	106.92
6	В	202	EPE	O1S-S-C10	5.57	113.63	106.92
6	В	202	EPE	C5-N4-C3	5.12	120.35	108.83
6	Н	201	EPE	C5-N4-C3	4.82	119.67	108.83
6	D	201	EPE	O3S-S-C10	4.81	113.55	105.77
6	В	201	EPE	O2S-S-C10	4.80	112.70	106.92
6	В	201	EPE	C5-N4-C3	4.71	119.42	108.83
6	D	201	EPE	C5-N4-C3	4.15	118.18	108.83
6	F	201	EPE	C5-N4-C3	4.02	117.88	108.83
6	F	201	EPE	C7-N4-C3	3.55	120.32	111.23
6	Н	201	EPE	C7-N4-C5	3.42	119.98	111.23
6	Н	201	EPE	C7-N4-C3	3.41	119.96	111.23
6	Н	201	EPE	01S-S-C10	3.17	110.73	106.92
6	Н	201	EPE	O2S-S-C10	2.94	110.45	106.92
6	D	201	EPE	C6-N1-C2	2.87	115.29	108.83
6	В	202	EPE	C7-N4-C5	2.86	118.55	111.23
6	В	202	EPE	C7-N4-C3	2.81	118.43	111.23
6	В	201	EPE	C7-N4-C3	2.80	118.41	111.23
6	F	201	EPE	C7-N4-C5	2.80	118.40	111.23
6	D	201	EPE	C2-C3-N4	2.78	116.36	110.64
6	F	201	EPE	01S-S-C10	-2.76	103.59	106.92
6	D	201	EPE	C7-N4-C3	2.72	118.18	111.23
6	F	201	EPE	O3S-S-C10	2.57	109.93	105.77
6	F	201	EPE	C6-N1-C2	2.50	114.46	108.83
6	В	202	EPE	O3S-S-C10	2.40	109.65	105.77
6	D	201	EPE	C5-C6-N1	-2.35	105.83	110.64
6	D	201	EPE	C7-N4-C5	2.25	117.00	111.23
6	В	201	EPE	C7-N4-C5	2.10	116.61	111.23
6	Н	201	EPE	C3-C2-N1	-2.06	106.41	110.64
6	В	201	EPE	O2S-S-O1S	-2.01	106.99	113.95

There are no chirality outliers.

All (18) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	А	402	GOL	O1-C1-C2-C3
6	В	201	EPE	C10-C9-N1-C6
6	В	201	EPE	N4-C7-C8-O8
6	D	201	EPE	C9-C10-S-O1S
6	D	201	EPE	C9-C10-S-O3S
6	F	201	EPE	C8-C7-N4-C5
6	В	201	EPE	C8-C7-N4-C3



Mol	Chain	Res	Type	Atoms
4	С	402	GOL	O1-C1-C2-C3
4	Е	402	GOL	O1-C1-C2-C3
4	А	402	GOL	O1-C1-C2-O2
4	Е	402	GOL	O1-C1-C2-O2
6	D	201	EPE	C10-C9-N1-C2
6	В	202	EPE	C8-C7-N4-C5
6	D	201	EPE	C9-C10-S-O2S
4	Ε	402	GOL	C1-C2-C3-O3
4	С	402	GOL	O1-C1-C2-O2
6	D	201	EPE	C10-C9-N1-C6
6	D	201	EPE	N4-C7-C8-O8

Continued from previous page...

There are no ring outliers.

6 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	202	SO4	1	0
6	В	202	EPE	1	0
4	G	402	GOL	1	0
4	Е	402	GOL	1	0
6	В	201	EPE	2	0
4	А	402	GOL	1	0

### 5.7 Other polymers (i)

There are no such residues in this entry.

#### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	324/337~(96%)	-0.11	1 (0%) 94 94	27, 44, 60, 73	0
1	С	323/337~(95%)	-0.03	4 (1%) 79 80	25, 40, 75, 92	0
1	Ε	323/337~(95%)	-0.17	1 (0%) 94 94	24, 34, 54, 65	0
1	G	324/337~(96%)	0.10	9 (2%) 53 56	28, 45, 73, 91	0
2	В	139/142~(97%)	-0.27	1 (0%) 87 89	26, 34, 45, 58	0
2	D	138/142~(97%)	-0.19	0 100 100	28, 39, 52, 57	0
2	F	140/142~(98%)	-0.18	1 (0%) 87 89	24, 36, 52, 59	0
2	Н	139/142~(97%)	-0.31	0 100 100	28, 35, 51, 65	0
All	All	1850/1916~(96%)	-0.11	17 (0%) 84 86	24, 39, 64, 92	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	С	212	TYR	3.5
1	G	212	TYR	3.2
1	С	221	ALA	3.1
1	G	238	PHE	2.9
1	G	213	ASP	2.8
1	А	211	PRO	2.8
1	С	226	LYS	2.7
2	F	142	ASN	2.6
1	С	238	PHE	2.4
1	G	281	ASP	2.3
1	Е	191	ALA	2.3
1	G	324	ASP	2.2
2	В	7	LEU	2.2
1	G	224	ALA	2.2
1	G	220	THR	2.1
1	G	202	ALA	2.0



Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	222	ALA	2.0

#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
5	SO4	G	406	5/5	0.83	0.27	$59,\!67,\!79,\!85$	0
5	SO4	А	403	5/5	0.84	0.23	39,41,48,49	5
4	GOL	G	402	6/6	0.86	0.26	39,43,45,45	0
5	SO4	Н	203	5/5	0.89	0.23	36,39,42,45	5
5	SO4	F	202	5/5	0.90	0.27	32,33,37,39	5
6	EPE	В	201	15/15	0.91	0.32	$40,\!46,\!57,\!63$	0
5	SO4	D	203	5/5	0.92	0.19	33,37,43,44	5
5	SO4	В	204	5/5	0.93	0.20	31,31,38,41	5
5	SO4	G	403	5/5	0.94	0.24	38,38,40,42	5
5	SO4	G	404	5/5	0.94	0.24	33,34,40,40	5
5	SO4	С	404	5/5	0.94	0.21	36,38,40,44	5
5	SO4	В	203	5/5	0.94	0.22	29,32,36,42	5
4	GOL	Е	402	6/6	0.94	0.19	33,37,39,44	0
6	EPE	D	201	15/15	0.94	0.32	42,60,72,73	0
6	EPE	F	201	15/15	0.94	0.25	39,54,70,74	0
4	GOL	А	402	6/6	0.95	0.17	37,39,40,45	0
5	SO4	D	202	5/5	0.95	0.18	36,38,41,42	5
6	EPE	В	202	15/15	0.95	0.24	38,59,76,77	0
5	SO4	F	203	5/5	0.95	0.20	38,39,40,42	5
5	SO4	Н	202	5/5	0.95	0.19	31,32,34,35	5
6	EPE	Н	201	15/15	0.95	0.27	38,57,76,78	0
5	SO4	G	405	5/5	0.96	0.24	48,48,49,51	5



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{\AA}^2)$	Q<0.9
4	GOL	С	402	6/6	0.97	0.13	39,39,43,44	0
5	SO4	Е	403	5/5	0.97	0.20	34,39,42,42	5
5	SO4	С	403	5/5	0.97	0.14	$49,\!49,\!51,\!52$	5
3	MN	Е	401	1/1	0.98	0.16	20,20,20,20	1
3	MN	А	401	1/1	0.99	0.18	30,30,30,30	1
3	MN	G	401	1/1	0.99	0.15	29,29,29,29	1
3	MN	С	401	1/1	0.99	0.16	24,24,24,24	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

















### 6.5 Other polymers (i)

There are no such residues in this entry.

