



# Full wwPDB X-ray Structure Validation Report ⓘ

May 20, 2024 – 06:04 PM EDT

PDB ID : 8F9Q  
Title : Guinea pig sialic acid esterase (SIAE)  
Authors : Ide, D.; Gorelik, A.; Illes, K.; Nagar, B.  
Deposited on : 2022-11-24  
Resolution : 2.76 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36.2  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.76 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.








Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1235 (2.78-2.74)
Clashscore	141614	1277 (2.78-2.74)
Ramachandran outliers	138981	1257 (2.78-2.74)
Sidechain outliers	138945	1257 (2.78-2.74)
RSRZ outliers	127900	1207 (2.78-2.74)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	505	<div style="display: flex; align-items: center;"> <div style="width: 10px; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 5%, orange 15%, yellow 25%, green 83%);"></div> <div style="margin-left: 5px;">%</div> </div> <div style="display: flex; justify-content: space-around; margin-top: 5px;"> <span>83%</span> <span>14%</span> <span>..</span> </div>
1	B	505	<div style="display: flex; align-items: center;"> <div style="width: 10px; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 5%, orange 15%, yellow 25%, green 82%);"></div> <div style="margin-left: 5px;">%</div> </div> <div style="display: flex; justify-content: space-around; margin-top: 5px;"> <span>82%</span> <span>15%</span> <span>..</span> </div>
2	C	5	<div style="width: 100%; height: 15px; background: linear-gradient(to right, yellow 80%, orange 20%);"></div> <div style="display: flex; justify-content: space-around; margin-top: 5px;"> <span>80%</span> <span>20%</span> </div>
2	G	5	<div style="width: 100%; height: 15px; background: linear-gradient(to right, yellow 80%, orange 20%);"></div> <div style="display: flex; justify-content: space-around; margin-top: 5px;"> <span>80%</span> <span>20%</span> </div>
3	D	4	<div style="width: 100%; height: 15px; background: linear-gradient(to right, green 25%, yellow 50%, orange 25%);"></div> <div style="display: flex; justify-content: space-around; margin-top: 5px;"> <span>25%</span> <span>50%</span> <span>25%</span> </div>

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
3	F	4	
3	H	4	
3	J	4	
4	E	5	
4	I	5	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	MAN	E	4	-	-	-	X

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 16209 atoms, of which 7924 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Sialic acid acetyltransferase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	495	7684	2501	3775	665	717	26	0	0	0
1	B	495	7684	2501	3775	665	717	26	0	0	0

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	14	ASP	-	expression tag	UNP H0VB40
A	15	ARG	-	expression tag	UNP H0VB40
A	16	HIS	-	expression tag	UNP H0VB40
A	17	HIS	-	expression tag	UNP H0VB40
A	18	HIS	-	expression tag	UNP H0VB40
A	19	HIS	-	expression tag	UNP H0VB40
A	20	HIS	-	expression tag	UNP H0VB40
A	21	HIS	-	expression tag	UNP H0VB40
A	22	LYS	-	expression tag	UNP H0VB40
A	23	LEU	-	expression tag	UNP H0VB40
B	14	ASP	-	expression tag	UNP H0VB40
B	15	ARG	-	expression tag	UNP H0VB40
B	16	HIS	-	expression tag	UNP H0VB40
B	17	HIS	-	expression tag	UNP H0VB40
B	18	HIS	-	expression tag	UNP H0VB40
B	19	HIS	-	expression tag	UNP H0VB40
B	20	HIS	-	expression tag	UNP H0VB40
B	21	HIS	-	expression tag	UNP H0VB40
B	22	LYS	-	expression tag	UNP H0VB40
B	23	LEU	-	expression tag	UNP H0VB40

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
2	C	5	Total	C	H	N	O	0	0	0
			111	34	51	2	24			
2	G	5	Total	C	H	N	O	0	0	0
			111	34	51	2	24			

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
3	D	4	Total	C	H	N	O	0	0	0
			92	28	42	2	20			
3	F	4	Total	C	H	N	O	0	0	0
			92	28	42	2	20			
3	H	4	Total	C	H	N	O	0	0	0
			92	28	42	2	20			
3	J	4	Total	C	H	N	O	0	0	0
			92	28	42	2	20			

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
4	E	5	Total	C	H	N	O	0	0	0
			113	34	52	2	25			
4	I	5	Total	C	H	N	O	0	0	0
			113	34	52	2	25			


- Molecule 5 is water.

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
5	A	12	Total 12	O 12	0	0
5	B	13	Total 13	O 13	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Sialic acid acetyltransferase



- Molecule 1: Sialic acid acetyltransferase




- Molecule 2: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

e

Chain G: 

MAG1
MAG2
BMA3
MAN4
FUC5

- Molecule 3: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D: 


MAG1
MAG2
BMA3
MAN4

- Molecule 3: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F: 

MAG1
MAG2
BMA3
MAN4

- Molecule 3: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H: 

MAG1
MAG2
BMA3
MAN4

- Molecule 3: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J: 

MAG1
MAG2
BMA3
MAN4

- Molecule 4: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 

MAG1
MAG2
BMA3
MAN4
MAN5

- Molecule 4: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





MAN1
MAN2
BOLA3
MAN4
MAN5

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 64	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	206.55Å 206.55Å 155.19Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.61 – 2.76 49.61 – 2.76	Depositor EDS
% Data completeness (in resolution range)	55.3 (49.61-2.76) 67.3 (49.61-2.76)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.54 (at 2.77Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, $R_{free}$	0.188 , 0.204 0.191 , 0.202	Depositor DCC
$R_{free}$ test set	1965 reflections (2.87%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	47.3	Xtrriage
Anisotropy	0.370	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 21.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	0.429 for h,-h-k,-l	Xtrriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	16209	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	57.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.74% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FUC, MAN, BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.33	0/4021	0.56	0/5486
1	B	0.33	0/4021	0.56	0/5486
All	All	0.33	0/8042	0.56	0/10972

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3909	3775	3806	47	2
1	B	3909	3775	3806	51	2
2	C	60	51	52	4	0
2	G	60	51	52	4	0
3	D	50	42	43	3	0
3	F	50	42	43	1	0
3	H	50	42	43	3	0
3	J	50	42	43	1	0
4	E	61	52	52	0	0
4	I	61	52	52	0	0
5	A	12	0	0	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	13	0	0	2	0
All	All	8285	7924	7992	111	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (111) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:434:ARG:NH2	1:B:492:GLN:HG3	1.66	1.11
1:A:434:ARG:NH2	1:A:492:GLN:HG3	1.67	1.09
1:B:186:ASN:O	1:B:190:THR:OG1	1.94	0.85
1:A:186:ASN:O	1:A:190:THR:OG1	1.94	0.85
1:A:100:GLN:HG3	1:A:109:THR:HG22	1.59	0.83
1:B:100:GLN:HG3	1:B:109:THR:HG22	1.61	0.81
1:B:466:THR:HG23	3:J:1:NAG:H82	1.67	0.76
1:B:287:ASP:OD1	5:B:601:HOH:O	2.05	0.75
1:A:466:THR:HG23	3:F:1:NAG:H82	1.70	0.72
1:A:419:ASP:OD1	1:A:419:ASP:N	2.29	0.66
1:B:419:ASP:N	1:B:419:ASP:OD1	2.31	0.63
1:B:230:ARG:NH2	1:B:303:THR:OG1	2.33	0.62
1:B:434:ARG:NH2	1:B:492:GLN:CG	2.55	0.61
1:A:230:ARG:NH2	1:A:303:THR:OG1	2.35	0.60
1:B:150:GLN:O	1:B:153:ARG:NH1	2.34	0.60
1:A:461:THR:OG1	1:A:464:THR:HG22	2.02	0.59
1:B:322:GLN:HB2	1:B:361:MET:HE2	1.84	0.59
1:A:322:GLN:HB2	1:A:361:MET:HE2	1.83	0.59
1:B:461:THR:OG1	1:B:464:THR:HG22	2.02	0.58
1:B:186:ASN:HB3	1:B:191:TYR:HB2	1.85	0.58
1:A:186:ASN:HB3	1:A:191:TYR:HB2	1.85	0.58
2:C:2:NAG:O3	2:C:3:BMA:O5	2.19	0.58
1:B:434:ARG:NH1	1:B:492:GLN:OE1	2.36	0.57
1:B:434:ARG:CZ	1:B:492:GLN:HG3	2.33	0.57
1:B:325:SER:OG	1:B:365:LEU:O	2.16	0.57
2:G:2:NAG:O3	2:G:3:BMA:O5	2.18	0.57
1:A:150:GLN:O	1:A:153:ARG:NH1	2.35	0.57
1:A:434:ARG:NH2	1:A:492:GLN:CG	2.56	0.57
3:D:1:NAG:H83	3:D:1:NAG:H3	1.88	0.55
1:A:325:SER:OG	1:A:365:LEU:O	2.17	0.55
1:A:434:ARG:NH1	1:A:492:GLN:OE1	2.39	0.55
3:H:1:NAG:H83	3:H:1:NAG:H3	1.89	0.55

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:434:ARG:CZ	1:A:492:GLN:HG3	2.34	0.55
1:B:339:GLN:NE2	5:B:601:HOH:O	2.40	0.54
1:A:152:VAL:O	1:A:179:PRO:HD3	2.08	0.54
1:A:195:VAL:HG22	1:A:382:LYS:HD2	1.90	0.54
1:B:195:VAL:HG22	1:B:382:LYS:HD2	1.91	0.53
1:B:152:VAL:O	1:B:179:PRO:HD3	2.08	0.53
2:C:1:NAG:C1	2:C:1:NAG:H82	2.39	0.52
2:G:1:NAG:C1	2:G:1:NAG:H82	2.40	0.52
1:A:129:MET:O	1:A:193:SER:HB2	2.10	0.51
1:A:243:LEU:C	1:A:243:LEU:HD12	2.31	0.51
3:H:1:NAG:C1	3:H:1:NAG:H82	2.40	0.51
2:G:1:NAG:H83	2:G:1:NAG:H3	1.93	0.51
1:A:243:LEU:HD12	1:A:243:LEU:O	2.11	0.50
3:D:1:NAG:C1	3:D:1:NAG:H82	2.41	0.50
2:C:1:NAG:H3	2:C:1:NAG:H83	1.94	0.50
1:A:129:MET:O	1:A:193:SER:CB	2.59	0.50
1:A:256:ILE:HG23	1:A:257:LEU:HD23	1.93	0.50
1:B:129:MET:O	1:B:193:SER:HB2	2.10	0.50
1:B:129:MET:O	1:B:193:SER:CB	2.59	0.50
1:A:193:SER:OG	1:A:196:CYS:HB3	2.12	0.50
1:A:193:SER:OG	1:A:196:CYS:CB	2.60	0.50
1:B:193:SER:OG	1:B:196:CYS:CB	2.60	0.50
1:B:243:LEU:C	1:B:243:LEU:HD12	2.32	0.49
1:B:193:SER:OG	1:B:196:CYS:HB3	2.13	0.49
1:B:434:ARG:CZ	1:B:492:GLN:CG	2.91	0.49
1:B:256:ILE:HG23	1:B:257:LEU:HD23	1.96	0.48
1:A:434:ARG:CZ	1:A:492:GLN:CG	2.93	0.47
1:B:222:PRO:HD3	1:B:248:VAL:HG13	1.97	0.47
1:B:304:PHE:O	1:B:308:SER:OG	2.27	0.47
1:B:173:ASP:HB3	1:B:191:TYR:HE1	1.80	0.46
1:B:497:HIS:HD2	1:B:500:SER:H	1.64	0.46
1:A:497:HIS:HD2	1:A:500:SER:H	1.64	0.46
1:B:420:GLY:O	1:B:421:LEU:HD12	2.16	0.46
1:B:75:VAL:HG22	1:B:82:TRP:HB3	1.99	0.45
1:A:221:THR:HG21	1:A:257:LEU:HD11	1.98	0.45
1:B:243:LEU:HD12	1:B:243:LEU:O	2.16	0.45
1:B:365:LEU:HD13	1:B:506:PRO:HG3	1.99	0.45
1:A:97:VAL:HG23	1:A:115:VAL:HG21	1.99	0.45
1:B:221:THR:HG21	1:B:257:LEU:HD11	1.97	0.45
1:A:420:GLY:O	1:A:421:LEU:HD12	2.17	0.45
1:A:75:VAL:HG22	1:A:82:TRP:HB3	1.98	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:459:THR:HG22	1:B:466:THR:OG1	2.17	0.44
1:A:293:PHE:HB3	1:A:294:PRO:HD3	1.99	0.44
1:A:334:PRO:HD3	1:B:334:PRO:HD3	2.00	0.44
1:A:365:LEU:HD13	1:A:506:PRO:HG3	1.98	0.44
1:A:304:PHE:O	1:A:308:SER:OG	2.27	0.44
1:B:97:VAL:HG23	1:B:115:VAL:HG21	1.99	0.44
1:B:293:PHE:HB3	1:B:294:PRO:HD3	1.98	0.44
1:B:247:SER:HB3	1:B:332:ASP:OD2	2.18	0.43
2:G:1:NAG:C1	2:G:1:NAG:C8	2.96	0.43
1:A:207:LEU:HD11	1:A:398:TYR:CZ	2.53	0.43
1:A:173:ASP:HB3	1:A:191:TYR:HE1	1.82	0.43
1:B:413:ILE:HG12	1:B:424:LEU:HD22	2.00	0.43
1:B:207:LEU:HD11	1:B:398:TYR:CZ	2.53	0.43
1:B:232:LEU:HD22	1:B:237:VAL:HG21	2.00	0.43
2:C:1:NAG:C1	2:C:1:NAG:C8	2.96	0.43
1:A:247:SER:HB3	1:A:332:ASP:OD2	2.19	0.42
1:A:459:THR:HG22	1:A:466:THR:OG1	2.18	0.42
1:A:232:LEU:HD22	1:A:237:VAL:HG21	2.00	0.42
1:A:413:ILE:HG12	1:A:424:LEU:HD22	2.02	0.42
1:A:222:PRO:HD3	1:A:248:VAL:HG13	2.01	0.42
1:A:203:LEU:HD12	1:A:203:LEU:HA	1.92	0.42
3:H:1:NAG:C1	3:H:1:NAG:C8	2.97	0.42
1:A:192:MET:HE2	1:A:192:MET:HA	2.01	0.42
1:A:351:VAL:CG2	1:A:361:MET:HB2	2.50	0.42
1:B:351:VAL:CG2	1:B:361:MET:HB2	2.49	0.42
1:A:257:LEU:HD22	1:A:261:MET:HE3	2.02	0.41
1:B:192:MET:HA	1:B:192:MET:HE2	2.02	0.41
1:B:415:LEU:HD11	1:B:476:VAL:HB	2.03	0.41
1:B:156:SER:HB2	1:B:192:MET:CE	2.51	0.41
1:B:116:LEU:HD23	1:B:210:PRO:HB3	2.03	0.41
3:D:1:NAG:C1	3:D:1:NAG:C8	2.98	0.41
1:B:257:LEU:HD22	1:B:261:MET:HE3	2.03	0.41
1:A:415:LEU:HD11	1:A:476:VAL:HB	2.03	0.41
1:B:125:GLY:HA2	1:B:277:GLN:HB2	2.03	0.41
1:B:136:ILE:HG21	1:B:194:ALA:CB	2.51	0.41
1:B:175:GLN:O	1:B:176:TRP:C	2.59	0.40
1:A:175:GLN:O	1:A:176:TRP:C	2.59	0.40
1:A:319:GLY:HA3	1:A:360:PHE:CE2	2.56	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:105:SER:OG	1:B:161:GLU:OE2[6_554]	1.80	0.40
1:A:161:GLU:OE2	1:B:105:SER:OG[6_554]	1.80	0.40

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	493/505 (98%)	467 (95%)	24 (5%)	2 (0%)	34	53
1	B	493/505 (98%)	468 (95%)	24 (5%)	1 (0%)	47	69
All	All	986/1010 (98%)	935 (95%)	48 (5%)	3 (0%)	41	60

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	192	MET
1	B	192	MET
1	A	77	ALA

#### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	431/440 (98%)	424 (98%)	7 (2%)	62	77
1	B	431/440 (98%)	424 (98%)	7 (2%)	62	77
All	All	862/880 (98%)	848 (98%)	14 (2%)	62	77

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	186	ASN
1	A	276	TYR
1	A	354	ARG
1	A	390	HIS
1	A	419	ASP
1	A	429	SER
1	A	462	SER
1	B	186	ASN
1	B	276	TYR
1	B	354	ARG
1	B	390	HIS
1	B	419	ASP
1	B	429	SER
1	B	462	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

36 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NAG	C	1	1,2	14,14,15	0.48	0	17,19,21	1.07	1 (5%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	C	2	2	14,14,15	0.29	0	17,19,21	0.41	0
2	BMA	C	3	2	11,11,12	0.59	0	15,15,17	0.79	0
2	MAN	C	4	2	11,11,12	0.78	0	15,15,17	1.08	1 (6%)
2	FUC	C	5	2	10,10,11	1.66	2 (20%)	14,14,16	1.90	3 (21%)
3	NAG	D	1	1,3	14,14,15	0.62	0	17,19,21	0.93	1 (5%)
3	NAG	D	2	3	14,14,15	0.55	0	17,19,21	0.50	0
3	BMA	D	3	3	11,11,12	0.58	0	15,15,17	1.05	1 (6%)
3	MAN	D	4	3	11,11,12	0.75	0	15,15,17	0.94	1 (6%)
4	NAG	E	1	1,4	14,14,15	0.46	0	17,19,21	0.51	0
4	NAG	E	2	4	14,14,15	0.37	0	17,19,21	0.53	0
4	BMA	E	3	4	11,11,12	0.47	0	15,15,17	0.81	0
4	MAN	E	4	4	11,11,12	0.80	1 (9%)	15,15,17	1.45	2 (13%)
4	MAN	E	5	4	11,11,12	1.03	0	15,15,17	1.00	1 (6%)
3	NAG	F	1	1,3	14,14,15	0.84	1 (7%)	17,19,21	0.62	0
3	NAG	F	2	3	14,14,15	0.23	0	17,19,21	0.48	0
3	BMA	F	3	3	11,11,12	0.61	0	15,15,17	0.75	0
3	MAN	F	4	3	11,11,12	0.72	0	15,15,17	0.94	1 (6%)
2	NAG	G	1	1,2	14,14,15	0.46	0	17,19,21	1.07	1 (5%)
2	NAG	G	2	2	14,14,15	0.28	0	17,19,21	0.41	0
2	BMA	G	3	2	11,11,12	0.59	0	15,15,17	0.78	0
2	MAN	G	4	2	11,11,12	0.79	0	15,15,17	1.07	1 (6%)
2	FUC	G	5	2	10,10,11	1.58	2 (20%)	14,14,16	1.90	3 (21%)
3	NAG	H	1	1,3	14,14,15	0.61	0	17,19,21	0.94	1 (5%)
3	NAG	H	2	3	14,14,15	0.49	0	17,19,21	0.50	0
3	BMA	H	3	3	11,11,12	0.60	0	15,15,17	1.06	1 (6%)
3	MAN	H	4	3	11,11,12	0.81	0	15,15,17	0.96	1 (6%)
4	NAG	I	1	1,4	14,14,15	0.46	0	17,19,21	0.51	0
4	NAG	I	2	4	14,14,15	0.39	0	17,19,21	0.51	0
4	BMA	I	3	4	11,11,12	0.43	0	15,15,17	0.77	0
4	MAN	I	4	4	11,11,12	0.74	0	15,15,17	1.47	1 (6%)
4	MAN	I	5	4	11,11,12	1.00	0	15,15,17	0.98	1 (6%)
3	NAG	J	1	1,3	14,14,15	0.82	1 (7%)	17,19,21	0.66	0
3	NAG	J	2	3	14,14,15	0.28	0	17,19,21	0.49	0
3	BMA	J	3	3	11,11,12	0.62	0	15,15,17	0.75	0
3	MAN	J	4	3	11,11,12	0.78	0	15,15,17	0.96	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	1,2	-	5/6/23/26	0/1/1/1
2	NAG	C	2	2	-	1/6/23/26	0/1/1/1
2	BMA	C	3	2	-	0/2/19/22	0/1/1/1
2	MAN	C	4	2	-	2/2/19/22	0/1/1/1
2	FUC	C	5	2	-	-	0/1/1/1
3	NAG	D	1	1,3	-	4/6/23/26	0/1/1/1
3	NAG	D	2	3	-	0/6/23/26	0/1/1/1
3	BMA	D	3	3	-	0/2/19/22	0/1/1/1
3	MAN	D	4	3	-	2/2/19/22	0/1/1/1
4	NAG	E	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	E	2	4	-	0/6/23/26	0/1/1/1
4	BMA	E	3	4	-	2/2/19/22	0/1/1/1
4	MAN	E	4	4	-	0/2/19/22	0/1/1/1
4	MAN	E	5	4	-	0/2/19/22	0/1/1/1
3	NAG	F	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	F	2	3	-	0/6/23/26	0/1/1/1
3	BMA	F	3	3	-	2/2/19/22	0/1/1/1
3	MAN	F	4	3	-	0/2/19/22	0/1/1/1
2	NAG	G	1	1,2	-	5/6/23/26	0/1/1/1
2	NAG	G	2	2	-	1/6/23/26	0/1/1/1
2	BMA	G	3	2	-	0/2/19/22	0/1/1/1
2	MAN	G	4	2	-	2/2/19/22	0/1/1/1
2	FUC	G	5	2	-	-	0/1/1/1
3	NAG	H	1	1,3	-	4/6/23/26	0/1/1/1
3	NAG	H	2	3	-	0/6/23/26	0/1/1/1
3	BMA	H	3	3	-	0/2/19/22	0/1/1/1
3	MAN	H	4	3	-	2/2/19/22	0/1/1/1
4	NAG	I	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	I	2	4	-	0/6/23/26	0/1/1/1
4	BMA	I	3	4	-	2/2/19/22	0/1/1/1
4	MAN	I	4	4	-	0/2/19/22	0/1/1/1
4	MAN	I	5	4	-	0/2/19/22	0/1/1/1
3	NAG	J	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	J	2	3	-	0/6/23/26	0/1/1/1
3	BMA	J	3	3	-	2/2/19/22	0/1/1/1
3	MAN	J	4	3	-	0/2/19/22	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	5	FUC	C1-C2	4.11	1.61	1.52
2	G	5	FUC	C1-C2	4.04	1.61	1.52
3	F	1	NAG	O5-C1	-2.89	1.39	1.43
3	J	1	NAG	O5-C1	-2.80	1.39	1.43
2	C	5	FUC	O5-C1	2.55	1.47	1.43
2	G	5	FUC	O5-C1	2.28	1.47	1.43
4	E	4	MAN	C1-C2	2.05	1.56	1.52

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	5	FUC	C1-C2-C3	4.59	115.31	109.67
4	I	4	MAN	C1-O5-C5	4.58	118.39	112.19
4	E	4	MAN	C1-O5-C5	4.55	118.36	112.19
2	G	5	FUC	C1-C2-C3	4.49	115.18	109.67
2	G	5	FUC	C1-O5-C5	3.73	121.24	112.78
2	C	5	FUC	C1-O5-C5	3.71	121.19	112.78
2	C	4	MAN	C1-O5-C5	3.07	116.35	112.19
2	C	1	NAG	C2-N2-C7	2.98	127.15	122.90
2	G	4	MAN	C1-O5-C5	2.96	116.20	112.19
2	G	1	NAG	C2-N2-C7	2.89	127.01	122.90
3	D	1	NAG	C2-N2-C7	2.81	126.91	122.90
3	H	1	NAG	C2-N2-C7	2.80	126.89	122.90
3	H	3	BMA	C1-C2-C3	-2.49	106.60	109.67
2	G	5	FUC	O5-C1-C2	2.42	114.50	110.77
3	D	3	BMA	C1-C2-C3	-2.41	106.70	109.67
3	J	4	MAN	C1-O5-C5	2.37	115.40	112.19
3	F	4	MAN	C1-O5-C5	2.37	115.40	112.19
2	C	5	FUC	O5-C1-C2	2.34	114.38	110.77
4	E	5	MAN	O2-C2-C3	-2.18	105.78	110.14
3	H	4	MAN	C1-O5-C5	2.15	115.11	112.19
3	D	4	MAN	C1-O5-C5	2.12	115.06	112.19
4	I	5	MAN	O2-C2-C3	-2.10	105.94	110.14
4	E	4	MAN	O5-C1-C2	2.05	113.94	110.77

There are no chirality outliers.

All (44) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	F	3	BMA	C4-C5-C6-O6
3	J	3	BMA	C4-C5-C6-O6
3	F	1	NAG	O5-C5-C6-O6

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
3	F	3	BMA	O5-C5-C6-O6
3	J	3	BMA	O5-C5-C6-O6
2	C	1	NAG	C4-C5-C6-O6
2	G	1	NAG	C4-C5-C6-O6
3	J	1	NAG	O5-C5-C6-O6
3	F	1	NAG	C4-C5-C6-O6
3	J	1	NAG	C4-C5-C6-O6
2	C	1	NAG	C8-C7-N2-C2
2	C	1	NAG	O7-C7-N2-C2
2	G	1	NAG	C8-C7-N2-C2
2	G	1	NAG	O7-C7-N2-C2
3	D	1	NAG	C8-C7-N2-C2
3	D	1	NAG	O7-C7-N2-C2
3	H	1	NAG	C8-C7-N2-C2
3	H	1	NAG	O7-C7-N2-C2
4	E	3	BMA	O5-C5-C6-O6
4	I	3	BMA	O5-C5-C6-O6
3	H	4	MAN	O5-C5-C6-O6
2	C	1	NAG	O5-C5-C6-O6
2	G	1	NAG	O5-C5-C6-O6
3	D	4	MAN	O5-C5-C6-O6
2	C	4	MAN	C4-C5-C6-O6
2	G	4	MAN	C4-C5-C6-O6
4	E	1	NAG	O5-C5-C6-O6
4	E	1	NAG	C4-C5-C6-O6
4	I	1	NAG	C4-C5-C6-O6
4	I	3	BMA	C4-C5-C6-O6
4	E	3	BMA	C4-C5-C6-O6
4	I	1	NAG	O5-C5-C6-O6
2	G	4	MAN	O5-C5-C6-O6
2	C	4	MAN	O5-C5-C6-O6
2	C	2	NAG	O5-C5-C6-O6
2	G	2	NAG	O5-C5-C6-O6
3	D	4	MAN	C4-C5-C6-O6
3	H	4	MAN	C4-C5-C6-O6
2	C	1	NAG	C1-C2-N2-C7
2	G	1	NAG	C1-C2-N2-C7
3	D	1	NAG	C1-C2-N2-C7
3	H	1	NAG	C1-C2-N2-C7
3	D	1	NAG	C3-C2-N2-C7
3	H	1	NAG	C3-C2-N2-C7



There are no ring outliers.


10 monomers are involved in 16 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	G	1	NAG	3	0
2	C	1	NAG	3	0
3	F	1	NAG	1	0
3	H	1	NAG	3	0
3	J	1	NAG	1	0
2	C	2	NAG	1	0
2	C	3	BMA	1	0
3	D	1	NAG	3	0
2	G	3	BMA	1	0
2	G	2	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.














## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	495/505 (98%)	0.53	6 (1%) 79 85	33, 47, 71, 162	0
1	B	495/505 (98%)	0.57	6 (1%) 79 85	35, 48, 74, 167	0
All	All	990/1010 (98%)	0.55	12 (1%) 79 85	33, 47, 74, 167	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	448	ARG	3.7
1	B	447	ASP	3.3
1	A	448	ARG	3.2
1	A	19	HIS	2.5
1	A	473	ARG	2.3
1	A	512	THR	2.2
1	B	473	ARG	2.1
1	B	422	LEU	2.0
1	A	447	ASP	2.0
1	A	122	LEU	2.0
1	B	478	ALA	2.0
1	B	495	LEU	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	MAN	E	4	11/12	0.70	0.42	90,135,162,181	0
2	MAN	C	4	11/12	0.73	0.40	94,139,173,181	0
2	MAN	G	4	11/12	0.76	0.32	98,138,177,185	0
3	BMA	F	3	11/12	0.78	0.20	103,128,153,154	0
4	MAN	E	5	11/12	0.81	0.37	84,123,150,155	0
2	BMA	C	3	11/12	0.82	0.25	95,136,166,169	0
3	BMA	J	3	11/12	0.84	0.23	103,128,154,169	0
4	MAN	I	4	11/12	0.84	0.43	104,139,174,181	0
4	BMA	I	3	11/12	0.85	0.21	102,124,149,154	0
2	BMA	G	3	11/12	0.85	0.21	95,140,168,182	0
3	MAN	D	4	11/12	0.87	0.21	70,106,137,150	0
3	MAN	J	4	11/12	0.88	0.31	92,121,141,147	0
4	BMA	E	3	11/12	0.88	0.27	108,131,158,164	0
4	MAN	I	5	11/12	0.88	0.34	81,123,147,153	0
3	MAN	F	4	11/12	0.89	0.33	94,122,147,149	0
4	NAG	I	2	14/15	0.90	0.20	69,88,113,126	0
3	NAG	D	2	14/15	0.90	0.18	68,92,111,119	0
3	BMA	H	3	11/12	0.91	0.12	88,109,133,154	0
3	NAG	H	2	14/15	0.92	0.16	70,91,119,178	0
3	BMA	D	3	11/12	0.92	0.12	86,105,126,128	0
3	MAN	H	4	11/12	0.92	0.17	81,106,138,147	0
4	NAG	E	2	14/15	0.93	0.20	70,88,105,110	0
2	FUC	C	5	10/11	0.95	0.19	55,74,93,94	0
2	NAG	G	1	14/15	0.95	0.14	57,79,107,129	0
3	NAG	F	1	14/15	0.95	0.19	49,68,105,143	0
3	NAG	J	2	14/15	0.95	0.15	69,91,114,118	0
3	NAG	D	1	14/15	0.95	0.20	53,74,80,93	0
2	NAG	G	2	14/15	0.95	0.16	66,91,125,148	0
3	NAG	H	1	14/15	0.95	0.17	54,75,87,92	0
3	NAG	J	1	14/15	0.96	0.21	48,67,113,144	0
2	FUC	G	5	10/11	0.96	0.18	57,75,101,101	0
2	NAG	C	2	14/15	0.96	0.17	68,90,135,142	0
2	NAG	C	1	14/15	0.96	0.13	58,77,100,117	0
4	NAG	E	1	14/15	0.97	0.16	49,61,75,76	0
4	NAG	I	1	14/15	0.97	0.18	51,61,112,112	0
3	NAG	F	2	14/15	0.97	0.14	73,92,119,121	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around Chain C:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain G:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain D:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain F:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain H:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain J:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain E:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.