

wwPDB X-ray Structure Validation Summary Report (i)

Nov 21, 2023 – 07:36 AM JST

PDB ID	:	7FBJ
Title	:	Crystal structure of SARS-CoV-2 receptor binding domain in complex with
		neutralizing nanobody 17F6
Authors	:	Zhu, J.; Xu, T.; Feng, B.; Liu, J.
Deposited on	:	2021-07-11
Resolution	:	2.85 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R_{free}	130704	3168 (2.90-2.82)
Clashscore	141614	3438 (2.90-2.82)
Ramachandran outliers	138981	3348 (2.90-2.82)
Sidechain outliers	138945	3351 (2.90-2.82)
RSRZ outliers	127900	3103 (2.90-2.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain			
1	Δ	230	4%	100/		1.20/
	Π	230	8%	12%	•	13%
1	С	230	74%	10%	·	14%
1	F	020	13%			
	E	230	73%	9%	•	15%
1	G	230	74%	8%	•	14%
-	т	220	19%			
	I	230	76%	7%	•	14%
1	Κ	230	6% 76%	8%	•	14%



Mol	Chain	Length	Quality of chain			
1	М	230	74%	10%	·	14%
1	0	230	75%	9%	•	14%
2	В	127	64% 20	1%	·	13%
2	D	127	64% 20	1%	•	12%
2	F	127	65% 2	0%	•	11%
2	Н	127	6% 2:	1%	5%	10%
2	J	127	3% 68%	17%	5%	10%
2	L	127	6% 67% 1	17%	5%	12%
2	N	127	9% 65% 17	% (6%	11%
2	Р	127	^{3%} 66% 1	8%		13%
3	Q	2	50% 5	0%		
3	R	2	50% 5	0%		
3	Т	2	100%			
3	U	2	50% 5	0%		
4	S	3	100%			



2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 19487 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace	
1	Δ	100	Total	С	Ν	0	S	0	0	0	
1	A	199	1566	1004	261	293	8	0	0	0	
1	C	107	Total	С	Ν	0	S	0	0	0	
1	U	197	1553	995	259	291	8	0	0	0	
1	F	105	Total	С	Ν	0	S	0	0	0	
1	Ľ	195	1543	989	257	289	8		0	0	
1	C	198	Total	С	Ν	0	S	0	0	0	0
1	G		1558	998	260	292	8		0	0	
1	т	100	Total	С	Ν	0	S	0	0	0	
1	1	190	1558	998	260	292	8	0	0	0	
1	V	109	Total	С	Ν	0	S	0	0	0	
1	n	198	1558	998	260	292	8	0	0	0	
1	М	109	Total	С	Ν	0	S	0	0	0	
1	111	198	1558	998	260	292	8	0	0	0	
1	0	107	Total	С	Ν	0	S	0	0	0	
	0	197	1553	995	259	291	8		U	U	

• Molecule 1 is a protein called Spike protein S1.

There are 272 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	326	ASP	-	expression tag	UNP P0DTC2
А	327	ALA	-	expression tag	UNP P0DTC2
А	328	ALA	-	expression tag	UNP P0DTC2
А	329	GLN	-	expression tag	UNP P0DTC2
А	330	PRO	-	expression tag	UNP P0DTC2
А	331	ALA	-	expression tag	UNP P0DTC2
А	528	ALA	-	expression tag	UNP P0DTC2
А	529	ALA	-	expression tag	UNP P0DTC2
А	530	ALA	-	expression tag	UNP P0DTC2
А	531	ARG	-	expression tag	UNP P0DTC2
А	532	GLY	-	expression tag	UNP P0DTC2
A	533	GLY	-	expression tag	UNP P0DTC2
A	534	PRO	_	expression tag	UNP P0DTC2



Chain	Residue	Modelled	Actual	Comment	Reference
A	535	GLU	_	expression tag	UNP P0DTC2
A	536	GLN	_	expression tag	UNP P0DTC2
A	537	LYS	_	expression tag	UNP P0DTC2
A	538	LEU	_	expression tag	UNP P0DTC2
A	539	ILE	_	expression tag	UNP P0DTC2
A	540	SER	_	expression tag	UNP P0DTC2
A	541	GLU	_	expression tag	UNP P0DTC2
A	542	GLU	-	expression tag	UNP P0DTC2
A	543	ASP	-	expression tag	UNP P0DTC2
A	544	LEU	-	expression tag	UNP P0DTC2
A	545	ASN	-	expression tag	UNP P0DTC2
A	546	SER	-	expression tag	UNP P0DTC2
A	547	ALA	-	expression tag	UNP P0DTC2
A	548	VAL	-	expression tag	UNP P0DTC2
A	549	ASP	_	expression tag	UNP P0DTC2
A	550	HIS	_	expression tag	UNP P0DTC2
A	551	HIS	_	expression tag	UNP P0DTC2
A	552	HIS	_	expression tag	UNP P0DTC2
A	553	HIS	-	expression tag	UNP P0DTC2
A	554	HIS	-	expression tag	UNP P0DTC2
A	555	HIS	-	expression tag	UNP P0DTC2
С	326	ASP	-	expression tag	UNP P0DTC2
С	327	ALA	-	expression tag	UNP P0DTC2
С	328	ALA	-	expression tag	UNP P0DTC2
С	329	GLN	-	expression tag	UNP P0DTC2
С	330	PRO	-	expression tag	UNP P0DTC2
С	331	ALA	-	expression tag	UNP P0DTC2
С	528	ALA	-	expression tag	UNP P0DTC2
С	529	ALA	-	expression tag	UNP P0DTC2
С	530	ALA	-	expression tag	UNP P0DTC2
С	531	ARG	-	expression tag	UNP P0DTC2
С	532	GLY	-	expression tag	UNP P0DTC2
C	533	GLY	-	expression tag	UNP P0DTC2
C	534	PRO	-	expression tag	UNP P0DTC2
C	535	GLU	-	expression tag	UNP P0DTC2
C	536	GLN	-	expression tag	UNP P0DTC2
С	537	LYS	-	expression tag	UNP P0DTC2
C	538	LEU	-	expression tag	UNP P0DTC2
C	539	ILE	-	expression tag	UNP P0DTC2
C	540	SER	-	expression tag	UNP P0DTC2
C	541	GLU	-	expression tag	UNP P0DTC2
C	542	GLU	-	expression tag	UNP P0DTC2



Continu	ieu jioni pre	tious page		-	
Chain	Residue	Modelled	Actual	Comment	Reference
С	543	ASP	-	expression tag	UNP P0DTC2
С	544	LEU	-	expression tag	UNP P0DTC2
С	545	ASN	-	expression tag	UNP P0DTC2
С	546	SER	-	expression tag	UNP P0DTC2
С	547	ALA	-	expression tag	UNP P0DTC2
С	548	VAL	-	expression tag	UNP P0DTC2
С	549	ASP	-	expression tag	UNP P0DTC2
С	550	HIS	-	expression tag	UNP P0DTC2
С	551	HIS	-	expression tag	UNP P0DTC2
С	552	HIS	-	expression tag	UNP P0DTC2
С	553	HIS	-	expression tag	UNP P0DTC2
С	554	HIS	-	expression tag	UNP P0DTC2
С	555	HIS	-	expression tag	UNP P0DTC2
Е	326	ASP	-	expression tag	UNP P0DTC2
Е	327	ALA	-	expression tag	UNP P0DTC2
Е	328	ALA	-	expression tag	UNP P0DTC2
Е	329	GLN	-	expression tag	UNP P0DTC2
Е	330	PRO	-	expression tag	UNP P0DTC2
Е	331	ALA	-	expression tag	UNP P0DTC2
Е	528	ALA	-	expression tag	UNP P0DTC2
Е	529	ALA	-	expression tag	UNP P0DTC2
Е	530	ALA	-	expression tag	UNP P0DTC2
Е	531	ARG	-	expression tag	UNP P0DTC2
Е	532	GLY	-	expression tag	UNP P0DTC2
Е	533	GLY	-	expression tag	UNP P0DTC2
Е	534	PRO	-	expression tag	UNP P0DTC2
Е	535	GLU	-	expression tag	UNP P0DTC2
Е	536	GLN	-	expression tag	UNP P0DTC2
Е	537	LYS	-	expression tag	UNP P0DTC2
Е	538	LEU	-	expression tag	UNP P0DTC2
Е	539	ILE	-	expression tag	UNP P0DTC2
Е	540	SER	-	expression tag	UNP P0DTC2
Е	541	GLU	-	expression tag	UNP P0DTC2
Е	542	GLU	-	expression tag	UNP P0DTC2
Е	543	ASP	-	expression tag	UNP P0DTC2
Е	544	LEU	-	expression tag	UNP P0DTC2
Е	545	ASN	-	expression tag	UNP P0DTC2
Е	546	SER	-	expression tag	UNP P0DTC2
Е	547	ALA	-	expression tag	UNP P0DTC2
Е	548	VAL	-	expression tag	UNP P0DTC2
Е	549	ASP	-	expression tag	UNP P0DTC2
Е	550	HIS	-	expression tag	UNP P0DTC2



					DC
Chain	Residue	Modelled	Actual	Comment	Reference
E	551	HIS	-	expression tag	UNP P0DTC2
E	552	HIS	-	expression tag	UNP P0DTC2
E	553	HIS	-	expression tag	UNP P0DTC2
E	554	HIS	-	expression tag	UNP P0DTC2
E	555	HIS	-	expression tag	UNP P0DTC2
G	326	ASP	-	expression tag	UNP P0DTC2
G	327	ALA	-	expression tag	UNP P0DTC2
G	328	ALA	-	expression tag	UNP P0DTC2
G	329	GLN	-	expression tag	UNP P0DTC2
G	330	PRO	-	expression tag	UNP P0DTC2
G	331	ALA	-	expression tag	UNP P0DTC2
G	528	ALA	-	expression tag	UNP P0DTC2
G	529	ALA	-	expression tag	UNP P0DTC2
G	530	ALA	-	expression tag	UNP P0DTC2
G	531	ARG	-	expression tag	UNP P0DTC2
G	532	GLY	-	expression tag	UNP P0DTC2
G	533	GLY	-	expression tag	UNP P0DTC2
G	534	PRO	-	expression tag	UNP P0DTC2
G	535	GLU	-	expression tag	UNP P0DTC2
G	536	GLN	-	expression tag	UNP P0DTC2
G	537	LYS	-	expression tag	UNP P0DTC2
G	538	LEU	-	expression tag	UNP P0DTC2
G	539	ILE	-	expression tag	UNP P0DTC2
G	540	SER	-	expression tag	UNP P0DTC2
G	541	GLU	-	expression tag	UNP P0DTC2
G	542	GLU	-	expression tag	UNP P0DTC2
G	543	ASP	-	expression tag	UNP P0DTC2
G	544	LEU	-	expression tag	UNP P0DTC2
G	545	ASN	-	expression tag	UNP P0DTC2
G	546	SER	-	expression tag	UNP P0DTC2
G	547	ALA	-	expression tag	UNP P0DTC2
G	548	VAL	-	expression tag	UNP P0DTC2
G	549	ASP	-	expression tag	UNP P0DTC2
G	550	HIS	-	expression tag	UNP P0DTC2
G	551	HIS	-	expression tag	UNP P0DTC2
G	552	HIS	-	expression tag	UNP P0DTC2
G	553	HIS	-	expression tag	UNP P0DTC2
G	554	HIS	_	expression tag	UNP P0DTC2
G	555	HIS	-	expression tag	UNP P0DTC2
Ι	326	ASP	-	expression tag	UNP P0DTC2
Ι	327	ALA	-	expression tag	UNP P0DTC2
Ι	328	ALA	-	expression tag	UNP P0DTC2



Chain	Residue	Modelled	Actual	Comment	Reference
Ι	329	GLN	-	expression tag	UNP P0DTC2
Ι	330	PRO	_	expression tag	UNP P0DTC2
Ι	331	ALA	-	expression tag	UNP P0DTC2
Ι	528	ALA	-	expression tag	UNP P0DTC2
Ι	529	ALA	_	expression tag	UNP P0DTC2
Ι	530	ALA	_	expression tag	UNP P0DTC2
Ι	531	ARG	_	expression tag	UNP P0DTC2
Ι	532	GLY	-	expression tag	UNP P0DTC2
Ι	533	GLY	-	expression tag	UNP P0DTC2
Ι	534	PRO	-	expression tag	UNP P0DTC2
Ι	535	GLU	-	expression tag	UNP P0DTC2
Ι	536	GLN	-	expression tag	UNP P0DTC2
Ι	537	LYS	-	expression tag	UNP P0DTC2
Ι	538	LEU	-	expression tag	UNP P0DTC2
Ι	539	ILE	-	expression tag	UNP P0DTC2
Ι	540	SER	-	expression tag	UNP P0DTC2
Ι	541	GLU	-	expression tag	UNP P0DTC2
Ι	542	GLU	-	expression tag	UNP P0DTC2
Ι	543	ASP	-	expression tag	UNP P0DTC2
Ι	544	LEU	-	expression tag	UNP P0DTC2
Ι	545	ASN	-	expression tag	UNP P0DTC2
Ι	546	SER	-	expression tag	UNP P0DTC2
Ι	547	ALA	-	expression tag	UNP P0DTC2
Ι	548	VAL	-	expression tag	UNP P0DTC2
Ι	549	ASP	-	expression tag	UNP P0DTC2
Ι	550	HIS	-	expression tag	UNP P0DTC2
I	551	HIS	-	expression tag	UNP P0DTC2
I	552	HIS	-	expression tag	UNP P0DTC2
I	553	HIS	-	expression tag	UNP P0DTC2
I	554	HIS	-	expression tag	UNP P0DTC2
I	555	HIS	-	expression tag	UNP P0DTC2
K	326	ASP	-	expression tag	UNP P0DTC2
K	327	ALA	-	expression tag	UNP P0DTC2
K	328	ALA	-	expression tag	UNP P0DTC2
K	329	GLN	-	expression tag	UNP P0DTC2
K	330	PRO	-	expression tag	UNP P0DTC2
K	331	ALA	-	expression tag	UNP P0DTC2
K	528	ALA	-	expression tag	UNP P0DTC2
K	529	ALA	-	expression tag	UNP P0DTC2
K	530	ALA	-	expression tag	UNP P0DTC2
K	531	ARG	-	expression tag	UNP P0DTC2
K	532	GLY	-	expression tag	UNP P0DTC2



Chain			Astess	Comment	Defenses
Chain	Residue	Modelled	Actual	Comment	Reference
K	533	GLY	-	expression tag	UNP PODTC2
K	534	PRO	-	expression tag	UNP PODTC2
K	535	GLU	-	expression tag	UNP PODTC2
K	536	GLN	-	expression tag	UNP P0DTC2
K	537	LYS	-	expression tag	UNP P0DTC2
K	538	LEU	-	expression tag	UNP P0DTC2
K	539	ILE	-	expression tag	UNP P0DTC2
K	540	SER	-	expression tag	UNP P0DTC2
K	541	GLU	-	expression tag	UNP P0DTC2
K	542	GLU	-	expression tag	UNP P0DTC2
K	543	ASP	-	expression tag	UNP P0DTC2
K	544	LEU	-	expression tag	UNP P0DTC2
K	545	ASN	-	expression tag	UNP P0DTC2
K	546	SER	-	expression tag	UNP P0DTC2
K	547	ALA	-	expression tag	UNP P0DTC2
K	548	VAL	-	expression tag	UNP P0DTC2
K	549	ASP	-	expression tag	UNP P0DTC2
K	550	HIS	-	expression tag	UNP P0DTC2
K	551	HIS	-	expression tag	UNP P0DTC2
K	552	HIS	-	expression tag	UNP P0DTC2
K	553	HIS	_	expression tag	UNP P0DTC2
K	554	HIS	-	expression tag	UNP P0DTC2
K	555	HIS	-	expression tag	UNP P0DTC2
М	326	ASP	-	expression tag	UNP P0DTC2
М	327	ALA	-	expression tag	UNP P0DTC2
М	328	ALA	-	expression tag	UNP P0DTC2
M	329	GLN	-	expression tag	UNP P0DTC2
M	330	PRO	_	expression tag	UNP P0DTC2
M	331	ALA	_	expression tag	UNP P0DTC2
M	528	ALA	_	expression tag	UNP P0DTC2
M	529	ALA	_	expression tag	UNP P0DTC2
M	530	ALA	_	expression tag	UNP P0DTC2
M	531	ARG	_	expression tag	UNP P0DTC2
M	532	GLY	_	expression tag	UNP P0DTC2
M	533	GLY	_	expression tag	UNP PODTC2
M	534	PRO	_	expression tag	UNP PODTC2
M	535	GLU	_	expression tag	UNP PODTC2
M	536	GLN	_	expression tag	UNP PODTC2
M	537	LYS	_	expression tag	UNP PODTC2
M	538	LEU	_	expression tag	$\frac{100102}{100102}$
M	530	ILE	_	expression tag	UNP PODTC2
M	5/0	SEB	_	ovpression tag	UNP PODTC2
1V1	040	l DEU	-	expression tag	0 N1 1 0 D 1 0 2



Continu	ieu jiom pre	vious page				
Chain	Residue	Modelled	Actual	Comment	Reference	
М	541	GLU	-	expression tag	UNP P0DTC2	
М	542	GLU	-	expression tag	UNP P0DTC2	
М	543	ASP	-	expression tag	UNP P0DTC2	
М	544	LEU	-	expression tag	UNP P0DTC2	
М	545	ASN	-	expression tag	UNP P0DTC2	
М	546	SER	-	expression tag	UNP P0DTC2	
М	547	ALA	-	expression tag	UNP P0DTC2	
М	548	VAL	-	expression tag	UNP P0DTC2	
М	549	ASP	-	expression tag	UNP P0DTC2	
М	550	HIS	-	expression tag	UNP P0DTC2	
М	551	HIS	-	expression tag	UNP P0DTC2	
М	552	HIS	-	expression tag	UNP P0DTC2	
М	553	HIS	-	expression tag	UNP P0DTC2	
М	554	HIS	-	expression tag	UNP P0DTC2	
М	555	HIS	-	expression tag	UNP P0DTC2	
0	326	ASP	-	expression tag	UNP P0DTC2	
0	327	ALA	-	expression tag	UNP P0DTC2	
0	328	ALA	-	expression tag	UNP P0DTC2	
0	329	GLN	-	expression tag	UNP P0DTC2	
0	330	PRO	-	expression tag	UNP P0DTC2	
0	331	ALA	-	expression tag	UNP P0DTC2	
0	528	ALA	-	expression tag	UNP P0DTC2	
0	529	ALA	-	expression tag	UNP P0DTC2	
0	530	ALA	-	expression tag	UNP P0DTC2	
0	531	ARG	-	expression tag	UNP P0DTC2	
0	532	GLY	-	expression tag	UNP P0DTC2	
0	533	GLY	-	expression tag	UNP P0DTC2	
0	534	PRO	-	expression tag	UNP P0DTC2	
0	535	GLU	-	expression tag	UNP P0DTC2	
0	536	GLN	-	expression tag	UNP P0DTC2	
0	537	LYS	-	expression tag	UNP P0DTC2	
0	538	LEU	-	expression tag	UNP P0DTC2	
0	539	ILE	-	expression tag	UNP P0DTC2	
0	540	SER	-	expression tag	UNP P0DTC2	
0	541	GLU	-	expression tag	UNP P0DTC2	
0	542	GLU	-	expression tag	UNP P0DTC2	
0	543	ASP	-	expression tag	UNP P0DTC2	
0	544	LEU	-	expression tag	UNP P0DTC2	
0	545	ASN	-	expression tag	UNP P0DTC2	
0	546	SER	-	expression tag	UNP P0DTC2	
0	547	ALA	-	expression tag	UNP P0DTC2	
0	548	VAL	-	expression tag	UNP P0DTC2	



Chain	Residue	Modelled	Actual Comment		Reference
0	549	ASP	-	expression tag	UNP P0DTC2
0	550	HIS	-	expression tag	UNP P0DTC2
0	551	HIS	-	expression tag	UNP P0DTC2
0	552	HIS	-	expression tag	UNP P0DTC2
0	553	HIS	-	expression tag	UNP P0DTC2
0	554	HIS	-	expression tag	UNP P0DTC2
0	555	HIS	-	expression tag	UNP P0DTC2

• Molecule 2 is a protein called New antigen receptor variable domain.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
0	Р	111	Total	С	Ν	0	S	0	0	0
	D	111	845	520	145	174	6	0	0	0
9	Л	119	Total	С	Ν	0	S	0	0	0
		112	851	523	146	176	6	0	0	0
0	Б	112	Total	С	Ν	0	S	0	0	0
		110	855	525	147	177	6	0	0	0
0	ц	114	Total	С	Ν	0	S	0	0	0
	2 H	114	864	531	148	178	7	0	0	0
0	т	114	Total	С	Ν	0	S	0	0	0
	1	114	864	531	148	178	7	0		
0	т	119	Total	С	Ν	0	S	0	0	0
		112	851	523	146	176	6	0	0	0
0	N	112	Total	С	Ν	0	S	0	0	0
	IN	115	859	528	147	177	7	0	0	0
0	D	111	Total	С	Ν	0	S	0	0	0
	Г		846	520	145	175	6		0	U

• Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
3	Q	2	Total C N O 28 16 2 10	0	0	0
3	R	2	Total C N O 28 16 2 10	0	0	0
3	Т	2	Total C N O 28 16 2 10	0	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	U	2	Total 28	C 16	N 2	O 10	0	0	0

• Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-b eta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	S	3	Total 39	C 22	N 2	O 15	0	0	0

• Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	1	Total C N O 14 8 1 5	0	0
5	С	1	Total C N O 14 8 1 5	0	0
5	Е	1	Total C N O 14 8 1 5	0	0

• Molecule 6 is water.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	2	Total O 2 2	0	0
6	В	1	Total O 1 1	0	0
6	С	1	Total O 1 1	0	0
6	Н	1	Total O 1 1	0	0
6	J	2	Total O 2 2	0	0
6	L	1	Total O 1 1	0	0
6	М	3	Total O 3 3	0	0
6	Р	1	Total O 1 1	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Spike protein S1









• Molecule 2: New antigen receptor variable domain





• Molecule 2: New antigen receptor variable domain



SER GLY GLY LEU LEU HIS HIS HIS HIS HIS







Chain Q: 50%

NAG1 NAG2

• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

50%



Chain R:	50%	50%	
NAG1 NAG2			
• Molecule 3 opyranose	3: 2-acetamido-2-deoxy-beta	a-D-glucopyranose-(1-4)-2-acetamid	o-2-deoxy-beta-D-gluc
Chain T:		100%	
NAG1 NAG2			
• Molecule 3 opyranose	3: 2-acetamido-2-deoxy-beta	a-D-glucopyranose-(1-4)-2-acetamid	o-2-deoxy-beta-D-gluc
Chain U:	50%	50%	
NAG1 NAG2			

• Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:

100%

NAG1 NAG2 BMA3



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	82.02Å 73.75Å 270.72Å	Deperitor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
$\mathbf{P}_{\text{oscolution}}(\hat{\mathbf{A}})$	90.40 - 2.85	Depositor
Resolution (A)	90.24 - 2.85	EDS
% Data completeness	99.8 (90.40-2.85)	Depositor
(in resolution range)	99.8 (90.24-2.85)	EDS
R _{merge}	0.13	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.09 (at 2.86 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
D D.	0.254 , 0.300	Depositor
Π, Π_{free}	0.253 , 0.296	DCC
R_{free} test set	3645 reflections $(4.80%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	69.7	Xtriage
Anisotropy	0.463	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.30 , 37.0	EDS
L-test for twinning ²	$< L >=0.50, < L^2>=0.33$	Xtriage
Estimated twinning fraction	0.428 for h,-k,-l	Xtriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	19487	wwPDB-VP
Average B, all atoms $(Å^2)$	85.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.20% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bo	ond angles
	Ullaili	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.78	0/1610	0.92	0/2193
1	С	0.78	0/1597	0.87	0/2175
1	Е	0.75	0/1587	0.88	0/2161
1	G	0.73	0/1602	0.87	1/2182~(0.0%)
1	Ι	0.73	0/1602	0.88	1/2182~(0.0%)
1	Κ	0.73	0/1602	0.88	0/2182
1	М	0.79	0/1602	0.88	0/2182
1	0	0.74	0/1597	0.90	1/2175~(0.0%)
2	В	0.84	0/858	1.00	0/1158
2	D	0.81	0/864	0.98	0/1166
2	F	0.80	0/868	0.98	0/1171
2	Н	0.82	0/877	1.00	0/1183
2	J	0.78	0/877	1.02	0/1183
2	L	0.85	1/864~(0.1%)	1.02	0/1166
2	Ν	0.79	0/872	1.04	1/1176~(0.1%)
2	Р	0.84	1/859~(0.1%)	1.02	0/1159
All	All	0.78	2/19738~(0.0%)	0.93	4/26794~(0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
2	L	90	ALA	C-O	6.13	1.34	1.23
2	Р	90	ALA	C-O	6.08	1.34	1.23

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	0	403	ARG	CG-CD-NE	6.88	126.24	111.80
2	Ν	54	ARG	N-CA-CB	6.70	122.66	110.60
1	G	466	ARG	CB-CG-CD	6.33	128.05	111.60



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	Ι	466	ARG	CB-CG-CD	5.30	125.38	111.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1566	0	1485	31	0
1	С	1553	0	1469	15	1
1	Е	1543	0	1459	23	0
1	G	1558	0	1474	17	0
1	Ι	1558	0	1474	14	0
1	K	1558	0	1474	13	0
1	М	1558	0	1474	22	0
1	0	1553	0	1469	13	0
2	В	845	0	820	19	0
2	D	851	0	825	15	0
2	F	855	0	828	12	0
2	Н	864	0	839	24	0
2	J	864	0	839	17	0
2	L	851	0	825	16	0
2	N	859	0	834	16	0
2	Р	846	0	820	8	1
3	Q	28	0	25	0	0
3	R	28	0	25	0	0
3	Т	28	0	25	0	0
3	U	28	0	25	1	0
4	S	39	0	34	0	0
5	А	14	0	13	0	0
5	С	14	0	13	0	0
5	Е	14	0	13	0	0
6	А	2	0	0	0	0
6	В	1	0	0	0	0
6	С	1	0	0	0	0
6	Н	1	0	0	3	0



	3	1	1 5			
Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	J	2	0	0	0	0
6	L	1	0	0	1	0
6	М	3	0	0	0	0
6	Р	1	0	0	0	0
All	All	19487	0	18581	231	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 231 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:J:25:ARG:NH2	1:M:484:GLU:OE1	1.79	1.15
1:A:484:GLU:OE1	2:H:25:ARG:NH2	1.91	1.03
2:H:91:GLY:N	6:H:201:HOH:O	2.02	0.92
1:A:372:ALA:HA	2:B:84:ARG:NH2	1.94	0.82
1:A:372:ALA:HA	2:B:84:ARG:HH22	1.47	0.80

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:484:GLU:OE2	2:P:25:ARG:NH2[1_565]	2.19	0.01

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	197/230~(86%)	189 (96%)	7 (4%)	1 (0%)	29	57
1	С	195/230~(85%)	188 (96%)	7 (4%)	0	100	100



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	Ε	193/230~(84%)	188~(97%)	5 (3%)	0	100	100
1	G	196/230~(85%)	189~(96%)	7~(4%)	0	100	100
1	Ι	196/230~(85%)	189~(96%)	7~(4%)	0	100	100
1	K	196/230~(85%)	191~(97%)	5(3%)	0	100	100
1	М	196/230~(85%)	188 (96%)	8 (4%)	0	100	100
1	Ο	195/230~(85%)	191 (98%)	4 (2%)	0	100	100
2	В	109/127~(86%)	105 (96%)	4 (4%)	0	100	100
2	D	110/127~(87%)	104 (94%)	5 (4%)	1 (1%)	17	43
2	F	111/127~(87%)	105~(95%)	5 (4%)	1 (1%)	17	43
2	Н	112/127~(88%)	107~(96%)	5 (4%)	0	100	100
2	J	112/127~(88%)	106 (95%)	6 (5%)	0	100	100
2	L	110/127~(87%)	105~(96%)	5 (4%)	0	100	100
2	Ν	111/127 (87%)	106 (96%)	5 (4%)	0	100	100
2	Р	109/127~(86%)	106 (97%)	3 (3%)	0	100	100
All	All	2448/2856 (86%)	2357 (96%)	88 (4%)	3 (0%)	51	79

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	F	53	GLY
1	А	372	ALA
2	D	53	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	169/194~(87%)	161~(95%)	8 (5%)	26	56
1	С	168/194~(87%)	157~(94%)	11~(6%)	17	41
1	Е	168/194~(87%)	159~(95%)	9~(5%)	22	49



Mol	Chain	Analysed	Rotameric	Outliers	Pe	rce	ntiles
1	G	168/194~(87%)	156~(93%)	12 (7%)		14	36
1	Ι	168/194~(87%)	158 (94%)	10 (6%)	-	19	45
1	Κ	168/194~(87%)	160~(95%)	8 (5%)	4	25	55
1	М	168/194~(87%)	160~(95%)	8 (5%)	4	25	55
1	О	168/194~(87%)	159~(95%)	9~(5%)	4	22	49
2	В	93/106~(88%)	77~(83%)	16 (17%)		2	5
2	D	94/106~(89%)	76 (81%)	18 (19%)		1	3
2	F	94/106~(89%)	77 (82%)	17 (18%)		1	4
2	Н	95/106~(90%)	78~(82%)	17 (18%)		2	4
2	J	95/106~(90%)	79~(83%)	16 (17%)		2	5
2	L	94/106 (89%)	78 (83%)	16 (17%)		2	5
2	N	95/106 (90%)	78 (82%)	17 (18%)		2	4
2	Р	94/106~(89%)	79 (84%)	15 (16%)		2	6
All	All	$\overline{2099/2400}~(88\%)$	1892 (90%)	207 (10%)		8	21

 $5~{\rm of}~207$ residues with a non-rotameric side chain are listed below:

Mol	Chain	\mathbf{Res}	Type
1	Ι	494	SER
2	L	2	ARG
2	Р	45	LYS
2	J	10	THR
2	J	88	LEU

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 35 such side chains are listed below:

Mol	Chain	Res	Type
1	М	450	ASN
1	М	460	ASN
1	0	450	ASN
1	G	450	ASN
2	F	51	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.



5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

11 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Tuno	Chain	Dog	Link	Bo	Bond lengths			ond ang	les
WIOI	туре	Ullalli	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	Q	1	3,1	14,14,15	0.66	0	17,19,21	2.21	5 (29%)
3	NAG	Q	2	3	14,14,15	0.44	0	17,19,21	0.91	0
3	NAG	R	1	3,1	14,14,15	0.64	0	17,19,21	1.68	1 (5%)
3	NAG	R	2	3	14,14,15	0.52	0	17,19,21	0.94	0
4	NAG	S	1	4,1	14,14,15	0.60	0	17,19,21	1.47	2 (11%)
4	NAG	S	2	4	14,14,15	0.51	0	17,19,21	1.14	1 (5%)
4	BMA	S	3	4	11,11,12	0.50	0	15,15,17	0.94	1 (6%)
3	NAG	Т	1	3,1	14,14,15	0.58	0	17,19,21	1.35	3 (17%)
3	NAG	Т	2	3	14,14,15	0.35	0	17,19,21	1.30	3 (17%)
3	NAG	U	1	3,1	14,14,15	0.70	0	17,19,21	2.31	7 (41%)
3	NAG	U	2	3	14,14,15	0.54	0	17,19,21	1.41	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	Q	1	3,1	-	1/6/23/26	0/1/1/1
3	NAG	Q	2	3	-	0/6/23/26	0/1/1/1
3	NAG	R	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	R	2	3	-	0/6/23/26	0/1/1/1
4	NAG	S	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	S	2	4	-	0/6/23/26	0/1/1/1



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	BMA	S	3	4	-	2/2/19/22	0/1/1/1
3	NAG	Т	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	Т	2	3	-	2/6/23/26	0/1/1/1
3	NAG	U	1	3,1	-	5/6/23/26	0/1/1/1
3	NAG	U	2	3	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

The worst 5 of 26 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	R	1	NAG	C1-O5-C5	5.67	119.87	112.19
3	Q	1	NAG	C1-C2-N2	5.49	119.87	110.49
3	U	1	NAG	O5-C1-C2	-4.87	103.60	111.29
3	Q	1	NAG	C1-O5-C5	4.34	118.07	112.19
3	U	1	NAG	C2-N2-C7	4.33	129.07	122.90

There are no chirality outliers.

5 of 10 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	U	1	NAG	C3-C2-N2-C7
4	S	3	BMA	O5-C5-C6-O6
3	Т	2	NAG	C8-C7-N2-C2
3	Т	2	NAG	O7-C7-N2-C2
3	U	1	NAG	C8-C7-N2-C2

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	U	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





















5.6 Ligand geometry (i)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Pog Link Bond lengths					Bond angles		
IVIOI	туре	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2	
5	NAG	А	701	1	14,14,15	1.17	0	17,19,21	2.33	4 (23%)	
5	NAG	Е	701	1	14,14,15	1.25	1 (7%)	17,19,21	1.94	3 (17%)	
5	NAG	С	701	1	14,14,15	1.32	2 (14%)	17,19,21	2.39	3 (17%)	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	А	701	1	-	4/6/23/26	0/1/1/1
5	NAG	Е	701	1	-	2/6/23/26	0/1/1/1
5	NAG	С	701	1	-	1/6/23/26	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
5	С	701	NAG	C1-C2	2.76	1.56	1.52
5	С	701	NAG	O5-C1	2.49	1.47	1.43
5	Е	701	NAG	C1-C2	2.25	1.55	1.52

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
5	С	701	NAG	C1-O5-C5	7.59	122.47	112.19
5	А	701	NAG	C1-O5-C5	7.35	122.15	112.19
5	Е	701	NAG	C1-O5-C5	5.15	119.17	112.19
5	С	701	NAG	C1-C2-N2	3.68	116.78	110.49
5	Е	701	NAG	O5-C5-C6	3.58	112.81	107.20

There are no chirality outliers.

5 of 7 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	А	701	NAG	O5-C5-C6-O6
5	А	701	NAG	C4-C5-C6-O6
5	А	701	NAG	C8-C7-N2-C2
5	А	701	NAG	O7-C7-N2-C2
5	Е	701	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(A^2)$	Q<0.9
1	А	199/230~(86%)	0.45	10 (5%) 28 24	46, 66, 107, 140	0
1	С	197/230~(85%)	0.70	18 (9%) 9 6	57, 82, 132, 162	0
1	E	195/230~(84%)	0.84	29 (14%) 2 1	57, 82, 127, 165	0
1	G	198/230~(86%)	1.06	40 (20%) 1 0	58, 87, 132, 155	0
1	Ι	198/230~(86%)	1.03	44 (22%) 0 0	62, 88, 130, 149	0
1	K	198/230~(86%)	0.56	14 (7%) 16 12	57, 83, 127, 147	0
1	М	198/230~(86%)	0.41	7 (3%) 44 38	49, 65, 108, 140	0
1	Ο	197/230~(85%)	0.58	10 (5%) 28 23	57, 83, 130, 148	0
2	В	111/127~(87%)	0.79	15 (13%) 3 2	52, 78, 127, 143	0
2	D	112/127~(88%)	1.11	20~(17%) 1 1	78, 109, 150, 173	0
2	F	113/127~(88%)	1.38	31 (27%) 0 0	77, 109, 150, 166	0
2	Н	114/127~(89%)	0.52	8 (7%) 16 12	54, 72, 102, 144	0
2	J	114/127~(89%)	0.41	4 (3%) 44 38	53, 72, 102, 144	0
2	L	112/127~(88%)	0.55	8 (7%) 16 12	51, 71, 96, 129	0
2	N	113/127 (88%)	0.70	11 (9%) 7 5	52, 80, 128, 149	0
2	Р	111/127 (87%)	0.56	4 (3%) 42 37	52, 70, 96, 131	0
All	All	2480/2856 (86%)	0.72	273 (11%) 5 4	46, 80, 134, 173	0

The worst 5 of 273 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	Ι	333	THR	8.3
2	D	49	LEU	7.7
2	F	50	SER	7.7
1	G	333	THR	6.8
2	D	48	SER	6.2



6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
4	BMA	S	3	11/12	0.33	0.33	143,158,168,170	0
3	NAG	U	2	14/15	0.61	0.34	136,141,153,154	0
3	NAG	U	1	14/15	0.67	0.23	100,114,122,136	0
3	NAG	Т	2	14/15	0.69	0.22	91,130,141,145	0
3	NAG	Q	2	14/15	0.73	0.20	113,124,134,134	0
3	NAG	Т	1	14/15	0.76	0.24	92,103,115,126	0
3	NAG	R	2	14/15	0.78	0.20	106,132,143,144	0
4	NAG	S	2	14/15	0.82	0.21	130,151,162,163	0
4	NAG	S	1	14/15	0.85	0.17	89,106,111,128	0
3	NAG	Q	1	14/15	0.88	0.16	83,96,102,115	0
3	NAG	R	1	14/15	0.88	0.14	79,92,94,106	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



















6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
5	NAG	Е	701	14/15	0.58	0.30	104,116,120,122	0
5	NAG	С	701	14/15	0.60	0.25	106,119,124,125	0
5	NAG	А	701	14/15	0.81	0.20	89,95,99,100	0

6.5 Other polymers (i)

There are no such residues in this entry.

