



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 6, 2023 – 04:51 PM EDT

PDB ID : 4FGW
Title : Structure of Glycerol-3-Phosphate Dehydrogenase, GPD1, from *Sacharomyces Cerevisiae*
Authors : Aparicio, D.; Munmun, N.; Carpena, X.; Fita, I.; Loewen, P.
Deposited on : 2012-06-05
Resolution : 2.45 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.35
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1544 (2.48-2.44)
Clashscore	141614	1613 (2.48-2.44)
Ramachandran outliers	138981	1598 (2.48-2.44)
Sidechain outliers	138945	1598 (2.48-2.44)
RSRZ outliers	127900	1523 (2.48-2.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	391	
1	B	391	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 5516 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glycerol-3-phosphate dehydrogenase [NAD(+)] 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	353	2731	1743	459	514	15	0	0	0
1	B	353	2731	1743	459	514	15	0	0	0

- Molecule 2 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	39	Total	O	0	0
			39	39		
2	B	15	Total	O	0	0
			15	15		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glycerol-3-phosphate dehydrogenase [NAD(+)] 1

Chain A: 



- Molecule 1: Glycerol-3-phosphate dehydrogenase [NAD(+)] 1

Chain B: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 43	Depositor
Cell constants a, b, c, α , β , γ	64.42Å 64.42Å 198.41Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.40 – 2.45 29.42 – 2.45	Depositor EDS
% Data completeness (in resolution range)	99.3 (29.40-2.45) 99.8 (29.42-2.45)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.04	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.53 (at 2.45Å)	Xtrriage
Refinement program	BUSTER 2.10.0	Depositor
R, R_{free}	0.200 , 0.207 0.203 , 0.211	Depositor DCC
R_{free} test set	1492 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	54.2	Xtrriage
Anisotropy	0.208	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 51.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	0.057 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5516	wwPDB-VP
Average B, all atoms (Å ²)	83.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.21% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.49	0/2791	0.70	0/3788
1	B	0.51	0/2791	0.75	5/3788 (0.1%)
All	All	0.50	0/5582	0.72	5/7576 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	207	ARG	N-CA-C	-8.03	89.32	111.00
1	B	285	PRO	N-CA-C	7.01	130.33	112.10
1	B	207	ARG	CB-CA-C	-6.88	96.63	110.40
1	B	208	GLY	N-CA-C	6.57	129.53	113.10
1	B	285	PRO	CA-C-N	5.81	129.98	117.20

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	284	PHE	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2731	0	2693	54	0
1	B	2731	0	2693	53	0
2	A	39	0	0	0	0
2	B	15	0	0	0	0
All	All	5516	0	5386	107	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:112:ILE:N	1:A:112:ILE:HD13	1.58	1.14
1:A:141:VAL:O	1:A:142:ASP:HB2	1.53	1.08
1:B:285:PRO:N	1:B:286:GLU:HB2	1.68	1.07
1:B:142:ASP:HB3	1:B:145:VAL:HG23	1.36	1.07
1:B:51:LYS:O	1:B:55:GLU:HG3	1.60	1.00
1:B:141:VAL:O	1:B:142:ASP:HB2	1.65	0.97
1:B:285:PRO:N	1:B:286:GLU:CB	2.30	0.95
1:A:112:ILE:N	1:A:112:ILE:CD1	2.30	0.91
1:B:334:ASN:ND2	1:B:335:GLY:H	1.69	0.90
1:A:348:HIS:CD2	1:A:367:TYR:CE2	2.61	0.88
1:A:112:ILE:HD13	1:A:112:ILE:H	1.36	0.87
1:A:78:ASN:OD1	1:A:78:ASN:N	2.06	0.85
1:B:285:PRO:CA	1:B:286:GLU:HB2	2.07	0.85
1:A:141:VAL:O	1:A:142:ASP:CB	2.28	0.82
1:A:142:ASP:OD1	1:A:144:HIS:HD2	1.64	0.81
1:B:51:LYS:O	1:B:55:GLU:CG	2.28	0.81
1:A:142:ASP:OD1	1:A:144:HIS:CD2	2.36	0.79
1:B:334:ASN:ND2	1:B:335:GLY:N	2.30	0.78
1:A:142:ASP:CG	1:A:144:HIS:CD2	2.57	0.78
1:B:207:ARG:HG2	1:B:207:ARG:O	1.85	0.77
1:B:334:ASN:CG	1:B:335:GLY:H	1.88	0.76
1:B:333:LEU:C	1:B:334:ASN:HD22	1.88	0.76
1:B:284:PHE:C	1:B:286:GLU:HB3	2.08	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:49:ILE:CD1	1:B:122:VAL:HG11	2.19	0.72
1:B:51:LYS:HG2	1:B:55:GLU:OE2	1.90	0.72
1:A:76:GLU:HA	1:A:80:GLU:O	1.90	0.71
1:A:111:LEU:HB3	1:A:112:ILE:HD13	1.72	0.71
1:A:348:HIS:CG	1:A:367:TYR:CE2	2.79	0.71
1:B:142:ASP:CB	1:B:145:VAL:HG23	2.20	0.70
1:A:207:ARG:HG2	1:A:212:ASP:HB2	1.76	0.68
1:B:207:ARG:HG2	1:B:212:ASP:HB2	1.76	0.67
1:A:284:PHE:O	1:A:286:GLU:N	2.30	0.65
1:A:348:HIS:NE2	1:A:367:TYR:HE2	1.95	0.65
1:A:78:ASN:ND2	1:A:80:GLU:OE1	2.31	0.63
1:B:285:PRO:N	1:B:286:GLU:HB3	2.11	0.63
1:B:285:PRO:CA	1:B:286:GLU:CB	2.77	0.62
1:A:128:GLN:HG2	1:A:129:PHE:CD2	2.38	0.59
1:B:333:LEU:O	1:B:334:ASN:ND2	2.30	0.59
1:B:141:VAL:O	1:B:142:ASP:CB	2.46	0.58
1:B:324:ASP:OD1	1:B:324:ASP:C	2.41	0.57
1:B:334:ASN:CG	1:B:335:GLY:N	2.57	0.56
1:B:160:GLY:HA2	1:B:350:TRP:CZ3	2.41	0.56
1:A:142:ASP:HB3	1:A:145:VAL:HG23	1.87	0.55
1:A:132:ARG:O	1:A:136:GLN:HG3	2.07	0.55
1:B:49:ILE:CD1	1:B:122:VAL:CG1	2.85	0.55
1:A:160:GLY:HA2	1:A:350:TRP:CZ3	2.42	0.55
1:B:49:ILE:HD12	1:B:122:VAL:HG11	1.90	0.54
1:A:142:ASP:CG	1:A:144:HIS:NE2	2.60	0.54
1:A:195:GLU:HG2	1:A:228:HIS:HB2	1.89	0.54
1:A:53:VAL:HG12	1:A:68:VAL:HG21	1.89	0.54
1:B:195:GLU:HG2	1:B:228:HIS:HB2	1.89	0.53
1:B:255:VAL:HG22	1:B:260:TRP:CE3	2.44	0.53
1:A:144:HIS:CD2	1:A:144:HIS:H	2.26	0.53
1:A:234:ASP:O	1:A:238:ILE:HG23	2.08	0.52
1:A:348:HIS:CE1	1:A:367:TYR:HE2	2.28	0.52
1:B:284:PHE:O	1:B:286:GLU:HB3	2.08	0.52
1:A:129:PHE:CD2	1:A:129:PHE:N	2.74	0.52
1:A:113:ASP:O	1:A:116:LYS:HB2	2.09	0.52
1:A:255:VAL:HG22	1:A:260:TRP:CE3	2.44	0.52
1:A:348:HIS:CG	1:A:367:TYR:CD2	2.99	0.51
1:B:207:ARG:O	1:B:207:ARG:CG	2.54	0.51
1:A:348:HIS:NE2	1:A:367:TYR:CE2	2.74	0.51
1:B:284:PHE:O	1:B:287:SER:HB2	2.11	0.51
1:A:313:LYS:HG2	1:A:332:LEU:HD13	1.93	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:51:LYS:CG	1:B:55:GLU:OE2	2.59	0.51
1:A:128:GLN:HG2	1:A:129:PHE:CE2	2.47	0.50
1:B:40:ILE:O	1:B:125:ILE:HG23	2.11	0.50
1:A:116:LYS:O	1:A:117:ASP:C	2.50	0.50
1:B:235:VAL:O	1:B:238:ILE:HG22	2.12	0.50
1:A:41:GLY:HA2	1:A:125:ILE:HG22	1.93	0.49
1:A:77:ILE:C	1:A:79:GLY:H	2.16	0.49
1:A:116:LYS:O	1:A:117:ASP:O	2.30	0.48
1:B:41:GLY:O	1:B:42:SER:OG	2.30	0.48
1:A:348:HIS:CE1	1:A:367:TYR:CE2	3.00	0.48
1:B:207:ARG:O	1:B:212:ASP:HB2	2.13	0.48
1:A:325:ALA:HB1	1:A:341:LEU:HD21	1.96	0.47
1:B:313:LYS:HG2	1:B:332:LEU:HD13	1.97	0.47
1:B:238:ILE:HG13	1:B:297:ALA:CB	2.45	0.46
1:A:45:TRP:HB3	1:A:124:ASN:HD21	1.80	0.46
1:A:126:PRO:HD2	1:A:129:PHE:CD1	2.50	0.46
1:B:142:ASP:HB3	1:B:145:VAL:CG2	2.25	0.46
1:A:196:THR:HG22	1:A:229:VAL:HG22	1.98	0.46
1:A:111:LEU:HB3	1:A:112:ILE:CD1	2.43	0.46
1:A:142:ASP:CG	1:A:144:HIS:HE2	2.19	0.45
1:B:69:GLN:HG2	1:B:114:SER:HA	1.98	0.45
1:A:77:ILE:C	1:A:79:GLY:N	2.70	0.45
1:A:69:GLN:HG2	1:A:114:SER:HA	1.98	0.45
1:B:196:THR:HG22	1:B:229:VAL:HG22	1.98	0.44
1:A:78:ASN:C	1:A:80:GLU:H	2.20	0.44
1:A:104:ASN:OD1	1:A:104:ASN:N	2.37	0.44
1:B:41:GLY:C	1:B:42:SER:OG	2.57	0.43
1:B:333:LEU:O	1:B:334:ASN:C	2.56	0.43
1:A:77:ILE:HB	1:A:78:ASN:OD1	2.19	0.43
1:A:78:ASN:C	1:A:80:GLU:N	2.72	0.43
1:A:132:ARG:O	1:A:136:GLN:CG	2.67	0.42
1:A:45:TRP:HA	1:A:45:TRP:CE3	2.55	0.42
1:B:154:PHE:CE1	1:B:156:VAL:HB	2.55	0.42
1:B:204:LYS:H	1:B:204:LYS:HG2	1.54	0.42
1:B:51:LYS:O	1:B:55:GLU:HG2	2.17	0.41
1:A:80:GLU:HB3	1:A:85:ILE:HD11	2.03	0.41
1:B:45:TRP:HA	1:B:45:TRP:CE3	2.56	0.41
1:B:336:GLN:H	1:B:336:GLN:HG3	1.56	0.40
1:B:42:SER:HB3	1:B:72:VAL:HG22	2.04	0.40
1:B:180:SER:HB3	1:B:238:ILE:HG12	2.03	0.40
1:B:285:PRO:CD	1:B:286:GLU:HB2	2.48	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:284:PHE:HA	1:B:285:PRO:HD3	1.66	0.40
1:B:325:ALA:HB1	1:B:341:LEU:HD21	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	351/391 (90%)	318 (91%)	20 (6%)	13 (4%)	3	1
1	B	351/391 (90%)	322 (92%)	20 (6%)	9 (3%)	5	3
All	All	702/782 (90%)	640 (91%)	40 (6%)	22 (3%)	4	1

All (22) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	102	PRO
1	A	117	ASP
1	A	142	ASP
1	A	209	GLU
1	A	285	PRO
1	B	102	PRO
1	B	142	ASP
1	B	209	GLU
1	B	286	GLU
1	A	88	THR
1	A	103	ASP
1	A	234	ASP
1	B	88	THR
1	B	103	ASP
1	B	234	ASP
1	B	334	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	116	LYS
1	A	116	LYS
1	A	334	ASN
1	A	41	GLY
1	A	77	ILE
1	A	375	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	294/325 (90%)	269 (92%)	25 (8%)	10	12
1	B	294/325 (90%)	271 (92%)	23 (8%)	12	15
All	All	588/650 (90%)	540 (92%)	48 (8%)	11	13

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	44	ASN
1	A	45	TRP
1	A	49	ILE
1	A	78	ASN
1	A	81	LYS
1	A	88	THR
1	A	93	VAL
1	A	103	ASP
1	A	104	ASN
1	A	112	ILE
1	A	116	LYS
1	A	117	ASP
1	A	124	ASN
1	A	125	ILE
1	A	136	GLN
1	A	143	SER
1	A	204	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	207	ARG
1	A	213	VAL
1	A	228	HIS
1	A	238	ILE
1	A	240	ILE
1	A	255	VAL
1	A	334	ASN
1	A	339	GLN
1	B	44	ASN
1	B	45	TRP
1	B	81	LYS
1	B	88	THR
1	B	93	VAL
1	B	103	ASP
1	B	117	ASP
1	B	124	ASN
1	B	125	ILE
1	B	142	ASP
1	B	143	SER
1	B	144	HIS
1	B	196	THR
1	B	204	LYS
1	B	207	ARG
1	B	213	VAL
1	B	228	HIS
1	B	240	ILE
1	B	255	VAL
1	B	286	GLU
1	B	333	LEU
1	B	334	ASN
1	B	336	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	ASN
1	A	124	ASN
1	A	144	HIS
1	A	281	GLN
1	A	294	GLN
1	A	334	ASN
1	A	339	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	378	ASN
1	B	44	ASN
1	B	124	ASN
1	B	192	HIS
1	B	263	ASN
1	B	294	GLN
1	B	334	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	353/391 (90%)	0.43	32 (9%) 9 6	39, 78, 122, 146	0
1	B	353/391 (90%)	0.51	33 (9%) 8 5	36, 78, 146, 180	0
All	All	706/782 (90%)	0.47	65 (9%) 9 6	36, 78, 137, 180	0

All (65) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	77	ILE	8.7
1	B	93	VAL	6.2
1	A	82	LEU	5.3
1	B	89	ARG	5.0
1	A	332	LEU	4.5
1	A	208	GLY	4.4
1	A	333	LEU	4.4
1	A	330	LYS	4.3
1	A	79	GLY	4.3
1	A	334	ASN	4.1
1	B	34	PRO	3.9
1	A	335	GLY	3.7
1	B	211	LYS	3.7
1	A	77	ILE	3.6
1	A	89	ARG	3.5
1	B	117	ASP	3.5
1	B	60	TYR	3.4
1	B	180	SER	3.4
1	A	210	GLY	3.2
1	A	211	LYS	3.2
1	B	75	GLU	3.2
1	A	81	LYS	3.2
1	B	61	PRO	3.1
1	B	82	LEU	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	159	LYS	3.1
1	B	179	LEU	3.0
1	A	238	ILE	2.9
1	A	78	ASN	2.9
1	B	335	GLY	2.9
1	A	336	GLN	2.9
1	B	76	GLU	2.7
1	A	63	VAL	2.7
1	A	148	ILE	2.7
1	B	101	LEU	2.6
1	B	86	ILE	2.6
1	A	149	SER	2.6
1	A	157	GLY	2.6
1	B	141	VAL	2.6
1	B	178	ALA	2.6
1	B	334	ASN	2.6
1	B	102	PRO	2.6
1	A	76	GLU	2.6
1	B	375	PRO	2.5
1	A	235	VAL	2.5
1	A	150	CYS	2.5
1	B	148	ILE	2.4
1	B	210	GLY	2.4
1	B	92	ASN	2.4
1	B	81	LYS	2.4
1	A	375	PRO	2.3
1	A	239	SER	2.2
1	A	243	ALA	2.2
1	B	150	CYS	2.2
1	B	78	ASN	2.2
1	A	358	GLU	2.2
1	B	62	GLU	2.2
1	B	90	HIS	2.1
1	B	197	THR	2.1
1	B	198	VAL	2.1
1	B	149	SER	2.1
1	A	153	GLY	2.1
1	A	178	ALA	2.0
1	B	196	THR	2.0
1	A	179	LEU	2.0
1	A	123	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.