Full wwPDB EM Validation Report ⓘ

Jun 5, 2023 – 12:16 PM EDT

PDB ID	:	8FLR
EMDB ID	:	EMD-29284
Title	:	Human PTH1R in complex with PTHrP and Gs
Authors	:	Cary, B.P.; Belousoff, M.J.; Piper, S.J.; Wootten, D.; Sexton, P.M.
Deposited on	:	2022-12-22
Resolution	:	2.94 Å(reported)
Based on initial models	:	6X18, 6NBF

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev50
MolProbity	:	4.02b-467
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	1.9.9
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.33

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.94 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	394	8% 52% 7% 41%
2	B	340	14% 76% 23%
3	G	58	47% 91% 5%
4	N	128	7% 75% 23%
5	P	36	44% 61% 25% 11%
6	R	616	21% 48% 11% 41%

2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 8928 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Guanine nucleotide-binding protein G(s) subunit alpha isoforms short.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	233	Total	C	N	O	S	0	0
			1897	1200	342	348	7		

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	54	ASN	SER	engineered mutation	UNP P63092
A	226	ALA	GLY	engineered mutation	UNP P63092
A	268	ALA	GLU	engineered mutation	UNP P63092
A	271	LYS	ASN	engineered mutation	UNP P63092
A	274	ASP	LYS	engineered mutation	UNP P63092
A	280	LYS	ARG	engineered mutation	UNP P63092
A	284	ASP	THR	engineered mutation	UNP P63092
A	285	THR	ILE	engineered mutation	UNP P63092

- Molecule 2 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	338	Total	C	N	O	S	0	0
			2563	1585	459	499	20		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	1	GLN	-	expression tag	UNP P62873

- Molecule 3 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	G	55	Total	C	N	O	S	0	0
			403	255	69	76	3		

- Molecule 4 is a protein called Nanobody35.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	N	126	Total	C	N	O	S	0	0
			957	597	167	187	6		

- Molecule 5 is a protein called PTHrP[1-36].

Mol	Chain	Residues	Atoms				AltConf	Trace
5	P	32	Total	C	N	O	0	0
			272	173	55	44		

- Molecule 6 is a protein called Parathyroid hormone/parathyroid hormone-related peptide receptor.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	R	363	Total	C	N	O	S	0	0
			2826	1878	460	468	20		

There are 50 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
R	-3	MET	-	expression tag	UNP Q03431
R	-2	LYS	-	expression tag	UNP Q03431
R	-1	THR	-	expression tag	UNP Q03431
R	0	ILE	-	expression tag	UNP Q03431
R	1	ILE	-	expression tag	UNP Q03431
R	2	ALA	-	expression tag	UNP Q03431
R	3	LEU	-	expression tag	UNP Q03431
R	4	SER	-	expression tag	UNP Q03431
R	5	TYR	-	expression tag	UNP Q03431
R	6	ILE	-	expression tag	UNP Q03431
R	7	PHE	-	expression tag	UNP Q03431
R	8	CYS	-	expression tag	UNP Q03431
R	9	LEU	-	expression tag	UNP Q03431
R	10	VAL	-	expression tag	UNP Q03431
R	11	PHE	-	expression tag	UNP Q03431
R	12	ALA	-	expression tag	UNP Q03431
R	13	ASP	-	expression tag	UNP Q03431
R	14	TYR	-	expression tag	UNP Q03431

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
R	15	LYS	-	expression tag	UNP Q03431
R	16	ASP	-	expression tag	UNP Q03431
R	17	ASP	-	expression tag	UNP Q03431
R	18	ASP	-	expression tag	UNP Q03431
R	19	ASP	-	expression tag	UNP Q03431
R	20	LEU	-	expression tag	UNP Q03431
R	21	GLU	-	expression tag	UNP Q03431
R	22	VAL	-	expression tag	UNP Q03431
R	23	LEU	-	expression tag	UNP Q03431
R	24	PHE	-	expression tag	UNP Q03431
R	25	GLN	-	expression tag	UNP Q03431
R	26	GLY	-	expression tag	UNP Q03431
R	27	PRO	-	expression tag	UNP Q03431
R	594	PRO	-	expression tag	UNP Q03431
R	595	ALA	-	expression tag	UNP Q03431
R	596	GLY	-	expression tag	UNP Q03431
R	597	LEU	-	expression tag	UNP Q03431
R	598	GLU	-	expression tag	UNP Q03431
R	599	VAL	-	expression tag	UNP Q03431
R	600	LEU	-	expression tag	UNP Q03431
R	601	PHE	-	expression tag	UNP Q03431
R	602	GLN	-	expression tag	UNP Q03431
R	603	GLY	-	expression tag	UNP Q03431
R	604	PRO	-	expression tag	UNP Q03431
R	605	HIS	-	expression tag	UNP Q03431
R	606	HIS	-	expression tag	UNP Q03431
R	607	HIS	-	expression tag	UNP Q03431
R	608	HIS	-	expression tag	UNP Q03431
R	609	HIS	-	expression tag	UNP Q03431
R	610	HIS	-	expression tag	UNP Q03431
R	611	HIS	-	expression tag	UNP Q03431
R	612	HIS	-	expression tag	UNP Q03431

- Molecule 7 is water.

Mol	Chain	Residues	Atoms	AltConf
7	A	1	Total O 1 1	0
7	P	1	Total O 1 1	0
7	R	8	Total O 8 8	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Guanine nucleotide-binding protein G(s) subunit alpha isoforms short



• Molecule 2: Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1



• Molecule 3: Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2

Chain G:



• Molecule 4: Nanobody35

Chain N:



• Molecule 5: PTHrP[1-36]

Chain P:



• Molecule 6: Parathyroid hormone/parathyroid hormone-related peptide receptor

Chain R:



SER GLY SER SER SER TYR SER TYR GLY PRO MET VAL SER HIS THR SER VAL THR ASN VAL GLY PRO ARG VAL GLY LEU GLY LEU PRO LEU SER PRO ARG LEU LEU PRO THR ALA THR THR ASN GLY HIS PRO GLN LEU PRO GLY HIS ALA LYS PRO GLY THR PRO ALA LEU GLU THR LEU

GLU THR THR PRO PRO ALA MET ALA ALA PRO LYS ASP ASP GLY PHE LEU ASN GLY SER CYS SER GLY LEU ASP GLU GLU ALA SER GLY PRO GLU ARG PRO PRO ALA LEU LEU GLN GLU GLU TRP GLU THR VAL MET PRO ALA GLY LEU GLU VAL LEU PHE GLN GLY PRO HIS HIS HIS

HIS HIS HIS HIS

4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	395975	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/Å^2$)	50	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	1300	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	5.873	Depositor
Minimum map value	-4.000	Depositor
Average map value	-0.002	Depositor
Map value standard deviation	0.112	Depositor
Recommended contour level	0.66	Depositor
Map size (Å)	244.8, 244.8, 244.8	wwPDB
Map dimensions	288, 288, 288	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.85, 0.85, 0.85	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|>5$	RMSZ	#$\|Z\|>5$
1	A	0.25	0/1933	0.49	0/2605
2	B	0.26	0/2610	0.55	0/3545
3	G	0.23	0/409	0.38	0/556
4	N	0.30	0/977	0.56	0/1324
5	P	0.48	0/278	0.55	0/371
6	R	0.28	0/2913	0.44	0/3978
All	All	0.28	0/9120	0.50	0/12379

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1897	0	1853	19	0
2	B	2563	0	2443	51	0
3	G	403	0	394	2	0
4	N	957	0	922	21	0
5	P	272	0	276	11	0
6	R	2826	0	2669	49	0
7	A	1	0	0	0	0
7	P	1	0	0	0	0
7	R	8	0	0	0	0
All	All	8928	0	8557	137	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:P:32:HIS:HB2	6:R:167:TYR:HD2	1.22	1.01
4:N:91:THR:HG22	4:N:126:VAL:H	1.40	0.87
5:P:32:HIS:HB2	6:R:167:TYR:CD2	2.14	0.77
2:B:115:GLY:HA3	2:B:146:LEU:HD23	1.65	0.76
2:B:325:MET:O	2:B:340:ASN:ND2	2.21	0.74
2:B:160:SER:HB3	2:B:190:LEU:HD23	1.71	0.73
2:B:26:ALA:HB2	2:B:259:GLN:HE22	1.53	0.72
2:B:146:LEU:HD11	2:B:159:THR:HB	1.71	0.70
4:N:37:VAL:HG12	4:N:47:TRP:HA	1.73	0.70
6:R:220:ASN:O	6:R:224:MET:HG3	1.93	0.68
1:A:228:ARG:NH1	2:B:186:ASP:OD1	2.27	0.68
2:B:75:GLN:NE2	2:B:100:VAL:O	2.28	0.67
5:P:32:HIS:CD2	6:R:166:ASN:HA	2.32	0.64
6:R:132:PRO:HD2	6:R:138:PHE:HD2	1.64	0.62
6:R:227:PHE:O	6:R:231:MET:HG3	2.00	0.62
4:N:29:PHE:O	4:N:72:ARG:NH2	2.33	0.61
1:A:354:ASP:OD2	1:A:356:ARG:NH1	2.34	0.61
2:B:271:CYS:HB2	2:B:290:ASP:HB2	1.82	0.61
1:A:293:LYS:HD2	1:A:296:LEU:HD12	1.81	0.61
4:N:98:ARG:HH21	4:N:100:PRO:HA	1.66	0.61
4:N:94:TYR:O	4:N:121:GLY:HA2	2.01	0.60
6:R:132:PRO:HD2	6:R:138:PHE:CD2	2.35	0.60
6:R:290:TYR:HA	6:R:336:VAL:HG21	1.85	0.59
5:P:27:LEU:O	5:P:31:ILE:HG12	2.04	0.58
2:B:155:ASN:ND2	2:B:170:ASP:OD1	2.37	0.57
6:R:109:LEU:O	6:R:154:TRP:NE1	2.37	0.57
6:R:389:LEU:HB3	6:R:402:GLN:HG3	1.86	0.57
6:R:441:MET:O	6:R:445:MET:HG2	2.05	0.56
5:P:32:HIS:CG	6:R:167:TYR:H	2.23	0.56
1:A:393:LEU:HD21	6:R:413:LEU:HD13	1.87	0.56
4:N:98:ARG:O	4:N:115:TYR:OH	2.20	0.56
1:A:207:ILE:HD11	1:A:222:PHE:HB3	1.88	0.56
2:B:79:LEU:HD11	2:B:114:CYS:HB3	1.88	0.56
4:N:52:SER:O	4:N:72:ARG:NH1	2.39	0.56
5:P:1:ALA:N	6:R:425:MET:O	2.39	0.56
2:B:93:ILE:HG12	2:B:133:VAL:HG21	1.87	0.55
2:B:294:CYS:HB3	2:B:308:LEU:HB2	1.89	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:198:LEU:HD23	2:B:210:LEU:HD11	1.89	0.55
6:R:244:LEU:HD21	6:R:353:ASP:HB2	1.88	0.55
2:B:295:ASN:OD1	2:B:304:ARG:HD3	2.07	0.54
6:R:399:THR:HG23	6:R:402:GLN:H	1.73	0.53
2:B:215:GLU:OE1	2:B:219:ARG:NH1	2.41	0.53
5:P:8:LEU:HD12	6:R:240:LYS:HD2	1.92	0.52
2:B:112:VAL:HG13	2:B:126:LEU:HD11	1.91	0.51
6:R:188:GLY:HA2	6:R:191:TYR:CE2	2.46	0.51
1:A:289:LEU:HB3	1:A:361:PRO:HA	1.93	0.51
4:N:61:THR:HG22	4:N:64:VAL:HG22	1.93	0.51
6:R:242:ALA:O	6:R:246:SER:OG	2.22	0.51
2:B:147:SER:OG	2:B:187:VAL:O	2.22	0.51
2:B:259:GLN:HE21	3:G:30:VAL:HG21	1.76	0.51
6:R:222:ILE:HD12	6:R:305:TYR:CG	2.47	0.50
6:R:332:PRO:HA	6:R:335:PHE:CE2	2.47	0.49
6:R:220:ASN:HA	6:R:223:HIS:HB2	1.93	0.49
6:R:216:HIS:HB3	6:R:221:TYR:OH	2.12	0.49
6:R:240:LYS:NZ	6:R:241:ASP:OD1	2.38	0.49
4:N:22:CYS:HB3	4:N:79:LEU:HB3	1.93	0.49
1:A:310:ASP:OD1	1:A:311:TYR:N	2.45	0.49
2:B:220:GLN:NE2	2:B:255:LEU:O	2.37	0.49
1:A:44:LEU:HD23	1:A:244:ILE:HG12	1.94	0.49
1:A:362:HIS:NE2	1:A:378:ASP:OD2	2.37	0.49
2:B:163:ASP:O	2:B:164:THR:OG1	2.28	0.49
1:A:321:PRO:HG2	1:A:324:ALA:HB2	1.93	0.48
2:B:250:CYS:HB2	2:B:264:TYR:HB2	1.94	0.48
2:B:57:LYS:HG3	2:B:75:GLN:HG3	1.96	0.48
1:A:331:ASP:HB3	1:A:334:VAL:HG23	1.96	0.47
2:B:200:VAL:HG22	2:B:234:PHE:CE2	2.49	0.47
4:N:12:VAL:HG11	4:N:86:LEU:HD22	1.96	0.47
6:R:202:LEU:HD13	6:R:230:PHE:HB3	1.95	0.47
5:P:26:HIS:ND1	5:P:27:LEU:HD22	2.28	0.47
5:P:24:LEU:O	5:P:28:ILE:HG12	2.15	0.47
2:B:274:THR:OG1	2:B:315:VAL:O	2.25	0.47
2:B:289:TYR:HE1	2:B:295:ASN:HB2	1.80	0.46
4:N:53:GLN:N	4:N:53:GLN:OE1	2.49	0.46
2:B:124:TYR:CE2	2:B:135:VAL:HG22	2.50	0.46
2:B:153:ASP:OD1	2:B:156:GLN:N	2.46	0.46
2:B:225:HIS:NE2	2:B:243:THR:OG1	2.34	0.46
2:B:289:TYR:CE1	2:B:295:ASN:HB2	2.51	0.46
4:N:83:MET:HB2	4:N:86:LEU:HD11	1.96	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:R:357:GLY:O	6:R:360:LYS:NZ	2.49	0.46
4:N:91:THR:HA	4:N:124:VAL:O	2.15	0.46
4:N:50:ASP:OD1	4:N:59:SER:HB2	2.15	0.45
4:N:99:CYS:HA	4:N:115:TYR:OH	2.17	0.45
6:R:137:ASP:O	6:R:138:PHE:HD1	2.00	0.45
6:R:218:THR:O	6:R:222:ILE:HG13	2.17	0.45
6:R:300:LEU:HD11	6:R:373:LEU:HD23	1.98	0.45
1:A:358:TYR:HE2	1:A:389:ARG:HH21	1.64	0.44
6:R:453:PHE:O	6:R:457:ILE:HG12	2.18	0.44
2:B:155:ASN:OD1	2:B:172:GLU:HB2	2.17	0.44
1:A:252:SER:HB3	1:A:265:ARG:HB2	2.00	0.43
1:A:232:ARG:NE	2:B:228:ASP:OD2	2.47	0.43
4:N:67:ARG:NH1	4:N:85:SER:O	2.51	0.43
6:R:290:TYR:O	6:R:294:THR:HG23	2.18	0.43
6:R:244:LEU:HD13	6:R:281:CYS:SG	2.58	0.43
2:B:286:LEU:HD22	2:B:327:VAL:HG11	2.00	0.43
4:N:52:SER:HB3	4:N:57:SER:HB3	1.99	0.43
6:R:282:ARG:HB3	6:R:352:TRP:CE3	2.53	0.43
6:R:290:TYR:HB2	6:R:336:VAL:HG11	1.99	0.43
6:R:332:PRO:HA	6:R:335:PHE:CZ	2.53	0.43
2:B:210:LEU:HB3	2:B:220:GLN:HB2	2.01	0.43
6:R:282:ARG:HD3	6:R:352:TRP:CE2	2.53	0.43
6:R:411:LEU:HD23	6:R:414:MET:HE2	2.01	0.43
2:B:180:PHE:CE1	2:B:216:GLY:HA2	2.54	0.43
6:R:187:LEU:HA	6:R:190:ILE:HG12	2.00	0.43
1:A:19:GLN:NE2	2:B:83:ASP:OD2	2.52	0.42
2:B:311:HIS:NE2	2:B:329:THR:OG1	2.33	0.42
4:N:100:PRO:HB3	4:N:117:TYR:CE2	2.54	0.42
5:P:15:ILE:HG12	6:R:181:ARG:HH22	1.84	0.42
2:B:81:ILE:HB	2:B:91:HIS:HB2	2.01	0.42
6:R:48:CYS:O	6:R:52:LEU:HG	2.20	0.42
2:B:34:THR:HG21	2:B:300:LEU:HD22	2.02	0.41
2:B:49:ARG:HB2	2:B:338:ILE:HG13	2.01	0.41
2:B:33:ILE:HG22	3:G:38:MET:SD	2.60	0.41
2:B:108:SER:OG	2:B:154:ASP:OD1	2.29	0.41
6:R:375:PHE:O	6:R:378:PHE:HB3	2.20	0.41
5:P:4:GLU:HG3	6:R:233:ARG:HH21	1.83	0.41
4:N:115:TYR:HD2	4:N:118:ARG:HB2	1.85	0.41
6:R:300:LEU:HD22	6:R:370:SER:HB2	2.03	0.41
1:A:207:ILE:HD13	2:B:99:TRP:CD1	2.56	0.41
1:A:372:ILE:HG13	1:A:373:ARG:N	2.35	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:252:SER:HB3	1:A:265:ARG:HD3	2.02	0.41
2:B:124:TYR:HE2	2:B:135:VAL:HG22	1.85	0.41
6:R:410:THR:O	6:R:414:MET:HG3	2.20	0.41
2:B:260:GLU:OE2	2:B:263:THR:OG1	2.34	0.41
2:B:283:ARG:NE	2:B:298:ASP:OD1	2.50	0.41
2:B:180:PHE:HB3	2:B:211:TRP:CE3	2.56	0.41
6:R:177:GLU:HG3	6:R:180:GLU:HG2	2.03	0.41
4:N:29:PHE:HE2	4:N:72:ARG:HB2	1.86	0.40
1:A:30:LEU:HD12	2:B:89:LYS:HE2	2.03	0.40
2:B:57:LYS:HE2	2:B:75:GLN:HG3	2.04	0.40
2:B:262:MET:HG3	2:B:263:THR:N	2.36	0.40
6:R:296:TYR:CE2	6:R:371:ILE:HD11	2.56	0.40
4:N:110:VAL:O	4:N:118:ARG:NH1	2.49	0.40
6:R:437:TRP:CZ2	6:R:441:MET:HG3	2.56	0.40
2:B:22:ARG:HB3	2:B:259:GLN:OE1	2.21	0.40
2:B:58:ILE:O	2:B:316:SER:OG	2.22	0.40
6:R:416:LEU:HB2	6:R:459:TYR:CE2	2.56	0.40
6:R:457:ILE:HD13	6:R:461:PHE:HD2	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	227/394 (58%)	225 (99%)	2 (1%)	0	100	100
2	B	336/340 (99%)	323 (96%)	13 (4%)	0	100	100
3	G	53/58 (91%)	53 (100%)	0	0	100	100
4	N	124/128 (97%)	122 (98%)	2 (2%)	0	100	100
5	P	30/36 (83%)	30 (100%)	0	0	100	100
6	R	355/616 (58%)	338 (95%)	17 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1125/1572 (72%)	1091 (97%)	34 (3%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	200/349 (57%)	200 (100%)	0	100 100
2	B	271/283 (96%)	271 (100%)	0	100 100
3	G	39/47 (83%)	39 (100%)	0	100 100
4	N	103/106 (97%)	103 (100%)	0	100 100
5	P	29/32 (91%)	28 (97%)	1 (3%)	37 68
6	R	276/523 (53%)	276 (100%)	0	100 100
All	All	918/1340 (68%)	917 (100%)	1 (0%)	93 98

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	P	8	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	259	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Map visualisation

This section contains visualisations of the EMDB entry EMD-29284. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections

6.1.1 Primary map



X



Y



Z

6.1.2 Raw map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices (i)

6.2.1 Primary map



X Index: 144



Y Index: 144



Z Index: 144

6.2.2 Raw map



X Index: 144



Y Index: 144



Z Index: 144

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices (i)

6.3.1 Primary map



X Index: 154



Y Index: 136



Z Index: 117

6.3.2 Raw map



X Index: 150



Y Index: 138



Z Index: 117

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map



X



Y



Z

6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views (i)

6.5.1 Primary map

X

Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.66. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map

X



Y

Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate



The volume at the recommended contour level is 38 nm^3; this corresponds to an approximate mass of 35 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.340 Å^{-1}

8 Fourier-Shell correlation

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC



*Reported resolution corresponds to spatial frequency of 0.340 Å^{-1}

8.2 Resolution estimates (i)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.94	-	-
Author-provided FSC curve	2.94	3.33	2.96
Unmasked-calculated*	3.21	3.50	3.25

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit

This section contains information regarding the fit between EMDB map EMD-29284 and PDB model 8FLR. Per-residue inclusion information can be found in section 3 on page 6.

9.1 Map-model overlay



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.66 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.66).

9.4 Atom inclusion (i)



At the recommended contour level, 67% of all backbone atoms, 67% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.66) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.6720	0.5160
A	0.7480	0.5530
B	0.7820	0.5630
G	0.4370	0.4610
N	0.7700	0.5640
P	0.4290	0.4420
R	0.5590	0.4480