



Full wwPDB X-ray Structure Validation Report ⓘ

May 24, 2020 – 08:04 am BST

PDB ID : 2G6Z
Title : Crystal structure of human DUSP5
Authors : Kim, S.J.; Ryu, S.E.
Deposited on : 2006-02-26
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	211	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 47%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 20%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 29%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="font-size: small; margin-top: 5px;">4% 47% 20% • 30%</p>
1	B	211	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 43%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 24%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 29%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="font-size: small; margin-top: 5px;">2% 43% 24% • 32%</p>
1	C	211	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 47%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 20%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 27%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="font-size: small; margin-top: 5px;">4% 47% 20% • 31%</p>

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 3548 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dual specificity protein phosphatase 5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	147	1171	748	201	212	10	0	0	0
1	B	143	1143	732	195	207	9	0	0	0
1	C	146	1165	745	200	210	10	0	0	0

There are 15 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	174	GLY	-	CLONING ARTIFACT	UNP Q16690
A	175	SER	-	CLONING ARTIFACT	UNP Q16690
A	176	HIS	-	CLONING ARTIFACT	UNP Q16690
A	177	MET	-	CLONING ARTIFACT	UNP Q16690
A	263	SER	CYS	CONFLICT	UNP Q16690
B	174	GLY	-	CLONING ARTIFACT	UNP Q16690
B	175	SER	-	CLONING ARTIFACT	UNP Q16690
B	176	HIS	-	CLONING ARTIFACT	UNP Q16690
B	177	MET	-	CLONING ARTIFACT	UNP Q16690
B	263	SER	CYS	CONFLICT	UNP Q16690
C	174	GLY	-	CLONING ARTIFACT	UNP Q16690
C	175	SER	-	CLONING ARTIFACT	UNP Q16690
C	176	HIS	-	CLONING ARTIFACT	UNP Q16690
C	177	MET	-	CLONING ARTIFACT	UNP Q16690
C	263	SER	CYS	CONFLICT	UNP Q16690

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	21	Total	O	0	0
			21	21		
3	B	8	Total	O	0	0
			8	8		
3	C	10	Total	O	0	0
			10	10		

PRO
VAL
PRO
THR
HIS
SER
THR
VAL
GLU
SER
LEU
SER
ARG
SER
PRO
VAL
ALA
THR
ALA
THR
SER
CYS

4 Data and refinement statistics

Property	Value	Source
Space group	P 43 2 2	Depositor
Cell constants a, b, c, α , β , γ	92.71Å 92.71Å 165.21Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 2.70 47.35 – 2.69	Depositor EDS
% Data completeness (in resolution range)	(Not available) (40.00-2.70) 99.5 (47.35-2.69)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.78 (at 2.69Å)	Xtrriage
Refinement program	CNS 0.9	Depositor
R, R_{free}	0.244 , 0.291 0.244 , 0.289	Depositor DCC
R_{free} test set	997 reflections (4.82%)	wwPDB-VP
Wilson B-factor (Å ²)	52.5	Xtrriage
Anisotropy	0.057	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 51.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3548	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 61.39 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.3189e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	0/1200	0.67	0/1618
1	B	0.42	0/1171	0.62	0/1580
1	C	0.43	0/1194	0.63	0/1610
All	All	0.44	0/3565	0.64	0/4808

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1171	0	1156	34	0
1	B	1143	0	1132	36	0
1	C	1165	0	1151	37	0
2	A	10	0	0	0	0
2	B	10	0	0	0	0
2	C	10	0	0	0	0
3	A	21	0	0	1	0
3	B	8	0	0	0	0
3	C	10	0	0	0	0
All	All	3548	0	3439	103	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (103) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:178:GLY:HA2	1:A:193:HIS:CD2	2.20	0.76
1:B:179:PRO:HG3	1:B:193:HIS:HB3	1.68	0.75
1:B:211:VAL:HG12	1:B:211:VAL:O	1.87	0.72
1:B:275:MET:HG3	1:B:293:ILE:HD12	1.73	0.71
1:A:211:VAL:O	1:A:211:VAL:HG12	1.91	0.70
1:C:211:VAL:HG12	1:C:211:VAL:O	1.93	0.68
1:C:178:GLY:HA2	1:C:193:HIS:CD2	2.28	0.68
1:C:252:VAL:HG11	1:C:259:VAL:HG22	1.76	0.67
1:A:252:VAL:HG11	1:A:259:VAL:HG22	1.76	0.67
1:C:179:PRO:HG3	1:C:193:HIS:HB3	1.76	0.67
1:A:314:GLU:HG3	1:A:318:LEU:HD12	1.77	0.66
1:A:207:ALA:HB2	1:A:224:HIS:HB2	1.78	0.65
1:C:212:SER:O	1:C:229:PRO:HA	1.97	0.64
1:A:179:PRO:HG3	1:A:193:HIS:HB3	1.80	0.63
1:A:294:LYS:HD3	1:A:298:SER:HA	1.82	0.62
1:B:216:SER:C	1:B:218:ALA:H	2.02	0.62
1:B:294:LYS:HD3	1:B:298:SER:HA	1.82	0.61
1:B:216:SER:O	1:B:218:ALA:N	2.34	0.60
1:C:314:GLU:CG	1:C:318:LEU:HD12	2.31	0.60
1:C:177:MET:HG2	1:C:178:GLY:H	1.67	0.59
1:C:177:MET:HG2	1:C:178:GLY:N	2.16	0.59
1:C:314:GLU:HG2	1:C:318:LEU:HD12	1.85	0.58
1:B:312:GLN:O	1:B:316:GLU:HG3	2.03	0.58
1:C:290:PHE:O	1:C:294:LYS:HB2	2.05	0.57
1:C:312:GLN:O	1:C:316:GLU:HG3	2.05	0.57
1:C:239:SER:HA	1:C:242:PHE:CE1	2.40	0.57
1:A:312:GLN:O	1:A:316:GLU:HG3	2.06	0.56
1:B:207:ALA:HB2	1:B:224:HIS:HB2	1.88	0.56
1:C:275:MET:HG3	1:C:293:ILE:HD12	1.87	0.56
1:A:250:ASP:O	1:A:254:GLU:HG3	2.07	0.55
1:C:207:ALA:HB2	1:C:224:HIS:HB2	1.88	0.55
1:C:203:LEU:O	1:C:204:HIS:HB2	2.05	0.54
1:A:176:HIS:N	1:A:176:HIS:ND1	2.51	0.54
1:C:239:SER:HA	1:C:242:PHE:CD1	2.43	0.54
1:B:203:LEU:O	1:B:204:HIS:HB2	2.07	0.54
1:B:216:SER:C	1:B:218:ALA:N	2.61	0.54
1:A:292:TYR:CE1	1:A:296:ARG:NH2	2.76	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:180:VAL:HG11	1:B:296:ARG:HB3	1.88	0.53
1:C:260:LEU:O	1:C:260:LEU:HG	2.08	0.53
1:A:241:HIS:HD2	3:A:15:HOH:O	1.92	0.53
1:C:292:TYR:CE1	1:C:296:ARG:NH2	2.77	0.53
1:C:297:ARG:HG2	1:C:297:ARG:HH11	1.74	0.53
1:B:292:TYR:CE1	1:B:296:ARG:NH2	2.78	0.52
1:B:317:ILE:HG13	1:B:318:LEU:HG	1.91	0.52
1:A:216:SER:C	1:A:218:ALA:H	2.12	0.52
1:B:250:ASP:O	1:B:254:GLU:HG3	2.10	0.51
1:B:213:ARG:HD3	1:B:231:GLU:HB3	1.92	0.51
1:C:213:ARG:HD3	1:C:231:GLU:HB3	1.93	0.51
1:B:239:SER:HB3	1:B:309:GLN:HB3	1.93	0.51
1:A:192:TYR:CE2	1:A:196:LYS:HD2	2.45	0.50
1:A:213:ARG:HD3	1:A:231:GLU:HB3	1.94	0.50
1:A:317:ILE:HG13	1:A:318:LEU:HG	1.93	0.50
1:C:207:ALA:HB3	1:C:259:VAL:HG13	1.94	0.50
1:B:252:VAL:HG21	1:B:259:VAL:HG22	1.94	0.49
1:B:251:CYS:SG	1:C:255:LYS:HD2	2.51	0.49
1:B:291:ASP:O	1:B:295:GLN:HG3	2.12	0.49
1:A:212:SER:O	1:A:229:PRO:HA	2.13	0.49
1:C:211:VAL:O	1:C:211:VAL:CG1	2.61	0.48
1:C:280:LYS:HD3	1:C:313:TYR:OH	2.13	0.48
1:A:203:LEU:O	1:A:204:HIS:HB2	2.13	0.48
1:B:287:LYS:HD3	1:B:291:ASP:OD2	2.13	0.48
1:C:297:ARG:NH1	1:C:299:MET:SD	2.85	0.48
1:A:275:MET:HG3	1:A:293:ILE:HD12	1.95	0.48
1:C:250:ASP:O	1:C:254:GLU:HG3	2.14	0.48
1:A:219:CYS:O	1:A:223:LEU:HD12	2.15	0.46
1:B:228:ILE:HG23	1:C:222:HIS:CE1	2.49	0.46
1:C:254:GLU:C	1:C:256:GLY:H	2.18	0.46
1:A:216:SER:O	1:A:218:ALA:N	2.49	0.46
1:B:212:SER:O	1:B:229:PRO:HA	2.16	0.45
1:C:252:VAL:CG1	1:C:259:VAL:HG22	2.45	0.45
1:B:252:VAL:HG11	1:B:259:VAL:HG22	1.99	0.45
1:A:252:VAL:HG21	1:A:259:VAL:HG22	1.99	0.45
1:A:216:SER:C	1:A:218:ALA:N	2.69	0.45
1:A:290:PHE:O	1:A:294:LYS:HB2	2.17	0.45
1:B:211:VAL:O	1:B:211:VAL:CG1	2.59	0.45
1:B:275:MET:C	1:B:279:MET:HE2	2.37	0.45
1:B:197:CYS:N	1:B:219:CYS:SG	2.90	0.44
1:B:181:GLU:HG3	1:B:187:TYR:CZ	2.53	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:238:ILE:HD11	1:C:273:ILE:HD11	2.00	0.44
1:A:177:MET:HG2	1:A:178:GLY:N	2.32	0.43
1:C:239:SER:HB3	1:C:309:GLN:HB3	1.99	0.43
1:B:200:LEU:HD21	1:B:260:LEU:HD22	1.99	0.43
1:A:243:GLN:HE22	1:A:280:LYS:HE3	1.84	0.43
1:B:178:GLY:HA3	1:B:199:PHE:CE1	2.53	0.43
1:A:282:LYS:O	1:A:283:GLN:HB2	2.19	0.43
1:B:219:CYS:O	1:B:223:LEU:HD12	2.18	0.42
1:A:207:ALA:CB	1:A:224:HIS:HB2	2.46	0.42
1:A:252:VAL:CG1	1:A:259:VAL:HG22	2.45	0.42
1:C:314:GLU:HG3	1:C:318:LEU:HD12	2.00	0.42
1:C:238:ILE:HD11	1:C:273:ILE:CD1	2.50	0.41
1:B:302:PRO:HB2	1:B:307:MET:HE2	2.02	0.41
1:B:255:LYS:HD2	1:C:251:CYS:SG	2.60	0.41
1:A:211:VAL:HG21	1:A:273:ILE:HD13	2.02	0.41
1:A:225:TYR:CE2	1:A:227:TRP:HB2	2.55	0.41
1:A:199:PHE:CZ	1:B:316:GLU:HB3	2.56	0.40
1:B:290:PHE:O	1:B:294:LYS:HB2	2.21	0.40
1:A:252:VAL:CB	1:A:259:VAL:HG22	2.52	0.40
1:C:252:VAL:HG21	1:C:259:VAL:HG22	2.03	0.40
1:B:225:TYR:CE2	1:B:227:TRP:HB2	2.55	0.40
1:C:252:VAL:CB	1:C:259:VAL:HG22	2.51	0.40
1:C:286:LEU:HD23	1:C:311:LEU:CD2	2.51	0.40
1:B:181:GLU:HG3	1:B:187:TYR:CE1	2.55	0.40
1:A:211:VAL:CG1	1:A:211:VAL:O	2.62	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	145/211 (69%)	136 (94%)	8 (6%)	1 (1%)	22 46

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	141/211 (67%)	127 (90%)	12 (8%)	2 (1%)	11	28
1	C	144/211 (68%)	134 (93%)	10 (7%)	0	100	100
All	All	430/633 (68%)	397 (92%)	30 (7%)	3 (1%)	22	46

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	217	GLU
1	A	217	GLU
1	B	264	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	129/182 (71%)	122 (95%)	7 (5%)	22	47
1	B	126/182 (69%)	123 (98%)	3 (2%)	49	77
1	C	128/182 (70%)	122 (95%)	6 (5%)	26	54
All	All	383/546 (70%)	367 (96%)	16 (4%)	30	58

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	176	HIS
1	A	198	GLU
1	A	199	PHE
1	A	204	HIS
1	A	259	VAL
1	A	296	ARG
1	A	320	SER
1	B	199	PHE
1	B	259	VAL
1	B	296	ARG
1	C	176	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	198	GLU
1	C	199	PHE
1	C	204	HIS
1	C	259	VAL
1	C	296	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	202	ASN
1	A	241	HIS
1	A	243	GLN
1	B	202	ASN
1	B	243	GLN
1	C	202	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	C	505	-	4,4,4	0.25	0	6,6,6	0.28	0
2	SO4	C	506	-	4,4,4	0.14	0	6,6,6	0.14	0
2	SO4	B	504	-	4,4,4	0.23	0	6,6,6	0.24	0
2	SO4	A	502	-	4,4,4	0.15	0	6,6,6	0.15	0
2	SO4	B	503	-	4,4,4	0.22	0	6,6,6	0.18	0
2	SO4	A	501	-	4,4,4	0.25	0	6,6,6	0.27	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	147/211 (69%)	0.31	8 (5%) 25 24	21, 36, 71, 90	0
1	B	143/211 (67%)	0.23	5 (3%) 44 44	37, 51, 83, 89	0
1	C	146/211 (69%)	0.42	9 (6%) 20 19	32, 50, 78, 89	0
All	All	436/633 (68%)	0.32	22 (5%) 28 27	21, 47, 80, 90	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	319	PRO	5.7
1	A	320	SER	4.3
1	B	217	GLU	4.3
1	C	176	HIS	4.1
1	A	175	SER	3.8
1	B	320	SER	3.7
1	A	319	PRO	3.5
1	A	176	HIS	3.3
1	C	217	GLU	3.1
1	C	318	LEU	3.0
1	A	251	CYS	2.9
1	C	175	SER	2.8
1	A	174	GLY	2.7
1	B	319	PRO	2.7
1	C	312	GLN	2.6
1	C	313	TYR	2.5
1	C	311	LEU	2.4
1	C	199	PHE	2.4
1	A	217	GLU	2.2
1	B	286	LEU	2.2
1	B	284	PHE	2.1
1	A	255	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	B	504	5/5	0.91	0.15	63,65,79,85	0
2	SO4	C	506	5/5	0.94	0.10	83,84,90,90	0
2	SO4	A	502	5/5	0.95	0.17	50,59,69,78	0
2	SO4	C	505	5/5	0.99	0.15	50,51,54,58	0
2	SO4	B	503	5/5	0.99	0.17	49,54,55,56	0
2	SO4	A	501	5/5	0.99	0.17	35,36,38,40	0

6.5 Other polymers [i](#)

There are no such residues in this entry.