



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 8, 2024 – 02:05 PM EST

PDB ID : 8G8N
Title : CTLA4 Fab with peptide
Authors : Williams, J.C.
Deposited on : 2023-02-18
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtrriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	222	 91% 5% .
1	D	222	 89% 7% ..
1	G	222	 90% 6% ..
1	H	222	 89% 6% ..
1	K	222	 2% 74% 22% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	O	222	 5% 85% 11% . .
2	B	213	 88% 10% .
2	E	213	 85% 14% .
2	I	213	 90% 8% .
2	L	213	 90% 9%
2	M	213	 3% 78% 21% .
2	Q	213	 3% 85% 13% .
3	C	9	 89% 11%
3	F	9	 100%
3	J	9	 89% 11%
3	P	9	 100%
3	R	9	 67% 33%
3	Z	9	 44% 78% 11% 11%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 39271 atoms, of which 19311 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
1	A	213	Total 3200	C 1020	H 1585	N 272	O 315	S 8	0	0	0
1	D	217	Total 3255	C 1035	H 1612	N 277	O 322	S 9	0	0	0
1	G	216	Total 3244	C 1032	H 1607	N 276	O 320	S 9	0	0	0
1	H	214	Total 3222	C 1026	H 1598	N 274	O 316	S 8	0	0	0
1	K	214	Total 3206	C 1022	H 1587	N 273	O 316	S 8	0	0	0
1	O	217	Total 3251	C 1034	H 1610	N 277	O 321	S 9	0	0	0

- Molecule 2 is a protein called Fab light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
2	B	211	Total 3198	C 1027	H 1562	N 273	O 331	S 5	0	0	0
2	E	211	Total 3193	C 1026	H 1555	N 273	O 333	S 6	0	0	0
2	I	209	Total 3157	C 1015	H 1536	N 271	O 329	S 6	0	0	0
2	L	213	Total 3219	C 1033	H 1571	N 275	O 334	S 6	0	0	0
2	M	213	Total 3225	C 1035	H 1573	N 275	O 336	S 6	0	0	0
2	Q	211	Total 3199	C 1028	H 1561	N 272	O 332	S 6	0	0	0


- Molecule 3 is a protein called CYS-PRO-GLY-LYS-GLY-LEU-PRO-SER-CYS.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
3	C	9	Total	C	H	N	O	S	0	0	0
			117	35	59	10	11	2			
3	F	9	Total	C	H	N	O	S	0	0	0
			117	35	59	10	11	2			
3	J	9	Total	C	H	N	O	S	0	0	0
			117	35	59	10	11	2			
3	P	9	Total	C	H	N	O	S	0	0	0
			117	35	59	10	11	2			
3	R	9	Total	C	H	N	O	S	0	0	0
			117	35	59	10	11	2			
3	Z	9	Total	C	H	N	O	S	0	0	0
			117	35	59	10	11	2			


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Fab heavy chain




- Molecule 1: Fab heavy chain




- Molecule 1: Fab heavy chain



- Molecule 1: Fab heavy chain






- Molecule 1: Fab heavy chain







- Molecule 1: Fab heavy chain




- Molecule 2: Fab light chain




- Molecule 2: Fab light chain




- Molecule 2: Fab light chain




- Molecule 2: Fab light chain




- Molecule 2: Fab light chain






- Molecule 2: Fab light chain



- Molecule 3: CYS-PRO-GLY-LYS-GLY-LEU-PRO-SER-CYS




- Molecule 3: CYS-PRO-GLY-LYS-GLY-LEU-PRO-SER-CYS



There are no outlier residues recorded for this chain.

- Molecule 3: CYS-PRO-GLY-LYS-GLY-LEU-PRO-SER-CYS



- Molecule 3: CYS-PRO-GLY-LYS-GLY-LEU-PRO-SER-CYS





There are no outlier residues recorded for this chain.

- Molecule 3: CYS-PRO-GLY-LYS-GLY-LEU-PRO-SER-CYS



- Molecule 3: CYS-PRO-GLY-LYS-GLY-LEU-PRO-SER-CYS





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	72.43Å 203.51Å 225.52Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.03 – 3.00 20.03 – 3.00	Depositor EDS
% Data completeness (in resolution range)	98.2 (20.03-3.00) 89.4 (20.03-3.00)	Depositor EDS
R_{merge}	0.27	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.42 (at 2.98Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.239 , 0.288 0.242 , 0.292	Depositor DCC
R_{free} test set	3317 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	31.5	Xtrriage
Anisotropy	0.586	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 27.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.86	EDS
Total number of atoms	39271	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 47.52 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 9.8040e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/1653	0.50	0/2247
1	D	0.26	0/1681	0.50	0/2282
1	G	0.27	0/1675	0.51	0/2274
1	H	0.26	0/1662	0.50	0/2258
1	K	0.27	0/1657	0.52	0/2252
1	O	0.27	0/1679	0.51	0/2279
2	B	0.26	0/1677	0.48	0/2283
2	E	0.30	0/1678	0.49	0/2281
2	I	0.25	0/1661	0.48	0/2258
2	L	0.25	0/1689	0.48	0/2298
2	M	0.25	0/1693	0.49	0/2303
2	Q	0.25	0/1678	0.48	0/2281
3	C	0.41	0/59	0.43	0/77
3	F	0.34	0/59	0.55	0/77
3	J	0.33	0/59	0.52	0/77
3	P	0.37	0/59	0.48	0/77
3	R	0.44	0/59	0.59	0/77
3	Z	0.34	0/59	0.42	0/77
All	All	0.26	0/20437	0.50	0/27758

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1615	1585	1585	4	0
1	D	1643	1612	1612	13	0
1	G	1637	1607	1607	7	0
1	H	1624	1598	1598	7	0
1	K	1619	1587	1588	38	0
1	O	1641	1610	1610	12	0
2	B	1636	1562	1562	8	0
2	E	1638	1555	1555	19	0
2	I	1621	1536	1535	15	0
2	L	1648	1571	1569	11	0
2	M	1652	1573	1573	29	0
2	Q	1638	1561	1560	19	0
3	C	58	59	59	0	0
3	F	58	59	59	0	0
3	J	58	59	59	0	0
3	P	58	59	59	0	0
3	R	58	59	59	1	0
3	Z	58	59	59	5	0
All	All	19960	19311	19308	174	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (174) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:103:LYS:HE2	2:E:105:GLU:OE2	1.65	0.95
1:H:1:GLN:OE1	1:H:1:GLN:N	2.05	0.88
1:K:99:ARG:NH1	3:Z:6:LEU:HD12	1.90	0.85
2:M:83:ALA:HB2	2:M:106:ILE:HD13	1.60	0.81
2:M:35:TRP:CZ3	2:M:88:CYS:HB3	2.17	0.80
2:Q:30:LEU:HD23	2:Q:30:LEU:O	1.85	0.76
2:M:34:TYR:HD1	2:M:49:HIS:HA	1.53	0.73
2:I:83:ALA:HB2	2:I:106:ILE:HD11	1.69	0.73
2:Q:93:ASN:O	2:Q:94:THR:OG1	2.06	0.73
2:M:14:VAL:HG11	2:M:20:VAL:HG12	1.71	0.72
1:K:75:SER:O	1:K:76:THR:OG1	2.06	0.71
2:E:103:LYS:CE	2:E:105:GLU:OE2	2.39	0.71
1:K:100:ALA:HB2	1:K:107:ALA:HB2	1.75	0.69
2:E:105:GLU:OE1	2:E:173:TYR:OH	2.09	0.69
2:Q:22:ILE:HG23	2:Q:102:THR:HG21	1.76	0.68
1:O:81:MET:HE1	1:O:83:LEU:HB2	1.78	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:14:VAL:HG13	2:E:78:LEU:HD22	1.78	0.66
1:K:40:ALA:HB3	1:K:43:GLN:HG3	1.78	0.65
1:K:91:THR:HG22	1:K:117:VAL:H	1.62	0.64
1:K:99:ARG:NH2	1:K:101:MET:O	2.31	0.64
1:D:187:VAL:HG11	2:E:135:LEU:HD22	1.80	0.63
1:K:102:ASP:O	1:K:102:ASP:OD1	2.16	0.63
2:Q:5:LEU:CD1	2:Q:97:THR:HG23	2.29	0.62
1:K:40:ALA:HB3	1:K:43:GLN:CG	2.29	0.62
2:E:22:ILE:HD12	2:E:102:THR:HG21	1.84	0.60
2:E:103:LYS:HD3	2:E:105:GLU:CG	2.31	0.60
1:G:51:VAL:O	1:G:53:PRO:HD3	2.03	0.59
2:I:106:ILE:HD12	2:I:106:ILE:N	2.18	0.58
2:I:14:VAL:HG21	2:I:20:VAL:CG2	2.34	0.57
2:I:83:ALA:HB2	2:I:106:ILE:CD1	2.34	0.57
1:O:220:LYS:HD2	1:O:221:SER:H	1.69	0.57
1:G:99:ARG:HG3	1:G:100:ALA:O	2.05	0.56
1:D:195:LEU:HD12	1:D:195:LEU:O	2.06	0.56
1:K:40:ALA:HB1	1:K:41:PRO:HD2	1.87	0.56
1:O:3:GLN:C	1:O:4:LEU:HD12	2.27	0.55
2:L:15:THR:OG1	2:L:18:GLU:HG3	2.07	0.54
1:D:132:PRO:HD3	1:D:144:LEU:HD12	1.90	0.54
1:K:103:ASN:OD1	1:K:105:GLY:N	2.39	0.54
1:H:203:ASN:N	1:H:203:ASN:OD1	2.40	0.53
1:K:99:ARG:CZ	3:Z:6:LEU:HD12	2.37	0.53
1:G:13:LYS:H	1:G:13:LYS:HD3	1.74	0.53
2:I:94:THR:O	2:I:94:THR:HG23	2.09	0.53
1:K:103:ASN:OD1	1:K:103:ASN:C	2.47	0.53
2:M:34:TYR:CD1	2:M:49:HIS:HA	2.39	0.52
1:G:103:ASN:OD1	1:G:105:GLY:N	2.43	0.52
2:Q:10:ASP:OD1	2:Q:10:ASP:N	2.43	0.52
1:K:48:MET:HE3	1:K:64:PHE:CE1	2.45	0.52
1:G:3:GLN:C	1:G:4:LEU:HD12	2.29	0.52
1:K:99:ARG:CZ	3:Z:6:LEU:CD1	2.88	0.51
1:K:100:ALA:HB2	1:K:107:ALA:CB	2.40	0.51
2:M:9:PRO:O	2:M:102:THR:HG23	2.11	0.51
1:D:141:THR:HG22	1:D:189:THR:HG23	1.92	0.51
1:O:83:LEU:HD23	1:O:86:LEU:CD2	2.41	0.50
2:B:105:GLU:OE1	2:B:142:ARG:NH1	2.45	0.50
2:M:35:TRP:CE3	2:M:88:CYS:HB3	2.47	0.50
1:D:141:THR:CG2	1:D:189:THR:HG23	2.43	0.49
1:K:68:VAL:HG22	1:K:83:LEU:CD2	2.43	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:121:SER:O	2:M:122:ASP:HB2	2.12	0.49
2:I:61:ARG:O	2:I:76:ASN:ND2	2.43	0.49
2:M:181:LEU:N	2:M:181:LEU:HD23	2.26	0.49
1:A:201:ILE:HG22	1:A:216:LYS:HG3	1.94	0.49
2:Q:14:VAL:HG21	2:Q:20:VAL:HB	1.95	0.49
2:L:150:VAL:O	2:L:150:VAL:HG13	2.13	0.48
1:D:87:ARG:HG2	1:D:87:ARG:HH11	1.78	0.48
2:E:9:PRO:O	2:E:102:THR:HG23	2.13	0.48
1:H:100:ALA:HB2	1:H:107:ALA:HB2	1.95	0.48
1:H:43:GLN:HE22	1:O:201:ILE:HD12	1.79	0.47
2:E:210:ASN:O	2:E:213:GLU:HG2	2.14	0.47
1:D:33:PHE:CE1	1:D:52:ASP:HB2	2.48	0.47
2:I:14:VAL:HG21	2:I:20:VAL:HG21	1.96	0.47
1:K:30:THR:HG21	1:K:74:LYS:NZ	2.30	0.47
1:K:99:ARG:HG2	1:K:100:ALA:N	2.29	0.47
2:L:9:PRO:O	2:L:102:THR:HG23	2.14	0.47
2:M:24:CYS:HB3	2:M:35:TRP:CH2	2.50	0.47
2:M:108:ARG:NH1	2:M:109:THR:O	2.47	0.47
1:K:103:ASN:ND2	2:M:49:HIS:CG	2.83	0.47
1:O:62:GLU:N	2:Q:95:GLN:OE1	2.47	0.47
1:O:127:VAL:HG21	1:O:215:LYS:HB2	1.96	0.47
2:Q:93:ASN:C	2:Q:94:THR:HG1	2.15	0.47
2:M:108:ARG:HG2	2:M:109:THR:N	2.30	0.46
2:E:11:PHE:CE2	2:E:103:LYS:HD2	2.50	0.46
1:G:130:LEU:HD22	2:I:118:PHE:CB	2.45	0.46
2:M:14:VAL:HG21	2:M:20:VAL:HG12	1.97	0.46
2:E:28:SER:O	2:E:29:ALA:HB3	2.14	0.46
1:K:64:PHE:HB3	1:K:68:VAL:HG21	1.98	0.46
2:E:201:LEU:HD13	2:E:205:VAL:HG12	1.98	0.46
2:M:124:GLN:O	2:M:127:SER:OG	2.27	0.46
2:M:183:LYS:O	2:M:187:GLU:HG3	2.16	0.46
2:I:14:VAL:HG11	2:I:20:VAL:CG2	2.46	0.46
2:L:62:PHE:CE1	2:L:75:ILE:HG12	2.51	0.46
2:Q:30:LEU:HB3	2:Q:90:HIS:NE2	2.31	0.45
1:D:100:ALA:HB2	1:D:107:ALA:HB2	1.97	0.45
2:M:33:MET:HE3	2:M:90:HIS:HB2	1.98	0.45
1:H:191:PRO:O	1:H:194:SER:OG	2.34	0.45
2:M:24:CYS:HB3	2:M:35:TRP:HH2	1.82	0.45
2:I:9:PRO:O	2:I:102:THR:HG23	2.16	0.45
1:O:57:ARG:HD2	1:O:58:ALA:N	2.32	0.45
2:B:93:ASN:HA	2:B:94:THR:HA	1.77	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:40:ALA:HB3	1:D:43:GLN:HB2	1.99	0.45
1:K:93:VAL:HG22	1:K:114:LEU:HD23	1.98	0.45
1:K:206:HIS:ND1	1:K:209:SER:OG	2.39	0.45
2:M:117:ILE:HD13	2:M:209:PHE:HD1	1.82	0.45
2:B:78:LEU:HD13	2:B:79:GLU:N	2.32	0.45
1:K:114:LEU:HD13	1:K:115:VAL:N	2.32	0.45
2:L:26:ALA:HB2	2:L:30:LEU:HD11	1.99	0.45
1:K:90:ASP:O	1:K:94:TYR:OH	2.30	0.44
2:M:75:ILE:HG21	2:M:78:LEU:HD12	1.98	0.44
2:I:14:VAL:HG11	2:I:20:VAL:HG22	2.00	0.44
1:K:83:LEU:HD12	1:K:86:LEU:HD23	1.98	0.44
2:M:27:ASN:OD1	2:M:27:ASN:N	2.49	0.44
1:K:30:THR:HA	1:K:53:PRO:HG2	1.99	0.44
2:Q:117:ILE:HD13	2:Q:209:PHE:HD1	1.82	0.44
2:I:14:VAL:HG21	2:I:20:VAL:HG22	2.00	0.44
2:I:78:LEU:HD13	2:I:79:GLU:N	2.33	0.44
1:O:51:VAL:O	1:O:53:PRO:HD3	2.18	0.44
2:Q:30:LEU:O	2:Q:31:SER:HB2	2.17	0.43
2:M:16:PRO:HG3	2:M:106:ILE:HG23	2.00	0.43
1:A:1:GLN:N	1:A:1:GLN:CD	2.72	0.43
2:B:122:ASP:O	2:B:126:LYS:HG3	2.19	0.43
2:B:125:LEU:O	2:B:183:LYS:HD2	2.19	0.43
1:A:100:ALA:HB2	1:A:107:ALA:HB2	2.00	0.43
2:L:26:ALA:CB	2:L:30:LEU:HD11	2.49	0.43
1:K:32:TYR:OH	1:K:101:MET:HA	2.18	0.43
2:M:35:TRP:HD1	2:M:48:VAL:HB	1.84	0.43
1:K:52:ASP:OD1	3:Z:4:LYS:HE2	2.18	0.43
1:K:102:ASP:O	3:Z:6:LEU:HD21	2.19	0.43
2:Q:213:GLU:O	2:Q:214:CYS:SG	2.77	0.43
2:Q:50:GLY:O	2:Q:51:THR:HB	2.19	0.42
1:A:13:LYS:NZ	1:A:119:SER:O	2.52	0.42
2:Q:91:TRP:CD1	3:R:2:PRO:HD3	2.54	0.42
1:O:100:ALA:HB2	1:O:107:ALA:HB2	2.01	0.42
1:G:177:GLN:HG3	1:G:181:LEU:O	2.20	0.42
2:E:181:LEU:N	2:E:181:LEU:HD23	2.35	0.42
2:L:80:ALA:HA	2:L:106:ILE:HD11	2.02	0.42
1:H:118:SER:O	1:H:119:SER:HB3	2.19	0.42
1:K:47:TRP:CG	2:M:96:TRP:HB2	2.54	0.42
2:E:121:SER:O	2:E:124:GLN:N	2.51	0.42
1:K:120:ALA:HB3	1:K:152:PHE:CE1	2.54	0.42
1:K:175:VAL:HG21	2:M:160:GLN:HB3	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:O:17:SER:HB3	1:O:84:SER:HA	2.01	0.42
2:L:51:THR:HG22	2:L:51:THR:O	2.20	0.42
2:M:163:VAL:HG22	2:M:175:LEU:HD12	2.02	0.42
2:B:9:PRO:O	2:B:102:THR:HG23	2.20	0.41
2:L:17:LYS:HA	2:L:17:LYS:HD2	1.88	0.41
1:H:216:LYS:HD2	1:H:218:GLU:OE2	2.20	0.41
2:Q:5:LEU:HD23	2:Q:24:CYS:SG	2.60	0.41
2:Q:5:LEU:HD11	2:Q:97:THR:HG23	2.00	0.41
2:E:51:THR:HG22	2:E:51:THR:O	2.20	0.41
1:O:33:PHE:CE1	1:O:52:ASP:HB2	2.55	0.41
1:K:67:ARG:HD2	1:K:84:SER:O	2.21	0.41
2:B:51:THR:HG23	2:B:71:PHE:HD2	1.85	0.41
1:D:87:ARG:HG2	1:D:87:ARG:NH1	2.35	0.41
2:E:26:ALA:O	2:E:69:THR:HG23	2.20	0.41
1:K:70:ILE:HG12	1:K:81:MET:HG3	2.03	0.41
1:D:60:TYR:CE2	1:D:70:ILE:HG13	2.55	0.41
1:D:195:LEU:HD12	1:D:195:LEU:C	2.41	0.41
2:E:167:ASP:OD1	2:E:168:SER:N	2.54	0.41
1:K:88:SER:O	1:K:91:THR:HG23	2.21	0.41
2:L:163:VAL:HG22	2:L:175:LEU:HD12	2.03	0.41
1:D:45:LEU:N	1:D:45:LEU:HD12	2.36	0.41
2:E:83:ALA:HB2	2:E:106:ILE:HD11	2.03	0.41
2:L:2:GLU:O	2:L:27:ASN:ND2	2.54	0.41
2:M:140:TYR:CG	2:M:141:PRO:HA	2.56	0.41
2:Q:22:ILE:CG2	2:Q:102:THR:HG21	2.48	0.41
2:E:93:ASN:HA	2:E:94:THR:HA	1.79	0.40
2:I:181:LEU:HD23	2:I:181:LEU:N	2.36	0.40
1:K:100:ALA:O	1:K:101:MET:HB3	2.21	0.40
2:Q:163:VAL:HG22	2:Q:175:LEU:HD12	2.03	0.40
2:B:28:SER:HB3	1:K:111:GLN:HB3	2.03	0.40
2:Q:211:ARG:O	2:Q:211:ARG:HG2	2.21	0.40
2:I:93:ASN:HA	2:I:94:THR:HA	1.77	0.40
2:M:48:VAL:HG22	2:M:54:LEU:HD23	2.04	0.40
1:K:33:PHE:CE1	1:K:52:ASP:HB2	2.56	0.40
2:M:213:GLU:N	2:M:213:GLU:OE1	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	209/222 (94%)	208 (100%)	1 (0%)	0	100	100
1	D	213/222 (96%)	208 (98%)	5 (2%)	0	100	100
1	G	212/222 (96%)	207 (98%)	5 (2%)	0	100	100
1	H	210/222 (95%)	208 (99%)	2 (1%)	0	100	100
1	K	210/222 (95%)	204 (97%)	6 (3%)	0	100	100
1	O	213/222 (96%)	205 (96%)	8 (4%)	0	100	100
2	B	209/213 (98%)	201 (96%)	7 (3%)	1 (0%)	29	68
2	E	207/213 (97%)	195 (94%)	11 (5%)	1 (0%)	29	68
2	I	205/213 (96%)	199 (97%)	6 (3%)	0	100	100
2	L	211/213 (99%)	203 (96%)	8 (4%)	0	100	100
2	M	211/213 (99%)	194 (92%)	16 (8%)	1 (0%)	29	68
2	Q	207/213 (97%)	194 (94%)	13 (6%)	0	100	100
3	C	7/9 (78%)	7 (100%)	0	0	100	100
3	F	7/9 (78%)	7 (100%)	0	0	100	100
3	J	7/9 (78%)	5 (71%)	2 (29%)	0	100	100
3	P	7/9 (78%)	7 (100%)	0	0	100	100
3	R	7/9 (78%)	5 (71%)	2 (29%)	0	100	100
3	Z	7/9 (78%)	7 (100%)	0	0	100	100
All	All	2559/2664 (96%)	2464 (96%)	92 (4%)	3 (0%)	51	85

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	3	ILE
2	M	3	ILE
2	E	204	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	179/187 (96%)	173 (97%)	6 (3%)	37	72
1	D	183/187 (98%)	177 (97%)	6 (3%)	38	73
1	G	182/187 (97%)	176 (97%)	6 (3%)	38	73
1	H	180/187 (96%)	173 (96%)	7 (4%)	32	69
1	K	179/187 (96%)	170 (95%)	9 (5%)	24	60
1	O	182/187 (97%)	171 (94%)	11 (6%)	19	53
2	B	186/188 (99%)	178 (96%)	8 (4%)	29	66
2	E	186/188 (99%)	183 (98%)	3 (2%)	62	86
2	I	184/188 (98%)	181 (98%)	3 (2%)	62	86
2	L	187/188 (100%)	182 (97%)	5 (3%)	44	77
2	M	188/188 (100%)	177 (94%)	11 (6%)	19	54
2	Q	186/188 (99%)	180 (97%)	6 (3%)	39	74
3	C	7/7 (100%)	6 (86%)	1 (14%)	3	15
3	F	7/7 (100%)	7 (100%)	0	100	100
3	J	7/7 (100%)	6 (86%)	1 (14%)	3	15
3	P	7/7 (100%)	7 (100%)	0	100	100
3	R	7/7 (100%)	5 (71%)	2 (29%)	0	2
3	Z	7/7 (100%)	6 (86%)	1 (14%)	3	15
All	All	2244/2292 (98%)	2158 (96%)	86 (4%)	33	69

All (86) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	GLN
1	A	69	THR
1	A	84	SER
1	A	88	SER
1	A	167	SER
1	A	194	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	2	GLU
2	B	11	PHE
2	B	12	GLN
2	B	28	SER
2	B	43	SER
2	B	47	TRP
2	B	77	SER
2	B	162	SER
3	C	9	CYS
1	D	73	ASP
1	D	84	SER
1	D	87	ARG
1	D	126	SER
1	D	141	THR
1	D	144	LEU
2	E	47	TRP
2	E	53	ASN
2	E	204	PRO
1	G	13	LYS
1	G	57	ARG
1	G	84	SER
1	G	101	MET
1	G	177	GLN
1	G	203	ASN
1	H	19	LYS
1	H	57	ARG
1	H	81	MET
1	H	88	SER
1	H	119	SER
1	H	189	THR
1	H	203	ASN
2	I	47	TRP
2	I	77	SER
2	I	145	LYS
3	J	9	CYS
1	K	55	GLN
1	K	57	ARG
1	K	69	THR
1	K	73	ASP
1	K	84	SER
1	K	133	SER
1	K	189	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	K	192	SER
1	K	203	ASN
2	L	27	ASN
2	L	31	SER
2	L	47	TRP
2	L	63	SER
2	L	78	LEU
2	M	7	GLN
2	M	25	SER
2	M	31	SER
2	M	47	TRP
2	M	52	SER
2	M	79	GLU
2	M	92	SER
2	M	162	SER
2	M	168	SER
2	M	181	LEU
2	M	183	LYS
1	O	21	SER
1	O	33	PHE
1	O	43	GLN
1	O	57	ARG
1	O	68	VAL
1	O	84	SER
1	O	133	SER
1	O	141	THR
1	O	185	SER
1	O	217	VAL
1	O	220	LYS
2	Q	10	ASP
2	Q	25	SER
2	Q	47	TRP
2	Q	78	LEU
2	Q	169	LYS
2	Q	176	SER
3	R	1	CYS
3	R	9	CYS
3	Z	4	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	43	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	213/222 (95%)	-0.38	2 (0%) 84 63	21, 33, 59, 78	0
1	D	217/222 (97%)	-0.17	2 (0%) 84 63	22, 41, 66, 101	0
1	G	216/222 (97%)	-0.26	2 (0%) 84 63	21, 40, 62, 95	0
1	H	214/222 (96%)	-0.40	1 (0%) 91 75	20, 32, 59, 94	0
1	K	214/222 (96%)	0.08	5 (2%) 60 31	24, 56, 80, 123	0
1	O	217/222 (97%)	0.11	10 (4%) 32 12	28, 55, 81, 95	0
2	B	211/213 (99%)	-0.29	0 100 100	21, 36, 52, 67	0
2	E	211/213 (99%)	-0.15	1 (0%) 91 75	26, 39, 67, 101	0
2	I	209/213 (98%)	-0.24	1 (0%) 91 75	23, 35, 66, 93	0
2	L	213/213 (100%)	-0.24	3 (1%) 75 49	22, 38, 62, 99	0
2	M	213/213 (100%)	0.05	7 (3%) 46 20	25, 54, 85, 109	0
2	Q	211/213 (99%)	0.16	6 (2%) 53 25	31, 53, 85, 115	0
3	C	9/9 (100%)	-0.56	0 100 100	24, 29, 36, 43	0
3	F	9/9 (100%)	-0.03	0 100 100	44, 47, 60, 80	0
3	J	9/9 (100%)	-0.32	0 100 100	43, 48, 56, 71	0
3	P	9/9 (100%)	-0.72	0 100 100	21, 26, 30, 35	0
3	R	9/9 (100%)	0.57	0 100 100	66, 70, 77, 94	0
3	Z	9/9 (100%)	1.53	4 (44%) 0 0	67, 74, 87, 92	0
All	All	2613/2664 (98%)	-0.14	44 (1%) 70 41	20, 40, 76, 123	0

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	L	214	CYS	4.4
1	O	221	SER	4.1
1	D	222	CYS	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	O	74	LYS	3.8
3	Z	9	CYS	3.6
1	K	76	THR	3.5
3	Z	6	LEU	3.5
2	Q	3	ILE	3.3
2	M	27	ASN	2.9
1	O	222	CYS	2.9
2	M	4	VAL	2.8
1	G	221	SER	2.8
2	Q	67	SER	2.8
2	L	2	GLU	2.8
1	O	76	THR	2.8
1	K	1	GLN	2.7
2	E	214	CYS	2.7
3	Z	7	PRO	2.7
2	I	26	ALA	2.7
2	Q	30	LEU	2.6
2	M	3	ILE	2.6
2	M	2	GLU	2.6
3	Z	8	SER	2.5
1	O	87	ARG	2.5
1	G	222	CYS	2.5
2	M	9	PRO	2.5
1	K	41	PRO	2.4
1	A	196	GLY	2.4
1	D	221	SER	2.4
2	L	27	ASN	2.4
1	H	220	LYS	2.3
1	A	1	GLN	2.3
2	M	31	SER	2.3
1	O	1	GLN	2.3
2	Q	214	CYS	2.2
1	K	88	SER	2.2
1	O	35	ASN	2.2
1	K	139	GLY	2.1
2	Q	53	ASN	2.1
1	O	75	SER	2.1
2	M	67	SER	2.1
1	O	62	GLU	2.0
2	Q	26	ALA	2.0
1	O	31	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.