



Full wwPDB NMR Structure Validation Report ⓘ

May 31, 2020 – 10:19 pm BST

PDB ID : 6GBE
Title : Murine Protein Tyrosine Phosphatase PTPN13 PDZ3 Domain-PRK2 Peptide Complex
Authors : Kock, G.; Stoll, R.
Deposited on : 2018-04-13

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : 2.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 75%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	119	
2	B	12	

2 Ensemble composition and analysis i

This entry contains 20 models. Model 1 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:7-A:35, A:45-A:114, B:127-B:131 (104)	0.70	1

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 2 clusters and 16 single-model clusters were found.

Cluster number	Models
1	8, 18
2	1, 19
Single-model clusters	2; 3; 4; 5; 6; 7; 9; 10; 11; 12; 13; 14; 15; 16; 17; 20

3 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 2003 atoms, of which 999 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Tyrosine-protein phosphatase non-receptor type 13.

Mol	Chain	Residues	Atoms					Trace	
			Total	C	H	N	O		S
1	A	119	1800	566	907	151	175	1	0

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	115	PRO	-	expression tag	UNP Q64512
A	116	GLY	-	expression tag	UNP Q64512
A	117	ASN	-	expression tag	UNP Q64512
A	118	SER	-	expression tag	UNP Q64512
A	119	SER	-	expression tag	UNP Q64512

- Molecule 2 is a protein called Serine/threonine-protein kinase N2.


Mol	Chain	Residues	Atoms					Trace	
			Total	C	H	N	O		S
2	B	12	203	73	92	16	20	2	0

4 Residue-property plots [i](#)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Tyrosine-protein phosphatase non-receptor type 13



- Molecule 2: Serine/threonine-protein kinase N2




4.2 Scores per residue for each member of the ensemble


Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1 (medoid)

- Molecule 1: Tyrosine-protein phosphatase non-receptor type 13




- Molecule 2: Serine/threonine-protein kinase N2



4.2.2 Score per residue for model 2

- Molecule 1: Tyrosine-protein phosphatase non-receptor type 13




- Molecule 2: Serine/threonine-protein kinase N2




4.2.3 Score per residue for model 3

- Molecule 1: Tyrosine-protein phosphatase non-receptor type 13




- Molecule 2: Serine/threonine-protein kinase N2




4.2.4 Score per residue for model 4

- Molecule 1: Tyrosine-protein phosphatase non-receptor type 13




- Molecule 2: Serine/threonine-protein kinase N2



4.2.5 Score per residue for model 5

- Molecule 1: Tyrosine-protein phosphatase non-receptor type 13




- Molecule 2: Serine/threonine-protein kinase N2




4.2.6 Score per residue for model 6

- Molecule 1: Tyrosine-protein phosphatase non-receptor type 13




- Molecule 2: Serine/threonine-protein kinase N2




4.2.7 Score per residue for model 7

- Molecule 1: Tyrosine-protein phosphatase non-receptor type 13




- Molecule 2: Serine/threonine-protein kinase N2




4.2.8 Score per residue for model 8

- Molecule 1: Tyrosine-protein phosphatase non-receptor type 13




- Molecule 2: Serine/threonine-protein kinase N2




4.2.9 Score per residue for model 9

- Molecule 1: Tyrosine-protein phosphatase non-receptor type 13




- Molecule 2: Serine/threonine-protein kinase N2




4.2.10 Score per residue for model 10

- Molecule 1: Tyrosine-protein phosphatase non-receptor type 13




- Molecule 2: Serine/threonine-protein kinase N2




4.2.11 Score per residue for model 11

- Molecule 1: Tyrosine-protein phosphatase non-receptor type 13




- Molecule 2: Serine/threonine-protein kinase N2




4.2.12 Score per residue for model 12

- Molecule 1: Tyrosine-protein phosphatase non-receptor type 13




- Molecule 2: Serine/threonine-protein kinase N2




4.2.13 Score per residue for model 13

- Molecule 1: Tyrosine-protein phosphatase non-receptor type 13




- Molecule 2: Serine/threonine-protein kinase N2




4.2.14 Score per residue for model 14

- Molecule 1: Tyrosine-protein phosphatase non-receptor type 13




- Molecule 2: Serine/threonine-protein kinase N2




4.2.15 Score per residue for model 15

- Molecule 1: Tyrosine-protein phosphatase non-receptor type 13




- Molecule 2: Serine/threonine-protein kinase N2




4.2.16 Score per residue for model 16

- Molecule 1: Tyrosine-protein phosphatase non-receptor type 13




- Molecule 2: Serine/threonine-protein kinase N2




4.2.17 Score per residue for model 17

- Molecule 1: Tyrosine-protein phosphatase non-receptor type 13




- Molecule 2: Serine/threonine-protein kinase N2




4.2.18 Score per residue for model 18

- Molecule 1: Tyrosine-protein phosphatase non-receptor type 13




- Molecule 2: Serine/threonine-protein kinase N2




4.2.19 Score per residue for model 19

- Molecule 1: Tyrosine-protein phosphatase non-receptor type 13




- Molecule 2: Serine/threonine-protein kinase N2



4.2.20 Score per residue for model 20

- Molecule 1: Tyrosine-protein phosphatase non-receptor type 13



- Molecule 2: Serine/threonine-protein kinase N2

5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing*.

Of the 400 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	structure calculation	
Xplor-NIH	structure calculation	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	input_cs.cif
Number of chemical shift lists	1
Total number of shifts	1101
Number of shifts mapped to atoms	1101
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	75%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality i

6.1 Standard geometry i

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	745	763	763	25±5
2	B	42	35	35	2±1
All	All	15740	15960	15960	521

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:78:LEU:HD23	1:A:78:LEU:N	0.76	1.94	11	1
1:A:64:ILE:HD12	1:A:64:ILE:N	0.71	2.00	15	1
1:A:58:ALA:O	1:A:64:ILE:HD12	0.71	1.86	3	10
1:A:16:PHE:CD2	1:A:16:PHE:N	0.69	2.59	4	1
1:A:16:PHE:N	1:A:16:PHE:CD1	0.68	2.59	7	2
1:A:29:PHE:N	1:A:29:PHE:CD1	0.67	2.61	5	3
1:A:66:VAL:O	1:A:66:VAL:HG13	0.67	1.90	17	1
1:A:48:ARG:NH2	1:A:109:LEU:HD22	0.66	2.06	20	1
1:A:66:VAL:HG13	1:A:66:VAL:O	0.64	1.92	20	2
1:A:29:PHE:CD2	1:A:29:PHE:N	0.63	2.66	6	1
1:A:56:GLN:O	1:A:59:ALA:N	0.61	2.32	6	20
1:A:9:PHE:N	1:A:9:PHE:CD1	0.61	2.63	13	1
1:A:48:ARG:HH22	1:A:109:LEU:HD22	0.61	1.55	20	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:16:PHE:O	1:A:16:PHE:CD2	0.60	2.55	3	4
1:A:7:TYR:O	1:A:9:PHE:N	0.60	2.35	6	1
1:A:60:GLU:O	1:A:62:GLY:N	0.59	2.35	10	19
1:A:16:PHE:N	1:A:101:LEU:O	0.59	2.36	18	3
1:A:16:PHE:CD2	1:A:16:PHE:O	0.59	2.55	9	1
1:A:16:PHE:CD1	1:A:16:PHE:O	0.59	2.55	12	3
1:A:11:THR:OG1	1:A:14:ASN:ND2	0.59	2.36	20	7
1:A:53:PHE:N	1:A:53:PHE:CD1	0.59	2.69	6	1
1:A:56:GLN:H	1:A:59:ALA:HB3	0.59	1.57	20	5
1:A:16:PHE:CG	1:A:16:PHE:O	0.59	2.55	10	2
1:A:16:PHE:O	1:A:16:PHE:CD1	0.58	2.56	19	4
1:A:78:LEU:O	1:A:80:GLY:N	0.58	2.37	19	3
1:A:64:ILE:H	1:A:64:ILE:HD12	0.58	1.58	15	1
1:A:93:THR:HG22	1:A:93:THR:O	0.58	1.99	13	1
1:A:78:LEU:N	1:A:78:LEU:CD2	0.58	2.61	11	2
1:A:11:THR:OG1	1:A:12:GLU:N	0.58	2.35	9	8
1:A:26:GLY:N	2:B:131:CYS:OXT	0.58	2.36	13	2
1:A:15:THR:O	1:A:16:PHE:CD1	0.57	2.56	8	1
1:A:73:VAL:O	1:A:76:ALA:N	0.57	2.37	10	4
2:B:129:ASP:OD1	2:B:129:ASP:N	0.56	2.37	4	1
1:A:81:LEU:HD21	1:A:85:ASP:OD2	0.56	2.00	19	1
1:A:35:ASP:N	1:A:35:ASP:OD1	0.56	2.39	6	1
1:A:29:PHE:N	1:A:29:PHE:CD2	0.56	2.73	16	3
1:A:91:ARG:O	1:A:93:THR:N	0.55	2.38	20	1
1:A:33:ARG:NH1	1:A:82:SER:O	0.55	2.40	14	2
1:A:52:LEU:HD21	1:A:58:ALA:HB3	0.55	1.77	19	4
1:A:68:ASP:CG	1:A:101:LEU:HD22	0.55	2.22	18	1
1:A:73:VAL:O	1:A:76:ALA:HB3	0.55	2.02	19	2
1:A:13:ASP:OD2	1:A:13:ASP:N	0.55	2.37	13	1
1:A:68:ASP:OD1	1:A:68:ASP:N	0.55	2.38	6	1
1:A:17:GLU:CD	1:A:17:GLU:H	0.54	2.06	15	1
1:A:64:ILE:CD1	1:A:64:ILE:N	0.54	2.67	15	1
2:B:129:ASP:C	2:B:130:TRP:CG	0.54	2.80	19	5
1:A:64:ILE:HG22	1:A:65:ASP:N	0.54	2.17	12	7
1:A:10:VAL:O	1:A:10:VAL:HG13	0.54	2.03	9	3
1:A:16:PHE:O	1:A:16:PHE:CG	0.54	2.61	13	4
1:A:62:GLY:O	1:A:64:ILE:CD1	0.54	2.55	13	1
1:A:105:ALA:O	1:A:108:VAL:HG23	0.54	2.03	12	1
1:A:92:GLY:O	1:A:93:THR:CB	0.53	2.56	20	1
1:A:14:ASN:CG	1:A:15:THR:N	0.53	2.62	20	7
1:A:48:ARG:HH22	1:A:109:LEU:HD13	0.53	1.64	20	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:47:VAL:HG21	1:A:86:VAL:HG21	0.53	1.80	17	1
1:A:74:ASN:N	1:A:98:SER:O	0.52	2.42	3	6
1:A:21:PHE:N	1:A:21:PHE:CD2	0.52	2.77	7	1
1:A:99:LEU:H	1:A:99:LEU:HD12	0.52	1.64	17	1
1:A:65:ASP:O	1:A:67:GLY:N	0.52	2.43	19	4
1:A:14:ASN:C	1:A:14:ASN:ND2	0.52	2.62	19	5
1:A:78:LEU:N	1:A:78:LEU:HD22	0.52	2.20	18	1
1:A:78:LEU:CD2	1:A:78:LEU:N	0.52	2.73	18	2
1:A:33:ARG:HE	1:A:47:VAL:HG22	0.52	1.64	4	1
1:A:67:GLY:HA2	1:A:112:ILE:HD11	0.52	1.82	15	1
1:A:66:VAL:CG1	1:A:66:VAL:O	0.51	2.58	5	1
1:A:78:LEU:H	1:A:78:LEU:CD2	0.51	2.18	11	1
1:A:88:SER:O	1:A:92:GLY:N	0.51	2.43	4	4
1:A:21:PHE:CD2	1:A:21:PHE:N	0.51	2.78	2	1
1:A:84:GLN:NE2	2:B:129:ASP:OD1	0.51	2.43	15	1
1:A:29:PHE:CD1	1:A:29:PHE:N	0.51	2.78	7	1
1:A:27:LEU:HD22	1:A:27:LEU:N	0.51	2.21	12	1
1:A:28:GLY:N	2:B:131:CYS:OXT	0.50	2.44	18	3
1:A:26:GLY:CA	2:B:131:CYS:OXT	0.50	2.59	4	1
1:A:71:LEU:O	1:A:78:LEU:HD22	0.50	2.05	11	1
1:A:94:ALA:HB1	1:A:95:PRO:HD2	0.50	1.83	3	12
1:A:14:ASN:ND2	1:A:14:ASN:C	0.50	2.64	2	4
1:A:58:ALA:O	1:A:61:SER:OG	0.50	2.30	17	2
1:A:66:VAL:HG12	1:A:112:ILE:HD12	0.50	1.84	15	1
1:A:17:GLU:H	1:A:17:GLU:CD	0.50	2.09	3	1
1:A:52:LEU:HD23	1:A:53:PHE:H	0.50	1.66	13	1
1:A:67:GLY:O	1:A:68:ASP:O	0.50	2.30	16	7
1:A:69:VAL:O	1:A:101:LEU:HD23	0.49	2.07	10	2
1:A:112:ILE:N	1:A:112:ILE:HD12	0.49	2.22	4	1
1:A:60:GLU:C	1:A:62:GLY:N	0.49	2.64	8	18
1:A:31:PHE:CD1	1:A:31:PHE:O	0.49	2.65	2	2
1:A:65:ASP:OD2	1:A:66:VAL:N	0.49	2.45	16	1
1:A:27:LEU:CD2	1:A:27:LEU:N	0.49	2.74	12	1
1:A:96:GLU:O	1:A:96:GLU:OE1	0.49	2.31	18	1
1:A:64:ILE:CG2	1:A:65:ASP:N	0.49	2.75	9	5
1:A:12:GLU:O	1:A:103:ARG:O	0.49	2.31	3	9
1:A:15:THR:HG23	1:A:101:LEU:O	0.49	2.08	9	3
1:A:35:ASP:OD2	1:A:35:ASP:N	0.49	2.46	5	1
1:A:20:LEU:HD13	1:A:61:SER:OG	0.49	2.07	4	1
1:A:48:ARG:NH1	1:A:67:GLY:O	0.49	2.45	14	1
1:A:32:SER:N	1:A:48:ARG:O	0.49	2.45	5	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:82:SER:O	1:A:85:ASP:N	0.49	2.46	5	1
1:A:33:ARG:HG2	1:A:47:VAL:HG22	0.49	1.84	1	1
1:A:105:ALA:HB1	1:A:106:PRO:HD2	0.49	1.84	9	7
1:A:8:SER:O	1:A:8:SER:OG	0.49	2.30	16	1
1:A:21:PHE:O	1:A:21:PHE:CD2	0.49	2.66	9	1
1:A:90:LEU:CD2	2:B:131:CYS:SG	0.49	3.01	6	2
1:A:27:LEU:N	1:A:27:LEU:HD22	0.48	2.23	6	1
1:A:58:ALA:O	1:A:64:ILE:CD1	0.48	2.62	10	6
1:A:65:ASP:O	1:A:68:ASP:OD2	0.48	2.31	10	1
1:A:27:LEU:N	1:A:27:LEU:CD2	0.48	2.76	6	1
1:A:65:ASP:OD1	1:A:103:ARG:NH2	0.48	2.47	10	1
1:A:91:ARG:O	1:A:92:GLY:O	0.48	2.31	18	3
1:A:78:LEU:HD22	1:A:78:LEU:N	0.48	2.23	4	1
1:A:58:ALA:O	1:A:62:GLY:O	0.48	2.30	13	1
1:A:77:PRO:O	1:A:81:LEU:HD23	0.48	2.07	16	1
1:A:58:ALA:HB1	1:A:64:ILE:HD12	0.48	1.85	4	2
2:B:128:ALA:O	2:B:129:ASP:O	0.48	2.31	19	2
1:A:23:ASN:O	1:A:24:SER:O	0.48	2.31	10	1
1:A:91:ARG:C	1:A:93:THR:N	0.48	2.64	20	1
1:A:109:LEU:O	1:A:110:PRO:O	0.48	2.32	12	1
1:A:73:VAL:C	1:A:75:GLY:N	0.48	2.68	9	5
1:A:31:PHE:CD2	1:A:31:PHE:O	0.47	2.67	14	2
1:A:45:SER:O	1:A:78:LEU:HD12	0.47	2.08	4	1
1:A:24:SER:O	1:A:25:SER:O	0.47	2.33	19	1
1:A:83:GLN:C	1:A:83:GLN:NE2	0.47	2.66	5	1
1:A:56:GLN:N	1:A:56:GLN:NE2	0.47	2.61	11	1
1:A:74:ASN:OD1	1:A:97:VAL:HG13	0.47	2.09	4	1
1:A:84:GLN:O	1:A:84:GLN:OE1	0.47	2.32	18	1
1:A:105:ALA:O	1:A:106:PRO:O	0.47	2.31	2	1
2:B:127:ILE:O	2:B:127:ILE:HG23	0.47	2.09	20	1
1:A:33:ARG:O	1:A:46:ILE:O	0.47	2.32	10	1
1:A:101:LEU:HD13	1:A:102:CYS:N	0.47	2.25	19	3
1:A:82:SER:O	1:A:84:GLN:N	0.47	2.47	5	1
2:B:131:CYS:SG	2:B:131:CYS:O	0.47	2.70	9	1
1:A:73:VAL:HG13	1:A:99:LEU:HD21	0.47	1.87	4	1
1:A:28:GLY:O	1:A:29:PHE:O	0.47	2.33	20	1
1:A:46:ILE:CG1	1:A:47:VAL:N	0.47	2.77	15	1
1:A:65:ASP:O	1:A:68:ASP:OD1	0.47	2.32	15	3
1:A:108:VAL:O	1:A:109:LEU:HD22	0.47	2.10	6	1
1:A:20:LEU:CD1	1:A:61:SER:OG	0.47	2.63	1	1
1:A:33:ARG:HH12	1:A:82:SER:C	0.47	2.13	14	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:73:VAL:O	1:A:75:GLY:N	0.47	2.47	10	5
1:A:60:GLU:O	1:A:61:SER:C	0.47	2.53	16	19
1:A:24:SER:O	1:A:25:SER:CB	0.47	2.63	7	2
1:A:31:PHE:CD1	1:A:31:PHE:N	0.46	2.83	16	1
1:A:68:ASP:OD1	1:A:102:CYS:O	0.46	2.33	4	1
1:A:77:PRO:O	1:A:79:LYS:N	0.46	2.49	20	1
1:A:33:ARG:O	1:A:35:ASP:OD1	0.46	2.32	3	1
1:A:82:SER:C	1:A:84:GLN:N	0.46	2.68	5	1
1:A:92:GLY:C	1:A:94:ALA:H	0.46	2.14	7	1
1:A:35:ASP:OD1	1:A:35:ASP:O	0.46	2.33	4	1
1:A:74:ASN:ND2	1:A:97:VAL:HG13	0.46	2.24	10	1
1:A:83:GLN:OE1	1:A:84:GLN:N	0.46	2.49	20	1
1:A:56:GLN:O	1:A:59:ALA:HB3	0.46	2.10	1	5
1:A:31:PHE:CD2	1:A:31:PHE:N	0.46	2.81	15	2
1:A:58:ALA:HB1	1:A:64:ILE:CD1	0.46	2.41	11	1
1:A:88:SER:O	1:A:92:GLY:CA	0.46	2.63	11	1
1:A:73:VAL:C	1:A:75:GLY:H	0.46	2.14	15	4
2:B:130:TRP:CD1	2:B:130:TRP:N	0.46	2.83	15	1
1:A:30:SER:C	1:A:31:PHE:CD1	0.46	2.89	5	1
1:A:74:ASN:N	1:A:74:ASN:ND2	0.46	2.60	3	1
1:A:21:PHE:N	1:A:21:PHE:CD1	0.46	2.83	14	1
1:A:23:ASN:N	1:A:23:ASN:OD1	0.46	2.48	19	1
1:A:99:LEU:N	1:A:99:LEU:HD12	0.45	2.25	17	1
1:A:85:ASP:O	1:A:85:ASP:OD1	0.45	2.34	16	1
1:A:112:ILE:CG2	1:A:113:ASP:N	0.45	2.80	20	2
1:A:92:GLY:C	1:A:94:ALA:N	0.45	2.69	7	1
1:A:82:SER:OG	1:A:83:GLN:N	0.45	2.48	12	3
1:A:29:PHE:CD2	1:A:29:PHE:C	0.45	2.90	14	1
1:A:112:ILE:HG22	1:A:113:ASP:N	0.45	2.26	10	1
1:A:32:SER:OG	1:A:35:ASP:OD2	0.45	2.32	12	1
1:A:66:VAL:O	1:A:66:VAL:CG1	0.45	2.64	20	1
1:A:113:ASP:N	1:A:113:ASP:OD1	0.45	2.50	16	1
1:A:83:GLN:O	1:A:83:GLN:CD	0.44	2.55	12	2
1:A:17:GLU:OE2	1:A:100:LEU:HD22	0.44	2.11	13	1
1:A:15:THR:C	1:A:16:PHE:CG	0.44	2.90	7	1
1:A:53:PHE:O	1:A:56:GLN:OE1	0.44	2.35	4	1
1:A:35:ASP:OD2	1:A:46:ILE:HD12	0.44	2.12	7	1
1:A:45:SER:OG	1:A:46:ILE:N	0.44	2.50	17	1
1:A:91:ARG:O	1:A:92:GLY:C	0.44	2.56	7	4
1:A:67:GLY:O	1:A:68:ASP:C	0.44	2.56	9	7
1:A:33:ARG:O	1:A:34:GLU:O	0.44	2.36	7	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:27:LEU:H	1:A:27:LEU:HD22	0.44	1.72	6	1
2:B:128:ALA:O	2:B:129:ASP:OD2	0.44	2.36	19	2
1:A:83:GLN:OE1	1:A:83:GLN:C	0.44	2.56	20	1
1:A:14:ASN:OD1	1:A:15:THR:O	0.43	2.36	17	1
1:A:18:VAL:CG1	1:A:61:SER:OG	0.43	2.66	4	1
1:A:48:ARG:NH2	1:A:69:VAL:CG2	0.43	2.81	19	1
1:A:11:THR:CB	1:A:14:ASN:HD22	0.43	2.26	7	1
1:A:65:ASP:CG	1:A:68:ASP:OD1	0.43	2.57	15	1
1:A:31:PHE:O	1:A:31:PHE:CD2	0.43	2.70	3	1
1:A:73:VAL:O	1:A:76:ALA:CB	0.43	2.66	19	2
1:A:7:TYR:O	1:A:8:SER:C	0.43	2.56	6	1
1:A:53:PHE:C	1:A:56:GLN:OE1	0.43	2.57	4	1
1:A:73:VAL:O	1:A:74:ASN:C	0.43	2.57	8	1
1:A:34:GLU:O	1:A:35:ASP:C	0.43	2.56	8	1
1:A:66:VAL:O	1:A:66:VAL:HG12	0.43	2.13	15	1
1:A:73:VAL:HG12	1:A:73:VAL:O	0.43	2.14	3	1
1:A:92:GLY:O	1:A:93:THR:OG1	0.43	2.36	20	1
1:A:26:GLY:C	2:B:131:CYS:OXT	0.43	2.56	4	2
1:A:13:ASP:CG	1:A:13:ASP:O	0.43	2.57	14	1
1:A:26:GLY:O	1:A:27:LEU:C	0.43	2.56	18	2
1:A:68:ASP:C	1:A:68:ASP:OD2	0.43	2.56	11	1
1:A:93:THR:O	1:A:94:ALA:C	0.43	2.58	19	1
1:A:93:THR:O	1:A:94:ALA:O	0.43	2.37	19	1
1:A:14:ASN:OD1	1:A:15:THR:N	0.42	2.51	17	1
1:A:85:ASP:C	1:A:85:ASP:OD1	0.42	2.57	20	1
1:A:10:VAL:CG1	1:A:10:VAL:O	0.42	2.67	17	1
1:A:23:ASN:O	1:A:24:SER:C	0.42	2.57	14	1
1:A:77:PRO:C	1:A:79:LYS:H	0.42	2.16	19	2
1:A:101:LEU:HD13	1:A:102:CYS:H	0.42	1.74	2	2
1:A:66:VAL:O	1:A:66:VAL:HG22	0.42	2.15	12	1
1:A:24:SER:C	1:A:25:SER:OG	0.42	2.57	18	1
1:A:74:ASN:ND2	1:A:98:SER:N	0.42	2.67	1	1
1:A:16:PHE:O	1:A:101:LEU:CB	0.42	2.67	11	2
1:A:23:ASN:N	1:A:23:ASN:ND2	0.42	2.68	17	1
1:A:7:TYR:C	1:A:9:PHE:H	0.42	2.17	19	2
1:A:21:PHE:O	1:A:22:LYS:O	0.42	2.37	13	1
1:A:58:ALA:O	1:A:62:GLY:C	0.42	2.58	13	1
1:A:21:PHE:O	1:A:23:ASN:OD1	0.42	2.38	16	1
2:B:129:ASP:N	2:B:129:ASP:OD1	0.42	2.50	6	1
1:A:78:LEU:HD23	1:A:78:LEU:H	0.42	1.66	11	1
1:A:67:GLY:HA2	1:A:112:ILE:HD12	0.42	1.91	18	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:22:LYS:C	1:A:23:ASN:ND2	0.42	2.73	17	1
1:A:26:GLY:O	1:A:27:LEU:O	0.42	2.37	8	1
1:A:30:SER:O	1:A:31:PHE:CD1	0.42	2.73	5	1
1:A:13:ASP:C	1:A:14:ASN:ND2	0.42	2.73	9	1
1:A:16:PHE:O	1:A:101:LEU:O	0.42	2.38	11	1
1:A:91:ARG:C	1:A:93:THR:H	0.42	2.17	20	1
1:A:83:GLN:O	1:A:83:GLN:CG	0.42	2.67	17	2
1:A:83:GLN:NE2	2:B:129:ASP:OD2	0.42	2.53	17	1
2:B:127:ILE:CG1	2:B:128:ALA:N	0.42	2.83	1	2
1:A:87:ILE:HD11	2:B:129:ASP:CB	0.41	2.45	7	1
1:A:54:PRO:O	1:A:56:GLN:NE2	0.41	2.53	14	1
1:A:52:LEU:CD1	1:A:64:ILE:HG21	0.41	2.45	9	1
1:A:68:ASP:CG	1:A:101:LEU:HD21	0.41	2.36	11	1
1:A:103:ARG:O	1:A:104:PRO:O	0.41	2.38	11	2
1:A:64:ILE:C	1:A:65:ASP:OD1	0.41	2.58	2	1
1:A:33:ARG:O	1:A:34:GLU:C	0.41	2.59	20	1
1:A:108:VAL:C	1:A:109:LEU:HD22	0.41	2.35	6	1
1:A:48:ARG:NH2	1:A:67:GLY:O	0.41	2.53	4	1
1:A:65:ASP:OD1	1:A:65:ASP:N	0.41	2.54	2	1
1:A:60:GLU:OE1	1:A:60:GLU:O	0.41	2.39	14	1
1:A:90:LEU:HD23	2:B:131:CYS:SG	0.41	2.56	13	1
1:A:77:PRO:C	1:A:79:LYS:N	0.41	2.74	16	1
1:A:56:GLN:N	1:A:59:ALA:HB3	0.41	2.31	19	1
1:A:113:ASP:C	1:A:113:ASP:OD1	0.41	2.59	20	1
1:A:99:LEU:CD1	1:A:99:LEU:N	0.41	2.84	17	1
1:A:77:PRO:O	1:A:78:LEU:C	0.41	2.57	20	1
1:A:48:ARG:NH1	1:A:109:LEU:HD22	0.40	2.31	17	1
1:A:65:ASP:O	1:A:68:ASP:CG	0.40	2.59	10	1
1:A:48:ARG:HH21	1:A:112:ILE:HD11	0.40	1.75	5	1
1:A:8:SER:O	1:A:9:PHE:CD2	0.40	2.74	6	1
1:A:13:ASP:N	1:A:13:ASP:OD2	0.40	2.50	17	1
1:A:92:GLY:C	1:A:93:THR:OG1	0.40	2.56	20	1
1:A:25:SER:OG	1:A:26:GLY:N	0.40	2.55	11	1
1:A:84:GLN:HE21	1:A:84:GLN:CA	0.40	2.30	3	1
1:A:63:LYS:NZ	1:A:103:ARG:HH12	0.40	2.14	17	1
1:A:58:ALA:C	1:A:61:SER:OG	0.40	2.60	17	1
1:A:15:THR:CG2	1:A:101:LEU:O	0.40	2.69	9	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	99/119 (83%)	79±3 (80±3%)	14±3 (14±3%)	6±2 (6±2%)	3	21
2	B	4/12 (33%)	2±1 (60±22%)	1±1 (31±17%)	0±0 (9±12%)	1	12
All	All	2060/2620 (79%)	1631 (79%)	308 (15%)	121 (6%)	3	21

All 29 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	61	SER	19
1	A	68	ASP	13
1	A	104	PRO	12
1	A	24	SER	7
1	A	25	SER	6
1	A	66	VAL	6
1	A	27	LEU	6
1	A	92	GLY	5
1	A	22	LYS	4
1	A	26	GLY	4
1	A	93	THR	4
1	A	34	GLU	3
1	A	80	GLY	3
1	A	110	PRO	3
2	B	129	ASP	3
1	A	79	LYS	3
1	A	74	ASN	3
2	B	128	ALA	2
2	B	130	TRP	2
1	A	8	SER	2
1	A	106	PRO	2
1	A	29	PHE	2
1	A	78	LEU	1
1	A	45	SER	1
1	A	83	GLN	1
1	A	77	PRO	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	35	ASP	1
1	A	16	PHE	1
1	A	94	ALA	1

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	84/102 (82%)	60±3 (72±4%)	24±3 (28±4%)	2	19
2	B	4/11 (36%)	2±1 (50±24%)	2±1 (50±24%)	0	1
All	All	1760/2260 (78%)	1247 (71%)	513 (29%)	1	18

All 70 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	114	THR	19
1	A	14	ASN	18
1	A	101	LEU	16
1	A	50	LYS	15
1	A	82	SER	14
2	B	130	TRP	14
1	A	45	SER	14
1	A	65	ASP	13
1	A	52	LEU	13
1	A	11	THR	13
2	B	129	ASP	12
1	A	99	LEU	12
1	A	85	ASP	11
1	A	24	SER	11
2	B	131	CYS	11
1	A	17	GLU	11
1	A	30	SER	10
1	A	83	GLN	10
1	A	53	PHE	10
1	A	113	ASP	10
1	A	32	SER	10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	21	PHE	10
1	A	15	THR	10
1	A	93	THR	10
1	A	71	LEU	10
1	A	61	SER	9
1	A	23	ASN	9
1	A	98	SER	9
1	A	60	GLU	9
1	A	22	LYS	8
1	A	25	SER	8
1	A	8	SER	8
1	A	96	GLU	7
1	A	13	ASP	7
1	A	88	SER	7
1	A	68	ASP	7
1	A	84	GLN	7
1	A	35	ASP	7
1	A	72	LYS	7
1	A	73	VAL	7
1	A	29	PHE	7
1	A	9	PHE	6
1	A	81	LEU	6
1	A	27	LEU	6
1	A	63	LYS	5
1	A	31	PHE	5
1	A	48	ARG	5
1	A	102	CYS	5
1	A	46	ILE	4
1	A	74	ASN	4
1	A	20	LEU	4
2	B	127	ILE	3
1	A	7	TYR	3
1	A	19	LYS	3
1	A	16	PHE	3
1	A	33	ARG	3
1	A	47	VAL	2
1	A	103	ARG	2
1	A	34	GLU	2
1	A	97	VAL	2
1	A	78	LEU	1
1	A	90	LEU	1
1	A	64	ILE	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	12	GLU	1
1	A	91	ARG	1
1	A	51	LYS	1
1	A	66	VAL	1
1	A	111	GLU	1
1	A	56	GLN	1
1	A	10	VAL	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation [i](#)

The completeness of assignment taking into account all chemical shift lists is 75% for the well-defined parts and 67% for the entire structure.

7.1 Chemical shift list 1

File name: input_cs.cif

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1101
Number of shifts mapped to atoms	1101
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	1

7.1.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	111	0.21 ± 0.11	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	96	0.61 ± 0.13	Should be applied
$^{13}\text{C}'$	95	0.36 ± 0.23	None needed (< 0.5 ppm)
^{15}N	96	-0.34 ± 0.52	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 75%, i.e. 917 atoms were assigned a chemical shift out of a possible 1230. 0 out of 21 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	453/506 (90%)	183/201 (91%)	183/208 (88%)	87/97 (90%)
Sidechain	450/650 (69%)	284/380 (75%)	161/245 (66%)	5/25 (20%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Aromatic	14/74 (19%)	14/40 (35%)	0/33 (0%)	0/1 (0%)
Overall	917/1230 (75%)	481/621 (77%)	344/486 (71%)	92/123 (75%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 67%, i.e. 1040 atoms were assigned a chemical shift out of a possible 1563. 0 out of 23 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	508/635 (80%)	206/252 (82%)	206/262 (79%)	96/121 (79%)
Sidechain	517/821 (63%)	328/482 (68%)	184/306 (60%)	5/33 (15%)
Aromatic	15/107 (14%)	15/58 (26%)	0/47 (0%)	0/2 (0%)
Overall	1040/1563 (67%)	549/792 (69%)	390/615 (63%)	101/156 (65%)

7.1.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	68	ASP	CA	67.17	64.88 – 44.48	6.1

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

