



wwPDB EM Validation Summary Report ⓘ

Nov 4, 2024 – 02:43 am GMT

PDB ID : 9GDX
EMDB ID : EMD-51279
Title : SARS-CoV-2 Spike protein Beta Variant at 4C structural flexibility / heterogeneity analyses
Authors : Herreros, D.; Mata, C.P.; Noddings, C.; Irene, D.; Agard, D.A.; Tsai, M.-D.; Sorzano, C.O.S.; Carazo, J.M.
Deposited on : 2024-08-06
Resolution : 2.80 Å (reported)
Based on initial model : 7VX1

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1-A	1230	
1	1-B	1230	
1	1-C	1230	
1	10-A	1230	
1	10-B	1230	
1	10-C	1230	
1	11-A	1230	
1	11-B	1230	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	11-C	1230	70% 16% • 12%
1	12-A	1230	71% 15% • 12%
1	12-B	1230	74% 13% • 12%
1	12-C	1230	71% 15% • 12%
1	13-A	1230	72% 15% • 12%
1	13-B	1230	71% 14% • 12%
1	13-C	1230	70% 16% • 12%
1	14-A	1230	71% 16% • 12%
1	14-B	1230	69% 17% • 12%
1	14-C	1230	70% 17% • 12%
1	15-A	1230	71% 16% • 12%
1	15-B	1230	72% 14% • 12%
1	15-C	1230	70% 17% • 12%
1	16-A	1230	71% 16% • 12%
1	16-B	1230	73% 13% • 12%
1	16-C	1230	73% 13% • 12%
1	17-A	1230	72% 15% • 12%
1	17-B	1230	69% 17% • 12%
1	17-C	1230	72% 15% • 12%
1	18-A	1230	70% 16% • 12%
1	18-B	1230	70% 17% • 12%
1	18-C	1230	70% 17% • 12%
1	19-A	1230	75% 12% • 12%
1	19-B	1230	73% 13% • 12%
1	19-C	1230	72% 15% • 12%



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain		
1	2-A	1230	70%	17%	12%
1	2-B	1230	71%	15%	12%
1	2-C	1230	72%	14%	12%
1	20-A	1230	70%	16%	12%
1	20-B	1230	71%	15%	12%
1	20-C	1230	68%	17%	12%
1	3-A	1230	71%	16%	12%
1	3-B	1230	72%	14%	12%
1	3-C	1230	71%	15%	12%
1	4-A	1230	70%	17%	12%
1	4-B	1230	72%	14%	12%
1	4-C	1230	70%	16%	12%
1	5-A	1230	73%	13%	12%
1	5-B	1230	75%	12%	12%
1	5-C	1230	74%	12%	12%
1	6-A	1230	75%	12%	12%
1	6-B	1230	69%	17%	12%
1	6-C	1230	71%	15%	12%
1	7-A	1230	74%	13%	12%
1	7-B	1230	72%	14%	12%
1	7-C	1230	72%	14%	12%
1	8-A	1230	71%	15%	12%
1	8-B	1230	68%	18%	12%
1	8-C	1230	71%	16%	12%
1	9-A	1230	69%	17%	12%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	9-B	1230	 69% 17% • 12%
1	9-C	1230	 67% 19% • 12%

2 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 507240 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein,Fibritin.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	1-A	1079	8454	5399	1410	1606	39	0	0
1	2-A	1079	8454	5399	1410	1606	39	0	0
1	3-A	1079	8454	5399	1410	1606	39	0	0
1	4-A	1079	8454	5399	1410	1606	39	0	0
1	5-A	1079	8454	5399	1410	1606	39	0	0
1	6-A	1079	8454	5399	1410	1606	39	0	0
1	7-A	1079	8454	5399	1410	1606	39	0	0
1	8-A	1079	8454	5399	1410	1606	39	0	0
1	9-A	1079	8454	5399	1410	1606	39	0	0
1	10-A	1079	8454	5399	1410	1606	39	0	0
1	11-A	1079	8454	5399	1410	1606	39	0	0
1	12-A	1079	8454	5399	1410	1606	39	0	0
1	13-A	1079	8454	5399	1410	1606	39	0	0
1	14-A	1079	8454	5399	1410	1606	39	0	0
1	15-A	1079	8454	5399	1410	1606	39	0	0
1	16-A	1079	8454	5399	1410	1606	39	0	0
1	17-A	1079	8454	5399	1410	1606	39	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	18-A	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	19-A	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	20-A	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	1-B	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	2-B	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	3-B	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	4-B	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	5-B	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	6-B	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	7-B	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	8-B	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	9-B	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	10-B	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	11-B	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	12-B	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	13-B	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	14-B	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	15-B	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	16-B	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	17-B	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	18-B	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	19-B	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	20-B	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	1-C	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	2-C	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	3-C	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	4-C	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	5-C	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	6-C	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	7-C	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	8-C	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	9-C	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	10-C	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	11-C	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	12-C	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	13-C	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	14-C	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	15-C	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	16-C	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	17-C	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	18-C	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0
1	19-C	1079	Total 8454	C 5399	N 1410	O 1606	S 39	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	20-C	1079	8454	5399	1410	1606	39	0	0

There are 87 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	18	PHE	LEU	variant	UNP P0DTC2
A	80	ALA	ASP	variant	UNP P0DTC2
A	215	GLY	ASP	variant	UNP P0DTC2
A	?	-	LEU	deletion	UNP P0DTC2
A	?	-	ALA	deletion	UNP P0DTC2
A	?	-	LEU	deletion	UNP P0DTC2
A	246	ILE	ARG	conflict	UNP P0DTC2
A	417	ASN	LYS	variant	UNP P0DTC2
A	484	LYS	GLU	variant	UNP P0DTC2
A	501	TYR	ASN	variant	UNP P0DTC2
A	614	GLY	ASP	variant	UNP P0DTC2
A	682	GLY	ARG	engineered mutation	UNP P0DTC2
A	683	SER	ARG	engineered mutation	UNP P0DTC2
A	685	SER	ARG	engineered mutation	UNP P0DTC2
A	701	VAL	ALA	variant	UNP P0DTC2
A	986	PRO	LYS	engineered mutation	UNP P0DTC2
A	987	PRO	VAL	engineered mutation	UNP P0DTC2
A	1209	GLY	-	linker	UNP P0DTC2
A	1210	SER	-	linker	UNP P0DTC2
A	1232	LEU	PHE	engineered mutation	UNP P10104
A	1238	GLY	-	expression tag	UNP P10104
A	1239	ARG	-	expression tag	UNP P10104
A	1240	SER	-	expression tag	UNP P10104
A	1241	LEU	-	expression tag	UNP P10104
A	1242	GLU	-	expression tag	UNP P10104
A	1243	VAL	-	expression tag	UNP P10104
A	1244	LEU	-	expression tag	UNP P10104
A	1245	PHE	-	expression tag	UNP P10104
A	1246	GLN	-	expression tag	UNP P10104
B	18	PHE	LEU	variant	UNP P0DTC2
B	80	ALA	ASP	variant	UNP P0DTC2
B	215	GLY	ASP	variant	UNP P0DTC2
B	?	-	LEU	deletion	UNP P0DTC2
B	?	-	ALA	deletion	UNP P0DTC2
B	?	-	LEU	deletion	UNP P0DTC2
B	246	ILE	ARG	conflict	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	417	ASN	LYS	variant	UNP P0DTC2
B	484	LYS	GLU	variant	UNP P0DTC2
B	501	TYR	ASN	variant	UNP P0DTC2
B	614	GLY	ASP	variant	UNP P0DTC2
B	682	GLY	ARG	engineered mutation	UNP P0DTC2
B	683	SER	ARG	engineered mutation	UNP P0DTC2
B	685	SER	ARG	engineered mutation	UNP P0DTC2
B	701	VAL	ALA	variant	UNP P0DTC2
B	986	PRO	LYS	engineered mutation	UNP P0DTC2
B	987	PRO	VAL	engineered mutation	UNP P0DTC2
B	1209	GLY	-	linker	UNP P0DTC2
B	1210	SER	-	linker	UNP P0DTC2
B	1232	LEU	PHE	engineered mutation	UNP P10104
B	1238	GLY	-	expression tag	UNP P10104
B	1239	ARG	-	expression tag	UNP P10104
B	1240	SER	-	expression tag	UNP P10104
B	1241	LEU	-	expression tag	UNP P10104
B	1242	GLU	-	expression tag	UNP P10104
B	1243	VAL	-	expression tag	UNP P10104
B	1244	LEU	-	expression tag	UNP P10104
B	1245	PHE	-	expression tag	UNP P10104
B	1246	GLN	-	expression tag	UNP P10104
C	18	PHE	LEU	variant	UNP P0DTC2
C	80	ALA	ASP	variant	UNP P0DTC2
C	215	GLY	ASP	variant	UNP P0DTC2
C	?	-	LEU	deletion	UNP P0DTC2
C	?	-	ALA	deletion	UNP P0DTC2
C	?	-	LEU	deletion	UNP P0DTC2
C	246	ILE	ARG	conflict	UNP P0DTC2
C	417	ASN	LYS	variant	UNP P0DTC2
C	484	LYS	GLU	variant	UNP P0DTC2
C	501	TYR	ASN	variant	UNP P0DTC2
C	614	GLY	ASP	variant	UNP P0DTC2
C	682	GLY	ARG	engineered mutation	UNP P0DTC2
C	683	SER	ARG	engineered mutation	UNP P0DTC2
C	685	SER	ARG	engineered mutation	UNP P0DTC2
C	701	VAL	ALA	variant	UNP P0DTC2
C	986	PRO	LYS	engineered mutation	UNP P0DTC2
C	987	PRO	VAL	engineered mutation	UNP P0DTC2
C	1209	GLY	-	linker	UNP P0DTC2
C	1210	SER	-	linker	UNP P0DTC2
C	1232	LEU	PHE	engineered mutation	UNP P10104

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	1238	GLY	-	expression tag	UNP P10104
C	1239	ARG	-	expression tag	UNP P10104
C	1240	SER	-	expression tag	UNP P10104
C	1241	LEU	-	expression tag	UNP P10104
C	1242	GLU	-	expression tag	UNP P10104
C	1243	VAL	-	expression tag	UNP P10104
C	1244	LEU	-	expression tag	UNP P10104
C	1245	PHE	-	expression tag	UNP P10104
C	1246	GLN	-	expression tag	UNP P10104

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Spike glycoprotein,Fibrinin



LEU
GLU
VAL
LEU
PHE
GLN

• Molecule 1: Spike glycoprotein,Fibritin


Chain 1-B:




VAL
LEU
PHE
GLN


• Molecule 1: Spike glycoprotein,Fibritin


Chain 1-C:






• Molecule 1: Spike glycoprotein, Fibrin







• Molecule 1: Spike glycoprotein, Fibrin


Chain 3-A: 71% 16% 12%









● Molecule 1: Spike glycoprotein, Fibrin






• Molecule 1: Spike glycoprotein,Fibrin

Chain 7-C: 72% 14% 12%





• Molecule 1: Spike glycoprotein,Fibrin

Chain 8-A: 71% 15% 12%




• Molecule 1: Spike glycoprotein, Fibrin






• Molecule 1: Spike glycoprotein,Fibrin

Chain 12-B: 74% 13% 12%




• Molecule 1: Spike glycoprotein,Fibrin

Chain 13-C: 70% 16% 12%




• Molecule 1: Spike glycoprotein,Fibrin

Chain 14-A: 71% 16% 12%




• Molecule 1: Spike glycoprotein,Fibrin

Chain 14-C: 70% 17% 12%




• Molecule 1: Spike glycoprotein,Fibrin

Chain 15-A: 71% 16% 12%




Chain 15-C: 70% 17% 12%





• Molecule 1: Spike glycoprotein, Fibritin

Chain 16-A: 71% 16% 12%





• Molecule 1: Spike glycoprotein,Fibrin


Chain 19-B:  73% 13% 12%





• Molecule 1: Spike glycoprotein,Fibrin

Chain 19-C:  72% 15% 12%







• Molecule 1: Spike glycoprotein,Fibrinin




• Molecule 1: Spike glycoprotein,Fibrinin





• Molecule 1: Spike glycoprotein, Fibrin

Chain 20-C: 68% 17% 12%



ALA	ALA	ALA	ARG	D848	K854	G857	L864	L865	T866	D867	I870	T874	S884	T887	F888	G889	Q895	I896	P897	F898	Q901	M902	M907	G908	I909	Q913	L916	L922	S929	A930	I931	G932	K933	I934	S940	T941	A942	Q954	Q957	N960	T961	L962						
Y963	I966	N969	L977	R983	L984	D985	D994	R995	L996	I997	R1000	L1001	Q1002	S1003	L1004	Q1005	T1006	Y1007	V1008	T1009	Q1010	Q1011	L1012	I1013	R1014	R1019	I1024	K1028	M1029	S1030	E1031	C1032	V1033	L1034	K1038	R1039	V1040	D1041	F1042	M1050	S1051	H1064	V1065	W1102	D1118			
F1121	V1129	N1135	T1136	D1153	F1156	S1163	PRO	ASP	VAL	ASP	ASP	LEU	GLY	ASP	ILE	SER	GLY	ASN	ALA	SER	SER	VAL	VAL	ASN	ASN	ILE	GLN	LYS	GLU	GLU	ILE	ASP	ARG	LEU	ASN	ASN	GLU	SER	LEU	LEU	GLN	GLU	LEU	GLY	LYS	TYR	GLU	GLN
GLY	SER	GLY	TYR	ILE	PRO	GLU	ALA	PRO	ARG	ASP	GLY	GLN	ALA	TYR	VAL	ARG	LYS	ASP	GLY	GLU	TRP	VAL	LEU	LEU	SER	THR	PHE	GLY	LEU	VAL	LEU	PHE	GLN	LEU	ASN	GLU	SER	LEU	LEU	GLN	GLY	LYS	TYR	GLU	GLN			

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	479908	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	81000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	1.793	Depositor
Minimum map value	-0.556	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.060	Depositor
Recommended contour level	0.15	Depositor
Map size (\AA)	313.6, 313.6, 313.6	wwPDB
Map dimensions	224, 224, 224	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.4, 1.4, 1.4	Depositor

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1-A	0.38	0/8652	0.84	33/11768 (0.3%)
1	1-B	0.38	0/8652	0.85	30/11768 (0.3%)
1	1-C	0.36	0/8652	0.80	28/11768 (0.2%)
1	2-A	0.39	2/8652 (0.0%)	0.87	33/11768 (0.3%)
1	2-B	0.37	0/8652	0.85	27/11768 (0.2%)
1	2-C	0.38	0/8652	0.85	33/11768 (0.3%)
1	3-A	0.38	1/8652 (0.0%)	0.82	32/11768 (0.3%)
1	3-B	0.39	1/8652 (0.0%)	0.86	31/11768 (0.3%)
1	3-C	0.38	2/8652 (0.0%)	0.83	35/11768 (0.3%)
1	4-A	0.38	0/8652	0.86	24/11768 (0.2%)
1	4-B	0.39	0/8652	0.85	35/11768 (0.3%)
1	4-C	0.39	0/8652	0.88	43/11768 (0.4%)
1	5-A	0.38	1/8652 (0.0%)	0.80	24/11768 (0.2%)
1	5-B	0.39	1/8652 (0.0%)	0.84	28/11768 (0.2%)
1	5-C	0.36	0/8652	0.77	22/11768 (0.2%)
1	6-A	0.35	0/8652	0.77	21/11768 (0.2%)
1	6-B	0.37	0/8652	0.86	33/11768 (0.3%)
1	6-C	0.37	0/8652	0.83	33/11768 (0.3%)
1	7-A	0.37	0/8652	0.81	23/11768 (0.2%)
1	7-B	0.38	1/8652 (0.0%)	0.84	36/11768 (0.3%)
1	7-C	0.38	1/8652 (0.0%)	0.87	37/11768 (0.3%)
1	8-A	0.38	4/8652 (0.0%)	0.84	33/11768 (0.3%)
1	8-B	0.38	0/8652	0.86	34/11768 (0.3%)
1	8-C	0.40	1/8652 (0.0%)	0.84	28/11768 (0.2%)
1	9-A	0.44	2/8652 (0.0%)	0.91	41/11768 (0.3%)
1	9-B	0.44	1/8652 (0.0%)	0.92	40/11768 (0.3%)
1	9-C	0.46	4/8652 (0.0%)	0.90	35/11768 (0.3%)
1	10-A	0.40	2/8652 (0.0%)	0.82	28/11768 (0.2%)
1	10-B	0.41	0/8652	0.86	35/11768 (0.3%)
1	10-C	0.41	2/8652 (0.0%)	0.84	27/11768 (0.2%)
1	11-A	0.39	0/8652	0.83	28/11768 (0.2%)
1	11-B	0.41	2/8652 (0.0%)	0.87	30/11768 (0.3%)
1	11-C	0.40	0/8652	0.86	27/11768 (0.2%)
1	12-A	0.38	1/8652 (0.0%)	0.84	33/11768 (0.3%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	12-B	0.36	0/8652	0.82	30/11768 (0.3%)
1	12-C	0.39	1/8652 (0.0%)	0.82	34/11768 (0.3%)
1	13-A	0.41	1/8652 (0.0%)	0.84	31/11768 (0.3%)
1	13-B	0.43	1/8652 (0.0%)	0.87	37/11768 (0.3%)
1	13-C	0.43	3/8652 (0.0%)	0.87	42/11768 (0.4%)
1	14-A	0.39	2/8652 (0.0%)	0.84	22/11768 (0.2%)
1	14-B	0.40	0/8652	0.89	37/11768 (0.3%)
1	14-C	0.39	1/8652 (0.0%)	0.90	38/11768 (0.3%)
1	15-A	0.38	0/8652	0.81	23/11768 (0.2%)
1	15-B	0.39	1/8652 (0.0%)	0.87	33/11768 (0.3%)
1	15-C	0.40	1/8652 (0.0%)	0.86	37/11768 (0.3%)
1	16-A	0.37	1/8652 (0.0%)	0.85	33/11768 (0.3%)
1	16-B	0.38	0/8652	0.83	24/11768 (0.2%)
1	16-C	0.36	0/8652	0.78	22/11768 (0.2%)
1	17-A	0.37	1/8652 (0.0%)	0.82	29/11768 (0.2%)
1	17-B	0.39	1/8652 (0.0%)	0.88	41/11768 (0.3%)
1	17-C	0.37	0/8652	0.85	28/11768 (0.2%)
1	18-A	0.38	0/8652	0.84	31/11768 (0.3%)
1	18-B	0.39	0/8652	0.83	33/11768 (0.3%)
1	18-C	0.38	0/8652	0.82	23/11768 (0.2%)
1	19-A	0.37	1/8652 (0.0%)	0.83	29/11768 (0.2%)
1	19-B	0.38	2/8652 (0.0%)	0.80	32/11768 (0.3%)
1	19-C	0.40	1/8652 (0.0%)	0.86	45/11768 (0.4%)
1	20-A	0.39	0/8652	0.86	36/11768 (0.3%)
1	20-B	0.37	0/8652	0.85	34/11768 (0.3%)
1	20-C	0.40	2/8652 (0.0%)	0.89	45/11768 (0.4%)
All	All	0.39	49/519120 (0.0%)	0.85	1909/706080 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	9-B	0	1
1	13-B	0	3
1	16-B	0	1
1	17-C	0	1
1	18-A	0	1
All	All	0	7

The worst 5 of 49 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	8-C	662	CYS	CB-SG	-9.84	1.65	1.82
1	12-C	662	CYS	CB-SG	-9.02	1.67	1.82
1	19-C	320	VAL	C-N	8.68	1.54	1.34
1	7-C	662	CYS	CB-SG	-8.55	1.67	1.82
1	9-C	904	TYR	CD1-CE1	-8.26	1.26	1.39

The worst 5 of 1909 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1-C	916	LEU	CB-CG-CD2	-16.15	83.54	111.00
1	9-C	966	LEU	CA-CB-CG	14.13	147.79	115.30
1	17-C	88	ASP	CB-CG-OD2	13.64	130.58	118.30
1	7-A	1041	ASP	CB-CG-OD1	13.54	130.48	118.30
1	2-A	763	LEU	CA-CB-CG	12.58	144.23	115.30

There are no chirality outliers.

5 of 7 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	13-B	1107	ARG	Sidechain
1	13-B	765	ARG	Sidechain
1	13-B	86	PHE	Sidechain
1	16-B	152	TRP	Mainchain
1	9-B	1107	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1-A	8454	0	8246	118	0
1	1-B	8454	0	8246	108	0
1	1-C	8454	0	8246	96	0
1	2-A	8454	0	8246	119	0
1	2-B	8454	0	8246	112	0
1	2-C	8454	0	8248	106	0
1	3-A	8454	0	8246	109	0
1	3-B	8454	0	8246	113	0
1	3-C	8454	0	8246	100	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	4-A	8454	0	8246	118	0
1	4-B	8454	0	8246	103	0
1	4-C	8454	0	8248	121	0
1	5-A	8454	0	8246	91	0
1	5-B	8454	0	8246	85	0
1	5-C	8454	0	8246	86	0
1	6-A	8454	0	8246	82	0
1	6-B	8454	0	8246	123	0
1	6-C	8454	0	8246	108	0
1	7-A	8454	0	8246	94	0
1	7-B	8454	0	8246	100	0
1	7-C	8454	0	8246	102	0
1	8-A	8454	0	8246	103	0
1	8-B	8454	0	8246	129	0
1	8-C	8454	0	8246	108	0
1	9-A	8454	0	8246	130	0
1	9-B	8454	0	8246	129	0
1	9-C	8454	0	8248	145	0
1	10-A	8454	0	8246	128	0
1	10-B	8454	0	8246	119	0
1	10-C	8454	0	8247	130	0
1	11-A	8454	0	8246	101	0
1	11-B	8454	0	8246	118	0
1	11-C	8454	0	8246	115	0
1	12-A	8454	0	8246	103	0
1	12-B	8454	0	8246	93	0
1	12-C	8454	0	8246	106	0
1	13-A	8454	0	8246	111	0
1	13-B	8454	0	8246	107	0
1	13-C	8454	0	8247	119	0
1	14-A	8454	0	8246	113	0
1	14-B	8454	0	8246	135	0
1	14-C	8454	0	8248	115	0
1	15-A	8454	0	8246	106	0
1	15-B	8454	0	8246	108	0
1	15-C	8454	0	8248	112	0
1	16-A	8454	0	8246	113	0
1	16-B	8454	0	8246	104	0
1	16-C	8454	0	8246	96	0
1	17-A	8454	0	8246	97	0
1	17-B	8454	0	8246	125	0
1	17-C	8454	0	8246	100	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	18-A	8454	0	8246	117	0
1	18-B	8454	0	8246	132	0
1	18-C	8454	0	8246	126	0
1	19-A	8454	0	8246	86	0
1	19-B	8454	0	8246	90	0
1	19-C	8454	0	8248	108	0
1	20-A	8454	0	8246	115	0
1	20-B	8454	0	8246	108	0
1	20-C	8454	0	8248	130	0
All	All	507240	0	494776	6040	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 6040 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:14:GLN:N	1:B:255:SER:HG	1.69	0.90
1:B:14:GLN:N	1:B:255:SER:HG	1.73	0.87
1:B:14:GLN:N	1:B:255:SER:HG	1.75	0.84
1:C:214:ARG:HH11	1:C:215:GLY:H	1.25	0.83
1:C:312:ILE:HD11	1:C:596:SER:HB3	1.61	0.82

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	1-A	1067/1230 (87%)	1026 (96%)	40 (4%)	1 (0%)	48 77
1	1-B	1067/1230 (87%)	1019 (96%)	48 (4%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1-C	1067/1230 (87%)	1027 (96%)	39 (4%)	1 (0%)	48	77
1	2-A	1067/1230 (87%)	1025 (96%)	41 (4%)	1 (0%)	48	77
1	2-B	1067/1230 (87%)	1019 (96%)	48 (4%)	0	100	100
1	2-C	1067/1230 (87%)	1018 (95%)	48 (4%)	1 (0%)	48	77
1	3-A	1067/1230 (87%)	1026 (96%)	40 (4%)	1 (0%)	48	77
1	3-B	1067/1230 (87%)	1019 (96%)	48 (4%)	0	100	100
1	3-C	1067/1230 (87%)	1026 (96%)	40 (4%)	1 (0%)	48	77
1	4-A	1067/1230 (87%)	1026 (96%)	40 (4%)	1 (0%)	48	77
1	4-B	1067/1230 (87%)	1019 (96%)	48 (4%)	0	100	100
1	4-C	1067/1230 (87%)	1018 (95%)	48 (4%)	1 (0%)	48	77
1	5-A	1067/1230 (87%)	1028 (96%)	38 (4%)	1 (0%)	48	77
1	5-B	1067/1230 (87%)	1020 (96%)	47 (4%)	0	100	100
1	5-C	1067/1230 (87%)	1026 (96%)	40 (4%)	1 (0%)	48	77
1	6-A	1067/1230 (87%)	1025 (96%)	41 (4%)	1 (0%)	48	77
1	6-B	1067/1230 (87%)	1019 (96%)	48 (4%)	0	100	100
1	6-C	1067/1230 (87%)	1026 (96%)	40 (4%)	1 (0%)	48	77
1	7-A	1067/1230 (87%)	1027 (96%)	39 (4%)	1 (0%)	48	77
1	7-B	1067/1230 (87%)	1020 (96%)	47 (4%)	0	100	100
1	7-C	1067/1230 (87%)	1027 (96%)	39 (4%)	1 (0%)	48	77
1	8-A	1067/1230 (87%)	1025 (96%)	41 (4%)	1 (0%)	48	77
1	8-B	1067/1230 (87%)	1020 (96%)	47 (4%)	0	100	100
1	8-C	1067/1230 (87%)	1025 (96%)	41 (4%)	1 (0%)	48	77
1	9-A	1067/1230 (87%)	1027 (96%)	39 (4%)	1 (0%)	48	77
1	9-B	1067/1230 (87%)	1019 (96%)	48 (4%)	0	100	100
1	9-C	1067/1230 (87%)	1018 (95%)	48 (4%)	1 (0%)	48	77
1	10-A	1067/1230 (87%)	1026 (96%)	40 (4%)	1 (0%)	48	77
1	10-B	1067/1230 (87%)	1018 (95%)	49 (5%)	0	100	100
1	10-C	1067/1230 (87%)	1018 (95%)	48 (4%)	1 (0%)	48	77
1	11-A	1067/1230 (87%)	1027 (96%)	39 (4%)	1 (0%)	48	77
1	11-B	1067/1230 (87%)	1019 (96%)	48 (4%)	0	100	100
1	11-C	1067/1230 (87%)	1026 (96%)	40 (4%)	1 (0%)	48	77

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	12-A	1067/1230 (87%)	1025 (96%)	41 (4%)	1 (0%)	48	77
1	12-B	1067/1230 (87%)	1019 (96%)	48 (4%)	0	100	100
1	12-C	1067/1230 (87%)	1026 (96%)	40 (4%)	1 (0%)	48	77
1	13-A	1067/1230 (87%)	1026 (96%)	40 (4%)	1 (0%)	48	77
1	13-B	1067/1230 (87%)	1020 (96%)	47 (4%)	0	100	100
1	13-C	1067/1230 (87%)	1016 (95%)	49 (5%)	2 (0%)	44	73
1	14-A	1067/1230 (87%)	1028 (96%)	38 (4%)	1 (0%)	48	77
1	14-B	1067/1230 (87%)	1018 (95%)	49 (5%)	0	100	100
1	14-C	1067/1230 (87%)	1016 (95%)	50 (5%)	1 (0%)	48	77
1	15-A	1067/1230 (87%)	1027 (96%)	39 (4%)	1 (0%)	48	77
1	15-B	1067/1230 (87%)	1022 (96%)	45 (4%)	0	100	100
1	15-C	1067/1230 (87%)	1017 (95%)	49 (5%)	1 (0%)	48	77
1	16-A	1067/1230 (87%)	1026 (96%)	40 (4%)	1 (0%)	48	77
1	16-B	1067/1230 (87%)	1019 (96%)	48 (4%)	0	100	100
1	16-C	1067/1230 (87%)	1026 (96%)	40 (4%)	1 (0%)	48	77
1	17-A	1067/1230 (87%)	1027 (96%)	39 (4%)	1 (0%)	48	77
1	17-B	1067/1230 (87%)	1019 (96%)	48 (4%)	0	100	100
1	17-C	1067/1230 (87%)	1026 (96%)	40 (4%)	1 (0%)	48	77
1	18-A	1067/1230 (87%)	1024 (96%)	41 (4%)	2 (0%)	44	73
1	18-B	1067/1230 (87%)	1019 (96%)	48 (4%)	0	100	100
1	18-C	1067/1230 (87%)	1027 (96%)	39 (4%)	1 (0%)	48	77
1	19-A	1067/1230 (87%)	1027 (96%)	39 (4%)	1 (0%)	48	77
1	19-B	1067/1230 (87%)	1020 (96%)	47 (4%)	0	100	100
1	19-C	1067/1230 (87%)	1017 (95%)	49 (5%)	1 (0%)	48	77
1	20-A	1067/1230 (87%)	1027 (96%)	39 (4%)	1 (0%)	48	77
1	20-B	1067/1230 (87%)	1019 (96%)	48 (4%)	0	100	100
1	20-C	1067/1230 (87%)	1017 (95%)	49 (5%)	1 (0%)	48	77
All	All	64020/73800 (87%)	61354 (96%)	2624 (4%)	42 (0%)	50	77

5 of 42 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	18-A	984	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1-A	544	ASN
1	1-C	544	ASN
1	2-A	544	ASN
1	3-A	544	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1-A	944/1067 (88%)	921 (98%)	23 (2%)	44	77
1	1-B	944/1067 (88%)	915 (97%)	29 (3%)	35	69
1	1-C	944/1067 (88%)	926 (98%)	18 (2%)	52	82
1	2-A	944/1067 (88%)	922 (98%)	22 (2%)	45	78
1	2-B	944/1067 (88%)	926 (98%)	18 (2%)	52	82
1	2-C	944/1067 (88%)	926 (98%)	18 (2%)	52	82
1	3-A	944/1067 (88%)	927 (98%)	17 (2%)	54	83
1	3-B	944/1067 (88%)	920 (98%)	24 (2%)	42	75
1	3-C	944/1067 (88%)	919 (97%)	25 (3%)	41	75
1	4-A	944/1067 (88%)	929 (98%)	15 (2%)	58	85
1	4-B	944/1067 (88%)	923 (98%)	21 (2%)	47	79
1	4-C	944/1067 (88%)	920 (98%)	24 (2%)	42	75
1	5-A	944/1067 (88%)	926 (98%)	18 (2%)	52	82
1	5-B	944/1067 (88%)	923 (98%)	21 (2%)	47	79
1	5-C	944/1067 (88%)	922 (98%)	22 (2%)	45	78
1	6-A	944/1067 (88%)	929 (98%)	15 (2%)	58	85
1	6-B	944/1067 (88%)	909 (96%)	35 (4%)	29	63
1	6-C	944/1067 (88%)	928 (98%)	16 (2%)	56	84
1	7-A	944/1067 (88%)	926 (98%)	18 (2%)	52	82
1	7-B	944/1067 (88%)	923 (98%)	21 (2%)	47	79

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	7-C	944/1067 (88%)	915 (97%)	29 (3%)	35	69
1	8-A	944/1067 (88%)	921 (98%)	23 (2%)	44	77
1	8-B	944/1067 (88%)	920 (98%)	24 (2%)	42	75
1	8-C	944/1067 (88%)	926 (98%)	18 (2%)	52	82
1	9-A	944/1067 (88%)	924 (98%)	20 (2%)	48	80
1	9-B	944/1067 (88%)	926 (98%)	18 (2%)	52	82
1	9-C	944/1067 (88%)	925 (98%)	19 (2%)	50	81
1	10-A	944/1067 (88%)	924 (98%)	20 (2%)	48	80
1	10-B	944/1067 (88%)	922 (98%)	22 (2%)	45	78
1	10-C	944/1067 (88%)	923 (98%)	21 (2%)	47	79
1	11-A	944/1067 (88%)	922 (98%)	22 (2%)	45	78
1	11-B	944/1067 (88%)	920 (98%)	24 (2%)	42	75
1	11-C	944/1067 (88%)	921 (98%)	23 (2%)	44	77
1	12-A	944/1067 (88%)	922 (98%)	22 (2%)	45	78
1	12-B	944/1067 (88%)	921 (98%)	23 (2%)	44	77
1	12-C	944/1067 (88%)	922 (98%)	22 (2%)	45	78
1	13-A	944/1067 (88%)	924 (98%)	20 (2%)	48	80
1	13-B	944/1067 (88%)	917 (97%)	27 (3%)	37	71
1	13-C	944/1067 (88%)	927 (98%)	17 (2%)	54	83
1	14-A	944/1067 (88%)	922 (98%)	22 (2%)	45	78
1	14-B	944/1067 (88%)	925 (98%)	19 (2%)	50	81
1	14-C	944/1067 (88%)	932 (99%)	12 (1%)	65	88
1	15-A	944/1067 (88%)	917 (97%)	27 (3%)	37	71
1	15-B	944/1067 (88%)	920 (98%)	24 (2%)	42	75
1	15-C	944/1067 (88%)	920 (98%)	24 (2%)	42	75
1	16-A	944/1067 (88%)	918 (97%)	26 (3%)	38	72
1	16-B	944/1067 (88%)	922 (98%)	22 (2%)	45	78
1	16-C	944/1067 (88%)	918 (97%)	26 (3%)	38	72
1	17-A	944/1067 (88%)	920 (98%)	24 (2%)	42	75
1	17-B	944/1067 (88%)	914 (97%)	30 (3%)	34	68
1	17-C	944/1067 (88%)	924 (98%)	20 (2%)	48	80

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	18-A	944/1067 (88%)	920 (98%)	24 (2%)	42	75
1	18-B	944/1067 (88%)	924 (98%)	20 (2%)	48	80
1	18-C	944/1067 (88%)	925 (98%)	19 (2%)	50	81
1	19-A	944/1067 (88%)	933 (99%)	11 (1%)	67	89
1	19-B	944/1067 (88%)	928 (98%)	16 (2%)	56	84
1	19-C	944/1067 (88%)	925 (98%)	19 (2%)	50	81
1	20-A	944/1067 (88%)	917 (97%)	27 (3%)	37	71
1	20-B	944/1067 (88%)	920 (98%)	24 (2%)	42	75
1	20-C	944/1067 (88%)	921 (98%)	23 (2%)	44	77
All	All	56640/64020 (88%)	55347 (98%)	1293 (2%)	46	78

5 of 1293 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	15-B	596	SER
1	18-B	741	TYR
1	15-C	776	LYS
1	15-B	592	PHE
1	17-A	305	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 170 such sidechains are listed below:

Mol	Chain	Res	Type
1	15-A	1005	GLN
1	18-B	239	GLN
1	15-B	957	GLN
1	16-C	49	HIS
1	18-C	762	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-51279. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 112




Y Index: 112




Z Index: 112


6.2.2 Raw map



X Index: 112



Y Index: 112




Z Index: 112


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 107




Y Index: 110




Z Index: 122


6.3.2 Raw map



X Index: 107



Y Index: 110




Z Index: 122


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map




6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.15. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 588 nm³; this corresponds to an approximate mass of 531 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.357 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.357 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.80	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.20	3.71	3.23

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.20 differs from the reported value 2.8 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-51279 and PDB model 9GDX. Per-residue inclusion information can be found in section [3](#) on page [12](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.15 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.15).









9.4 Atom inclusion [i](#)



At the recommended contour level, 93% of all backbone atoms, 90% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.15) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9000	 0.2850
A	 0.9220	 0.2820
B	 0.9440	 0.2910
C	 0.8350	 0.2830

