



Full wwPDB X-ray Structure Validation Report i

May 25, 2020 – 12:43 pm BST

PDB ID : 6GEX
Title : Trypanosoma brucei PTR1 in complex with inhibitor 2h (F246)
Authors : Pozzi, C.; Landi, G.; Mangani, S.
Deposited on : 2018-04-27
Resolution : 1.78 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.78 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	9185 (1.80-1.76)
Clashscore	141614	10184 (1.80-1.76)
Ramachandran outliers	138981	10051 (1.80-1.76)
Sidechain outliers	138945	10050 (1.80-1.76)
RSRZ outliers	127900	9032 (1.80-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	GOL	B	303[A]	-	X	-	-

2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 8383 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pteridine reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	248	Total	C	N	O	S	0	9	0
			1864	1178	327	348	11			
1	B	248	Total	C	N	O	S	0	9	0
			1878	1189	326	351	12			
1	C	248	Total	C	N	O	S	0	6	0
			1842	1159	324	348	11			
1	D	247	Total	C	N	O	S	0	6	0
			1850	1171	321	346	12			

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP O76290
A	-18	GLY	-	expression tag	UNP O76290
A	-17	SER	-	expression tag	UNP O76290
A	-16	SER	-	expression tag	UNP O76290
A	-15	HIS	-	expression tag	UNP O76290
A	-14	HIS	-	expression tag	UNP O76290
A	-13	HIS	-	expression tag	UNP O76290
A	-12	HIS	-	expression tag	UNP O76290
A	-11	HIS	-	expression tag	UNP O76290
A	-10	HIS	-	expression tag	UNP O76290
A	-9	SER	-	expression tag	UNP O76290
A	-8	SER	-	expression tag	UNP O76290
A	-7	GLY	-	expression tag	UNP O76290
A	-6	LEU	-	expression tag	UNP O76290
A	-5	VAL	-	expression tag	UNP O76290
A	-4	PRO	-	expression tag	UNP O76290
A	-3	ARG	-	expression tag	UNP O76290
A	-2	GLY	-	expression tag	UNP O76290
A	-1	SER	-	expression tag	UNP O76290
A	0	HIS	-	expression tag	UNP O76290
B	-19	MET	-	initiating methionine	UNP O76290

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-18	GLY	-	expression tag	UNP O76290
B	-17	SER	-	expression tag	UNP O76290
B	-16	SER	-	expression tag	UNP O76290
B	-15	HIS	-	expression tag	UNP O76290
B	-14	HIS	-	expression tag	UNP O76290
B	-13	HIS	-	expression tag	UNP O76290
B	-12	HIS	-	expression tag	UNP O76290
B	-11	HIS	-	expression tag	UNP O76290
B	-10	HIS	-	expression tag	UNP O76290
B	-9	SER	-	expression tag	UNP O76290
B	-8	SER	-	expression tag	UNP O76290
B	-7	GLY	-	expression tag	UNP O76290
B	-6	LEU	-	expression tag	UNP O76290
B	-5	VAL	-	expression tag	UNP O76290
B	-4	PRO	-	expression tag	UNP O76290
B	-3	ARG	-	expression tag	UNP O76290
B	-2	GLY	-	expression tag	UNP O76290
B	-1	SER	-	expression tag	UNP O76290
B	0	HIS	-	expression tag	UNP O76290
C	-19	MET	-	initiating methionine	UNP O76290
C	-18	GLY	-	expression tag	UNP O76290
C	-17	SER	-	expression tag	UNP O76290
C	-16	SER	-	expression tag	UNP O76290
C	-15	HIS	-	expression tag	UNP O76290
C	-14	HIS	-	expression tag	UNP O76290
C	-13	HIS	-	expression tag	UNP O76290
C	-12	HIS	-	expression tag	UNP O76290
C	-11	HIS	-	expression tag	UNP O76290
C	-10	HIS	-	expression tag	UNP O76290
C	-9	SER	-	expression tag	UNP O76290
C	-8	SER	-	expression tag	UNP O76290
C	-7	GLY	-	expression tag	UNP O76290
C	-6	LEU	-	expression tag	UNP O76290
C	-5	VAL	-	expression tag	UNP O76290
C	-4	PRO	-	expression tag	UNP O76290
C	-3	ARG	-	expression tag	UNP O76290
C	-2	GLY	-	expression tag	UNP O76290
C	-1	SER	-	expression tag	UNP O76290
C	0	HIS	-	expression tag	UNP O76290
D	-19	MET	-	initiating methionine	UNP O76290
D	-18	GLY	-	expression tag	UNP O76290
D	-17	SER	-	expression tag	UNP O76290

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-16	SER	-	expression tag	UNP O76290
D	-15	HIS	-	expression tag	UNP O76290
D	-14	HIS	-	expression tag	UNP O76290
D	-13	HIS	-	expression tag	UNP O76290
D	-12	HIS	-	expression tag	UNP O76290
D	-11	HIS	-	expression tag	UNP O76290
D	-10	HIS	-	expression tag	UNP O76290
D	-9	SER	-	expression tag	UNP O76290
D	-8	SER	-	expression tag	UNP O76290
D	-7	GLY	-	expression tag	UNP O76290
D	-6	LEU	-	expression tag	UNP O76290
D	-5	VAL	-	expression tag	UNP O76290
D	-4	PRO	-	expression tag	UNP O76290
D	-3	ARG	-	expression tag	UNP O76290
D	-2	GLY	-	expression tag	UNP O76290
D	-1	SER	-	expression tag	UNP O76290
D	0	HIS	-	expression tag	UNP O76290

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	C	1	Total C N O P 48 21 7 17 3	0	0
2	D	1	Total C N O P 48 21 7 17 3	0	0

- Molecule 3 is 4-[(2-azanyl-1,3-benzothiazol-6-yl)sulfanyl methyl]- {N}-(phenylmethyl)benzamide (three-letter code: EWK) (formula: C₂₂H₁₉N₃OS₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O S 21 15 3 1 2	0	0
3	B	1	Total C N O S 21 15 3 1 2	0	0
3	D	1	Total C N O S 28 22 3 1 2	0	0

- Molecule 4 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total C O 12 6 6	0	1


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	167	Total O 170 170	0	6
6	B	180	Total O 181 181	0	3
6	C	149	Total O 150 150	0	2
6	D	165	Total O 166 166	0	4


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Pteridine reductase



- Molecule 1: Pteridine reductase



- Molecule 1: Pteridine reductase



- Molecule 1: Pteridine reductase





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	74.88 Å 90.21 Å 83.15 Å 90.00° 115.76° 90.00°	Depositor
Resolution (Å)	74.89 – 1.78 74.89 – 1.78	Depositor EDS
% Data completeness (in resolution range)	99.1 (74.89-1.78) 99.1 (74.89-1.78)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	2.16 (at 1.78 Å)	Xtriage
Refinement program	REFMAC 5.8.0222	Depositor
R , R_{free}	0.166 , 0.207 0.167 , 0.206	Depositor DCC
R_{free} test set	4859 reflections (5.14%)	wwPDB-VP
Wilson B-factor (Å ²)	14.5	Xtriage
Anisotropy	0.182	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 52.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.008 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8383	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 33.12 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 8.4186e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EWK, GOL, NAP, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.88	0/1915	0.89	0/2602
1	B	0.94	0/1932	0.94	0/2623
1	C	0.88	0/1881	0.88	0/2560
1	D	0.88	0/1895	0.89	0/2575
All	All	0.90	0/7623	0.90	0/10360

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1864	0	1884	10	0
1	B	1878	0	1917	17	0
1	C	1842	0	1827	14	0
1	D	1850	0	1875	20	0
2	A	48	0	25	0	0
2	B	48	0	25	1	0
2	C	48	0	25	1	0
2	D	48	0	25	1	0
3	A	21	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	21	0	0	0	0
3	D	28	0	0	1	0
4	A	4	0	3	0	0
4	C	4	0	3	0	0
5	B	12	0	16	3	0
6	A	170	0	0	0	0
6	B	181	0	0	0	0
6	C	150	0	0	3	0
6	D	166	0	0	5	0
All	All	8383	0	7625	53	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (53) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:208:LEU:HD21	6:C:511:HOH:O	1.73	0.89
1:B:42:VAL:HG13	5:B:303[A]:GOL:H11	1.67	0.77
1:D:164:VAL:HG22	1:D:179:HIS:CD2	2.32	0.64
1:B:103:VAL:HG22	6:D:403:HOH:O	1.99	0.62
1:A:22:LYS:HG2	1:A:242:ILE:HG13	1.82	0.60
1:B:161:ASP:O	1:B:164:VAL:HG22	2.02	0.59
1:D:250[B]:GLN:HG2	6:D:423:HOH:O	2.03	0.57
1:A:65:ASN:HA	1:A:69:LEU:HD22	1.86	0.57
1:C:164:VAL:HG22	1:C:179:HIS:CD2	2.39	0.56
1:C:138:PHE:O	1:C:142:GLN:HG2	2.05	0.56
1:D:9:THR:HA	1:D:33:HIS:HB3	1.89	0.55
1:C:78:ASN:OD1	1:C:141:ARG:NH1	2.33	0.55
1:B:15:ILE:HB	2:B:301:NAP:H51N	1.90	0.54
1:A:265:LEU:HB2	1:B:190[B]:LEU:HD21	1.91	0.53
1:C:2:GLU:N	6:C:408:HOH:O	2.42	0.52
1:D:114:LYS:HD2	6:D:447:HOH:O	2.10	0.51
1:B:70:PRO:HG2	1:D:117[A]:GLU:HG2	1.93	0.50
1:D:65:ASN:HA	1:D:69:LEU:HD22	1.92	0.50
1:B:138:PHE:O	1:B:142:GLN:HG2	2.12	0.49
1:B:115:THR:OG1	1:B:117[B]:GLU:HG2	2.13	0.49
1:C:123:LEU:O	1:C:127[B]:ASN:HB2	2.13	0.49
1:B:190[B]:LEU:HD12	1:D:167:PRO:HG2	1.95	0.49
1:B:125:GLY:HA2	1:B:129[B]:ILE:HB	1.94	0.49
1:A:251:TYR:CE2	1:B:232:ALA:HB2	2.49	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:133:LEU:HA	1:D:136[B]:MET:HE3	1.95	0.48
1:D:138:PHE:O	1:D:142:GLN:HG2	2.14	0.47
1:D:205:GLY:O	2:D:301:NAP:H4N	2.15	0.47
1:C:205:GLY:O	2:C:301:NAP:H4N	2.15	0.47
1:B:9:THR:HA	1:B:33:HIS:HB3	1.97	0.47
1:D:219:ASP:HB3	1:D:223:ARG:NH1	2.30	0.47
1:A:130:ALA:HB3	1:A:131:PRO:HD3	1.97	0.46
1:B:117[A]:GLU:HG3	1:D:67:ASN:HA	1.98	0.46
1:D:115:THR:OG1	1:D:117[B]:GLU:HG2	2.16	0.46
1:A:9:THR:HA	1:A:33:HIS:HB3	1.98	0.45
1:C:230:ARG:HD2	6:C:407:HOH:O	2.16	0.45
1:D:213:MET:CE	3:D:302:EWK:CAD	2.95	0.45
1:B:78:ASN:OD1	1:B:141:ARG:NH2	2.42	0.44
1:C:9:THR:HA	1:C:33:HIS:HB3	2.00	0.43
1:C:232:ALA:HB2	1:D:251:TYR:CE2	2.53	0.43
1:A:26:THR:O	1:A:26:THR:HG22	2.19	0.42
1:C:228:GLY:O	1:C:229:ARG:C	2.56	0.42
1:B:46:ASP:OD1	5:B:303[A]:GOL:H12	2.20	0.42
1:D:230:ARG:NE	6:D:415:HOH:O	2.52	0.42
1:C:218:LYS:O	1:C:222:ARG:HG3	2.20	0.42
1:A:193:ALA:HB3	1:A:194:PRO:HD3	2.01	0.41
1:C:169:MET:O	1:C:170:ALA:HB3	2.21	0.41
1:A:225:VAL:O	1:A:229:ARG:HD3	2.20	0.41
1:C:65:ASN:HA	1:C:69:LEU:HD22	2.02	0.41
1:B:103:VAL:HG21	1:D:195:TYR:CZ	2.56	0.41
1:B:45:ALA:CB	5:B:303[A]:GOL:H32	2.50	0.41
1:A:266:VAL:HB	1:D:268:ALA:HB2	2.02	0.41
1:D:140:GLN:NE2	6:D:402:HOH:O	2.27	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	250/288 (87%)	241 (96%)	9 (4%)	0	100 100
1	B	251/288 (87%)	245 (98%)	6 (2%)	0	100 100
1	C	248/288 (86%)	237 (96%)	11 (4%)	0	100 100
1	D	247/288 (86%)	241 (98%)	6 (2%)	0	100 100
All	All	996/1152 (86%)	964 (97%)	32 (3%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	196/231 (85%)	193 (98%)	3 (2%)	65 53
1	B	200/231 (87%)	199 (100%)	1 (0%)	88 86
1	C	190/231 (82%)	188 (99%)	2 (1%)	73 65
1	D	195/231 (84%)	194 (100%)	1 (0%)	88 86
All	All	781/924 (84%)	774 (99%)	7 (1%)	78 72

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	141	ARG
1	A	164	VAL
1	A	209	LEU
1	B	164	VAL
1	C	22	LYS
1	C	141	ARG
1	D	215	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	25	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	65	ASN
1	B	236	GLN
1	D	67	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	ACT	C	302	-	1,3,3	2.78	1 (100%)	0,3,3	0.00	-
2	NAP	D	301	-	45,52,52	1.47	9 (20%)	56,80,80	1.48	9 (16%)
5	GOL	B	303[A]	-	5,5,5	0.47	0	5,5,5	1.84	2 (40%)
2	NAP	A	301	-	45,52,52	1.44	7 (15%)	56,80,80	1.47	10 (17%)
2	NAP	C	301	-	45,52,52	1.29	5 (11%)	56,80,80	1.59	7 (12%)
5	GOL	B	303[B]	-	5,5,5	0.54	0	5,5,5	1.11	0
3	EWK	A	302	-	20,23,31	2.35	6 (30%)	26,32,42	1.46	6 (23%)
3	EWK	B	302	-	20,23,31	2.89	5 (25%)	26,32,42	1.29	2 (7%)
3	EWK	D	302	-	28,31,31	2.07	6 (21%)	36,42,42	1.49	8 (22%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	ACT	A	303	-	1,3,3	3.08	1 (100%)	0,3,3	0.00	-
2	NAP	B	301	-	45,52,52	1.45	8 (17%)	56,80,80	1.68	11 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	D	301	-	-	0/31/67/67	0/5/5/5
5	GOL	B	303[A]	-	-	4/4/4/4	-
2	NAP	A	301	-	-	0/31/67/67	0/5/5/5
2	NAP	C	301	-	-	1/31/67/67	0/5/5/5
5	GOL	B	303[B]	-	-	3/4/4/4	-
3	EWK	A	302	-	-	4/9/9/14	0/3/3/4
3	EWK	B	302	-	-	4/9/9/14	0/3/3/4
3	EWK	D	302	-	-	4/14/14/14	0/4/4/4
2	NAP	B	301	-	-	0/31/67/67	0/5/5/5

All (48) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	302	EWK	CAJ-SAT	8.87	1.95	1.76
3	A	302	EWK	CAC-CAA	-6.25	1.41	1.50
3	B	302	EWK	CAC-CAA	-5.79	1.41	1.50
3	A	302	EWK	CAI-CAH	-4.87	1.40	1.51
3	D	302	EWK	CAI-CAH	-4.75	1.40	1.51
3	B	302	EWK	CAI-CAH	-4.62	1.40	1.51
2	D	301	NAP	C2A-N3A	4.46	1.39	1.32
3	D	302	EWK	CAC-CAA	-4.46	1.40	1.50
2	B	301	NAP	O4D-C1D	4.14	1.46	1.41
3	D	302	EWK	CAV-CAW	-3.84	1.43	1.51
3	D	302	EWK	CAJ-SAT	3.78	1.84	1.76
2	A	301	NAP	C2A-N3A	3.77	1.38	1.32
2	A	301	NAP	O4D-C1D	3.61	1.46	1.41
2	D	301	NAP	P2B-O2B	3.59	1.66	1.59
2	C	301	NAP	C5A-C4A	3.50	1.50	1.40
2	B	301	NAP	C2A-N3A	3.45	1.37	1.32
2	D	301	NAP	O4D-C1D	3.34	1.45	1.41
2	A	301	NAP	P2B-O2B	3.25	1.65	1.59
3	A	302	EWK	CAJ-SAT	3.17	1.83	1.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	302	EWK	CAR-CAQ	-3.12	1.36	1.41
4	A	303	ACT	CH3-C	3.08	1.52	1.48
2	C	301	NAP	O4D-C1D	3.06	1.45	1.41
3	A	302	EWK	CAR-CAQ	-2.99	1.36	1.41
2	B	301	NAP	P2B-O2B	2.96	1.64	1.59
3	A	302	EWK	CAR-CAS	2.85	1.42	1.36
3	B	302	EWK	CAR-CAQ	-2.82	1.37	1.41
2	C	301	NAP	C2A-N3A	2.80	1.36	1.32
4	C	302	ACT	CH3-C	2.78	1.52	1.48
2	D	301	NAP	C5A-C4A	2.74	1.48	1.40
2	C	301	NAP	O2D-C2D	2.67	1.49	1.43
3	D	302	EWK	CAK-CAJ	2.57	1.41	1.37
2	C	301	NAP	C8A-N7A	2.51	1.39	1.34
3	A	302	EWK	CAK-CAJ	2.50	1.41	1.37
2	A	301	NAP	C5A-C4A	2.46	1.47	1.40
2	B	301	NAP	C4A-N3A	2.41	1.39	1.35
2	D	301	NAP	O2D-C2D	2.32	1.48	1.43
2	A	301	NAP	C2N-C3N	2.31	1.42	1.39
2	D	301	NAP	C7N-N7N	2.25	1.37	1.33
2	D	301	NAP	C4N-C3N	2.25	1.43	1.39
2	B	301	NAP	C2A-N1A	2.23	1.38	1.33
2	A	301	NAP	C2N-N1N	2.22	1.37	1.35
3	B	302	EWK	CAK-CAJ	2.12	1.40	1.37
2	D	301	NAP	C2A-N1A	2.11	1.37	1.33
2	B	301	NAP	C6A-C5A	2.08	1.51	1.43
2	B	301	NAP	C2D-C1D	2.07	1.56	1.53
2	D	301	NAP	PN-O5D	2.06	1.67	1.59
2	A	301	NAP	C4A-N3A	2.02	1.38	1.35
2	B	301	NAP	C5A-C4A	2.02	1.46	1.40

All (55) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	301	NAP	C1B-N9A-C4A	-5.46	117.04	126.64
2	A	301	NAP	C1B-N9A-C4A	-5.34	117.26	126.64
2	B	301	NAP	O7N-C7N-C3N	-5.23	113.37	119.63
2	B	301	NAP	C1B-N9A-C4A	-5.16	117.57	126.64
2	C	301	NAP	O2B-P2B-O1X	-4.76	91.02	109.39
2	D	301	NAP	C1B-N9A-C4A	-4.66	118.45	126.64
2	A	301	NAP	C2N-C3N-C4N	3.66	122.41	118.26
3	B	302	EWK	NAO-CAN-NAP	3.54	127.77	123.19
2	B	301	NAP	N3A-C2A-N1A	-3.49	123.23	128.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	301	NAP	C3N-C7N-N7N	3.43	121.86	117.75
2	B	301	NAP	C3N-C7N-N7N	3.37	121.79	117.75
5	B	303[A]	GOL	O2-C2-C1	-3.25	94.82	109.12
2	A	301	NAP	C5N-C4N-C3N	-3.16	116.60	120.34
2	D	301	NAP	N3A-C2A-N1A	-3.07	123.87	128.68
2	C	301	NAP	C2A-N1A-C6A	3.06	123.99	118.75
3	D	302	EWK	CAQ-CAL-SAM	-3.05	107.81	111.85
3	A	302	EWK	CAI-SAT-CAJ	3.03	109.24	102.98
2	D	301	NAP	C5A-C6A-N6A	-3.01	115.78	120.35
2	B	301	NAP	C2A-N1A-C6A	3.00	123.88	118.75
3	D	302	EWK	CAV-NAU-CAA	2.98	128.86	121.81
2	B	301	NAP	O2A-PA-O1A	2.98	126.97	112.24
2	D	301	NAP	O7N-C7N-C3N	-2.90	116.16	119.63
2	C	301	NAP	N3A-C2A-N1A	-2.88	124.18	128.68
3	D	302	EWK	NAO-CAN-NAP	2.88	126.91	123.19
3	A	302	EWK	CAQ-CAL-SAM	-2.84	108.08	111.85
2	B	301	NAP	N6A-C6A-N1A	2.84	124.46	118.57
3	D	302	EWK	CAK-CAL-SAM	2.79	130.69	125.10
2	A	301	NAP	O2X-P2B-O1X	2.77	121.54	110.68
3	A	302	EWK	CAL-CAQ-NAP	2.71	114.36	108.04
2	D	301	NAP	N6A-C6A-N1A	2.68	124.13	118.57
2	D	301	NAP	O2N-PN-O1N	2.65	125.33	112.24
2	A	301	NAP	O4B-C4B-C3B	-2.55	100.07	105.11
3	B	302	EWK	CAI-SAT-CAJ	2.52	108.18	102.98
2	A	301	NAP	O4D-C1D-C2D	-2.47	103.32	106.93
2	A	301	NAP	N3A-C2A-N1A	-2.46	124.84	128.68
2	C	301	NAP	O7N-C7N-N7N	-2.35	119.23	122.58
2	D	301	NAP	O2X-P2B-O1X	2.33	119.81	110.68
2	D	301	NAP	C2N-C3N-C4N	2.33	120.89	118.26
3	A	302	EWK	CAK-CAL-SAM	2.32	129.75	125.10
3	D	302	EWK	CAI-SAT-CAJ	2.30	107.72	102.98
3	D	302	EWK	CAW-CAV-NAU	-2.30	108.13	113.05
3	A	302	EWK	NAO-CAN-NAP	2.30	126.16	123.19
2	A	301	NAP	PN-O3-PA	-2.19	125.30	132.83
5	B	303[A]	GOL	O1-C1-C2	-2.18	99.73	110.20
2	B	301	NAP	O2B-P2B-O1X	-2.15	101.11	109.39
2	B	301	NAP	O3X-P2B-O2X	2.14	115.83	107.64
2	B	301	NAP	C3N-C2N-N1N	-2.14	118.33	120.43
3	D	302	EWK	CAL-CAQ-NAP	2.12	112.97	108.04
2	B	301	NAP	O3D-C3D-C2D	-2.10	105.02	111.82
3	D	302	EWK	CAC-CAA-NAU	-2.10	112.58	117.09
3	A	302	EWK	CAS-CAR-CAQ	2.07	123.44	120.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	NAP	O2N-PN-O1N	2.04	122.32	112.24
2	C	301	NAP	N6A-C6A-N1A	2.03	122.79	118.57
2	A	301	NAP	C3N-C2N-N1N	-2.02	118.45	120.43
2	D	301	NAP	O2B-P2B-O1X	-2.01	101.62	109.39

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	303[A]	GOL	O1-C1-C2-C3
5	B	303[A]	GOL	C1-C2-C3-O3
5	B	303[B]	GOL	O1-C1-C2-C3
5	B	303[B]	GOL	C1-C2-C3-O3
5	B	303[A]	GOL	O1-C1-C2-O2
5	B	303[A]	GOL	O2-C2-C3-O3
5	B	303[B]	GOL	O1-C1-C2-O2
3	A	302	EWK	CAE-CAH-CAI-SAT
3	A	302	EWK	CAG-CAH-CAI-SAT
3	B	302	EWK	CAE-CAH-CAI-SAT
3	D	302	EWK	CAE-CAH-CAI-SAT
3	D	302	EWK	CAG-CAH-CAI-SAT
3	B	302	EWK	CAG-CAH-CAI-SAT
3	A	302	EWK	CAS-CAJ-SAT-CAI
3	A	302	EWK	CAK-CAJ-SAT-CAI
3	B	302	EWK	CAK-CAJ-SAT-CAI
3	B	302	EWK	CAS-CAJ-SAT-CAI
2	C	301	NAP	C5B-O5B-PA-O1A
3	D	302	EWK	CAK-CAJ-SAT-CAI
3	D	302	EWK	CAS-CAJ-SAT-CAI


There are no ring outliers.


5 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	301	NAP	1	0
5	B	303[A]	GOL	3	0
2	C	301	NAP	1	0
3	D	302	EWK	1	0
2	B	301	NAP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,


bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

















5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data [\(i\)](#)

6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	248/288 (86%)	-0.30	0 [100] [100]	6, 15, 31, 40	4 (1%)
1	B	248/288 (86%)	-0.34	3 (1%) [79] [79]	6, 12, 27, 53	9 (3%)
1	C	248/288 (86%)	-0.16	6 (2%) [59] [58]	7, 17, 40, 75	11 (4%)
1	D	247/288 (85%)	-0.31	0 [100] [100]	7, 16, 33, 48	6 (2%)
All	All	991/1152 (86%)	-0.28	9 (0%) [84] [84]	6, 15, 32, 75	30 (3%)

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	212	ALA	6.5
1	C	208	LEU	5.6
1	C	212	ALA	3.8
1	C	217	GLU	3.1
1	B	211	VAL	3.1
1	C	229	ARG	2.9
1	C	221	TRP	2.8
1	B	1	MET	2.5
1	C	195	TYR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)


There are no carbohydrates in this entry.


6.4 Ligands [\(i\)](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	GOL	B	303[A]	6/6	0.83	0.23	15,23,25,26	6
5	GOL	B	303[B]	6/6	0.83	0.23	10,14,15,16	6
3	EWK	D	302	28/28	0.84	0.18	24,38,57,61	28
3	EWK	B	302	21/28	0.88	0.12	23,36,54,55	21
3	EWK	A	302	21/28	0.88	0.16	23,34,44,47	21
2	NAP	C	301	48/48	0.91	0.13	13,19,26,28	48
4	ACT	C	302	4/4	0.94	0.10	22,24,26,27	0
4	ACT	A	303	4/4	0.96	0.24	26,26,26,29	0
2	NAP	D	301	48/48	0.97	0.07	12,17,21,27	0
2	NAP	A	301	48/48	0.97	0.09	13,16,18,22	0
2	NAP	B	301	48/48	0.97	0.09	11,16,18,22	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.









6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.