



wwPDB X-ray Structure Validation Summary Report ⓘ

Oct 28, 2024 – 05:46 AM EDT

PDB ID : 2GRE
Title : Crystal structure of Deblocking aminopeptidase from *Bacillus cereus*
Authors : Chang, C.; Wu, R.; Abdullah, J.; Joachimiak, A.; Midwest Center for Structural Genomics (MCSG)
Deposited on : 2006-04-24
Resolution : 2.65 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1003 (2.66-2.66)
Clashscore	180529	1063 (2.66-2.66)
Ramachandran outliers	177936	1052 (2.66-2.66)
Sidechain outliers	177891	1052 (2.66-2.66)
RSRZ outliers	164620	1003 (2.66-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	349	
1	B	349	
1	C	349	
1	D	349	
1	E	349	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	349	 56% 25% 7% 11%
1	G	349	 55% 26% 7% 11%
1	H	349	 56% 25% 6% • 13%
1	I	349	 53% 27% 5% 14%
1	J	349	 56% 25% 7% • 12%
1	K	349	 50% 32% 6% 13%
1	L	349	 56% 26% 6% • 11%
1	M	349	 56% 25% 7% • 11%
1	N	349	 53% 28% 7% • 12%
1	O	349	 56% 26% 5% • 12%
1	P	349	 55% 25% 5% • 13%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 39559 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Deblocking aminopeptidase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	313	Total 2441	C 1541	N 414	O 478	S 2	Se 6	0	0	0
1	B	312	Total 2431	C 1535	N 411	O 477	S 2	Se 6	0	0	0
1	C	308	Total 2413	C 1526	N 406	O 473	S 2	Se 6	0	0	0
1	D	306	Total 2398	C 1517	N 403	O 470	S 2	Se 6	0	0	0
1	E	306	Total 2393	C 1516	N 401	O 468	S 2	Se 6	0	0	0
1	F	310	Total 2426	C 1533	N 409	O 476	S 2	Se 6	0	0	0
1	G	309	Total 2413	C 1526	N 404	O 475	S 2	Se 6	0	0	0
1	H	305	Total 2394	C 1516	N 405	O 465	S 2	Se 6	0	0	0
1	I	299	Total 2364	C 1500	N 396	O 460	S 2	Se 6	0	0	0
1	J	307	Total 2399	C 1518	N 402	O 471	S 2	Se 6	0	0	0
1	K	304	Total 2389	C 1513	N 404	O 464	S 2	Se 6	0	0	0
1	L	310	Total 2421	C 1530	N 407	O 476	S 2	Se 6	0	0	0
1	M	309	Total 2422	C 1531	N 407	O 476	S 2	Se 6	0	0	0
1	N	307	Total 2407	C 1524	N 407	O 468	S 2	Se 6	0	0	0
1	O	308	Total 2404	C 1521	N 403	O 473	S 2	Se 5	0	0	0
1	P	305	Total 2382	C 1508	N 400	O 466	S 2	Se 6	0	0	0

There are 112 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	MET	modified residue	GB 29894598
A	9	MSE	MET	modified residue	GB 29894598
A	76	MSE	MET	modified residue	GB 29894598
A	90	MSE	MET	modified residue	GB 29894598
A	120	MSE	MET	modified residue	GB 29894598
A	242	MSE	MET	modified residue	GB 29894598
A	343	MSE	MET	modified residue	GB 29894598
B	1	MSE	MET	modified residue	GB 29894598
B	9	MSE	MET	modified residue	GB 29894598
B	76	MSE	MET	modified residue	GB 29894598
B	90	MSE	MET	modified residue	GB 29894598
B	120	MSE	MET	modified residue	GB 29894598
B	242	MSE	MET	modified residue	GB 29894598
B	343	MSE	MET	modified residue	GB 29894598
C	1	MSE	MET	modified residue	GB 29894598
C	9	MSE	MET	modified residue	GB 29894598
C	76	MSE	MET	modified residue	GB 29894598
C	90	MSE	MET	modified residue	GB 29894598
C	120	MSE	MET	modified residue	GB 29894598
C	242	MSE	MET	modified residue	GB 29894598
C	343	MSE	MET	modified residue	GB 29894598
D	1	MSE	MET	modified residue	GB 29894598
D	9	MSE	MET	modified residue	GB 29894598
D	76	MSE	MET	modified residue	GB 29894598
D	90	MSE	MET	modified residue	GB 29894598
D	120	MSE	MET	modified residue	GB 29894598
D	242	MSE	MET	modified residue	GB 29894598
D	343	MSE	MET	modified residue	GB 29894598
E	1	MSE	MET	modified residue	GB 29894598
E	9	MSE	MET	modified residue	GB 29894598
E	76	MSE	MET	modified residue	GB 29894598
E	90	MSE	MET	modified residue	GB 29894598
E	120	MSE	MET	modified residue	GB 29894598
E	242	MSE	MET	modified residue	GB 29894598
E	343	MSE	MET	modified residue	GB 29894598
F	1	MSE	MET	modified residue	GB 29894598
F	9	MSE	MET	modified residue	GB 29894598
F	76	MSE	MET	modified residue	GB 29894598
F	90	MSE	MET	modified residue	GB 29894598
F	120	MSE	MET	modified residue	GB 29894598
F	242	MSE	MET	modified residue	GB 29894598
F	343	MSE	MET	modified residue	GB 29894598

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	1	MSE	MET	modified residue	GB 29894598
G	9	MSE	MET	modified residue	GB 29894598
G	76	MSE	MET	modified residue	GB 29894598
G	90	MSE	MET	modified residue	GB 29894598
G	120	MSE	MET	modified residue	GB 29894598
G	242	MSE	MET	modified residue	GB 29894598
G	343	MSE	MET	modified residue	GB 29894598
H	1	MSE	MET	modified residue	GB 29894598
H	9	MSE	MET	modified residue	GB 29894598
H	76	MSE	MET	modified residue	GB 29894598
H	90	MSE	MET	modified residue	GB 29894598
H	120	MSE	MET	modified residue	GB 29894598
H	242	MSE	MET	modified residue	GB 29894598
H	343	MSE	MET	modified residue	GB 29894598
I	1	MSE	MET	modified residue	GB 29894598
I	9	MSE	MET	modified residue	GB 29894598
I	76	MSE	MET	modified residue	GB 29894598
I	90	MSE	MET	modified residue	GB 29894598
I	120	MSE	MET	modified residue	GB 29894598
I	242	MSE	MET	modified residue	GB 29894598
I	343	MSE	MET	modified residue	GB 29894598
J	1	MSE	MET	modified residue	GB 29894598
J	9	MSE	MET	modified residue	GB 29894598
J	76	MSE	MET	modified residue	GB 29894598
J	90	MSE	MET	modified residue	GB 29894598
J	120	MSE	MET	modified residue	GB 29894598
J	242	MSE	MET	modified residue	GB 29894598
J	343	MSE	MET	modified residue	GB 29894598
K	1	MSE	MET	modified residue	GB 29894598
K	9	MSE	MET	modified residue	GB 29894598
K	76	MSE	MET	modified residue	GB 29894598
K	90	MSE	MET	modified residue	GB 29894598
K	120	MSE	MET	modified residue	GB 29894598
K	242	MSE	MET	modified residue	GB 29894598
K	343	MSE	MET	modified residue	GB 29894598
L	1	MSE	MET	modified residue	GB 29894598
L	9	MSE	MET	modified residue	GB 29894598
L	76	MSE	MET	modified residue	GB 29894598
L	90	MSE	MET	modified residue	GB 29894598
L	120	MSE	MET	modified residue	GB 29894598
L	242	MSE	MET	modified residue	GB 29894598
L	343	MSE	MET	modified residue	GB 29894598

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
M	1	MSE	MET	modified residue	GB 29894598
M	9	MSE	MET	modified residue	GB 29894598
M	76	MSE	MET	modified residue	GB 29894598
M	90	MSE	MET	modified residue	GB 29894598
M	120	MSE	MET	modified residue	GB 29894598
M	242	MSE	MET	modified residue	GB 29894598
M	343	MSE	MET	modified residue	GB 29894598
N	1	MSE	MET	modified residue	GB 29894598
N	9	MSE	MET	modified residue	GB 29894598
N	76	MSE	MET	modified residue	GB 29894598
N	90	MSE	MET	modified residue	GB 29894598
N	120	MSE	MET	modified residue	GB 29894598
N	242	MSE	MET	modified residue	GB 29894598
N	343	MSE	MET	modified residue	GB 29894598
O	1	MSE	MET	modified residue	GB 29894598
O	9	MSE	MET	modified residue	GB 29894598
O	76	MSE	MET	modified residue	GB 29894598
O	90	MSE	MET	modified residue	GB 29894598
O	120	MSE	MET	modified residue	GB 29894598
O	242	MSE	MET	modified residue	GB 29894598
O	343	MSE	MET	modified residue	GB 29894598
P	1	MSE	MET	modified residue	GB 29894598
P	9	MSE	MET	modified residue	GB 29894598
P	76	MSE	MET	modified residue	GB 29894598
P	90	MSE	MET	modified residue	GB 29894598
P	120	MSE	MET	modified residue	GB 29894598
P	242	MSE	MET	modified residue	GB 29894598
P	343	MSE	MET	modified residue	GB 29894598

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	G	1	Total	O	S	0	0
			5	4	1		
2	H	1	Total	O	S	0	0
			5	4	1		
2	I	1	Total	O	S	0	0
			5	4	1		
2	J	1	Total	O	S	0	0
			5	4	1		
2	K	1	Total	O	S	0	0
			5	4	1		
2	L	1	Total	O	S	0	0
			5	4	1		
2	M	1	Total	O	S	0	0
			5	4	1		
2	N	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	O	1	Total	O	S	0	0
			5	4	1		
2	P	1	Total	O	S	0	0
			5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	73	Total	O	0	0
			73	73		
3	B	71	Total	O	0	0
			71	71		
3	C	68	Total	O	0	0
			68	68		
3	D	57	Total	O	0	0
			57	57		
3	E	69	Total	O	0	0
			69	69		
3	F	57	Total	O	0	0
			57	57		
3	G	69	Total	O	0	0
			69	69		
3	H	61	Total	O	0	0
			61	61		
3	I	61	Total	O	0	0
			61	61		
3	J	57	Total	O	0	0
			57	57		
3	K	66	Total	O	0	0
			66	66		
3	L	54	Total	O	0	0
			54	54		
3	M	58	Total	O	0	0
			58	58		
3	N	67	Total	O	0	0
			67	67		
3	O	40	Total	O	0	0
			40	40		
3	P	54	Total	O	0	0
			54	54		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Deblocking aminopeptidase




- Molecule 1: Deblocking aminopeptidase




- Molecule 1: Deblocking aminopeptidase






- Molecule 1: Deblocking aminopeptidase




- Molecule 1: Deblocking aminopeptidase




- Molecule 1: Deblocking aminopeptidase






● Molecule 1: Deblocking aminopeptidase




● Molecule 1: Deblocking aminopeptidase




● Molecule 1: Deblocking aminopeptidase






Molecule 1: Deblocking aminopeptidase




Molecule 1: Deblocking aminopeptidase




Molecule 1: Deblocking aminopeptidase






• Molecule 1: Deblocking aminopeptidase




• Molecule 1: Deblocking aminopeptidase




• Molecule 1: Deblocking aminopeptidase





● Molecule 1: Deblocking aminopeptidase



4 Data and refinement statistics i

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	240.92Å 240.92Å 294.82Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 2.65 50.00 – 2.65	Depositor EDS
% Data completeness (in resolution range)	99.8 (50.00-2.65) 99.5 (50.00-2.65)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.61 (at 2.54Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.194 , 0.264 0.197 , 0.195	Depositor DCC
R_{free} test set	9334 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	48.7	Xtrriage
Anisotropy	0.036	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 28.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.021 for $-2/3^*h-1/3^*k+2/3^*l,-1/3^*h-2/3^*k-2/3^*l,2/3^*h-2/3^*k+1/3^*l$ 0.019 for $-h,1/3^*h-1/3^*k+2/3^*l,2/3^*h+4/3^*k+1/3^*l$ 0.019 for $-1/3^*h+1/3^*k-2/3^*l,-k,-4/3^*h-2/3^*k+1/3^*l$ 0.477 for $-h,2/3^*h+1/3^*k-2/3^*l,-2/3^*h-4/3^*k-1/3^*l$ 0.477 for $1/3^*h+2/3^*k+2/3^*l,-k,4/3^*h+2/3^*k-1/3^*l$ 0.478 for $-1/3^*h-2/3^*k-2/3^*l,-2/3^*h-1/3^*k+2/3^*l,-2/3^*h+2/3^*k-1/3^*l$ 0.020 for $h,-h-k,-l$	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	39559	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.92	0/2477	1.03	11/3339 (0.3%)
1	B	0.92	0/2466	0.97	3/3324 (0.1%)
1	C	0.91	1/2448 (0.0%)	1.00	5/3300 (0.2%)
1	D	0.75	0/2433	0.85	1/3281 (0.0%)
1	E	0.85	0/2426	0.91	8/3269 (0.2%)
1	F	0.87	2/2461 (0.1%)	0.92	3/3318 (0.1%)
1	G	0.83	0/2446	0.87	4/3295 (0.1%)
1	H	0.85	0/2430	0.91	2/3277 (0.1%)
1	I	0.74	0/2399	0.84	0/3234
1	J	0.85	1/2432 (0.0%)	0.90	4/3277 (0.1%)
1	K	0.89	0/2425	0.91	1/3270 (0.0%)
1	L	0.75	0/2455	0.86	2/3310 (0.1%)
1	M	0.88	2/2456 (0.1%)	0.95	9/3309 (0.3%)
1	N	0.93	2/2443 (0.1%)	0.96	6/3294 (0.2%)
1	O	0.79	1/2438 (0.0%)	0.88	3/3287 (0.1%)
1	P	0.89	3/2415 (0.1%)	0.96	5/3254 (0.2%)
All	All	0.85	12/39050 (0.0%)	0.92	67/52638 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	0
1	B	0	1
1	C	0	1
1	D	0	2
1	E	0	1
1	F	0	2
1	G	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
1	J	0	3
1	K	0	1
1	L	1	0
1	N	0	1
1	O	1	0
1	P	0	4
All	All	3	18

The worst 5 of 12 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	M	161	GLU	CG-CD	10.39	1.67	1.51
1	P	253	GLU	CG-CD	7.05	1.62	1.51
1	F	342	VAL	CB-CG1	-6.18	1.39	1.52
1	J	328	GLU	CG-CD	5.99	1.60	1.51
1	M	328	GLU	CG-CD	5.88	1.60	1.51

The worst 5 of 67 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	P	187	ASP	N-CA-C	8.37	133.60	111.00
1	A	148	ARG	NE-CZ-NH1	-7.49	116.56	120.30
1	A	272	ARG	NE-CZ-NH1	7.49	124.05	120.30
1	E	144	ARG	NE-CZ-NH2	-7.45	116.58	120.30
1	A	272	ARG	NE-CZ-NH2	-7.37	116.61	120.30

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	187	ASP	CA
1	L	187	ASP	CA
1	O	187	ASP	CA

5 of 18 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	182	SER	Peptide
1	C	229	ASN	Peptide
1	D	182	SER	Peptide
1	D	185	LEU	Peptide
1	E	141	ILE	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2441	0	2395	134	0
1	B	2431	0	2388	137	0
1	C	2413	0	2375	102	0
1	D	2398	0	2357	91	0
1	E	2393	0	2361	132	0
1	F	2426	0	2383	102	0
1	G	2413	0	2369	108	0
1	H	2394	0	2354	105	0
1	I	2364	0	2342	94	0
1	J	2399	0	2355	123	0
1	K	2389	0	2352	121	0
1	L	2421	0	2378	113	0
1	M	2422	0	2380	109	0
1	N	2407	0	2371	108	0
1	O	2404	0	2361	78	0
1	P	2382	0	2340	117	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
2	C	5	0	0	0	0
2	D	5	0	0	0	0
2	E	5	0	0	0	0
2	F	5	0	0	0	0
2	G	5	0	0	0	0
2	H	5	0	0	0	0
2	I	5	0	0	0	0
2	J	5	0	0	0	0
2	K	5	0	0	0	0
2	L	5	0	0	0	0
2	M	5	0	0	0	0
2	N	5	0	0	0	0
2	O	5	0	0	0	0
2	P	5	0	0	0	0
3	A	73	0	0	23	0
3	B	71	0	0	23	0
3	C	68	0	0	19	0
3	D	57	0	0	9	0
3	E	69	0	0	20	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	F	57	0	0	28	0
3	G	69	0	0	6	0
3	H	61	0	0	16	0
3	I	61	0	0	12	0
3	J	57	0	0	12	0
3	K	66	0	0	18	0
3	L	54	0	0	23	0
3	M	58	0	0	21	0
3	N	67	0	0	14	0
3	O	40	0	0	8	0
3	P	54	0	0	24	0
All	All	39559	0	37861	1685	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

The worst 5 of 1685 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:102:GLU:HG3	1:D:183:ARG:NH2	1.25	1.46
1:J:45:ARG:NH1	1:J:45:ARG:HB2	1.18	1.42
1:P:208:LEU:HD23	1:P:343:MSE:CE	1.50	1.39
1:L:102:GLU:HG3	1:L:183:ARG:NH1	1.31	1.37
1:J:102:GLU:HG3	1:J:183:ARG:NH2	1.39	1.35

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	303/349 (87%)	278 (92%)	21 (7%)	4 (1%)	10 16

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	302/349 (86%)	278 (92%)	19 (6%)	5 (2%)	7	12
1	C	298/349 (85%)	274 (92%)	20 (7%)	4 (1%)	10	16
1	D	296/349 (85%)	268 (90%)	25 (8%)	3 (1%)	13	21
1	E	294/349 (84%)	273 (93%)	15 (5%)	6 (2%)	6	10
1	F	300/349 (86%)	271 (90%)	20 (7%)	9 (3%)	3	5
1	G	297/349 (85%)	276 (93%)	17 (6%)	4 (1%)	10	16
1	H	295/349 (84%)	276 (94%)	13 (4%)	6 (2%)	6	10
1	I	289/349 (83%)	268 (93%)	18 (6%)	3 (1%)	13	21
1	J	295/349 (84%)	273 (92%)	20 (7%)	2 (1%)	19	31
1	K	294/349 (84%)	267 (91%)	25 (8%)	2 (1%)	19	31
1	L	300/349 (86%)	269 (90%)	24 (8%)	7 (2%)	5	8
1	M	297/349 (85%)	271 (91%)	21 (7%)	5 (2%)	7	12
1	N	297/349 (85%)	276 (93%)	17 (6%)	4 (1%)	10	16
1	O	298/349 (85%)	270 (91%)	21 (7%)	7 (2%)	5	8
1	P	293/349 (84%)	269 (92%)	19 (6%)	5 (2%)	7	12
All	All	4748/5584 (85%)	4357 (92%)	315 (7%)	76 (2%)	8	13

5 of 76 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	228	SER
1	A	247	ASP
1	C	41	VAL
1	D	184	HIS
1	D	304	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	267/291 (92%)	225 (84%)	42 (16%)	2	2

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	266/291 (91%)	223 (84%)	43 (16%)	2	2
1	C	265/291 (91%)	233 (88%)	32 (12%)	4	6
1	D	263/291 (90%)	225 (86%)	38 (14%)	2	3
1	E	262/291 (90%)	227 (87%)	35 (13%)	3	4
1	F	266/291 (91%)	227 (85%)	39 (15%)	2	3
1	G	264/291 (91%)	231 (88%)	33 (12%)	3	5
1	H	262/291 (90%)	225 (86%)	37 (14%)	3	4
1	I	262/291 (90%)	231 (88%)	31 (12%)	4	6
1	J	262/291 (90%)	228 (87%)	34 (13%)	3	5
1	K	262/291 (90%)	226 (86%)	36 (14%)	3	4
1	L	265/291 (91%)	231 (87%)	34 (13%)	3	5
1	M	266/291 (91%)	229 (86%)	37 (14%)	3	4
1	N	264/291 (91%)	224 (85%)	40 (15%)	2	3
1	O	262/291 (90%)	223 (85%)	39 (15%)	2	3
1	P	260/291 (89%)	218 (84%)	42 (16%)	2	2
All	All	4218/4656 (91%)	3626 (86%)	592 (14%)	3	4

5 of 592 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	M	257	SER
1	P	187	ASP
1	N	41	VAL
1	M	245	LEU
1	O	67	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 127 such sidechains are listed below:

Mol	Chain	Res	Type
1	H	40	ASN
1	N	69	HIS
1	I	274	HIS
1	N	46	ASN
1	O	274	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	J	350	-	4,4,4	0.26	0	6,6,6	0.07	0
2	SO4	A	350	-	4,4,4	0.33	0	6,6,6	0.55	0
2	SO4	E	350	-	4,4,4	0.30	0	6,6,6	0.07	0
2	SO4	M	350	-	4,4,4	0.22	0	6,6,6	0.14	0
2	SO4	L	350	-	4,4,4	0.30	0	6,6,6	0.41	0
2	SO4	O	350	-	4,4,4	0.24	0	6,6,6	0.31	0
2	SO4	B	350	-	4,4,4	0.32	0	6,6,6	0.48	0
2	SO4	G	350	-	4,4,4	0.27	0	6,6,6	0.11	0
2	SO4	N	350	-	4,4,4	0.16	0	6,6,6	0.82	0
2	SO4	C	350	-	4,4,4	0.21	0	6,6,6	0.50	0
2	SO4	K	350	-	4,4,4	0.26	0	6,6,6	0.32	0
2	SO4	D	350	-	4,4,4	0.28	0	6,6,6	0.50	0
2	SO4	P	350	-	4,4,4	0.26	0	6,6,6	0.35	0
2	SO4	F	350	-	4,4,4	0.24	0	6,6,6	0.30	0
2	SO4	I	350	-	4,4,4	0.25	0	6,6,6	0.38	0
2	SO4	H	350	-	4,4,4	0.27	0	6,6,6	0.50	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	307/349 (87%)	-1.40	0 100 100	47, 57, 85, 106	0
1	B	306/349 (87%)	-1.42	0 100 100	51, 60, 88, 111	0
1	C	302/349 (86%)	-1.48	0 100 100	45, 55, 79, 93	0
1	D	300/349 (85%)	-1.53	0 100 100	39, 53, 71, 91	0
1	E	300/349 (85%)	-1.50	0 100 100	39, 55, 74, 87	0
1	F	304/349 (87%)	-1.48	0 100 100	48, 57, 80, 98	0
1	G	303/349 (86%)	-1.46	0 100 100	40, 54, 72, 98	0
1	H	299/349 (85%)	-1.45	0 100 100	47, 56, 77, 91	0
1	I	293/349 (83%)	-1.55	0 100 100	42, 53, 67, 78	0
1	J	301/349 (86%)	-1.44	0 100 100	43, 59, 75, 86	0
1	K	298/349 (85%)	-1.49	0 100 100	45, 56, 78, 97	0
1	L	304/349 (87%)	-1.49	0 100 100	45, 56, 75, 88	0
1	M	303/349 (86%)	-1.57	0 100 100	27, 41, 63, 83	0
1	N	301/349 (86%)	-1.57	0 100 100	35, 44, 68, 81	0
1	O	302/349 (86%)	-1.66	0 100 100	15, 33, 54, 67	0
1	P	299/349 (85%)	-1.62	0 100 100	27, 38, 61, 75	0
All	All	4822/5584 (86%)	-1.51	0 100 100	15, 54, 75, 111	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	E	350	5/5	0.97	0.06	128,129,129,129	0
2	SO4	M	350	5/5	0.97	0.05	130,130,131,131	0
2	SO4	G	350	5/5	0.98	0.06	124,125,125,126	0
2	SO4	J	350	5/5	0.98	0.05	145,145,145,146	0
2	SO4	L	350	5/5	0.98	0.08	75,76,77,78	0
2	SO4	D	350	5/5	0.98	0.08	75,78,80,80	0
2	SO4	O	350	5/5	0.98	0.10	74,75,77,78	0
2	SO4	P	350	5/5	0.98	0.10	67,68,70,70	0
2	SO4	I	350	5/5	0.99	0.05	86,87,89,90	0
2	SO4	A	350	5/5	0.99	0.07	58,59,60,61	0
2	SO4	K	350	5/5	0.99	0.07	63,64,64,65	0
2	SO4	B	350	5/5	0.99	0.07	54,56,58,59	0
2	SO4	F	350	5/5	0.99	0.08	69,70,71,73	0
2	SO4	N	350	5/5	0.99	0.08	53,54,56,57	0
2	SO4	C	350	5/5	0.99	0.07	50,50,52,54	0
2	SO4	H	350	5/5	0.99	0.08	69,69,71,72	0

6.5 Other polymers [i](#)

There are no such residues in this entry.