



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 30, 2023 – 04:07 PM JST

PDB ID : 8HE8  
Title : Human ADP-ribosyltransferase 2 (PARP2) catalytic domain bound to a quinazoline-2,4(1H,3H)-dione inhibitor  
Authors : Wang, X.Y.; Xu, B.L.; Zhou, J.  
Deposited on : 2022-11-07  
Resolution : 3.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1754 (3.10-3.02)
Clashscore	141614	1864 (3.10-3.02)
Ramachandran outliers	138981	1794 (3.10-3.02)
Sidechain outliers	138945	1793 (3.10-3.02)
RSRZ outliers	127900	1713 (3.10-3.02)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	351	 % 78% 21% .
1	B	351	 2% 76% 23% .
1	C	351	 2% 69% 28% ..

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 8477 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Poly [ADP-ribose] polymerase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	351	2790	1770	484	517	19	0	0	0
1	B	350	2781	1765	482	515	19	0	0	0
1	C	349	2773	1759	481	514	19	0	0	0

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	349	SER	THR	engineered mutation	UNP Q9UGN5
A	351	ARG	LEU	engineered mutation	UNP Q9UGN5
A	353	GLY	SER	engineered mutation	UNP Q9UGN5
A	354	LEU	PRO	engineered mutation	UNP Q9UGN5
B	349	SER	THR	engineered mutation	UNP Q9UGN5
B	351	ARG	LEU	engineered mutation	UNP Q9UGN5
B	353	GLY	SER	engineered mutation	UNP Q9UGN5
B	354	LEU	PRO	engineered mutation	UNP Q9UGN5
C	349	SER	THR	engineered mutation	UNP Q9UGN5
C	351	ARG	LEU	engineered mutation	UNP Q9UGN5
C	353	GLY	SER	engineered mutation	UNP Q9UGN5
C	354	LEU	PRO	engineered mutation	UNP Q9UGN5

- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is 1-[[4-fluoranyl-3-(3-oxidanylidene-4-pentan-3-yl-piperazin-1-yl)carbonyl-phenyl]methyl]quinazoline-2,4-dione (three-letter code: 1WI) (formula: C<sub>25</sub>H<sub>27</sub>FN<sub>4</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	F	N	O	0	0
			34	25	1	4	4		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
3	B	1	Total	C	F	N	O	0	0
			34	25	1	4	4		
3	C	1	Total	C	F	N	O	0	0
			34	25	1	4	4		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	8	Total	O	0	0
			8	8		
4	B	7	Total	O	0	0
			7	7		
4	C	4	Total	O	0	0
			4	4		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Poly [ADP-ribose] polymerase 2



- Molecule 1: Poly [ADP-ribose] polymerase 2



- Molecule 1: Poly [ADP-ribose] polymerase 2





## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	41.11Å 103.36Å 134.93Å 90.00° 92.04° 90.00°	Depositor
Resolution (Å)	41.09 – 3.05 41.09 – 3.05	Depositor EDS
% Data completeness (in resolution range)	89.7 (41.09-3.05) 89.7 (41.09-3.05)	Depositor EDS
$R_{merge}$	0.15	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.38 (at 3.06Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487, REFMAC v8	Depositor
R, $R_{free}$	0.207 , 0.256 0.210 , 0.259	Depositor DCC
$R_{free}$ test set	924 reflections (4.76%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	56.6	Xtrriage
Anisotropy	0.436	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 54.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.027 for h,-k,-l	Xtrriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	8477	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	55.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.59% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 1WI, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.26	0/2848	0.50	0/3843
1	B	0.26	0/2839	0.49	1/3831 (0.0%)
1	C	0.26	0/2831	0.53	0/3820
All	All	0.26	0/8518	0.51	1/11494 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	B	538	LEU	CA-CB-CG	5.14	127.13	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2790	0	2798	43	1
1	B	2781	0	2790	52	1
1	C	2773	0	2779	60	0
2	A	6	0	8	0	0
2	B	6	0	8	0	0
3	A	34	0	0	0	0
3	B	34	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	34	0	0	0	0
4	A	8	0	0	0	0
4	B	7	0	0	1	0
4	C	4	0	0	0	0
All	All	8477	0	8383	154	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (154) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:518:LEU:HB3	1:A:546:ILE:HD13	1.51	0.91
1:A:270:LEU:HD21	1:A:337:LEU:HG	1.69	0.75
1:B:323:THR:HG23	1:B:326:GLU:H	1.52	0.72
1:C:538:LEU:HD23	1:C:539:GLY:H	1.55	0.70
1:B:331:ILE:HD11	1:B:451:PRO:HG2	1.72	0.70
1:A:315:LEU:HD11	1:A:316:ARG:HE	1.56	0.69
1:B:271:THR:HG23	1:B:274:GLN:H	1.60	0.67
1:C:529:VAL:HG23	1:C:536:VAL:HB	1.75	0.67
1:B:362:TYR:HE1	1:B:369:LEU:HB2	1.60	0.66
1:C:294:HIS:HA	1:C:298:LEU:HD12	1.76	0.65
1:C:304:GLU:OE2	1:C:308:ARG:NH1	2.30	0.65
1:A:355:GLU:HG2	1:A:360:GLN:HG2	1.78	0.65
1:B:343:ALA:HB2	1:B:436:VAL:HG11	1.79	0.64
1:C:368:ALA:HB3	1:C:408:GLU:HB3	1.79	0.62
1:B:384:GLN:HB3	1:B:538:LEU:HD21	1.79	0.62
1:C:538:LEU:HD23	1:C:539:GLY:N	2.15	0.62
1:B:266:PRO:HG2	1:B:269:LYS:HG3	1.80	0.62
1:C:377:TYR:O	1:C:381:VAL:HG12	2.00	0.60
1:C:249:GLN:OE1	1:C:249:GLN:N	2.25	0.60
1:C:270:LEU:HD21	1:C:275:ILE:HD11	1.84	0.60
1:B:414:GLU:N	1:B:414:GLU:OE1	2.35	0.59
1:A:409:LYS:HD3	1:A:412:GLU:HG3	1.85	0.58
1:A:315:LEU:CD1	1:A:316:ARG:HE	2.16	0.58
1:C:382:ILE:HG21	1:C:404:LEU:HD22	1.85	0.58
1:B:380:LYS:NZ	4:B:701:HOH:O	2.36	0.57
1:B:235:ASP:HB3	1:B:238:VAL:HG23	1.85	0.57
1:A:320:LEU:HB2	1:A:322:ARG:HH11	1.70	0.56
1:A:325:LYS:N	1:A:325:LYS:HD3	2.20	0.56
1:B:382:ILE:HD13	1:B:404:LEU:HD11	1.88	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:267:LEU:HD13	1:B:340:ILE:HG21	1.87	0.55
1:B:372:LEU:HD21	1:B:406:GLU:HB2	1.88	0.55
1:A:374:HIS:CE1	1:A:375:GLU:HG2	2.42	0.55
1:B:300:GLU:HA	1:B:303:ASN:HB2	1.87	0.55
1:C:450:ALA:HB3	1:C:459:LYS:HE2	1.89	0.55
1:B:233:GLN:HE22	1:B:356:HIS:CE1	2.24	0.54
1:C:446:ALA:HB3	1:C:459:LYS:HG2	1.90	0.54
1:B:234:LEU:O	1:B:239:GLN:NE2	2.32	0.54
1:B:320:LEU:O	1:B:322:ARG:NH2	2.41	0.54
1:C:432:MET:HA	1:C:435:TRP:HD1	1.73	0.54
1:B:516:LYS:HE2	1:B:518:LEU:HD23	1.89	0.53
1:C:352:GLN:HB2	1:C:354:LEU:HD22	1.90	0.53
1:B:368:ALA:HB3	1:B:408:GLU:HB3	1.91	0.53
1:B:231:GLU:OE1	1:B:231:GLU:N	2.42	0.53
1:C:355:GLU:HB3	1:C:360:GLN:HG2	1.90	0.53
1:C:250:ALA:O	1:C:254:MET:HG3	2.09	0.53
1:B:234:LEU:HD12	1:B:238:VAL:HB	1.91	0.53
1:A:492:LEU:O	1:A:513:HIS:HB2	2.09	0.52
1:C:445:ILE:HD12	1:C:460:GLY:HA2	1.91	0.52
1:A:324:GLN:HG3	1:A:325:LYS:HD3	1.92	0.52
1:B:435:TRP:CD1	1:B:484:LEU:HD12	2.45	0.51
1:B:289:ILE:HD12	1:B:290:ARG:N	2.25	0.51
1:C:391:ALA:HB1	1:C:556:TYR:CZ	2.45	0.51
1:A:241:LEU:HD21	1:A:572:LEU:HD23	1.93	0.51
1:C:385:TYR:CZ	1:C:537:PRO:HD2	2.45	0.51
1:A:543:ASP:OD1	1:A:544:THR:N	2.44	0.51
1:B:538:LEU:HD23	1:B:539:GLY:N	2.25	0.50
1:A:377:TYR:O	1:A:381:VAL:HG23	2.11	0.50
1:B:480:LYS:HE2	1:B:482:THR:HB	1.92	0.50
1:A:321:ILE:HG23	1:A:326:GLU:HB2	1.92	0.50
1:C:281:SER:OG	1:C:308:ARG:NH1	2.35	0.49
1:A:296:ARG:HG3	1:A:297:ALA:N	2.28	0.49
1:C:340:ILE:O	1:C:344:ILE:HG12	2.13	0.49
1:C:425:LEU:HG	1:C:487:LEU:HG	1.94	0.48
1:A:398:THR:HG23	1:A:580:LEU:HD21	1.95	0.48
1:C:377:TYR:OH	1:C:530:THR:O	2.27	0.48
1:C:427:TRP:CE3	1:C:487:LEU:HD13	2.49	0.48
1:C:242:ILE:C	1:C:244:LEU:H	2.17	0.48
1:C:383:SER:O	1:C:387:GLN:HG2	2.13	0.48
1:C:416:PHE:HD2	1:C:418:GLU:HG2	1.78	0.48
1:A:401:LEU:HD13	1:A:573:LEU:HD23	1.94	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:502:ASN:ND2	1:B:508:LEU:HD11	2.29	0.47
1:C:313:PHE:CZ	1:C:319:PRO:HD2	2.49	0.47
1:C:324:GLN:HG2	1:C:453:THR:HG21	1.96	0.47
1:B:233:GLN:HB3	1:B:239:GLN:NE2	2.30	0.47
1:B:519:GLY:N	1:B:557:ASN:OD1	2.48	0.47
1:C:422:ASN:HB3	1:C:492:LEU:HB2	1.96	0.47
1:C:298:LEU:HD22	1:C:320:LEU:HG	1.96	0.47
1:B:391:ALA:HB1	1:B:556:TYR:CZ	2.49	0.47
1:A:355:GLU:HB3	1:A:360:GLN:NE2	2.30	0.47
1:A:479:LEU:HG	1:A:480:LYS:HG3	1.97	0.47
1:A:336:ALA:O	1:A:340:ILE:HG13	2.15	0.47
1:B:362:TYR:CE1	1:B:369:LEU:HB2	2.46	0.46
1:A:523:PRO:HA	1:A:541:ALA:HA	1.97	0.46
1:A:361:HIS:O	1:A:365:LEU:HD13	2.16	0.46
1:A:435:TRP:NE1	1:A:484:LEU:HB2	2.30	0.46
1:A:497:GLU:HG2	1:A:516:LYS:HB3	1.97	0.46
1:C:527:HIS:CB	1:C:539:GLY:HA3	2.46	0.46
1:A:285:ILE:O	1:A:289:ILE:HG13	2.15	0.46
1:B:528:PHE:CE1	1:B:537:PRO:HA	2.51	0.46
1:B:536:VAL:O	1:B:538:LEU:N	2.49	0.46
1:A:378:GLU:OE1	1:A:378:GLU:N	2.48	0.45
1:C:528:PHE:CD1	1:C:537:PRO:HA	2.51	0.45
1:B:252:GLU:O	1:B:256:MET:HG3	2.16	0.45
1:B:496:ASN:HB2	1:B:512:LYS:HD2	1.98	0.45
1:C:486:LEU:HD21	1:C:569:MET:HG2	1.98	0.45
1:C:356:HIS:HB3	1:C:359:ASP:OD1	2.17	0.45
1:A:442:GLY:O	1:A:444:ARG:NH1	2.49	0.44
1:C:420:LEU:HD21	1:C:513:HIS:CD2	2.53	0.44
1:A:241:LEU:O	1:A:245:ILE:HG12	2.17	0.44
1:C:527:HIS:HB3	1:C:539:GLY:HA3	1.99	0.44
1:C:299:MET:SD	1:C:303:ASN:ND2	2.90	0.44
1:B:457:PHE:CE1	1:B:501:ALA:HA	2.53	0.44
1:C:282:LEU:HB3	1:C:451:PRO:HG2	1.99	0.44
1:A:277:ALA:HB1	1:A:308:ARG:NE	2.32	0.44
1:C:351:ARG:HB3	1:C:352:GLN:H	1.69	0.44
1:A:235:ASP:HB3	1:A:238:VAL:HG23	2.00	0.43
1:B:420:LEU:HD22	1:B:493:GLY:HA3	2.00	0.43
1:A:325:LYS:HD3	1:A:325:LYS:H	1.82	0.43
1:A:391:ALA:HB1	1:A:556:TYR:CZ	2.53	0.43
1:C:259:LYS:HD3	1:C:259:LYS:HA	1.84	0.43
1:C:350:GLU:OE1	1:C:351:ARG:O	2.36	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:549:PRO:HD3	1:C:553:THR:OG1	2.18	0.43
1:A:372:LEU:HD21	1:A:406:GLU:HB2	2.00	0.43
1:A:288:CYS:HB3	1:A:293:GLN:O	2.18	0.43
1:A:538:LEU:HD23	1:A:538:LEU:HA	1.87	0.43
1:C:271:THR:HG23	1:C:274:GLN:H	1.84	0.43
1:A:351:ARG:HH12	1:C:578:ASN:HA	1.84	0.43
1:B:343:ALA:CB	1:B:436:VAL:HG11	2.49	0.43
1:B:282:LEU:HD23	1:B:285:ILE:HD12	2.01	0.42
1:B:548:ASN:ND2	1:B:551:GLY:H	2.17	0.42
1:C:285:ILE:HD13	1:C:285:ILE:HA	1.89	0.42
1:C:499:LEU:HG	1:C:518:LEU:HD12	2.01	0.42
1:C:402:LEU:HD21	1:C:576:GLN:HB2	2.01	0.42
1:A:258:MET:HB3	1:A:333:LEU:HD12	2.02	0.42
1:B:233:GLN:HA	1:B:233:GLN:OE1	2.20	0.42
1:C:497:GLU:HA	1:C:516:LYS:HB3	2.00	0.42
1:A:352:GLN:HB3	1:A:360:GLN:NE2	2.35	0.42
1:C:348:LYS:HD2	1:C:348:LYS:C	2.40	0.42
1:A:403:ASP:HB3	1:A:405:PHE:CE1	2.55	0.42
1:B:255:MET:HB3	1:B:260:TYR:HB3	2.02	0.41
1:A:382:ILE:HD12	1:A:404:LEU:HD21	2.02	0.41
1:B:322:ARG:N	1:B:326:GLU:OE1	2.39	0.41
1:B:432:MET:HA	1:B:435:TRP:CD1	2.55	0.41
1:C:348:LYS:HD2	1:C:349:SER:N	2.34	0.41
1:B:238:VAL:HG12	1:B:242:ILE:HD13	2.02	0.41
1:B:389:THR:HB	1:B:466:MET:HA	2.02	0.41
1:B:436:VAL:HG13	1:B:437:GLY:N	2.35	0.41
1:C:296:ARG:H	1:C:296:ARG:HG2	1.40	0.41
1:C:487:LEU:HD12	1:C:487:LEU:HA	1.91	0.41
1:B:291:ALA:HB3	1:B:293:GLN:OE1	2.21	0.41
1:C:279:TYR:HB3	1:C:449:GLU:O	2.20	0.41
1:C:373:ASP:HB3	1:C:376:SER:HB3	2.02	0.41
1:B:445:ILE:HD13	1:B:460:GLY:HA2	2.02	0.41
1:B:281:SER:O	1:B:285:ILE:HG13	2.21	0.41
1:A:277:ALA:HB1	1:A:308:ARG:HE	1.86	0.41
1:A:354:LEU:O	1:A:355:GLU:HB2	2.20	0.41
1:C:391:ALA:HB1	1:C:556:TYR:OH	2.21	0.41
1:B:432:MET:HA	1:B:435:TRP:HD1	1.87	0.40
1:C:469:LYS:HD2	1:C:556:TYR:HB2	2.03	0.40
1:B:284:LYS:HA	1:B:284:LYS:HD2	1.79	0.40
1:B:285:ILE:O	1:B:289:ILE:HG13	2.21	0.40
1:C:325:LYS:HA	1:C:325:LYS:HD3	1.98	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:339:ASP:HB3	1:C:434:ASN:HA	2.03	0.40
1:C:500:GLU:OE1	1:C:500:GLU:N	2.44	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:384:GLN:OE1	1:B:377:TYR:OH[1_655]	2.14	0.06

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	349/351 (99%)	325 (93%)	20 (6%)	4 (1%)	14	42
1	B	348/351 (99%)	329 (94%)	18 (5%)	1 (0%)	41	70
1	C	347/351 (99%)	310 (89%)	32 (9%)	5 (1%)	11	36
All	All	1044/1053 (99%)	964 (92%)	70 (7%)	10 (1%)	15	45

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	549	PRO
1	A	294	HIS
1	B	354	LEU
1	A	349	SER
1	A	355	GLU
1	C	354	LEU
1	C	548	ASN
1	A	549	PRO
1	C	510	GLN
1	C	314	GLY

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	304/304 (100%)	298 (98%)	6 (2%)	55	78
1	B	303/304 (100%)	297 (98%)	6 (2%)	55	78
1	C	302/304 (99%)	288 (95%)	14 (5%)	27	57
All	All	909/912 (100%)	883 (97%)	26 (3%)	42	70

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	284	LYS
1	A	296	ARG
1	A	322	ARG
1	A	328	SER
1	A	374	HIS
1	A	552	TYR
1	B	234	LEU
1	B	283	LYS
1	B	303	ASN
1	B	322	ARG
1	B	359	ASP
1	B	385	TYR
1	C	232	SER
1	C	240	GLU
1	C	283	LYS
1	C	330	LYS
1	C	346	LEU
1	C	348	LYS
1	C	351	ARG
1	C	359	ASP
1	C	374	HIS
1	C	383	SER
1	C	403	ASP
1	C	430	SER
1	C	441	HIS
1	C	552	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	233	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	GOL	A	601	-	5,5,5	0.72	0	5,5,5	0.50	0
3	1WI	A	602	-	37,37,37	3.63	13 (35%)	47,53,53	2.12	11 (23%)
3	1WI	C	601	-	37,37,37	3.55	15 (40%)	47,53,53	2.00	10 (21%)
3	1WI	B	602	-	37,37,37	3.68	13 (35%)	47,53,53	2.04	10 (21%)
2	GOL	B	601	-	5,5,5	0.71	0	5,5,5	0.55	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	601	-	-	2/4/4/4	-
3	1WI	A	602	-	-	2/20/33/33	0/4/4/4
3	1WI	C	601	-	-	0/20/33/33	0/4/4/4
3	1WI	B	602	-	-	4/20/33/33	0/4/4/4
2	GOL	B	601	-	-	0/4/4/4	-

All (41) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	602	1WI	C02-N02	13.25	1.47	1.37
3	C	601	1WI	C02-N02	13.04	1.47	1.37
3	A	602	1WI	C02-N02	12.92	1.47	1.37
3	B	602	1WI	C19-N04	10.56	1.52	1.35
3	A	602	1WI	C19-N04	10.36	1.51	1.35
3	C	601	1WI	C19-N04	9.59	1.50	1.35
3	C	601	1WI	C16-N03	6.25	1.48	1.34
3	A	602	1WI	C16-N03	6.08	1.48	1.34
3	B	602	1WI	C16-N03	5.97	1.48	1.34
3	B	602	1WI	C03-N02	5.00	1.49	1.41
3	B	602	1WI	C14-C16	4.79	1.58	1.50
3	A	602	1WI	C03-N02	4.74	1.49	1.41
3	C	601	1WI	C03-N02	4.71	1.49	1.41
3	A	602	1WI	C14-C16	4.67	1.57	1.50
3	A	602	1WI	C20-N03	-4.54	1.39	1.46
3	B	602	1WI	C20-N03	-4.48	1.39	1.46
3	C	601	1WI	C20-N03	-4.32	1.39	1.46
3	A	602	1WI	C02-N01	4.25	1.45	1.38
3	C	601	1WI	C02-N01	4.18	1.45	1.38
3	A	602	1WI	C17-N03	-4.08	1.39	1.47
3	C	601	1WI	C01-N01	4.08	1.43	1.37
3	A	602	1WI	C01-N01	4.07	1.43	1.37
3	C	601	1WI	C14-C16	4.06	1.56	1.50
3	B	602	1WI	C02-N01	3.99	1.45	1.38
3	B	602	1WI	C01-N01	3.98	1.43	1.37
3	B	602	1WI	C17-N03	-3.91	1.40	1.47
3	B	602	1WI	C08-C01	3.88	1.53	1.47
3	B	602	1WI	C20-C19	3.81	1.58	1.51
3	A	602	1WI	C20-C19	3.76	1.58	1.51
3	A	602	1WI	C08-C01	3.65	1.53	1.47
3	C	601	1WI	C20-C19	3.62	1.58	1.51
3	C	601	1WI	C17-N03	-3.60	1.40	1.47
3	C	601	1WI	C08-C01	3.50	1.53	1.47
3	C	601	1WI	C18-N04	2.48	1.51	1.47

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	602	1WI	O02-C02	-2.34	1.18	1.23
3	B	602	1WI	O02-C02	-2.28	1.18	1.23
3	C	601	1WI	O02-C02	-2.27	1.18	1.23
3	B	602	1WI	C18-N04	2.09	1.50	1.47
3	A	602	1WI	C18-N04	2.03	1.50	1.47
3	C	601	1WI	O01-C01	-2.02	1.19	1.23
3	C	601	1WI	O04-C19	-2.02	1.18	1.23

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	601	1WI	C01-N01-C02	-8.09	119.89	127.35
3	A	602	1WI	C01-N01-C02	-7.98	119.99	127.35
3	B	602	1WI	C01-N01-C02	-7.88	120.08	127.35
3	B	602	1WI	C21-N04-C19	5.33	124.84	119.33
3	A	602	1WI	C03-N02-C02	-5.28	119.56	121.75
3	A	602	1WI	C21-N04-C19	5.26	124.78	119.33
3	B	602	1WI	C08-C01-N01	5.06	119.97	114.86
3	C	601	1WI	C08-C01-N01	4.94	119.85	114.86
3	A	602	1WI	C08-C01-N01	4.65	119.56	114.86
3	B	602	1WI	C03-N02-C02	-4.41	119.92	121.75
3	C	601	1WI	C03-N02-C02	-4.20	120.01	121.75
3	A	602	1WI	O02-C02-N02	-3.79	119.64	122.00
3	C	601	1WI	O02-C02-N02	-3.28	119.96	122.00
3	A	602	1WI	C12-C13-C14	-2.90	119.96	123.11
3	C	601	1WI	C15-C14-C13	2.77	120.03	116.66
3	B	602	1WI	C12-C13-C14	-2.74	120.13	123.11
3	A	602	1WI	N01-C02-N02	2.73	120.25	115.39
3	B	602	1WI	O03-C16-N03	-2.73	117.83	122.34
3	C	601	1WI	C10-C09-N02	-2.69	108.86	113.39
3	C	601	1WI	C12-C13-C14	-2.59	120.29	123.11
3	B	602	1WI	N01-C02-N02	2.54	119.91	115.39
3	C	601	1WI	C19-C20-N03	2.54	118.86	115.30
3	C	601	1WI	N01-C02-N02	2.53	119.89	115.39
3	B	602	1WI	O02-C02-N02	-2.45	120.47	122.00
3	C	601	1WI	O01-C01-C08	-2.39	119.16	123.30
3	A	602	1WI	O03-C16-N03	-2.34	118.46	122.34
3	A	602	1WI	C15-C14-C13	2.28	119.44	116.66
3	B	602	1WI	C14-C16-N03	2.16	121.73	118.28
3	A	602	1WI	C14-C16-N03	2.11	121.66	118.28
3	B	602	1WI	C15-C14-C13	2.08	119.19	116.66
3	A	602	1WI	O01-C01-C08	-2.07	119.70	123.30

There are no chirality outliers.


All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	601	GOL	C1-C2-C3-O3
3	B	602	1WI	N04-C21-C22-C23
2	A	601	GOL	O2-C2-C3-O3
3	B	602	1WI	C24-C21-C22-C23
3	A	602	1WI	C22-C21-N04-C18
3	A	602	1WI	C24-C21-N04-C18
3	B	602	1WI	C22-C21-N04-C18
3	B	602	1WI	C24-C21-N04-C18

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	351/351 (100%)	-0.20	3 (0%) 84 66	31, 48, 75, 96	0
1	B	350/351 (99%)	-0.15	6 (1%) 70 46	32, 50, 75, 97	0
1	C	349/351 (99%)	-0.05	8 (2%) 60 36	45, 64, 81, 102	0
All	All	1050/1053 (99%)	-0.13	17 (1%) 72 49	31, 55, 78, 102	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	353	GLY	4.4
1	A	351	ARG	4.0
1	C	352	GLN	3.5
1	B	232	SER	3.2
1	A	352	GLN	3.2
1	C	550	ASP	2.9
1	C	551	GLY	2.7
1	C	552	TYR	2.6
1	C	547	LEU	2.5
1	C	510	GLN	2.5
1	C	350	GLU	2.3
1	C	513	HIS	2.3
1	A	232	SER	2.3
1	B	320	LEU	2.2
1	B	550	ASP	2.1
1	B	316	ARG	2.1
1	B	552	TYR	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	GOL	A	601	6/6	0.84	0.27	36,55,60,63	0
2	GOL	B	601	6/6	0.91	0.23	43,50,54,63	0
3	1WI	C	601	34/34	0.93	0.23	43,52,57,60	0
3	1WI	B	602	34/34	0.95	0.21	29,37,45,45	0
3	1WI	A	602	34/34	0.97	0.20	24,31,38,40	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.








**Electron density around 1WI B 602:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around 1WI A 602:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.