



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 7, 2020 – 03:12 am BST

PDB ID : 6HOW
Title : Trypanosoma brucei PTR1 in complex with the triazine inhibitor 2a (F219).
Authors : Landi, G.; Pozzi, C.; Mangani, S.
Deposited on : 2018-09-18
Resolution : 1.92 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.92 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	7937 (1.94-1.90)
Clashscore	141614	8644 (1.94-1.90)
Ramachandran outliers	138981	8530 (1.94-1.90)
Sidechain outliers	138945	8530 (1.94-1.90)
RSRZ outliers	127900	7793 (1.94-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	288	
1	B	288	
1	C	288	
2	D	288	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 7939 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pteridine reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	248	1807	1146	312	338	11	0	3	0
1	B	248	1807	1145	319	332	11	0	6	0
1	C	239	1782	1126	313	333	10	0	12	0

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP O76290
A	-18	GLY	-	expression tag	UNP O76290
A	-17	SER	-	expression tag	UNP O76290
A	-16	SER	-	expression tag	UNP O76290
A	-15	HIS	-	expression tag	UNP O76290
A	-14	HIS	-	expression tag	UNP O76290
A	-13	HIS	-	expression tag	UNP O76290
A	-12	HIS	-	expression tag	UNP O76290
A	-11	HIS	-	expression tag	UNP O76290
A	-10	HIS	-	expression tag	UNP O76290
A	-9	SER	-	expression tag	UNP O76290
A	-8	SER	-	expression tag	UNP O76290
A	-7	GLY	-	expression tag	UNP O76290
A	-6	LEU	-	expression tag	UNP O76290
A	-5	VAL	-	expression tag	UNP O76290
A	-4	PRO	-	expression tag	UNP O76290
A	-3	ARG	-	expression tag	UNP O76290
A	-2	GLY	-	expression tag	UNP O76290
A	-1	SER	-	expression tag	UNP O76290
A	0	HIS	-	expression tag	UNP O76290
B	-19	MET	-	initiating methionine	UNP O76290
B	-18	GLY	-	expression tag	UNP O76290
B	-17	SER	-	expression tag	UNP O76290

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-16	SER	-	expression tag	UNP O76290
B	-15	HIS	-	expression tag	UNP O76290
B	-14	HIS	-	expression tag	UNP O76290
B	-13	HIS	-	expression tag	UNP O76290
B	-12	HIS	-	expression tag	UNP O76290
B	-11	HIS	-	expression tag	UNP O76290
B	-10	HIS	-	expression tag	UNP O76290
B	-9	SER	-	expression tag	UNP O76290
B	-8	SER	-	expression tag	UNP O76290
B	-7	GLY	-	expression tag	UNP O76290
B	-6	LEU	-	expression tag	UNP O76290
B	-5	VAL	-	expression tag	UNP O76290
B	-4	PRO	-	expression tag	UNP O76290
B	-3	ARG	-	expression tag	UNP O76290
B	-2	GLY	-	expression tag	UNP O76290
B	-1	SER	-	expression tag	UNP O76290
B	0	HIS	-	expression tag	UNP O76290
C	-19	MET	-	initiating methionine	UNP O76290
C	-18	GLY	-	expression tag	UNP O76290
C	-17	SER	-	expression tag	UNP O76290
C	-16	SER	-	expression tag	UNP O76290
C	-15	HIS	-	expression tag	UNP O76290
C	-14	HIS	-	expression tag	UNP O76290
C	-13	HIS	-	expression tag	UNP O76290
C	-12	HIS	-	expression tag	UNP O76290
C	-11	HIS	-	expression tag	UNP O76290
C	-10	HIS	-	expression tag	UNP O76290
C	-9	SER	-	expression tag	UNP O76290
C	-8	SER	-	expression tag	UNP O76290
C	-7	GLY	-	expression tag	UNP O76290
C	-6	LEU	-	expression tag	UNP O76290
C	-5	VAL	-	expression tag	UNP O76290
C	-4	PRO	-	expression tag	UNP O76290
C	-3	ARG	-	expression tag	UNP O76290
C	-2	GLY	-	expression tag	UNP O76290
C	-1	SER	-	expression tag	UNP O76290
C	0	HIS	-	expression tag	UNP O76290


- Molecule 2 is a protein called Pteridine reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	D	248	1821	1150	317	343	11	0	3	0

There are 20 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
D	-19	MET	-	initiating methionine	UNP O76290
D	-18	GLY	-	expression tag	UNP O76290
D	-17	SER	-	expression tag	UNP O76290
D	-16	SER	-	expression tag	UNP O76290
D	-15	HIS	-	expression tag	UNP O76290
D	-14	HIS	-	expression tag	UNP O76290
D	-13	HIS	-	expression tag	UNP O76290
D	-12	HIS	-	expression tag	UNP O76290
D	-11	HIS	-	expression tag	UNP O76290
D	-10	HIS	-	expression tag	UNP O76290
D	-9	SER	-	expression tag	UNP O76290
D	-8	SER	-	expression tag	UNP O76290
D	-7	GLY	-	expression tag	UNP O76290
D	-6	LEU	-	expression tag	UNP O76290
D	-5	VAL	-	expression tag	UNP O76290
D	-4	PRO	-	expression tag	UNP O76290
D	-3	ARG	-	expression tag	UNP O76290
D	-2	GLY	-	expression tag	UNP O76290
D	-1	SER	-	expression tag	UNP O76290
D	0	HIS	-	expression tag	UNP O76290

- Molecule 3 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
3	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 4 is (2 {R})-1-(3,4-dichlorophenyl)-2-(4-nitrophenyl)-2 {H}-1,3,5-triazine-4,6-diamine (three-letter code: GJQ) (formula: C₁₅H₁₂Cl₂N₆O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
4	A	1	Total	C	Cl	N	0	0	
			23	15	2	6			
4	B	1	Total	C	Cl	N	0	1	
			23	15	2	6			
4	D	1	Total	C	Cl	N	O	0	0
			25	15	2	6	2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	110	Total	O	0	3
			111	111		
5	B	98	Total	O	0	2
			98	98		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	104	Total 108	O 108	0	5
5	D	142	Total 142	O 142	0	2


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Pteridine reductase




- Molecule 1: Pteridine reductase



- Molecule 1: Pteridine reductase



- Molecule 2: Pteridine reductase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	74.67Å 91.04Å 83.00Å 90.00° 115.59° 90.00°	Depositor
Resolution (Å)	54.20 – 1.92 54.14 – 1.92	Depositor EDS
% Data completeness (in resolution range)	100.0 (54.20-1.92) 100.0 (54.14-1.92)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.58 (at 1.92Å)	Xtrriage
Refinement program	REFMAC 5.8.0232	Depositor
R, R_{free}	0.170 , 0.209 0.171 , 0.207	Depositor DCC
R_{free} test set	3740 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å ²)	26.2	Xtrriage
Anisotropy	0.151	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 52.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.018 for h,-k,-h-l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7939	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 40.05 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.8984e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, CSX, GJQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.59	0/1843	0.95	0/2510
1	B	0.57	0/1846	0.96	0/2513
1	C	0.58	0/1819	0.94	0/2479
2	D	0.64	0/1843	0.97	0/2506
All	All	0.59	0/7351	0.95	0/10008

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1807	0	1787	22	0
1	B	1807	0	1803	24	0
1	C	1782	0	1741	22	0
2	D	1821	0	1807	20	0
3	A	48	0	25	2	0
3	B	48	0	25	1	0
3	C	48	0	25	2	0
3	D	48	0	25	1	0
4	A	23	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	23	0	0	3	0
4	D	25	0	0	3	0
5	A	111	0	0	1	0
5	B	98	0	0	4	0
5	C	108	0	0	1	0
5	D	142	0	0	2	0
All	All	7939	0	7238	83	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (83) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:213:MET:HE1	1:B:218:LYS:HA	1.65	0.76
1:A:236:GLN:HE21	1:C:250[B]:GLN:CD	1.90	0.74
1:B:210:PRO:HB2	1:B:212:ALA:HB3	1.70	0.73
2:D:67:ASN:HB3	5:D:514:HOH:O	1.89	0.72
1:C:65:ASN:HA	1:C:69:LEU:HD22	1.72	0.71
2:D:164:VAL:HG22	2:D:179:HIS:CD2	2.27	0.70
2:D:22:LYS:HE3	2:D:239:ASP:OD1	1.97	0.63
1:B:209:LEU:HB3	1:B:213:MET:HE2	1.82	0.60
1:A:78:ASN:OD1	1:A:141:ARG:NH2	2.35	0.60
2:D:2:GLU:HG3	2:D:2:GLU:O	2.03	0.57
1:B:186:GLN:NE2	5:B:402:HOH:O	2.31	0.57
1:A:205:GLY:O	3:A:301:NAP:H4N	2.06	0.56
1:C:78:ASN:OD1	1:C:141:ARG:NH1	2.36	0.56
1:C:96:ALA:H	1:C:126[A]:THR:HG21	1.70	0.55
1:A:9:THR:HA	1:A:33:HIS:HB3	1.89	0.55
1:A:164:VAL:HG22	1:A:179:HIS:CD2	2.43	0.53
1:B:129[B]:ILE:HD13	1:C:120:VAL:HG11	1.90	0.53
2:D:206[A]:VAL:CG1	2:D:209:LEU:HD21	2.39	0.53
1:B:193:ALA:HB3	1:B:194:PRO:HD3	1.90	0.53
1:B:65:ASN:HA	1:B:69:LEU:HD22	1.90	0.53
1:C:247:GLY:HA2	1:C:250[A]:GLN:HG3	1.91	0.52
1:A:53:SER:O	1:A:54:ASN:HB2	2.09	0.52
2:D:210:PRO:HB3	4:D:302:GJQ:OAW	2.10	0.52
1:B:210:PRO:HB3	4:B:302[A]:GJQ:NAU	2.25	0.52
2:D:65:ASN:HA	2:D:69:LEU:HD22	1.91	0.51
1:B:213:MET:CE	1:B:218:LYS:HA	2.38	0.51
1:C:121:ALA:O	1:C:125:GLY:HA3	2.11	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:413:HOH:O	1:C:250[B]:GLN:HG2	2.10	0.51
1:B:69:LEU:N	1:B:70:PRO:CD	2.74	0.50
1:C:205:GLY:O	3:C:301:NAP:H4N	2.12	0.50
1:B:251:TYR:CE2	2:D:232:ALA:HB2	2.47	0.50
3:D:301:NAP:O2A	4:D:302:GJQ:NAO	2.44	0.50
1:A:130:ALA:HB3	1:A:131:PRO:HD3	1.92	0.50
1:A:69:LEU:N	1:A:70:PRO:CD	2.75	0.49
1:C:26:THR:HG22	1:C:26:THR:O	2.12	0.49
2:D:123:LEU:O	2:D:127:ASN:HB2	2.12	0.48
1:A:251:TYR:CE2	1:C:232[A]:ALA:HB2	2.49	0.48
1:A:22:LYS:HG2	1:A:242:ILE:HG13	1.95	0.48
1:B:22:LYS:HG2	1:B:242:ILE:HG13	1.94	0.48
1:B:209:LEU:HA	4:B:302[A]:GJQ:CL1	2.51	0.48
1:C:22:LYS:HG2	1:C:242:ILE:HG13	1.96	0.48
3:B:301:NAP:O2A	4:B:302[A]:GJQ:NAO	2.47	0.47
1:C:193:ALA:N	1:C:194:PRO:CD	2.77	0.47
2:D:9:THR:HA	2:D:33:HIS:HB3	1.97	0.47
1:B:208:LEU:HD11	1:B:234:ALA:HB2	1.97	0.47
1:B:258:LYS:HD3	5:B:448:HOH:O	2.15	0.46
1:B:193:ALA:N	1:B:194:PRO:CD	2.78	0.46
1:B:209:LEU:HD22	1:B:213:MET:HE1	1.97	0.46
1:C:22:LYS:HE3	1:C:235:GLU:HG2	1.97	0.46
2:D:192:LEU:HB3	2:D:197:ILE:HB	1.99	0.45
1:C:66:SER:HB3	5:C:416:HOH:O	2.16	0.45
1:A:123:LEU:O	1:A:127:ASN:HB2	2.16	0.45
1:A:172:SER:O	1:A:176:MET:HG3	2.17	0.45
1:A:35:HIS:HB2	3:A:301:NAP:C2A	2.46	0.44
1:A:3:ALA:HB1	1:A:27:GLY:O	2.18	0.44
2:D:163:MET:HE1	5:D:478:HOH:O	2.18	0.44
2:D:172[A]:SER:O	2:D:176:MET:HG3	2.16	0.44
1:A:193:ALA:N	1:A:194:PRO:CD	2.80	0.44
1:A:65:ASN:HA	1:A:69:LEU:HD22	1.99	0.44
1:A:251:TYR:CD2	1:C:232[A]:ALA:HB2	2.53	0.44
2:D:34:TYR:CZ	2:D:60:GLN:HB2	2.54	0.43
1:C:227[B]:LEU:HD12	1:C:261:GLY:HA2	2.01	0.43
1:C:95:SER:HB3	3:C:301:NAP:H3D	2.00	0.43
1:B:100:THR:HG21	1:B:173:LEU:HD12	2.01	0.43
1:B:98:TYR:HB2	1:B:99:PRO:HD2	2.01	0.43
2:D:193:ALA:N	2:D:194:PRO:CD	2.82	0.43
2:D:193:ALA:HB3	2:D:194:PRO:HD3	2.00	0.43
1:B:9:THR:HA	1:B:33:HIS:HB3	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:66:SER:HB3	5:B:422:HOH:O	2.20	0.42
1:A:138:PHE:O	1:A:142:GLN:HG2	2.20	0.41
1:C:9:THR:HA	1:C:33:HIS:HB3	2.02	0.41
1:A:236:GLN:HE21	1:C:250[B]:GLN:CG	2.33	0.41
1:B:65:ASN:ND2	5:B:404:HOH:O	2.34	0.41
1:A:242:ILE:HA	1:A:242:ILE:HD13	1.84	0.41
1:A:29:ARG:HG2	1:A:55:THR:HG22	2.03	0.41
2:D:206[A]:VAL:HG11	2:D:209:LEU:HD21	2.01	0.41
1:B:265:LEU:HD11	2:D:254:GLY:HA3	2.02	0.40
1:C:97:PHE:HD1	1:C:174:TYR:CE1	2.39	0.40
2:D:17:ARG:HG3	2:D:44:LEU:HD22	2.03	0.40
2:D:95:SER:HB3	4:D:302:GJQ:NAN	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	245/288 (85%)	236 (96%)	9 (4%)	0	100	100
1	B	246/288 (85%)	235 (96%)	11 (4%)	0	100	100
1	C	243/288 (84%)	230 (95%)	13 (5%)	0	100	100
2	D	243/288 (84%)	234 (96%)	9 (4%)	0	100	100
All	All	977/1152 (85%)	935 (96%)	42 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	181/231 (78%)	178 (98%)	3 (2%)	60	55
1	B	183/231 (79%)	177 (97%)	6 (3%)	38	28
1	C	176/231 (76%)	170 (97%)	6 (3%)	37	27
2	D	185/230 (80%)	182 (98%)	3 (2%)	62	58
All	All	725/923 (78%)	707 (98%)	18 (2%)	53	39

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	166	GLN
1	A	208	LEU
1	A	230	ARG
1	B	53[A]	SER
1	B	53[B]	SER
1	B	66	SER
1	B	82	ARG
1	B	164	VAL
1	B	206	VAL
1	C	126[A]	THR
1	C	126[B]	THR
1	C	164	VAL
1	C	219	ASP
1	C	227[A]	LEU
1	C	227[B]	LEU
2	D	2	GLU
2	D	103	VAL
2	D	208	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	236	GLN
1	B	179	HIS
1	C	65	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	CSX	D	168	2	3,6,7	0.60	0	1,6,8	2.21	1 (100%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CSX	D	168	2	-	0/1/5/7	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	D	168	CSX	CA-CB-SG	-2.21	108.52	113.36

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GJQ	A	302	-	22,25,27	1.19	1 (4%)	29,36,39	2.24	7 (24%)
4	GJQ	B	302[A]	-	22,25,27	1.43	3 (13%)	29,36,39	2.01	6 (20%)
3	NAP	D	301	-	45,52,52	1.55	11 (24%)	56,80,80	2.10	13 (23%)
3	NAP	B	301	-	45,52,52	1.50	7 (15%)	56,80,80	1.40	8 (14%)
3	NAP	C	301	-	45,52,52	1.24	3 (6%)	56,80,80	1.82	15 (26%)
3	NAP	A	301	-	45,52,52	1.60	8 (17%)	56,80,80	1.75	13 (23%)
4	GJQ	D	302	-	23,27,27	3.28	4 (17%)	30,39,39	2.40	12 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GJQ	A	302	-	-	4/8/24/28	0/3/3/3
4	GJQ	B	302[A]	-	-	4/8/24/28	0/3/3/3
3	NAP	D	301	-	-	6/31/67/67	0/5/5/5
3	NAP	B	301	-	-	3/31/67/67	0/5/5/5
3	NAP	C	301	-	-	4/31/67/67	0/5/5/5
3	NAP	A	301	-	-	5/31/67/67	0/5/5/5
4	GJQ	D	302	-	-	4/10/28/28	0/3/3/3

All (37) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	302	GJQ	OAV-NAU	13.45	1.45	1.22
4	D	302	GJQ	CAH-NAI	-5.10	1.34	1.43
3	A	301	NAP	P2B-O2B	4.51	1.67	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	301	NAP	O4D-C1D	4.32	1.47	1.41
4	B	302[A]	GJQ	CAH-NAI	-4.10	1.36	1.43
4	D	302	GJQ	CAT-NAU	-3.93	1.35	1.45
4	A	302	GJQ	CAH-NAI	-3.91	1.36	1.43
3	B	301	NAP	P2B-O2B	3.87	1.66	1.59
4	D	302	GJQ	CAB-CL1	3.73	1.82	1.73
3	B	301	NAP	O4D-C1D	3.61	1.46	1.41
3	C	301	NAP	O4D-C1D	3.54	1.46	1.41
3	D	301	NAP	C4N-C3N	3.52	1.45	1.39
3	B	301	NAP	C2A-N3A	3.52	1.37	1.32
3	D	301	NAP	C2A-N3A	3.15	1.37	1.32
3	D	301	NAP	P2B-O2B	2.99	1.65	1.59
3	B	301	NAP	C5A-C4A	2.99	1.48	1.40
4	B	302[A]	GJQ	CAP-NAI	2.96	1.51	1.47
3	A	301	NAP	C7N-N7N	2.88	1.38	1.33
3	D	301	NAP	C2A-N1A	2.81	1.39	1.33
3	C	301	NAP	C5A-C4A	2.81	1.48	1.40
3	B	301	NAP	P2B-O1X	2.79	1.59	1.50
3	C	301	NAP	P2B-O2B	2.78	1.64	1.59
3	D	301	NAP	C2N-N1N	2.77	1.38	1.35
3	A	301	NAP	C2A-N3A	2.75	1.36	1.32
3	D	301	NAP	C5A-C4A	2.55	1.47	1.40
3	B	301	NAP	C2A-N1A	2.54	1.38	1.33
3	A	301	NAP	O2D-C2D	2.38	1.48	1.43
3	A	301	NAP	PN-O5D	2.38	1.68	1.59
3	D	301	NAP	C7N-N7N	2.32	1.37	1.33
3	D	301	NAP	PN-O2N	-2.22	1.44	1.55
3	D	301	NAP	O3D-C3D	2.21	1.48	1.43
3	D	301	NAP	C2D-C1D	2.20	1.57	1.53
3	B	301	NAP	C2N-N1N	2.19	1.37	1.35
3	A	301	NAP	P2B-O1X	2.17	1.57	1.50
3	A	301	NAP	C8A-N7A	2.17	1.38	1.34
4	B	302[A]	GJQ	CAM-NAN	-2.04	1.29	1.34
3	D	301	NAP	C6A-C5A	2.03	1.50	1.43

All (74) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	302	GJQ	CAQ-CAP-NAI	8.91	123.35	112.25
4	B	302[A]	GJQ	CAQ-CAP-NAI	7.40	121.47	112.25
3	D	301	NAP	O7N-C7N-C3N	-6.68	111.64	119.63
4	D	302	GJQ	CAX-CAT-NAU	6.48	124.26	119.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	301	NAP	C1B-N9A-C4A	-6.17	115.80	126.64
3	D	301	NAP	C3N-C7N-N7N	5.96	124.90	117.75
3	D	301	NAP	C1B-N9A-C4A	-5.74	116.56	126.64
4	D	302	GJQ	CAQ-CAP-NAI	5.50	119.10	112.25
3	D	301	NAP	O4D-C1D-C2D	-5.45	98.95	106.93
3	C	301	NAP	C1B-N9A-C4A	-4.81	118.20	126.64
4	D	302	GJQ	CAR-CAQ-CAP	-4.43	112.98	120.59
3	B	301	NAP	C1B-N9A-C4A	-4.15	119.34	126.64
3	D	301	NAP	N3A-C2A-N1A	-4.12	122.23	128.68
3	C	301	NAP	C2A-N1A-C6A	3.94	125.49	118.75
3	C	301	NAP	N3A-C2A-N1A	-3.93	122.54	128.68
3	A	301	NAP	O5B-PA-O1A	3.89	124.27	109.07
3	A	301	NAP	N3A-C2A-N1A	-3.85	122.67	128.68
4	D	302	GJQ	CAS-CAT-NAU	-3.79	116.52	119.38
3	D	301	NAP	O4B-C4B-C3B	-3.70	97.80	105.11
3	C	301	NAP	O4D-C1D-C2D	-3.62	101.64	106.93
3	C	301	NAP	O2D-C2D-C3D	3.51	123.18	111.82
4	A	302	GJQ	NAL-CAM-NAO	-3.42	120.69	126.47
3	B	301	NAP	C4A-C5A-N7A	-3.37	105.89	109.40
4	A	302	GJQ	CAR-CAQ-CAP	-3.35	114.83	120.59
4	B	302[A]	GJQ	CAA-CAH-NAI	3.18	122.89	119.47
3	C	301	NAP	O2B-P2B-O1X	-3.18	97.12	109.39
3	A	301	NAP	O2N-PN-O1N	3.13	127.69	112.24
3	A	301	NAP	C4A-C5A-N7A	-3.09	106.17	109.40
3	A	301	NAP	O4B-C1B-C2B	3.01	111.80	106.59
3	C	301	NAP	N6A-C6A-N1A	3.01	124.81	118.57
3	C	301	NAP	C6N-N1N-C2N	-3.00	119.24	121.97
4	D	302	GJQ	CAY-CAQ-CAR	2.94	121.95	118.29
3	B	301	NAP	O2X-P2B-O1X	2.93	122.15	110.68
3	D	301	NAP	C4A-C5A-N7A	-2.89	106.39	109.40
4	A	302	GJQ	CAH-NAI-CAP	-2.86	114.47	119.62
3	D	301	NAP	C3N-C2N-N1N	-2.85	117.64	120.43
4	A	302	GJQ	CAY-CAQ-CAP	2.84	125.46	120.59
4	D	302	GJQ	CAS-CAR-CAQ	-2.81	118.37	121.20
3	A	301	NAP	O2X-P2B-O1X	2.75	121.43	110.68
4	A	302	GJQ	NAN-CAM-NAL	2.67	120.91	116.57
3	B	301	NAP	O2N-PN-O1N	2.67	125.46	112.24
4	B	302[A]	GJQ	NAL-CAM-NAO	-2.67	121.95	126.47
3	C	301	NAP	C3D-C2D-C1D	2.66	104.99	100.98
3	C	301	NAP	O5B-PA-O1A	2.63	119.35	109.07
4	D	302	GJQ	CAY-CAQ-CAP	2.61	125.07	120.59
4	B	302[A]	GJQ	NAI-CAP-NAO	-2.58	109.47	113.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	301	NAP	C2A-N1A-C6A	2.54	123.11	118.75
3	A	301	NAP	C6N-N1N-C2N	-2.54	119.66	121.97
4	D	302	GJQ	OAV-NAU-CAT	2.49	122.32	118.80
3	B	301	NAP	O4D-C1D-C2D	-2.49	103.29	106.93
3	C	301	NAP	O2N-PN-O1N	2.48	124.49	112.24
3	C	301	NAP	O2X-P2B-O2B	2.47	117.05	105.99
3	D	301	NAP	O5B-PA-O1A	2.46	118.67	109.07
4	D	302	GJQ	CAX-CAY-CAQ	-2.45	118.73	121.20
3	C	301	NAP	C5A-C6A-N1A	-2.42	114.86	120.35
4	D	302	GJQ	CAH-NAI-CAP	-2.42	115.27	119.62
3	A	301	NAP	C5N-C6N-N1N	2.42	123.87	120.40
3	B	301	NAP	O7N-C7N-N7N	2.40	125.98	122.58
3	C	301	NAP	C4A-C5A-N7A	-2.39	106.91	109.40
4	D	302	GJQ	CAA-CAH-NAI	2.38	122.03	119.47
3	D	301	NAP	C2N-C3N-C4N	2.36	120.93	118.26
3	D	301	NAP	O4B-C4B-C5B	-2.35	101.64	109.37
3	B	301	NAP	N3A-C2A-N1A	-2.33	125.03	128.68
4	D	302	GJQ	NAL-CAM-NAO	-2.32	122.55	126.47
3	A	301	NAP	C5A-C6A-N6A	-2.26	116.92	120.35
3	A	301	NAP	C2N-N1N-C1D	2.25	124.15	119.14
3	A	301	NAP	N6A-C6A-N1A	2.16	123.06	118.57
4	B	302[A]	GJQ	CAY-CAQ-CAP	2.13	124.24	120.59
3	A	301	NAP	O2A-PA-O5B	-2.11	97.93	107.75
4	A	302	GJQ	CAG-CAF-CAD	-2.06	117.03	120.00
3	C	301	NAP	O4B-C1B-C2B	2.04	110.12	106.59
4	B	302[A]	GJQ	CAS-CAR-CAQ	2.03	123.24	121.20
3	B	301	NAP	O3B-C3B-C4B	-2.02	105.22	111.05
3	D	301	NAP	PA-O5B-C5B	2.01	133.46	121.68

There are no chirality outliers.

All (30) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	302	GJQ	CAA-CAH-NAI-CAJ
3	D	301	NAP	C5B-O5B-PA-O3
3	B	301	NAP	C5B-O5B-PA-O1A
3	C	301	NAP	C5B-O5B-PA-O1A
4	D	302	GJQ	CAA-CAH-NAI-CAJ
4	D	302	GJQ	CAG-CAH-NAI-CAJ
3	D	301	NAP	C3B-C4B-C5B-O5B
3	D	301	NAP	O4B-C4B-C5B-O5B
3	A	301	NAP	O4B-C4B-C5B-O5B

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	302	GJQ	CAG-CAH-NAI-CAJ
4	B	302[A]	GJQ	CAA-CAH-NAI-CAJ
4	B	302[A]	GJQ	CAG-CAH-NAI-CAJ
3	A	301	NAP	C3B-C4B-C5B-O5B
3	B	301	NAP	C5B-O5B-PA-O3
3	C	301	NAP	C5B-O5B-PA-O3
3	A	301	NAP	C5B-O5B-PA-O3
3	D	301	NAP	C5B-O5B-PA-O1A
3	D	301	NAP	C5B-O5B-PA-O2A
3	A	301	NAP	C5B-O5B-PA-O1A
3	A	301	NAP	C5B-O5B-PA-O2A
3	C	301	NAP	C3B-C4B-C5B-O5B
3	D	301	NAP	PN-O3-PA-O1A
3	C	301	NAP	PN-O3-PA-O1A
4	A	302	GJQ	NAO-CAP-CAQ-CAR
4	A	302	GJQ	NAO-CAP-CAQ-CAY
4	B	302[A]	GJQ	NAO-CAP-CAQ-CAR
4	B	302[A]	GJQ	NAO-CAP-CAQ-CAY
4	D	302	GJQ	NAO-CAP-CAQ-CAR
4	D	302	GJQ	NAO-CAP-CAQ-CAY
3	B	301	NAP	C5B-O5B-PA-O2A


There are no ring outliers.


6 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	302[A]	GJQ	3	0
3	D	301	NAP	1	0
3	B	301	NAP	1	0
3	C	301	NAP	2	0
3	A	301	NAP	2	0
4	D	302	GJQ	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and


any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	248/288 (86%)	-0.36	2 (0%) 86 87	16, 31, 46, 81	22 (8%)
1	B	248/288 (86%)	-0.29	1 (0%) 92 93	17, 31, 50, 63	21 (8%)
1	C	239/288 (82%)	-0.29	1 (0%) 92 93	18, 31, 48, 84	11 (4%)
2	D	247/288 (85%)	-0.42	0 100 100	16, 27, 43, 61	22 (8%)
All	All	982/1152 (85%)	-0.34	4 (0%) 92 93	16, 29, 48, 84	76 (7%)

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	210	PRO	3.0
1	C	152	SER	3.0
1	A	210	PRO	2.5
1	A	211	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CSX	D	168	7/8	0.96	0.06	27,34,44,54	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GJQ	B	302[A]	23/25	0.92	0.15	22,36,51,53	23
4	GJQ	D	302	25/25	0.92	0.15	17,32,45,48	25
3	NAP	C	301	48/48	0.93	0.11	20,33,44,48	48
4	GJQ	A	302	23/25	0.94	0.13	23,31,42,47	23
3	NAP	D	301	48/48	0.97	0.10	18,27,35,41	0
3	NAP	B	301	48/48	0.97	0.08	24,32,42,49	0
3	NAP	A	301	48/48	0.98	0.06	25,32,43,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around GJQ B 302 (A):




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around NAP C 301:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around GJQ A 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







6.5 Other polymers [i](#)

There are no such residues in this entry.