

Full wwPDB X-ray Structure Validation Report (i)

Apr 21, 2024 – 08:40 am BST

PDB ID	:	6HXL
Title	:	Structure of the citryl-CoA lyase core module of human ATP citrate lyase in
		complex with citrate and CoASH (space group P21)
Authors	:	Verstraete, K.; Verschueren, K.
Deposited on	:	2018-10-17
Resolution	:	1.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36.2
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 1.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	130704	1509 (1.38-1.34)
Clashscore	141614	1551 (1.38-1.34)
Ramachandran outliers	138981	1530 (1.38-1.34)
Sidechain outliers	138945	1530 (1.38-1.34)
RSRZ outliers	127900	1487 (1.38-1.34)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
			.%	
1	А	270	94%	• •
			3%	
1	В	270	93%	• •
			4%	
1	С	270	95%	• •
			4%	
1	D	270	96%	• •
			11%	
1	E	270	93%	• •



Continued from previous page...

Mol	Chain	Length	Quality of chain	
1	F	270	93%	
1	G	270	3% 94%	
1	Н	270	5% 94 %	



6HXL

2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 36317 atoms, of which 17356 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues			Atom	IS	ZeroOcc	AltConf	Trace		
1	Δ	263	Total	С	Η	Ν	0	S	1	17	0
1	Л	205	4295	1361	2166	362	383	23	1	11	0
1	В	261	Total	С	Η	Ν	0	\mathbf{S}	0	10	0
L	D	201	4174	1329	2102	349	375	19	0	10	0
1	С	262	Total	С	Η	Ν	Ο	\mathbf{S}	7	11	0
	U	202	4211	1335	2122	355	379	20	1	11	0
1	л	262	Total	С	Η	Ν	Ο	\mathbf{S}	0	7	0
L L	D	202	4154	1319	2095	348	372	20	0	1	0
1	F	261	Total	С	Η	Ν	Ο	\mathbf{S}	0	19	0
T	Ľ	201	4203	1334	2121	351	376	21	0	12	0
1	F	263	Total	\mathbf{C}	Η	Ν	0	\mathbf{S}	0	10	0
L	Ľ	200	4306	1367	2176	358	381	24	0	19	0
1	C	262	Total	\mathbf{C}	Η	Ν	0	\mathbf{S}	0	14	0
	G	202	4241	1345	2138	357	379	22	0	14	0
1	н	264	Total	С	H	N	Ō	S	0	19	0
	11	204	4235	1347	2129	355	379	25		14	U

• Molecule 1 is a protein called ATP-citrate synthase.

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	832	GLY	-	expression tag	UNP P53396
А	833	SER	-	expression tag	UNP P53396
А	834	HIS	-	expression tag	UNP P53396
A	835	MET	-	expression tag	UNP P53396
В	832	GLY	-	expression tag	UNP P53396
В	833	SER	-	expression tag	UNP P53396
В	834	HIS	-	expression tag	UNP P53396
В	835	MET	-	expression tag	UNP P53396
С	832	GLY	-	expression tag	UNP P53396
С	833	SER	-	expression tag	UNP P53396
С	834	HIS	-	expression tag	UNP P53396
C	835	MET	-	expression tag	UNP P53396
D	832	GLY	-	expression tag	UNP P53396



Chain	Residue	Modelled	Actual	Comment	Reference
D	833	SER	-	expression tag	UNP P53396
D	834	HIS	-	expression tag	UNP P53396
D	835	MET	-	expression tag	UNP P53396
Е	832	GLY	-	expression tag	UNP P53396
E	833	SER	-	expression tag	UNP P53396
Е	834	HIS	-	expression tag	UNP P53396
Е	835	MET	-	expression tag	UNP P53396
F	832	GLY	-	expression tag	UNP P53396
F	833	SER	-	expression tag	UNP P53396
F	834	HIS	-	expression tag	UNP P53396
F	835	MET	-	expression tag	UNP P53396
G	832	GLY	-	expression tag	UNP P53396
G	833	SER	-	expression tag	UNP P53396
G	834	HIS	-	expression tag	UNP P53396
G	835	MET	-	expression tag	UNP P53396
Н	832	GLY	-	expression tag	UNP P53396
Н	833	SER	-	expression tag	UNP P53396
Н	834	HIS	-	expression tag	UNP P53396
Н	835	MET	-	expression tag	UNP P53396

Continued from previous page...

• Molecule 2 is COENZYME A (three-letter code: COA) (formula: C₂₁H₃₆N₇O₁₆P₃S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf		
2	А	1	Total 80	C 21	Н 32	N 7	O 16	Р 3	S 1	0	1



Mol	Chain	Residues			Ato	ms				ZeroOcc	AltConf
0		1	Total	С	Η	Ν	Ο	Р	S	0	1
	D		80	21	32	7	16	3	1	0	1
0	C	1	Total	С	Η	Ν	Ο	Р	S	0	1
	U	1	80	21	32	7	16	3	1	0	1
0	л	1	Total	С	Η	Ν	Ο	Р	S	0	0
	D	1	80	21	32	7	16	3	1	0	0
0	Б	1	Total	С	Η	Ν	Ο	Р	S	0	1
	Ľ	1	80	21	32	7	16	3	1	0	1
0	С	1	Total	С	Η	Ν	Ο	Р	S	0	1
Z G	1	80	21	32	7	16	3	1	0	1	
0	9 II	1	Total	С	Η	Ν	Ο	Р	S	0	0
		80	21	32	7	16	3	1	U	U	

Continued from previous page...

• Molecule 3 is CITRATE ANION (three-letter code: FLC) (formula: $C_6H_5O_7$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	A	ton	ns		ZeroOcc	AltConf	
3	Δ	1	Total	С	Н	0	0	1	
	Π	T	18	6	5	7	0	T	
3	В	1	Total	С	Η	0	0	1	
0	D	I	18	6	5	7	0	1	
3	C	1	Total	С	Η	0	0	1	
0	U	1	18	6	5	7	0	I	
3	F	1	Total	С	Η	Ο	0	1	
0		I	18	6	5	7	0	I	
3 C	G	1	Total	С	H	0		1	
5	G	L L	18	6	5	7		1	



• Molecule 4 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
4	В	1	Total	С	Η	Ο	0	0	
4	4 D	1	17	4	10	3	0		
4	F	1	Total	С	Η	Ο	0	0	
4	Ľ	1	17	4	10	3	0	0	

• Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O_4S) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 6 is OXIDIZED COENZYME A (three-letter code: CAO) (formula: $C_{21}H_{36}N_7O_{17}P_3S$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues			Atc	ms				ZeroOcc	AltConf
6	F	1	Total	С	Η	Ν	Ο	Р	\mathbf{S}	0	Ο
0	T	1	81	21	32	7	17	3	1	0	0

• Molecule 7 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	Н	1	Total 10	$\begin{array}{c} \mathrm{C} \\ \mathrm{2} \end{array}$	Н 6	O 2	0	0

• Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	А	224	Total O 224 224	0	1
8	В	217	Total O 217 217	0	1
8	С	237	Total O 237 237	0	1
8	D	219	Total O 219 219	0	0
8	Е	170	Total O 170 170	0	1
8	F	209	Total O 209 209	0	0
8	G	227	Total O 227 227	0	2
8	Н	210	Total O 210 210	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: ATP-citrate synthase





• Molecule 1: ATP-citrate synthase





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	67.71Å 147.90Å 113.69Å	Deperitor
a, b, c, α , β , γ	90.00° 105.28° 90.00°	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	47.85 - 1.35	Depositor
Resolution (A)	47.85 - 1.35	EDS
% Data completeness	97.5 (47.85-1.35)	Depositor
(in resolution range)	97.5(47.85 - 1.35)	EDS
R _{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.11 (at 1.35 \text{\AA})$	Xtriage
Refinement program	BUSTER 2.10.2	Depositor
D D.	0.156 , 0.174	Depositor
n, n_{free}	0.161 , 0.179	DCC
R_{free} test set	23068 reflections $(5.03%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	13.1	Xtriage
Anisotropy	0.130	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.40 , 47.3	EDS
L-test for twinning ²	$< L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	0.019 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	36317	wwPDB-VP
Average B, all atoms $(Å^2)$	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 6.44% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: COA, PEG, FLC, EDO, SO4, CAO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond	angles
IVIOI	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.49	0/2208	0.64	0/2970
1	В	0.50	0/2139	0.64	0/2881
1	С	0.51	0/2158	0.64	0/2904
1	D	0.47	0/2120	0.62	0/2853
1	Е	0.50	0/2152	0.63	0/2896
1	F	0.49	0/2200	0.62	0/2961
1	G	0.51	0/2185	0.64	0/2939
1	Н	0.49	0/2175	0.61	0/2924
All	All	0.50	0/17337	0.63	0/23328

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	F	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	F	1093	TYR	Mainchain



5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2129	2166	2117	4	0
1	В	2072	2102	2091	7	0
1	С	2089	2122	2081	4	0
1	D	2059	2095	2073	2	0
1	Е	2082	2121	2081	9	0
1	F	2130	2176	2141	10	0
1	G	2103	2138	2086	4	0
1	Н	2106	2129	2108	6	0
2	А	48	32	32	0	0
2	В	48	32	32	0	0
2	С	48	32	32	0	0
2	D	48	32	32	0	0
2	Е	48	32	32	0	0
2	G	48	32	32	0	0
2	Н	48	32	32	0	0
3	А	13	5	5	0	0
3	В	13	5	5	0	0
3	С	13	5	5	0	0
3	Е	13	5	5	0	0
3	G	13	5	5	1	0
4	В	7	10	10	0	0
4	Е	7	10	10	1	0
5	D	10	0	0	0	0
6	F	49	32	32	0	0
7	Н	4	6	6	0	0
8	А	224	0	0	0	0
8	В	217	0	0	1	0
8	С	237	0	0	1	0
8	D	219	0	0	0	0
8	Е	170	0	0	0	0
8	F	209	0	0	1	0
8	G	227	0	0	0	0
8	Н	210	0	0	1	0
All	All	18961	17356	17085	39	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:E:856:GLY:HA2	8:H:1330:HOH:O	1.64	0.96
1:A:857[B]:MET:SD	1:A:867[B]:MET:SD	2.79	0.79
1:G:857[B]:MET:SD	1:G:867[B]:MET:SD	2.80	0.78
1:B:921:VAL:O	1:B:925[B]:THR:HG22	1.85	0.77
1:E:987:VAL:HG13	1:E:1028[A]:LEU:HD12	1.67	0.75
1:A:981:ASN:HD21	1:F:982:ASN:HD21	1.42	0.67
1:A:929:LEU:HD13	1:B:925[B]:THR:HG23	1.83	0.59
1:F:991:LYS:HG3	1:F:1028[A]:LEU:HD21	1.86	0.56
1:F:1094[B]:VAL:O	1:F:1094[B]:VAL:HG12	2.06	0.55
1:E:844:ILE:HG22	1:E:879[B]:GLN:NE2	2.22	0.54
1:F:857[B]:MET:SD	1:F:867[B]:MET:SD	3.05	0.54
1:B:997:HIS:HD2	8:B:1479:HOH:O	1.92	0.51
1:B:1078:ARG:NH1	1:C:879:GLN:OE1	2.44	0.50
1:H:857[B]:MET:SD	1:H:867[B]:MET:SD	3.10	0.49
1:B:1075:ASP:OD1	1:B:1078:ARG:NH1	2.47	0.48
1:E:987:VAL:HA	1:E:1028[B]:LEU:HD22	1.96	0.48
1:E:987:VAL:HG13	1:E:1028[A]:LEU:CD1	2.41	0.47
1:D:1073:TYR:CZ	1:D:1077:LYS:HD2	2.50	0.46
1:C:994:VAL:HG12	1:C:1001:THR:HG21	1.98	0.46
1:G:842:THR:HG21	1:H:902:PRO:HG3	1.98	0.46
1:E:991:LYS:HG3	1:E:1028[A]:LEU:HD11	1.97	0.46
1:H:913[A]:CYS:SG	1:H:926:SER:CB	3.04	0.45
1:H:939:LEU:HD23	1:H:1026:ASP:HA	1.99	0.45
1:D:844:ILE:HG22	1:D:879:GLN:NE2	2.31	0.45
1:B:980:ILE:HD11	1:B:1015:THR:HB	1.99	0.44
1:G:1052:ILE:CD1	1:G:1057:LEU:HD11	2.48	0.44
1:B:1073:TYR:CZ	1:B:1077:LYS:HD2	2.53	0.43
1:F:991:LYS:CG	1:F:1028[A]:LEU:HD21	2.49	0.43
1:E:879[B]:GLN:OE1	1:F:1078:ARG:CZ	2.65	0.43
1:C:843[A]:SER:HB3	8:C:1332:HOH:O	2.18	0.43
1:E:848:ARG:HG2	1:H:1088:TRP:CE2	2.53	0.43
1:A:1073:TYR:CE1	1:A:1077:LYS:HE2	2.54	0.42
1:F:1095[A]:LEU:HD22	1:F:1099[A]:MET:CE	2.49	0.42
1:F:1095[A]:LEU:HD22	1:F:1099[A]:MET:HE3	2.00	0.42
4:E:1203:PEG:H12	8:F:1439:HOH:O	2.20	0.41
1:G:1026:ASP:OD1	3:G:1201[A]:FLC:OG1	2.39	0.41
1:E:842:THR:HG21	1:F:902:PRO:HG3	2.03	0.41
1:F:930:THR:HG22	1:H:913[A]:CYS:SG	2.62	0.40

All (39) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

There are no symmetry-related clashes.



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	Percentiles		
1	А	278/270~(103%)	275~(99%)	3 (1%)	0	100	100		
1	В	269/270~(100%)	265~(98%)	4 (2%)	0	100	100		
1	С	271/270~(100%)	266~(98%)	5 (2%)	0	100	100		
1	D	267/270~(99%)	263~(98%)	4 (2%)	0	100	100		
1	Е	271/270~(100%)	267~(98%)	4 (2%)	0	100	100		
1	F	277/270~(103%)	272~(98%)	5(2%)	0	100	100		
1	G	274/270~(102%)	269~(98%)	5 (2%)	0	100	100		
1	Н	274/270~(102%)	270~(98%)	4 (2%)	0	100	100		
All	All	2181/2160~(101%)	2147 (98%)	34 (2%)	0	100	100		

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	233/226~(103%)	230~(99%)	3~(1%)	69	37
1	В	227/226~(100%)	224~(99%)	3~(1%)	69	37
1	С	228/226~(101%)	226~(99%)	2(1%)	78	53
1	D	223/226~(99%)	223~(100%)	0	100	100
1	Е	227/226~(100%)	226 (100%)	1 (0%)	91	81
1	F	233/226~(103%)	230~(99%)	3~(1%)	69	37



provide provide programmed and programmed and programmed and provide programmed and programmed									
Mol	Chain	Analysed	Rotameric	Outliers	Percentiles				
1	G	230/226~(102%)	228~(99%)	2(1%)	78	53			
1	Н	230/226~(102%)	229~(100%)	1 (0%)	91	81			
All	All	1831/1808 (101%)	1816 (99%)	15 (1%)	84	59			

Continued from previous page...

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	837	PRO
1	А	1026	ASP
1	А	1028	LEU
1	В	1026[A]	ASP
1	В	1026[B]	ASP
1	В	1028	LEU
1	С	1026	ASP
1	С	1028	LEU
1	Е	1026	ASP
1	F	991	LYS
1	F	1028[A]	LEU
1	F	1028[B]	LEU
1	G	1026	ASP
1	G	1028	LEU
1	Н	1028	LEU

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such side chains are listed below:

Mol	Chain	Res	Type
1	А	981	ASN
1	В	879	GLN
1	В	997	HIS
1	D	879	GLN
1	D	981	ASN
1	F	888	GLN
1	G	879	GLN
1	Н	879	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.



5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

18 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	Bo	ond leng	$_{\rm ths}$	В	ond ang	les
	туре	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2
3	FLC	G	1201[A]	-	12,12,12	1.01	0	$17,\!17,\!17$	2.59	6 (35%)
2	COA	В	1201[A]	-	41,50,50	0.81	1 (2%)	$52,\!75,\!75$	1.34	6 (11%)
7	EDO	Н	1202	-	3,3,3	0.39	0	2,2,2	0.37	0
2	COA	А	1200[A]	-	41,50,50	0.76	1 (2%)	52,75,75	1.14	3 (5%)
3	FLC	С	1201[A]	-	12,12,12	0.97	0	$17,\!17,\!17$	2.34	4 (23%)
4	PEG	В	1203	-	6,6,6	0.24	0	$5,\!5,\!5$	0.09	0
2	COA	D	1201	-	41,50,50	0.86	2 (4%)	52,75,75	1.23	5 (9%)
2	COA	С	1200[A]	-	41,50,50	0.81	1 (2%)	52,75,75	1.17	2 (3%)
6	CAO	F	1200	-	41,51,51	0.62	0	53,76,76	0.67	1 (1%)
2	COA	Н	1201	-	41,50,50	0.84	2 (4%)	52,75,75	1.20	6 (11%)
3	FLC	Е	1202[A]	-	12,12,12	1.03	0	17,17,17	2.42	5 (29%)
2	COA	G	1200[A]	-	41,50,50	0.78	1 (2%)	52,75,75	1.08	2 (3%)
4	PEG	Е	1203	-	6,6,6	0.18	0	$5,\!5,\!5$	0.33	0
5	SO4	D	1202	-	4,4,4	0.54	0	6,6,6	0.44	0
5	SO4	D	1203	-	4,4,4	0.39	0	6,6,6	0.68	0
3	FLC	В	1202[A]	-	12,12,12	0.98	0	17,17,17	2.38	5 (29%)
3	FLC	А	1201[A]	-	12,12,12	0.93	0	17,17,17	2.70	7 (41%)
2	COA	Е	1201[A]	-	41,50,50	0.83	2 (4%)	52,75,75	1.11	4 (7%)



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FLC	G	1201[A]	-	-	7/16/16/16	-
2	COA	В	1201[A]	-	-	2/44/64/64	0/3/3/3
7	EDO	Н	1202	-	-	0/1/1/1	-
2	COA	А	1200[A]	-	-	2/44/64/64	0/3/3/3
3	FLC	С	1201[A]	-	-	9/16/16/16	-
4	PEG	В	1203	-	-	0/4/4/4	-
2	COA	D	1201	-	-	1/44/64/64	0/3/3/3
2	COA	С	1200[A]	-	-	2/44/64/64	0/3/3/3
2	COA	Н	1201	-	-	3/44/64/64	0/3/3/3
3	FLC	Е	1202[A]	-	-	6/16/16/16	-
2	COA	G	1200[A]	-	-	3/44/64/64	0/3/3/3
4	PEG	Е	1203	-	-	3/4/4/4	-
6	CAO	F	1200	-	-	1/44/65/65	0/3/3/3
3	FLC	В	1202[A]	-	-	8/16/16/16	-
3	FLC	А	1201[A]	-	-	8/16/16/16	-
2	COA	Е	1201[A]	-	-	2/44/64/64	0/3/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	Е	1201[A]	COA	C2A-N3A	2.69	1.36	1.32
2	D	1201	COA	C5A-C4A	2.55	1.47	1.40
2	Н	1201	COA	C5A-C4A	2.44	1.47	1.40
2	С	1200[A]	COA	C2A-N3A	2.39	1.35	1.32
2	G	1200[A]	COA	C2A-N3A	2.37	1.35	1.32
2	D	1201	COA	C2A-N3A	2.35	1.35	1.32
2	Н	1201	COA	C2A-N3A	2.18	1.35	1.32
2	А	1200[A]	COA	C2A-N3A	2.14	1.35	1.32
2	В	1201[A]	COA	P3B-O3B	2.08	1.63	1.59
2	Ē	1201[A]	COA	C5A-C4A	2.04	1.46	1.40

All (56) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	А	1201[A]	FLC	OB1-CBC-CB	-6.42	113.16	122.25
3	С	1201[A]	FLC	CG-CB-CBC	-6.40	96.36	110.11



Mol	Chain	Res	Type	Atoms	Z	Observed(°)	$Ideal(^{o})$
3	А	1201[A]	FLC	CG-CB-CBC	-6.29	96.60	110.11
3	G	1201[A]	FLC	CG-CB-CBC	-6.21	96.76	110.11
3	G	1201[A]	FLC	OB1-CBC-CB	-6.03	113.71	122.25
3	Е	1202[A]	FLC	CG-CB-CBC	-5.77	97.71	110.11
3	В	1202[A]	FLC	CG-CB-CBC	-5.71	97.83	110.11
3	Е	1202[A]	FLC	OB1-CBC-CB	-5.65	114.25	122.25
3	В	1202[A]	FLC	OB1-CBC-CB	-5.17	114.93	122.25
2	С	1200[A]	COA	N3A-C2A-N1A	-4.25	122.03	128.68
3	С	1201[A]	FLC	OB1-CBC-CB	-4.14	116.39	122.25
2	Н	1201	COA	N3A-C2A-N1A	-4.11	122.26	128.68
2	D	1201	COA	N3A-C2A-N1A	-4.05	122.35	128.68
2	Е	1201[A]	COA	N3A-C2A-N1A	-3.61	123.03	128.68
2	В	1201[A]	COA	N3A-C2A-N1A	-3.59	123.07	128.68
2	В	1201[A]	COA	C1B-N9A-C4A	-3.44	120.60	126.64
2	А	1200[A]	COA	N3A-C2A-N1A	-3.32	123.49	128.68
2	G	1200[A]	COA	N3A-C2A-N1A	-3.28	123.55	128.68
3	G	1201[A]	FLC	CA-CB-CBC	3.22	117.02	110.11
2	D	1201	COA	C7P-C6P-C5P	-3.13	107.15	112.36
2	В	1201[A]	COA	C5A-C6A-N6A	-3.07	115.69	120.35
3	С	1201[A]	FLC	CA-CB-CBC	2.98	116.51	110.11
3	А	1201[A]	FLC	CA-CB-CBC	2.89	116.32	110.11
3	В	1202[A]	FLC	CA-CB-CBC	2.88	116.30	110.11
2	Н	1201	COA	C7P-C6P-C5P	-2.74	107.80	112.36
2	Е	1201[A]	COA	P2A-O3A-P1A	-2.71	123.54	132.83
3	Е	1202[A]	FLC	CA-CB-CBC	2.70	115.90	110.11
3	В	1202[A]	FLC	OG1-CGC-CG	-2.55	115.50	122.94
3	А	1201[A]	FLC	OHB-CB-CA	2.44	115.11	109.40
3	G	1201[A]	FLC	OG1-CGC-CG	-2.43	115.85	122.94
2	Н	1201	COA	P2A-O3A-P1A	-2.43	124.50	132.83
2	В	1201[A]	COA	CDP-CBP-CCP	-2.36	104.39	108.23
2	D	1201	COA	C4A-C5A-N7A	-2.33	106.97	109.40
3	А	1201[A]	FLC	OB2-CBC-OB1	2.33	131.24	123.82
2	D	1201	COA	P2A-O3A-P1A	-2.33	124.84	132.83
2	А	1200[A]	COA	P2A-O3A-P1A	-2.32	124.87	132.83
2	В	1201[A]	COA	O5P-C5P-C6P	-2.27	117.87	122.02
2	C	1200[A]	COA	C1B-N9A-C4A	-2.22	122.74	126.64
3	E	1202[A]	FLC	OB2-CBC-CB	2.22	116.90	113.05
2	В	1201[A]	COA	N6A-C6A-N1A	2.20	123.14	118.57
6	F	1200	CAO	C5A-C6A-N6A	2.20	123.69	120.35
2	Н	1201	COA	C2A-N1A-C6A	2.20	122.51	118.75
3	A	1201[A]	FLC	OHB-CB-CG	2.18	114.50	109.40
2	G	1200[A]	COA	OAP-CAP-CBP	-2.16	105.16	110.25

Continued from previous page...



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	А	1201[A]	FLC	OG1-CGC-CG	-2.16	116.63	122.94
3	Е	1202[A]	FLC	CB-CA-CAC	2.16	119.04	113.81
2	Н	1201	COA	O5A-P2A-O4A	2.14	122.84	112.24
2	Е	1201[A]	COA	C4A-C5A-N7A	-2.14	107.17	109.40
3	С	1201[A]	FLC	OHB-CB-CA	2.13	114.39	109.40
2	А	1200[A]	COA	C4A-C5A-N7A	-2.11	107.20	109.40
3	G	1201[A]	FLC	CB-CA-CAC	2.04	118.75	113.81
3	В	1202[A]	FLC	CB-CA-CAC	2.04	118.74	113.81
2	Е	1201[A]	COA	N6A-C6A-N1A	2.03	122.78	118.57
2	Н	1201	COA	O9A-P3B-O8A	2.03	115.39	107.64
2	D	1201	COA	O5A-P2A-O4A	2.02	122.22	112.24
3	G	1201[A]	FLC	OB2-CBC-OB1	2.01	130.19	123.82

Continued from previous page...

There are no chirality outliers.

All	(57)) torsion	outliers	are	listed	below:
-----	------	-----------	----------	-----	--------	--------

Mol	Chain	Res	Type	Atoms
2	С	1200[A]	COA	CCP-O6A-P2A-O3A
2	Е	1201[A]	COA	CCP-O6A-P2A-O3A
3	А	1201[A]	FLC	CA-CB-CBC-OB2
3	А	1201[A]	FLC	CA-CB-CG-CGC
3	А	1201[A]	FLC	CBC-CB-CG-CGC
3	В	1202[A]	FLC	CA-CB-CBC-OB2
3	В	1202[A]	FLC	CA-CB-CG-CGC
3	В	1202[A]	FLC	CBC-CB-CG-CGC
3	С	1201[A]	FLC	CA-CB-CBC-OB1
3	С	1201[A]	FLC	CA-CB-CBC-OB2
3	С	1201[A]	FLC	OHB-CB-CBC-OB1
3	Е	1202[A]	FLC	CA-CB-CBC-OB2
3	G	1201[A]	FLC	CA-CB-CBC-OB2
3	G	1201[A]	FLC	CBC-CB-CG-CGC
3	G	1201[A]	FLC	CA-CB-CG-CGC
4	Е	1203	PEG	O1-C1-C2-O2
3	А	1201[A]	FLC	CA-CB-CBC-OB1
3	А	1201[A]	FLC	CG-CB-CBC-OB2
3	С	1201[A]	FLC	CA-CB-CG-CGC
3	С	1201[A]	FLC	CBC-CB-CG-CGC
4	Е	1203	PEG	C1-C2-O2-C3
2	G	1200[A]	COA	CCP-O6A-P2A-O3A
6	F	1200	CAO	P1A-O3A-P2A-O4A
2	А	1200[A]	COA	CCP-O6A-P2A-O5A
2	В	1201[A]	COA	CCP-O6A-P2A-O5A



Mol	Chain	Res	Type	Atoms
2	С	1200[A]	COA	CCP-O6A-P2A-O5A
2	Е	1201[A]	COA	CCP-O6A-P2A-O5A
2	G	1200[A]	COA	CCP-O6A-P2A-O5A
2	Н	1201	COA	O4B-C4B-C5B-O5B
3	В	1202[A]	FLC	CG-CB-CBC-OB2
3	С	1201[A]	FLC	CG-CB-CBC-OB2
3	Е	1202[A]	FLC	CG-CB-CBC-OB2
3	G	1201[A]	FLC	CG-CB-CBC-OB2
4	Е	1203	PEG	O2-C3-C4-O4
3	В	1202[A]	FLC	OHB-CB-CG-CGC
3	Е	1202[A]	FLC	CBC-CB-CG-CGC
3	А	1201[A]	FLC	CB-CG-CGC-OG2
3	В	1202[A]	FLC	CB-CG-CGC-OG2
3	Е	1202[A]	FLC	CA-CB-CG-CGC
3	С	1201[A]	FLC	CB-CA-CAC-OA2
3	G	1201[A]	FLC	CB-CG-CGC-OG2
3	С	1201[A]	FLC	OHB-CB-CBC-OB2
3	В	1202[A]	FLC	CA-CB-CBC-OB1
3	G	1201[A]	FLC	CA-CB-CBC-OB1
3	А	1201[A]	FLC	CB-CG-CGC-OG1
3	В	1202[A]	FLC	CB-CG-CGC-OG1
3	А	1201[A]	FLC	OHB-CB-CG-CGC
3	С	1201[A]	FLC	CB-CA-CAC-OA1
3	G	1201[A]	FLC	CB-CG-CGC-OG1
3	Е	1202[A]	FLC	CB-CG-CGC-OG1
2	Н	1201	COA	C3B-C4B-C5B-O5B
3	Е	1202[A]	FLC	CB-CG-CGC-OG2
2	А	1200[A]	COA	CCP-O6A-P2A-O3A
2	В	1201[A]	COA	CCP-O6A-P2A-O3A
2	G	1200[A]	COA	P1A-O3A-P2A-O5A
2	D	1201	COA	CCP-O6A-P2A-O4A
2	Н	1201	COA	CCP-O6A-P2A-O4A

Continued from previous page...

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	G	1201[A]	FLC	1	0
4	Е	1203	PEG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In



addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.















































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

Fit of model and data (i) 6

Protein, DNA and RNA chains (i) 6.1

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	263/270~(97%)	-0.10	4 (1%) 73 78	9, 15, 36, 51	0
1	В	261/270~(96%)	-0.08	9 (3%) 45 51	8, 15, 34, 60	0
1	С	262/270~(97%)	0.03	11 (4%) 36 41	9, 16, 37, 62	0
1	D	262/270~(97%)	-0.11	10 (3%) 40 45	9, 17, 43, 81	0
1	E	261/270~(96%)	0.48	31 (11%) 4 4	9, 18, 43, 66	0
1	F	263/270~(97%)	0.06	14 (5%) 26 29	9, 16, 37, 65	3 (1%)
1	G	262/270~(97%)	0.14	9 (3%) 45 51	8, 16, 35, 55	0
1	Н	264/270~(97%)	-0.01	14 (5%) 26 29	9, 16, 38, 67	0
All	All	2098/2160~(97%)	0.05	102 (4%) 29 33	8, 16, 39, 81	3 (0%)

Mol	Chain	Res	Type	RSRZ
1	С	967	GLY	6.7
1	С	965	LYS	6.5
1	Е	1013	ILE	6.1
1	С	836	LYS	5.7
1	Е	980	ILE	5.4
1	Е	960	VAL	5.1

1098

836

969

1017

970

967

1097

965

957

963

1

1

1

1

1

1

1

1

1

1

А

D

Е

Е

Е

F

D

Ε

Е

Е

All (102) RSRZ outliers are listed below:

MET Continued on next page...

HIS

LYS

LEU

LYS

ILE

GLY

GLU

LYS

MET

5.1

5.1

5.0

4.8

4.7

4.7

4.5

4.5

4.3

4.3

6HXI	
	_

Mol	Chain	Res	Type	RSRZ
1	В	965	LYS	4.2
1	Е	964	LYS	4.0
1	Е	837	PRO	3.9
1	Е	1014	THR	3.8
1	F	965	LYS	3.6
1	С	963	MET	3.6
1	В	1097	GLU	3.6
1	Н	1099	MET	3.5
1	Н	965	LYS	3.5
1	Е	1010	VAL	3.4
1	Е	1021	LEU	3.4
1	Е	967	GLY	3.4
1	D	1095	LEU	3.4
1	F	1095[A]	LEU	3.4
1	С	954	ILE	3.3
1	С	961	ASN	3.3
1	С	968	LYS	3.3
1	Н	980	ILE	3.3
1	F	999	PRO	3.1
1	F	1017	LYS	3.1
1	Е	959	PHE	3.0
1	Н	837	PRO	3.0
1	Е	968	LYS	3.0
1	Н	1017	LYS	3.0
1	Н	976	ARG	2.9
1	F	980	ILE	2.9
1	А	856[A]	GLY	2.9
1	D	967	GLY	2.9
1	Н	964	LYS	2.9
1	G	1098	HIS	2.9
1	С	964	LYS	2.8
1	Е	955	ILE	2.8
1	Е	962	LYS	2.8
1	F	955	ILE	2.7
1	Е	1016	1016 SER	
1	F	964 LYS		2.7
1	В	1044	THR	2.7
1	G	1020	ASN	2.7
1	G	980	ILE	2.6
1	Е	961	ASN	2.6
1	В	925[A]	THR	2.5
1	Е	966	GLU	2.5

Continued from previous page...

6HXL

	J	T	1 5	
Mol	Chain	Res	Type	RSRZ
1	С	837	PRO	2.5
1	Е	1018	LYS	2.5
1	Е	1020	ASN	2.5
1	G	967	GLY	2.5
1	D	1096	PRO	2.4
1	F	1094[A]	VAL	2.4
1	Н	967	GLY	2.4
1	D	837	PRO	2.4
1	Н	957[A]	MET	2.4
1	Н	1098	HIS	2.4
1	Е	941	ALA	2.3
1	D	955	ILE	2.3
1	В	913[A]	CYS	2.3
1	Е	1019	PRO	2.3
1	F	957	MET	2.3
1	G	1023	LEU	2.3
1	С	1097	GLU	2.3
1	В	1046	GLU	2.3
1	В	837	PRO	2.3
1	G	960	VAL	2.2
1	Н	960	VAL	2.2
1	D	965	LYS	2.2
1	Н	1018	LYS	2.2
1	D	958	GLU	2.2
1	G	1014	THR	2.2
1	F	1099[A]	MET	2.2
1	С	928	LEU	2.2
1	D	999	PRO	2.2
1	G	925	THR	2.1
1	Е	971	MET	2.1
1	Е	924	LEU	2.1
1	Е	1022	ILE	2.1
1	Н	961	ASN	2.1
1	А	1017	LYS	2.1
1	Н	955	ILE	2.1
1	А	1097	GLU	2.1
1	Е	981	ASN	2.1
1	F	960	VAL	2.1
1	G	968	LYS	2.0
1	В	924	LEU	2.0
1	Е	1023	LEU	2.0
1	F	958	GLU	2.0

Continued from previous page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	В	967	GLY	2.0
1	F	1016	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q < 0.9
4	PEG	Е	1203	7/7	0.81	0.15	39,42,46,46	0
4	PEG	В	1203	7/7	0.82	0.15	30,34,48,48	0
2	COA	Н	1201	48/48	0.86	0.19	21,29,52,58	0
6	CAO	F	1200	49/49	0.88	0.13	9,28,47,54	0
2	COA	D	1201	48/48	0.89	0.12	19,29,49,56	0
2	COA	Е	1201[A]	48/48	0.89	0.20	$12,\!25,\!50,\!57$	2
2	COA	С	1200[A]	48/48	0.91	0.10	13,23,42,47	2
7	EDO	Н	1202	4/4	0.92	0.06	32,34,37,37	0
5	SO4	D	1202	5/5	0.93	0.15	22,30,34,37	0
3	FLC	G	1201[A]	13/13	0.94	0.08	12,17,23,24	0
2	COA	G	1200[A]	48/48	0.94	0.13	11,18,36,45	2
3	FLC	Е	1202[A]	13/13	0.94	0.08	15,20,29,29	0
3	FLC	А	1201[A]	13/13	0.95	0.08	12,16,26,26	0
2	COA	А	1200[A]	48/48	0.95	0.09	12,18,38,46	2
3	FLC	С	1201[A]	13/13	0.96	0.08	13,16,24,26	0
2	COA	В	1201[A]	48/48	0.97	0.10	6,11,20,29	80
3	FLC	В	1202[A]	13/13	0.97	0.07	10,14,19,20	0
5	SO4	D	1203	5/5	0.99	0.08	13,13,16,20	5

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

6.5 Other polymers (i)

There are no such residues in this entry.

