



# Full wwPDB X-ray Structure Validation Report ⓘ

Dec 24, 2024 – 10:15 AM JST

PDB ID : 9IUO  
Title : Human MTHFD1 in complex with compound 16d  
Authors : Lee, L.C.; Wu, S.Y.  
Deposited on : 2024-07-22  
Resolution : 2.09 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.21  
EDS : 3.0  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.004 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.40


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.09 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	6234 (2.10-2.10)
Clashscore	180529	6893 (2.10-2.10)
Ramachandran outliers	177936	6839 (2.10-2.10)
Sidechain outliers	177891	6840 (2.10-2.10)
RSRZ outliers	164620	6234 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	308	 84% 9% 7%
1	B	308	 86% 7% 7%
1	C	308	 89% 5% 5%
1	D	308	 83% 9% 7%

## 2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 9289 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called C-1-tetrahydrofolate synthase, cytoplasmic, N-terminally processed.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	287	2157	1357	373	416	11	0	0	0
1	B	286	2144	1351	366	416	11	0	0	0
1	C	293	2203	1385	384	423	11	0	0	0
1	D	286	2146	1351	373	411	11	0	0	0

There are 36 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	134	ARG	LYS	variant	UNP P11586
A	302	LEU	-	expression tag	UNP P11586
A	303	GLU	-	expression tag	UNP P11586
A	304	HIS	-	expression tag	UNP P11586
A	305	HIS	-	expression tag	UNP P11586
A	306	HIS	-	expression tag	UNP P11586
A	307	HIS	-	expression tag	UNP P11586
A	308	HIS	-	expression tag	UNP P11586
A	309	HIS	-	expression tag	UNP P11586
B	134	ARG	LYS	variant	UNP P11586
B	302	LEU	-	expression tag	UNP P11586
B	303	GLU	-	expression tag	UNP P11586
B	304	HIS	-	expression tag	UNP P11586
B	305	HIS	-	expression tag	UNP P11586
B	306	HIS	-	expression tag	UNP P11586
B	307	HIS	-	expression tag	UNP P11586
B	308	HIS	-	expression tag	UNP P11586
B	309	HIS	-	expression tag	UNP P11586
C	134	ARG	LYS	variant	UNP P11586
C	302	LEU	-	expression tag	UNP P11586

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	303	GLU	-	expression tag	UNP P11586
C	304	HIS	-	expression tag	UNP P11586
C	305	HIS	-	expression tag	UNP P11586
C	306	HIS	-	expression tag	UNP P11586
C	307	HIS	-	expression tag	UNP P11586
C	308	HIS	-	expression tag	UNP P11586
C	309	HIS	-	expression tag	UNP P11586
D	134	ARG	LYS	variant	UNP P11586
D	302	LEU	-	expression tag	UNP P11586
D	303	GLU	-	expression tag	UNP P11586
D	304	HIS	-	expression tag	UNP P11586
D	305	HIS	-	expression tag	UNP P11586
D	306	HIS	-	expression tag	UNP P11586
D	307	HIS	-	expression tag	UNP P11586
D	308	HIS	-	expression tag	UNP P11586
D	309	HIS	-	expression tag	UNP P11586

- Molecule 2 is (2 {S})-2-[[4-[[2,4-bis(azanyl)-6-oxidanylidene-1 {H}-pyrimidin-5-yl]carbamoilamino]-3-methyl-phenyl]carbonylamino]pentanedioic acid (three-letter code: A1L25) (formula: C<sub>18</sub>H<sub>21</sub>N<sub>7</sub>O<sub>7</sub>) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
			Total	C	N			O
2	A	1	Total	C	N	O	0	0
			32	18	7	7		
2	B	1	Total	C	N	O	0	0
			32	18	7	7		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	C	1	Total	C	N	O	0	0
			32	18	7	7		
2	D	1	Total	C	N	O	0	0
			32	18	7	7		

- Molecule 3 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: C<sub>21</sub>H<sub>28</sub>N<sub>7</sub>O<sub>17</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			39	15	5	16	3		
3	B	1	Total	C	N	O	P	0	0
			32	11	5	13	3		
3	C	1	Total	C	N	O	P	0	0
			39	15	5	16	3		
3	D	1	Total	C	N	O	P	0	0
			39	15	5	16	3		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	93	Total	O	0	0
			93	93		
4	B	103	Total	O	0	0
			103	103		
4	C	105	Total	O	0	0
			105	105		

Continued on next page...


*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
4	D	61	Total	O	0	0
			61	61		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: C-1-tetrahydrofolate synthase, cytoplasmic, N-terminally processed




- Molecule 1: C-1-tetrahydrofolate synthase, cytoplasmic, N-terminally processed



- Molecule 1: C-1-tetrahydrofolate synthase, cytoplasmic, N-terminally processed



- Molecule 1: C-1-tetrahydrofolate synthase, cytoplasmic, N-terminally processed



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	65.00Å 200.28Å 239.04Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.89 – 2.09 29.89 – 2.09	Depositor EDS
% Data completeness (in resolution range)	98.6 (29.89-2.09) 99.1 (29.89-2.09)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.91 (at 2.08Å)	Xtrriage
Refinement program	PHENIX 1.21.1_5286_000	Depositor
R, $R_{free}$	0.211 , 0.259 0.211 , 0.258	Depositor DCC
$R_{free}$ test set	4670 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	36.7	Xtrriage
Anisotropy	0.138	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 38.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.43$ , $\langle L^2 \rangle = 0.25$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	9289	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	41.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.72% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: A1L25, NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.40	0/2190	0.60	0/2976
1	B	0.44	0/2177	0.58	0/2959
1	C	0.38	0/2236	0.57	0/3036
1	D	0.36	0/2179	0.58	0/2961
All	All	0.40	0/8782	0.58	0/11932

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2157	0	2190	18	0
1	B	2144	0	2175	10	0
1	C	2203	0	2239	10	0
1	D	2146	0	2178	19	0
2	A	32	0	0	3	0
2	B	32	0	0	0	0
2	C	32	0	0	1	0
2	D	32	0	0	2	0
3	A	39	0	18	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	32	0	11	1	0
3	C	39	0	18	2	0
3	D	39	0	18	1	0
4	A	93	0	0	0	0
4	B	103	0	0	0	0
4	C	105	0	0	0	0
4	D	61	0	0	0	0
All	All	9289	0	8847	58	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (58) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:72:LEU:HB3	1:A:76:THR:HG21	1.60	0.83
1:D:201:HIS:HB3	1:D:204:GLU:HG3	1.69	0.72
1:C:240:TYR:HB3	1:C:250:ARG:HD3	1.71	0.71
1:A:101:LEU:HD12	1:A:176:ILE:HD11	1.73	0.70
1:D:27:LEU:HD11	1:D:295:LEU:HD11	1.78	0.64
1:A:237:GLY:O	1:A:238:ILE:HD13	2.02	0.59
1:C:8:ASN:CG	1:C:11:GLU:HG3	2.23	0.59
1:D:150:LYS:HE3	1:D:282:MET:HE3	1.85	0.58
1:D:85:ILE:HD11	1:D:114:VAL:HG13	1.88	0.56
1:D:125:ASP:OD2	2:D:401:A1L25:N02	2.39	0.56
1:A:241:VAL:HG23	1:A:251:LYS:HG3	1.89	0.55
1:B:110:ASN:HB3	1:B:113:GLU:HB2	1.89	0.54
1:C:215:ALA:HB1	3:C:402:NAP:H4D	1.90	0.53
1:B:53:ILE:HG21	1:B:69:HIS:CE1	2.45	0.52
1:D:20:LEU:O	1:D:24:VAL:HG23	2.10	0.51
1:A:55:VAL:HG11	2:A:401:A1L25:O31	2.11	0.51
1:B:295:LEU:O	1:B:296:GLU:HG3	2.10	0.51
3:B:402:NAP:O5D	3:B:402:NAP:H52A	2.10	0.50
1:A:205:GLU:HA	1:A:208:LYS:HD2	1.92	0.50
1:C:125:ASP:HB3	1:C:127:LEU:HD13	1.94	0.49
1:C:207:ASN:O	1:C:228:LYS:HB2	2.13	0.49
1:D:22:ASN:O	1:D:26:GLN:HG2	2.13	0.49
1:A:73:PRO:O	1:A:76:THR:HG23	2.13	0.49
1:D:6:ILE:HD12	1:D:258:TYR:OH	2.13	0.49
1:A:125:ASP:OD2	2:A:401:A1L25:N09	2.47	0.47
1:A:237:GLY:HA2	3:A:402:NAP:O3D	2.13	0.47

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:239:ASN:O	1:D:252:VAL:HA	2.14	0.47
1:A:144:PHE:HZ	1:A:290:SER:HB3	1.79	0.47
1:B:6:ILE:HG23	1:B:270:PRO:HD3	1.96	0.47
1:C:75:THR:HG22	1:C:106:GLU:OE1	2.14	0.47
1:D:224:GLY:O	1:D:264:ARG:HD2	2.15	0.47
1:A:97:PHE:CZ	1:A:118:ILE:HG23	2.49	0.46
1:A:6:ILE:HD11	1:A:262:LYS:HE2	1.97	0.46
1:D:278:MET:O	1:D:282:MET:HG2	2.16	0.46
1:C:243:ASP:OD2	1:C:246:LYS:HE3	2.15	0.45
1:A:44:GLY:HA3	1:A:104:ASP:HB3	1.98	0.45
1:B:224:GLY:HA3	1:B:260:GLU:HB2	1.99	0.45
1:A:125:ASP:OD2	2:A:401:A1L25:N02	2.51	0.44
1:D:55:VAL:HG11	2:D:401:A1L25:O32	2.17	0.44
1:D:85:ILE:CD1	1:D:114:VAL:HG13	2.48	0.43
1:B:145:ILE:HG22	1:B:150:LYS:HG3	2.01	0.43
1:A:125:ASP:HB3	1:A:127:LEU:HG	2.01	0.42
1:B:44:GLY:HA2	1:B:74:ARG:HG2	2.01	0.42
1:C:174:SER:HB3	3:C:402:NAP:H52A	2.01	0.42
1:B:148:THR:HB	1:B:149:PRO:HD3	2.02	0.42
1:A:54:ASN:OD1	1:A:58:LYS:HE3	2.20	0.41
1:C:125:ASP:OD2	2:C:401:A1L25:N09	2.53	0.41
1:B:28:LYS:HE3	1:B:28:LYS:HB2	1.75	0.41
1:A:110:ASN:HB3	1:A:113:GLU:HB2	2.02	0.41
1:B:207:ASN:O	1:B:228:LYS:HB2	2.21	0.41
1:D:137:ARG:HA	1:D:137:ARG:HD3	1.91	0.41
1:D:255:ASP:OD2	3:D:402:NAP:O3D	2.37	0.41
1:D:252:VAL:HG13	1:D:272:PRO:HD3	2.02	0.41
1:D:110:ASN:HB3	1:D:113:GLU:HB2	2.02	0.41
1:C:58:LYS:HE3	1:C:62:GLU:OE2	2.21	0.40
1:A:74:ARG:HE	1:A:74:ARG:HB3	1.62	0.40
1:D:7:LEU:HD23	1:D:7:LEU:HA	1.91	0.40
1:D:224:GLY:HA3	1:D:260:GLU:HB2	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	283/308 (92%)	276 (98%)	7 (2%)	0	100	100
1	B	282/308 (92%)	273 (97%)	9 (3%)	0	100	100
1	C	289/308 (94%)	283 (98%)	6 (2%)	0	100	100
1	D	282/308 (92%)	275 (98%)	7 (2%)	0	100	100
All	All	1136/1232 (92%)	1107 (97%)	29 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	237/260 (91%)	235 (99%)	2 (1%)	79	84
1	B	236/260 (91%)	234 (99%)	2 (1%)	79	84
1	C	240/260 (92%)	236 (98%)	4 (2%)	56	63
1	D	234/260 (90%)	229 (98%)	5 (2%)	48	55
All	All	947/1040 (91%)	934 (99%)	13 (1%)	62	70

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	125	ASP
1	A	259	ASP
1	B	108	SER
1	B	125	ASP
1	C	74	ARG
1	C	108	SER
1	C	125	ASP
1	C	250	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	29	GLU
1	D	76	THR
1	D	125	ASP
1	D	143	CYS
1	D	264	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAP	D	402	-	36,42,52	1.46	3 (8%)	43,65,80	1.13	4 (9%)
2	A1L25	B	401	-	32,33,33	3.86	13 (40%)	41,46,46	1.32	7 (17%)
3	NAP	C	402	-	36,42,52	1.50	3 (8%)	43,65,80	1.17	2 (4%)
3	NAP	A	402	-	36,42,52	1.71	3 (8%)	43,65,80	1.30	6 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	A1L25	D	401	-	32,33,33	3.88	14 (43%)	41,46,46	1.45	7 (17%)
2	A1L25	A	401	-	32,33,33	3.87	15 (46%)	41,46,46	1.88	12 (29%)
2	A1L25	C	401	-	32,33,33	3.89	16 (50%)	41,46,46	1.70	10 (24%)
3	NAP	B	402	-	28,34,52	1.60	3 (10%)	34,53,80	1.01	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAP	D	402	-	-	9/23/56/67	0/4/4/5
2	A1L25	B	401	-	-	2/25/25/25	0/2/2/2
3	NAP	C	402	-	-	8/23/56/67	0/4/4/5
3	NAP	A	402	-	-	9/23/56/67	0/4/4/5
2	A1L25	D	401	-	-	8/25/25/25	0/2/2/2
2	A1L25	A	401	-	-	6/25/25/25	0/2/2/2
2	A1L25	C	401	-	-	6/25/25/25	0/2/2/2
3	NAP	B	402	-	-	7/20/40/67	0/3/3/5

All (70) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	A1L25	C15-C16	9.55	1.53	1.39
2	A	401	A1L25	C15-C16	9.24	1.53	1.39
2	D	401	A1L25	C15-C16	9.17	1.53	1.39
2	C	401	A1L25	C15-C16	9.03	1.52	1.39
2	A	401	A1L25	O21-C03	8.83	1.40	1.23
2	B	401	A1L25	O21-C03	8.82	1.40	1.23
2	D	401	A1L25	O21-C03	8.71	1.40	1.23
2	C	401	A1L25	O21-C03	8.37	1.39	1.23
3	A	402	NAP	P2B-O2B	8.13	1.74	1.59
2	B	401	A1L25	C12-C11	8.11	1.53	1.39
2	D	401	A1L25	C13-C14	8.06	1.53	1.39
2	C	401	A1L25	C13-C14	8.04	1.53	1.39
2	A	401	A1L25	C13-C14	8.03	1.53	1.39
2	C	401	A1L25	C12-C11	7.99	1.53	1.39
2	B	401	A1L25	C13-C14	7.86	1.52	1.39
2	D	401	A1L25	C12-C11	7.66	1.52	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	A1L25	C12-C11	7.42	1.52	1.39
3	B	402	NAP	P2B-O2B	6.71	1.72	1.59
3	C	402	NAP	P2B-O2B	6.65	1.71	1.59
3	D	402	NAP	P2B-O2B	6.59	1.71	1.59
2	C	401	A1L25	C17-N18	6.36	1.48	1.34
2	D	401	A1L25	C17-N18	5.89	1.47	1.34
2	A	401	A1L25	C17-N18	5.56	1.46	1.34
2	D	401	A1L25	C15-C14	-5.06	1.32	1.39
2	B	401	A1L25	C17-N18	5.04	1.45	1.34
2	C	401	A1L25	C01-N09	4.94	1.45	1.34
2	B	401	A1L25	C01-N09	4.93	1.45	1.34
2	A	401	A1L25	C05-N23	4.84	1.46	1.34
2	C	401	A1L25	C15-C14	-4.84	1.32	1.39
2	D	401	A1L25	C01-N09	4.78	1.45	1.34
2	B	401	A1L25	C15-C14	-4.72	1.32	1.39
2	A	401	A1L25	C15-C14	-4.66	1.32	1.39
2	C	401	A1L25	C11-C16	-4.54	1.31	1.40
2	D	401	A1L25	C05-N23	4.36	1.45	1.34
2	A	401	A1L25	C01-N09	4.29	1.44	1.34
2	D	401	A1L25	C11-C16	-4.28	1.31	1.40
2	C	401	A1L25	C05-N23	4.19	1.45	1.34
2	A	401	A1L25	C11-C16	-4.12	1.32	1.40
2	B	401	A1L25	C11-C16	-4.01	1.32	1.40
2	B	401	A1L25	C08-N10	4.00	1.45	1.37
2	C	401	A1L25	C01-N06	3.97	1.42	1.33
2	B	401	A1L25	C05-N23	3.95	1.44	1.34
2	D	401	A1L25	C08-N10	3.88	1.45	1.37
2	B	401	A1L25	C12-C13	-3.78	1.31	1.38
2	D	401	A1L25	C12-C13	-3.76	1.31	1.38
2	A	401	A1L25	C12-C13	-3.64	1.32	1.38
2	B	401	A1L25	C01-N06	3.56	1.41	1.33
2	C	401	A1L25	C12-C13	-3.55	1.32	1.38
2	A	401	A1L25	C08-N10	3.44	1.44	1.37
2	D	401	A1L25	C01-N06	3.25	1.41	1.33
2	C	401	A1L25	C08-N10	3.15	1.44	1.37
2	B	401	A1L25	C08-N22	2.98	1.46	1.39
2	A	401	A1L25	C01-N06	2.88	1.40	1.33
2	A	401	A1L25	O19-C17	-2.71	1.17	1.23
3	C	402	NAP	C8A-N7A	-2.66	1.30	1.34
2	D	401	A1L25	O19-C17	-2.59	1.18	1.23
2	C	401	A1L25	O19-C17	-2.55	1.18	1.23
3	B	402	NAP	C8A-N7A	-2.47	1.30	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	A1L25	C08-N22	2.46	1.45	1.39
2	A	401	A1L25	C29-C30	2.40	1.56	1.50
3	B	402	NAP	PN-O5D	2.37	1.67	1.59
2	C	401	A1L25	C08-N22	2.31	1.44	1.39
3	A	402	NAP	O4D-C1D	-2.19	1.39	1.43
2	C	401	A1L25	O32-C30	2.17	1.29	1.22
3	D	402	NAP	C8A-N7A	-2.15	1.30	1.34
3	D	402	NAP	O4D-C1D	-2.14	1.39	1.43
2	C	401	A1L25	O07-C08	-2.12	1.18	1.23
2	D	401	A1L25	C08-N22	2.12	1.44	1.39
3	A	402	NAP	C4A-N3A	-2.10	1.32	1.35
3	C	402	NAP	O4D-C1D	-2.05	1.39	1.43

All (49) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	A1L25	C20-N18-C17	5.23	134.39	121.60
2	A	401	A1L25	C28-C20-C25	4.55	121.32	110.35
2	D	401	A1L25	C20-N18-C17	4.41	132.40	121.60
2	C	401	A1L25	C29-C28-C20	-4.10	105.48	113.16
3	D	402	NAP	O2D-C2D-C3D	4.05	118.93	111.27
2	C	401	A1L25	O21-C03-C04	-3.89	118.31	127.24
2	C	401	A1L25	C01-N02-C03	-3.70	118.35	125.10
3	A	402	NAP	O4D-C4D-C3D	3.42	107.73	104.70
2	A	401	A1L25	O26-C25-O27	-3.35	116.48	124.09
2	C	401	A1L25	C01-N06-C05	3.15	120.65	113.94
2	A	401	A1L25	O31-C30-O32	-3.13	115.50	123.30
2	C	401	A1L25	C04-C03-N02	2.94	121.06	112.31
2	D	401	A1L25	C01-N06-C05	2.87	120.06	113.94
2	A	401	A1L25	C01-N02-C03	-2.84	119.92	125.10
2	B	401	A1L25	C01-N06-C05	2.80	119.91	113.94
3	A	402	NAP	C1D-C2D-C3D	2.73	105.78	101.63
2	A	401	A1L25	C29-C28-C20	2.68	118.17	113.16
2	D	401	A1L25	O26-C25-O27	-2.64	118.10	124.09
2	A	401	A1L25	O26-C25-C20	2.63	122.15	113.40
2	B	401	A1L25	C01-N02-C03	-2.57	120.41	125.10
2	A	401	A1L25	C01-N06-C05	2.54	119.36	113.94
2	B	401	A1L25	O21-C03-C04	-2.50	121.51	127.24
2	C	401	A1L25	N23-C05-N06	2.50	121.31	116.28
2	C	401	A1L25	C03-C04-N22	-2.46	114.00	118.45
2	B	401	A1L25	C29-C28-C20	-2.45	108.58	113.16
2	A	401	A1L25	C28-C20-N18	2.45	115.82	110.88

*Continued on next page...*



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	402	NAP	O5D-PN-O1N	-2.44	99.53	109.07
3	C	402	NAP	O5D-C5D-C4D	2.44	117.39	108.99
2	B	401	A1L25	O26-C25-C20	2.43	121.49	113.40
2	C	401	A1L25	O26-C25-O27	-2.39	118.66	124.09
2	B	401	A1L25	C04-C03-N02	2.38	119.40	112.31
2	D	401	A1L25	C01-N02-C03	-2.35	120.82	125.10
2	C	401	A1L25	C20-N18-C17	2.29	127.20	121.60
3	D	402	NAP	O2B-P2B-O1X	-2.27	100.62	109.39
2	D	401	A1L25	C04-C03-N02	2.27	119.07	112.31
3	C	402	NAP	O2D-C2D-C3D	2.26	115.56	111.27
3	D	402	NAP	C5A-C6A-N6A	2.24	123.75	120.35
3	A	402	NAP	C5A-C6A-N6A	2.23	123.74	120.35
2	C	401	A1L25	C25-C20-N18	2.23	115.83	110.55
3	A	402	NAP	O3X-P2B-O2X	2.20	116.05	107.64
2	D	401	A1L25	O31-C30-C29	2.18	121.04	114.03
2	A	401	A1L25	C24-C16-C11	-2.14	118.83	121.25
2	D	401	A1L25	O26-C25-C20	2.12	120.46	113.40
3	D	402	NAP	O2A-PA-O1A	2.08	122.50	112.24
2	A	401	A1L25	C04-C03-N02	2.06	118.43	112.31
3	B	402	NAP	O2N-PN-O1N	2.04	122.33	112.24
2	A	401	A1L25	C25-C20-N18	-2.03	105.73	110.55
3	A	402	NAP	O2N-PN-O1N	2.03	122.28	112.24
2	B	401	A1L25	O26-C25-O27	-2.01	119.52	124.09

There are no chirality outliers.

All (55) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	A1L25	C28-C20-N18-C17
2	D	401	A1L25	C28-C20-N18-C17
3	A	402	NAP	C5B-O5B-PA-O2A
3	A	402	NAP	C5D-O5D-PN-O3
3	A	402	NAP	C5D-O5D-PN-O2N
3	B	402	NAP	PN-O3-PA-O5B
3	B	402	NAP	C2B-O2B-P2B-O2X
3	C	402	NAP	C5B-O5B-PA-O1A
3	C	402	NAP	C5B-O5B-PA-O3
3	C	402	NAP	C2B-O2B-P2B-O1X
3	C	402	NAP	C2B-O2B-P2B-O3X
3	D	402	NAP	C2B-O2B-P2B-O1X
3	D	402	NAP	C5D-O5D-PN-O1N
2	C	401	A1L25	C28-C20-N18-C17

Continued on next page...

*Continued from previous page...*



Mol	Chain	Res	Type	Atoms
2	D	401	A1L25	C13-C14-C17-O19
2	D	401	A1L25	C13-C14-C17-N18
2	D	401	A1L25	C15-C14-C17-O19
2	D	401	A1L25	C15-C14-C17-N18
2	A	401	A1L25	N18-C20-C28-C29
2	D	401	A1L25	N18-C20-C28-C29
3	B	402	NAP	C3B-C4B-C5B-O5B
3	D	402	NAP	O4B-C4B-C5B-O5B
2	C	401	A1L25	N18-C20-C28-C29
2	A	401	A1L25	C25-C20-C28-C29
2	C	401	A1L25	C25-C20-C28-C29
2	D	401	A1L25	C25-C20-C28-C29
3	B	402	NAP	O4B-C4B-C5B-O5B
3	A	402	NAP	C1B-C2B-O2B-P2B
3	B	402	NAP	C1B-C2B-O2B-P2B
3	A	402	NAP	C3B-C2B-O2B-P2B
3	B	402	NAP	C3B-C2B-O2B-P2B
3	C	402	NAP	C3B-C2B-O2B-P2B
3	D	402	NAP	C3B-C2B-O2B-P2B
3	C	402	NAP	C1B-C2B-O2B-P2B
3	D	402	NAP	C1B-C2B-O2B-P2B
3	B	402	NAP	C5D-O5D-PN-O1N
3	A	402	NAP	PN-O3-PA-O5B
2	C	401	A1L25	C25-C20-N18-C17
3	A	402	NAP	C5B-O5B-PA-O3
3	D	402	NAP	C5B-O5B-PA-O3
3	D	402	NAP	C5D-O5D-PN-O3
3	C	402	NAP	C5B-O5B-PA-O2A
2	B	401	A1L25	C28-C29-C30-O31
2	B	401	A1L25	C28-C29-C30-O32
2	C	401	A1L25	C28-C29-C30-O32
2	A	401	A1L25	C28-C29-C30-O31
2	A	401	A1L25	C28-C29-C30-O32
2	C	401	A1L25	C28-C29-C30-O31
2	D	401	A1L25	C20-C28-C29-C30
3	C	402	NAP	O4D-C4D-C5D-O5D
3	A	402	NAP	C5B-O5B-PA-O1A
3	D	402	NAP	C5B-O5B-PA-O1A
3	D	402	NAP	C5D-O5D-PN-O2N
3	A	402	NAP	O4B-C4B-C5B-O5B
2	A	401	A1L25	C13-C14-C17-N18


There are no ring outliers.


7 monomers are involved in 11 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	402	NAP	1	0
3	C	402	NAP	2	0
3	A	402	NAP	1	0
2	D	401	A1L25	2	0
2	A	401	A1L25	3	0
2	C	401	A1L25	1	0
3	B	402	NAP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.



## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	287/308 (93%)	-0.14	3 (1%) 79 80	20, 35, 57, 81	0
1	B	286/308 (92%)	-0.05	5 (1%) 69 70	23, 38, 58, 74	0
1	C	293/308 (95%)	-0.01	2 (0%) 84 85	25, 38, 62, 77	0
1	D	286/308 (92%)	0.22	4 (1%) 73 74	30, 45, 64, 80	0
All	All	1152/1232 (93%)	0.00	14 (1%) 76 77	20, 39, 61, 81	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	296	GLU	3.4
1	D	294	PHE	3.0
1	C	2	ALA	3.0
1	A	33	GLY	2.9
1	B	31	VAL	2.8
1	B	294	PHE	2.6
1	D	3	PRO	2.4
1	D	241	VAL	2.3
1	A	242	PRO	2.3
1	B	142	ASP	2.2
1	C	249	GLY	2.2
1	A	19	ARG	2.2
1	B	33	GLY	2.1
1	D	242	PRO	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates

There are no monosaccharides in this entry.

### 6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	A1L25	D	401	32/32	0.90	0.12	30,47,63,65	0
2	A1L25	C	401	32/32	0.91	0.11	33,40,60,64	0
2	A1L25	A	401	32/32	0.91	0.10	26,36,53,55	0
3	NAP	C	402	39/48	0.92	0.12	26,36,55,68	39
3	NAP	B	402	32/48	0.93	0.10	19,29,62,69	0
2	A1L25	B	401	32/32	0.94	0.09	26,36,62,65	0
3	NAP	A	402	39/48	0.94	0.10	27,34,61,72	0
3	NAP	D	402	39/48	0.94	0.10	32,48,63,72	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around A1L25 D 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around A1L25 C 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around A1L25 A 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NAP C 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAP B 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around A1L25 B 401:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around NAP A 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.