



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 20, 2023 – 02:02 PM EDT

PDB ID : 5J44
Title : Crystal structure of the Secreted Extracellular protein A (SepA) from *Shigella flexneri*
Authors : Birtley, J.R.; Stern, L.J.; McCormick, B.; Maldonado-Contreras, A.
Deposited on : 2016-03-31
Resolution : 2.91 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.91 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2307 (2.94-2.90)
Clashscore	141614	2531 (2.94-2.90)
Ramachandran outliers	138981	2462 (2.94-2.90)
Sidechain outliers	138945	2464 (2.94-2.90)
RSRZ outliers	127900	2248 (2.94-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1033	 3% 84% 13%
1	B	1033	 13% 86% 11%

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 15034 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine protease SepA autotransporter.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	1006	7500	4650	1290	1543	17	0	0	0
1	B	1006	7500	4650	1290	1543	17	0	0	0

- Molecule 2 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (three-letter code: EPE) (formula: C₈H₁₈N₂O₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
2	A	1	15	8	2	4	1	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	12	Total 12 O 12	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	7	Total	O	0	0
			7	7		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Serine protease SepA autotransporter



- Molecule 1: Serine protease SepA autotransporter





4 Data and refinement statistics i

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	143.52Å 143.52Å 269.25Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	72.76 – 2.91 91.32 – 2.91	Depositor EDS
% Data completeness (in resolution range)	99.9 (72.76-2.91) 100.0 (91.32-2.91)	Depositor EDS
R_{merge}	0.32	Depositor
R_{sym}	0.30	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.79 (at 2.91Å)	Xtrriage
Refinement program	PHENIX (1.10_2155: ???)	Depositor
R, R_{free}	0.214 , 0.239 0.217 , 0.242	Depositor DCC
R_{free} test set	3584 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	45.3	Xtrriage
Anisotropy	0.334	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 41.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	0.036 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	15034	wwPDB-VP
Average B, all atoms (Å ²)	70.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EPE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.24	0/7628	0.46	0/10353
1	B	0.24	0/7628	0.46	0/10353
All	All	0.24	0/15256	0.46	0/20706

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7500	0	7282	75	1
1	B	7500	0	7282	65	0
2	A	15	0	17	1	0
3	A	12	0	0	1	0
3	B	7	0	0	0	0
All	All	15034	0	14581	140	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (140) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:584:ASP:OD2	1:B:604:GLY:HA3	1.79	0.82
1:A:277:ALA:O	1:A:278:ASN:ND2	2.12	0.80
1:A:482:THR:HG21	1:A:560:SER:HA	1.65	0.76
1:A:498:PHE:HA	1:A:526:PRO:HB3	1.70	0.74
1:A:178:LEU:HD13	1:A:187:ILE:HD12	1.69	0.73
1:B:178:LEU:HD13	1:B:187:ILE:HD12	1.69	0.72
1:A:899:ASP:OD2	1:A:900:GLY:N	2.20	0.71
1:B:127:ILE:HD11	1:B:139:ARG:HD3	1.75	0.68
1:A:533:ASN:OD1	1:A:534:SER:N	2.27	0.67
1:A:473:LYS:HD3	1:A:574:ASP:OD2	1.95	0.67
1:A:292:MET:HG3	1:A:306:LEU:HD11	1.76	0.67
1:B:1:ALA:N	1:B:205:TYR:O	2.28	0.66
1:B:580:LEU:N	1:B:584:ASP:OD1	2.20	0.66
1:B:674:ASP:HB3	1:B:677:ASP:HB2	1.77	0.66
1:B:564:MET:HB2	1:B:683:VAL:HG11	1.78	0.65
1:A:1:ALA:N	1:A:205:TYR:O	2.29	0.65
1:A:674:ASP:HB3	1:A:677:ASP:HB2	1.80	0.64
1:A:520:LYS:HE3	1:A:538:GLN:HB2	1.79	0.64
1:A:727:ASP:OD1	1:A:747:ASN:ND2	2.30	0.63
1:B:292:MET:HG3	1:B:306:LEU:HD11	1.80	0.63
1:A:127:ILE:HD11	1:A:139:ARG:HD3	1.80	0.61
1:B:50:PHE:HB3	1:B:146:LEU:HD22	1.82	0.61
1:B:206:LEU:HD12	1:B:231:LEU:HD13	1.84	0.59
1:B:896:GLU:HA	1:B:919:LEU:HB3	1.85	0.59
1:B:516:TYR:CZ	1:B:544:ARG:HB3	2.38	0.58
1:B:473:LYS:HD3	1:B:574:ASP:OD2	2.03	0.58
1:A:467:THR:HG22	1:A:570:ASN:HB2	1.86	0.58
1:A:50:PHE:HB3	1:A:146:LEU:HD22	1.86	0.58
1:B:580:LEU:HB2	1:B:584:ASP:HA	1.87	0.57
1:A:643:THR:HG23	1:A:663:THR:HB	1.88	0.56
1:A:562:PRO:O	1:A:685:SER:OG	2.17	0.56
1:B:562:PRO:HD3	1:B:583:LYS:HD3	1.87	0.55
1:A:658:ALA:HB1	1:A:662:SER:HB2	1.88	0.55
1:B:562:PRO:O	1:B:685:SER:OG	2.18	0.55
1:A:562:PRO:HD3	1:A:583:LYS:HD3	1.88	0.55
1:B:382:THR:HG22	1:B:401:GLN:HB2	1.88	0.55
1:A:922:THR:HG22	1:A:924:ASN:H	1.71	0.55
1:A:390:LYS:NZ	3:A:1201:HOH:O	2.39	0.54
1:A:957:VAL:HG23	1:A:1000:LEU:HB3	1.90	0.53
1:B:921:HIS:ND1	1:B:928:ASP:OD2	2.30	0.53
1:A:564:MET:HB2	1:A:683:VAL:HG11	1.89	0.53
1:B:897:LEU:HD12	1:B:920:MET:HG3	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:739:PHE:HB2	1:A:760:ALA:HA	1.90	0.52
1:B:727:ASP:OD1	1:B:747:ASN:ND2	2.40	0.51
1:B:922:THR:HG22	1:B:924:ASN:H	1.75	0.51
1:B:721:GLY:O	1:B:740:ASP:N	2.43	0.51
1:A:360:GLN:HG2	1:A:380:ASN:HB3	1.93	0.51
1:A:66:THR:OG1	1:A:214:PRO:HG3	2.11	0.51
1:A:206:LEU:HD12	1:A:231:LEU:HD13	1.92	0.51
1:A:872:MET:HE2	1:A:893:SER:HB3	1.93	0.50
1:B:66:THR:OG1	1:B:214:PRO:HG3	2.11	0.50
1:B:12:PHE:HB3	1:B:171:VAL:HG13	1.93	0.50
1:B:658:ALA:HB1	1:B:662:SER:HB2	1.93	0.50
1:A:270:LEU:HD23	1:A:285:GLN:HB2	1.94	0.50
1:B:739:PHE:HB2	1:B:760:ALA:HA	1.93	0.50
1:B:403:ASP:OD1	1:B:404:ALA:N	2.43	0.50
1:A:497:ILE:O	1:A:527:PHE:N	2.35	0.49
1:A:178:LEU:HB3	1:A:187:ILE:HB	1.93	0.49
1:B:43:ASP:C	1:B:45:ALA:H	2.16	0.49
1:B:922:THR:HG23	1:B:927:ALA:HB2	1.94	0.49
1:A:924:ASN:N	1:A:924:ASN:HD22	2.11	0.48
1:A:403:ASP:OD1	1:A:404:ALA:N	2.43	0.48
1:A:922:THR:HG23	1:A:927:ALA:HB2	1.95	0.48
1:B:126:ASP:OD1	1:B:126:ASP:N	2.46	0.48
1:A:146:LEU:O	1:A:213:SER:HB2	2.13	0.48
1:A:599:ILE:HG13	1:A:634:LEU:HD21	1.95	0.48
1:B:536:VAL:HG23	1:B:537:TRP:CD1	2.49	0.48
1:A:12:PHE:HB3	1:A:171:VAL:HG13	1.95	0.48
1:B:235:THR:HG23	1:B:237:TYR:H	1.79	0.48
1:B:924:ASN:HD22	1:B:924:ASN:N	2.11	0.48
1:A:261:ILE:HD13	1:A:283:LEU:HD22	1.96	0.47
1:B:524:TYR:HB2	1:B:530:ASP:OD2	2.14	0.47
1:B:497:ILE:HG22	1:B:498:PHE:H	1.79	0.47
1:B:957:VAL:HG23	1:B:1000:LEU:HB3	1.96	0.47
1:B:146:LEU:O	1:B:213:SER:HB2	2.15	0.47
1:B:232:SER:HB2	1:B:242:VAL:HG23	1.97	0.47
1:A:721:GLY:O	1:A:740:ASP:N	2.47	0.47
1:B:360:GLN:HG2	1:B:380:ASN:HB3	1.96	0.47
1:A:963:PRO:O	1:A:966:SER:OG	2.29	0.46
1:A:176:SER:OG	1:A:177:ALA:N	2.49	0.46
1:B:178:LEU:HB3	1:B:187:ILE:HB	1.97	0.46
1:A:765:PHE:HB2	2:A:1101:EPE:H81	1.97	0.46
1:B:648:ARG:NH2	1:B:697:ASP:OD2	2.49	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:910:GLU:HG3	1:B:935:LYS:HB3	1.98	0.46
1:A:599:ILE:HD12	1:A:634:LEU:HD11	1.98	0.45
1:B:176:SER:OG	1:B:177:ALA:N	2.49	0.45
1:B:739:PHE:HD2	1:B:764:ILE:HD11	1.81	0.45
1:B:813:LYS:HA	1:B:857:ALA:HB2	1.99	0.45
1:A:235:THR:HG23	1:A:237:TYR:H	1.81	0.45
1:A:500:GLY:HA3	1:A:524:TYR:CZ	2.52	0.45
1:A:828:ALA:HA	1:A:867:GLN:O	2.17	0.45
1:B:516:TYR:CE2	1:B:544:ARG:HB3	2.52	0.45
1:A:232:SER:HB2	1:A:242:VAL:HG23	1.98	0.44
1:B:270:LEU:HD23	1:B:285:GLN:HB2	2.00	0.44
1:A:675:ARG:HB2	1:A:684:SER:HB2	1.99	0.43
1:A:186:MET:HG2	1:A:242:VAL:HA	1.98	0.43
1:A:382:THR:HG22	1:A:401:GLN:HB2	1.99	0.43
1:A:6:GLU:HG3	1:A:156:LYS:HE3	2.01	0.43
1:A:31:ILE:HD13	1:A:202:LEU:HG	2.00	0.43
1:A:60:LEU:HB3	1:A:64:ASP:OD2	2.18	0.43
1:A:315:VAL:HB	1:A:336:VAL:HG22	2.01	0.43
1:B:500:GLY:HA3	1:B:524:TYR:CZ	2.53	0.43
1:A:359:TRP:HB2	1:A:377:LEU:HD11	1.99	0.43
1:A:508:TYR:HE2	1:A:519:LEU:HD22	1.83	0.43
1:B:180:SER:HB3	1:B:184:GLY:HA2	2.00	0.43
1:B:31:ILE:HD11	1:B:42:LEU:HG	2.01	0.43
1:A:880:ASP:O	1:A:899:ASP:HB2	2.18	0.42
1:B:42:LEU:HD23	1:B:42:LEU:HA	1.89	0.42
1:B:899:ASP:CG	1:B:900:GLY:H	2.22	0.42
1:A:71:GLN:NE2	1:A:325:ALA:O	2.38	0.42
1:B:264:THR:HB	1:B:267:GLU:HG3	2.01	0.42
1:B:261:ILE:HD13	1:B:283:LEU:HD22	2.02	0.42
1:B:643:THR:HG23	1:B:663:THR:HB	2.01	0.42
1:A:536:VAL:HG23	1:A:537:TRP:CD1	2.54	0.42
1:A:92:ASN:ND2	1:A:118:GLU:HG2	2.35	0.42
1:A:180:SER:HB3	1:A:184:GLY:HA2	2.01	0.42
1:B:626:ASP:OD1	1:B:626:ASP:N	2.53	0.41
1:B:860:ARG:HA	1:B:878:TYR:HB2	2.03	0.41
1:A:885:ALA:HB3	1:A:908:VAL:HG12	2.02	0.41
1:B:92:ASN:ND2	1:B:118:GLU:HG2	2.35	0.41
1:B:467:THR:HA	1:B:570:ASN:O	2.20	0.41
1:A:126:ASP:OD1	1:A:126:ASP:N	2.54	0.41
1:A:264:THR:HB	1:A:267:GLU:HG3	2.01	0.41
1:A:739:PHE:HD2	1:A:764:ILE:HD11	1.85	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:578:PRO:HA	1:A:602:LYS:HB3	2.02	0.41
1:B:510:ASP:HB2	1:B:517:PHE:HE2	1.86	0.41
1:B:595:PRO:O	1:B:635:GLU:HB2	2.20	0.41
1:B:663:THR:HG23	1:B:712:SER:HB2	2.03	0.41
1:B:893:SER:HB2	1:B:916:THR:HG23	2.02	0.41
1:A:488:ILE:HG21	1:A:552:LYS:HG2	2.02	0.41
1:A:507:LEU:HD13	1:A:551:VAL:HG21	2.03	0.41
1:A:698:GLN:HG2	1:A:717:GLU:OE2	2.21	0.41
1:A:794:PRO:HA	1:A:815:MET:O	2.21	0.41
1:B:19:LYS:HD3	1:B:614:ILE:HG22	2.03	0.41
1:B:560:SER:OG	1:B:582:GLY:HA3	2.22	0.40
1:A:585:VAL:HG22	1:A:605:THR:HB	2.03	0.40
1:A:31:ILE:HD11	1:A:42:LEU:HG	2.04	0.40
1:A:467:THR:CG2	1:A:570:ASN:HB2	2.50	0.40
1:A:500:GLY:HA3	1:A:524:TYR:CE1	2.56	0.40
1:A:703:GLY:O	1:A:721:GLY:HA3	2.20	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:727:ASP:OD2	1:A:853:LYS:NZ[4_556]	1.88	0.32

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1004/1033 (97%)	965 (96%)	39 (4%)	0	100	100
1	B	1004/1033 (97%)	961 (96%)	43 (4%)	0	100	100
All	All	2008/2066 (97%)	1926 (96%)	82 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	816/835 (98%)	804 (98%)	12 (2%)	65	86
1	B	816/835 (98%)	802 (98%)	14 (2%)	60	84
All	All	1632/1670 (98%)	1606 (98%)	26 (2%)	62	85

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57	THR
1	A	126	ASP
1	A	145	ARG
1	A	204	ASN
1	A	278	ASN
1	A	498	PHE
1	A	511	SER
1	A	735	GLN
1	A	807	ASN
1	A	924	ASN
1	A	955	MET
1	A	966	SER
1	B	57	THR
1	B	126	ASP
1	B	145	ARG
1	B	204	ASN
1	B	498	PHE
1	B	538	GLN
1	B	540	VAL
1	B	546	LYS
1	B	549	ASP
1	B	733	THR
1	B	921	HIS
1	B	924	ASN
1	B	955	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	966	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	624	GLN
1	B	380	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	EPE	A	1101	-	15,15,15	0.82	1 (6%)	18,20,20	1.97	5 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EPE	A	1101	-	-	3/9/19/19	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1101	EPE	C10-S	2.64	1.81	1.77

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1101	EPE	C7-N4-C3	4.08	121.67	111.23
2	A	1101	EPE	C5-N4-C3	3.95	117.73	108.83
2	A	1101	EPE	C7-N4-C5	3.62	120.50	111.23
2	A	1101	EPE	O3S-S-C10	2.64	110.04	105.77
2	A	1101	EPE	C6-N1-C2	2.50	114.47	108.83

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1101	EPE	C10-C9-N1-C2
2	A	1101	EPE	C10-C9-N1-C6
2	A	1101	EPE	C8-C7-N4-C5

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1101	EPE	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1006/1033 (97%)	0.34	30 (2%) 50 46	28, 51, 106, 161	0
1	B	1006/1033 (97%)	0.80	131 (13%) 3 2	25, 65, 164, 212	0
All	All	2012/2066 (97%)	0.57	161 (8%) 12 10	25, 56, 150, 212	0

All (161) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	959	LEU	10.2
1	B	927	ALA	9.4
1	B	901	LYS	8.9
1	B	945	VAL	8.6
1	B	906	LEU	6.6
1	B	852	MET	6.6
1	B	508	TYR	6.0
1	B	863	ILE	5.9
1	B	947	PHE	5.9
1	B	922	THR	5.7
1	B	498	PHE	5.3
1	B	907	GLN	5.1
1	B	930	LEU	5.0
1	B	826	THR	5.0
1	B	856	ASN	4.9
1	B	998	TRP	4.9
1	B	919	LEU	4.9
1	B	524	TYR	4.7
1	B	855	TYR	4.6
1	B	944	LEU	4.6
1	B	924	ASN	4.5
1	B	921	HIS	4.5
1	B	918	PHE	4.5
1	B	1004	GLN	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	824	ALA	4.4
1	B	883	SER	4.3
1	B	810	PHE	4.2
1	B	885	ALA	4.1
1	B	905	THR	4.0
1	B	920	MET	4.0
1	B	822	ILE	4.0
1	B	517	PHE	4.0
1	B	877	TRP	4.0
1	B	895	ILE	4.0
1	A	509	TYR	4.0
1	B	841	GLY	4.0
1	B	869	THR	3.9
1	B	521	ALA	3.9
1	B	884	GLU	3.8
1	B	985	PRO	3.8
1	B	896	GLU	3.8
1	B	986	VAL	3.8
1	B	778	LEU	3.7
1	B	987	ILE	3.7
1	A	516	TYR	3.7
1	B	495	VAL	3.7
1	B	968	GLU	3.7
1	B	953	SER	3.7
1	B	904	ALA	3.7
1	B	897	LEU	3.6
1	B	867	GLN	3.6
1	B	926	ARG	3.6
1	B	954	GLU	3.6
1	A	531	LEU	3.5
1	B	951	PRO	3.5
1	B	511	SER	3.5
1	B	870	VAL	3.5
1	B	500	GLY	3.5
1	B	764	ILE	3.4
1	B	958	THR	3.4
1	A	537	TRP	3.4
1	B	804	LEU	3.4
1	A	510	ASP	3.4
1	B	859	LEU	3.3
1	B	943	VAL	3.3
1	B	887	ALA	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	542	LYS	3.3
1	B	891	LYS	3.3
1	B	876	LEU	3.3
1	B	989	THR	3.2
1	A	515	GLN	3.2
1	B	1002	GLY	3.2
1	B	970	THR	3.2
1	B	860	ARG	3.2
1	B	853	LYS	3.2
1	B	960	ILE	3.2
1	B	914	ASP	3.1
1	A	901	LYS	3.1
1	B	817	TYR	3.1
1	B	507	LEU	3.1
1	B	823	HIS	3.1
1	B	494	THR	3.1
1	B	812	VAL	3.1
1	B	839	ASP	3.1
1	A	508	TYR	3.0
1	B	547	ALA	3.0
1	B	931	ASN	3.0
1	B	848	PHE	3.0
1	A	897	LEU	2.9
1	B	969	LYS	2.9
1	B	512	SER	2.8
1	B	961	THR	2.8
1	A	492	VAL	2.8
1	A	947	PHE	2.8
1	B	833	LEU	2.8
1	B	942	SER	2.8
1	B	493	ASN	2.8
1	B	780	LEU	2.8
1	B	832	ASN	2.7
1	B	499	GLY	2.7
1	B	831	ILE	2.7
1	A	523	SER	2.7
1	B	496	SER	2.7
1	B	656	ILE	2.6
1	B	501	ARG	2.6
1	B	272	TRP	2.6
1	B	821	ASP	2.6
1	B	857	ALA	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	854	GLY	2.5
1	B	828	ALA	2.5
1	B	925	SER	2.5
1	A	524	TYR	2.5
1	A	166	ASN	2.5
1	B	549	ASP	2.4
1	B	866	ALA	2.4
1	A	317	LEU	2.4
1	A	498	PHE	2.4
1	B	988	SER	2.4
1	A	541	GLY	2.4
1	B	492	VAL	2.4
1	B	1001	THR	2.3
1	B	758	LEU	2.3
1	B	646	LEU	2.3
1	B	806	ASP	2.3
1	A	499	GLY	2.3
1	A	945	VAL	2.3
1	B	929	GLN	2.3
1	B	976	GLN	2.3
1	B	971	PHE	2.3
1	B	1003	TYR	2.2
1	A	922	THR	2.2
1	B	518	ILE	2.2
1	A	377	LEU	2.2
1	B	529	SER	2.2
1	B	840	ALA	2.2
1	A	328	LEU	2.2
1	B	639	LEU	2.2
1	B	908	VAL	2.2
1	B	328	LEU	2.2
1	B	483	LEU	2.2
1	B	916	THR	2.2
1	A	490	VAL	2.2
1	A	908	VAL	2.2
1	B	522	SER	2.2
1	A	536	VAL	2.2
1	B	544	ARG	2.2
1	B	317	LEU	2.1
1	B	952	ALA	2.1
1	B	530	ASP	2.1
1	B	898	GLY	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	934	ASP	2.1
1	B	993	ASP	2.1
1	A	542	LYS	2.1
1	B	484	LYS	2.1
1	A	501	ARG	2.1
1	B	510	ASP	2.1
1	A	325	ALA	2.0
1	A	511	SER	2.0
1	B	910	GLU	2.0
1	B	878	TYR	2.0
1	A	822	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	EPE	A	1101	15/15	0.78	0.37	49,73,151,154	0

6.5 Other polymers [i](#)

There are no such residues in this entry.