



Full wwPDB EM Validation Report ⓘ

Mar 13, 2024 – 04:07 PM JST

PDB ID : 8JQ9
EMDB ID : EMD-36541
Title : Novel Anti-phage System
Authors : Li, J.; Wang, Z.; Wang, L.
Deposited on : 2023-06-13
Resolution : 2.66 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.66 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	578	
1	B	578	
1	C	578	
1	D	578	

2 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 14832 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Endonuclease GajA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	B	454	Total 3708	2378	613	705	12	0	0
1	C	454	Total 3708	2378	613	705	12	0	0
1	D	454	Total 3708	2378	613	705	12	0	0
1	A	454	Total 3708	2378	613	705	12	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Endonuclease GajA



• Molecule 1: Endonuclease GajA



• Molecule 1: Endonuclease GajA



GLN
GLY
PHE
ASN
GLU
SER
ASP
SER
GLY
GLU
PRO
TYR
ILE
ASP
ASN
ASN
GLY
LYS
SER
SER
THR
ASP
GLN
VAL
ASN
GLN
GLN
GLY
ILE
GLY
GLY
MET
THR
ILE
LYS
GLY
PHE
GLN
GLN
GLU
GLU
THR
SER
ALA
LYS
TYR
SER
LEU
LYS
ASP

GLY
PHE
PHE
SER
ASP
ILE
ILE
PRO
TYR
ILE
LYS
LYS
ASP
GLY
ASP
SER
ASN
TYR
TYR
PRO
THR
SER
GLY
ASP
GLY
ARG
ARG
LYS
MET
LEU
SER
TYR
SER
ILE
TYR
ASN
TYR
LEU
ALA
LYS
TYR
TYR
GLU
ASP

E597
L400
L406
H415
I428
I429
I473
K474
G475
K478
R504
D532
Y536
N544
V549
N550
G578

● Molecule 1: Endonuclease GajA



H1
K9
R12
E15
D22
N25
R43
I50
R51
F55
D89
D84
K67
K68
I69
E70
L75
F105
S111
G120
W126
I136
D146
Y153
P156
LEU
VAL
ASP
LEU
ASP
ASP
LYS
LEU
PHE
ALA
GLN
ASN
LYS
TYR
ILE

PHE
GLU
GLU
SER
GLN
GLY
ASN
GLU
SER
ASP
ILE
GLU
PRO
TYR
ILE
ASN
LYS
ASP
GLY
ASP
SER
SER
THR
ASP
VAL
GLN
GLN
ASN
ILE
GLY
GLU
MET
THR
ILE
SER
TYR
SER
PHE
GLN
GLN
ILE
THR
SER
GLU
TYR
ARG
SER
LEU
LYS
LYS
GLU
VAL
SER
ILE
GLU
LEU
LYS
SER
GLU
ILE

MET
ALA
ILE
LYS
GLY
PHE
PHE
SER
ASP
ILE
ILE
PRO
TYR
ILE
LYS
LYS
ASP
GLY
ASP
SER
SER
ASN
TYR
TYR
PRO
THR
SER
GLY
ASP
GLY
ARG
ARG
LYS
MET
ILE
SER
TYR
SER
TYR
ILE
TYR
ASN
ALA
LYS
LYS
TYR
GLU
ASP
ASP

H415
I428
D463
E471
K474
K478
R504
N530
E531
D532
Y536
K539
N544
V549
G578

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	3023069	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1600	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/3771	0.53	0/5064
1	B	0.26	0/3771	0.53	0/5064
1	C	0.26	0/3771	0.53	1/5064 (0.0%)
1	D	0.27	0/3771	0.57	3/5064 (0.1%)
All	All	0.27	0/15084	0.54	4/20256 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	532	ASP	CB-CG-OD1	8.22	125.70	118.30
1	D	59	ASP	CB-CG-OD1	7.86	125.37	118.30
1	C	362	LEU	CA-CB-CG	5.50	127.95	115.30
1	D	400	LEU	CA-CB-CG	5.37	127.64	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3708	0	3749	25	0
1	B	3708	0	3749	33	0
1	C	3708	0	3749	27	0
1	D	3708	0	3749	25	0
All	All	14832	0	14996	96	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (96) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:471:GLU:O	1:B:478:LYS:NZ	2.33	0.58
1:A:471:GLU:O	1:A:478:LYS:NZ	2.34	0.57
1:D:536:TYR:O	1:D:544:ASN:ND2	2.38	0.57
1:B:43:ARG:HB3	1:B:50:ILE:HG13	1.88	0.56
1:D:397:GLU:HG2	1:D:400:LEU:HD23	1.89	0.55
1:A:43:ARG:HB3	1:A:50:ILE:HG13	1.88	0.55
1:C:43:ARG:HB3	1:C:50:ILE:HG13	1.87	0.55
1:C:536:TYR:O	1:C:544:ASN:ND2	2.41	0.54
1:D:357:SER:HB2	1:A:549:VAL:HG12	1.91	0.53
1:D:377:LEU:HG	1:D:406:LEU:HD23	1.91	0.53
1:D:475:GLY:HA3	1:A:474:LYS:HB2	1.91	0.52
1:B:75:LEU:HD12	1:B:105:PHE:HD2	1.75	0.51
1:A:9:LYS:HB2	1:A:70:GLU:HB2	1.92	0.51
1:B:12:ARG:NH2	1:B:59:ASP:OD1	2.44	0.50
1:C:428:ILE:HG13	1:C:504:ARG:HD3	1.92	0.50
1:C:377:LEU:HG	1:C:406:LEU:HD23	1.93	0.50
1:C:85:ASP:OD1	1:C:88:LYS:NZ	2.45	0.49
1:D:12:ARG:HH12	1:D:40:TYR:HD2	1.60	0.49
1:C:556:ASP:OD1	1:C:556:ASP:N	2.46	0.49
1:B:9:LYS:HB2	1:B:70:GLU:HB2	1.94	0.49
1:D:11:PHE:HB3	1:D:14:PHE:HD2	1.78	0.49
1:B:549:VAL:HG12	1:C:357:SER:HB2	1.94	0.48
1:D:55:PHE:HB2	1:D:120:GLY:HA3	1.96	0.48
1:C:469:ILE:HG23	1:C:481:ARG:HH11	1.79	0.48
1:A:51:ARG:NH2	1:A:146:ASP:OD1	2.47	0.48
1:B:474:LYS:HB2	1:C:475:GLY:HA3	1.96	0.47
1:A:22:ASP:O	1:A:25:ASN:ND2	2.43	0.47
1:D:550:ASN:OD1	1:A:357:SER:OG	2.32	0.47
1:B:51:ARG:NH2	1:B:146:ASP:OD1	2.46	0.47
1:B:146:ASP:O	1:B:281:LYS:NZ	2.47	0.47
1:B:428:ILE:HG13	1:B:504:ARG:HD3	1.96	0.47
1:B:357:SER:OG	1:C:550:ASN:OD1	2.32	0.47
1:C:51:ARG:NH2	1:C:146:ASP:OD1	2.48	0.47
1:D:428:ILE:HG13	1:D:504:ARG:HD3	1.96	0.47
1:B:153:TYR:OH	1:B:288:GLU:OE1	2.32	0.47
1:B:530:ASN:ND2	1:B:532:ASP:O	2.49	0.46
1:B:69:ILE:HB	1:B:111:SER:HB3	1.98	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:473:ILE:O	1:D:478:LYS:NZ	2.48	0.46
1:B:473:ILE:HA	1:C:473:ILE:HG23	1.98	0.46
1:A:428:ILE:HG13	1:A:504:ARG:HD3	1.96	0.46
1:D:10:ASN:HB2	1:D:69:ILE:HA	1.97	0.46
1:A:69:ILE:HB	1:A:111:SER:HB3	1.97	0.46
1:A:146:ASP:O	1:A:281:LYS:NZ	2.46	0.45
1:B:474:LYS:HE2	1:C:475:GLY:HA3	1.98	0.45
1:D:339:THR:OG1	1:D:341:LYS:O	2.35	0.45
1:B:11:PHE:HB3	1:B:14:PHE:HD2	1.80	0.45
1:A:75:LEU:HD12	1:A:105:PHE:HD2	1.81	0.45
1:A:536:TYR:HA	1:A:539:LYS:HE2	1.98	0.45
1:C:55:PHE:HB2	1:C:120:GLY:HA3	1.99	0.45
1:D:84:GLU:HG3	1:D:88:LYS:HE2	1.99	0.44
1:A:64:ASP:HA	1:A:67:LYS:HE3	2.00	0.44
1:B:22:ASP:O	1:B:25:ASN:ND2	2.44	0.44
1:C:575:SER:OG	1:C:577:ARG:NE	2.51	0.44
1:D:549:VAL:HG12	1:A:357:SER:HB2	1.98	0.44
1:B:55:PHE:HB2	1:B:120:GLY:HA3	2.00	0.44
1:D:9:LYS:HD3	1:D:70:GLU:HB2	2.00	0.44
1:B:64:ASP:HA	1:B:67:LYS:HE3	2.00	0.44
1:D:71:ILE:HD12	1:D:109:LEU:HD22	1.99	0.44
1:B:536:TYR:HA	1:B:539:LYS:HE2	1.98	0.44
1:C:24:LYS:NZ	1:C:312:TYR:O	2.47	0.44
1:A:339:THR:OG1	1:A:341:LYS:O	2.35	0.44
1:C:10:ASN:HB2	1:C:69:ILE:HA	2.00	0.43
1:D:362:LEU:HD21	1:D:415:HIS:CD2	2.54	0.43
1:C:22:ASP:O	1:C:25:ASN:ND2	2.51	0.43
1:C:85:ASP:HA	1:C:88:LYS:HG2	1.99	0.43
1:A:15:GLU:OE1	1:A:341:LYS:NZ	2.52	0.43
1:B:93:VAL:HG11	1:B:105:PHE:CZ	2.54	0.43
1:C:9:LYS:HB2	1:C:70:GLU:HB2	1.99	0.43
1:A:55:PHE:HB2	1:A:120:GLY:HA3	2.00	0.43
1:A:463:ASP:OD1	1:A:463:ASP:N	2.51	0.43
1:B:463:ASP:OD1	1:B:463:ASP:N	2.52	0.43
1:A:362:LEU:HD21	1:A:415:HIS:CE1	2.54	0.43
1:B:339:THR:OG1	1:B:341:LYS:O	2.37	0.42
1:D:377:LEU:HB2	1:D:429:ILE:HG12	2.02	0.42
1:B:475:GLY:HA3	1:C:474:LYS:HG3	2.01	0.42
1:A:536:TYR:O	1:A:544:ASN:ND2	2.52	0.42
1:B:123:ILE:HG21	1:D:139:ARG:HH21	1.85	0.42
1:D:22:ASP:O	1:D:25:ASN:ND2	2.51	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:12:ARG:NH2	1:A:59:ASP:OD1	2.53	0.42
1:B:409:GLY:HA3	1:C:542:LEU:HD13	2.01	0.42
1:C:351:VAL:HG11	1:C:359:LYS:HG3	2.01	0.42
1:A:530:ASN:ND2	1:A:532:ASP:O	2.52	0.42
1:D:153:TYR:OH	1:D:288:GLU:OE1	2.32	0.42
1:D:146:ASP:O	1:D:281:LYS:NZ	2.43	0.41
1:A:126:TRP:CE3	1:A:136:ILE:HG12	2.56	0.41
1:A:153:TYR:OH	1:A:288:GLU:OE1	2.35	0.41
1:B:97:ARG:HH11	1:B:102:ALA:HB3	1.86	0.41
1:B:516:LEU:HD12	1:B:516:LEU:HA	1.96	0.41
1:B:542:LEU:HD23	1:B:542:LEU:HA	1.91	0.41
1:D:15:GLU:OE1	1:D:341:LYS:NZ	2.54	0.41
1:B:364:LYS:NZ	1:C:399:GLU:OE2	2.54	0.40
1:B:536:TYR:O	1:B:544:ASN:ND2	2.54	0.40
1:B:542:LEU:HD13	1:C:409:GLY:HA3	2.03	0.40
1:C:153:TYR:OH	1:C:288:GLU:OE1	2.35	0.40
1:C:362:LEU:HD21	1:C:415:HIS:CE1	2.56	0.40
1:D:64:ASP:N	1:D:64:ASP:OD1	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	450/578 (78%)	427 (95%)	23 (5%)	0	100	100
1	B	450/578 (78%)	428 (95%)	22 (5%)	0	100	100
1	C	450/578 (78%)	431 (96%)	19 (4%)	0	100	100
1	D	450/578 (78%)	429 (95%)	21 (5%)	0	100	100
All	All	1800/2312 (78%)	1715 (95%)	85 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	416/529 (79%)	416 (100%)	0	100	100
1	B	416/529 (79%)	416 (100%)	0	100	100
1	C	416/529 (79%)	416 (100%)	0	100	100
1	D	416/529 (79%)	415 (100%)	1 (0%)	93	97
All	All	1664/2116 (79%)	1663 (100%)	1 (0%)	93	97

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	296	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	37	ASN
1	C	350	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.