

# Full wwPDB X-ray Structure Validation Report (i)

### Oct 10, 2023 – 03:12 AM EDT

:	7JV3
:	Crystal structure of alkanesulfonate monooxygenase MsuD from Pseudomonas
	fluorescens
:	Liew, J.J.M.; Dowling, D.P.
:	2020-08-20
:	2.80  Å(reported)
	::

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.35.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Matria	Whole archive	Similar resolution		
Metric	$(\# { m Entries})$	$(\# { m Entries},  { m resolution}  { m range}({ m \AA}))$		
R <sub>free</sub>	130704	3140 (2.80-2.80)		
Clashscore	141614	3569(2.80-2.80)		
Ramachandran outliers	138981	3498 (2.80-2.80)		
Sidechain outliers	138945	3500 (2.80-2.80)		
RSRZ outliers	127900	3078 (2.80-2.80)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain				
1	А	404	71%	7%	22%		
1	В	404	70%	9%	22%		
1	С	404	.% <b>7</b> 1%	8%	21%		
1	D	404	71%	9%	20%		
1	Е	404	<b>%</b> 69%	9%	22%		



Mol	Chain	Length	Quality of chain				
1	F	404	71%	8%	21%		
1	G	404	73%	7%	20%		
1	Н	404	72%	7%	21%		



# 2 Entry composition (i)

There is only 1 type of molecule in this entry. The entry contains 19795 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Δ	216	Total	С	Ν	0	S	0	0	0
1	A	510	2458	1577	425	453	3	0	0	0
1	1 D 91	217	Total	С	Ν	0	S	0	0	0
1	D	517	2443	1569	426	445	3	0	0	0
1	С	201	Total	С	Ν	0	S	0	0	0
1		521	2486	1594	431	458	3	0	0	0
1	П	204	Total	С	Ν	0	S	0	0	0
1	D	024	2523	1617	436	467	3	0	0	0
1	F	215	Total	С	Ν	0	S	0	0	0
1	Ľ	515	2405	1544	413	445	3	0	0	U
1	Б	201	Total	С	Ν	0	S	0	0	0
1	Г	321	2495	1600	432	460	3	0	0	0
1	1 0	204	Total	С	Ν	0	S	0	1	0
1	G	324	2514	1613	433	465	3	0	L	0
1	ц	200	Total	С	Ν	0	S	0	0	0
1 H	320	2471	1584	425	459	3		U	U	

• Molecule 1 is a protein called Alkanesulfonate monooxygenase.

There are 184 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-22	MET	-	initiating methionine	UNP Q3K9A1
А	-21	GLY	-	expression tag	UNP Q3K9A1
А	-20	SER	-	expression tag	UNP Q3K9A1
А	-19	SER	-	expression tag	UNP Q3K9A1
А	-18	HIS	-	expression tag	UNP Q3K9A1
А	-17	HIS	-	expression tag	UNP Q3K9A1
А	-16	HIS	-	expression tag	UNP Q3K9A1
А	-15	HIS	-	expression tag	UNP Q3K9A1
А	-14	HIS	-	expression tag	UNP Q3K9A1
А	-13	HIS	-	expression tag	UNP Q3K9A1
А	-12	SER	-	expression tag	UNP Q3K9A1
А	-11	SER	-	expression tag	UNP Q3K9A1
A	-10	GLY	-	expression tag	UNP Q3K9A1



Chain	Residue	Modelled	Actual	Comment	Reference
А	-9	LEU	-	expression tag	UNP Q3K9A1
А	-8	VAL	-	expression tag	UNP Q3K9A1
А	-7	PRO	_	expression tag	UNP Q3K9A1
А	-6	ARG	_	expression tag	UNP Q3K9A1
А	-5	GLY	-	expression tag	UNP Q3K9A1
А	-4	SER	-	expression tag	UNP Q3K9A1
А	-3	HIS	-	expression tag	UNP Q3K9A1
А	-2	MET	-	expression tag	UNP Q3K9A1
А	-1	ALA	-	expression tag	UNP Q3K9A1
А	0	SER	-	expression tag	UNP Q3K9A1
В	-22	MET	-	initiating methionine	UNP Q3K9A1
В	-21	GLY	-	expression tag	UNP Q3K9A1
В	-20	SER	-	expression tag	UNP Q3K9A1
В	-19	SER	-	expression tag	UNP Q3K9A1
В	-18	HIS	-	expression tag	UNP Q3K9A1
В	-17	HIS	-	expression tag	UNP Q3K9A1
В	-16	HIS	-	expression tag	UNP Q3K9A1
В	-15	HIS	-	expression tag	UNP Q3K9A1
В	-14	HIS	-	expression tag	UNP Q3K9A1
В	-13	HIS	-	expression tag	UNP Q3K9A1
В	-12	SER	-	expression tag	UNP Q3K9A1
В	-11	SER	-	expression tag	UNP Q3K9A1
В	-10	GLY	-	expression tag	UNP Q3K9A1
В	-9	LEU	-	expression tag	UNP Q3K9A1
В	-8	VAL	-	expression tag	UNP Q3K9A1
В	-7	PRO	-	expression tag	UNP Q3K9A1
B	-6	ARG	-	expression tag	UNP Q3K9A1
B	-5	GLY	-	expression tag	UNP Q3K9A1
B	-4	SER	-	expression tag	UNP Q3K9A1
B	-3	HIS	-	expression tag	UNP Q3K9A1
B	-2	MET	-	expression tag	UNP Q3K9A1
B	-1	ALA	-	expression tag	UNP Q3K9A1
B	0	SER	-	expression tag	UNP Q3K9A1
C	-22	MET	-	initiating methionine	UNP Q3K9A1
C	-21	GLY	-	expression tag	UNP Q3K9A1
C	-20	SER	-	expression tag	UNP Q3K9A1
C	-19	SER	-	expression tag	UNP Q3K9A1
C	-18	HIS	-	expression tag	UNP Q3K9A1
C	-17	HIS	-	expression tag	UNP Q3K9A1
C	-16	HIS	-	expression tag	UNP Q3K9A1
C	-15	HIS	-	expression tag	UNP Q3K9A1
	-14	HIS	-	expression tag	UNP Q3K9A1



Chain	Residue	Modelled	Actual	Comment	Reference
С	-13	HIS	-	expression tag	UNP Q3K9A1
С	-12	SER	-	expression tag	UNP Q3K9A1
С	-11	SER	-	expression tag	UNP Q3K9A1
С	-10	GLY	-	expression tag	UNP Q3K9A1
С	-9	LEU	-	expression tag	UNP Q3K9A1
С	-8	VAL	-	expression tag	UNP Q3K9A1
С	-7	PRO	-	expression tag	UNP Q3K9A1
С	-6	ARG	-	expression tag	UNP Q3K9A1
С	-5	GLY	-	expression tag	UNP Q3K9A1
С	-4	SER	-	expression tag	UNP Q3K9A1
С	-3	HIS	-	expression tag	UNP Q3K9A1
С	-2	MET	-	expression tag	UNP Q3K9A1
С	-1	ALA	-	expression tag	UNP Q3K9A1
С	0	SER	-	expression tag	UNP Q3K9A1
D	-22	MET	-	initiating methionine	UNP Q3K9A1
D	-21	GLY	-	expression tag	UNP Q3K9A1
D	-20	SER	-	expression tag	UNP Q3K9A1
D	-19	SER	-	expression tag	UNP Q3K9A1
D	-18	HIS	-	expression tag	UNP Q3K9A1
D	-17	HIS	-	expression tag	UNP Q3K9A1
D	-16	HIS	-	expression tag	UNP Q3K9A1
D	-15	HIS	-	expression tag	UNP Q3K9A1
D	-14	HIS	-	expression tag	UNP Q3K9A1
D	-13	HIS	-	expression tag	UNP Q3K9A1
D	-12	SER	-	expression tag	UNP Q3K9A1
D	-11	SER	-	expression tag	UNP Q3K9A1
D	-10	GLY	-	expression tag	UNP Q3K9A1
D	-9	LEU	-	expression tag	UNP Q3K9A1
D	-8	VAL	-	expression tag	UNP Q3K9A1
D	-7	PRO	-	expression tag	UNP Q3K9A1
D	-6	ARG	-	expression tag	UNP Q3K9A1
D	-5	GLY	-	expression tag	UNP Q3K9A1
D	-4	SER	-	expression tag	UNP Q3K9A1
D	-3	HIS	-	expression tag	UNP Q3K9A1
D	-2	MET	-	expression tag	UNP Q3K9A1
D	-1	ALA	-	expression tag	UNP Q3K9A1
D	0	SER	-	expression tag	UNP Q3K9A1
E	-22	MET	_	initiating methionine	UNP Q3K9A1
E	-21	GLY	-	expression tag	UNP Q3K9A1
E	-20	SER	-	expression tag	UNP Q3K9A1
E	-19	SER	-	expression tag	UNP Q3K9A1
E	-18	HIS	-	expression tag	UNP Q3K9A1



Chain	Residue	Modelled	Actual Comment		Reference
Е	-17	HIS	-	expression tag	UNP Q3K9A1
Е	-16	HIS	-	expression tag	UNP Q3K9A1
Е	-15	HIS	-	expression tag	UNP Q3K9A1
Е	-14	HIS	-	expression tag	UNP Q3K9A1
Е	-13	HIS	-	expression tag	UNP Q3K9A1
Е	-12	SER	-	expression tag	UNP Q3K9A1
E	-11	SER	-	expression tag	UNP Q3K9A1
Е	-10	GLY	-	expression tag	UNP Q3K9A1
Е	-9	LEU	-	expression tag	UNP Q3K9A1
E	-8	VAL	-	expression tag	UNP Q3K9A1
Е	-7	PRO	-	expression tag	UNP Q3K9A1
Е	-6	ARG	-	expression tag	UNP Q3K9A1
Е	-5	GLY	-	expression tag	UNP Q3K9A1
Е	-4	SER	-	expression tag	UNP Q3K9A1
E	-3	HIS	-	expression tag	UNP Q3K9A1
Е	-2	MET	-	expression tag	UNP Q3K9A1
E	-1	ALA	-	expression tag	UNP Q3K9A1
E	0	SER	-	expression tag	UNP Q3K9A1
F	-22	MET	-	initiating methionine	UNP Q3K9A1
F	-21	GLY	-	expression tag	UNP Q3K9A1
F	-20	SER	-	expression tag	UNP Q3K9A1
F	-19	SER	-	expression tag	UNP Q3K9A1
F	-18	HIS	-	expression tag	UNP Q3K9A1
F	-17	HIS	-	expression tag	UNP Q3K9A1
F	-16	HIS	-	expression tag	UNP Q3K9A1
F	-15	HIS	-	expression tag	UNP Q3K9A1
F	-14	HIS	-	expression tag	UNP Q3K9A1
F	-13	HIS	-	expression tag	UNP Q3K9A1
F	-12	SER	-	expression tag	UNP Q3K9A1
F	-11	SER	-	expression tag	UNP Q3K9A1
F	-10	GLY	-	expression tag	UNP Q3K9A1
F	-9	LEU	-	expression tag	UNP Q3K9A1
F	-8	VAL	-	expression tag	UNP Q3K9A1
F	-7	PRO	-	expression tag	UNP Q3K9A1
F	-6	ARG	-	expression tag	UNP Q3K9A1
F	-5	GLY	-	expression tag	UNP Q3K9A1
F	-4	SER	-	expression tag	UNP Q3K9A1
F	-3	HIS	-	expression tag	UNP Q3K9A1
F	-2	MET	-	expression tag	UNP Q3K9A1
F	-1	ALA	-	expression tag	UNP Q3K9A1
F	0	SER	-	expression tag	UNP Q3K9A1
G	-22	MET	-	initiating methionine	UNP Q3K9A1



Chain	Residue	Modelled	Actual	Comment	Reference
G	-21	GLY	-	expression tag	UNP Q3K9A1
G	-20	SER	_	expression tag	UNP Q3K9A1
G	-19	SER	-	expression tag	UNP Q3K9A1
G	-18	HIS	-	expression tag	UNP Q3K9A1
G	-17	HIS	-	expression tag	UNP Q3K9A1
G	-16	HIS	-	expression tag	UNP Q3K9A1
G	-15	HIS	-	expression tag	UNP Q3K9A1
G	-14	HIS	-	expression tag	UNP Q3K9A1
G	-13	HIS	-	expression tag	UNP Q3K9A1
G	-12	SER	-	expression tag	UNP Q3K9A1
G	-11	SER	-	expression tag	UNP Q3K9A1
G	-10	GLY	-	expression tag	UNP Q3K9A1
G	-9	LEU	-	expression tag	UNP Q3K9A1
G	-8	VAL	-	expression tag	UNP Q3K9A1
G	-7	PRO	-	expression tag	UNP Q3K9A1
G	-6	ARG	-	expression tag	UNP Q3K9A1
G	-5	GLY	-	expression tag	UNP Q3K9A1
G	-4	SER	-	expression tag	UNP Q3K9A1
G	-3	HIS	-	expression tag	UNP Q3K9A1
G	-2	MET	-	expression tag	UNP Q3K9A1
G	-1	ALA	-	expression tag	UNP Q3K9A1
G	0	SER	-	expression tag	UNP Q3K9A1
H	-22	MET	-	initiating methionine	UNP Q3K9A1
H	-21	GLY	-	expression tag	UNP Q3K9A1
H	-20	SER	-	expression tag	UNP Q3K9A1
H	-19	SER	-	expression tag	UNP Q3K9A1
H	-18	HIS	-	expression tag	UNP Q3K9A1
H	-17	HIS	-	expression tag	UNP Q3K9A1
H	-16	HIS	-	expression tag	UNP Q3K9A1
H	-15	HIS	-	expression tag	UNP Q3K9A1
H	-14	HIS	-	expression tag	UNP Q3K9A1
H	-13	HIS	-	expression tag	UNP Q3K9A1
H	-12	SER	-	expression tag	UNP Q3K9A1
H	-11	SER	-	expression tag	UNP Q3K9A1
H	-10	GLY	-	expression tag	UNP Q3K9A1
H	-9	LEU	-	expression tag	UNP Q3K9A1
H	-8	VAL	-	expression tag	UNP Q3K9A1
H	-7	PRO	-	expression tag	UNP Q3K9A1
H	-6	ARG	-	expression tag	UNP Q3K9A1
H	-5	GLY	-	expression tag	UNP Q3K9A1
H	-4	SER	-	expression tag	UNP Q3K9A1
H	-3	HIS	-	expression tag	UNP Q3K9A1

Continued from previous page...



Continued	from	previous	page
		1	1 0

Chain	Residue	Modelled	Actual	Comment	Reference
Н	-2	MET	-	expression tag	UNP Q3K9A1
Н	-1	ALA	-	expression tag	UNP Q3K9A1
Н	0	SER	-	expression tag	UNP Q3K9A1



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Alkanesulfonate monooxygenase









### 

 $\bullet$  Molecule 1: Alkanesulfonate monooxygenase





# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	94.65Å $210.05$ Å $94.76$ Å	Deperitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $119.57^{\circ}$ $90.00^{\circ}$	Depositor
Bosolution (Å)	64.79 - 2.80	Depositor
Itesolution (A)	82.42 - 2.80	EDS
% Data completeness	95.2(64.79-2.80)	Depositor
(in resolution range)	$95.3 \ (82.42 - 2.80)$	EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.74 (at 2.82 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.18.2	Depositor
D D	0.180 , $0.221$	Depositor
$n, n_{free}$	0.180 , $0.221$	DCC
$R_{free}$ test set	3759 reflections $(5.00%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	89.8	Xtriage
Anisotropy	0.048	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.34 , 57.6	EDS
L-test for $twinning^2$	$<  L  > = 0.50, < L^2 > = 0.33$	Xtriage
	0.000 for -h-l,k,h	
	0.000 for l,k,-h-l	
Estimated twinning fraction	0.017 for h,-k,-h-l	Xtriage
	0.009 for -h-l,-k,l	
	0.010 for l,-k,h	
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	19795	wwPDB-VP
Average B, all atoms $(Å^2)$	85.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.29% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles	
	Ullalli	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.27	0/2521	0.46	0/3434
1	В	0.27	0/2506	0.47	0/3418
1	С	0.26	0/2549	0.45	0/3474
1	D	0.27	0/2586	0.46	0/3522
1	Е	0.25	0/2467	0.44	0/3372
1	F	0.26	0/2558	0.45	0/3484
1	G	0.27	0/2580	0.47	0/3516
1	Н	0.27	0/2534	0.45	0/3457
All	All	0.27	0/20301	0.46	0/27677

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2458	0	2419	14	0
1	В	2443	0	2395	19	0
1	С	2486	0	2440	20	0
1	D	2523	0	2487	19	0
1	Е	2405	0	2316	19	0
1	F	2495	0	2457	21	0
1	G	2514	0	2472	15	0
1	Н	2471	0	2409	18	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	19795	0	19395	131	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom_1	Atom-2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:80:ILE:HD12	1:B:85:VAL:HG21	1.70	0.74	
1:C:85:VAL:HG21	1:D:80:ILE:HD12	1.70	0.72	
1:A:85:VAL:HG21	1:B:80:ILE:HD12	1.74	0.69	
1:E:80:ILE:HD13	1:F:85:VAL:HG21	1.77	0.67	
1:G:80:ILE:HD13	1:H:85:VAL:HG21	1.76	0.67	
1:G:189:VAL:O	1:G:218:ARG:NH2	2.27	0.67	
1:H:243:LYS:HA	1:H:246:GLU:HG3	1.77	0.65	
1:F:1:MET:HE1	1:F:347:LEU:HB3	1.81	0.62	
1:F:15:TYR:OH	1:F:243:LYS:NZ	2.32	0.61	
1:H:306:ASP:HB2	1:H:307:PRO:HD2	1.85	0.59	
1:F:206:LEU:HD22	1:F:222:PHE:CD1	2.38	0.58	
1:E:18:THR:HG22	1:E:20:GLN:H	1.67	0.57	
1:E:41:GLY:HA3	1:E:354:LEU:HD13	1.86	0.57	
1:C:224:ILE:HB	1:C:322:ILE:HD13	1.87	0.56	
1:A:27:LEU:HB2	1:B:96:LEU:HD22	1.88	0.56	
1:G:85:VAL:HG21	1:H:80:ILE:HD13	1.90	0.54	
1:B:227:HIS:HB3	1:B:302:ALA:HB2	1.89	0.54	
1:A:306:ASP:HB2	1:A:307:PRO:HD2	1.90	0.54	
1:C:18:THR:HG23	1:C:20:GLN:H	1.73	0.53	
1:B:206:LEU:HD22	1:B:222:PHE:CD1	2.44	0.52	
1:C:80:ILE:HD13	1:D:85:VAL:HG21	1.90	0.52	
1:B:340:ALA:O	1:B:344:PHE:HB2	2.09	0.52	
1:E:340:ALA:O	1:E:344:PHE:HB2	2.10	0.52	
1:D:110:ASP:HB3	1:D:113:GLU:HB3	1.92	0.52	
1:B:110:ASP:HB3	1:B:113:GLU:HB3	1.91	0.52	
1:H:206:LEU:HD22	1:H:222:PHE:CD1	2.45	0.52	
1:G:226:LEU:O	1:G:327:PHE:HA	2.10	0.51	
1:E:224:ILE:HB	1:E:322:ILE:HD13	1.91	0.51	
1:H:226:LEU:O	1:H:327:PHE:HA	2.11	0.51	
1:A:226:LEU:O	1:A:327:PHE:HA	2.10	0.51	
1:H:18:THR:HG23	1:H:20:GLN:H	1.76	0.51	
1:E:226:LEU:O	1:E:327:PHE:HA	2.11	0.50	
1:H:340:ALA:O	1:H:344:PHE:HB2	2.12	0.50	



	lo uo puge	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:H:4:PHE:HB2	1:H:326:ILE:HA	1.93	0.50	
1:B:41:GLY:HA3	1:B:354:LEU:HD13	1.94	0.49	
1:F:340:ALA:O	1:F:344:PHE:HB2	2.12	0.49	
1:A:340:ALA:O	1:A:344:PHE:HB2	2.12	0.49	
1:D:4:PHE:HB2	1:D:326:ILE:HA	1.94	0.49	
1:D:340:ALA:O	1:D:344:PHE:HB2	2.13	0.49	
1:B:226:LEU:O	1:B:327:PHE:HA	2.13	0.48	
1:F:227:HIS:CE1	1:F:329:GLY:HA2	2.48	0.48	
1:B:77:ARG:HB2	1:B:80:ILE:HD11	1.94	0.48	
1:G:206:LEU:HD22	1:G:222:PHE:CD1	2.48	0.48	
1:D:227:HIS:HB3	1:D:302:ALA:HB2	1.95	0.48	
1:B:227:HIS:CE1	1:B:329:GLY:HA2	2.48	0.48	
1:C:227:HIS:HB3	1:C:302:ALA:HB2	1.96	0.48	
1:B:138:ARG:O	1:B:142:GLN:HG3	2.13	0.48	
1:F:231:ARG:O	1:F:307:PRO:HD3	2.13	0.48	
1:A:206:LEU:HD22	1:A:222:PHE:CD1	2.49	0.47	
1:C:4:PHE:HB2	1:C:326:ILE:HA	1.95	0.47	
1:G:177:SER:OG	1:G:205:LYS:HE3	2.13	0.47	
1:C:285:ALA:HB3	1:C:288:LEU:HB3	1.95	0.47	
1:D:174:PHE:HB2	1:D:189:VAL:HG11	1.96	0.47	
1:D:7:LEU:HD12	1:D:47:ILE:HG12	1.96	0.47	
1:A:224:ILE:HB	1:A:322:ILE:HD13	1.96	0.47	
1:C:18:THR:HG23	1:C:20:GLN:N	2.30	0.47	
1:C:243:LYS:HA	1:C:246:GLU:HG3	1.96	0.47	
1:G:340:ALA:O	1:G:344:PHE:HB2	2.14	0.47	
1:G:231:ARG:O	1:G:307:PRO:HD3	2.15	0.47	
1:H:227:HIS:HB3	1:H:302:ALA:HB2	1.97	0.47	
1:E:285:ALA:HB3	1:E:288:LEU:HB3	1.97	0.46	
1:F:227:HIS:HB3	1:F:302:ALA:HB2	1.97	0.46	
1:C:226:LEU:O	1:C:327:PHE:HA	2.16	0.46	
1:G:41:GLY:HA3	1:G:354:LEU:HD13	1.98	0.46	
1:H:289:TRP:CZ2	1:H:291:GLY:HA3	2.51	0.46	
1:G:4:PHE:HB2	1:G:326:ILE:HA	1.98	0.46	
1:F:1:MET:CE	1:F:348:PRO:HD2	2.46	0.46	
1:C:340:ALA:O	1:C:344:PHE:HB2	2.15	0.45	
1:E:231:ARG:O	1:E:307:PRO:HD3	2.16	0.45	
1:F:31:LYS:HG3	1:F:66:LEU:HD13	1.98	0.45	
1:E:206:LEU:HD22	1:E:222:PHE:CD1	2.51	0.45	
1:F:289:TRP:CZ2	1:F:291:GLY:HA3	2.52	0.45	
1:G:289:TRP:CZ2	1:G:291:GLY:HA3	2.51	0.45	
1:C:189:VAL:O	1:C:218:ARG:NH2	2.37	0.45	



	A L O	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:226:LEU:O	1:D:327:PHE:HA	2.16	0.45
1:D:289:TRP:CZ2	1:D:291:GLY:HA3	2.51	0.45
1:E:227:HIS:HB3	1:E:302:ALA:HB2	1.98	0.45
1:B:202:VAL:HG11	1:B:322:ILE:HD11	1.99	0.45
1:B:231:ARG:O	1:B:307:PRO:HD3	2.17	0.45
1:B:78:PRO:HG2	1:B:130:THR:HG23	1.99	0.45
1:E:243:LYS:HA	1:E:246:GLU:HG3	1.99	0.45
1:H:41:GLY:HA3	1:H:354:LEU:HD13	1.98	0.45
1:A:200:ALA:O	1:A:204:GLU:HG2	2.16	0.45
1:A:138:ARG:O	1:A:142:GLN:HG3	2.17	0.44
1:C:206:LEU:HD22	1:C:222:PHE:CD1	2.52	0.44
1:G:97:SER:HB2	1:G:100:ARG:HB2	1.99	0.44
1:F:15:TYR:CE1	1:F:243:LYS:HG2	2.53	0.44
1:C:96:LEU:HD22	1:D:27:LEU:HB2	2.00	0.44
1:C:289:TRP:CZ2	1:C:291:GLY:HA3	2.53	0.44
1:D:243:LYS:HA	1:D:246:GLU:HG3	2.01	0.43
1:E:334:GLU:HG3	1:H:334:GLU:HG3	2.00	0.43
1:C:86:SER:HA	1:C:89:MET:HE2	2.00	0.43
1:E:4:PHE:HB2	1:E:326:ILE:HA	2.00	0.43
1:E:154:LYS:O	1:F:118:GLY:HA2	2.18	0.43
1:B:196:GLY:HA2	1:B:224:ILE:HD11	2.01	0.43
1:E:233:THR:OG1	1:E:236:GLU:HG2	2.19	0.43
1:G:7:LEU:HD12	1:G:47:ILE:HG12	2.00	0.43
1:H:78:PRO:HG2	1:H:130:THR:HG23	2.00	0.42
1:F:78:PRO:HG2	1:F:130:THR:HG23	2.00	0.42
1:A:227:HIS:HB3	1:A:302:ALA:HB2	2.02	0.42
1:B:243:LYS:HA	1:B:246:GLU:HG3	2.01	0.42
1:D:107:THR:HG23	1:D:130:THR:OG1	2.20	0.42
1:F:221:LYS:HD2	1:F:323:GLU:OE1	2.19	0.42
1:F:226:LEU:O	1:F:327:PHE:HA	2.20	0.42
1:A:285:ALA:HB3	1:A:288:LEU:HB3	2.01	0.41
1:A:334:GLU:HG3	1:D:334:GLU:HG3	2.01	0.41
1:B:7:LEU:HD12	1:B:47:ILE:HG12	2.02	0.41
1:C:202:VAL:HG11	1:C:322:ILE:HD11	2.01	0.41
1:E:75:ALA:HA	1:E:104:ASN:O	2.20	0.41
1:E:85:VAL:HG21	1:F:80:ILE:HD13	2.01	0.41
1:D:85:VAL:O	1:D:89:MET:HG3	2.20	0.41
1:E:64:VAL:HG21	1:E:93:LEU:HD11	2.02	0.41
1:E:96:LEU:HD22	1:F:27:LEU:HB2	2.02	0.41
1:F:285:ALA:HB3	1:F:288:LEU:HB3	2.01	0.41
1:B:230:VAL:O	1:B:231:ARG:HD2	2.21	0.41



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:351:TYR:HA	1:D:354:LEU:HD12	2.02	0.41
1:C:231:ARG:O	1:C:307:PRO:HD3	2.21	0.41
1:F:4:PHE:HB2	1:F:326:ILE:HA	2.01	0.41
1:H:224:ILE:HB	1:H:322:ILE:HD13	2.02	0.41
1:A:243:LYS:HD2	1:A:246:GLU:OE1	2.21	0.41
1:C:309:GLN:O	1:C:313:ARG:HG2	2.20	0.41
1:D:123:HIS:CD2	1:D:126:ARG:HH21	2.39	0.41
1:G:227:HIS:HB3	1:G:302:ALA:HB2	2.02	0.41
1:D:75:ALA:HA	1:D:104:ASN:O	2.21	0.41
1:H:85:VAL:O	1:H:89:MET:HG3	2.21	0.41
1:C:347:LEU:O	1:C:352:ALA:HB2	2.21	0.40
1:D:231:ARG:O	1:D:307:PRO:HD3	2.20	0.40
1:G:233:THR:OG1	1:G:236:GLU:HG3	2.21	0.40
1:H:7:LEU:HD23	1:H:7:LEU:HA	1.84	0.40
1:H:325:PHE:HB3	1:H:327:PHE:CE2	2.57	0.40
1:F:202:VAL:HG11	1:F:322:ILE:HD11	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	310/404~(77%)	303~(98%)	7 (2%)	0	100	100
1	В	311/404 (77%)	305 (98%)	6 (2%)	0	100	100
1	С	315/404 (78%)	307 (98%)	8 (2%)	0	100	100
1	D	318/404 (79%)	311 (98%)	7 (2%)	0	100	100
1	Е	309/404~(76%)	301 (97%)	8 (3%)	0	100	100
1	F	315/404 (78%)	307 (98%)	8 (2%)	0	100	100
1	G	319/404~(79%)	310 (97%)	9(3%)	0	100	100



001111		i previous page					
Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	Н	314/404~(78%)	306~(98%)	8 (2%)	0	100	100
All	All	2511/3232 (78%)	2450~(98%)	61 (2%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	252/321~(78%)	248~(98%)	4 (2%)	62	88
1	В	247/321~(77%)	244~(99%)	3~(1%)	71	92
1	С	254/321~(79%)	252~(99%)	2 (1%)	81	94
1	D	260/321~(81%)	255~(98%)	5(2%)	57	85
1	Е	239/321~(74%)	237~(99%)	2 (1%)	81	94
1	F	256/321~(80%)	256 (100%)	0	100	100
1	G	258/321~(80%)	256~(99%)	2(1%)	81	94
1	Н	252/321 (78%)	250 (99%)	2 (1%)	81	94
All	All	2018/2568~(79%)	1998 (99%)	20 (1%)	76	93

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	10	HIS
1	А	69	ARG
1	А	107	THR
1	А	235	GLU
1	В	10	HIS
1	В	18	THR
1	В	107	THR
1	С	18	THR
1	С	77	ARG
1	D	10	HIS



Mol	Chain	Res	Type
1	D	18	THR
1	D	107	THR
1	D	177	SER
1	D	250	ASP
1	Е	10	HIS
1	Ε	107	THR
1	G	18	THR
1	G	250	ASP
1	Н	10	HIS
1	Н	18	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	98	ASN
1	В	35	GLN
1	В	98	ASN
1	В	157	ASN
1	С	156	GLN
1	Е	308	GLN
1	F	35	GLN
1	F	98	ASN
1	F	156	GLN
1	Н	35	GLN
1	Н	98	ASN
1	Н	308	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



## 5.6 Ligand geometry (i)

There are no ligands in this entry.

## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< <b>RSRZ</b> >	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	316/404~(78%)	0.03	0 100 100	58, 83, 111, 131	1 (0%)
1	В	317/404~(78%)	-0.03	2 (0%) 89 86	58, 79, 111, 135	1 (0%)
1	С	321/404~(79%)	-0.02	3 (0%) 84 80	59, 83, 113, 143	1 (0%)
1	D	324/404~(80%)	-0.01	1 (0%) 94 93	59, 79, 111, 156	1 (0%)
1	Ε	315/404~(77%)	0.02	4 (1%) 77 72	66, 102, 134, 141	1 (0%)
1	F	321/404~(79%)	0.08	2 (0%) 89 86	63, 85, 120, 130	1 (0%)
1	G	324/404~(80%)	-0.03	0 100 100	58, 72, 102, 148	1 (0%)
1	Н	320/404~(79%)	0.04	1 (0%) 94 93	60, 81, 110, 141	1 (0%)
All	All	2558/3232 (79%)	0.01	13 (0%) 91 88	58, 83, 120, 156	8 (0%)

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	17	GLY	4.3
1	D	17	GLY	3.0
1	F	294	LEU	2.5
1	В	16	LEU	2.5
1	Е	174	PHE	2.5
1	Е	16	LEU	2.4
1	F	295	VAL	2.2
1	Е	177	SER	2.1
1	С	17	GLY	2.1
1	С	295	VAL	2.1
1	Е	83	PRO	2.1
1	С	290	ALA	2.0
1	Н	304	VAL	2.0



### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

## 6.4 Ligands (i)

There are no ligands in this entry.

### 6.5 Other polymers (i)

There are no such residues in this entry.

