



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 10, 2023 – 02:41 PM EDT

PDB ID : 4KR6
Title : Crystal structure of a 4-thiouridine synthetase - RNA complex
Authors : Neumann, P.; Ficner, R.; Lakomek, K.
Deposited on : 2013-05-16
Resolution : 2.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.35.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3168 (2.90-2.82)
Clashscore	141614	3438 (2.90-2.82)
Ramachandran outliers	138981	3348 (2.90-2.82)
Sidechain outliers	138945	3351 (2.90-2.82)
RSRZ outliers	127900	3103 (2.90-2.82)
RNA backbone	3102	1088 (3.12-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	388	 4% 74% 23%
1	B	388	 6% 73% 24%
2	C	39	 49% 36% 41% 23%
2	D	39	 56% 36% 31% 33%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 7977 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable tRNA sulfurtransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	388	3116	2006	532	572	6	0	0	0
1	B	388	3116	2006	532	572	6	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	2	GLU	LYS	engineered mutation	UNP Q9X220
B	2	GLU	LYS	engineered mutation	UNP Q9X220

- Molecule 2 is a RNA chain called RNA (39-MER).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	C	39	831	372	153	268	38	0	0	0
2	D	39	835	372	153	271	39	0	0	0

- Molecule 3 is MERCURY (II) ION (three-letter code: HG) (formula: Hg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	3	Total 3	Hg 3	0	0
3	B	1	Total 1	Hg 1	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	34	Total 34	O 34	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	40	Total O 40 40	0	0
4	C	1	Total O 1 1	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Probable tRNA sulfurtransferase




- Molecule 1: Probable tRNA sulfurtransferase



- Molecule 2: RNA (39-MER)



● Molecule 2: RNA (39-MER)



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	100.65Å 110.33Å 119.31Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.85 37.18 – 2.85	Depositor EDS
% Data completeness (in resolution range)	95.9 (30.00-2.85) 95.9 (37.18-2.85)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.08 (at 2.85Å)	Xtrriage
Refinement program	PHENIX 1.8.2_1309	Depositor
R, R_{free}	0.186 , 0.228 0.188 , 0.226	Depositor DCC
R_{free} test set	1513 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	59.6	Xtrriage
Anisotropy	0.054	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 90.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7977	wwPDB-VP
Average B, all atoms (Å ²)	83.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section:
HG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.63	0/3175	0.52	0/4276
1	B	0.59	0/3175	0.53	0/4276
2	C	0.56	0/929	0.89	0/1447
2	D	0.71	1/933 (0.1%)	0.96	0/1451
All	All	0.62	1/8212 (0.0%)	0.65	0/11450

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1	G	OP3-P	-10.90	1.48	1.61

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3116	0	3220	62	0
1	B	3116	0	3219	62	0
2	C	831	0	425	18	0
2	D	835	0	424	20	0
3	A	3	0	0	1	0
3	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	34	0	0	3	0
4	B	40	0	0	1	0
4	C	1	0	0	0	0
All	All	7977	0	7288	150	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:291:GLN:HE22	1:B:320:LYS:HB2	1.44	0.82
1:B:338:LYS:HB3	1:B:339:PRO:HD2	1.64	0.79
1:A:166:TYR:O	4:A:506:HOH:O	2.02	0.77
2:D:16:U:H3	2:D:27:A:H61	1.35	0.74
1:B:221:ARG:NH1	1:B:385:GLU:OE2	2.22	0.72
1:A:170:PRO:O	1:A:173:THR:OG1	2.09	0.70
1:A:32:ILE:O	1:A:36:THR:OG1	2.06	0.70
1:A:344:CYS:SG	3:A:403:HG:HG	2.10	0.68
1:B:228:ARG:NH1	1:B:388:GLU:OXT	2.27	0.67
1:B:256:ASP:O	1:B:259:SER:OG	2.09	0.67
2:D:9:A:N6	2:D:16:U:OP2	2.27	0.67
1:A:256:ASP:O	1:A:259:SER:OG	2.13	0.66
2:D:9:A:H61	2:D:16:U:P	2.19	0.65
2:D:5:G:H1	2:D:31:C:H42	1.44	0.65
1:A:102:THR:HG22	1:A:144:ASP:H	1.60	0.64
1:A:221:ARG:NH1	1:A:385:GLU:OE2	2.30	0.64
1:A:109:LYS:HE3	1:A:114:TYR:HB3	1.80	0.64
2:C:11:U:H3	2:C:14:C:P	2.22	0.63
1:B:237:ARG:HG2	1:B:386:VAL:HG22	1.79	0.63
1:B:213:SER:HB3	1:B:343:SER:HB3	1.80	0.63
2:C:18:G:N2	2:C:19:G:N7	2.45	0.63
2:D:19:G:N1	2:D:24:C:N3	2.43	0.63
2:D:19:G:O6	2:D:24:C:N4	2.27	0.62
1:A:64:ILE:O	4:A:506:HOH:O	2.16	0.61
1:B:353:ALA:HA	2:D:14:C:N4	2.14	0.61
1:A:181:LEU:HD11	1:A:223:ILE:HD11	1.82	0.61
1:A:264:ARG:NH1	1:A:287:GLU:OE2	2.32	0.61
1:A:237:ARG:HG2	1:A:386:VAL:HG22	1.81	0.61
1:B:77:SER:OG	1:B:82:GLU:OE1	2.14	0.60
1:A:212:THR:HG22	1:A:343:SER:HB2	1.84	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:134:LYS:H	1:B:134:LYS:HD2	1.68	0.58
1:A:304:GLU:OE2	1:A:313:ARG:NH2	2.22	0.58
1:A:9:VAL:HG13	1:A:67:ILE:HG23	1.86	0.57
1:B:83:VAL:O	1:B:87:SER:OG	2.17	0.57
1:A:237:ARG:NH2	4:A:530:HOH:O	2.38	0.57
1:B:29:ARG:HH12	1:B:42:ARG:HE	1.53	0.57
2:C:22:A:H5'	2:C:23:A:N7	2.19	0.57
1:B:330:ILE:HG13	1:B:332:THR:HG23	1.86	0.57
1:A:181:LEU:HD23	1:A:187:SER:HB2	1.87	0.56
1:A:21:ARG:NE	2:D:16:U:H4'	2.21	0.56
1:A:196:LYS:NZ	1:B:317:GLY:O	2.36	0.56
2:C:22:A:H3'	2:C:23:A:C8	2.41	0.56
1:A:302:SER:HB3	1:A:361:LEU:HD13	1.88	0.56
1:B:219:LYS:HE2	1:B:335:ILE:O	2.06	0.56
1:B:17:LYS:HD3	1:B:18:GLY:H	1.72	0.55
1:A:339:PRO:HG2	2:C:6:G:H4'	1.89	0.54
1:B:31:ASN:O	1:B:35:VAL:HG12	2.07	0.54
1:A:291:GLN:HE22	1:A:320:LYS:HB2	1.72	0.54
1:A:228:ARG:NH1	1:A:388:GLU:O	2.40	0.54
1:B:181:LEU:HD11	1:B:223:ILE:HD11	1.89	0.54
1:A:26:GLU:OE2	1:A:29:ARG:NH1	2.40	0.54
2:C:9:A:N7	2:C:17:U:H5	2.05	0.53
1:B:181:LEU:HD13	1:B:220:VAL:HG13	1.90	0.53
1:B:5:ARG:NH2	1:B:93:GLU:OE1	2.24	0.53
2:C:2:C:H42	2:C:34:G:H1	1.56	0.52
1:B:237:ARG:NH2	4:B:535:HOH:O	2.41	0.52
1:A:377:GLU:O	1:A:381:SER:OG	2.14	0.52
1:B:302:SER:HB3	1:B:361:LEU:HD13	1.92	0.52
1:B:371:LEU:HB3	1:B:372:PRO:HD3	1.92	0.52
1:A:100:TYR:HD1	1:A:144:ASP:HB3	1.75	0.52
1:B:345:VAL:HG13	1:B:347:PHE:HB2	1.91	0.52
2:C:22:A:H3'	2:C:23:A:H8	1.75	0.52
1:B:62:LYS:HG3	1:B:63:LYS:HG3	1.92	0.51
1:B:219:LYS:O	1:B:223:ILE:HG23	2.10	0.51
1:A:349:PRO:HG2	1:A:352:PRO:HG3	1.92	0.51
1:B:122:ASN:HB3	2:C:39:A:N6	2.26	0.51
1:A:11:TYR:OH	1:A:25:GLU:OE1	2.26	0.51
1:A:324:VAL:HG13	1:A:333:TYR:CE2	2.45	0.51
1:A:334:GLU:HA	1:A:338:LYS:HE3	1.93	0.51
2:D:38:C:H4'	2:D:39:A:O5'	2.10	0.50
1:B:152:ARG:HB2	1:B:153:PRO:HD2	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:223:ILE:HG13	1:B:224:LEU:N	2.26	0.49
1:B:111:TYR:CE2	1:B:153:PRO:HA	2.48	0.48
1:B:185:ILE:H	1:B:340:TYR:HE1	1.59	0.48
1:B:123:SER:O	2:C:39:A:O2'	2.31	0.48
1:B:23:ASP:OD1	1:B:24:PHE:N	2.46	0.48
2:D:27:A:H2'	2:D:28:G:O4'	2.14	0.48
1:A:21:ARG:CZ	2:D:16:U:H4'	2.44	0.47
1:A:121:ILE:O	1:A:125:LEU:HB2	2.14	0.47
2:D:9:A:H1'	2:D:11:U:C2	2.48	0.47
1:B:221:ARG:O	1:B:225:ARG:HG3	2.14	0.47
1:A:288:ASN:HD21	1:A:291:GLN:NE2	2.11	0.47
2:C:2:C:N4	2:C:34:G:H1	2.12	0.47
2:C:22:A:C8	2:C:23:A:C5	3.02	0.47
1:B:92:LYS:O	1:B:96:GLU:HG3	2.15	0.47
1:B:32:ILE:O	1:B:36:THR:OG1	2.24	0.47
1:B:349:PRO:C	1:B:351:ASN:H	2.18	0.47
1:A:197:ARG:NH1	1:B:319:ASP:OD1	2.48	0.47
1:A:9:VAL:HB	1:A:47:PHE:HB2	1.96	0.46
1:B:78:HIS:HB3	1:B:114:TYR:HE1	1.81	0.46
1:B:181:LEU:HD23	1:B:187:SER:HB2	1.97	0.46
2:D:10:G:H2'	2:D:10:G:N3	2.30	0.46
1:A:186:ASP:OD2	1:A:186:ASP:N	2.47	0.46
1:B:24:PHE:CE1	1:B:170:PRO:HD3	2.51	0.46
1:B:269:ARG:NH2	1:B:365:GLU:OE1	2.37	0.46
1:A:80:PHE:O	1:A:84:LYS:HG3	2.16	0.46
2:C:37:C:H5'	2:C:38:C:OP2	2.15	0.46
1:A:338:LYS:HA	1:A:339:PRO:HA	1.73	0.45
1:A:129:ILE:HD11	1:A:147:LEU:HD22	1.98	0.45
1:A:181:LEU:HD13	1:A:220:VAL:HG13	1.97	0.45
1:A:221:ARG:O	1:A:225:ARG:HG3	2.16	0.45
1:A:330:ILE:HG13	1:A:332:THR:HG23	1.98	0.45
1:B:9:VAL:HB	1:B:47:PHE:HB2	1.99	0.45
1:B:249:GLU:CD	1:B:253:ARG:HH22	2.20	0.45
1:A:249:GLU:OE1	1:A:253:ARG:NH2	2.26	0.45
2:D:9:A:N1	2:D:15:C:H3'	2.32	0.45
1:B:29:ARG:HH12	1:B:42:ARG:NE	2.12	0.44
2:C:12:G:H2'	2:C:12:G:N3	2.31	0.44
2:C:21:A:N3	2:C:24:C:N4	2.65	0.44
1:B:62:LYS:HE3	1:B:63:LYS:HE3	2.00	0.44
1:A:361:LEU:HA	1:A:364:LEU:HB2	1.99	0.44
1:A:223:ILE:HG13	1:A:224:LEU:N	2.33	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:3:GLU:OE1	1:A:3:GLU:N	2.37	0.44
1:A:83:VAL:O	1:A:87:SER:OG	2.31	0.43
1:B:269:ARG:HH22	1:B:365:GLU:CD	2.18	0.43
1:B:16:LEU:HB2	1:B:21:ARG:HD2	1.98	0.43
1:A:298:GLU:O	1:A:301:TRP:HB3	2.19	0.43
1:A:114:TYR:CE2	1:A:116:LYS:HG3	2.54	0.43
1:A:188:PRO:HG3	1:A:223:ILE:HD13	2.01	0.43
1:B:13:GLU:OE1	2:C:8:U:O2'	2.33	0.43
1:B:129:ILE:HD11	1:B:147:LEU:HD22	2.00	0.43
1:B:209:PRO:HD2	1:B:242:ASN:OD1	2.19	0.42
2:D:5:G:H1	2:D:31:C:N4	2.15	0.42
1:A:224:LEU:HD12	1:A:224:LEU:HA	1.74	0.42
2:D:16:U:H3	2:D:27:A:N6	2.09	0.42
1:A:42:ARG:HH22	2:D:17:U:H5	1.66	0.42
1:B:84:LYS:HD2	1:B:128:LEU:HD22	2.02	0.42
1:A:148:GLY:HA3	1:A:159:PHE:CE1	2.54	0.42
1:B:4:LEU:HA	1:B:4:LEU:HD12	1.82	0.42
2:C:30:C:H2'	2:C:31:C:C6	2.54	0.42
1:A:181:LEU:HD23	1:A:181:LEU:HA	1.82	0.41
1:B:181:LEU:HD23	1:B:181:LEU:HA	1.81	0.41
1:B:17:LYS:CD	1:B:18:GLY:H	2.33	0.41
2:C:30:C:H2'	2:C:31:C:H6	1.84	0.41
1:A:101:ARG:HG2	1:A:135:GLU:O	2.21	0.41
1:A:358:PRO:O	1:A:362:GLU:HB2	2.21	0.41
1:A:138:VAL:HG21	2:D:39:A:H5''	2.02	0.41
1:A:65:PHE:HA	1:A:167:GLY:O	2.20	0.41
1:A:300:LEU:HD23	1:A:300:LEU:HA	1.90	0.41
1:A:353:ALA:HA	1:B:19:LYS:HE3	2.01	0.41
2:D:32:G:H2'	2:D:33:G:O4'	2.20	0.41
1:A:95:LEU:HD23	1:A:95:LEU:HA	1.91	0.41
1:B:9:VAL:HG13	1:B:67:ILE:HG23	2.02	0.41
2:D:19:G:C6	2:D:20:G:C4	3.09	0.41
1:B:61:LEU:HD23	1:B:61:LEU:HA	1.95	0.41
1:B:101:ARG:HH21	1:B:101:ARG:HB2	1.86	0.41
1:B:1:MET:HB2	1:B:3:GLU:HG2	2.03	0.40
1:A:197:ARG:HD2	1:A:197:ARG:HA	1.90	0.40
1:B:222:ASP:OD2	1:B:225:ARG:NH1	2.54	0.40
1:B:125:LEU:HA	1:B:125:LEU:HD12	1.78	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	386/388 (100%)	370 (96%)	15 (4%)	1 (0%)	41	68
1	B	386/388 (100%)	369 (96%)	14 (4%)	3 (1%)	19	46
All	All	772/776 (100%)	739 (96%)	29 (4%)	4 (0%)	29	57

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	339	PRO
1	B	161	ASP
1	A	345	VAL
1	B	18	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	342/342 (100%)	319 (93%)	23 (7%)	16	39
1	B	342/342 (100%)	316 (92%)	26 (8%)	13	33
All	All	684/684 (100%)	635 (93%)	49 (7%)	14	35

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	LYS
1	A	29	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	35	VAL
1	A	58	ASP
1	A	81	GLU
1	A	97	LYS
1	A	101	ARG
1	A	102	THR
1	A	116	LYS
1	A	125	LEU
1	A	140	VAL
1	A	141	ARG
1	A	162	ARG
1	A	187	SER
1	A	219	LYS
1	A	223	ILE
1	A	259	SER
1	A	260	LEU
1	A	298	GLU
1	A	320	LYS
1	A	321	THR
1	A	342	ASP
1	A	361	LEU
1	B	1	MET
1	B	4	LEU
1	B	29	ARG
1	B	30	ARG
1	B	35	VAL
1	B	53	GLU
1	B	58	ASP
1	B	82	GLU
1	B	116	LYS
1	B	125	LEU
1	B	140	VAL
1	B	160	THR
1	B	164	GLU
1	B	181	LEU
1	B	187	SER
1	B	195	LEU
1	B	217	VAL
1	B	219	LYS
1	B	223	ILE
1	B	260	LEU
1	B	298	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	320	LYS
1	B	341	GLN
1	B	342	ASP
1	B	344	CYS
1	B	346	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	291	GLN
1	B	291	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	C	38/39 (97%)	14 (36%)	0
2	D	38/39 (97%)	19 (50%)	1 (2%)
All	All	76/78 (97%)	33 (43%)	1 (1%)

All (33) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	C	9	A
2	C	11	U
2	C	13	U
2	C	14	C
2	C	15	C
2	C	16	U
2	C	21	A
2	C	22	A
2	C	23	A
2	C	24	C
2	C	33	G
2	C	35	C
2	C	38	C
2	C	39	A
2	D	9	A
2	D	10	G
2	D	11	U
2	D	12	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	13	U
2	D	14	C
2	D	15	C
2	D	16	U
2	D	17	U
2	D	18	G
2	D	19	G
2	D	20	G
2	D	21	A
2	D	22	A
2	D	24	C
2	D	26	A
2	D	32	G
2	D	38	C
2	D	39	A

All (1) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	D	38	C

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	388/388 (100%)	0.12	17 (4%) 34 29	30, 55, 104, 159	0
1	B	388/388 (100%)	0.32	22 (5%) 23 19	31, 61, 118, 182	0
2	C	39/39 (100%)	3.21	19 (48%) 0 0	89, 128, 218, 226	0
2	D	39/39 (100%)	2.58	22 (56%) 0 0	81, 136, 212, 226	0
All	All	854/854 (100%)	0.47	80 (9%) 8 5	30, 61, 150, 226	0

All (80) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	20	G	11.2
2	C	15	C	11.1
2	C	19	G	9.1
2	C	21	A	8.3
2	D	13	U	7.7
2	D	23	A	6.7
2	C	23	A	6.6
2	C	18	G	6.5
2	D	14	C	6.5
2	D	21	A	6.0
2	C	22	A	5.2
2	D	4	C	5.2
1	B	340	TYR	5.0
1	B	20	ASN	4.9
2	C	26	A	4.9
2	C	10	G	4.9
2	C	25	C	4.8
2	C	12	G	4.7
2	D	22	A	4.6
2	D	12	G	4.6
1	B	366	GLN	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	101	ARG	4.3
2	C	24	C	4.3
2	D	5	G	4.2
1	A	136	LEU	4.2
2	C	9	A	4.2
2	C	27	A	4.1
1	B	18	GLY	4.1
2	D	20	G	4.0
1	A	135	GLU	4.0
2	D	33	G	4.0
1	A	100	TYR	3.9
1	B	99	ASN	3.8
2	C	11	U	3.7
1	B	112	LYS	3.7
1	A	339	PRO	3.7
1	B	111	TYR	3.6
1	A	98	GLY	3.6
2	D	10	G	3.6
1	B	341	GLN	3.5
2	C	17	U	3.5
1	B	339	PRO	3.3
1	A	97	LYS	3.2
1	B	343	SER	3.2
1	A	340	TYR	3.2
1	A	99	ASN	3.2
1	B	14	ILE	3.2
2	D	34	G	3.0
1	B	17	LYS	2.9
1	B	13	GLU	2.9
2	D	15	C	2.8
1	B	345	VAL	2.8
2	D	24	C	2.7
2	D	9	A	2.6
2	D	19	G	2.6
1	A	338	LYS	2.6
2	C	16	U	2.6
1	A	343	SER	2.6
2	C	13	U	2.5
1	A	141	ARG	2.5
1	B	334	GLU	2.4
1	B	369	PRO	2.4
1	A	334	GLU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	26	A	2.4
2	D	18	G	2.4
1	B	140	VAL	2.3
1	A	54	ASN	2.3
1	B	19	LYS	2.3
2	D	7	A	2.3
2	D	6	G	2.3
1	B	119	TYR	2.3
2	C	14	C	2.3
2	D	25	C	2.3
1	A	137	SER	2.2
1	A	96	GLU	2.2
1	B	2	GLU	2.1
1	A	95	LEU	2.1
2	D	32	G	2.1
1	B	141	ARG	2.1
1	B	109	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	HG	A	402	1/1	0.75	0.29	149,149,149,149	1
3	HG	B	401	1/1	0.93	0.21	122,122,122,122	1
3	HG	A	401	1/1	0.98	0.11	118,118,118,118	1
3	HG	A	403	1/1	0.99	0.17	172,172,172,172	1

6.5 Other polymers [i](#)

There are no such residues in this entry.