

wwPDB X-ray Structure Validation Summary Report (i)

Sep 11, 2023 – 07:19 PM EDT

PDB ID	:	4MLB
Title	:	Reverse polarity of binding pocket suggests different function of a MOP su-
		perfamily transporter from Pyrococcus furiosus Vc1 (DSM3638)
Authors	:	Malviya, V.N.; Nonaka, T.; Muenke, C.; Koepke, J.; Michel, H.
Deposited on	:	2013-09-06
Resolution	:	2.35 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35.1
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution		
	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$		
R_{free}	130704	2096 (2.36-2.32)		
Clashscore	141614	2193 (2.36-2.32)		
Ramachandran outliers	138981	2159(2.36-2.32)		
Sidechain outliers	138945	2160 (2.36-2.32)		
RSRZ outliers	127900	2067 (2.36-2.32)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain				
1	А	492	9% 82%	9%	• 8%		
1	В	492	<u>6%</u> 84%	8%	8%		
1	С	492	9% 81%	9% •	8%		
1	D	492	81%	11%	8%		

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard



residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CXE	В	511	-	-	-	Х



4MLB

2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 14749 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	Λ	452	Total	С	Ν	Ο	\mathbf{S}	0	1	0
	A	405	3412	2237	557	597	21	0	1	0
1	Р	454	Total	С	Ν	0	S	0	0	0
1	I D	404	3413	2237	555	600	21	0	0	U
1	C	452	Total	С	Ν	0	S	0	2	0
			3418	2241	559	597	21	0	2	0
1 D	459	Total	С	Ν	0	S	0	2	0	
	402	3418	2241	559	597	21	0	2	0	

• Molecule 1 is a protein called PF0708.

There are 128 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-6	MET	-	expression tag	UNP Q8U2X0
А	-5	GLY	-	expression tag	UNP Q8U2X0
А	-4	GLY	-	expression tag	UNP Q8U2X0
А	-3	SER	-	expression tag	UNP Q8U2X0
А	-2	GLU	-	expression tag	UNP Q8U2X0
А	-1	ILE	-	expression tag	UNP Q8U2X0
А	0	PRO	-	expression tag	UNP Q8U2X0
А	298	THR	ALA	conflict	UNP Q8U2X0
А	462	ARG	-	expression tag	UNP Q8U2X0
А	463	ASN	-	expression tag	UNP Q8U2X0
А	464	SER	-	expression tag	UNP Q8U2X0
А	465	GLU	-	expression tag	UNP Q8U2X0
А	466	ASN	-	expression tag	UNP Q8U2X0
А	467	LEU	-	expression tag	UNP Q8U2X0
А	468	TYR	-	expression tag	UNP Q8U2X0
А	469	PHE	-	expression tag	UNP Q8U2X0
А	470	GLN	-	expression tag	UNP Q8U2X0
А	471	GLY	-	expression tag	UNP Q8U2X0
А	472	GLY	-	expression tag	UNP Q8U2X0
А	473	ARG	-	expression tag	UNP Q8U2X0
А	474	GLY	-	expression tag	UNP Q8U2X0



Continued from pre		bious page				
Chain	Residue	Modelled	Actual	Comment	Reference	
A	475	SER	-	expression tag	UNP Q8U2X0	
А	476	HIS	-	expression tag	UNP Q8U2X0	
А	477	HIS	-	expression tag	UNP Q8U2X0	
А	478	HIS	-	expression tag	UNP Q8U2X0	
А	479	HIS	-	expression tag	UNP Q8U2X0	
А	480	HIS	-	expression tag	UNP Q8U2X0	
А	481	HIS	-	expression tag	UNP Q8U2X0	
А	482	HIS	-	expression tag	UNP Q8U2X0	
А	483	HIS	-	expression tag	UNP Q8U2X0	
А	484	HIS	-	expression tag	UNP Q8U2X0	
А	485	HIS	-	expression tag	UNP Q8U2X0	
В	-6	MET	-	expression tag	UNP Q8U2X0	
В	-5	GLY	-	expression tag	UNP Q8U2X0	
В	-4	GLY	-	expression tag	UNP Q8U2X0	
В	-3	SER	-	expression tag	UNP Q8U2X0	
В	-2	GLU	-	expression tag	UNP Q8U2X0	
В	-1	ILE	-	expression tag	UNP Q8U2X0	
В	0	PRO	-	expression tag	UNP Q8U2X0	
В	298	THR	ALA	conflict	UNP Q8U2X0	
В	462	ARG	-	expression tag	UNP Q8U2X0	
В	463	ASN	-	expression tag	UNP Q8U2X0	
В	464	SER	-	expression tag	UNP Q8U2X0	
В	465	GLU	-	expression tag	UNP Q8U2X0	
В	466	ASN	-	expression tag	UNP Q8U2X0	
В	467	LEU	-	expression tag	UNP Q8U2X0	
В	468	TYR	-	expression tag	UNP Q8U2X0	
В	469	PHE	-	expression tag	UNP Q8U2X0	
В	470	GLN	-	expression tag	UNP Q8U2X0	
В	471	GLY	-	expression tag	UNP Q8U2X0	
В	472	GLY	-	expression tag	UNP Q8U2X0	
В	473	ARG	-	expression tag	UNP Q8U2X0	
В	474	GLY	-	expression tag	UNP Q8U2X0	
В	475	SER	-	expression tag	UNP Q8U2X0	
В	476	HIS	-	expression tag	UNP Q8U2X0	
В	477	HIS	-	expression tag	UNP Q8U2X0	
В	478	HIS	-	expression tag	UNP Q8U2X0	
В	479	HIS	-	expression tag	UNP Q8U2X0	
В	480	HIS	-	expression tag	UNP Q8U2X0	
В	481	HIS	-	expression tag	UNP Q8U2X0	
В	482	HIS	-	expression tag	UNP Q8U2X0	
В	483	HIS	-	expression tag	UNP Q8U2X0	
В	484	HIS	-	expression tag	UNP Q8U2X0	



Chain	Residue	Modelled	Actual Comment		Reference
В	485	HIS	-	expression tag	UNP Q8U2X0
С	-6	MET	-	expression tag	UNP Q8U2X0
С	-5	GLY	_	expression tag	UNP Q8U2X0
С	-4	GLY	-	expression tag	UNP Q8U2X0
С	-3	SER	_	expression tag	UNP Q8U2X0
С	-2	GLU	_	expression tag	UNP Q8U2X0
С	-1	ILE	_	expression tag	UNP Q8U2X0
С	0	PRO	-	expression tag	UNP Q8U2X0
С	298	THR	ALA	conflict	UNP Q8U2X0
С	462	ARG	-	expression tag	UNP Q8U2X0
С	463	ASN	-	expression tag	UNP Q8U2X0
С	464	SER	-	expression tag	UNP Q8U2X0
С	465	GLU	-	expression tag	UNP Q8U2X0
С	466	ASN	-	expression tag	UNP Q8U2X0
С	467	LEU	-	expression tag	UNP Q8U2X0
С	468	TYR	-	expression tag	UNP Q8U2X0
С	469	PHE	-	expression tag	UNP Q8U2X0
С	470	GLN	-	expression tag	UNP Q8U2X0
С	471	GLY	-	expression tag	UNP Q8U2X0
С	472	GLY	-	expression tag	UNP Q8U2X0
С	473	ARG	-	expression tag	UNP Q8U2X0
С	474	GLY	-	expression tag	UNP Q8U2X0
С	475	SER	-	expression tag	UNP Q8U2X0
С	476	HIS	-	expression tag	UNP Q8U2X0
С	477	HIS	-	expression tag	UNP Q8U2X0
С	478	HIS	-	expression tag	UNP Q8U2X0
С	479	HIS	-	expression tag	UNP Q8U2X0
С	480	HIS	-	expression tag	UNP Q8U2X0
С	481	HIS	-	expression tag	UNP Q8U2X0
С	482	HIS	-	expression tag	UNP Q8U2X0
С	483	HIS	-	expression tag	UNP Q8U2X0
С	484	HIS	-	expression tag	UNP Q8U2X0
С	485	HIS	-	expression tag	UNP Q8U2X0
D	-6	MET	-	expression tag	UNP Q8U2X0
D	-5	GLY	-	expression tag	UNP Q8U2X0
D	-4	GLY	-	expression tag	UNP Q8U2X0
D	-3	SER	-	expression tag	UNP $Q8U2X0$
D	-2	GLU	-	expression tag	UNP Q8U2X0
D	-1	ILE		expression tag	UNP $Q8\overline{U}2\overline{X}0$
D	0	PRO	-	expression tag	UNP Q8U2X0
D	298	THR	ALA	conflict	UNP Q8U2X0
D	462	ARG	-	expression tag	UNP Q8U2X0



Chain	Residue	Modelled	Actual	Comment	Reference
D	463	ASN	-	expression tag	UNP Q8U2X0
D	464	SER	-	expression tag	UNP Q8U2X0
D	465	GLU	-	expression tag	UNP Q8U2X0
D	466	ASN	-	expression tag	UNP Q8U2X0
D	467	LEU	-	expression tag	UNP Q8U2X0
D	468	TYR	-	expression tag	UNP Q8U2X0
D	469	PHE	-	expression tag	UNP Q8U2X0
D	470	GLN	-	expression tag	UNP Q8U2X0
D	471	GLY	-	expression tag	UNP Q8U2X0
D	472	GLY	-	expression tag	UNP Q8U2X0
D	473	ARG	-	expression tag	UNP Q8U2X0
D	474	GLY	-	expression tag	UNP Q8U2X0
D	475	SER	-	expression tag	UNP Q8U2X0
D	476	HIS	-	expression tag	UNP Q8U2X0
D	477	HIS	-	expression tag	UNP Q8U2X0
D	478	HIS	-	expression tag	UNP Q8U2X0
D	479	HIS	-	expression tag	UNP Q8U2X0
D	480	HIS	-	expression tag	UNP Q8U2X0
D	481	HIS	-	expression tag	UNP Q8U2X0
D	482	HIS	-	expression tag	UNP Q8U2X0
D	483	HIS	-	expression tag	UNP Q8U2X0
D	484	HIS	-	expression tag	UNP Q8U2X0
D	485	HIS	-	expression tag	UNP Q8U2X0

• Molecule 2 is PENTAETHYLENE GLYCOL MONODECYL ETHER (three-letter code: CXE) (formula: $C_{20}H_{42}O_6$).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 26 & 20 & 6 \end{array}$	0	0
2	А	1	Total C O 26 20 6	0	0
2	А	1	Total C O 26 20 6	0	0
2	А	1	Total C O 20 16 4	0	0
2	А	1	Total C 10 10	0	0
2	А	1	Total C O 20 16 4	0	0
2	А	1	Total C 7 7	0	0
2	А	1	Total C O 14 12 2	0	0
2	А	1	Total C O 23 18 5	0	0
2	А	1	Total C 10 10	0	0
2	А	1	Total C 10 10	0	0
2	А	1	Total C 6 6	0	0
2	А	1	Total C O 20 16 4	0	0
2	А	1	Total C 9 9	0	0
2	А	1	Total C 7 7	0	0
2	А	1	Total C 7 7	0	0
2	А	1	Total C 5 5	0	0
2	В	1	Total C O 26 20 6	0	0
2	В	1	Total C O 20 16 4	0	0
2	В	1	Total C O 17 14 3	0	0
2	В	1	Total C O 11 10 1	0	0
2	В	1	Total C 10 10	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	В	1	Total C O 17 14 3	0	0
2	В	1	Total C 9 9	0	0
2	В	1	Total C 7 7	0	0
2	В	1	$\begin{array}{cc} \text{Total} & \text{C} \\ 6 & 6 \end{array}$	0	0
2	В	1	$\begin{array}{cc} {\rm Total} & {\rm C} \\ 6 & 6 \end{array}$	0	0
2	В	1	$\begin{array}{cc} \text{Total} & \text{C} \\ 6 & 6 \end{array}$	0	0
2	В	1	Total C 9 9	0	0
2	С	1	Total C O 26 20 6	0	0
2	С	1	Total C O 26 20 6	0	0
2	С	1	Total C O 26 20 6	0	0
2	С	1	Total C O 26 20 6	0	0
2	С	1	Total C O 20 16 4	0	0
2	С	1	Total C O 15 13 2	0	0
2	С	1	Total C 10 10	0	0
2	С	1	Total C 7 7	0	0
2	С	1	Total C O 17 14 3	0	0
2	С	1	Total C O 23 18 5	0	0
2	С	1	Total C 10 10	0	0
2	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 16 & 10 & 6 \end{array}$	0	0
2	С	1	Total C O 23 18 5	0	0
2	С	1	Total C O 17 14 3	0	0



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	С	1	Total C 4 4	0	0
2	С	1	Total C 7 7	0	0
2	D	1	Total C O 11 10 1	0	0
2	D	1	Total C O 20 16 4	0	0
2	D	1	Total C O 14 12 2	0	0
2	D	1	Total C 10 10	0	0
2	D	1	Total C O 14 12 2	0	0
2	D	1	Total C O 11 10 1	0	0
2	D	1	Total C O 11 10 1	0	0
2	D	1	Total C 5 5	0	0

• Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	2	Total Cl 2 2	0	0

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	111	Total O 111 111	0	0
4	В	74	Total O 74 74	0	0
4	С	112	Total O 112 112	0	0
4	D	30	Total O 30 30	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: PF0708







4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	219.56Å 94.55 Å 138.82 Å	Deperitor
a, b, c, α , β , γ	90.00° 126.47° 90.00°	Depositor
$\mathbf{P}_{\text{oscolution}}(\hat{\mathbf{A}})$	45.24 - 2.35	Depositor
Resolution (A)	45.24 - 2.35	EDS
% Data completeness	99.7 (45.24-2.35)	Depositor
(in resolution range)	99.7(45.24-2.35)	EDS
R _{merge}	0.07	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.15 (at 2.34 \text{\AA})$	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
D D	0.203 , 0.231	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.198 , 0.228	DCC
R_{free} test set	4737 reflections $(4.98%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	38.1	Xtriage
Anisotropy	0.244	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.33 , 68.5	EDS
L-test for twinning ²	$< L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	0.015 for -h-2*l,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	14749	wwPDB-VP
Average B, all atoms $(Å^2)$	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.74% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, CXE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Chain	Bond lengths		Bond angles	
		RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.25	0/3476	0.43	0/4714
1	В	0.23	0/3474	0.40	0/4712
1	С	0.25	0/3485	0.43	0/4725
1	D	0.24	0/3485	0.43	0/4725
All	All	0.24	0/13920	0.42	0/18876

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3412	0	3601	33	0
1	В	3413	0	3594	26	0
1	С	3418	0	3610	40	0
1	D	3418	0	3610	33	0
2	А	246	0	420	21	0
2	В	144	0	253	11	0
2	С	273	0	450	23	0
2	D	96	0	174	8	0
3	A	2	0	0	1	0



	J	1	1 . 5			
Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	А	111	0	0	4	0
4	В	74	0	0	1	0
4	С	112	0	0	0	0
4	D	30	0	0	1	0
All	All	14749	0	15712	152	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 152 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:344:GLN:HG2	2:B:506:CXE:H091	1.59	0.82
1:C:445:ARG:HH11	1:C:445:ARG:HG2	1.51	0.76
1:A:349:PHE:HD2	1:A:349:PHE:H	1.37	0.72
2:B:501:CXE:H222	1:C:39:LEU:HD11	1.72	0.72
2:A:501:CXE:H062	2:A:515:CXE:H022	1.74	0.70

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	452/492~(92%)	444 (98%)	8 (2%)	0	100	100
1	В	452/492~(92%)	446 (99%)	6 (1%)	0	100	100
1	С	452/492~(92%)	444 (98%)	8 (2%)	0	100	100
1	D	452/492~(92%)	445 (98%)	7(2%)	0	100	100
All	All	1808/1968~(92%)	1779~(98%)	29~(2%)	0	100	100

There are no Ramachandran outliers to report.



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	358/389~(92%)	343~(96%)	15~(4%)	30	37
1	В	358/389~(92%)	356~(99%)	2 (1%)	86	92
1	С	359/389~(92%)	347 (97%)	12 (3%)	38	46
1	D	359/389~(92%)	350~(98%)	9 (2%)	47	58
All	All	1434/1556~(92%)	1396~(97%)	38~(3%)	44	56

 $5~{\rm of}~38$ residues with a non-rotameric side chain are listed below:

Mol	Chain	\mathbf{Res}	Type
1	С	445	ARG
1	D	353	GLU
1	D	53	LEU
1	D	124	ARG
1	D	372	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 8 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	356	GLN
1	С	407	GLN
1	В	407	GLN
1	В	167	ASN
1	В	433	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 55 ligands modelled in this entry, 2 are monoatomic - leaving 53 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	Bo	ond leng	$_{\rm sths}$	B	ond ang	les
INIOI	туре	Unam	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	CXE	С	501	-	$25,\!25,\!25$	0.40	0	24,24,24	0.44	0
2	CXE	А	505	-	9,9,25	0.18	0	8,8,24	0.83	0
2	CXE	А	511	-	9,9,25	0.23	0	8,8,24	0.57	0
2	CXE	В	503	-	16,16,25	0.33	0	15,15,24	0.59	0
2	CXE	С	516	-	6,6,25	0.26	0	5,5,24	0.49	0
2	CXE	А	510	-	9,9,25	0.23	0	8,8,24	0.55	0
2	CXE	В	507	-	8,8,25	0.21	0	7,7,24	0.60	0
2	CXE	В	509	-	$5,\!5,\!25$	0.25	0	4,4,24	0.35	0
2	CXE	А	517	-	4,4,25	0.22	0	3,3,24	0.50	0
2	CXE	А	504	-	$19,\!19,\!25$	0.31	0	18,18,24	0.59	0
2	CXE	С	514	-	16, 16, 25	0.34	0	15,15,24	0.46	0
2	CXE	D	507	-	10,10,25	0.24	0	9,9,24	0.51	0
2	CXE	С	507	-	$9,\!9,\!25$	0.25	0	8,8,24	0.49	0
2	CXE	В	511	-	$5,\!5,\!25$	0.25	0	4,4,24	0.40	0
2	CXE	С	510	-	22,22,25	0.37	0	21,21,24	0.50	0
2	CXE	С	515	-	$3,\!3,\!25$	0.35	0	2,2,24	0.61	0
2	CXE	D	504	-	9,9,25	0.22	0	8,8,24	0.62	0
2	CXE	А	508	-	$13,\!13,\!25$	0.29	0	12,12,24	0.52	0
2	CXE	А	506	-	$19,\!19,\!25$	0.31	0	18,18,24	0.56	0
2	CXE	В	505	-	$9,\!9,\!25$	0.24	0	8,8,24	0.55	0
2	CXE	А	502	-	$25,\!25,\!25$	0.40	0	24,24,24	0.43	0
2	CXE	D	506	-	10,10,25	0.25	0	9,9,24	0.50	0
2	CXE	С	504	-	$25,\!25,\!25$	0.40	0	24,24,24	0.48	0
2	CXE	A	503	-	$25,\!25,\!25$	0.33	0	24,24,24	0.68	0
2	CXE	A	507	-	6,6,25	0.24	0	5,5,24	0.41	0
2	CXE	В	506	-	16, 16, 25	0.36	0	15,15,24	0.52	0
2	CXE	D	503	-	13,13,25	0.31	0	12,12,24	0.49	0



Mal	Turne	Chain	Dec	Tink	Bo	ond leng	$_{\rm ths}$	B	ond ang	les
	туре	Unam	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	CXE	А	514	-	8,8,25	0.24	0	7,7,24	0.52	0
2	CXE	А	509	-	22,22,25	0.38	0	21,21,24	0.40	0
2	CXE	С	506	-	14,14,25	0.33	0	13,13,24	0.54	0
2	CXE	В	502	-	19,19,25	0.42	0	18,18,24	0.47	0
2	CXE	С	512	-	15,15,25	0.44	0	14,14,24	0.44	0
2	CXE	А	501	-	25,25,25	0.40	0	24,24,24	0.51	0
2	CXE	А	512	-	$5,\!5,\!25$	0.25	0	4,4,24	0.40	0
2	CXE	С	502	-	$25,\!25,\!25$	0.37	0	24,24,24	0.58	0
2	CXE	С	503	-	$25,\!25,\!25$	0.39	0	24,24,24	0.60	0
2	CXE	D	508	-	4,4,25	0.24	0	3,3,24	0.39	0
2	CXE	D	505	-	13,13,25	0.27	0	12,12,24	0.50	0
2	CXE	С	505	-	19,19,25	0.38	0	18,18,24	0.75	0
2	CXE	В	508	-	$6,\!6,\!25$	0.25	0	5,5,24	0.41	0
2	CXE	В	510	-	$5,\!5,\!25$	0.23	0	4,4,24	0.41	0
2	CXE	D	502	-	$19,\!19,\!25$	0.29	0	18,18,24	0.58	0
2	CXE	А	515	-	$6,\!6,\!25$	0.24	0	$5,\!5,\!24$	0.42	0
2	CXE	В	504	-	10,10,25	0.25	0	9,9,24	0.50	0
2	CXE	А	516	-	$6,\!6,\!25$	0.21	0	$5,\!5,\!24$	0.62	0
2	CXE	С	511	-	9,9,25	0.23	0	8,8,24	0.56	0
2	CXE	С	513	-	22,22,25	0.35	0	21,21,24	0.66	0
2	CXE	С	508	-	$6,\!6,\!25$	0.23	0	5,5,24	0.52	0
2	CXE	С	509	-	16, 16, 25	0.37	0	15,15,24	0.57	0
2	CXE	D	501	-	10,10,25	0.21	0	9,9,24	0.58	0
2	CXE	A	513	-	19,19,25	0.32	0	18,18,24	0.53	0
2	CXE	В	501	-	$25,\!25,\!25$	0.39	0	24,24,24	0.45	0
2	CXE	В	512	-	8,8,25	0.26	0	7,7,24	0.45	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CXE	С	501	-	-	10/23/23/23	-
2	CXE	А	505	-	-	3/7/7/23	-
2	CXE	А	511	-	-	2/7/7/23	-
2	CXE	В	503	-	-	10/14/14/23	-
2	CXE	С	516	-	-	3/4/4/23	-
2	CXE	А	510	-	-	3/7/7/23	-
2	CXE	В	507	-	-	3/6/6/23	-
2	CXE	В	509	-	-	1/3/3/23	-



4MLB	
------	--

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CXE	А	517	-	-	2/2/2/23	_
2	CXE	А	504	-	-	8/17/17/23	_
2	CXE	С	514	-	-	3/14/14/23	-
2	CXE	D	507	-	-	4/8/8/23	-
2	CXE	С	507	_	-	3/7/7/23	_
2	CXE	В	511	_	-	2/3/3/23	_
2	CXE	С	510	-	-	8/20/20/23	_
2	CXE	С	515	-	-	0/1/1/23	-
2	CXE	D	504	-	-	2/7/7/23	-
2	CXE	А	508	-	-	9/11/11/23	-
2	CXE	А	506	-	-	8/17/17/23	-
2	CXE	В	505	-	-	0/7/7/23	-
2	CXE	А	502	-	-	3/23/23/23	-
2	CXE	D	506	-	-	6/8/8/23	-
2	CXE	С	504	-	-	13/23/23/23	-
2	CXE	А	503	-	-	10/23/23/23	-
2	CXE	А	507	-	-	2/4/4/23	-
2	CXE	В	506	-	-	6/14/14/23	-
2	CXE	D	503	-	-	7/11/11/23	-
2	CXE	А	514	-	-	3/6/6/23	-
2	CXE	А	509	-	-	3/20/20/23	-
2	CXE	С	506	-	-	9/12/12/23	-
2	CXE	В	502	-	-	6/17/17/23	_
2	CXE	С	512	-	-	8/13/13/23	_
2	CXE	А	501	-	-	7/23/23/23	_
2	CXE	А	512	-	-	0/3/3/23	-
2	CXE	С	502	-	-	13/23/23/23	-
2	CXE	С	503	-	-	12/23/23/23	-
2	CXE	D	508	-	-	0/2/2/23	-
2	CXE	D	505	-	-	3/11/11/23	-
2	CXE	С	505	-	-	9/17/17/23	_
2	CXE	В	508	-	-	2/4/4/23	-
2	CXE	В	510	-	-	1/3/3/23	-
2	CXE	D	502	-	-	11/17/17/23	-
2	CXE	А	515	-	-	2/4/4/23	-



4MLB

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CXE	В	504	-	-	0/8/8/23	-
2	CXE	А	516	-	-	2/4/4/23	-
2	CXE	С	511	-	-	0/7/7/23	-
2	CXE	С	513	-	-	12/20/20/23	-
2	CXE	С	508	-	-	1/4/4/23	-
2	CXE	С	509	-	-	8/14/14/23	-
2	CXE	D	501	-	-	2/8/8/23	-
2	CXE	А	513	-	-	7/17/17/23	-
2	CXE	В	501	-	-	1/23/23/23	-
2	CXE	В	512	-	-	4/6/6/23	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 257 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	С	504	CXE	C16-C15-O14-C13
2	С	503	CXE	C19-C18-O17-C16
2	С	504	CXE	O23-C24-C25-O26
2	С	506	CXE	C9-C10-O11-C12
2	А	508	CXE	C6-C7-C8-C9

There are no ring outliers.

34 monomers are involved in 57 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	С	501	CXE	3	0
2	А	505	CXE	1	0
2	В	503	CXE	1	0
2	С	516	CXE	1	0
2	А	517	CXE	1	0
2	А	504	CXE	1	0
2	С	514	CXE	2	0
2	D	507	CXE	3	0
2	В	511	CXE	1	0
2	D	504	CXE	1	0
2	А	506	CXE	6	0
2	A	502	CXE	3	0



Mol

 $\mathbf{2}$

2

2

2

 $\overline{2}$

2

 $\mathbf{2}$

 $\overline{2}$

 $\overline{2}$

2

 $\mathbf{2}$

 $\overline{2}$

 $\overline{2}$

 $\mathbf{2}$

2

2

2

 $\overline{2}$

2

 $\overline{2}$

2

 $\overline{2}$

		<i>.</i>		<i>.</i>
previ	ous page			
Res	Type	Clashes	Symm-Clashes	
504	CXE	2	0	
503	CXE	2	0	
507	CXE	1	0	
506	CXE	5	0	
503	CXE	1	0	
509	CXE	1	0	
506	CXE	1	0	
502	CXE	3	0	
512	CXE	3	0	
501	CXE	5	0	
502	CXE	1	0	
503	CXE	4	0	
505	CXE	2	0	

0

0

0

0

0

0

0

0

0

Continued from prev

Chain

С

А

А

В

D

А

 $\overline{\mathrm{C}}$

В

С

А

С

 $\overline{\mathbf{C}}$

D

С

D

А

Α

C

 $\overline{\mathrm{C}}$

D

А

Β

505

502

515

516

511

513

501

513

501

CXE

CXE

CXE

CXE

CXE

CXE

CXE

CXE

CXE

4

1

3

1

1

4

 $\overline{2}$

2

1

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



















































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	453/492~(92%)	0.26	44 (9%) 7 12	19, 37, 89, 146	0
1	В	454/492~(92%)	0.27	28 (6%) 20 28	21, 42, 76, 113	0
1	С	452/492~(91%)	0.40	43 (9%) 8 13	19, 35, 105, 142	0
1	D	452/492~(91%)	0.63	55 (12%) 4 7	33, 53, 97, 129	0
All	All	1811/1968~(92%)	0.39	170 (9%) 8 13	19, 44, 91, 146	0

The worst 5 of 170 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	С	354	SER	10.9
1	А	456	ALA	8.8
1	D	352	SER	8.0
1	А	454	THR	7.7
1	D	355	ALA	7.3

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
2	CXE	А	503	26/26	0.63	0.35	65,77,83,85	0
2	CXE	А	509	23/26	0.63	0.39	56,83,102,104	0
2	CXE	С	514	17/26	0.66	0.34	50,70,93,93	0
2	CXE	В	511	6/26	0.71	1.05	34,38,39,42	6
2	CXE	А	508	14/26	0.71	0.29	63,78,100,100	0
2	CXE	С	505	20/26	0.73	0.27	46,62,82,83	0
2	CXE	А	513	20/26	0.73	0.26	42,74,102,106	0
2	CXE	С	504	26/26	0.74	0.38	50,72,102,105	0
2	CXE	С	503	26/26	0.75	0.24	47,57,74,78	0
2	CXE	D	505	14/26	0.76	0.24	49,66,77,78	0
2	CXE	В	512	9/26	0.78	0.23	44,53,62,65	0
2	CXE	С	501	26/26	0.78	0.28	26,43,88,95	0
2	CXE	С	502	26/26	0.78	0.30	40,76,83,87	0
2	CXE	В	505	10/26	0.78	0.21	46,60,72,77	0
2	CXE	D	506	11/26	0.78	0.23	64,68,87,91	0
2	CXE	С	513	23/26	0.79	0.25	$57,\!67,\!81,\!85$	0
2	CXE	А	511	10/26	0.80	0.23	58,66,74,74	0
2	CXE	D	504	10/26	0.80	0.22	$55,\!59,\!73,\!74$	0
2	CXE	А	507	7/26	0.80	0.17	$42,\!52,\!59,\!62$	0
2	CXE	В	504	11/26	0.80	0.24	36,74,78,81	0
2	CXE	В	506	17/26	0.81	0.22	56,70,84,84	0
2	CXE	А	510	10/26	0.81	0.35	36,63,68,69	0
2	CXE	C	509	17/26	0.81	0.20	54,76,85,95	0
2	CXE	В	502	20/26	0.81	0.24	$36,\!50,\!62,\!65$	0
2	CXE	C	510	23/26	0.83	0.24	49,73,80,88	0
2	CXE	С	512	16/26	0.83	0.25	38,57,82,89	0
2	CXE	А	514	9/26	0.83	0.21	$55,\!62,\!69,\!73$	0
2	CXE	A	516	7/26	0.83	0.22	52,57,70,73	0
2	CXE	A	501	26/26	0.83	0.18	35,49,60,64	0
2	CXE	С	508	7/26	0.83	0.28	52,59,64,66	0
2	CXE	В	507	9/26	0.83	0.25	36,61,73,84	0
2	CXE	D	507	11/26	0.83	0.23	48,58,67,70	0
2	CXE	D	508	5/26	0.83	0.20	56,57,57,58	0
2	CXE	C	506	15/26	0.84	0.21	37,47,71,75	0
2	CXE	С	507	10/26	0.85	0.28	60,68,79,80	0
2	CXE	В	503	17/26	0.85	0.21	46,53,66,68	3
2	CXE	В	508	7/26	0.85	0.22	44,52,67,68	0
2	CXE	A	515	7/26	0.86	0.22	38,53,65,65	0
2	CXE	C	515	4/26	0.86	0.15	48,50,54,66	0
2	CXE	C	516	7/26	0.86	0.29	51,65,67,68	0
2	CXE	С	511	10/26	0.86	0.23	48,56,65,67	0
2	CXE	A	506	20/26	0.87	0.22	24,39,57,58	0
2	CXE	B	509	6/26	0.87	1.03	32,36,42,45	6



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
2	CXE	А	517	5/26	0.87	0.22	56,60,63,68	0
2	CXE	А	502	26/26	0.87	0.25	29,48,74,81	0
2	CXE	А	505	10/26	0.87	0.83	38,42,47,63	10
2	CXE	В	510	6/26	0.88	0.14	62,69,71,72	0
2	CXE	В	501	26/26	0.88	0.19	$35,\!50,\!77,\!86$	0
2	CXE	A	512	6/26	0.88	0.23	34,49,53,65	0
2	CXE	А	504	20/26	0.88	0.17	43,61,77,81	0
2	CXE	D	502	20/26	0.90	0.19	38,48,56,58	10
2	CXE	D	501	11/26	0.91	0.15	41,46,65,65	0
2	CXE	D	503	14/26	0.93	0.17	$53,\!61,\!65,\!76$	0
3	CL	А	518	1/1	0.97	0.08	29,29,29,29	0
3	CL	A	519	1/1	0.98	0.13	37,37,37,37	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.











































































































6.5 Other polymers (i)

There are no such residues in this entry.

