



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 2, 2023 – 11:29 AM EDT

PDB ID : 6MSV
Title : Structure of the 6th type III domain from human fibronectin
Authors : Loa, S.; Mou, T.C.; Sprang, S.R.; Briknarova, K.
Deposited on : 2018-10-18
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : **FAILED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7827 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fibronectin.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
1	A	86	645	407	109	129	0	0	0
1	B	83	629	399	106	124	0	0	0
1	C	85	641	405	108	128	0	0	0
1	D	90	673	425	114	134	0	0	0
1	E	84	635	402	107	126	0	0	0
1	F	84	635	402	107	126	0	0	0
1	G	83	629	399	106	124	0	0	0
1	H	89	669	423	113	133	0	0	0
1	I	81	618	393	103	122	0	0	0
1	J	83	629	399	106	124	0	0	0
1	K	84	635	402	107	126	0	0	0
1	L	83	629	399	106	124	0	0	0

There are 36 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1082	GLY	-	expression tag	UNP P02751
A	1083	SER	-	expression tag	UNP P02751
A	1084	GLY	-	expression tag	UNP P02751
B	1082	GLY	-	expression tag	UNP P02751
B	1083	SER	-	expression tag	UNP P02751

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	1084	GLY	-	expression tag	UNP P02751
C	1082	GLY	-	expression tag	UNP P02751
C	1083	SER	-	expression tag	UNP P02751
C	1084	GLY	-	expression tag	UNP P02751
D	1082	GLY	-	expression tag	UNP P02751
D	1083	SER	-	expression tag	UNP P02751
D	1084	GLY	-	expression tag	UNP P02751
E	1082	GLY	-	expression tag	UNP P02751
E	1083	SER	-	expression tag	UNP P02751
E	1084	GLY	-	expression tag	UNP P02751
F	1082	GLY	-	expression tag	UNP P02751
F	1083	SER	-	expression tag	UNP P02751
F	1084	GLY	-	expression tag	UNP P02751
G	1082	GLY	-	expression tag	UNP P02751
G	1083	SER	-	expression tag	UNP P02751
G	1084	GLY	-	expression tag	UNP P02751
H	1082	GLY	-	expression tag	UNP P02751
H	1083	SER	-	expression tag	UNP P02751
H	1084	GLY	-	expression tag	UNP P02751
I	1082	GLY	-	expression tag	UNP P02751
I	1083	SER	-	expression tag	UNP P02751
I	1084	GLY	-	expression tag	UNP P02751
J	1082	GLY	-	expression tag	UNP P02751
J	1083	SER	-	expression tag	UNP P02751
J	1084	GLY	-	expression tag	UNP P02751
K	1082	GLY	-	expression tag	UNP P02751
K	1083	SER	-	expression tag	UNP P02751
K	1084	GLY	-	expression tag	UNP P02751
L	1082	GLY	-	expression tag	UNP P02751
L	1083	SER	-	expression tag	UNP P02751
L	1084	GLY	-	expression tag	UNP P02751

- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total C O 6 3 3	0	0
2	F	1	Total C O 6 3 3	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	13	Total O 13 13	0	0
3	B	18	Total O 18 18	0	0
3	C	16	Total O 16 16	0	0
3	D	8	Total O 8 8	0	0
3	E	12	Total O 12 12	0	0
3	F	17	Total O 17 17	0	0
3	G	12	Total O 12 12	0	0
3	H	14	Total O 14 14	0	0
3	I	14	Total O 14 14	0	0
3	J	11	Total O 11 11	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	K	11	Total	O	0	0
			11	11		
3	L	2	Total	O	0	0
			2	2		

MolProbity and EDS failed to run properly - this section is therefore empty.

3 Data and refinement statistics i

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	48.52Å 79.46Å 80.89Å 112.33° 95.88° 94.48°	Depositor
Resolution (Å)	26.64 – 2.40	Depositor
% Data completeness (in resolution range)	91.8 (26.64-2.40)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.02 (at 2.29Å)	Xtrriage
Refinement program	PHENIX (1.14_3260: ???)	Depositor
R, R_{free}	0.235 , 0.295	Depositor
Wilson B-factor (Å ²)	41.4	Xtrriage
Anisotropy	0.431	Xtrriage
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	0.076 for -h,-l,-k	Xtrriage
Total number of atoms	7827	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.13% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

4 Model quality [i](#)

4.1 Standard geometry [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles [i](#)

4.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

4.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GOL	B	1201	-	5,5,5	0.98	0	5,5,5	0.91	0
2	GOL	F	1201	-	5,5,5	0.89	0	5,5,5	1.00	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	B	1201	-	-	2/4/4/4	-
2	GOL	F	1201	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	F	1201	GOL	C1-C2-C3-O3
2	B	1201	GOL	O1-C1-C2-C3
2	F	1201	GOL	O2-C2-C3-O3
2	B	1201	GOL	O1-C1-C2-O2

There are no ring outliers.

No monomer is involved in short contacts.

4.7 Other polymers [i](#)

There are no such residues in this entry.

4.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

5 Fit of model and data

5.1 Protein, DNA and RNA chains

EDS failed to run properly - this section is therefore empty.

5.2 Non-standard residues in protein, DNA, RNA chains

EDS failed to run properly - this section is therefore empty.

5.3 Carbohydrates

EDS failed to run properly - this section is therefore empty.

5.4 Ligands

EDS failed to run properly - this section is therefore empty.

5.5 Other polymers

EDS failed to run properly - this section is therefore empty.