



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 7, 2023 – 04:46 PM EDT

PDB ID : 1QAK
Title : THE ACTIVE SITE BASE CONTROLS COFACTOR REACTIVITY IN ES-
CHERICHIA COLI AMINE OXIDASE : X-RAY CRYSTALLOGRAPHIC
STUDIES WITH MUTATIONAL VARIANTS
Authors : Murray, J.M.; Wilmot, C.M.; Saysell, C.G.; Jaeger, J.; Knowles, P.F.; Phillips,
S.E.; McPherson, M.J.
Deposited on : 1999-03-15
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.35
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	722	 2% 72% 24% ..
1	B	722	 3% 71% 24% ..

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 12895 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called COPPER AMINE OXIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	720	5686	3616	969	1079	22	0	1	1
1	B	722	5712	3632	973	1085	22	0	1	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	383	ALA	ASP	engineered mutation	UNP P46883
A	466	TPQ	TYR	modified residue	UNP P46883
B	383	ALA	ASP	engineered mutation	UNP P46883
B	466	TPQ	TYR	modified residue	UNP P46883

- Molecule 2 is COPPER (II) ION (three-letter code: CU) (formula: Cu).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total 1	Cu 1	0	0
2	B	1	Total 1	Cu 1	0	0

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total 2	Ca 2	0	0
3	B	2	Total 2	Ca 2	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	791	Total 791	O 791	0	0
4	B	700	Total 700	O 700	0	0


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: COPPER AMINE OXIDASE



• Molecule 1: COPPER AMINE OXIDASE





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	134.66Å 166.17Å 79.09Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00 19.94 – 1.99	Depositor EDS
% Data completeness (in resolution range)	97.4 (20.00-2.00) 90.0 (19.94-1.99)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.36 (at 1.99Å)	Xtrriage
Refinement program	CNS, REFMAC	Depositor
R, R_{free}	0.176 , 0.244 0.170 , 0.224	Depositor DCC
R_{free} test set	3766 reflections (3.43%)	wwPDB-VP
Wilson B-factor (Å ²)	22.6	Xtrriage
Anisotropy	0.624	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 64.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	12895	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: CU, CA, TPQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.53	0/5802	1.71	80/7899 (1.0%)
1	B	0.51	0/5828	1.65	89/7930 (1.1%)
All	All	0.52	0/11630	1.68	169/15829 (1.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

There are no bond length outliers.

All (169) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	692	ARG	NE-CZ-NH2	-20.10	110.25	120.30
1	A	596	ARG	CD-NE-CZ	19.41	150.78	123.60
1	A	648	ARG	NE-CZ-NH1	16.45	128.52	120.30
1	A	692	ARG	NE-CZ-NH2	-16.04	112.28	120.30
1	A	648	ARG	NE-CZ-NH2	-12.50	114.05	120.30
1	A	291	ARG	CD-NE-CZ	11.36	139.50	123.60
1	B	72	ASP	CB-CG-OD1	10.97	128.17	118.30
1	A	566	ASN	OD1-CG-ND2	10.86	146.89	121.90
1	A	642	ARG	CD-NE-CZ	10.77	138.68	123.60
1	A	189	LEU	CB-CG-CD1	10.48	128.82	111.00
1	A	692	ARG	CD-NE-CZ	10.27	137.98	123.60
1	B	20	ASP	CB-CG-OD2	10.13	127.42	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	398	ARG	NE-CZ-NH2	-9.91	115.34	120.30
1	A	692	ARG	NE-CZ-NH1	9.90	125.25	120.30
1	A	401	ASP	CB-CG-OD2	-9.81	109.47	118.30
1	A	24	ASP	CB-CG-OD1	9.77	127.09	118.30
1	A	566	ASN	CB-CG-OD1	-9.68	102.24	121.60
1	B	415	ASP	CB-CG-OD1	9.52	126.87	118.30
1	B	359	GLU	CA-CB-CG	9.41	134.11	113.40
1	B	586	ARG	NE-CZ-NH1	9.41	125.01	120.30
1	A	635	ASP	CB-CG-OD2	-9.34	109.89	118.30
1	B	516	ASP	CB-CG-OD1	9.26	126.63	118.30
1	B	648	ARG	NE-CZ-NH2	-9.21	115.69	120.30
1	B	648	ARG	NE-CZ-NH1	8.84	124.72	120.30
1	B	122	ARG	NE-CZ-NH2	-8.80	115.90	120.30
1	B	189	LEU	CB-CG-CD2	8.59	125.60	111.00
1	A	415	ASP	CB-CG-OD1	8.58	126.02	118.30
1	B	132	ASP	CB-CG-OD1	-8.46	110.68	118.30
1	A	341	MET	CA-CB-CG	-8.31	99.17	113.30
1	B	452	ARG	NE-CZ-NH2	8.25	124.43	120.30
1	B	608	TYR	CB-CG-CD2	-8.24	116.05	121.00
1	A	453	ARG	NE-CZ-NH2	-8.24	116.18	120.30
1	A	440	HIS	N-CA-CB	8.11	125.19	110.60
1	A	304	LYS	CA-CB-CG	8.10	131.21	113.40
1	A	642	ARG	NE-CZ-NH2	-8.02	116.29	120.30
1	B	452	ARG	NE-CZ-NH1	-7.99	116.30	120.30
1	A	326	ARG	NE-CZ-NH1	-7.86	116.37	120.30
1	B	92	ARG	NE-CZ-NH1	-7.74	116.43	120.30
1	A	608	TYR	CB-CG-CD1	7.72	125.63	121.00
1	B	692	ARG	NH1-CZ-NH2	7.72	127.89	119.40
1	A	398	ARG	NE-CZ-NH1	7.70	124.15	120.30
1	B	398	ARG	CG-CD-NE	7.67	127.91	111.80
1	A	511	TYR	CB-CG-CD1	-7.58	116.45	121.00
1	B	416	TYR	CB-CG-CD2	-7.57	116.46	121.00
1	A	189	LEU	CB-CA-C	7.53	124.50	110.20
1	A	596	ARG	NE-CZ-NH1	-7.53	116.54	120.30
1	B	72	ASP	CB-CG-OD2	-7.45	111.60	118.30
1	A	337	ARG	NE-CZ-NH2	-7.42	116.59	120.30
1	A	692	ARG	CG-CD-NE	-7.36	96.35	111.80
1	B	657	ARG	NE-CZ-NH2	7.24	123.92	120.30
1	A	608	TYR	CB-CG-CD2	-7.22	116.67	121.00
1	A	443	MET	CA-CB-CG	7.21	125.56	113.30
1	A	483	ASP	CB-CG-OD1	7.19	124.77	118.30
1	A	629	HIS	CA-CB-CG	-7.13	101.47	113.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	648	ARG	CD-NE-CZ	7.10	133.54	123.60
1	B	624	ASP	CB-CG-OD1	7.09	124.68	118.30
1	A	116	ASP	CB-CG-OD1	-7.09	111.92	118.30
1	A	190	ASP	CB-CG-OD2	-7.09	111.92	118.30
1	A	129	LEU	N-CA-C	-7.08	91.87	111.00
1	A	719	THR	CA-CB-CG2	-7.07	102.50	112.40
1	B	497	ALA	CB-CA-C	-7.04	99.53	110.10
1	B	102	ASP	CB-CG-OD1	7.04	124.63	118.30
1	A	231	ASP	CB-CG-OD2	-6.98	112.02	118.30
1	A	458	ARG	NE-CZ-NH2	6.96	123.78	120.30
1	B	421	MET	CA-CB-CG	6.96	125.13	113.30
1	B	440	HIS	N-CA-CB	6.87	122.96	110.60
1	B	726	ASP	CB-CG-OD1	6.86	124.47	118.30
1	B	398	ARG	NH1-CZ-NH2	6.85	126.94	119.40
1	B	239	ASP	CB-CG-OD2	-6.85	112.14	118.30
1	B	22	GLN	CB-CG-CD	6.82	129.32	111.60
1	A	431	GLU	OE1-CD-OE2	-6.80	115.14	123.30
1	A	630	ARG	NE-CZ-NH2	-6.79	116.90	120.30
1	A	511	TYR	CB-CG-CD2	6.78	125.07	121.00
1	A	537	ASP	CB-CG-OD1	6.76	124.38	118.30
1	B	25	ASP	CB-CG-OD2	-6.61	112.35	118.30
1	A	581	ASP	CB-CG-OD2	-6.52	112.43	118.30
1	B	672	GLU	OE1-CD-OE2	6.50	131.10	123.30
1	A	298	ARG	NE-CZ-NH2	-6.48	117.06	120.30
1	A	571	GLY	N-CA-C	6.45	129.22	113.10
1	B	692	ARG	CG-CD-NE	-6.44	98.28	111.80
1	A	635	ASP	CB-CG-OD1	6.42	124.08	118.30
1	A	565	VAL	CA-CB-CG2	-6.35	101.37	110.90
1	A	132	ASP	CB-CG-OD2	-6.35	112.58	118.30
1	B	189	LEU	CB-CG-CD1	-6.24	100.39	111.00
1	A	168	ASP	CB-CG-OD1	6.20	123.88	118.30
1	B	132	ASP	OD1-CG-OD2	6.14	134.97	123.30
1	A	326	ARG	NH1-CZ-NH2	6.13	126.15	119.40
1	B	34	LYS	CA-CB-CG	-6.09	100.00	113.40
1	A	421	MET	N-CA-CB	-6.08	99.65	110.60
1	A	588	LEU	N-CA-C	-6.07	94.62	111.00
1	A	566	ASN	N-CA-CB	-6.04	99.73	110.60
1	B	316	TYR	CG-CD2-CE2	6.04	126.13	121.30
1	B	657	ARG	NE-CZ-NH1	-6.03	117.28	120.30
1	A	539	GLU	CB-CG-CD	6.02	130.45	114.20
1	B	608	TYR	CB-CG-CD1	5.95	124.57	121.00
1	B	704	VAL	N-CA-CB	5.95	124.59	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	189	LEU	CA-CB-CG	5.92	128.91	115.30
1	A	622	ALA	CB-CA-C	5.89	118.93	110.10
1	A	396	ILE	CB-CG1-CD1	-5.88	97.43	113.90
1	B	449	SER	CB-CA-C	-5.87	98.96	110.10
1	B	415	ASP	CB-CG-OD2	-5.84	113.04	118.30
1	B	453	ARG	NE-CZ-NH1	5.82	123.21	120.30
1	A	150	ARG	NE-CZ-NH2	-5.76	117.42	120.30
1	B	142	GLU	OE1-CD-OE2	-5.75	116.40	123.30
1	B	272	GLN	CB-CA-C	5.72	121.85	110.40
1	B	421	MET	N-CA-CB	-5.71	100.32	110.60
1	B	237	LYS	CA-CB-CG	5.65	125.84	113.40
1	A	320	GLY	N-CA-C	-5.65	98.98	113.10
1	B	382	LEU	N-CA-C	-5.65	95.75	111.00
1	A	326	ARG	NE-CZ-NH2	-5.64	117.48	120.30
1	B	150	ARG	CD-NE-CZ	-5.63	115.71	123.60
1	A	231	ASP	CB-CG-OD1	5.62	123.36	118.30
1	A	670	ASP	CB-CG-OD1	5.62	123.36	118.30
1	A	123	PHE	CB-CG-CD1	-5.60	116.88	120.80
1	A	596	ARG	NE-CZ-NH2	5.59	123.09	120.30
1	B	602	SER	CB-CA-C	-5.54	99.57	110.10
1	B	472	TRP	N-CA-C	-5.53	96.08	111.00
1	B	262	GLU	O-C-N	5.50	131.51	122.70
1	B	438	TYR	CB-CG-CD2	-5.50	117.70	121.00
1	A	445	GLN	CG-CD-OE1	-5.49	110.61	121.60
1	B	526	HIS	CA-CB-CG	-5.49	104.27	113.60
1	A	675	ASP	CB-CG-OD2	5.49	123.24	118.30
1	B	120	ASN	CA-CB-CG	5.45	125.38	113.40
1	B	470	PHE	CB-CG-CD1	-5.44	116.99	120.80
1	B	194	SER	CB-CA-C	5.42	120.41	110.10
1	A	6	HIS	O-C-N	-5.42	114.03	122.70
1	B	274	LYS	N-CA-CB	-5.42	100.84	110.60
1	B	406	ALA	CB-CA-C	-5.39	102.01	110.10
1	B	642	ARG	CD-NE-CZ	5.38	131.14	123.60
1	A	65	ASP	CB-CG-OD1	5.37	123.14	118.30
1	B	377	TYR	CG-CD2-CE2	5.37	125.59	121.30
1	B	212	ARG	NE-CZ-NH2	-5.36	117.62	120.30
1	A	682	TRP	N-CA-CB	5.32	120.18	110.60
1	B	634	MET	CG-SD-CE	5.32	108.70	100.20
1	A	661	ASP	CB-CG-OD1	5.31	123.08	118.30
1	B	261	ILE	N-CA-C	-5.31	96.67	111.00
1	B	148	GLN	CB-CA-C	5.30	121.00	110.40
1	B	24	ASP	CB-CG-OD2	5.30	123.07	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	510	ARG	NE-CZ-NH2	5.29	122.94	120.30
1	B	432	ARG	NE-CZ-NH2	-5.27	117.66	120.30
1	B	343	SER	N-CA-CB	-5.27	102.60	110.50
1	B	294	ASP	CB-CG-OD1	5.26	123.04	118.30
1	B	690	VAL	N-CA-C	-5.26	96.81	111.00
1	A	535	ASP	N-CA-C	-5.25	96.82	111.00
1	B	688	THR	N-CA-C	-5.25	96.83	111.00
1	B	26	TYR	CB-CG-CD2	-5.24	117.86	121.00
1	A	382	LEU	N-CA-C	-5.23	96.87	111.00
1	A	239	ASP	CB-CG-OD1	5.21	122.99	118.30
1	B	239	ASP	OD1-CG-OD2	5.21	133.19	123.30
1	B	695	GLU	OE1-CD-OE2	-5.20	117.06	123.30
1	B	670	ASP	CB-CG-OD1	5.19	122.97	118.30
1	B	398	ARG	NE-CZ-NH1	-5.18	117.71	120.30
1	A	696	TRP	N-CA-CB	-5.17	101.30	110.60
1	A	657	ARG	NE-CZ-NH2	-5.16	117.72	120.30
1	B	524	HIS	CG-CD2-NE2	-5.14	99.44	109.20
1	B	438	TYR	CB-CG-CD1	5.14	124.08	121.00
1	A	237	LYS	CA-CB-CG	5.13	124.68	113.40
1	B	226	THR	CA-CB-CG2	-5.13	105.22	112.40
1	B	526	HIS	N-CA-C	-5.12	97.17	111.00
1	B	122	ARG	NE-CZ-NH1	5.12	122.86	120.30
1	B	596	ARG	NE-CZ-NH2	-5.12	117.74	120.30
1	B	588	LEU	N-CA-C	-5.11	97.20	111.00
1	B	539	GLU	OE1-CD-OE2	-5.04	117.26	123.30
1	A	467	ASP	O-C-N	5.03	130.75	122.70
1	B	347	TYR	CB-CG-CD1	-5.03	117.98	121.00
1	A	588	LEU	N-CA-CB	5.03	120.46	110.40
1	B	168	ASP	CB-CG-OD2	-5.03	113.77	118.30
1	A	421	MET	CG-SD-CE	-5.01	92.17	100.20
1	A	666	GLN	CG-CD-OE1	5.01	131.62	121.60

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	466[B]	TPQ	Mainchain
1	B	466[B]	TPQ	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5686	0	5553	148	0
1	B	5712	0	5583	161	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
4	A	791	0	0	23	0
4	B	700	0	0	21	0
All	All	12895	0	11136	288	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (288) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:466[A]:TPQ:H6	4:B:1351:HOH:O	1.25	1.29
1:B:466[A]:TPQ:C6	4:B:1351:HOH:O	1.92	1.00
1:B:67:LYS:HG3	1:B:69:TRP:HE1	1.27	0.98
1:B:272:GLN:HE21	1:B:274:LYS:HD3	1.30	0.93
1:A:466[A]:TPQ:O5	4:A:1575:HOH:O	1.86	0.93
1:B:642:ARG:HH11	1:B:642:ARG:HB2	1.34	0.92
1:B:221:ILE:HD11	1:B:250:ASP:HB2	1.52	0.91
1:B:221:ILE:CD1	1:B:250:ASP:HB2	2.01	0.91
1:A:304:LYS:H	1:B:315:ASN:HD21	1.17	0.90
1:A:592:ASN:HD21	1:A:676:ASN:HD21	1.18	0.88
1:A:303:VAL:HG22	1:B:326:ARG:HH21	1.37	0.88
1:B:129:LEU:HD12	1:B:130:PRO:HD2	1.56	0.88
1:A:279:GLU:OE1	1:A:374:ILE:HD11	1.73	0.88
1:A:189:LEU:HG	4:A:843:HOH:O	1.74	0.86
1:A:28:GLN:HG3	4:A:1188:HOH:O	1.74	0.86
1:B:181:LYS:HE2	1:B:181:LYS:H	1.40	0.85
1:B:8:VAL:CG2	1:B:9:PRO:HD2	2.09	0.83
1:A:525:GLN:NE2	1:A:620:GLN:H	1.77	0.82
1:B:490:GLU:HG2	4:B:1503:HOH:O	1.81	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:303:VAL:HG22	1:B:326:ARG:NH2	1.97	0.79
1:B:251:VAL:HG12	1:B:251:VAL:O	1.82	0.79
1:B:94:HIS:HD2	1:B:96:LEU:H	1.33	0.76
1:B:38:TYR:H	1:B:51:ASN:HD21	1.34	0.76
1:B:642:ARG:HH11	1:B:642:ARG:CB	1.98	0.76
1:B:12:LYS:O	1:B:16:GLU:HG2	1.86	0.76
1:A:38:TYR:H	1:A:51:ASN:HD21	1.34	0.76
1:B:181:LYS:HE2	1:B:181:LYS:N	2.00	0.76
1:B:580:PHE:H	1:B:637:GLN:HE21	1.34	0.75
1:A:73:THR:HG23	1:A:77:ASP:OD2	1.86	0.75
1:B:189:LEU:HG	4:B:867:HOH:O	1.87	0.75
1:A:580:PHE:H	1:A:637:GLN:HE21	1.33	0.74
1:A:38:TYR:H	1:A:51:ASN:ND2	1.86	0.74
1:A:272:GLN:HE21	1:A:274:LYS:HD3	1.52	0.74
1:B:506:LYS:HE2	1:B:510:ARG:HH22	1.53	0.73
1:A:536:VAL:H	1:A:541:ASN:HD21	1.35	0.73
1:B:67:LYS:HG3	1:B:69:TRP:NE1	2.03	0.73
1:B:38:TYR:H	1:B:51:ASN:ND2	1.87	0.73
1:B:61:VAL:HG22	1:B:70:VAL:HG12	1.71	0.73
1:B:203:GLU:CD	1:B:203:GLU:H	1.92	0.73
1:B:725:LYS:O	1:B:726:ASP:OD1	2.06	0.73
1:B:67:LYS:CG	1:B:69:TRP:HE1	2.02	0.72
1:A:286:VAL:HG12	1:A:288:MET:CE	2.19	0.72
1:B:525:GLN:NE2	1:B:620:GLN:H	1.88	0.72
1:A:326:ARG:HD2	4:A:1014:HOH:O	1.91	0.71
1:B:592:ASN:HD21	1:B:676:ASN:HD21	1.38	0.71
1:B:540:ASN:HB3	1:B:676:ASN:ND2	2.04	0.71
1:A:617:LYS:HE3	1:B:581:ASP:OD1	1.91	0.71
1:A:553:ASN:ND2	1:A:555:ALA:H	1.87	0.70
1:A:525:GLN:HE22	1:A:620:GLN:H	1.38	0.70
1:B:209:VAL:HG13	1:B:214:ILE:HB	1.72	0.70
1:B:64:LYS:O	1:B:67:LYS:HG2	1.90	0.70
1:A:286:VAL:CG1	1:A:288:MET:HE1	2.21	0.70
1:A:315:ASN:HD21	1:B:304:LYS:H	1.38	0.69
1:A:699:MET:HE1	4:A:1574:HOH:O	1.91	0.69
1:A:272:GLN:NE2	1:A:274:LYS:HD3	2.07	0.69
1:B:574:GLN:H	1:B:671:ASN:ND2	1.91	0.68
1:B:8:VAL:HG22	1:B:9:PRO:HD2	1.75	0.68
1:B:251:VAL:HG11	4:B:1224:HOH:O	1.92	0.68
1:A:149:PRO:HB3	1:A:170:GLN:HE21	1.58	0.67
1:B:173:LYS:NZ	1:B:173:LYS:HB3	2.10	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:580:PHE:H	1:B:637:GLN:NE2	1.93	0.67
1:B:119:PRO:O	1:B:120:ASN:OD1	2.12	0.66
1:B:189:LEU:HD11	4:B:1112:HOH:O	1.94	0.66
1:B:10:MET:HG3	1:B:70:VAL:CG1	2.25	0.66
1:A:288:MET:HE2	1:A:288:MET:HA	1.78	0.66
1:B:160:LYS:HD3	1:B:271:GLU:OE1	1.95	0.66
1:A:8:VAL:HG22	1:A:9:PRO:HD2	1.78	0.65
1:A:592:ASN:HD21	1:A:676:ASN:ND2	1.93	0.64
1:A:6:HIS:CG	1:A:7:MET:N	2.65	0.64
1:A:540:ASN:HB3	1:A:676:ASN:ND2	2.13	0.64
1:A:629:HIS:HB2	4:A:1241:HOH:O	1.97	0.64
1:A:43:PRO:HB3	1:A:63:MET:HG2	1.80	0.64
1:A:6:HIS:CG	1:A:7:MET:H	2.15	0.64
1:B:22:GLN:HB3	4:B:1478:HOH:O	1.98	0.64
1:B:129:LEU:HD12	1:B:130:PRO:CD	2.26	0.64
1:A:322:MET:HG2	4:A:1312:HOH:O	1.98	0.63
1:B:221:ILE:HD13	1:B:250:ASP:HB2	1.80	0.63
1:A:370:GLY:HA2	1:B:559:ARG:HH22	1.64	0.62
1:B:109:GLU:HG2	4:B:1081:HOH:O	1.98	0.62
1:A:286:VAL:HG12	1:A:288:MET:HE1	1.81	0.62
1:B:572:ASN:HD22	1:B:575:ASP:H	1.46	0.62
1:B:181:LYS:H	1:B:181:LYS:CE	2.11	0.62
1:B:8:VAL:HG23	1:B:9:PRO:HD2	1.81	0.62
1:A:358:TYR:CD2	1:A:359:GLU:HG3	2.36	0.61
1:A:574:GLN:H	1:A:671:ASN:ND2	1.97	0.60
1:B:178:GLN:HG3	4:B:862:HOH:O	2.00	0.60
1:A:203:GLU:CD	1:A:203:GLU:H	2.05	0.60
1:A:498:LYS:O	1:A:517:HIS:HD2	1.84	0.60
1:B:79:PHE:C	1:B:80:GLN:OE1	2.40	0.60
1:B:132:ASP:H	1:B:148:GLN:HE22	1.50	0.59
1:B:196:GLN:HE22	1:B:222:THR:H	1.49	0.59
1:B:613:HIS:HD2	4:B:1267:HOH:O	1.85	0.59
1:A:288:MET:CE	1:A:288:MET:HA	2.31	0.59
1:A:659:THR:OG1	1:A:660:HIS:HD2	1.84	0.59
1:A:162:ILE:HD11	1:A:185:GLY:N	2.17	0.59
1:A:132:ASP:H	1:A:148:GLN:HE22	1.51	0.58
1:A:396:ILE:HD12	1:A:425:ARG:O	2.02	0.58
1:B:65:ASP:O	1:B:66:ASN:HB2	2.03	0.58
1:B:525:GLN:HE22	1:B:620:GLN:H	1.51	0.58
1:A:642:ARG:CB	1:A:642:ARG:HH11	2.17	0.57
1:B:307:GLN:HG2	4:B:1178:HOH:O	2.04	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:61:VAL:HG22	1:A:70:VAL:HG12	1.87	0.57
1:B:572:ASN:ND2	1:B:575:ASP:H	2.03	0.57
1:A:366:ILE:HD11	1:A:627:ILE:HD11	1.86	0.57
1:B:536:VAL:H	1:B:541:ASN:HD21	1.51	0.56
1:A:517:HIS:CE1	1:B:596:ARG:HH11	2.23	0.56
1:A:572:ASN:ND2	1:A:575:ASP:H	2.04	0.56
1:B:574:GLN:H	1:B:671:ASN:HD22	1.52	0.56
1:B:216:ASP:HB3	1:B:219:LYS:HD2	1.87	0.56
1:A:367:VAL:HG21	1:A:468:TYR:OH	2.06	0.55
1:A:286:VAL:HG12	1:A:288:MET:HE3	1.88	0.55
1:B:10:MET:HG3	1:B:70:VAL:HG11	1.86	0.55
1:B:359:GLU:HG3	4:B:1446:HOH:O	2.07	0.55
1:B:553:ASN:ND2	1:B:555:ALA:H	2.05	0.55
1:B:196:GLN:NE2	1:B:222:THR:H	2.05	0.54
1:B:477:ASN:HD22	1:B:477:ASN:C	2.08	0.54
1:A:131:PRO:HB3	1:A:148:GLN:NE2	2.23	0.54
1:B:679:ALA:HB2	4:B:1169:HOH:O	2.07	0.54
1:A:10:MET:CG	1:A:14:LEU:HD23	2.37	0.54
1:A:210:LYS:HE2	1:A:210:LYS:HA	1.89	0.54
1:B:221:ILE:HD11	1:B:250:ASP:CB	2.33	0.54
1:A:381:TYR:CD2	1:A:466[A]:TPQ:O5	2.61	0.54
1:A:208:ALA:O	1:A:212:ARG:HG3	2.07	0.54
1:B:572:ASN:HD21	1:B:575:ASP:CG	2.11	0.54
1:B:717:THR:HB	1:B:720:LEU:HG	1.90	0.54
1:A:91:LYS:NZ	4:A:1324:HOH:O	2.37	0.53
1:A:477:ASN:C	1:A:477:ASN:HD22	2.11	0.53
1:A:8:VAL:CG2	1:A:9:PRO:HD2	2.37	0.53
1:A:559:ARG:HH22	1:B:370:GLY:HA2	1.73	0.53
1:A:237:LYS:HZ2	1:A:239:ASP:CG	2.12	0.53
1:A:594:GLU:OE1	1:B:501:HIS:HE1	1.91	0.52
1:A:22:GLN:HG3	4:A:1418:HOH:O	2.10	0.52
1:A:636:LYS:HE3	4:A:1451:HOH:O	2.10	0.52
1:B:10:MET:HG3	1:B:70:VAL:HG13	1.91	0.52
1:B:381:TYR:CD1	1:B:466[A]:TPQ:O5	2.63	0.51
1:B:498:LYS:O	1:B:517:HIS:HD2	1.93	0.51
1:A:400:LYS:NZ	4:A:1225:HOH:O	2.44	0.51
1:B:203:GLU:CD	1:B:203:GLU:N	2.63	0.51
1:A:62:VAL:HG23	1:A:69:TRP:HB2	1.91	0.51
1:A:237:LYS:HG2	1:A:240:ALA:CB	2.40	0.51
1:B:642:ARG:HH11	1:B:642:ARG:CG	2.23	0.51
1:A:227:VAL:HG12	1:A:244:LYS:HG3	1.91	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:382:LEU:HD13	1:A:655:PRO:HB2	1.91	0.51
1:A:286:VAL:CG1	1:A:288:MET:CE	2.85	0.51
1:A:697:PRO:HD2	1:B:720:LEU:HD11	1.93	0.51
1:B:7:MET:HG2	1:B:71:SER:HA	1.92	0.51
1:B:238:GLN:HE21	1:B:238:GLN:HA	1.77	0.50
1:B:251:VAL:O	1:B:251:VAL:CG1	2.58	0.50
1:B:572:ASN:HB2	1:B:671:ASN:ND2	2.25	0.50
1:A:217:ALA:HB2	4:A:1432:HOH:O	2.12	0.50
1:B:67:LYS:HD2	1:B:69:TRP:CZ2	2.46	0.50
1:A:642:ARG:HH11	1:A:642:ARG:CG	2.24	0.50
1:B:366:ILE:HD11	1:B:627:ILE:HD11	1.92	0.50
1:A:7:MET:HE1	1:A:59:VAL:HG11	1.94	0.50
1:A:10:MET:HG3	1:A:14:LEU:HD23	1.93	0.50
1:B:101:ALA:O	1:B:105:LYS:HG3	2.11	0.50
1:A:29:LEU:HD13	1:A:30:PHE:O	2.11	0.49
1:B:13:THR:HG22	1:B:75:ILE:HD11	1.93	0.49
1:A:65:ASP:O	1:A:66:ASN:HB2	2.12	0.49
1:B:173:LYS:HB3	1:B:173:LYS:HZ3	1.77	0.49
1:A:466[A]:TPQ:HB3	1:A:468:TYR:CE2	2.47	0.49
1:A:572:ASN:CG	1:A:671:ASN:HD21	2.16	0.49
1:A:369:TYR:CD2	1:A:524:HIS:HB3	2.47	0.49
1:A:551:LYS:NZ	4:A:1453:HOH:O	2.43	0.49
1:B:76:ASN:O	1:B:80:GLN:HB2	2.13	0.49
1:A:71:SER:OG	1:A:73:THR:HG22	2.13	0.49
1:A:147:ASP:HB2	4:A:1182:HOH:O	2.13	0.49
1:B:216:ASP:OD1	1:B:218:LYS:HB2	2.13	0.49
1:A:642:ARG:HG3	1:A:643:TYR:N	2.28	0.49
1:A:670:ASP:OD1	1:A:670:ASP:N	2.46	0.49
1:A:610:GLY:HA3	1:B:610:GLY:HA3	1.95	0.49
1:B:299:VAL:O	1:B:301:PRO:HD3	2.12	0.48
1:B:171:ASN:HB3	1:B:173:LYS:HE2	1.95	0.48
1:B:221:ILE:N	1:B:221:ILE:HD12	2.28	0.48
1:A:29:LEU:HD13	1:A:30:PHE:N	2.28	0.48
1:B:38:TYR:N	1:B:51:ASN:HD21	2.08	0.48
1:A:516:ASP:HB3	1:A:519:ILE:HB	1.96	0.48
1:A:580:PHE:H	1:A:637:GLN:NE2	2.05	0.48
1:B:89:VAL:HG23	4:B:1475:HOH:O	2.14	0.48
1:B:131:PRO:HG3	4:B:1141:HOH:O	2.14	0.48
1:A:162:ILE:HD11	1:A:184:HIS:C	2.34	0.48
1:B:160:LYS:HB2	1:B:241:ARG:HB2	1.96	0.48
1:A:64:LYS:HB3	1:A:69:TRP:CD1	2.48	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:382:LEU:HD22	4:A:902:HOH:O	2.14	0.47
1:B:367:VAL:HG21	1:B:468:TYR:OH	2.13	0.47
1:B:726:ASP:CG	1:B:727:LYS:N	2.65	0.47
1:A:203:GLU:CD	1:A:203:GLU:N	2.68	0.47
1:B:545:ALA:O	1:B:567:GLN:HA	2.14	0.47
1:B:580:PHE:N	1:B:637:GLN:HE21	2.05	0.47
1:B:51:ASN:N	1:B:51:ASN:HD22	2.11	0.47
1:B:578:GLN:HA	1:B:636:LYS:HD2	1.97	0.47
1:A:377:TYR:CE1	1:B:558:PRO:HG2	2.50	0.47
1:A:9:PRO:HG3	1:A:12:LYS:NZ	2.29	0.47
1:B:119:PRO:O	1:B:120:ASN:CB	2.63	0.47
1:B:368:PRO:HB2	1:B:621:PHE:CZ	2.50	0.46
1:B:118:LYS:HB3	1:B:118:LYS:HE2	1.51	0.46
1:A:326:ARG:HH12	1:B:303:VAL:HG22	1.80	0.46
1:A:40:LYS:CE	4:A:1290:HOH:O	2.64	0.46
4:A:1360:HOH:O	1:B:400:LYS:HE2	2.15	0.46
1:B:634:MET:HB3	1:B:634:MET:HE2	1.87	0.46
1:A:558:PRO:HG2	1:B:377:TYR:CE1	2.50	0.46
1:A:572:ASN:HD22	1:A:575:ASP:H	1.62	0.46
1:A:274:LYS:NZ	1:A:275:ILE:O	2.45	0.46
1:A:237:LYS:HG2	1:A:240:ALA:HB2	1.97	0.46
1:A:286:VAL:HG11	1:A:288:MET:HE1	1.97	0.45
1:B:524:HIS:HE1	4:B:1503:HOH:O	1.99	0.45
1:B:516:ASP:HB3	1:B:519:ILE:HB	1.99	0.45
1:B:67:LYS:HD2	1:B:69:TRP:HZ2	1.82	0.45
1:B:67:LYS:CD	1:B:69:TRP:HE1	2.29	0.45
1:B:121:THR:CG2	1:B:156:MET:HB3	2.47	0.45
1:B:178:GLN:HA	1:B:179:PRO:HD3	1.79	0.45
1:A:212:ARG:HH21	1:A:280:GLU:HB3	1.82	0.45
1:B:208:ALA:O	1:B:212:ARG:HG3	2.17	0.45
1:B:219:LYS:O	1:B:221:ILE:HD12	2.18	0.45
1:A:608:TYR:HE2	1:B:608:TYR:HE2	1.64	0.44
1:A:10:MET:HE2	1:A:70:VAL:HG11	2.00	0.44
1:B:239:ASP:OD1	1:B:239:ASP:C	2.55	0.44
1:A:525:GLN:HE22	1:A:620:GLN:N	2.12	0.44
1:B:7:MET:HE2	1:B:7:MET:HB3	1.71	0.44
1:A:546:MET:CE	4:A:1025:HOH:O	2.65	0.44
1:A:400:LYS:HE3	1:B:449:SER:HB2	1.99	0.44
1:A:615:VAL:CG2	1:B:582:PRO:HB2	2.48	0.44
1:A:368:PRO:HG3	1:A:634:MET:HE3	1.99	0.44
1:A:210:LYS:HE2	1:A:214:ILE:O	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:224:PRO:HB2	1:A:243:LEU:HD13	2.01	0.43
1:A:237:LYS:NZ	1:A:239:ASP:OD1	2.51	0.43
1:A:608:TYR:CZ	1:A:615:VAL:HG21	2.54	0.43
1:B:130:PRO:HA	1:B:131:PRO:HD3	1.76	0.43
1:A:322:MET:HE1	4:A:1150:HOH:O	2.17	0.43
1:A:434:ALA:HB3	1:A:452:ARG:HG2	2.00	0.43
1:A:629:HIS:CE1	4:A:1165:HOH:O	2.71	0.43
1:B:94:HIS:HB3	1:B:97:ASN:ND2	2.34	0.43
1:B:272:GLN:NE2	1:B:274:LYS:HD3	2.14	0.43
1:B:218:LYS:HA	4:B:1466:HOH:O	2.17	0.43
1:B:238:GLN:HA	1:B:238:GLN:NE2	2.34	0.43
1:B:144:LYS:HA	1:B:145:PRO:HD3	1.92	0.42
1:A:203:GLU:OE2	1:A:204:GLU:OE2	2.37	0.42
1:B:229:TYR:HB3	1:B:630:ARG:HD2	2.01	0.42
1:A:642:ARG:HH11	1:A:642:ARG:HG2	1.84	0.42
1:B:642:ARG:CG	1:B:642:ARG:NH1	2.80	0.42
1:B:120:ASN:ND2	4:B:1203:HOH:O	2.32	0.42
1:B:243:LEU:CD1	1:B:270:LEU:HD11	2.50	0.42
1:B:648:ARG:NH2	4:B:1446:HOH:O	2.47	0.42
1:A:117:PHE:CZ	1:A:121:THR:HB	2.54	0.42
1:B:181:LYS:HG2	1:B:181:LYS:O	2.20	0.42
1:A:189:LEU:HG	1:A:189:LEU:H	1.75	0.42
1:A:209:VAL:HG13	1:A:214:ILE:HB	2.02	0.42
1:A:10:MET:HG2	1:A:14:LEU:HD23	2.01	0.42
1:A:60:PRO:HD2	4:A:1458:HOH:O	2.19	0.42
1:A:237:LYS:HD3	1:A:240:ALA:HB2	2.01	0.42
1:B:162:ILE:HD11	1:B:185:GLY:CA	2.50	0.42
1:A:419:VAL:HA	1:A:420:PRO:HD3	1.95	0.42
1:B:129:LEU:CD1	1:B:130:PRO:HD2	2.38	0.42
1:A:246:ILE:HD13	1:A:246:ILE:HA	1.81	0.41
1:A:572:ASN:ND2	1:A:671:ASN:HD21	2.18	0.41
1:A:51:ASN:N	1:A:51:ASN:HD22	2.17	0.41
1:A:699:MET:HA	1:A:700:PRO:HD3	1.83	0.41
1:B:574:GLN:HB2	1:B:671:ASN:ND2	2.35	0.41
1:A:263:ASN:HB3	1:A:281:GLY:HA3	2.01	0.41
1:B:443:MET:CG	4:B:824:HOH:O	2.68	0.41
1:B:139:PHE:O	1:B:143:ASN:HA	2.19	0.41
1:A:608:TYR:OH	1:A:615:VAL:HG21	2.19	0.41
1:B:118:LYS:HA	1:B:119:PRO:HD3	1.93	0.41
1:A:77:ASP:O	1:A:81:SER:HB3	2.19	0.41
1:A:274:LYS:HZ2	1:A:276:VAL:HG12	1.85	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:582:PRO:C	1:B:615:VAL:HG12	2.41	0.41
1:B:148:GLN:HA	1:B:149:PRO:HD3	1.76	0.41
1:B:465:ASN:HB2	1:B:489:ILE:O	2.20	0.41
1:A:617:LYS:CE	1:B:581:ASP:OD1	2.65	0.41
1:A:694:GLU:O	1:B:717:THR:HA	2.20	0.41
1:B:13:THR:HG22	1:B:75:ILE:CD1	2.51	0.41
1:B:368:PRO:HB2	1:B:621:PHE:HZ	1.85	0.41
1:A:29:LEU:HD12	4:A:989:HOH:O	2.20	0.41
1:A:269:ASP:O	1:A:273:LYS:N	2.53	0.41
1:A:578:GLN:HA	1:A:636:LYS:HD2	2.02	0.41
1:A:579:LYS:HA	1:A:637:GLN:NE2	2.36	0.41
1:B:63:MET:HE3	1:B:66:ASN:HA	2.03	0.41
1:B:202:SER:CB	1:B:275:ILE:HD12	2.51	0.41
1:B:581:ASP:HA	1:B:582:PRO:HD2	1.94	0.41
1:A:29:LEU:HD13	1:A:29:LEU:C	2.41	0.41
1:A:196:GLN:HE22	1:A:222:THR:H	1.68	0.41
1:A:288:MET:CE	1:A:288:MET:CA	2.98	0.41
1:A:466[A]:TPQ:H6	4:A:1575:HOH:O	2.06	0.40
1:A:615:VAL:HG23	1:B:582:PRO:HB2	2.04	0.40
1:A:348:ASN:HD21	1:A:351:GLY:CA	2.34	0.40
1:B:64:LYS:O	1:B:65:ASP:HB2	2.21	0.40
1:B:189:LEU:CD2	4:B:867:HOH:O	2.69	0.40
1:B:286:VAL:HA	1:B:287:PRO:HD3	1.92	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	717/722 (99%)	694 (97%)	23 (3%)	0	100 100
1	B	719/722 (100%)	693 (96%)	25 (4%)	1 (0%)	51 49

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1436/1444 (99%)	1387 (97%)	48 (3%)	1 (0%)	51 49

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	726	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	609/612 (100%)	587 (96%)	22 (4%)	35 34
1	B	612/612 (100%)	581 (95%)	31 (5%)	24 19
All	All	1221/1224 (100%)	1168 (96%)	53 (4%)	29 26

All (53) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	LYS
1	A	32	LEU
1	A	80	GLN
1	A	129	LEU
1	A	151	LYS
1	A	203	GLU
1	A	210	LYS
1	A	237	LYS
1	A	239	ASP
1	A	304	LYS
1	A	326	ARG
1	A	342	ILE
1	A	348	ASN
1	A	477	ASN
1	A	539	GLU
1	A	566	ASN
1	A	572	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	595	ASN
1	A	613	HIS
1	A	642	ARG
1	A	671	ASN
1	A	719	THR
1	B	11	ASP
1	B	15	LYS
1	B	16	GLU
1	B	22	GLN
1	B	34	LYS
1	B	47	THR
1	B	71	SER
1	B	80	GLN
1	B	120	ASN
1	B	129	LEU
1	B	148	GLN
1	B	173	LYS
1	B	178	GLN
1	B	181	LYS
1	B	203	GLU
1	B	211	LYS
1	B	218	LYS
1	B	237	LYS
1	B	239	ASP
1	B	342	ILE
1	B	359	GLU
1	B	467	ASP
1	B	477	ASN
1	B	539	GLU
1	B	572	ASN
1	B	595	ASN
1	B	613	HIS
1	B	617	LYS
1	B	642	ARG
1	B	726	ASP
1	B	727	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (63) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	51	ASN
1	A	97	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	120	ASN
1	A	148	GLN
1	A	161	HIS
1	A	170	GLN
1	A	196	GLN
1	A	200	ASN
1	A	263	ASN
1	A	272	GLN
1	A	307	GLN
1	A	315	ASN
1	A	324	HIS
1	A	327	ASN
1	A	348	ASN
1	A	447	ASN
1	A	477	ASN
1	A	517	HIS
1	A	525	GLN
1	A	529	ASN
1	A	541	ASN
1	A	553	ASN
1	A	572	ASN
1	A	595	ASN
1	A	599	ASN
1	A	604	GLN
1	A	637	GLN
1	A	660	HIS
1	A	671	ASN
1	A	676	ASN
1	B	51	ASN
1	B	66	ASN
1	B	94	HIS
1	B	97	ASN
1	B	120	ASN
1	B	148	GLN
1	B	196	GLN
1	B	197	ASN
1	B	200	ASN
1	B	238	GLN
1	B	263	ASN
1	B	272	GLN
1	B	307	GLN
1	B	315	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	327	ASN
1	B	350	ASN
1	B	447	ASN
1	B	477	ASN
1	B	501	HIS
1	B	517	HIS
1	B	525	GLN
1	B	529	ASN
1	B	541	ASN
1	B	553	ASN
1	B	567	GLN
1	B	572	ASN
1	B	595	ASN
1	B	599	ASN
1	B	604	GLN
1	B	613	HIS
1	B	637	GLN
1	B	671	ASN
1	B	676	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	TPQ	A	466[A]	1	13,14,15	2.15	6 (46%)	15,19,21	4.23	5 (33%)
1	TPQ	B	466[B]	1	13,14,15	2.31	6 (46%)	15,19,21	5.29	5 (33%)
1	TPQ	B	466[A]	1	13,14,15	2.88	6 (46%)	15,19,21	3.34	2 (13%)
1	TPQ	A	466[B]	1	13,14,15	2.34	5 (38%)	15,19,21	5.84	7 (46%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPQ	A	466[A]	1	-	2/5/22/24	0/1/1/1
1	TPQ	B	466[B]	1	-	2/5/22/24	0/1/1/1
1	TPQ	B	466[A]	1	-	0/5/22/24	0/1/1/1
1	TPQ	A	466[B]	1	-	2/5/22/24	0/1/1/1

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	466[B]	TPQ	C1-C2	-5.52	1.40	1.49
1	A	466[B]	TPQ	C1-C2	-5.35	1.41	1.49
1	B	466[A]	TPQ	C1-C2	-5.11	1.41	1.49
1	B	466[A]	TPQ	O5-C5	-5.08	1.11	1.24
1	A	466[A]	TPQ	C1-C2	-5.00	1.41	1.49
1	B	466[A]	TPQ	O2-C2	-4.99	1.11	1.24
1	A	466[B]	TPQ	C6-C5	-3.34	1.35	1.44
1	B	466[B]	TPQ	C6-C5	-3.21	1.35	1.44
1	A	466[B]	TPQ	O5-C5	3.05	1.32	1.24
1	A	466[A]	TPQ	C6-C1	2.93	1.42	1.34
1	B	466[A]	TPQ	C4-C5	-2.76	1.39	1.47
1	A	466[B]	TPQ	CB-C1	2.54	1.55	1.50
1	A	466[A]	TPQ	CB-C1	2.53	1.55	1.50
1	A	466[A]	TPQ	C3-C4	2.52	1.39	1.35
1	B	466[B]	TPQ	O5-C5	2.51	1.31	1.24
1	B	466[B]	TPQ	CB-C1	2.44	1.55	1.50
1	B	466[A]	TPQ	C3-C4	2.34	1.39	1.35
1	A	466[A]	TPQ	C4-C5	-2.27	1.40	1.47
1	A	466[B]	TPQ	C3-C4	2.20	1.39	1.35
1	B	466[B]	TPQ	C3-C4	2.17	1.39	1.35
1	B	466[B]	TPQ	CB-CA	2.03	1.58	1.53
1	A	466[A]	TPQ	C6-C5	-2.02	1.39	1.44
1	B	466[A]	TPQ	C6-C5	-2.00	1.39	1.44

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	466[B]	TPQ	CB-CA-C	-20.84	72.41	111.47
1	B	466[B]	TPQ	CB-CA-C	-18.55	76.69	111.47
1	A	466[A]	TPQ	CB-CA-C	-14.18	84.89	111.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	466[A]	TPQ	CB-CA-C	-11.92	89.13	111.47
1	B	466[B]	TPQ	CB-C1-C2	6.34	129.93	118.57
1	A	466[A]	TPQ	CB-C1-C2	5.52	128.45	118.57
1	A	466[B]	TPQ	CB-C1-C2	4.95	127.44	118.57
1	A	466[B]	TPQ	CA-CB-C1	-4.46	105.00	113.51
1	A	466[A]	TPQ	O5-C5-C4	3.56	125.21	119.38
1	B	466[A]	TPQ	CA-CB-C1	-3.24	107.33	113.51
1	A	466[A]	TPQ	O5-C5-C6	-3.22	114.40	121.78
1	B	466[B]	TPQ	CA-CB-C1	-2.93	107.92	113.51
1	B	466[B]	TPQ	C4-C3-C2	-2.72	117.28	120.30
1	A	466[B]	TPQ	C4-C3-C2	-2.70	117.30	120.30
1	A	466[B]	TPQ	C3-C4-C5	-2.49	118.68	121.26
1	A	466[A]	TPQ	CA-CB-C1	-2.41	108.91	113.51
1	A	466[B]	TPQ	C6-C5-C4	2.40	121.09	117.03
1	B	466[B]	TPQ	C6-C5-C4	2.21	120.78	117.03
1	A	466[B]	TPQ	O2-C2-C3	-2.01	117.19	121.78

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	466[A]	TPQ	N-CA-CB-C1
1	A	466[A]	TPQ	C-CA-CB-C1
1	B	466[B]	TPQ	C-CA-CB-C1
1	A	466[B]	TPQ	N-CA-CB-C1
1	B	466[B]	TPQ	N-CA-CB-C1
1	A	466[B]	TPQ	C-CA-CB-C1

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	466[A]	TPQ	4	0
1	B	466[A]	TPQ	3	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 6 ligands modelled in this entry, 6 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	719/722 (99%)	-0.34	13 (1%) 68 66	12, 23, 45, 70	0
1	B	721/722 (99%)	-0.26	23 (3%) 47 46	15, 24, 48, 95	0
All	All	1440/1444 (99%)	-0.30	36 (2%) 57 56	12, 24, 47, 95	0

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	727	LYS	7.3
1	B	301	PRO	5.6
1	B	302	ALA	5.0
1	B	6	HIS	4.3
1	B	215	THR	4.2
1	A	6	HIS	4.1
1	B	726	ASP	4.0
1	B	92	ARG	3.8
1	A	629	HIS	3.7
1	B	300	ALA	3.6
1	A	148	GLN	3.4
1	B	65	ASP	3.3
1	A	215	THR	3.1
1	B	91	LYS	3.0
1	A	64	LYS	3.0
1	A	66	ASN	2.9
1	B	239	ASP	2.9
1	B	80	GLN	2.9
1	B	115	ALA	2.7
1	B	66	ASN	2.7
1	A	239	ASP	2.6
1	A	218	LYS	2.6
1	B	67	LYS	2.5
1	A	147	ASP	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	503	GLU	2.4
1	A	503	GLU	2.3
1	A	468	TYR	2.3
1	B	669	LYS	2.3
1	B	76	ASN	2.3
1	A	73	THR	2.2
1	B	16	GLU	2.1
1	A	237	LYS	2.1
1	B	725	LYS	2.1
1	B	120	ASN	2.1
1	B	12	LYS	2.1
1	B	64	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	TPQ	A	466[A]	14/15	0.87	0.21	24,45,47,48	14
1	TPQ	A	466[B]	14/15	0.87	0.21	15,43,53,53	14
1	TPQ	B	466[A]	14/15	0.89	0.19	22,50,57,57	14
1	TPQ	B	466[B]	14/15	0.89	0.19	20,40,50,54	14

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CA	B	803	1/1	0.95	0.06	49,49,49,49	0
3	CA	A	803	1/1	0.98	0.12	42,42,42,42	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	CA	A	802	1/1	0.99	0.09	21,21,21,21	0
2	CU	B	801	1/1	1.00	0.04	23,23,23,23	0
3	CA	B	802	1/1	1.00	0.07	22,22,22,22	0
2	CU	A	801	1/1	1.00	0.05	26,26,26,26	0

6.5 Other polymers [i](#)

There are no such residues in this entry.