



# wwPDB X-ray Structure Validation Summary Report ⓘ

Sep 26, 2022 – 05:27 pm BST

PDB ID : 7QYS  
Title : Crystal structure of RimK from Pseudomonas syringae DC3000  
Authors : Thompson, C.M.A.; Little, R.H.; Stevenson, C.E.M.; Lawson, D.M.; Malone, J.G.  
Deposited on : 2022-01-29  
Resolution : 2.90 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.31.2  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0267  
CCP4 : 7.1.010 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.












Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	309	
1	B	309	
1	C	309	
1	D	309	
1	E	309	

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	309	
1	G	309	
1	H	309	
1	I	309	
1	J	309	
1	K	309	
1	L	309	
1	M	309	
1	N	309	
1	O	309	
1	P	309	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ADP	A	401	-	-	-	X
2	ADP	C	401	-	-	-	X
2	ADP	D	401	-	-	-	X
2	ADP	K	401	-	-	-	X
2	ADP	M	401	-	-	-	X
2	ADP	O	401	-	-	-	X

## 2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 34293 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable alpha-L-glutamate ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	290	Total 2166	C 1365	N 383	O 402	S 16	0	0	0
1	B	281	Total 2073	C 1309	N 360	O 388	S 16	0	0	0
1	C	282	Total 2108	C 1332	N 369	O 391	S 16	0	0	0
1	D	291	Total 2165	C 1362	N 385	O 402	S 16	0	0	0
1	E	292	Total 2153	C 1359	N 375	O 403	S 16	0	0	0
1	F	284	Total 2121	C 1338	N 371	O 396	S 16	0	0	0
1	G	282	Total 2106	C 1331	N 366	O 393	S 16	0	0	0
1	H	284	Total 2115	C 1338	N 368	O 393	S 16	0	0	0
1	I	282	Total 2080	C 1315	N 359	O 390	S 16	0	0	0
1	J	286	Total 2101	C 1327	N 361	O 397	S 16	0	0	0
1	K	283	Total 2106	C 1329	N 366	O 395	S 16	0	0	0
1	L	294	Total 2178	C 1374	N 381	O 406	S 17	0	0	0
1	M	290	Total 2155	C 1359	N 380	O 400	S 16	0	0	0
1	N	290	Total 2105	C 1330	N 365	O 394	S 16	0	0	0
1	O	290	Total 2147	C 1355	N 375	O 401	S 16	0	0	0
1	P	286	Total 2117	C 1338	N 368	O 395	S 16	0	0	0

There are 128 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	302	LEU	-	expression tag	UNP Q88AZ9
A	303	GLU	-	expression tag	UNP Q88AZ9
A	304	HIS	-	expression tag	UNP Q88AZ9
A	305	HIS	-	expression tag	UNP Q88AZ9
A	306	HIS	-	expression tag	UNP Q88AZ9
A	307	HIS	-	expression tag	UNP Q88AZ9
A	308	HIS	-	expression tag	UNP Q88AZ9
A	309	HIS	-	expression tag	UNP Q88AZ9
B	302	LEU	-	expression tag	UNP Q88AZ9
B	303	GLU	-	expression tag	UNP Q88AZ9
B	304	HIS	-	expression tag	UNP Q88AZ9
B	305	HIS	-	expression tag	UNP Q88AZ9
B	306	HIS	-	expression tag	UNP Q88AZ9
B	307	HIS	-	expression tag	UNP Q88AZ9
B	308	HIS	-	expression tag	UNP Q88AZ9
B	309	HIS	-	expression tag	UNP Q88AZ9
C	302	LEU	-	expression tag	UNP Q88AZ9
C	303	GLU	-	expression tag	UNP Q88AZ9
C	304	HIS	-	expression tag	UNP Q88AZ9
C	305	HIS	-	expression tag	UNP Q88AZ9
C	306	HIS	-	expression tag	UNP Q88AZ9
C	307	HIS	-	expression tag	UNP Q88AZ9
C	308	HIS	-	expression tag	UNP Q88AZ9
C	309	HIS	-	expression tag	UNP Q88AZ9
D	302	LEU	-	expression tag	UNP Q88AZ9
D	303	GLU	-	expression tag	UNP Q88AZ9
D	304	HIS	-	expression tag	UNP Q88AZ9
D	305	HIS	-	expression tag	UNP Q88AZ9
D	306	HIS	-	expression tag	UNP Q88AZ9
D	307	HIS	-	expression tag	UNP Q88AZ9
D	308	HIS	-	expression tag	UNP Q88AZ9
D	309	HIS	-	expression tag	UNP Q88AZ9
E	302	LEU	-	expression tag	UNP Q88AZ9
E	303	GLU	-	expression tag	UNP Q88AZ9
E	304	HIS	-	expression tag	UNP Q88AZ9
E	305	HIS	-	expression tag	UNP Q88AZ9
E	306	HIS	-	expression tag	UNP Q88AZ9
E	307	HIS	-	expression tag	UNP Q88AZ9
E	308	HIS	-	expression tag	UNP Q88AZ9
E	309	HIS	-	expression tag	UNP Q88AZ9
F	302	LEU	-	expression tag	UNP Q88AZ9
F	303	GLU	-	expression tag	UNP Q88AZ9

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	304	HIS	-	expression tag	UNP Q88AZ9
F	305	HIS	-	expression tag	UNP Q88AZ9
F	306	HIS	-	expression tag	UNP Q88AZ9
F	307	HIS	-	expression tag	UNP Q88AZ9
F	308	HIS	-	expression tag	UNP Q88AZ9
F	309	HIS	-	expression tag	UNP Q88AZ9
G	302	LEU	-	expression tag	UNP Q88AZ9
G	303	GLU	-	expression tag	UNP Q88AZ9
G	304	HIS	-	expression tag	UNP Q88AZ9
G	305	HIS	-	expression tag	UNP Q88AZ9
G	306	HIS	-	expression tag	UNP Q88AZ9
G	307	HIS	-	expression tag	UNP Q88AZ9
G	308	HIS	-	expression tag	UNP Q88AZ9
G	309	HIS	-	expression tag	UNP Q88AZ9
H	302	LEU	-	expression tag	UNP Q88AZ9
H	303	GLU	-	expression tag	UNP Q88AZ9
H	304	HIS	-	expression tag	UNP Q88AZ9
H	305	HIS	-	expression tag	UNP Q88AZ9
H	306	HIS	-	expression tag	UNP Q88AZ9
H	307	HIS	-	expression tag	UNP Q88AZ9
H	308	HIS	-	expression tag	UNP Q88AZ9
H	309	HIS	-	expression tag	UNP Q88AZ9
I	302	LEU	-	expression tag	UNP Q88AZ9
I	303	GLU	-	expression tag	UNP Q88AZ9
I	304	HIS	-	expression tag	UNP Q88AZ9
I	305	HIS	-	expression tag	UNP Q88AZ9
I	306	HIS	-	expression tag	UNP Q88AZ9
I	307	HIS	-	expression tag	UNP Q88AZ9
I	308	HIS	-	expression tag	UNP Q88AZ9
I	309	HIS	-	expression tag	UNP Q88AZ9
J	302	LEU	-	expression tag	UNP Q88AZ9
J	303	GLU	-	expression tag	UNP Q88AZ9
J	304	HIS	-	expression tag	UNP Q88AZ9
J	305	HIS	-	expression tag	UNP Q88AZ9
J	306	HIS	-	expression tag	UNP Q88AZ9
J	307	HIS	-	expression tag	UNP Q88AZ9
J	308	HIS	-	expression tag	UNP Q88AZ9
J	309	HIS	-	expression tag	UNP Q88AZ9
K	302	LEU	-	expression tag	UNP Q88AZ9
K	303	GLU	-	expression tag	UNP Q88AZ9
K	304	HIS	-	expression tag	UNP Q88AZ9
K	305	HIS	-	expression tag	UNP Q88AZ9

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
K	306	HIS	-	expression tag	UNP Q88AZ9
K	307	HIS	-	expression tag	UNP Q88AZ9
K	308	HIS	-	expression tag	UNP Q88AZ9
K	309	HIS	-	expression tag	UNP Q88AZ9
L	302	LEU	-	expression tag	UNP Q88AZ9
L	303	GLU	-	expression tag	UNP Q88AZ9
L	304	HIS	-	expression tag	UNP Q88AZ9
L	305	HIS	-	expression tag	UNP Q88AZ9
L	306	HIS	-	expression tag	UNP Q88AZ9
L	307	HIS	-	expression tag	UNP Q88AZ9
L	308	HIS	-	expression tag	UNP Q88AZ9
L	309	HIS	-	expression tag	UNP Q88AZ9
M	302	LEU	-	expression tag	UNP Q88AZ9
M	303	GLU	-	expression tag	UNP Q88AZ9
M	304	HIS	-	expression tag	UNP Q88AZ9
M	305	HIS	-	expression tag	UNP Q88AZ9
M	306	HIS	-	expression tag	UNP Q88AZ9
M	307	HIS	-	expression tag	UNP Q88AZ9
M	308	HIS	-	expression tag	UNP Q88AZ9
M	309	HIS	-	expression tag	UNP Q88AZ9
N	302	LEU	-	expression tag	UNP Q88AZ9
N	303	GLU	-	expression tag	UNP Q88AZ9
N	304	HIS	-	expression tag	UNP Q88AZ9
N	305	HIS	-	expression tag	UNP Q88AZ9
N	306	HIS	-	expression tag	UNP Q88AZ9
N	307	HIS	-	expression tag	UNP Q88AZ9
N	308	HIS	-	expression tag	UNP Q88AZ9
N	309	HIS	-	expression tag	UNP Q88AZ9
O	302	LEU	-	expression tag	UNP Q88AZ9
O	303	GLU	-	expression tag	UNP Q88AZ9
O	304	HIS	-	expression tag	UNP Q88AZ9
O	305	HIS	-	expression tag	UNP Q88AZ9
O	306	HIS	-	expression tag	UNP Q88AZ9
O	307	HIS	-	expression tag	UNP Q88AZ9
O	308	HIS	-	expression tag	UNP Q88AZ9
O	309	HIS	-	expression tag	UNP Q88AZ9
P	302	LEU	-	expression tag	UNP Q88AZ9
P	303	GLU	-	expression tag	UNP Q88AZ9
P	304	HIS	-	expression tag	UNP Q88AZ9
P	305	HIS	-	expression tag	UNP Q88AZ9
P	306	HIS	-	expression tag	UNP Q88AZ9
P	307	HIS	-	expression tag	UNP Q88AZ9

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
P	308	HIS	-	expression tag	UNP Q88AZ9
P	309	HIS	-	expression tag	UNP Q88AZ9

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:  $C_{10}H_{15}N_5O_{10}P_2$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	D	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	E	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	G	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	H	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	J	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	K	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	M	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

Continued on next page...




*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	O	1	27	10	5	10	2	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Probable alpha-L-glutamate ligase




- Molecule 1: Probable alpha-L-glutamate ligase




- Molecule 1: Probable alpha-L-glutamate ligase





- Molecule 1: Probable alpha-L-glutamate ligase









- Molecule 1: Probable alpha-L-glutamate ligase





- Molecule 1: Probable alpha-L-glutamate ligase




- Molecule 1: Probable alpha-L-glutamate ligase




- Molecule 1: Probable alpha-L-glutamate ligase




- Molecule 1: Probable alpha-L-glutamate ligase




- Molecule 1: Probable alpha-L-glutamate ligase




- Molecule 1: Probable alpha-L-glutamate ligase




- Molecule 1: Probable alpha-L-glutamate ligase





- Molecule 1: Probable alpha-L-glutamate ligase









• Molecule 1: Probable alpha-L-glutamate ligase



• Molecule 1: Probable alpha-L-glutamate ligase



• Molecule 1: Probable alpha-L-glutamate ligase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	95.91Å 96.09Å 156.99Å 88.94° 84.37° 89.97°	Depositor
Resolution (Å)	49.80 – 2.90 49.80 – 2.90	Depositor EDS
% Data completeness (in resolution range)	98.9 (49.80-2.90) 98.9 (49.80-2.90)	Depositor EDS
$R_{merge}$	0.16	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.50 (at 2.91Å)	Xtrriage
Refinement program	REFMAC 5.8.0267	Depositor
R, $R_{free}$	0.237 , 0.248 0.240 , 0.251	Depositor DCC
$R_{free}$ test set	5890 reflections (4.82%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	56.3	Xtrriage
Anisotropy	0.559	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	(Not available) , (Not available)	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.43$ , $\langle L^2 \rangle = 0.26$	Xtrriage
Estimated twinning fraction	0.104 for -h,k,-l	Xtrriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	34293	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	67.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.94% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.67	0/2197	0.79	2/2968 (0.1%)
1	B	0.70	1/2102 (0.0%)	0.78	0/2848
1	C	0.67	0/2138	0.84	3/2891 (0.1%)
1	D	0.67	0/2196	0.79	3/2969 (0.1%)
1	E	0.69	0/2185	0.84	6/2959 (0.2%)
1	F	0.67	0/2151	0.84	3/2907 (0.1%)
1	G	0.67	0/2136	0.78	2/2889 (0.1%)
1	H	0.67	0/2146	0.79	3/2903 (0.1%)
1	I	0.67	0/2110	0.84	4/2857 (0.1%)
1	J	0.68	0/2131	0.84	3/2887 (0.1%)
1	K	0.66	0/2136	0.81	3/2889 (0.1%)
1	L	0.67	0/2211	0.79	2/2991 (0.1%)
1	M	0.66	0/2186	0.78	2/2955 (0.1%)
1	N	0.68	0/2136	0.79	2/2897 (0.1%)
1	O	0.67	0/2178	0.77	2/2946 (0.1%)
1	P	0.67	0/2148	0.79	2/2906 (0.1%)
All	All	0.67	1/34487 (0.0%)	0.81	42/46662 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	E	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	7	SER	CA-CB	-5.58	1.44	1.52

The worst 5 of 42 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	64	ARG	NE-CZ-NH1	-12.41	114.10	120.30
1	I	64	ARG	NE-CZ-NH2	12.40	126.50	120.30
1	J	64	ARG	NE-CZ-NH1	-12.13	114.24	120.30
1	C	64	ARG	NE-CZ-NH2	12.06	126.33	120.30
1	J	64	ARG	NE-CZ-NH2	11.84	126.22	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	E	44	HIS	Mainchain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2166	0	2212	27	0
1	B	2073	0	2084	17	0
1	C	2108	0	2148	18	1
1	D	2165	0	2197	19	0
1	E	2153	0	2176	19	1
1	F	2121	0	2161	34	0
1	G	2106	0	2141	20	0
1	H	2115	0	2151	24	0
1	I	2080	0	2085	16	0
1	J	2101	0	2113	23	0
1	K	2106	0	2131	18	0
1	L	2178	0	2200	13	0
1	M	2155	0	2195	16	0
1	N	2105	0	2095	21	0
1	O	2147	0	2179	18	0
1	P	2117	0	2145	15	0
2	A	27	0	12	0	0
2	B	27	0	12	1	0
2	C	27	0	12	1	0
2	D	27	0	12	0	0

*Continued on next page...*



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	E	27	0	12	0	0
2	G	27	0	12	0	0
2	H	27	0	12	0	0
2	J	27	0	12	1	0
2	K	27	0	12	0	0
2	M	27	0	12	0	0
2	O	27	0	12	0	0
All	All	34293	0	34545	252	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 252 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:228:GLU:HG2	1:O:272:VAL:HG21	1.47	0.92
1:N:226:THR:HG22	1:N:227:PRO:HD2	1.55	0.89
1:A:181:LYS:HB2	1:F:11:ARG:CB	2.02	0.88
1:N:170:LEU:HD13	1:P:170:LEU:HD13	1.60	0.84
1:E:40:ASN:ND2	1:F:132:MET:O	2.12	0.81

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:268:GLU:OE2	1:E:228:GLU:OE1[1_545]	1.75	0.45

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	288/309 (93%)	274 (95%)	12 (4%)	2 (1%)	22	54
1	B	277/309 (90%)	266 (96%)	10 (4%)	1 (0%)	34	66
1	C	278/309 (90%)	266 (96%)	11 (4%)	1 (0%)	34	66
1	D	289/309 (94%)	274 (95%)	14 (5%)	1 (0%)	41	71
1	E	290/309 (94%)	276 (95%)	13 (4%)	1 (0%)	41	71
1	F	280/309 (91%)	267 (95%)	12 (4%)	1 (0%)	34	66
1	G	278/309 (90%)	266 (96%)	10 (4%)	2 (1%)	22	54
1	H	280/309 (91%)	268 (96%)	11 (4%)	1 (0%)	34	66
1	I	278/309 (90%)	266 (96%)	10 (4%)	2 (1%)	22	54
1	J	282/309 (91%)	271 (96%)	10 (4%)	1 (0%)	34	66
1	K	279/309 (90%)	267 (96%)	10 (4%)	2 (1%)	22	54
1	L	292/309 (94%)	276 (94%)	14 (5%)	2 (1%)	22	54
1	M	288/309 (93%)	275 (96%)	12 (4%)	1 (0%)	41	71
1	N	288/309 (93%)	273 (95%)	14 (5%)	1 (0%)	41	71
1	O	288/309 (93%)	274 (95%)	12 (4%)	2 (1%)	22	54
1	P	282/309 (91%)	268 (95%)	13 (5%)	1 (0%)	34	66
All	All	4537/4944 (92%)	4327 (95%)	188 (4%)	22 (0%)	29	61

5 of 22 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	44	HIS
1	B	44	HIS
1	C	44	HIS
1	D	44	HIS
1	F	44	HIS

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	229/254 (90%)	222 (97%)	7 (3%)	40	74
1	B	215/254 (85%)	210 (98%)	5 (2%)	50	80
1	C	223/254 (88%)	217 (97%)	6 (3%)	44	77
1	D	227/254 (89%)	221 (97%)	6 (3%)	46	77
1	E	226/254 (89%)	218 (96%)	8 (4%)	36	70
1	F	225/254 (89%)	217 (96%)	8 (4%)	35	69
1	G	223/254 (88%)	216 (97%)	7 (3%)	40	74
1	H	223/254 (88%)	216 (97%)	7 (3%)	40	74
1	I	216/254 (85%)	211 (98%)	5 (2%)	50	80
1	J	220/254 (87%)	214 (97%)	6 (3%)	44	77
1	K	222/254 (87%)	215 (97%)	7 (3%)	39	73
1	L	228/254 (90%)	219 (96%)	9 (4%)	32	66
1	M	227/254 (89%)	221 (97%)	6 (3%)	46	77
1	N	215/254 (85%)	210 (98%)	5 (2%)	50	80
1	O	226/254 (89%)	220 (97%)	6 (3%)	44	77
1	P	222/254 (87%)	215 (97%)	7 (3%)	39	73
All	All	3567/4064 (88%)	3462 (97%)	105 (3%)	42	76

5 of 105 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	I	131	GLN
1	K	210	PHE
1	P	51	ARG
1	J	39	MET
1	K	39	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 20 such sidechains are listed below:

Mol	Chain	Res	Type
1	J	172	GLN
1	N	131	GLN
1	P	131	GLN
1	O	131	GLN
1	E	131	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	ADP	O	401	-	24,29,29	0.64	0	29,45,45	0.71	1 (3%)
2	ADP	K	401	-	24,29,29	0.67	0	29,45,45	0.70	1 (3%)
2	ADP	A	401	-	24,29,29	0.63	0	29,45,45	0.77	1 (3%)
2	ADP	M	401	-	24,29,29	0.63	0	29,45,45	0.76	1 (3%)
2	ADP	C	401	-	24,29,29	0.65	0	29,45,45	0.78	1 (3%)
2	ADP	G	401	-	24,29,29	0.66	0	29,45,45	0.75	1 (3%)
2	ADP	J	401	-	24,29,29	0.64	0	29,45,45	0.71	1 (3%)
2	ADP	E	401	-	24,29,29	0.64	0	29,45,45	0.74	1 (3%)
2	ADP	H	401	-	24,29,29	0.66	0	29,45,45	0.71	1 (3%)
2	ADP	B	401	-	24,29,29	0.65	0	29,45,45	0.68	1 (3%)
2	ADP	D	401	-	24,29,29	0.65	0	29,45,45	0.71	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	O	401	-	-	2/12/32/32	0/3/3/3
2	ADP	K	401	-	-	5/12/32/32	0/3/3/3
2	ADP	A	401	-	-	5/12/32/32	0/3/3/3
2	ADP	M	401	-	-	4/12/32/32	0/3/3/3
2	ADP	C	401	-	-	4/12/32/32	0/3/3/3
2	ADP	G	401	-	-	2/12/32/32	0/3/3/3
2	ADP	J	401	-	-	1/12/32/32	0/3/3/3
2	ADP	E	401	-	-	3/12/32/32	0/3/3/3
2	ADP	H	401	-	-	8/12/32/32	0/3/3/3
2	ADP	B	401	-	-	0/12/32/32	0/3/3/3
2	ADP	D	401	-	-	2/12/32/32	0/3/3/3

There are no bond length outliers.

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	ADP	C5-C6-N6	2.33	123.89	120.35
2	G	401	ADP	C5-C6-N6	2.32	123.88	120.35
2	H	401	ADP	C5-C6-N6	2.29	123.83	120.35
2	K	401	ADP	C5-C6-N6	2.28	123.82	120.35
2	M	401	ADP	C5-C6-N6	2.23	123.74	120.35

There are no chirality outliers.

5 of 36 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	ADP	C5'-O5'-PA-O1A
2	A	401	ADP	C5'-O5'-PA-O2A
2	C	401	ADP	O4'-C4'-C5'-O5'
2	D	401	ADP	C5'-O5'-PA-O1A
2	D	401	ADP	C5'-O5'-PA-O3A

There are no ring outliers.

3 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	401	ADP	1	0
2	J	401	ADP	1	0



*Continued on next page...*



Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	401	ADP	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


















## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	290/309 (93%)	0.51	17 (5%) 22 18	36, 60, 117, 149	0
1	B	281/309 (90%)	0.65	19 (6%) 17 13	40, 58, 93, 134	0
1	C	282/309 (91%)	0.45	10 (3%) 44 38	38, 53, 96, 145	0
1	D	291/309 (94%)	0.56	20 (6%) 16 13	40, 54, 118, 156	0
1	E	292/309 (94%)	0.46	14 (4%) 30 27	32, 54, 113, 137	0
1	F	284/309 (91%)	0.48	11 (3%) 39 35	38, 58, 102, 170	0
1	G	282/309 (91%)	0.39	8 (2%) 53 49	33, 51, 93, 146	0
1	H	284/309 (91%)	0.57	17 (5%) 21 18	36, 53, 103, 159	0
1	I	282/309 (91%)	0.55	11 (3%) 39 35	42, 63, 108, 165	0
1	J	286/309 (92%)	0.58	22 (7%) 13 10	42, 61, 110, 182	0
1	K	283/309 (91%)	0.46	12 (4%) 36 32	37, 58, 108, 162	0
1	L	294/309 (95%)	0.62	22 (7%) 14 11	46, 66, 124, 165	0
1	M	290/309 (93%)	0.83	33 (11%) 5 3	45, 75, 131, 168	0
1	N	290/309 (93%)	1.13	56 (19%) 1 0	60, 95, 147, 199	0
1	O	290/309 (93%)	0.63	15 (5%) 27 23	46, 66, 122, 157	0
1	P	286/309 (92%)	0.58	23 (8%) 12 9	44, 64, 115, 158	0
All	All	4587/4944 (92%)	0.59	310 (6%) 17 13	32, 61, 119, 199	0

The worst 5 of 310 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	M	207	PRO	12.9
1	O	213	ASN	10.2
1	J	207	PRO	9.5
1	I	210	PHE	9.1
1	M	215	HIS	8.2

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	ADP	K	401	27/27	0.62	0.45	84,101,123,126	27
2	ADP	C	401	27/27	0.64	0.42	66,78,97,97	27
2	ADP	M	401	27/27	0.66	0.44	69,83,92,94	27
2	ADP	B	401	27/27	0.68	0.39	87,105,118,121	27
2	ADP	A	401	27/27	0.69	0.48	71,81,85,87	27
2	ADP	J	401	27/27	0.70	0.37	66,75,92,93	27
2	ADP	O	401	27/27	0.70	0.44	72,88,111,113	27
2	ADP	G	401	27/27	0.73	0.36	62,74,91,92	27
2	ADP	D	401	27/27	0.74	0.44	72,84,104,105	27
2	ADP	H	401	27/27	0.74	0.35	72,82,94,96	27
2	ADP	E	401	27/27	0.74	0.38	64,78,85,86	27




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


**Electron density around ADP K 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around ADP C 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)













**Electron density around ADP A 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around ADP J 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ADP O 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around ADP G 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around ADP D 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around ADP H 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.