

Full wwPDB X-ray Structure Validation Report (i)

Nov 13, 2023 – 12:12 am GMT

PDB ID	:	8R2G
Title	:	Crystal structure of a BRCA2-DMC1 complex
Authors	:	Dunce, J.M.; Davies, O.R.
Deposited on	:	2023-11-05
Resolution	:	3.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 3.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R_{free}	130704	1291 (3.52-3.40)
Clashscore	141614	1372 (3.52 - 3.40)
Ramachandran outliers	138981	1337 (3.52-3.40)
Sidechain outliers	138945	1338 (3.52-3.40)
RSRZ outliers	127900	1205 (3.52-3.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
			11%		
1	А	261	84%	8%	8%
			8%		
1	В	261	82%	9%	8%
			18%		
1	С	261	81%	9%	10%
			13%		
1	D	261	83%	9%	8%
			20%		
1	Ε	261	87%	5%	8%



Mol	Chain	Length	F	Quality of chain	
1	F	261	14%	86%	5% 9%
1	G	261	20%	84%	7% 8%
1	Н	261	7%	85%	7% 8%
2	Ι	14	50%	14%	36%
2	J	14	50%	14%	36%
2	K	14	36%	64	4%
2	L	14	50%	7%	43%
2	М	14	36% 36%	64	4%
2	N	14	43%		57%
2	0	14	29%	71%	



2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 15352 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Δ	220	Total	С	Ν	0	S	0	0	0
1	A	239	1870	1184	324	354	8	0	0	0
1	D	220	Total	С	Ν	0	S	0	0	0
1	D	239	1870	1184	324	354	8	0	0	0
1	С	226	Total	С	Ν	0	S	0	0	0
1	U	230	1854	1174	321	351	8	0	0	0
1	а	240	Total	С	Ν	0	S	0	0	0
1	D	240	1877	1189	325	355	8	0	0	U
1	F	240	Total	С	Ν	0	S	0	0	0
1	Ľ	240	1875	1187	325	355	8	0	0	0
1	F	228	Total	С	Ν	0	S	0	0	0
1	Ľ	230	1865	1183	323	351	8	0	0	0
1	С	230	Total	С	Ν	0	S	0	0	0
1	G	239	1869	1185	324	352	8	0	0	0
1	Ц	241	Total	С	Ν	Ο	S	0	0	0
1	11		1888	1196	328	356	8		0	U

• Molecule 1 is a protein called Meiotic recombination protein DMC1/LIM15 homolog.

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	80	GLY	-	expression tag	UNP Q14565
А	81	SER	-	expression tag	UNP Q14565
А	82	MET	-	expression tag	UNP Q14565
В	80	GLY	-	expression tag	UNP Q14565
В	81	SER	-	expression tag	UNP Q14565
В	82	MET	-	expression tag	UNP Q14565
С	80	GLY	-	expression tag	UNP Q14565
С	81	SER	-	expression tag	UNP Q14565
С	82	MET	-	expression tag	UNP Q14565
D	80	GLY	-	expression tag	UNP Q14565
D	81	SER	-	expression tag	UNP Q14565
D	82	MET	-	expression tag	UNP Q14565
Е	80	GLY	-	expression tag	UNP Q14565



Chain	Residue	Modelled	Actual	Comment	Reference
Е	81	SER	-	expression tag	UNP Q14565
E	82	MET	-	expression tag	UNP Q14565
F	80	GLY	-	expression tag	UNP Q14565
F	81	SER	-	expression tag	UNP Q14565
F	82	MET	-	expression tag	UNP Q14565
G	80	GLY	-	expression tag	UNP Q14565
G	81	SER	-	expression tag	UNP Q14565
G	82	MET	-	expression tag	UNP Q14565
Н	80	GLY	-	expression tag	UNP Q14565
Н	81	SER	-	expression tag	UNP Q14565
Н	82	MET	-	expression tag	UNP Q14565

• Molecule 2 is a protein called Breast cancer type 2 susceptibility protein.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
2	Ι	9	Total C N O 75 54 11 10	0	0	0
2	J	9	Total C N O 75 54 11 10	0	0	0
2	K	5	Total C N O 43 33 5 5	0	0	0
2	L	8	Total C N O 66 48 9 9	0	0	0
2	М	5	Total C N O 43 33 5 5	0	0	0
2	Ν	6	Total C N O 50 38 6 6	0	0	0
2	О	4	$\begin{array}{cccc} \text{Total} & \text{C} & \text{N} & \text{O} \\ 32 & 24 & 4 & 4 \end{array}$	0	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Meiotic recombination protein DMC1/LIM15 homolog



• Molecule 1: Meiotic recombination protein DMC1/LIM15 homolog

ALA ASP PRO GLY ALA



ALA ASP ASP PRO PRO PRO PRO PRO PRO PRO PRO





• Molecule 1: Meiotic recombination protein DMC1/LIM15 homolog







• Molecule 2: Breast cancer type 2 susceptibility protein





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 41 2 2	Depositor
Cell constants	125.40Å 125.40Å 364.19Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
$\mathbf{B}_{\mathrm{ascolution}}(\hat{\boldsymbol{\lambda}})$	118.57 - 3.45	Depositor
Resolution (A)	118.57 - 3.45	EDS
% Data completeness	57.6(118.57-3.45)	Depositor
(in resolution range)	57.7(118.57-3.45)	EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.86 (at 3.49 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
B B.	0.264 , 0.306	Depositor
II, II free	0.266 , 0.305	DCC
R_{free} test set	1072 reflections $(4.73%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	85.2	Xtriage
Anisotropy	0.172	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.32 , 58.0	EDS
L-test for $twinning^2$	$ < L >=0.37, < L^2>=0.20$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	15352	wwPDB-VP
Average B, all atoms $(Å^2)$	94.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 13.18% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
	Ullalli	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.25	0/1903	0.49	0/2560	
1	В	0.25	0/1903	0.49	0/2560	
1	С	0.25	0/1887	0.49	0/2539	
1	D	0.26	0/1911	0.50	0/2571	
1	Е	0.25	0/1908	0.48	0/2567	
1	F	0.25	0/1899	0.48	0/2555	
1	G	0.25	0/1903	0.49	0/2560	
1	Н	0.25	0/1921	0.49	0/2583	
2	Ι	0.30	0/78	0.43	0/105	
2	J	0.31	0/78	0.44	0/105	
2	Κ	0.32	0/46	0.32	0/63	
2	L	0.29	0/69	0.49	0/94	
2	М	0.31	0/46	0.31	0/63	
2	N	0.30	0/53	0.32	0/73	
2	0	0.27	0/34	0.40	0/47	
All	All	0.25	0/15639	0.49	0/21045	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1870	0	1853	11	0



	iraca ji cii	t procto do	pagem			
Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	В	1870	0	1853	14	1
1	С	1854	0	1836	17	0
1	D	1877	0	1861	14	0
1	Е	1875	0	1858	8	0
1	F	1865	0	1854	7	0
1	G	1869	0	1857	13	0
1	Н	1888	0	1878	10	0
2	Ι	75	0	82	2	0
2	J	75	0	82	3	0
2	K	43	0	40	0	0
2	L	66	0	69	1	0
2	М	43	0	40	0	0
2	N	50	0	49	0	0
2	0	32	0	31	0	0
All	All	15352	0	15243	82	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All	(82)	close	$\operatorname{contacts}$	within	the	same	$\operatorname{asymmetric}$	unit	are	listed	below,	sorted	by	their	clash
mag	gnitu	de.													

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:H:314:LYS:NZ	1:H:320:GLU:OE1	2.23	0.71
1:C:129:ARG:O	1:C:311:ARG:NH2	2.19	0.70
1:D:314:LYS:NZ	1:D:320:GLU:OE1	2.24	0.70
1:A:314:LYS:NZ	1:A:320:GLU:OE1	2.27	0.67
1:B:314:LYS:NZ	1:B:320:GLU:OE1	2.28	0.67
1:D:171:ARG:NH2	1:E:92:SER:OG	2.24	0.66
1:C:130:THR:HA	1:C:311:ARG:HE	1.65	0.61
1:E:314:LYS:NZ	1:E:320:GLU:OE1	2.33	0.60
1:A:134:GLN:HG2	1:A:330:ILE:HG23	1.85	0.57
1:G:314:LYS:NZ	1:G:320:GLU:OE1	2.38	0.57
1:C:231:VAL:HG13	1:D:292:ILE:HA	1.87	0.55
1:F:314:LYS:NZ	1:F:320:GLU:OE1	2.39	0.55
1:C:197:GLU:HA	1:C:200:MET:HE2	1.90	0.53
1:C:305:LYS:HG2	1:C:311:ARG:CZ	2.38	0.53
1:B:134:GLN:HG2	1:B:330:ILE:HG23	1.89	0.53
1:H:134:GLN:HG2	1:H:330:ILE:HG23	1.91	0.52
1:D:238:GLU:OE2	1:E:240:ALA:HB1	2.08	0.52
1:D:168:ASP:HA	1:D:171:ARG:HH11	1.74	0.52
1:F:175:ASP:OD1	1:F:181:HIS:NE2	2.29	0.52



	lo de page	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:305:LYS:HA	1:C:311:ARG:HD3	1.91	0.51
1:G:199:GLN:NE2	1:G:249:MET:SD	2.85	0.50
1:G:183:ALA:HB3	2:J:2409:PRO:HB3	1.93	0.50
1:C:194:TYR:OH	1:D:258:GLU:OE1	2.31	0.49
1:E:250:LEU:HD12	1:E:292:ILE:HG22	1.94	0.49
1:B:157:ILE:HD12	1:B:206:VAL:HG13	1.95	0.49
1:G:175:ASP:OD1	1:G:181:HIS:NE2	2.27	0.48
1:D:134:GLN:HG2	1:D:330:ILE:HG23	1.96	0.48
1:C:225:ILE:HD13	1:C:266:VAL:HG11	1.96	0.47
1:H:175:ASP:OD1	1:H:181:HIS:NE2	2.38	0.47
1:B:134:GLN:OE1	1:B:169:ARG:NH1	2.48	0.47
1:G:86:LEU:HG	1:G:90:GLU:HB2	1.96	0.47
1:A:199:GLN:NE2	1:A:249:MET:SD	2.87	0.47
1:A:258:GLU:OE1	1:H:194:TYR:OH	2.26	0.47
1:B:194:TYR:OH	1:C:258:GLU:OE1	2.23	0.46
1:C:176:ARG:NH1	1:C:335:ILE:O	2.34	0.46
1:C:225:ILE:HB	1:C:266:VAL:HB	1.98	0.46
1:G:221:ILE:HA	1:G:265:PHE:O	2.16	0.46
1:D:221:ILE:HA	1:D:265:PHE:O	2.16	0.46
1:D:223:ASP:HA	1:D:224:SER:HA	1.76	0.45
1:G:213:GLU:OE2	2:J:2404:LYS:HB2	2.16	0.45
1:C:199:GLN:NE2	1:C:249:MET:SD	2.89	0.45
1:A:223:ASP:HA	1:A:224:SER:HA	1.81	0.45
1:F:231:VAL:HG13	1:G:292:ILE:HG12	1.98	0.45
1:G:238:GLU:OE2	1:H:240:ALA:HB1	2.16	0.45
1:H:199:GLN:NE2	1:H:249:MET:SD	2.90	0.45
1:B:223:ASP:HA	1:B:224:SER:HA	1.76	0.45
1:D:194:TYR:OH	1:E:258:GLU:OE1	2.23	0.45
1:B:175:ASP:CG	1:B:181:HIS:HE2	2.20	0.45
1:C:213:GLU:OE2	2:I:2404:LYS:HB2	2.17	0.45
1:A:194:TYR:OH	1:B:258:GLU:OE1	2.27	0.44
1:C:221:ILE:HA	1:C:265:PHE:O	2.18	0.44
1:F:171:ARG:NH1	1:G:92:SER:OG	2.24	0.44
1:B:225:ILE:HB	1:B:266:VAL:HB	2.00	0.44
1:D:157:ILE:HD12	1:D:206:VAL:HG13	2.00	0.44
1:F:221:ILE:HA	1:F:265:PHE:O	2.18	0.44
1:C:175:ASP:OD1	1:C:181:HIS:NE2	2.44	0.43
1:A:157:ILE:HD12	1:A:206:VAL:HG13	2.00	0.43
1:D:203:LEU:HD21	1:D:222:ILE:HD11	1.99	0.43
1:G:213:GLU:OE1	2:J:2404:LYS:HD2	2.17	0.43
1:B:116:ILE:HG22	1:B:263:ALA:HB1	2.00	0.43



A 4 amo 1	A.t.a.m. D	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:175:ASP:OD1	1:B:181:HIS:NE2	2.44	0.43
1:B:225:ILE:HD13	1:B:266:VAL:HG11	2.01	0.43
1:H:197:GLU:HA	1:H:200:MET:HE2	2.01	0.42
1:A:146:PRO:HD3	2:L:2408:PRO:HB3	2.02	0.42
1:H:222:ILE:HD12	1:H:253:LEU:HD11	2.01	0.42
1:F:116:ILE:HG22	1:F:263:ALA:HB1	2.02	0.42
1:H:125:PHE:HB3	1:H:268:ASN:HB3	2.00	0.42
1:G:194:TYR:OH	1:H:258:GLU:OE1	2.22	0.42
1:C:250:LEU:HD12	1:C:292:ILE:HG22	2.02	0.42
1:C:180:ASP:HB2	2:I:2411:LYS:HB2	2.01	0.42
1:D:143:ALA:HB3	1:D:156:ILE:HD11	2.02	0.42
1:G:223:ASP:HA	1:G:224:SER:HA	1.79	0.42
1:A:196:SER:HB2	1:A:229:PHE:CZ	2.55	0.41
1:E:221:ILE:HA	1:E:265:PHE:O	2.20	0.41
1:A:121:ILE:HD11	1:A:253:LEU:HB3	2.02	0.41
1:D:211:HIS:HB2	1:D:260:TYR:CE1	2.56	0.41
1:E:175:ASP:OD1	1:E:181:HIS:NE2	2.35	0.41
1:F:121:ILE:HD11	1:F:253:LEU:HB3	2.02	0.41
1:B:221:ILE:HA	1:B:265:PHE:O	2.21	0.41
1:B:250:LEU:HD12	1:B:292:ILE:HG22	2.01	0.41
1:A:221:ILE:HA	1:A:265:PHE:O	2.20	0.40
1:E:134:GLN:HG2	1:E:330:ILE:HG23	2.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:307:ARG:NH2	1:B:323:GLU:OE2[5_655]	2.10	0.10

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	235/261~(90%)	232 (99%)	3 (1%)	0	100	100
1	В	235/261~(90%)	232~(99%)	3 (1%)	0	100	100
1	С	232/261~(89%)	231 (100%)	1 (0%)	0	100	100
1	D	236/261~(90%)	232~(98%)	4 (2%)	0	100	100
1	Ε	236/261~(90%)	234 (99%)	2(1%)	0	100	100
1	F	234/261~(90%)	232 (99%)	2 (1%)	0	100	100
1	G	235/261~(90%)	232 (99%)	3 (1%)	0	100	100
1	Н	237/261~(91%)	236 (100%)	1 (0%)	0	100	100
2	Ι	7/14~(50%)	6 (86%)	1 (14%)	0	100	100
2	J	7/14~(50%)	6 (86%)	1 (14%)	0	100	100
2	К	3/14~(21%)	2 (67%)	1 (33%)	0	100	100
2	L	6/14~(43%)	5 (83%)	1 (17%)	0	100	100
2	М	3/14~(21%)	3 (100%)	0	0	100	100
2	Ν	4/14~(29%)	4 (100%)	0	0	100	100
2	Ο	2/14~(14%)	2 (100%)	0	0	100	100
All	All	1912/2186 (88%)	1889 (99%)	23 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percen	tiles
1	А	195/211~(92%)	194 (100%)	1 (0%)	88	95
1	В	195/211~(92%)	194 (100%)	1 (0%)	88	95
1	С	194/211~(92%)	193 (100%)	1 (0%)	88	95
1	D	196/211~(93%)	195 (100%)	1 (0%)	88	95
1	Е	195/211~(92%)	194 (100%)	1 (0%)	88	95
1	F	195/211 (92%)	194 (100%)	1 (0%)	88	95



Mol	Chain	Analysed	Rotameric	Outliers	Perce	entiles
1	G	195/211~(92%)	194 (100%)	1 (0%)	88	95
1	Н	197/211~(93%)	196 (100%)	1 (0%)	88	95
2	Ι	9/13~(69%)	9~(100%)	0	100	100
2	J	9/13~(69%)	9~(100%)	0	100	100
2	Κ	5/13~(38%)	5~(100%)	0	100	100
2	L	8/13~(62%)	8 (100%)	0	100	100
2	М	5/13~(38%)	5 (100%)	0	100	100
2	Ν	6/13~(46%)	6~(100%)	0	100	100
2	Ο	4/13~(31%)	4 (100%)	0	100	100
All	All	1608/1779~(90%)	1600 (100%)	8 (0%)	88	95

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	108	PHE
1	В	108	PHE
1	С	108	PHE
1	D	108	PHE
1	Е	108	PHE
1	F	108	PHE
1	G	108	PHE
1	Н	108	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	# RSRZ > 2	$OWAB(Å^2)$	Q<0.9
1	А	239/261~(91%)	0.70	29 (12%) 4 6	34, 73, 123, 149	0
1	В	239/261~(91%)	0.68	21 (8%) 10 12	35, 79, 137, 154	0
1	С	236/261~(90%)	1.05	47 (19%) 1 1	55, 92, 149, 170	0
1	D	240/261~(91%)	0.82	34 (14%) 2 4	46, 90, 136, 160	0
1	Е	240/261~(91%)	1.13	53 (22%) 0 1	66, 106, 149, 163	0
1	F	238/261~(91%)	0.83	36 (15%) 2 3	45, 106, 144, 179	0
1	G	239/261~(91%)	1.07	51 (21%) 0 1	55, 106, 152, 191	0
1	Н	241/261~(92%)	0.69	19 (7%) 12 15	33, 71, 127, 156	0
2	Ι	9/14~(64%)	0.75	1 (11%) 5 7	87, 95, 103, 120	0
2	J	9/14~(64%)	0.18	0 100 100	95, 102, 112, 116	0
2	К	5/14~(35%)	4.37	5 (100%) 0 0	96, 99, 121, 134	0
2	L	8/14~(57%)	0.46	0 100 100	82, 90, 100, 102	0
2	М	5/14~(35%)	3.50	5 (100%) 0 0	105, 106, 122, 126	0
2	N	6/14~(42%)	0.81	1 (16%) 1 2	89, 107, 113, 132	0
2	Ο	4/14~(28%)	5.95	4 (100%) 0 0	115, 118, 131, 143	0
All	All	1958/2186 (89%)	0.89	306 (15%) 2 3	33, 92, 140, 191	0

All (306) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	318	SER	11.9
1	G	316	TYR	8.9
1	С	124	ALA	8.5
1	G	317	ASP	7.7
2	0	2408	PRO	7.6
1	F	237	GLY	7.4
1	Е	317	ASP	7.3



8R2G	
------	--

Mol	Chain	Res	Type	RSRZ
1	С	271	THR	7.2
2	0	2409	PRO	6.7
1	G	103	THR	6.2
1	Е	265	PHE	5.8
1	D	202	LEU	5.8
1	G	108	PHE	5.7
1	Е	135	LEU	5.5
1	Е	104	GLY	5.4
2	0	2406	PHE	5.4
1	G	116	ILE	5.3
1	С	123	GLU	5.2
1	Е	221	ILE	5.2
1	С	229	PHE	5.2
1	F	157	ILE	4.9
1	С	136	SER	4.9
2	К	2408	PRO	4.8
1	Е	112	LEU	4.7
1	Е	318	SER	4.7
1	Е	159	ILE	4.7
1	G	263	ALA	4.6
2	Κ	2406	PHE	4.5
1	Е	266	VAL	4.5
2	Κ	2409	PRO	4.4
1	Н	144	GLN	4.4
2	М	2406	PHE	4.4
2	Κ	2410	PHE	4.3
1	С	125	PHE	4.3
1	С	269	GLN	4.3
1	G	89	PHE	4.3
1	C	317	ASP	4.2
1	Е	103	THR	4.2
1	F	170	LEU	4.1
2	0	$2\overline{407}$	VAL	4.1
1	С	266	VAL	4.1
1	F	188	VAL	4.1
1	G	219	LEU	4.0
1	Е	236	ARG	4.0
1	С	270	MET	4.0
1	В	301	ILE	4.0
2	М	2409	PRO	4.0
1	G	112	LEU	4.0
1	Е	138	THR	4.0



8R2G	

Mol	Chain	Res	Type	RSRZ
1	Е	222	ILE	3.9
1	Е	137	HIS	3.9
1	F	156	ILE	3.9
1	Е	319	PRO	3.9
1	С	307	ARG	3.8
1	С	138	THR	3.8
1	G	325	GLU	3.8
1	G	139	LEU	3.8
1	С	225	ILE	3.8
1	F	205	TYR	3.8
1	С	268	ASN	3.8
1	F	104	GLY	3.8
1	Е	219	LEU	3.8
2	М	2410	PHE	3.8
1	F	187	ASN	3.8
1	G	303	LEU	3.7
1	Е	264	VAL	3.7
2	Κ	2407	VAL	3.7
1	А	170	LEU	3.7
1	F	103	THR	3.7
1	F	206	VAL	3.7
1	Е	299	THR	3.6
1	D	268	ASN	3.6
1	G	335	ILE	3.6
1	С	265	PHE	3.6
1	Е	136	SER	3.6
1	D	189	LEU	3.6
1	С	233	PHE	3.5
1	С	324	ASN	3.5
1	Е	115	GLY	3.5
1	G	264	VAL	3.5
1	F	318	SER	3.5
1	В	335	ILE	3.5
1	Е	170	LEU	3.4
1	Е	139	LEU	3.4
1	D	229	PHE	3.4
1	Е	123	GLU	3.4
1	D	231	VAL	3.4
1	A	301	ILE	3.3
1	Н	335	ILE	3.3
1	D	203	LEU	3.3
1	А	265	PHE	3.3



Mol	Chain	Res	Type	RSRZ
1	G	265	PHE	3.2
1	Е	297	SER	3.2
1	В	124	ALA	3.2
1	F	139	LEU	3.2
1	А	264	VAL	3.2
2	М	2407	VAL	3.2
1	F	166	ARG	3.2
1	G	266	VAL	3.2
1	Ε	287	PRO	3.2
1	Ε	288	ILE	3.2
1	А	229	PHE	3.2
1	С	335	ILE	3.1
1	F	189	LEU	3.1
1	G	142	THR	3.1
1	А	303	LEU	3.1
1	Н	124	ALA	3.1
2	Ν	2409	PRO	3.1
1	F	124	ALA	3.1
1	А	320	GLU	3.1
1	G	287	PRO	3.1
1	С	170	LEU	3.0
1	Н	301	ILE	3.0
1	G	319	PRO	3.0
1	С	221	ILE	3.0
1	D	222	ILE	3.0
1	С	316	TYR	3.0
1	Е	316	TYR	3.0
1	Е	269	GLN	3.0
1	А	219	LEU	2.9
1	B	225	ILE	2.9
1	С	303	LEU	2.9
1	С	139	LEU	2.9
1	A	225	ILE	2.9
1	G	115	GLY	2.9
1	F	159	ILE	2.9
1	Η	202	LEU	2.9
1	D	144	GLN	2.9
1	G	124	ALA	2.9
1	С	300	ARG	2.9
1	Е	324	ASN	2.8
1	Н	316	TYR	2.8
1	G	86	LEU	2.8



8R2G	1

Mol	Chain	Res	Type	RSRZ
1	Е	128	PHE	2.8
1	С	112	LEU	2.8
1	Н	321	MET	2.8
1	А	299	THR	2.8
1	G	314	LYS	2.8
1	Н	229	PHE	2.8
1	F	128	PHE	2.8
1	F	203	LEU	2.8
1	С	267	THR	2.8
1	Е	335	ILE	2.8
2	Ι	2406	PHE	2.8
1	С	322	PRO	2.8
1	С	219	LEU	2.8
1	В	129	ARG	2.8
1	G	271	THR	2.8
1	G	221	ILE	2.7
1	G	324	ASN	2.7
1	В	203	LEU	2.7
1	G	101	ILE	2.7
1	D	124	ALA	2.7
1	F	335	ILE	2.7
1	F	321	MET	2.7
1	А	140	CYS	2.7
1	А	221	ILE	2.7
1	F	101	ILE	2.7
1	Е	220	LEU	2.6
1	D	299	THR	2.6
1	G	320	GLU	2.6
1	F	137	HIS	2.6
1	D	183	ALA	2.6
1	Е	156	ILE	2.6
1	E	116	ILE	2.6
1	В	202	LEU	2.6
1	F	316	TYR	2.6
1	D	139	LEU	2.6
1	Е	237	GLY	2.6
1	А	125	PHE	2.5
1	A	300	ARG	2.5
1	G	270	MET	2.5
1	E	122	THR	2.5
1	G	$22\overline{2}$	ILE	2.5
1	С	135	LEU	2.5



8F	2	G

Mol	Chain	Res	Type	RSRZ
1	D	137	HIS	2.5
1	F	221	ILE	2.5
1	А	123	GLU	2.5
1	А	124	ALA	2.5
1	С	160	ASP	2.5
1	D	270	MET	2.5
1	D	303	LEU	2.5
1	В	187	ASN	2.5
1	Е	111	LEU	2.5
1	G	145	LEU	2.4
1	G	123	GLU	2.4
1	Е	306	GLY	2.4
1	D	194	TYR	2.4
1	G	136	SER	2.4
1	Е	202	LEU	2.4
1	В	115	GLY	2.4
1	В	136	SER	2.4
1	Н	123	GLU	2.4
1	С	234	SER	2.4
1	А	263	ALA	2.4
1	А	115	GLY	2.4
1	А	122	THR	2.4
1	Ε	142	THR	2.4
1	Е	173	ILE	2.4
1	D	320	GLU	2.3
1	Е	225	ILE	2.3
1	G	93	GLU	2.3
1	D	319	PRO	2.3
1	G	322	PRO	2.3
1	А	297	SER	2.3
1	С	297	SER	2.3
1	G	156	ILE	2.3
1	F	328	PHE	2.3
1	С	202	LEU	2.3
1	E	305	LYS	2.3
1	С	223	ASP	2.3
1	G	253	LEU	2.3
1	A	135	LEU	2.3
1	С	102	THR	2.3
1	D	135	LEU	2.3
1	Ε	204	ASP	2.3
1	G	135	LEU	2.3



Mol	Chain	Res	Type	RSRZ
1	Н	157	ILE	2.3
1	D	204	ASP	2.3
1	G	151	TYR	2.3
1	А	171	ARG	2.3
1	G	218	LYS	2.3
1	Н	322	PRO	2.3
1	F	297	SER	2.3
1	В	128	PHE	2.3
1	С	236	ARG	2.3
1	D	287	PRO	2.3
1	D	322	PRO	2.3
1	F	158	PHE	2.3
1	В	139	LEU	2.3
1	Е	270	MET	2.3
1	D	188	VAL	2.3
1	С	222	ILE	2.3
1	С	122	THR	2.2
1	F	125	PHE	2.2
1	F	264	VAL	2.2
1	G	295	HIS	2.2
1	G	321	MET	2.2
1	Е	328	PHE	2.2
1	С	115	GLY	2.2
1	Н	198	HIS	2.2
1	F	155	LYS	2.2
1	F	219	LEU	2.2
2	М	2408	PRO	2.2
1	А	249	MET	2.2
1	D	288	ILE	2.2
1	Н	317	ASP	2.2
1	С	137	HIS	2.2
1	Ε	125	PHE	2.2
1	В	297	SER	2.2
1	Η	266	VAL	2.2
1	В	144	GLN	2.2
1	В	189	LEU	2.2
1	Н	189	LEU	2.2
1	G	328	PHE	2.2
1	Ε	157	ILE	2.2
1	D	318	SER	2.2
1	G	256	ILE	2.2
1	А	287	PRO	2.2



Mol	Chain	Res	Type	RSRZ
1	G	231	VAL	2.2
1	Н	329	ALA	2.2
1	В	265	PHE	2.2
1	А	256	ILE	2.2
1	D	297	SER	2.1
1	В	309	GLU	2.1
1	Е	321	MET	2.1
1	G	268	ASN	2.1
1	А	231	VAL	2.1
1	С	157	ILE	2.1
1	Н	203	LEU	2.1
1	Н	135	LEU	2.1
1	В	125	PHE	2.1
1	D	122	THR	2.1
1	С	85	PHE	2.1
1	Е	124	ALA	2.1
1	D	187	ASN	2.1
1	С	159	ILE	2.1
1	D	156	ILE	2.1
1	С	318	SER	2.1
1	G	144	GLN	2.1
1	F	136	SER	2.1
1	G	137	HIS	2.1
1	В	229	PHE	2.1
1	G	202	LEU	2.1
1	С	165	PHE	2.1
1	Е	169	ARG	2.1
1	F	236	ARG	2.1
1	С	173	ILE	2.1
1	D	301	ILE	2.1
1	F	266	VAL	2.1
1	D	225	ILE	2.1
1	F	186	ASP	2.1
1	D	219	LEU	2.0
1	Е	177	PHE	2.0
1	Н	264	VAL	2.0
1	В	267	THR	2.0
1	С	158	PHE	2.0
1	D	125	PHE	2.0
1	D	317	ASP	2.0
1	G	122	THR	2.0
1	А	203	LEU	2.0



Continued from previous page...

Mol	Chain	\mathbf{Res}	Type	RSRZ
1	Е	293	LEU	2.0
1	F	190	TYR	2.0
1	А	116	ILE	2.0
1	А	288	ILE	2.0
1	В	268	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.

