



wwPDB EM Validation Summary Report ⓘ

Apr 1, 2024 – 07:41 am BST

PDB ID : 8RHN
EMDB ID : EMD-19177
Title : Structure of the 55LCC ATPase complex
Authors : Foglizzo, M.; Degtjarik, O.; Zeqiraj, E.
Deposited on : 2023-12-15
Resolution : 4.50 Å(reported)
Based on initial model : .

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 4.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.











Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	E	920	16% 80%
1	F	920	17% 81%
1	G	920	15% 80%
1	H	920	17% 81%
1	K	920	8% 54% 43%
1	L	920	8% 57% 41%
1	M	920	8% 54% 43%
1	N	920	7% 57% 41%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	I	777	 20% 76%
2	J	777	 20% 77%
2	O	777	 18% 65% 32%
2	P	777	 19% 66% 32%
3	A	264	 50% 25% 25%
3	B	264	 47% 27% 26%
4	C	237	 43% 20% 37%
4	D	237	 39% 26% 35%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 38368 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATPase family gene 2 protein homolog A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	K	526	Total 4056	C 2577	N 711	O 751	S 17	0	0
1	L	545	Total 4226	C 2686	N 741	O 782	S 17	0	0
1	M	526	Total 4056	C 2578	N 712	O 749	S 17	0	0
1	N	546	Total 4228	C 2686	N 742	O 783	S 17	0	0
1	E	182	Total 1392	C 886	N 233	O 263	S 10	0	0
1	F	175	Total 1346	C 858	N 225	O 253	S 10	0	0
1	G	180	Total 1379	C 879	N 231	O 259	S 10	0	0
1	H	177	Total 1358	C 866	N 227	O 255	S 10	0	0

There are 216 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	-26	MET	-	initiating methionine	UNP Q8NB90
K	-25	SER	-	expression tag	UNP Q8NB90
K	-24	TYR	-	expression tag	UNP Q8NB90
K	-23	TYR	-	expression tag	UNP Q8NB90
K	-22	HIS	-	expression tag	UNP Q8NB90
K	-21	HIS	-	expression tag	UNP Q8NB90
K	-20	HIS	-	expression tag	UNP Q8NB90
K	-19	HIS	-	expression tag	UNP Q8NB90
K	-18	HIS	-	expression tag	UNP Q8NB90
K	-17	HIS	-	expression tag	UNP Q8NB90
K	-16	ASP	-	expression tag	UNP Q8NB90
K	-15	TYR	-	expression tag	UNP Q8NB90
K	-14	ASP	-	expression tag	UNP Q8NB90
K	-13	ILE	-	expression tag	UNP Q8NB90

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
K	-12	PRO	-	expression tag	UNP Q8NB90
K	-11	THR	-	expression tag	UNP Q8NB90
K	-10	THR	-	expression tag	UNP Q8NB90
K	-9	GLU	-	expression tag	UNP Q8NB90
K	-8	ASN	-	expression tag	UNP Q8NB90
K	-7	LEU	-	expression tag	UNP Q8NB90
K	-6	TYR	-	expression tag	UNP Q8NB90
K	-5	PHE	-	expression tag	UNP Q8NB90
K	-4	GLN	-	expression tag	UNP Q8NB90
K	-3	GLY	-	expression tag	UNP Q8NB90
K	-2	ALA	-	expression tag	UNP Q8NB90
K	-1	MET	-	expression tag	UNP Q8NB90
K	0	GLY	-	expression tag	UNP Q8NB90
L	-26	MET	-	initiating methionine	UNP Q8NB90
L	-25	SER	-	expression tag	UNP Q8NB90
L	-24	TYR	-	expression tag	UNP Q8NB90
L	-23	TYR	-	expression tag	UNP Q8NB90
L	-22	HIS	-	expression tag	UNP Q8NB90
L	-21	HIS	-	expression tag	UNP Q8NB90
L	-20	HIS	-	expression tag	UNP Q8NB90
L	-19	HIS	-	expression tag	UNP Q8NB90
L	-18	HIS	-	expression tag	UNP Q8NB90
L	-17	HIS	-	expression tag	UNP Q8NB90
L	-16	ASP	-	expression tag	UNP Q8NB90
L	-15	TYR	-	expression tag	UNP Q8NB90
L	-14	ASP	-	expression tag	UNP Q8NB90
L	-13	ILE	-	expression tag	UNP Q8NB90
L	-12	PRO	-	expression tag	UNP Q8NB90
L	-11	THR	-	expression tag	UNP Q8NB90
L	-10	THR	-	expression tag	UNP Q8NB90
L	-9	GLU	-	expression tag	UNP Q8NB90
L	-8	ASN	-	expression tag	UNP Q8NB90
L	-7	LEU	-	expression tag	UNP Q8NB90
L	-6	TYR	-	expression tag	UNP Q8NB90
L	-5	PHE	-	expression tag	UNP Q8NB90
L	-4	GLN	-	expression tag	UNP Q8NB90
L	-3	GLY	-	expression tag	UNP Q8NB90
L	-2	ALA	-	expression tag	UNP Q8NB90
L	-1	MET	-	expression tag	UNP Q8NB90
L	0	GLY	-	expression tag	UNP Q8NB90
M	-26	MET	-	initiating methionine	UNP Q8NB90
M	-25	SER	-	expression tag	UNP Q8NB90

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
M	-24	TYR	-	expression tag	UNP Q8NB90
M	-23	TYR	-	expression tag	UNP Q8NB90
M	-22	HIS	-	expression tag	UNP Q8NB90
M	-21	HIS	-	expression tag	UNP Q8NB90
M	-20	HIS	-	expression tag	UNP Q8NB90
M	-19	HIS	-	expression tag	UNP Q8NB90
M	-18	HIS	-	expression tag	UNP Q8NB90
M	-17	HIS	-	expression tag	UNP Q8NB90
M	-16	ASP	-	expression tag	UNP Q8NB90
M	-15	TYR	-	expression tag	UNP Q8NB90
M	-14	ASP	-	expression tag	UNP Q8NB90
M	-13	ILE	-	expression tag	UNP Q8NB90
M	-12	PRO	-	expression tag	UNP Q8NB90
M	-11	THR	-	expression tag	UNP Q8NB90
M	-10	THR	-	expression tag	UNP Q8NB90
M	-9	GLU	-	expression tag	UNP Q8NB90
M	-8	ASN	-	expression tag	UNP Q8NB90
M	-7	LEU	-	expression tag	UNP Q8NB90
M	-6	TYR	-	expression tag	UNP Q8NB90
M	-5	PHE	-	expression tag	UNP Q8NB90
M	-4	GLN	-	expression tag	UNP Q8NB90
M	-3	GLY	-	expression tag	UNP Q8NB90
M	-2	ALA	-	expression tag	UNP Q8NB90
M	-1	MET	-	expression tag	UNP Q8NB90
M	0	GLY	-	expression tag	UNP Q8NB90
N	-26	MET	-	initiating methionine	UNP Q8NB90
N	-25	SER	-	expression tag	UNP Q8NB90
N	-24	TYR	-	expression tag	UNP Q8NB90
N	-23	TYR	-	expression tag	UNP Q8NB90
N	-22	HIS	-	expression tag	UNP Q8NB90
N	-21	HIS	-	expression tag	UNP Q8NB90
N	-20	HIS	-	expression tag	UNP Q8NB90
N	-19	HIS	-	expression tag	UNP Q8NB90
N	-18	HIS	-	expression tag	UNP Q8NB90
N	-17	HIS	-	expression tag	UNP Q8NB90
N	-16	ASP	-	expression tag	UNP Q8NB90
N	-15	TYR	-	expression tag	UNP Q8NB90
N	-14	ASP	-	expression tag	UNP Q8NB90
N	-13	ILE	-	expression tag	UNP Q8NB90
N	-12	PRO	-	expression tag	UNP Q8NB90
N	-11	THR	-	expression tag	UNP Q8NB90
N	-10	THR	-	expression tag	UNP Q8NB90

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
N	-9	GLU	-	expression tag	UNP Q8NB90
N	-8	ASN	-	expression tag	UNP Q8NB90
N	-7	LEU	-	expression tag	UNP Q8NB90
N	-6	TYR	-	expression tag	UNP Q8NB90
N	-5	PHE	-	expression tag	UNP Q8NB90
N	-4	GLN	-	expression tag	UNP Q8NB90
N	-3	GLY	-	expression tag	UNP Q8NB90
N	-2	ALA	-	expression tag	UNP Q8NB90
N	-1	MET	-	expression tag	UNP Q8NB90
N	0	GLY	-	expression tag	UNP Q8NB90
E	-26	MET	-	initiating methionine	UNP Q8NB90
E	-25	SER	-	expression tag	UNP Q8NB90
E	-24	TYR	-	expression tag	UNP Q8NB90
E	-23	TYR	-	expression tag	UNP Q8NB90
E	-22	HIS	-	expression tag	UNP Q8NB90
E	-21	HIS	-	expression tag	UNP Q8NB90
E	-20	HIS	-	expression tag	UNP Q8NB90
E	-19	HIS	-	expression tag	UNP Q8NB90
E	-18	HIS	-	expression tag	UNP Q8NB90
E	-17	HIS	-	expression tag	UNP Q8NB90
E	-16	ASP	-	expression tag	UNP Q8NB90
E	-15	TYR	-	expression tag	UNP Q8NB90
E	-14	ASP	-	expression tag	UNP Q8NB90
E	-13	ILE	-	expression tag	UNP Q8NB90
E	-12	PRO	-	expression tag	UNP Q8NB90
E	-11	THR	-	expression tag	UNP Q8NB90
E	-10	THR	-	expression tag	UNP Q8NB90
E	-9	GLU	-	expression tag	UNP Q8NB90
E	-8	ASN	-	expression tag	UNP Q8NB90
E	-7	LEU	-	expression tag	UNP Q8NB90
E	-6	TYR	-	expression tag	UNP Q8NB90
E	-5	PHE	-	expression tag	UNP Q8NB90
E	-4	GLN	-	expression tag	UNP Q8NB90
E	-3	GLY	-	expression tag	UNP Q8NB90
E	-2	ALA	-	expression tag	UNP Q8NB90
E	-1	MET	-	expression tag	UNP Q8NB90
E	0	GLY	-	expression tag	UNP Q8NB90
F	-26	MET	-	initiating methionine	UNP Q8NB90
F	-25	SER	-	expression tag	UNP Q8NB90
F	-24	TYR	-	expression tag	UNP Q8NB90
F	-23	TYR	-	expression tag	UNP Q8NB90
F	-22	HIS	-	expression tag	UNP Q8NB90

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	-21	HIS	-	expression tag	UNP Q8NB90
F	-20	HIS	-	expression tag	UNP Q8NB90
F	-19	HIS	-	expression tag	UNP Q8NB90
F	-18	HIS	-	expression tag	UNP Q8NB90
F	-17	HIS	-	expression tag	UNP Q8NB90
F	-16	ASP	-	expression tag	UNP Q8NB90
F	-15	TYR	-	expression tag	UNP Q8NB90
F	-14	ASP	-	expression tag	UNP Q8NB90
F	-13	ILE	-	expression tag	UNP Q8NB90
F	-12	PRO	-	expression tag	UNP Q8NB90
F	-11	THR	-	expression tag	UNP Q8NB90
F	-10	THR	-	expression tag	UNP Q8NB90
F	-9	GLU	-	expression tag	UNP Q8NB90
F	-8	ASN	-	expression tag	UNP Q8NB90
F	-7	LEU	-	expression tag	UNP Q8NB90
F	-6	TYR	-	expression tag	UNP Q8NB90
F	-5	PHE	-	expression tag	UNP Q8NB90
F	-4	GLN	-	expression tag	UNP Q8NB90
F	-3	GLY	-	expression tag	UNP Q8NB90
F	-2	ALA	-	expression tag	UNP Q8NB90
F	-1	MET	-	expression tag	UNP Q8NB90
F	0	GLY	-	expression tag	UNP Q8NB90
G	-26	MET	-	initiating methionine	UNP Q8NB90
G	-25	SER	-	expression tag	UNP Q8NB90
G	-24	TYR	-	expression tag	UNP Q8NB90
G	-23	TYR	-	expression tag	UNP Q8NB90
G	-22	HIS	-	expression tag	UNP Q8NB90
G	-21	HIS	-	expression tag	UNP Q8NB90
G	-20	HIS	-	expression tag	UNP Q8NB90
G	-19	HIS	-	expression tag	UNP Q8NB90
G	-18	HIS	-	expression tag	UNP Q8NB90
G	-17	HIS	-	expression tag	UNP Q8NB90
G	-16	ASP	-	expression tag	UNP Q8NB90
G	-15	TYR	-	expression tag	UNP Q8NB90
G	-14	ASP	-	expression tag	UNP Q8NB90
G	-13	ILE	-	expression tag	UNP Q8NB90
G	-12	PRO	-	expression tag	UNP Q8NB90
G	-11	THR	-	expression tag	UNP Q8NB90
G	-10	THR	-	expression tag	UNP Q8NB90
G	-9	GLU	-	expression tag	UNP Q8NB90
G	-8	ASN	-	expression tag	UNP Q8NB90
G	-7	LEU	-	expression tag	UNP Q8NB90

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	-6	TYR	-	expression tag	UNP Q8NB90
G	-5	PHE	-	expression tag	UNP Q8NB90
G	-4	GLN	-	expression tag	UNP Q8NB90
G	-3	GLY	-	expression tag	UNP Q8NB90
G	-2	ALA	-	expression tag	UNP Q8NB90
G	-1	MET	-	expression tag	UNP Q8NB90
G	0	GLY	-	expression tag	UNP Q8NB90
H	-26	MET	-	initiating methionine	UNP Q8NB90
H	-25	SER	-	expression tag	UNP Q8NB90
H	-24	TYR	-	expression tag	UNP Q8NB90
H	-23	TYR	-	expression tag	UNP Q8NB90
H	-22	HIS	-	expression tag	UNP Q8NB90
H	-21	HIS	-	expression tag	UNP Q8NB90
H	-20	HIS	-	expression tag	UNP Q8NB90
H	-19	HIS	-	expression tag	UNP Q8NB90
H	-18	HIS	-	expression tag	UNP Q8NB90
H	-17	HIS	-	expression tag	UNP Q8NB90
H	-16	ASP	-	expression tag	UNP Q8NB90
H	-15	TYR	-	expression tag	UNP Q8NB90
H	-14	ASP	-	expression tag	UNP Q8NB90
H	-13	ILE	-	expression tag	UNP Q8NB90
H	-12	PRO	-	expression tag	UNP Q8NB90
H	-11	THR	-	expression tag	UNP Q8NB90
H	-10	THR	-	expression tag	UNP Q8NB90
H	-9	GLU	-	expression tag	UNP Q8NB90
H	-8	ASN	-	expression tag	UNP Q8NB90
H	-7	LEU	-	expression tag	UNP Q8NB90
H	-6	TYR	-	expression tag	UNP Q8NB90
H	-5	PHE	-	expression tag	UNP Q8NB90
H	-4	GLN	-	expression tag	UNP Q8NB90
H	-3	GLY	-	expression tag	UNP Q8NB90
H	-2	ALA	-	expression tag	UNP Q8NB90
H	-1	MET	-	expression tag	UNP Q8NB90
H	0	GLY	-	expression tag	UNP Q8NB90

- Molecule 2 is a protein called ATPase family gene 2 protein homolog B.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	O	527	Total	C	N	O	S	0	0
			4016	2541	705	753	17		
2	P	529	Total	C	N	O	S	0	0
			4027	2549	707	753	18		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	I	183	1320	825	259	231	5	0	0
2	J	181	1306	817	257	227	5	0	0

There are 96 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
O	-23	MET	-	initiating methionine	UNP Q9BVQ7
O	-22	ASP	-	expression tag	UNP Q9BVQ7
O	-21	TYR	-	expression tag	UNP Q9BVQ7
O	-20	LYS	-	expression tag	UNP Q9BVQ7
O	-19	ASP	-	expression tag	UNP Q9BVQ7
O	-18	ASP	-	expression tag	UNP Q9BVQ7
O	-17	ASP	-	expression tag	UNP Q9BVQ7
O	-16	ASP	-	expression tag	UNP Q9BVQ7
O	-15	LYS	-	expression tag	UNP Q9BVQ7
O	-14	GLY	-	expression tag	UNP Q9BVQ7
O	-13	GLY	-	expression tag	UNP Q9BVQ7
O	-12	GLY	-	expression tag	UNP Q9BVQ7
O	-11	SER	-	expression tag	UNP Q9BVQ7
O	-10	GLU	-	expression tag	UNP Q9BVQ7
O	-9	ASN	-	expression tag	UNP Q9BVQ7
O	-8	LEU	-	expression tag	UNP Q9BVQ7
O	-7	TYR	-	expression tag	UNP Q9BVQ7
O	-6	PHE	-	expression tag	UNP Q9BVQ7
O	-5	GLN	-	expression tag	UNP Q9BVQ7
O	-4	GLY	-	expression tag	UNP Q9BVQ7
O	-3	ALA	-	expression tag	UNP Q9BVQ7
O	-2	GLY	-	expression tag	UNP Q9BVQ7
O	-1	SER	-	expression tag	UNP Q9BVQ7
O	0	THR	-	expression tag	UNP Q9BVQ7
P	-23	MET	-	initiating methionine	UNP Q9BVQ7
P	-22	ASP	-	expression tag	UNP Q9BVQ7
P	-21	TYR	-	expression tag	UNP Q9BVQ7
P	-20	LYS	-	expression tag	UNP Q9BVQ7
P	-19	ASP	-	expression tag	UNP Q9BVQ7
P	-18	ASP	-	expression tag	UNP Q9BVQ7
P	-17	ASP	-	expression tag	UNP Q9BVQ7
P	-16	ASP	-	expression tag	UNP Q9BVQ7
P	-15	LYS	-	expression tag	UNP Q9BVQ7
P	-14	GLY	-	expression tag	UNP Q9BVQ7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
P	-13	GLY	-	expression tag	UNP Q9BVQ7
P	-12	GLY	-	expression tag	UNP Q9BVQ7
P	-11	SER	-	expression tag	UNP Q9BVQ7
P	-10	GLU	-	expression tag	UNP Q9BVQ7
P	-9	ASN	-	expression tag	UNP Q9BVQ7
P	-8	LEU	-	expression tag	UNP Q9BVQ7
P	-7	TYR	-	expression tag	UNP Q9BVQ7
P	-6	PHE	-	expression tag	UNP Q9BVQ7
P	-5	GLN	-	expression tag	UNP Q9BVQ7
P	-4	GLY	-	expression tag	UNP Q9BVQ7
P	-3	ALA	-	expression tag	UNP Q9BVQ7
P	-2	GLY	-	expression tag	UNP Q9BVQ7
P	-1	SER	-	expression tag	UNP Q9BVQ7
P	0	THR	-	expression tag	UNP Q9BVQ7
I	-23	MET	-	initiating methionine	UNP Q9BVQ7
I	-22	ASP	-	expression tag	UNP Q9BVQ7
I	-21	TYR	-	expression tag	UNP Q9BVQ7
I	-20	LYS	-	expression tag	UNP Q9BVQ7
I	-19	ASP	-	expression tag	UNP Q9BVQ7
I	-18	ASP	-	expression tag	UNP Q9BVQ7
I	-17	ASP	-	expression tag	UNP Q9BVQ7
I	-16	ASP	-	expression tag	UNP Q9BVQ7
I	-15	LYS	-	expression tag	UNP Q9BVQ7
I	-14	GLY	-	expression tag	UNP Q9BVQ7
I	-13	GLY	-	expression tag	UNP Q9BVQ7
I	-12	GLY	-	expression tag	UNP Q9BVQ7
I	-11	SER	-	expression tag	UNP Q9BVQ7
I	-10	GLU	-	expression tag	UNP Q9BVQ7
I	-9	ASN	-	expression tag	UNP Q9BVQ7
I	-8	LEU	-	expression tag	UNP Q9BVQ7
I	-7	TYR	-	expression tag	UNP Q9BVQ7
I	-6	PHE	-	expression tag	UNP Q9BVQ7
I	-5	GLN	-	expression tag	UNP Q9BVQ7
I	-4	GLY	-	expression tag	UNP Q9BVQ7
I	-3	ALA	-	expression tag	UNP Q9BVQ7
I	-2	GLY	-	expression tag	UNP Q9BVQ7
I	-1	SER	-	expression tag	UNP Q9BVQ7
I	0	THR	-	expression tag	UNP Q9BVQ7
J	-23	MET	-	initiating methionine	UNP Q9BVQ7
J	-22	ASP	-	expression tag	UNP Q9BVQ7
J	-21	TYR	-	expression tag	UNP Q9BVQ7
J	-20	LYS	-	expression tag	UNP Q9BVQ7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
J	-19	ASP	-	expression tag	UNP Q9BVQ7
J	-18	ASP	-	expression tag	UNP Q9BVQ7
J	-17	ASP	-	expression tag	UNP Q9BVQ7
J	-16	ASP	-	expression tag	UNP Q9BVQ7
J	-15	LYS	-	expression tag	UNP Q9BVQ7
J	-14	GLY	-	expression tag	UNP Q9BVQ7
J	-13	GLY	-	expression tag	UNP Q9BVQ7
J	-12	GLY	-	expression tag	UNP Q9BVQ7
J	-11	SER	-	expression tag	UNP Q9BVQ7
J	-10	GLU	-	expression tag	UNP Q9BVQ7
J	-9	ASN	-	expression tag	UNP Q9BVQ7
J	-8	LEU	-	expression tag	UNP Q9BVQ7
J	-7	TYR	-	expression tag	UNP Q9BVQ7
J	-6	PHE	-	expression tag	UNP Q9BVQ7
J	-5	GLN	-	expression tag	UNP Q9BVQ7
J	-4	GLY	-	expression tag	UNP Q9BVQ7
J	-3	ALA	-	expression tag	UNP Q9BVQ7
J	-2	GLY	-	expression tag	UNP Q9BVQ7
J	-1	SER	-	expression tag	UNP Q9BVQ7
J	0	THR	-	expression tag	UNP Q9BVQ7

- Molecule 3 is a protein called cDNA FLJ55172.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	A	198	Total	C	N	O	S	0	0
			1604	1022	284	294	4		
3	B	196	Total	C	N	O	S	0	0
			1585	1012	279	290	4		

There are 122 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-60	MET	-	initiating methionine	UNP B4DRQ5
A	-59	SER	-	expression tag	UNP B4DRQ5
A	-58	ALA	-	expression tag	UNP B4DRQ5
A	-57	TRP	-	expression tag	UNP B4DRQ5
A	-56	SER	-	expression tag	UNP B4DRQ5
A	-55	HIS	-	expression tag	UNP B4DRQ5
A	-54	PRO	-	expression tag	UNP B4DRQ5
A	-53	GLN	-	expression tag	UNP B4DRQ5
A	-52	PHE	-	expression tag	UNP B4DRQ5
A	-51	GLU	-	expression tag	UNP B4DRQ5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-50	LYS	-	expression tag	UNP B4DRQ5
A	-49	GLY	-	expression tag	UNP B4DRQ5
A	-48	GLY	-	expression tag	UNP B4DRQ5
A	-47	GLY	-	expression tag	UNP B4DRQ5
A	-46	SER	-	expression tag	UNP B4DRQ5
A	-45	GLY	-	expression tag	UNP B4DRQ5
A	-44	GLY	-	expression tag	UNP B4DRQ5
A	-43	GLY	-	expression tag	UNP B4DRQ5
A	-42	SER	-	expression tag	UNP B4DRQ5
A	-41	GLY	-	expression tag	UNP B4DRQ5
A	-40	GLY	-	expression tag	UNP B4DRQ5
A	-39	SER	-	expression tag	UNP B4DRQ5
A	-38	ALA	-	expression tag	UNP B4DRQ5
A	-37	TRP	-	expression tag	UNP B4DRQ5
A	-36	SER	-	expression tag	UNP B4DRQ5
A	-35	HIS	-	expression tag	UNP B4DRQ5
A	-34	PRO	-	expression tag	UNP B4DRQ5
A	-33	GLN	-	expression tag	UNP B4DRQ5
A	-32	PHE	-	expression tag	UNP B4DRQ5
A	-31	GLU	-	expression tag	UNP B4DRQ5
A	-30	LYS	-	expression tag	UNP B4DRQ5
A	-29	GLY	-	expression tag	UNP B4DRQ5
A	-28	ALA	-	expression tag	UNP B4DRQ5
A	-27	GLY	-	expression tag	UNP B4DRQ5
A	-26	SER	-	expression tag	UNP B4DRQ5
A	-25	GLU	-	expression tag	UNP B4DRQ5
A	-24	ASN	-	expression tag	UNP B4DRQ5
A	-23	LEU	-	expression tag	UNP B4DRQ5
A	-22	TYR	-	expression tag	UNP B4DRQ5
A	-21	PHE	-	expression tag	UNP B4DRQ5
A	-20	GLN	-	expression tag	UNP B4DRQ5
A	-19	GLY	-	expression tag	UNP B4DRQ5
A	-18	ALA	-	expression tag	UNP B4DRQ5
A	-17	GLY	-	expression tag	UNP B4DRQ5
A	-16	SER	-	expression tag	UNP B4DRQ5
A	-15	ASP	-	expression tag	UNP B4DRQ5
A	-14	SER	-	expression tag	UNP B4DRQ5
A	-13	LEU	-	expression tag	UNP B4DRQ5
A	-12	GLU	-	expression tag	UNP B4DRQ5
A	-11	PHE	-	expression tag	UNP B4DRQ5
A	-10	ILE	-	expression tag	UNP B4DRQ5
A	-9	ALA	-	expression tag	UNP B4DRQ5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-8	SER	-	expression tag	UNP B4DRQ5
A	-7	LYS	-	expression tag	UNP B4DRQ5
A	-6	LEU	-	expression tag	UNP B4DRQ5
A	-5	ALA	-	expression tag	UNP B4DRQ5
A	-4	GLY	-	expression tag	UNP B4DRQ5
A	-3	GLY	-	expression tag	UNP B4DRQ5
A	-2	GLY	-	expression tag	UNP B4DRQ5
A	-1	SER	-	expression tag	UNP B4DRQ5
A	0	THR	-	expression tag	UNP B4DRQ5
B	-60	MET	-	initiating methionine	UNP B4DRQ5
B	-59	SER	-	expression tag	UNP B4DRQ5
B	-58	ALA	-	expression tag	UNP B4DRQ5
B	-57	TRP	-	expression tag	UNP B4DRQ5
B	-56	SER	-	expression tag	UNP B4DRQ5
B	-55	HIS	-	expression tag	UNP B4DRQ5
B	-54	PRO	-	expression tag	UNP B4DRQ5
B	-53	GLN	-	expression tag	UNP B4DRQ5
B	-52	PHE	-	expression tag	UNP B4DRQ5
B	-51	GLU	-	expression tag	UNP B4DRQ5
B	-50	LYS	-	expression tag	UNP B4DRQ5
B	-49	GLY	-	expression tag	UNP B4DRQ5
B	-48	GLY	-	expression tag	UNP B4DRQ5
B	-47	GLY	-	expression tag	UNP B4DRQ5
B	-46	SER	-	expression tag	UNP B4DRQ5
B	-45	GLY	-	expression tag	UNP B4DRQ5
B	-44	GLY	-	expression tag	UNP B4DRQ5
B	-43	GLY	-	expression tag	UNP B4DRQ5
B	-42	SER	-	expression tag	UNP B4DRQ5
B	-41	GLY	-	expression tag	UNP B4DRQ5
B	-40	GLY	-	expression tag	UNP B4DRQ5
B	-39	SER	-	expression tag	UNP B4DRQ5
B	-38	ALA	-	expression tag	UNP B4DRQ5
B	-37	TRP	-	expression tag	UNP B4DRQ5
B	-36	SER	-	expression tag	UNP B4DRQ5
B	-35	HIS	-	expression tag	UNP B4DRQ5
B	-34	PRO	-	expression tag	UNP B4DRQ5
B	-33	GLN	-	expression tag	UNP B4DRQ5
B	-32	PHE	-	expression tag	UNP B4DRQ5
B	-31	GLU	-	expression tag	UNP B4DRQ5
B	-30	LYS	-	expression tag	UNP B4DRQ5
B	-29	GLY	-	expression tag	UNP B4DRQ5
B	-28	ALA	-	expression tag	UNP B4DRQ5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-27	GLY	-	expression tag	UNP B4DRQ5
B	-26	SER	-	expression tag	UNP B4DRQ5
B	-25	GLU	-	expression tag	UNP B4DRQ5
B	-24	ASN	-	expression tag	UNP B4DRQ5
B	-23	LEU	-	expression tag	UNP B4DRQ5
B	-22	TYR	-	expression tag	UNP B4DRQ5
B	-21	PHE	-	expression tag	UNP B4DRQ5
B	-20	GLN	-	expression tag	UNP B4DRQ5
B	-19	GLY	-	expression tag	UNP B4DRQ5
B	-18	ALA	-	expression tag	UNP B4DRQ5
B	-17	GLY	-	expression tag	UNP B4DRQ5
B	-16	SER	-	expression tag	UNP B4DRQ5
B	-15	ASP	-	expression tag	UNP B4DRQ5
B	-14	SER	-	expression tag	UNP B4DRQ5
B	-13	LEU	-	expression tag	UNP B4DRQ5
B	-12	GLU	-	expression tag	UNP B4DRQ5
B	-11	PHE	-	expression tag	UNP B4DRQ5
B	-10	ILE	-	expression tag	UNP B4DRQ5
B	-9	ALA	-	expression tag	UNP B4DRQ5
B	-8	SER	-	expression tag	UNP B4DRQ5
B	-7	LYS	-	expression tag	UNP B4DRQ5
B	-6	LEU	-	expression tag	UNP B4DRQ5
B	-5	ALA	-	expression tag	UNP B4DRQ5
B	-4	GLY	-	expression tag	UNP B4DRQ5
B	-3	GLY	-	expression tag	UNP B4DRQ5
B	-2	GLY	-	expression tag	UNP B4DRQ5
B	-1	SER	-	expression tag	UNP B4DRQ5
B	0	THR	-	expression tag	UNP B4DRQ5

- Molecule 4 is a protein called Cyclin-dependent kinase 2-interacting protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	C	150	Total	C	N	O	S	0	0
			1211	769	202	234	6		
4	D	155	Total	C	N	O	S	0	0
			1258	802	209	241	6		

There are 50 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-24	MET	-	initiating methionine	UNP Q9BW66
C	-23	SER	-	expression tag	UNP Q9BW66

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-22	TYR	-	expression tag	UNP Q9BW66
C	-21	TYR	-	expression tag	UNP Q9BW66
C	-20	HIS	-	expression tag	UNP Q9BW66
C	-19	HIS	-	expression tag	UNP Q9BW66
C	-18	HIS	-	expression tag	UNP Q9BW66
C	-17	HIS	-	expression tag	UNP Q9BW66
C	-16	HIS	-	expression tag	UNP Q9BW66
C	-15	HIS	-	expression tag	UNP Q9BW66
C	-14	ASP	-	expression tag	UNP Q9BW66
C	-13	TYR	-	expression tag	UNP Q9BW66
C	-12	ASP	-	expression tag	UNP Q9BW66
C	-11	ILE	-	expression tag	UNP Q9BW66
C	-10	PRO	-	expression tag	UNP Q9BW66
C	-9	THR	-	expression tag	UNP Q9BW66
C	-8	THR	-	expression tag	UNP Q9BW66
C	-7	GLU	-	expression tag	UNP Q9BW66
C	-6	ASN	-	expression tag	UNP Q9BW66
C	-5	LEU	-	expression tag	UNP Q9BW66
C	-4	TYR	-	expression tag	UNP Q9BW66
C	-3	PHE	-	expression tag	UNP Q9BW66
C	-2	GLN	-	expression tag	UNP Q9BW66
C	-1	GLY	-	expression tag	UNP Q9BW66
C	0	ALA	-	expression tag	UNP Q9BW66
D	-24	MET	-	initiating methionine	UNP Q9BW66
D	-23	SER	-	expression tag	UNP Q9BW66
D	-22	TYR	-	expression tag	UNP Q9BW66
D	-21	TYR	-	expression tag	UNP Q9BW66
D	-20	HIS	-	expression tag	UNP Q9BW66
D	-19	HIS	-	expression tag	UNP Q9BW66
D	-18	HIS	-	expression tag	UNP Q9BW66
D	-17	HIS	-	expression tag	UNP Q9BW66
D	-16	HIS	-	expression tag	UNP Q9BW66
D	-15	HIS	-	expression tag	UNP Q9BW66
D	-14	ASP	-	expression tag	UNP Q9BW66
D	-13	TYR	-	expression tag	UNP Q9BW66
D	-12	ASP	-	expression tag	UNP Q9BW66
D	-11	ILE	-	expression tag	UNP Q9BW66
D	-10	PRO	-	expression tag	UNP Q9BW66
D	-9	THR	-	expression tag	UNP Q9BW66
D	-8	THR	-	expression tag	UNP Q9BW66
D	-7	GLU	-	expression tag	UNP Q9BW66
D	-6	ASN	-	expression tag	UNP Q9BW66


Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-5	LEU	-	expression tag	UNP Q9BW66
D	-4	TYR	-	expression tag	UNP Q9BW66
D	-3	PHE	-	expression tag	UNP Q9BW66
D	-2	GLN	-	expression tag	UNP Q9BW66
D	-1	GLY	-	expression tag	UNP Q9BW66
D	0	ALA	-	expression tag	UNP Q9BW66




• Molecule 1: ATPase family gene 2 protein homolog A






• Molecule 2: ATPase family gene 2 protein homolog B




• Molecule 2: ATPase family gene 2 protein homolog B







• Molecule 3: cDNA FLJ55172




• Molecule 3: cDNA FLJ55172






● Molecule 4: Cyclin-dependent kinase 2-interacting protein



● Molecule 4: Cyclin-dependent kinase 2-interacting protein



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	165778	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	37.6	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	3100	Depositor
Magnification	165000	Depositor
Image detector	TFS FALCON 4i (4k x 4k)	Depositor
Maximum map value	0.785	Depositor
Minimum map value	-0.413	Depositor
Average map value	0.004	Depositor
Map value standard deviation	0.029	Depositor
Recommended contour level	0.131	Depositor
Map size (Å)	281.2, 281.2, 281.2	wwPDB
Map dimensions	380, 380, 380	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.74, 0.74, 0.74	Depositor

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	E	0.45	0/1413	0.54	0/1909
1	F	0.33	0/1367	0.48	0/1848
1	G	0.47	0/1400	0.61	1/1892 (0.1%)
1	H	0.32	0/1379	0.48	0/1864
1	K	0.31	0/4122	0.48	0/5582
1	L	0.31	0/4297	0.45	0/5815
1	M	0.30	0/4122	0.46	0/5581
1	N	0.32	0/4298	0.46	0/5817
2	I	0.40	0/1349	0.57	0/1844
2	J	0.42	0/1335	0.57	0/1825
2	O	0.29	0/4082	0.47	0/5532
2	P	0.33	1/4093 (0.0%)	0.48	0/5546
3	A	0.53	0/1633	0.58	1/2211 (0.0%)
3	B	0.52	0/1614	0.53	0/2185
4	C	0.39	0/1231	0.44	0/1660
4	D	0.39	0/1282	0.46	0/1732
All	All	0.36	1/39017 (0.0%)	0.49	2/52843 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	P	483	PRO	N-CD	-10.33	1.33	1.47

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	59	ILE	C-N-CD	-7.86	103.32	120.60
3	A	186	HIS	CB-CA-C	7.50	125.39	110.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	1392	0	1424	34	0
1	F	1346	0	1377	10	0
1	G	1379	0	1416	32	0
1	H	1358	0	1391	12	0
1	K	4056	0	4210	15	0
1	L	4226	0	4371	11	0
1	M	4056	0	4217	17	0
1	N	4228	0	4373	11	0
2	I	1320	0	1383	29	0
2	J	1306	0	1372	24	0
2	O	4016	0	4144	10	0
2	P	4027	0	4161	10	0
3	A	1604	0	1634	70	0
3	B	1585	0	1618	80	0
4	C	1211	0	1218	47	0
4	D	1258	0	1257	48	0
All	All	38368	0	39566	440	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

The worst 5 of 440 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:C:158:LYS:HE2	4:C:191:TYR:CZ	1.35	1.62
4:C:158:LYS:CE	4:C:191:TYR:CE1	2.14	1.30
3:A:148:HIS:CE1	3:A:185:GLU:OE1	1.83	1.29
4:C:158:LYS:CE	4:C:191:TYR:CZ	2.18	1.27
3:A:148:HIS:HE1	3:A:185:GLU:OE1	1.00	1.27

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	178/920 (19%)	150 (84%)	28 (16%)	0	100	100
1	F	171/920 (19%)	150 (88%)	21 (12%)	0	100	100
1	G	176/920 (19%)	144 (82%)	29 (16%)	3 (2%)	9	43
1	H	173/920 (19%)	157 (91%)	16 (9%)	0	100	100
1	K	524/920 (57%)	458 (87%)	66 (13%)	0	100	100
1	L	543/920 (59%)	472 (87%)	71 (13%)	0	100	100
1	M	524/920 (57%)	461 (88%)	63 (12%)	0	100	100
1	N	544/920 (59%)	483 (89%)	60 (11%)	1 (0%)	47	81
2	I	181/777 (23%)	139 (77%)	41 (23%)	1 (1%)	25	65
2	J	179/777 (23%)	139 (78%)	39 (22%)	1 (1%)	25	65
2	O	521/777 (67%)	450 (86%)	71 (14%)	0	100	100
2	P	523/777 (67%)	452 (86%)	71 (14%)	0	100	100
3	A	196/264 (74%)	180 (92%)	15 (8%)	1 (0%)	29	68
3	B	194/264 (74%)	173 (89%)	21 (11%)	0	100	100
4	C	144/237 (61%)	134 (93%)	10 (7%)	0	100	100
4	D	149/237 (63%)	137 (92%)	12 (8%)	0	100	100
All	All	4920/11470 (43%)	4279 (87%)	634 (13%)	7 (0%)	54	85

5 of 7 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	59	ILE
3	A	188	ASP
1	G	60	PRO
1	G	63	PHE
2	I	126	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	154/776 (20%)	153 (99%)	1 (1%)	86	92
1	F	150/776 (19%)	150 (100%)	0	100	100
1	G	153/776 (20%)	153 (100%)	0	100	100
1	H	151/776 (20%)	151 (100%)	0	100	100
1	K	436/776 (56%)	436 (100%)	0	100	100
1	L	454/776 (58%)	454 (100%)	0	100	100
1	M	436/776 (56%)	436 (100%)	0	100	100
1	N	454/776 (58%)	454 (100%)	0	100	100
2	I	137/633 (22%)	137 (100%)	0	100	100
2	J	136/633 (22%)	136 (100%)	0	100	100
2	O	440/633 (70%)	440 (100%)	0	100	100
2	P	441/633 (70%)	441 (100%)	0	100	100
3	A	176/221 (80%)	176 (100%)	0	100	100
3	B	174/221 (79%)	174 (100%)	0	100	100
4	C	136/216 (63%)	136 (100%)	0	100	100
4	D	141/216 (65%)	141 (100%)	0	100	100
All	All	4169/9614 (43%)	4168 (100%)	1 (0%)	100	100

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	194	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 18 such sidechains are listed below:

Mol	Chain	Res	Type
4	D	144	HIS
2	I	37	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	140	GLN
3	B	148	HIS
4	D	138	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-19177. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 190




Y Index: 190




Z Index: 190


6.2.2 Raw map



X Index: 190



Y Index: 190




Z Index: 190


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 150




Y Index: 171




Z Index: 235


6.3.2 Raw map



X Index: 150



Y Index: 171




Z Index: 235


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.131. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_19177_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 271 nm³; this corresponds to an approximate mass of 245 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [\(i\)](#)




*Reported resolution corresponds to spatial frequency of 0.222 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.222 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.50	-	-
Author-provided FSC curve	4.54	5.56	4.62
Unmasked-calculated*	5.37	6.71	5.53

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 5.37 differs from the reported value 4.5 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-19177 and PDB model 8RHN. Per-residue inclusion information can be found in section [3](#) on page [18](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.131 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.131).



































9.4 Atom inclusion [i](#)



At the recommended contour level, 88% of all backbone atoms, 69% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.131) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6910	 0.3610
A	 0.8740	 0.4530
B	 0.8790	 0.4550
C	 0.8280	 0.4120
D	 0.8240	 0.4130
E	 0.8400	 0.4510
F	 0.6760	 0.3780
G	 0.8380	 0.4420
H	 0.6890	 0.3920
I	 0.8310	 0.4560
J	 0.8380	 0.4600
K	 0.6510	 0.3190
L	 0.6550	 0.3330
M	 0.6520	 0.3210
N	 0.6580	 0.3360
O	 0.5620	 0.3070
P	 0.5560	 0.3060

