



## wwPDB EM Validation Summary Report ⓘ

Mar 2, 2024 – 09:45 PM EST

PDB ID : 5TCR  
EMDB ID : EMD-8400  
Title : Atomic model of the Salmonella SPI-1 type III secretion injectisome basal body proteins InvG, PrgH, and PrgK  
Authors : Worrall, L.J.; Hong, C.; Vuckovic, M.; Bergeron, J.R.C.; Huang, R.K.; Yu, Z.; Strynadka, N.C.J.  
Deposited on : 2016-09-15  
Resolution : 6.30 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev70  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36



Continued from previous page...

Mol	Chain	Length	Quality of chain
1	J	562	 36% 83% 16%
1	K	562	 36% 83% 16%
1	L	562	 40% 83% 16%
1	M	562	 38% 83% 16%
1	N	562	 35% 83% 16%
1	O	562	 34% 83% 16%
2	1	235	 78% 22%
2	3	235	 78% 22%
2	5	235	 78% 22%
2	7	235	 78% 22%
2	9	235	 78% 22%
2	P	235	 78% 22%
2	R	235	 77% 22%
2	T	235	 78% 22%
2	V	235	 5% 78% 22%
2	X	235	 78% 22%
2	a	235	 77% 22%
2	c	235	 5% 78% 22%
2	e	235	 7% 78% 22%
2	g	235	 5% 78% 22%
2	i	235	 5% 78% 22%
2	k	235	 5% 78% 22%
2	m	235	 78% 22%
2	o	235	 78% 22%
2	q	235	 78% 22%





Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain	
2	s	235		78%
2	u	235		78%
2	w	235		78%
2	y	235		78%
2	z	235		78%
3	0	263		72%
3	10	263		72%
3	2	263		72%
3	4	263		72%
3	6	263		72%
3	8	263		72%
3	Q	263		72%
3	S	263		72%
3	U	263		72%
3	W	263		72%
3	Y	263		72%
3	Z	263		72%
3	b	263		72%
3	d	263		72%
3	f	263		72%
3	h	263		72%
3	j	263		72%
3	l	263		72%
3	n	263		72%
3	p	263		72%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
3	r	263	
3	t	263	
3	v	263	
3	x	263	

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 128658 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein InvG.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	474	3718	2357	645	704	12	0	0
1	B	474	3718	2357	645	704	12	0	0
1	C	474	3718	2357	645	704	12	0	0
1	D	474	3718	2357	645	704	12	0	0
1	E	474	3718	2357	645	704	12	0	0
1	F	474	3718	2357	645	704	12	0	0
1	G	474	3718	2357	645	704	12	0	0
1	H	474	3718	2357	645	704	12	0	0
1	I	474	3718	2357	645	704	12	0	0
1	J	474	3718	2357	645	704	12	0	0
1	K	474	3718	2357	645	704	12	0	0
1	L	474	3718	2357	645	704	12	0	0
1	M	474	3718	2357	645	704	12	0	0
1	N	474	3718	2357	645	704	12	0	0
1	O	474	3718	2357	645	704	12	0	0

- Molecule 2 is a protein called Lipoprotein PrgK.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	P	184	Total 1437	C 905	N 250	O 279	S 3	0	0
2	R	184	Total 1437	C 905	N 250	O 279	S 3	0	0
2	T	184	Total 1437	C 905	N 250	O 279	S 3	0	0
2	V	184	Total 1437	C 905	N 250	O 279	S 3	0	0
2	X	184	Total 1437	C 905	N 250	O 279	S 3	0	0
2	a	184	Total 1437	C 905	N 250	O 279	S 3	0	0
2	c	184	Total 1437	C 905	N 250	O 279	S 3	0	0
2	e	184	Total 1437	C 905	N 250	O 279	S 3	0	0
2	g	184	Total 1437	C 905	N 250	O 279	S 3	0	0
2	i	184	Total 1437	C 905	N 250	O 279	S 3	0	0
2	k	184	Total 1437	C 905	N 250	O 279	S 3	0	0
2	m	184	Total 1437	C 905	N 250	O 279	S 3	0	0
2	o	184	Total 1437	C 905	N 250	O 279	S 3	0	0
2	q	184	Total 1437	C 905	N 250	O 279	S 3	0	0
2	s	184	Total 1437	C 905	N 250	O 279	S 3	0	0
2	u	184	Total 1437	C 905	N 250	O 279	S 3	0	0
2	w	184	Total 1437	C 905	N 250	O 279	S 3	0	0
2	y	184	Total 1437	C 905	N 250	O 279	S 3	0	0
2	z	184	Total 1437	C 905	N 250	O 279	S 3	0	0
2	1	184	Total 1437	C 905	N 250	O 279	S 3	0	0
2	3	184	Total 1437	C 905	N 250	O 279	S 3	0	0
2	5	184	Total 1437	C 905	N 250	O 279	S 3	0	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf	Trace
2	7	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		
2	9	184	Total	C	N	O	S	0	0
			1437	905	250	279	3		

- Molecule 3 is a protein called Protein PrgH.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	Q	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
3	S	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
3	U	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
3	W	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
3	Y	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
3	Z	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
3	b	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
3	d	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
3	f	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
3	h	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
3	j	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
3	l	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
3	n	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
3	p	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
3	r	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
3	t	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
3	v	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		


*Continued on next page...*





*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf	Trace
3	x	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
3	0	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
3	2	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
3	4	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
3	6	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
3	8	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		
3	10	194	Total	C	N	O	S	0	0
			1600	1011	288	297	4		








• Molecule 1: Protein InvG





• Molecule 1: Protein InvG






• Molecule 1: Protein InvG













• Molecule 1: Protein InvG




• Molecule 1: Protein InvG













GLU  
ALA  
ILE  
LYS

• Molecule 1: Protein InvG





• Molecule 2: Lipoprotein PrgK





ASP  
LYS  
ALA  
LYS  
SER  
ASN  
GLU

• Molecule 2: Lipoprotein PrgK





GLY  
THR  
ALA  
ASP  
LYS  
LYS  
SER  
SER  
ASN  
GLU



• Molecule 2: Lipoprotein PrgK





• Molecule 2: Lipoprotein PrgK





• Molecule 2: Lipoprotein PrgK





• Molecule 2: Lipoprotein PrgK





• Molecule 2: Lipoprotein PrgK





• Molecule 2: Lipoprotein PrgK





• Molecule 2: Lipoprotein PrgK





• Molecule 2: Lipoprotein PrgK





• Molecule 2: Lipoprotein PrgK





• Molecule 2: Lipoprotein PrgK





• Molecule 2: Lipoprotein PrgK





• Molecule 2: Lipoprotein PrgK





• Molecule 2: Lipoprotein PrgK





• Molecule 2: Lipoprotein PrgK





• Molecule 2: Lipoprotein PrgK





• Molecule 2: Lipoprotein PrgK





• Molecule 2: Lipoprotein PrgK





• Molecule 2: Lipoprotein PrgK



• Molecule 2: Lipoprotein PrgK




• Molecule 2: Lipoprotein PrgK




• Molecule 2: Lipoprotein PrgK







• Molecule 3: Protein PrgH




• Molecule 3: Protein PrgH



• Molecule 3: Protein PrgH




• Molecule 3: Protein PrgH







• Molecule 3: Protein PrgH




• Molecule 3: Protein PrgH



• Molecule 3: Protein PrgH




• Molecule 3: Protein PrgH




• Molecule 3: Protein PrgH







• Molecule 3: Protein PrgH




• Molecule 3: Protein PrgH





• Molecule 3: Protein PrgH





• Molecule 3: Protein PrgH





• Molecule 3: Protein PrgH





• Molecule 3: Protein PrgH




• Molecule 3: Protein PrgH



• Molecule 3: Protein PrgH



• Molecule 3: Protein PrgH



D364  
 TRP  
 LEU  
 LYS  
 GLY  
 ASN  
 ARG  
 SER  
 PHE  
 GLN  
 TYR  
 GLY  
 ALA  
 GLU  
 TYR  
 ILE  
 LYS  
 MET  
 SER  
 PRO  
 GLY  
 HIS  
 TYR  
 PHE  
 PRO  
 PRO  
 LEU


• Molecule 3: Protein PrgH



SER  
 ALA  
 LYS  
 ASN  
 GLU  
 PRO  
 ARG  
 PHE  
 LYS  
 ASN  
 GLY  
 ILE  
 VAL  
 ALA  
 ALA  
 LYS  
 HIS  
 LEU  
 GLY  
 PHE  
 PHE  
 ILE  
 LEU  
 LEU  
 GLY  
 ILE  
 GLY  
 THR  
 VAL  
 VAL  
 GLY  
 THR  
 THR  
 LEU  
 TRP  
 ILE  
 ILE  
 LEU  
 ASN  
 SER  
 SER  
 PRO  
 GLN  
 ARG  
 GLN  
 ALA  
 ALA  
 A171  
 L176  
 L177  
 G178  
 P188  
 D251  
 E252  
 P253  
 R316  
 D364  
 TRP  
 LEU  
 LYS  
 GLY

ARG  
 SER  
 PHE  
 GLN  
 TYR  
 GLY  
 ALA  
 GLU  
 TYR  
 ILE  
 LYS  
 MET  
 SER  
 PRO  
 GLY  
 ILE  
 TRP  
 PHE  
 PRO  
 SER  
 PRO  
 LEU

• Molecule 3: Protein PrgH



SER  
 ALA  
 LYS  
 ASN  
 GLU  
 PRO  
 ARG  
 PHE  
 LYS  
 ASN  
 GLY  
 ILE  
 VAL  
 ALA  
 ALA  
 LYS  
 HIS  
 LEU  
 GLY  
 PHE  
 PHE  
 ILE  
 LEU  
 LEU  
 GLY  
 ILE  
 GLY  
 THR  
 VAL  
 VAL  
 GLY  
 THR  
 THR  
 LEU  
 TRP  
 ILE  
 ILE  
 LEU  
 ASN  
 SER  
 SER  
 PRO  
 GLN  
 ARG  
 GLN  
 ALA  
 ALA  
 A171  
 L176  
 L177  
 G178  
 R183  
 P188  
 D251  
 E252  
 P253  
 R316  
 L331  
 D364

TRP  
 LEU  
 LYS  
 GLY  
 ARG  
 SER  
 PHE  
 GLN  
 TYR  
 GLY  
 ALA  
 GLY  
 TYR  
 ILE  
 LYS  
 MET  
 SER  
 PRO  
 GLY  
 HIS  
 TRP  
 TYR  
 PHE  
 PRO  
 SER  
 PRO  
 LEU

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	67800	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	1.3	Depositor
Minimum defocus (nm)	1300	Depositor
Maximum defocus (nm)	3200	Depositor
Magnification	29240	Depositor
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor
Maximum map value	0.187	Depositor
Minimum map value	-0.072	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.010	Depositor
Recommended contour level	0.05	Depositor
Map size (Å)	513.0, 513.0, 513.0	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.71, 1.71, 1.71	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.75	0/3780	0.69	0/5115
1	B	0.75	0/3780	0.69	0/5115
1	C	0.75	0/3780	0.69	0/5115
1	D	0.75	0/3780	0.69	0/5115
1	E	0.75	0/3780	0.69	0/5115
1	F	0.75	0/3780	0.69	0/5115
1	G	0.75	0/3780	0.69	0/5115
1	H	0.75	0/3780	0.69	0/5115
1	I	0.75	0/3780	0.69	0/5115
1	J	0.75	0/3780	0.69	0/5115
1	K	0.75	0/3780	0.69	0/5115
1	L	0.75	0/3780	0.69	0/5115
1	M	0.75	0/3780	0.69	0/5115
1	N	0.75	0/3780	0.69	0/5115
1	O	0.75	0/3780	0.69	0/5115
2	1	0.77	0/1465	0.68	1/1989 (0.1%)
2	3	0.77	0/1465	0.68	1/1989 (0.1%)
2	5	0.77	0/1465	0.68	1/1989 (0.1%)
2	7	0.77	0/1465	0.68	1/1989 (0.1%)
2	9	0.77	0/1465	0.68	1/1989 (0.1%)
2	P	0.77	0/1465	0.68	1/1989 (0.1%)
2	R	0.77	0/1465	0.68	2/1989 (0.1%)
2	T	0.77	0/1465	0.68	1/1989 (0.1%)
2	V	0.77	0/1465	0.68	1/1989 (0.1%)
2	X	0.77	0/1465	0.68	1/1989 (0.1%)
2	a	0.77	0/1465	0.68	2/1989 (0.1%)
2	c	0.77	0/1465	0.68	1/1989 (0.1%)
2	e	0.77	0/1465	0.68	1/1989 (0.1%)
2	g	0.77	0/1465	0.68	1/1989 (0.1%)
2	i	0.77	0/1465	0.68	1/1989 (0.1%)
2	k	0.77	0/1465	0.68	1/1989 (0.1%)
2	m	0.77	0/1465	0.68	1/1989 (0.1%)
2	o	0.77	0/1465	0.68	1/1989 (0.1%)
2	q	0.77	0/1465	0.68	1/1989 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
2	s	0.77	0/1465	0.68	1/1989 (0.1%)
2	u	0.77	0/1465	0.68	1/1989 (0.1%)
2	w	0.77	0/1465	0.68	1/1989 (0.1%)
2	y	0.77	0/1465	0.68	1/1989 (0.1%)
2	z	0.77	0/1465	0.68	1/1989 (0.1%)
3	0	0.77	0/1632	0.70	1/2204 (0.0%)
3	10	0.77	0/1632	0.70	1/2204 (0.0%)
3	2	0.77	0/1632	0.70	1/2204 (0.0%)
3	4	0.77	0/1632	0.70	1/2204 (0.0%)
3	6	0.77	0/1632	0.70	1/2204 (0.0%)
3	8	0.77	0/1632	0.70	1/2204 (0.0%)
3	Q	0.77	0/1632	0.70	1/2204 (0.0%)
3	S	0.77	0/1632	0.70	1/2204 (0.0%)
3	U	0.77	0/1632	0.71	1/2204 (0.0%)
3	W	0.77	0/1632	0.70	1/2204 (0.0%)
3	Y	0.77	0/1632	0.70	1/2204 (0.0%)
3	Z	0.77	0/1632	0.70	1/2204 (0.0%)
3	b	0.77	0/1632	0.70	1/2204 (0.0%)
3	d	0.77	0/1632	0.70	1/2204 (0.0%)
3	f	0.77	0/1632	0.71	1/2204 (0.0%)
3	h	0.77	0/1632	0.70	1/2204 (0.0%)
3	j	0.77	0/1632	0.70	1/2204 (0.0%)
3	l	0.77	0/1632	0.70	1/2204 (0.0%)
3	n	0.77	0/1632	0.70	1/2204 (0.0%)
3	p	0.77	0/1632	0.70	1/2204 (0.0%)
3	r	0.77	0/1632	0.70	1/2204 (0.0%)
3	t	0.77	0/1632	0.70	1/2204 (0.0%)
3	v	0.77	0/1632	0.70	1/2204 (0.0%)
3	x	0.77	0/1632	0.70	1/2204 (0.0%)
All	All	0.76	0/131028	0.69	50/177357 (0.0%)

There are no bond length outliers.

The worst 5 of 50 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	y	190	ARG	NE-CZ-NH2	-5.78	117.41	120.30
2	T	190	ARG	NE-CZ-NH2	-5.78	117.41	120.30
2	m	190	ARG	NE-CZ-NH2	-5.78	117.41	120.30
2	o	190	ARG	NE-CZ-NH2	-5.75	117.42	120.30
2	3	190	ARG	NE-CZ-NH2	-5.74	117.43	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	468/562 (83%)	444 (95%)	15 (3%)	9 (2%)	8	38
1	B	468/562 (83%)	444 (95%)	15 (3%)	9 (2%)	8	38
1	C	468/562 (83%)	444 (95%)	15 (3%)	9 (2%)	8	38
1	D	468/562 (83%)	444 (95%)	15 (3%)	9 (2%)	8	38
1	E	468/562 (83%)	444 (95%)	15 (3%)	9 (2%)	8	38
1	F	468/562 (83%)	444 (95%)	15 (3%)	9 (2%)	8	38
1	G	468/562 (83%)	444 (95%)	15 (3%)	9 (2%)	8	38
1	H	468/562 (83%)	444 (95%)	15 (3%)	9 (2%)	8	38
1	I	468/562 (83%)	444 (95%)	15 (3%)	9 (2%)	8	38
1	J	468/562 (83%)	444 (95%)	15 (3%)	9 (2%)	8	38
1	K	468/562 (83%)	444 (95%)	15 (3%)	9 (2%)	8	38
1	L	468/562 (83%)	444 (95%)	15 (3%)	9 (2%)	8	38
1	M	468/562 (83%)	444 (95%)	15 (3%)	9 (2%)	8	38
1	N	468/562 (83%)	444 (95%)	15 (3%)	9 (2%)	8	38
1	O	468/562 (83%)	444 (95%)	15 (3%)	9 (2%)	8	38
2	1	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
2	3	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
2	5	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
2	7	182/235 (77%)	175 (96%)	7 (4%)	0	100	100

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	9	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
2	P	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
2	R	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
2	T	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
2	V	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
2	X	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
2	a	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
2	c	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
2	e	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
2	g	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
2	i	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
2	k	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
2	m	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
2	o	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
2	q	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
2	s	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
2	u	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
2	w	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
2	y	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
2	z	182/235 (77%)	175 (96%)	7 (4%)	0	100	100
3	0	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	7	36
3	10	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	7	36
3	2	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	7	36
3	4	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	7	36
3	6	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	7	36
3	8	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	7	36
3	Q	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	7	36
3	S	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	7	36
3	U	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	7	36
3	W	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	7	36
3	Y	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	7	36

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	Z	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	7	36
3	b	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	7	36
3	d	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	7	36
3	f	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	7	36
3	h	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	7	36
3	j	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	7	36
3	l	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	7	36
3	n	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	7	36
3	p	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	7	36
3	r	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	7	36
3	t	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	7	36
3	v	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	7	36
3	x	192/263 (73%)	182 (95%)	6 (3%)	4 (2%)	7	36
All	All	15996/20382 (78%)	15228 (95%)	537 (3%)	231 (1%)	15	46

5 of 231 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	446	ALA
1	B	446	ALA
1	B	515	PRO
1	C	446	ALA
1	C	515	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	413/477 (87%)	413 (100%)	0	100	100
1	B	413/477 (87%)	413 (100%)	0	100	100
1	C	413/477 (87%)	413 (100%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	413/477 (87%)	413 (100%)	0	100	100
1	E	413/477 (87%)	413 (100%)	0	100	100
1	F	413/477 (87%)	413 (100%)	0	100	100
1	G	413/477 (87%)	413 (100%)	0	100	100
1	H	413/477 (87%)	413 (100%)	0	100	100
1	I	413/477 (87%)	413 (100%)	0	100	100
1	J	413/477 (87%)	413 (100%)	0	100	100
1	K	413/477 (87%)	413 (100%)	0	100	100
1	L	413/477 (87%)	413 (100%)	0	100	100
1	M	413/477 (87%)	413 (100%)	0	100	100
1	N	413/477 (87%)	413 (100%)	0	100	100
1	O	413/477 (87%)	413 (100%)	0	100	100
2	1	157/200 (78%)	157 (100%)	0	100	100
2	3	157/200 (78%)	157 (100%)	0	100	100
2	5	157/200 (78%)	157 (100%)	0	100	100
2	7	157/200 (78%)	157 (100%)	0	100	100
2	9	157/200 (78%)	157 (100%)	0	100	100
2	P	157/200 (78%)	157 (100%)	0	100	100
2	R	157/200 (78%)	157 (100%)	0	100	100
2	T	157/200 (78%)	157 (100%)	0	100	100
2	V	157/200 (78%)	157 (100%)	0	100	100
2	X	157/200 (78%)	157 (100%)	0	100	100
2	a	157/200 (78%)	157 (100%)	0	100	100
2	c	157/200 (78%)	157 (100%)	0	100	100
2	e	157/200 (78%)	157 (100%)	0	100	100
2	g	157/200 (78%)	157 (100%)	0	100	100
2	i	157/200 (78%)	157 (100%)	0	100	100
2	k	157/200 (78%)	157 (100%)	0	100	100
2	m	157/200 (78%)	157 (100%)	0	100	100
2	o	157/200 (78%)	157 (100%)	0	100	100
2	q	157/200 (78%)	157 (100%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	s	157/200 (78%)	157 (100%)	0	100	100
2	u	157/200 (78%)	157 (100%)	0	100	100
2	w	157/200 (78%)	157 (100%)	0	100	100
2	y	157/200 (78%)	157 (100%)	0	100	100
2	z	157/200 (78%)	157 (100%)	0	100	100
3	0	167/221 (76%)	167 (100%)	0	100	100
3	10	167/221 (76%)	167 (100%)	0	100	100
3	2	167/221 (76%)	167 (100%)	0	100	100
3	4	167/221 (76%)	167 (100%)	0	100	100
3	6	167/221 (76%)	167 (100%)	0	100	100
3	8	167/221 (76%)	167 (100%)	0	100	100
3	Q	167/221 (76%)	167 (100%)	0	100	100
3	S	167/221 (76%)	167 (100%)	0	100	100
3	U	167/221 (76%)	167 (100%)	0	100	100
3	W	167/221 (76%)	167 (100%)	0	100	100
3	Y	167/221 (76%)	167 (100%)	0	100	100
3	Z	167/221 (76%)	167 (100%)	0	100	100
3	b	167/221 (76%)	167 (100%)	0	100	100
3	d	167/221 (76%)	167 (100%)	0	100	100
3	f	167/221 (76%)	167 (100%)	0	100	100
3	h	167/221 (76%)	167 (100%)	0	100	100
3	j	167/221 (76%)	167 (100%)	0	100	100
3	l	167/221 (76%)	167 (100%)	0	100	100
3	n	167/221 (76%)	167 (100%)	0	100	100
3	p	167/221 (76%)	167 (100%)	0	100	100
3	r	167/221 (76%)	167 (100%)	0	100	100
3	t	167/221 (76%)	167 (100%)	0	100	100
3	v	167/221 (76%)	167 (100%)	0	100	100
3	x	167/221 (76%)	167 (100%)	0	100	100
All	All	13971/17259 (81%)	13971 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	K	1
1	L	1
1	M	1
1	J	1
1	N	1
1	O	1
1	I	1
1	A	1
1	H	1
1	B	1
1	G	1
1	C	1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Number of breaks
1	F	1
1	D	1
1	E	1

The worst 5 of 15 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	K	171:ASP	C	172:GLY	N	24.97
1	L	171:ASP	C	172:GLY	N	24.97
1	M	171:ASP	C	172:GLY	N	24.97
1	J	171:ASP	C	172:GLY	N	24.95
1	N	171:ASP	C	172:GLY	N	24.95


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-8400. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [\(i\)](#)


### 6.3.1 Primary map



X Index: 176



Y Index: 177




Z Index: 127


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [\(i\)](#)


### 6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.




## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 1316 nm<sup>3</sup>; this corresponds to an approximate mass of 1189 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)



\*Reported resolution corresponds to spatial frequency of  $0.159 \text{\AA}^{-1}$


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-8400 and PDB model 5TCR. Per-residue inclusion information can be found in section 3 on page 10.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.05).

## 9.4 Atom inclusion [i](#)









































































At the recommended contour level, 80% of all backbone atoms, 61% of all non-hydrogen atoms, are inside the map.



## 9.5 Map-model fit summary



























































The table lists the average atom inclusion at the recommended contour level (0.05) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6110	 0.1790
0	 0.7240	 0.2520
1	 0.7030	 0.2960
10	 0.7410	 0.2850
2	 0.7410	 0.2650
3	 0.7030	 0.3050
4	 0.7460	 0.2830
5	 0.7170	 0.3110
6	 0.7420	 0.2740
7	 0.7080	 0.3070
8	 0.7510	 0.2980
9	 0.7070	 0.3060
A	 0.4940	 0.0620
B	 0.4970	 0.0670
C	 0.4650	 0.0480
D	 0.4580	 0.0340
E	 0.4620	 0.0460
F	 0.4720	 0.0480
G	 0.4760	 0.0680
H	 0.4750	 0.0570
I	 0.4720	 0.0450
J	 0.4770	 0.0480
K	 0.4680	 0.0420
L	 0.4580	 0.0340
M	 0.4600	 0.0430
N	 0.4730	 0.0410
O	 0.4760	 0.0480
P	 0.7010	 0.2960
Q	 0.7550	 0.2670
R	 0.7160	 0.3040
S	 0.7370	 0.2600
T	 0.7180	 0.3010
U	 0.7260	 0.2480
V	 0.7070	 0.2960
W	 0.7400	 0.2620



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
X	 0.7130	 0.2990
Y	 0.7270	 0.2470
Z	 0.7350	 0.2750
a	 0.6980	 0.2930
b	 0.7280	 0.2670
c	 0.6880	 0.2960
d	 0.7230	 0.2530
e	 0.6810	 0.2740
f	 0.7130	 0.2510
g	 0.6980	 0.2800
h	 0.7000	 0.2370
i	 0.6810	 0.2720
j	 0.7090	 0.2340
k	 0.6890	 0.2830
l	 0.7000	 0.2350
m	 0.6910	 0.2820
n	 0.7050	 0.2460
o	 0.6950	 0.2940
p	 0.7240	 0.2530
q	 0.7080	 0.2990
r	 0.7440	 0.2740
s	 0.7130	 0.3050
t	 0.7410	 0.2690
u	 0.7180	 0.3020
v	 0.7510	 0.2800
w	 0.7260	 0.3070
x	 0.7550	 0.2790
y	 0.7160	 0.3100
z	 0.7090	 0.2970