



wwPDB EM Validation Summary Report ⓘ

Nov 2, 2022 – 09:05 AM EDT

PDB ID : 5TCU
EMDB ID : EMD-8402
Title : Methicillin sensitive Staphylococcus aureus 70S ribosome
Authors : Eyal, Z.; Ahmed, T.; Belousoff, N.; Mishra, S.; Matzov, D.; Bashan, A.; Zimmerman, E.; Lithgow, T.; Bhushan, S.; Yonath, A.
Deposited on : 2016-09-15
Resolution : 3.90 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1555	
2	SB	202	
3	SC	198	
4	SD	156	
5	SE	95	
6	SG	155	
7	SF	130	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	SH	127	
9	S1	80	
10	S2	114	
11	S3	136	
12	S4	113	
13	S5	60	
14	S6	88	
15	S7	83	
16	S8	80	
17	S9	56	
18	SI	78	
19	SA	79	
20	X	13	
21	E	75	
22	D	76	
23	B	2923	
24	C	114	
25	L2	274	
26	LC	215	
27	LJ	205	
28	LK	166	
29	LL	174	
30	LM	145	
31	LN	122	
32	LO	145	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	LP	136	7% 81% 19%
34	LQ	119	0% 76% 24%
35	LR	113	13% 83% 16%
36	L1	109	7% 90% 10%
37	L3	116	6% 81% 19%
38	L4	102	6% 83% 16%
39	L5	112	5% 85% 15%
40	L6	89	6% 85% 15%
41	L7	103	17% 85% 15%
42	L8	93	51% 95% 5%
43	L9	82	13% 84% 16%
44	LA	58	24% 74% 22%
45	LB	62	0% 84% 16%
46	LD	57	9% 89% 11%
47	LE	47	0% 91% 9%
48	LS	47	19% 83% 17%
49	LG	43	0% 79% 21%
50	LH	60	0% 85% 13%
51	LI	37	0% 70% 30%
52	LF	74	47% 92% 8%

2 Entry composition

There are 54 unique types of molecules in this entry. The entry contains 133876 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S RRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	A	1464	31369	14007	5741	10159	1462	0	0

- Molecule 2 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	SB	202	1551	979	293	278	1	0	0

- Molecule 3 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
3	SC	198	1058	634	211	213	0	0

- Molecule 4 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	SD	156	1153	727	211	213	2	0	0

- Molecule 5 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	SE	95	785	496	138	149	2	0	0

- Molecule 6 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	SG	155	1164	724	220	217	3	0	0

- Molecule 7 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	SF	130	1007	639	180	184	4	0	0

- Molecule 8 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	SH	127	975	605	194	175	1	0	0

- Molecule 9 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
9	S1	80	626	394	116	116	0	0

- Molecule 10 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	S2	114	826	507	158	159	2	0	0

- Molecule 11 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	S3	136	976	611	190	173	2	0	0

- Molecule 12 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	S4	113	828	510	168	149	1	0	0

- Molecule 13 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	S5	60	497	314	99	79	5	0	0

- Molecule 14 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	S6	88	Total	C	N	O	S	0	0
			713	441	148	123	1		

- Molecule 15 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	S7	83	Total	C	N	O	S	0	0
			537	335	105	96	1		

- Molecule 16 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms				AltConf	Trace
16	S8	80	Total	C	N	O	0	0
			520	327	97	96		

- Molecule 17 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	S9	56	Total	C	N	O	S	0	0
			458	292	88	76	2		

- Molecule 18 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	SI	78	Total	C	N	O	S	0	0
			541	340	104	96	1		

- Molecule 19 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	SA	78	Total	C	N	O	S	0	0
			503	303	100	99	1		

- Molecule 20 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	X	10	Total	C	N	O	P	0	0
			213	96	39	68	10		

- Molecule 21 is a RNA chain called P-site tRNA CHAIN.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	E	75	Total	C	N	O	P	0	0
			1600	713	285	527	75		

- Molecule 22 is a RNA chain called E-site tRNA CHAIN.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	D	76	Total	C	N	O	P	0	0
			1619	723	290	531	75		

- Molecule 23 is a RNA chain called 23S RRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	B	2755	Total	C	N	O	P	0	0
			59059	26368	10814	19122	2755		

- Molecule 24 is a RNA chain called 5S rRNA CHAIN.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	C	114	Total	C	N	O	P	0	0
			2430	1086	436	794	114		

- Molecule 25 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	L2	274	Total	C	N	O	S	0	0
			2066	1288	414	359	5		

- Molecule 26 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	LC	215	Total	C	N	O	S	0	0
			1570	987	295	283	5		

- Molecule 27 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	LJ	205	Total	C	N	O	S	0	0
			1514	953	282	277	2		

- Molecule 28 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	LK	166	1026	635	185	204	2	0	0

- Molecule 29 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	LL	174	1062	660	205	195	2	0	0

- Molecule 30 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	LM	145	1124	703	205	213	3	0	0

- Molecule 31 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	LN	122	918	572	174	168	4	0	0

- Molecule 32 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
32	LO	145	1020	631	207	182	0	0

- Molecule 33 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	LP	136	1043	672	202	165	4	0	0

- Molecule 34 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	LQ	119	898	551	176	170	1	0	0

- Molecule 35 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
35	LR	113	Total	C	N	O	0	0
			765	474	145	146		

- Molecule 36 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms				AltConf	Trace
36	L1	109	Total	C	N	O	0	0
			832	529	169	134		

- Molecule 37 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	L3	116	Total	C	N	O	S	0	0
			942	593	189	156	4		

- Molecule 38 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	L4	102	Total	C	N	O	S	0	0
			749	474	140	134	1		

- Molecule 39 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	L5	112	Total	C	N	O	S	0	0
			837	526	163	146	2		

- Molecule 40 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	L6	89	Total	C	N	O	S	0	0
			694	436	126	128	4		

- Molecule 41 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
41	L7	103	Total	C	N	O	0	0
			734	462	137	135		

- Molecule 42 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
42	L8	93	648	411	115	122	0	0

- Molecule 43 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
43	L9	82	615	382	122	111	0	0

- Molecule 44 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
44	LA	58	443	276	96	71	0	0

- Molecule 45 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
45	LB	62	493	304	93	96	0	0

- Molecule 46 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
46	LD	57	436	272	83	81	0	0

- Molecule 47 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
47	LE	47	356	218	77	59	2	0	0

- Molecule 48 is a protein called 50S ribosomal protein L33 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
48	LS	47	380	233	75	68	4	0	0

- Molecule 49 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
49	LG	43	367	225	89	52	1	0	0

- Molecule 50 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
50	LH	60	446	277	92	75	2	0	0


- Molecule 51 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
51	LI	37	272	170	57	40	5	0	0

- Molecule 52 is a protein called 50S ribosomal protein L31 type B.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
52	LF	74	447	269	86	91	1	0	0


- Molecule 53 is PAROMOMYCIN (three-letter code: PAR) (formula: $C_{23}H_{45}N_5O_{14}$).




Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
53	A	1	42	23	5	14	0


- Molecule 54 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
54	A	27	Total 27	Mg 27	0
54	SG	1	Total 1	Mg 1	0
54	B	99	Total 99	Mg 99	0
54	C	2	Total 2	Mg 2	0




- Molecule 2: 30S ribosomal protein S3









• Molecule 3: 30S ribosomal protein S4




• Molecule 4: 30S ribosomal protein S5




• Molecule 5: 30S ribosomal protein S6




• Molecule 6: 30S ribosomal protein S7




• Molecule 7: 30S ribosomal protein S8



• Molecule 8: 30S ribosomal protein S9




• Molecule 9: 30S ribosomal protein S10





• Molecule 10: 30S ribosomal protein S11









- Molecule 11: 30S ribosomal protein S12




- Molecule 12: 30S ribosomal protein S13




- Molecule 13: 30S ribosomal protein S14 type Z




- Molecule 14: 30S ribosomal protein S15





- Molecule 15: 30S ribosomal protein S16









• Molecule 16: 30S ribosomal protein S17





• Molecule 17: 30S ribosomal protein S18




• Molecule 18: 30S ribosomal protein S19



• Molecule 19: 30S ribosomal protein S20




• Molecule 20: mRNA





• Molecule 21: P-site tRNA CHAIN








• Molecule 22: E-site tRNA CHAIN




• Molecule 23: 23S RRNA











• Molecule 24: 5S rRNA CHAIN





• Molecule 25: 50S ribosomal protein L2



• Molecule 26: 50S ribosomal protein L3




• Molecule 27: 50S ribosomal protein L4




• Molecule 28: 50S ribosomal protein L5









- Molecule 29: 50S ribosomal protein L6




- Molecule 30: 50S ribosomal protein L13





- Molecule 31: 50S ribosomal protein L14




- Molecule 32: 50S ribosomal protein L15



- Molecule 33: 50S ribosomal protein L16





- Molecule 34: 50S ribosomal protein L17

Chain LQ:  76% 24%





- Molecule 35: 50S ribosomal protein L18

Chain LR:  13% 83% 16%




- Molecule 36: 50S ribosomal protein L19

Chain L1:  7% 90% 10%





- Molecule 37: 50S ribosomal protein L20

Chain L3:  6% 81% 19%





- Molecule 38: 50S ribosomal protein L21

Chain L4:  6% 83% 16%





- Molecule 39: 50S ribosomal protein L22

Chain L5:  5% 85% 15%




- Molecule 40: 50S ribosomal protein L23


Chain L6:  6% 85% 15%




• Molecule 41: 50S ribosomal protein L24




• Molecule 42: 50S ribosomal protein L25




• Molecule 43: 50S ribosomal protein L27




• Molecule 44: 50S ribosomal protein L28



• Molecule 45: 50S ribosomal protein L29





• Molecule 46: 50S ribosomal protein L30





• Molecule 47: 50S ribosomal protein L32





• Molecule 48: 50S ribosomal protein L33 1



• Molecule 49: 50S ribosomal protein L34




• Molecule 50: 50S ribosomal protein L35



• Molecule 51: 50S ribosomal protein L36



• Molecule 52: 50S ribosomal protein L31 type B



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	126000	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TECNAI ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON II (4k x 4k)	Depositor
Maximum map value	0.370	Depositor
Minimum map value	-0.205	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.021	Depositor
Recommended contour level	0.065	Depositor
Map size (Å)	393.6, 393.6, 393.6	wwPDB
Map dimensions	410, 410, 410	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.96000004, 0.96000004, 0.96000004	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MG, PAR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.99	2/35118 (0.0%)	1.35	416/54749 (0.8%)
2	SB	0.42	0/1573	0.67	0/2121
3	SC	0.34	1/1062 (0.1%)	0.61	0/1465
4	SD	0.51	0/1167	0.68	0/1576
5	SE	0.47	0/796	0.65	0/1069
6	SG	0.37	0/1180	0.63	0/1595
7	SF	0.49	0/1019	0.76	2/1371 (0.1%)
8	SH	0.38	0/990	0.77	1/1332 (0.1%)
9	S1	0.47	0/637	0.66	0/865
10	S2	0.40	0/840	0.63	0/1137
11	S3	0.44	0/991	0.80	2/1337 (0.1%)
12	S4	0.39	0/835	0.75	0/1123
13	S5	0.50	0/507	0.73	0/674
14	S6	0.46	0/721	0.70	1/964 (0.1%)
15	S7	0.36	0/541	0.68	0/733
16	S8	0.41	0/527	0.62	0/721
17	S9	0.41	0/465	0.67	0/620
18	SI	0.36	0/551	0.70	0/747
19	SA	0.31	0/502	0.50	0/679
20	X	0.83	0/238	1.29	3/368 (0.8%)
21	E	0.55	0/1787	1.36	17/2784 (0.6%)
22	D	0.57	0/1809	1.35	17/2819 (0.6%)
23	B	1.36	83/66138 (0.1%)	1.38	823/103134 (0.8%)
24	C	1.01	0/2717	1.37	22/4232 (0.5%)
25	L2	0.64	0/2101	0.69	0/2823
26	LC	0.59	0/1593	0.73	0/2143
27	LJ	0.59	1/1536 (0.1%)	0.76	3/2078 (0.1%)
28	LK	0.40	0/1033	0.65	0/1412
29	LL	0.36	0/1074	0.56	0/1467
30	LM	0.55	0/1146	0.69	0/1546
31	LN	0.63	1/925 (0.1%)	0.76	1/1242 (0.1%)
32	LO	0.57	0/1034	0.76	2/1388 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	LP	0.54	0/1067	0.65	0/1436
34	LQ	0.51	0/900	0.73	1/1205 (0.1%)
35	LR	0.45	0/770	0.69	1/1044 (0.1%)
36	L1	0.55	0/844	0.65	0/1134
37	L3	0.65	0/954	0.68	0/1264
38	L4	0.54	0/758	0.69	0/1014
39	L5	0.59	0/845	0.71	1/1140 (0.1%)
40	L6	0.63	0/701	0.71	0/939
41	L7	0.43	0/742	0.69	1/1001 (0.1%)
42	L8	0.37	0/655	0.69	0/888
43	L9	0.60	0/621	0.70	0/824
44	LA	0.48	0/449	0.65	0/600
45	LB	0.48	0/494	0.69	0/660
46	LD	0.49	0/438	0.70	0/591
47	LE	0.54	0/361	0.64	0/481
48	LS	0.48	0/385	0.65	0/518
49	LG	0.64	0/371	0.71	0/484
50	LH	0.49	0/450	0.76	0/597
51	LI	0.53	0/275	0.65	0/366
52	LF	0.30	0/454	0.58	0/624
All	All	1.08	88/145687 (0.1%)	1.24	1314/219124 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
5	SE	0	1
6	SG	0	1
10	S2	0	1
11	S3	0	1
13	S5	0	1
15	S7	0	1
18	SI	0	1
25	L2	0	1
26	LC	0	3
28	LK	0	1
30	LM	0	1
31	LN	0	1
33	LP	0	1
34	LQ	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
38	L4	0	2
42	L8	0	2
43	L9	0	1
48	LS	0	1
50	LH	0	1
All	All	0	23

The worst 5 of 88 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
23	B	2025	A	N9-C4	-9.99	1.31	1.37
23	B	559	A	N9-C4	-7.97	1.33	1.37
23	B	1979	A	N9-C4	-7.63	1.33	1.37
23	B	834	A	N9-C4	-7.45	1.33	1.37
23	B	902	A	N7-C5	-6.89	1.35	1.39

The worst 5 of 1314 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	C	86	C	N1-C2-O2	14.88	127.83	118.90
24	C	86	C	C2-N1-C1'	13.72	133.89	118.80
24	C	86	C	N3-C2-O2	-12.99	112.81	121.90
1	A	1078	C	N1-C2-O2	12.78	126.56	118.90
23	B	317	G	OP1-P-O3'	-11.81	79.22	105.20

There are no chirality outliers.

5 of 23 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
10	S2	40	ASN	Peptide
11	S3	54	THR	Peptide
13	S5	15	LYS	Peptide
5	SE	43	TRP	Peptide
6	SG	124	ILE	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	31369	0	15803	356	0
2	SB	1551	0	1570	31	0
3	SC	1058	0	568	8	0
4	SD	1153	0	1210	17	0
5	SE	785	0	781	16	0
6	SG	1164	0	1146	18	0
7	SF	1007	0	1050	22	0
8	SH	975	0	970	34	0
9	S1	626	0	628	12	0
10	S2	826	0	817	13	0
11	S3	976	0	966	11	0
12	S4	828	0	809	10	0
13	S5	497	0	512	12	0
14	S6	713	0	733	11	0
15	S7	537	0	462	9	0
16	S8	520	0	415	6	0
17	S9	458	0	496	6	0
18	SI	541	0	482	10	0
19	SA	503	0	451	13	0
20	X	213	0	108	0	0
21	E	1600	0	810	15	0
22	D	1619	0	822	13	0
23	B	59059	0	29695	453	0
24	C	2430	0	1229	28	0
25	L2	2066	0	2161	32	0
26	LC	1570	0	1593	20	0
27	LJ	1514	0	1540	20	0
28	LK	1026	0	797	7	0
29	LL	1062	0	808	5	0
30	LM	1124	0	1101	15	0
31	LN	918	0	981	8	0
32	LO	1020	0	998	18	0
33	LP	1043	0	1084	16	0
34	LQ	898	0	932	19	0
35	LR	765	0	720	11	0
36	L1	832	0	875	10	0
37	L3	942	0	1014	19	0
38	L4	749	0	730	10	0
39	L5	837	0	893	13	0
40	L6	694	0	705	6	0
41	L7	734	0	731	11	0
42	L8	648	0	598	1	0
43	L9	615	0	637	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
44	LA	443	0	461	8	0
45	LB	493	0	503	6	0
46	LD	436	0	474	4	0
47	LE	356	0	354	4	0
48	LS	380	0	379	3	0
49	LG	367	0	415	7	0
50	LH	446	0	465	5	0
51	LI	272	0	290	9	0
52	LF	447	0	289	5	0
53	A	42	0	44	0	0
54	A	27	0	0	0	0
54	B	99	0	0	0	0
54	C	2	0	0	0	0
54	SG	1	0	0	0	0
All	All	133876	0	85105	1251	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 1251 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
23:B:1037:A:N7	23:B:1206:G:N1	2.02	1.08
23:B:1037:A:C5	23:B:1206:G:N1	2.22	1.07
1:A:251:A:C5	1:A:289:G:N2	2.26	1.03
23:B:497:U:C2	23:B:499:A:N7	2.27	1.02
23:B:420:A:H62	23:B:446:G:N2	1.62	0.98

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	SB	200/202 (99%)	165 (82%)	34 (17%)	1 (0%)	29	67
3	SC	196/198 (99%)	151 (77%)	45 (23%)	0	100	100
4	SD	154/156 (99%)	135 (88%)	19 (12%)	0	100	100
5	SE	93/95 (98%)	87 (94%)	6 (6%)	0	100	100
6	SG	153/155 (99%)	134 (88%)	19 (12%)	0	100	100
7	SF	128/130 (98%)	110 (86%)	18 (14%)	0	100	100
8	SH	125/127 (98%)	101 (81%)	24 (19%)	0	100	100
9	S1	78/80 (98%)	72 (92%)	6 (8%)	0	100	100
10	S2	112/114 (98%)	85 (76%)	27 (24%)	0	100	100
11	S3	134/136 (98%)	98 (73%)	36 (27%)	0	100	100
12	S4	111/113 (98%)	87 (78%)	24 (22%)	0	100	100
13	S5	58/60 (97%)	49 (84%)	9 (16%)	0	100	100
14	S6	86/88 (98%)	77 (90%)	9 (10%)	0	100	100
15	S7	81/83 (98%)	60 (74%)	21 (26%)	0	100	100
16	S8	78/80 (98%)	58 (74%)	20 (26%)	0	100	100
17	S9	54/56 (96%)	50 (93%)	4 (7%)	0	100	100
18	SI	76/78 (97%)	54 (71%)	21 (28%)	1 (1%)	12	48
19	SA	76/79 (96%)	74 (97%)	2 (3%)	0	100	100
25	L2	272/274 (99%)	230 (85%)	42 (15%)	0	100	100
26	LC	213/215 (99%)	164 (77%)	46 (22%)	3 (1%)	11	46
27	LJ	203/205 (99%)	174 (86%)	27 (13%)	2 (1%)	15	52
28	LK	164/166 (99%)	120 (73%)	44 (27%)	0	100	100
29	LL	172/174 (99%)	136 (79%)	36 (21%)	0	100	100
30	LM	143/145 (99%)	118 (82%)	24 (17%)	1 (1%)	22	60
31	LN	120/122 (98%)	97 (81%)	22 (18%)	1 (1%)	19	57
32	LO	143/145 (99%)	107 (75%)	36 (25%)	0	100	100
33	LP	134/136 (98%)	114 (85%)	19 (14%)	1 (1%)	22	60
34	LQ	117/119 (98%)	98 (84%)	19 (16%)	0	100	100
35	LR	111/113 (98%)	85 (77%)	25 (22%)	1 (1%)	17	54
36	L1	107/109 (98%)	95 (89%)	12 (11%)	0	100	100
37	L3	114/116 (98%)	107 (94%)	7 (6%)	0	100	100
38	L4	100/102 (98%)	83 (83%)	16 (16%)	1 (1%)	15	52

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
39	L5	110/112 (98%)	97 (88%)	13 (12%)	0	100	100
40	L6	87/89 (98%)	75 (86%)	12 (14%)	0	100	100
41	L7	101/103 (98%)	80 (79%)	21 (21%)	0	100	100
42	L8	91/93 (98%)	78 (86%)	13 (14%)	0	100	100
43	L9	80/82 (98%)	67 (84%)	13 (16%)	0	100	100
44	LA	56/58 (97%)	47 (84%)	9 (16%)	0	100	100
45	LB	60/62 (97%)	53 (88%)	7 (12%)	0	100	100
46	LD	55/57 (96%)	48 (87%)	7 (13%)	0	100	100
47	LE	45/47 (96%)	37 (82%)	8 (18%)	0	100	100
48	LS	45/47 (96%)	39 (87%)	6 (13%)	0	100	100
49	LG	41/43 (95%)	38 (93%)	3 (7%)	0	100	100
50	LH	58/60 (97%)	46 (79%)	12 (21%)	0	100	100
51	LI	35/37 (95%)	27 (77%)	8 (23%)	0	100	100
52	LF	72/74 (97%)	46 (64%)	26 (36%)	0	100	100
All	All	5042/5135 (98%)	4153 (82%)	877 (17%)	12 (0%)	50	79

5 of 12 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
35	LR	71	GLU
2	SB	129	PHE
18	SI	9	PRO
27	LJ	67	GLN
26	LC	19	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	SB	151/164 (92%)	147 (97%)	4 (3%)	46	68
3	SC	23/174 (13%)	22 (96%)	1 (4%)	29	57

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	SD	120/122 (98%)	118 (98%)	2 (2%)	60	78
5	SE	82/83 (99%)	81 (99%)	1 (1%)	71	83
6	SG	115/131 (88%)	111 (96%)	4 (4%)	36	62
7	SF	107/111 (96%)	106 (99%)	1 (1%)	78	87
8	SH	96/105 (91%)	91 (95%)	5 (5%)	23	53
9	S1	67/73 (92%)	67 (100%)	0	100	100
10	S2	85/90 (94%)	83 (98%)	2 (2%)	49	69
11	S3	95/118 (80%)	93 (98%)	2 (2%)	53	73
12	S4	75/97 (77%)	73 (97%)	2 (3%)	44	67
13	S5	51/52 (98%)	51 (100%)	0	100	100
14	S6	74/80 (92%)	71 (96%)	3 (4%)	30	58
15	S7	36/70 (51%)	36 (100%)	0	100	100
16	S8	35/75 (47%)	34 (97%)	1 (3%)	42	65
17	S9	49/50 (98%)	49 (100%)	0	100	100
18	SI	45/69 (65%)	44 (98%)	1 (2%)	52	71
19	SA	37/66 (56%)	35 (95%)	2 (5%)	22	52
25	L2	212/221 (96%)	208 (98%)	4 (2%)	57	75
26	LC	158/173 (91%)	157 (99%)	1 (1%)	86	91
27	LJ	154/168 (92%)	149 (97%)	5 (3%)	39	63
28	LK	67/147 (46%)	67 (100%)	0	100	100
29	LL	61/152 (40%)	60 (98%)	1 (2%)	62	79
30	LM	117/123 (95%)	114 (97%)	3 (3%)	46	68
31	LN	100/100 (100%)	99 (99%)	1 (1%)	76	86
32	LO	91/111 (82%)	89 (98%)	2 (2%)	52	71
33	LP	101/113 (89%)	100 (99%)	1 (1%)	76	86
34	LQ	90/100 (90%)	89 (99%)	1 (1%)	73	84
35	LR	63/90 (70%)	61 (97%)	2 (3%)	39	63
36	L1	83/95 (87%)	82 (99%)	1 (1%)	71	83
37	L3	96/96 (100%)	92 (96%)	4 (4%)	30	57
38	L4	68/86 (79%)	67 (98%)	1 (2%)	65	80
39	L5	84/91 (92%)	84 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
40	L6	72/80 (90%)	70 (97%)	2 (3%)	43	66
41	L7	71/88 (81%)	71 (100%)	0	100	100
42	L8	58/82 (71%)	57 (98%)	1 (2%)	60	78
43	L9	61/64 (95%)	61 (100%)	0	100	100
44	LA	43/49 (88%)	37 (86%)	6 (14%)	3	21
45	LB	52/57 (91%)	51 (98%)	1 (2%)	57	75
46	LD	50/51 (98%)	50 (100%)	0	100	100
47	LE	35/43 (81%)	34 (97%)	1 (3%)	42	65
48	LS	42/45 (93%)	41 (98%)	1 (2%)	49	69
49	LG	39/39 (100%)	38 (97%)	1 (3%)	46	68
50	LH	44/52 (85%)	41 (93%)	3 (7%)	16	45
51	LI	29/35 (83%)	29 (100%)	0	100	100
52	LF	23/66 (35%)	23 (100%)	0	100	100
All	All	3507/4347 (81%)	3433 (98%)	74 (2%)	56	73

5 of 74 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
38	L4	80	LYS
50	LH	35	ASN
40	L6	83	LYS
44	LA	55	LYS
14	S6	7	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 52 such sidechains are listed below:

Mol	Chain	Res	Type
27	LJ	162	ASN
35	LR	8	ASN
48	LS	40	ASN
27	LJ	169	ASN
30	LM	8	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	1455/1555 (93%)	522 (35%)	24 (1%)
20	X	9/13 (69%)	4 (44%)	1 (11%)
21	E	74/75 (98%)	25 (33%)	1 (1%)
22	D	75/76 (98%)	26 (34%)	1 (1%)
23	B	2746/2923 (93%)	817 (29%)	28 (1%)
24	C	113/114 (99%)	37 (32%)	1 (0%)
All	All	4472/4756 (94%)	1431 (31%)	56 (1%)

5 of 1431 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	6	U
1	A	9	A
1	A	10	G
1	A	21	U
1	A	23	G

5 of 56 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
23	B	267	G
24	C	40	C
23	B	850	G
23	B	2709	U
23	B	1940	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 130 ligands modelled in this entry, 129 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
53	PAR	A	1601	-	45,45,45	0.29	0	64,67,67	1.06	6 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
53	PAR	A	1601	-	-	3/18/94/94	0/4/4/4

There are no bond length outliers.

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
53	A	1601	PAR	O52-C13-O43	-3.46	107.69	111.43
53	A	1601	PAR	C13-C23-C33	-3.23	98.21	102.10
53	A	1601	PAR	O33-C14-C24	-2.89	103.24	108.22
53	A	1601	PAR	C32-C22-C12	-2.23	106.61	111.18
53	A	1601	PAR	O11-C42-C32	-2.21	103.90	109.18

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
53	A	1601	PAR	O54-C14-O33-C33
53	A	1601	PAR	O51-C11-O11-C42
53	A	1601	PAR	O51-C51-C61-O61

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be

highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	1460:C	O3'	1461:U	P	4.77


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-8402. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 205



Y Index: 205




Z Index: 205


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 215



Y Index: 211




Z Index: 206

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.065. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 844 nm³; this corresponds to an approximate mass of 762 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.256 \AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-8402 and PDB model 5TCU. Per-residue inclusion information can be found in section 3 on page 14.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.065 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.065).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 80% of all backbone atoms, 74% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.065) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7410	 0.4310
A	 0.7348	 0.3970
B	 0.8451	 0.4480
C	 0.8289	 0.4150
D	 0.2464	 0.1320
E	 0.2544	 0.2870
L1	 0.7020	 0.4910
L2	 0.7318	 0.5000
L3	 0.7294	 0.4710
L4	 0.7313	 0.4780
L5	 0.6945	 0.4870
L6	 0.6932	 0.4630
L7	 0.5791	 0.4400
L8	 0.4019	 0.4390
L9	 0.6829	 0.4890
LA	 0.5785	 0.4600
LB	 0.7056	 0.4520
LC	 0.7330	 0.4820
LD	 0.6776	 0.4860
LE	 0.7230	 0.4860
LF	 0.4921	 0.4100
LG	 0.7428	 0.4970
LH	 0.7982	 0.5100
LI	 0.6955	 0.4930
LJ	 0.7143	 0.4740
LK	 0.6298	 0.4380
LL	 0.6324	 0.4390
LM	 0.6809	 0.4750
LN	 0.6458	 0.4900
LO	 0.7362	 0.4800
LP	 0.6851	 0.4890
LQ	 0.7158	 0.4820
LR	 0.6781	 0.4310
LS	 0.6104	 0.4690
S1	 0.4910	 0.4130



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
S2	█ 0.5278	█ 0.4240
S3	█ 0.5178	█ 0.4320
S4	█ 0.4083	█ 0.3840
S5	█ 0.5189	█ 0.4440
S6	█ 0.6414	█ 0.4290
S7	█ 0.5019	█ 0.3830
S8	█ 0.5753	█ 0.4260
S9	█ 0.5601	█ 0.4390
SA	█ 0.5171	█ 0.3590
SB	█ 0.4448	█ 0.4140
SC	█ 0.5114	█ 0.3810
SD	█ 0.6058	█ 0.4600
SE	█ 0.5756	█ 0.4280
SF	█ 0.6220	█ 0.4430
SG	█ 0.4274	█ 0.4130
SH	█ 0.5133	█ 0.4010
SI	█ 0.4162	█ 0.3940
X	█ 0.4554	█ 0.4080