



# Full wwPDB X-ray Structure Validation Report ⓘ

Apr 13, 2021 – 10:05 AM EDT

PDB ID : 3TNN  
Title : Crystal structure of N5-i5 Fab, an ADCC mediating and non-neutralizing CD4i anti-HIV- 1 antibody.  
Authors : Wu, X.; Pazgier, M.  
Deposited on : 2011-09-01  
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.18  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.18


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	226	 74% 18% • 6%
1	C	226	 3% 77% 16% • 6%
1	E	226	 76% 15% • 7%
1	H	226	 79% 12% • 7%
2	B	217	 88% 9% ••

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	D	217	 88% 8% 2%
2	F	217	 84% 11% 2%
2	L	217	 84% 13% 2%

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 13429 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fab heavy chain of ADCC and non-neutralizing anti-HIV-1 antibody N5-i5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	H	211	1564	982	268	308	6	0	0	0
1	A	212	1571	987	269	309	6	0	0	0
1	C	212	1571	987	269	309	6	0	0	0
1	E	210	1555	977	267	305	6	0	0	0

- Molecule 2 is a protein called Fab light chain of ADCC and non-neutralizing anti-HIV-1 antibody N5-i5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	L	212	1575	982	264	324	5	0	0	0
2	B	212	1575	982	264	324	5	0	0	0
2	D	212	1575	982	264	324	5	0	0	0
2	F	212	1575	982	264	324	5	0	0	0

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	H	1	Total O S 5 4 1	0	0
3	H	1	Total O S 5 4 1	0	0
3	L	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0
3	D	1	Total O S 5 4 1	0	0
3	D	1	Total O S 5 4 1	0	0
3	F	1	Total O S 5 4 1	0	0
3	F	1	Total O S 5 4 1	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	H	1	Total C O 6 3 3	0	0
4	L	1	Total C O 6 3 3	0	0

- Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	H	2	Total Cl 2 2	0	0
5	L	2	Total Cl 2 2	0	0
5	A	1	Total Cl 1 1	0	0
5	B	2	Total Cl 2 2	0	0
5	D	2	Total Cl 2 2	0	0
5	E	3	Total Cl 3 3	0	0
5	F	2	Total Cl 2 2	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	H	105	Total O 105 105	0	0
6	L	116	Total O 116 116	0	0
6	A	76	Total O 76 76	0	0
6	B	91	Total O 91 91	0	0
6	C	59	Total O 59 59	0	0
6	D	97	Total O 97 97	0	0
6	E	124	Total O 124 124	0	0
6	F	134	Total O 134 134	0	0

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Fab heavy chain of ADCC and non-neutralizing anti-HIV-1 antibody N5-i5



- Molecule 1: Fab heavy chain of ADCC and non-neutralizing anti-HIV-1 antibody N5-i5




- Molecule 1: Fab heavy chain of ADCC and non-neutralizing anti-HIV-1 antibody N5-i5



- Molecule 1: Fab heavy chain of ADCC and non-neutralizing anti-HIV-1 antibody N5-i5





- Molecule 2: Fab light chain of ADCC and non-neutralizing anti-HIV-1 antibody N5-i5

Chain L: 84% 13% ..



- Molecule 2: Fab light chain of ADCC and non-neutralizing anti-HIV-1 antibody N5-i5

Chain B: 88% 9% ..




- Molecule 2: Fab light chain of ADCC and non-neutralizing anti-HIV-1 antibody N5-i5

Chain D: 88% 8% ..



- Molecule 2: Fab light chain of ADCC and non-neutralizing anti-HIV-1 antibody N5-i5

Chain F: 84% 11% ..



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	73.44Å 84.50Å 143.12Å 90.00° 101.08° 90.00°	Depositor
Resolution (Å)	20.00 – 1.95 40.45 – 1.94	Depositor EDS
% Data completeness (in resolution range)	97.9 (20.00-1.95) 97.9 (40.45-1.94)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	0.08	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.22 (at 1.95Å)	Xtrriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.198 , 0.245 0.200 , 0.247	Depositor DCC
$R_{free}$ test set	6209 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	29.8	Xtrriage
Anisotropy	0.555	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.39 , 51.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	13429	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	39.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 44.29 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.5582e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: CL, SO4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.84	1/1605 (0.1%)	0.83	3/2184 (0.1%)
1	C	0.80	2/1605 (0.1%)	0.79	2/2184 (0.1%)
1	E	1.05	2/1588 (0.1%)	0.99	7/2160 (0.3%)
1	H	0.99	1/1597 (0.1%)	0.97	3/2172 (0.1%)
2	B	0.84	0/1613	0.78	1/2198 (0.0%)
2	D	0.82	1/1613 (0.1%)	0.80	0/2198
2	F	0.99	2/1613 (0.1%)	0.89	3/2198 (0.1%)
2	L	0.98	1/1613 (0.1%)	0.90	2/2198 (0.1%)
All	All	0.92	10/12847 (0.1%)	0.87	21/17492 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1
2	D	0	1
2	F	0	1
All	All	0	3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	49	TYR	CD1-CE1	7.48	1.50	1.39
2	D	10	SER	C-N	6.73	1.49	1.34
1	E	90	TYR	CD2-CE2	6.38	1.49	1.39
1	E	148	GLU	CD-OE2	6.16	1.32	1.25
1	C	85	GLU	CG-CD	5.99	1.60	1.51
1	H	105	GLN	CG-CD	5.74	1.64	1.51
2	L	10	SER	C-N	5.33	1.46	1.34

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	9	ALA	CA-CB	5.20	1.63	1.52
1	C	85	GLU	CB-CG	5.04	1.61	1.52
1	A	85	GLU	CG-CD	5.02	1.59	1.51

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	66	ARG	NE-CZ-NH2	-15.18	112.71	120.30
1	H	66	ARG	NE-CZ-NH2	-12.03	114.29	120.30
1	E	66	ARG	NE-CZ-NH1	11.13	125.86	120.30
1	H	66	ARG	NE-CZ-NH1	9.94	125.27	120.30
1	C	66	ARG	NE-CZ-NH2	-8.85	115.88	120.30
2	L	54	ARG	NE-CZ-NH2	-8.55	116.02	120.30
2	L	54	ARG	NE-CZ-NH1	7.70	124.15	120.30
1	C	66	ARG	NE-CZ-NH1	7.58	124.09	120.30
2	F	169	SER	N-CA-C	-7.44	90.90	111.00
2	F	54	ARG	NE-CZ-NH1	6.95	123.78	120.30
1	E	169	VAL	CB-CA-C	-6.92	98.26	111.40
2	F	54	ARG	NE-CZ-NH2	-6.90	116.85	120.30
2	B	181	LEU	CA-CB-CG	6.17	129.50	115.30
1	A	66	ARG	NE-CZ-NH2	-5.95	117.33	120.30
1	A	169	VAL	CB-CA-C	-5.91	100.17	111.40
1	A	178	LEU	CA-CB-CG	5.90	128.88	115.30
1	E	95	ASP	CB-CG-OD2	5.49	123.24	118.30
1	E	82	MET	CG-SD-CE	-5.28	91.75	100.20
1	H	63	VAL	CG1-CB-CG2	5.15	119.14	110.90
1	E	66	ARG	CG-CD-NE	-5.15	100.99	111.80
1	E	66	ARG	CD-NE-CZ	5.13	130.78	123.60

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	106	VAL	Peptide
2	D	108	GLY	Peptide
2	F	156	VAL	Peptide

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1571	0	1544	25	0
1	C	1571	0	1544	17	0
1	E	1555	0	1531	24	0
1	H	1564	0	1537	28	1
2	B	1575	0	1519	13	0
2	D	1575	0	1519	10	0
2	F	1575	0	1519	17	0
2	L	1575	0	1519	27	0
3	B	5	0	0	1	0
3	D	10	0	0	0	0
3	F	10	0	0	0	0
3	H	10	0	0	1	0
3	L	5	0	0	0	0
4	H	6	0	8	0	0
4	L	6	0	8	3	0
5	A	1	0	0	0	0
5	B	2	0	0	0	0
5	D	2	0	0	0	0
5	E	3	0	0	0	0
5	F	2	0	0	0	0
5	H	2	0	0	0	0
5	L	2	0	0	0	0
6	A	76	0	0	1	0
6	B	91	0	0	2	0
6	C	59	0	0	0	0
6	D	97	0	0	0	0
6	E	124	0	0	5	1
6	F	134	0	0	1	0
6	H	105	0	0	0	0
6	L	116	0	0	2	0
All	All	13429	0	12248	143	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (143) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:157:LYS:HD2	2:F:158:ALA:H	1.24	1.03

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:61:ARG:HE	4:L:215:GOL:H31	1.25	1.00
2:F:157:LYS:HD2	2:F:158:ALA:N	1.79	0.96
1:A:105:GLN:HG2	6:A:801:HOH:O	1.80	0.81
1:E:105:GLN:H	1:E:105:GLN:NE2	1.79	0.81
1:H:105:GLN:NE2	1:H:105:GLN:H	1.76	0.81
2:F:27:SER:HB3	6:F:658:HOH:O	1.82	0.78
2:B:133:LEU:HD12	2:B:179:LEU:HD23	1.68	0.75
2:L:170:ASN:O	2:L:171:ASN:HB2	1.88	0.74
1:E:66:ARG:HD3	6:E:794:HOH:O	1.86	0.73
1:C:126:PRO:HD3	1:C:138:LEU:HB3	1.72	0.71
2:F:168:GLN:HA	2:F:168:GLN:OE1	1.85	0.71
2:B:197:THR:HG23	6:B:395:HOH:O	1.91	0.70
2:L:61:ARG:HH21	4:L:215:GOL:H11	1.57	0.69
1:A:51:ILE:HG13	1:A:57:THR:HG22	1.76	0.68
2:F:168:GLN:C	2:F:169:SER:O	2.30	0.68
2:L:61:ARG:NE	4:L:215:GOL:H31	2.06	0.68
2:F:141:TYR:CD1	2:F:142:PRO:HA	2.30	0.67
2:D:40:PRO:HG3	2:D:167:LYS:HB3	1.78	0.66
1:A:12:VAL:HG11	1:A:82(C):LEU:HD13	1.78	0.65
1:C:82:MET:HE2	1:C:82(C):LEU:HD21	1.78	0.65
1:A:63:VAL:HG13	1:A:67:PHE:HB2	1.78	0.65
1:H:66:ARG:HD2	1:H:83:ARG:HH21	1.62	0.64
1:H:169:VAL:HG21	2:L:178:TYR:CD2	2.34	0.62
1:E:99:GLY:O	2:F:96:ARG:NH1	2.32	0.61
1:E:30:SER:O	1:E:52(A):ASN:HB2	2.00	0.61
1:E:134:GLY:HA2	1:E:186:SER:H	1.65	0.61
2:F:111:LYS:HD2	2:F:142:PRO:HD3	1.83	0.60
1:C:119:PRO:HB3	1:C:145:TYR:HB3	1.84	0.59
2:B:59:SER:HB2	3:B:214:SO4:O4	2.02	0.59
2:L:121:PRO:HD3	2:L:133:LEU:HD21	1.84	0.58
1:C:126:PRO:HD3	1:C:138:LEU:CB	2.32	0.58
1:H:11:LEU:HB2	1:H:147:PRO:HG3	1.85	0.58
1:A:30:SER:O	1:A:52(A):ASN:HB2	2.03	0.57
1:H:97:ARG:NH2	2:L:32:PHE:HE1	2.03	0.57
2:B:103:LYS:HE3	6:B:613:HOH:O	2.03	0.57
1:A:126:PRO:HG2	1:A:213:PRO:HA	1.87	0.57
1:H:105:GLN:H	1:H:105:GLN:HE21	1.51	0.56
2:L:141:TYR:CD1	2:L:142:PRO:HA	2.41	0.55
1:C:119:PRO:HD2	1:C:205:THR:HG21	1.88	0.55
1:E:210:ARG:NH1	6:E:251:HOH:O	2.26	0.55
1:H:169:VAL:HG21	2:L:178:TYR:CE2	2.43	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:93:ALA:HB1	1:C:100(B):SER:HB3	1.89	0.54
1:H:97:ARG:CZ	2:L:32:PHE:HE1	2.20	0.54
1:H:169:VAL:CG2	2:L:178:TYR:CE2	2.91	0.53
1:A:159:LEU:HD21	1:A:182:VAL:HG21	1.90	0.53
1:A:66:ARG:NH2	1:A:86:ASP:OD1	2.41	0.53
1:A:172:SER:HB3	1:E:193:THR:OG1	2.09	0.53
1:A:93:ALA:HB1	1:A:100(B):SER:HB3	1.92	0.52
1:H:12:VAL:HG11	1:H:82(C):LEU:HD13	1.92	0.51
1:E:83:ARG:HG3	1:E:85:GLU:HG2	1.92	0.51
1:E:3:GLN:NE2	6:E:740:HOH:O	2.26	0.51
2:F:168:GLN:O	2:F:169:SER:O	2.29	0.51
2:D:133:LEU:HD12	2:D:179:LEU:HD23	1.92	0.51
2:L:111:LYS:NZ	2:L:199:GLU:OE2	2.42	0.50
1:E:11:LEU:HB2	1:E:147:PRO:HG3	1.92	0.50
2:L:19:ILE:HD11	2:L:75:ILE:HD12	1.94	0.50
1:E:66:ARG:CD	6:E:794:HOH:O	2.52	0.50
1:C:12:VAL:HG11	1:C:82(C):LEU:HD13	1.93	0.50
1:H:178:LEU:C	1:H:178:LEU:HD12	2.32	0.50
1:H:181:VAL:HG11	2:L:136:LEU:HD12	1.94	0.49
2:F:141:TYR:CG	2:F:142:PRO:HA	2.47	0.49
1:A:20:LEU:HG	1:A:82:MET:CE	2.42	0.49
1:C:182:VAL:HG12	1:C:184:VAL:HG13	1.94	0.49
2:D:89:SER:OG	2:D:96:ARG:NH1	2.45	0.48
2:L:121:PRO:HD3	2:L:133:LEU:CD2	2.42	0.48
2:B:170:ASN:O	2:B:171:ASN:HB2	2.14	0.48
1:C:13:GLN:HG2	2:F:129:ASN:OD1	2.13	0.47
1:H:97:ARG:NH2	2:L:32:PHE:CE1	2.82	0.47
2:L:209:PRO:O	2:L:210:THR:C	2.53	0.47
1:A:1:GLU:CG	1:A:2:VAL:H	2.27	0.47
2:D:121:PRO:HD3	2:D:133:LEU:CD2	2.44	0.47
1:E:93:ALA:HB1	1:E:100(B):SER:HB3	1.96	0.47
1:H:169:VAL:HG22	2:L:163:THR:CG2	2.44	0.47
2:F:157:LYS:O	2:F:158:ALA:HB3	2.15	0.47
2:F:168:GLN:N	2:F:172:LYS:O	2.43	0.46
2:L:32:PHE:O	2:L:90:SER:HA	2.15	0.46
1:E:29:PHE:CD2	1:E:76:ASN:HA	2.50	0.46
1:H:143:LYS:HE2	3:H:222:SO4:O1	2.15	0.46
1:E:178:LEU:C	1:E:178:LEU:HD12	2.36	0.46
1:E:192:GLN:HG2	1:E:194:TYR:CZ	2.51	0.46
1:C:167:PRO:HG2	2:D:166:SER:OG	2.16	0.45
1:H:138:LEU:CD1	1:H:182:VAL:HG13	2.46	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:134:GLY:O	1:C:185:PRO:HA	2.17	0.45
1:E:143:LYS:CE	6:E:734:HOH:O	2.64	0.45
2:L:105:THR:HG23	6:L:331:HOH:O	2.17	0.45
1:E:116:THR:HG21	1:E:202:PRO:O	2.17	0.45
1:H:63:VAL:HG13	1:H:67:PHE:HB2	1.99	0.44
1:E:134:GLY:HA2	1:E:135:THR:HA	1.68	0.44
1:A:22:CYS:HB3	1:A:78:LEU:HB3	2.00	0.44
1:E:66:ARG:NH2	1:E:86:ASP:OD1	2.33	0.44
2:L:11:VAL:HG23	2:L:104:LEU:HD13	1.99	0.44
1:H:142:VAL:HG11	1:H:150:VAL:HG11	1.99	0.44
2:L:50:GLU:O	2:L:51:VAL:HG13	2.17	0.44
2:B:133:LEU:HG	2:B:181:LEU:HD11	1.99	0.44
1:E:105:GLN:H	1:E:105:GLN:CD	2.21	0.44
2:B:51:VAL:HG21	2:B:66:LYS:HG2	2.00	0.44
2:D:54:ARG:HG2	2:D:58:ILE:HB	1.99	0.44
1:C:96:LEU:HG	1:C:100(A):GLY:O	2.18	0.44
2:F:32:PHE:O	2:F:90:SER:HA	2.18	0.44
1:A:169:VAL:HG21	2:B:178:TYR:CD2	2.53	0.43
1:C:136:ALA:CB	1:C:189:LEU:HD21	2.48	0.43
1:E:134:GLY:HA2	1:E:185:PRO:HA	2.00	0.43
1:H:212:GLU:OE2	1:H:212:GLU:HA	2.18	0.43
1:A:143:LYS:HE3	2:B:132:THR:OG1	2.18	0.43
1:A:162:GLY:O	1:A:182:VAL:HA	2.18	0.43
2:D:168:GLN:HE21	2:D:170:ASN:HB2	1.82	0.43
2:B:121:PRO:HD3	2:B:133:LEU:CD2	2.48	0.43
2:L:96:ARG:NH1	6:L:617:HOH:O	2.50	0.43
1:A:36:TRP:NE1	1:A:80:LEU:HB2	2.34	0.43
1:A:51:ILE:HD13	1:A:71:ARG:HG2	2.01	0.43
1:H:30:SER:O	1:H:52(A):ASN:HB2	2.18	0.43
1:H:169:VAL:CG2	2:L:178:TYR:HE2	2.31	0.43
1:A:20:LEU:HG	1:A:82:MET:HE2	2.00	0.43
2:D:109:GLN:HA	2:D:110:PRO:HD2	1.90	0.43
2:D:93:GLY:O	2:D:95(B):PHE:HA	2.19	0.43
1:H:66:ARG:NH2	1:H:86:ASP:OD1	2.41	0.43
1:A:169:VAL:HG22	2:B:178:TYR:CE2	2.54	0.43
2:B:181:LEU:HD23	2:B:192:TYR:CZ	2.54	0.43
2:B:50:GLU:O	2:B:51:VAL:HG13	2.19	0.42
1:A:67:PHE:HA	1:A:81:VAL:O	2.19	0.42
1:E:124:LEU:HB3	2:F:119:PHE:CG	2.55	0.42
2:D:181:LEU:H	2:D:181:LEU:HD23	1.85	0.42
1:A:201:LYS:N	1:A:202:PRO:CD	2.82	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:199:ASN:OD1	1:H:201:LYS:HG3	2.19	0.41
1:H:105:GLN:H	1:H:105:GLN:CD	2.22	0.41
1:H:181:VAL:CG1	2:L:136:LEU:CD1	2.99	0.41
1:C:145:TYR:CE1	1:C:150:VAL:HG23	2.54	0.41
1:E:138:LEU:O	1:E:181:VAL:HG23	2.21	0.41
2:L:143:GLY:O	2:L:165:PRO:HG2	2.20	0.41
1:A:126:PRO:HD3	1:A:138:LEU:HB3	2.03	0.41
2:F:150:LYS:HE2	2:F:195:GLN:NE2	2.36	0.41
1:C:36:TRP:CE2	1:C:80:LEU:HB2	2.56	0.41
1:C:126:PRO:HG2	1:C:213:PRO:HA	2.02	0.41
1:C:186:SER:O	1:C:188:SER:N	2.54	0.41
2:F:5:LEU:HD22	2:F:25:GLY:CA	2.50	0.41
1:H:51:ILE:HD12	1:H:57:THR:HG22	2.02	0.41
1:H:12:VAL:O	1:H:111:VAL:HA	2.21	0.40
2:L:62:PHE:CE2	2:L:75:ILE:HG12	2.56	0.40
1:A:71:ARG:HD2	1:A:73:ASN:OD1	2.20	0.40
1:A:121:VAL:O	1:A:209:LYS:HE3	2.21	0.40
1:E:116:THR:HG21	1:E:202:PRO:C	2.42	0.40
1:H:93:ALA:HB1	1:H:100(B):SER:HB3	2.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:1:GLU:OE1	6:E:471:HOH:O[2_655]	1.79	0.41

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	208/226 (92%)	204 (98%)	3 (1%)	1 (0%)	29 17

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	208/226 (92%)	203 (98%)	3 (1%)	2 (1%)	15	6
1	E	206/226 (91%)	203 (98%)	3 (2%)	0	100	100
1	H	207/226 (92%)	203 (98%)	4 (2%)	0	100	100
2	B	210/217 (97%)	202 (96%)	7 (3%)	1 (0%)	29	17
2	D	210/217 (97%)	201 (96%)	8 (4%)	1 (0%)	29	17
2	F	210/217 (97%)	200 (95%)	7 (3%)	3 (1%)	11	3
2	L	210/217 (97%)	200 (95%)	10 (5%)	0	100	100
All	All	1669/1772 (94%)	1616 (97%)	45 (3%)	8 (0%)	29	17

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	F	169	SER
1	C	189	LEU
1	A	62	SER
1	C	187	SER
2	F	168	GLN
2	B	51	VAL
2	D	51	VAL
2	F	51	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	176/189 (93%)	167 (95%)	9 (5%)	24	11
1	C	176/189 (93%)	166 (94%)	10 (6%)	20	9
1	E	174/189 (92%)	168 (97%)	6 (3%)	37	25
1	H	175/189 (93%)	169 (97%)	6 (3%)	37	25
2	B	177/182 (97%)	168 (95%)	9 (5%)	24	11
2	D	177/182 (97%)	175 (99%)	2 (1%)	73	71

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
2	F	177/182 (97%)	166 (94%)	11 (6%)	18 7
2	L	177/182 (97%)	174 (98%)	3 (2%)	60 55
All	All	1409/1484 (95%)	1353 (96%)	56 (4%)	31 19

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	13	GLN
1	H	105	GLN
1	H	135	THR
1	H	138	LEU
1	H	191	THR
1	H	212	GLU
2	L	51	VAL
2	L	115	SER
2	L	210	THR
1	A	18	LEU
1	A	31	THR
1	A	63	VAL
1	A	117	LYS
1	A	135	THR
1	A	169	VAL
1	A	172	SER
1	A	178	LEU
1	A	204	ASN
2	B	27(B)	ASP
2	B	51	VAL
2	B	78	LEU
2	B	96	ARG
2	B	107	ARG
2	B	157	LYS
2	B	181	LEU
2	B	197	THR
2	B	199	GLU
1	C	1	GLU
1	C	18	LEU
1	C	19	ARG
1	C	31	THR
1	C	64	LYS
1	C	96	LEU
1	C	164	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	171	GLN
1	C	178	LEU
1	C	191	THR
2	D	51	VAL
2	D	181	LEU
1	E	64	LYS
1	E	105	GLN
1	E	169	VAL
1	E	191	THR
1	E	192	GLN
1	E	201	LYS
2	F	27(B)	ASP
2	F	51	VAL
2	F	139	ASP
2	F	145	VAL
2	F	146	THR
2	F	157	LYS
2	F	161	GLU
2	F	168	GLN
2	F	169	SER
2	F	170	ASN
2	F	172	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	171	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry

Of 24 ligands modelled in this entry, 14 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	SO4	D	214	-	4,4,4	0.26	0	6,6,6	0.87	0
3	SO4	H	222	-	4,4,4	0.15	0	6,6,6	0.20	0
3	SO4	F	214	-	4,4,4	0.07	0	6,6,6	0.33	0
3	SO4	D	215	-	4,4,4	0.09	0	6,6,6	0.22	0
3	SO4	H	221	-	4,4,4	0.22	0	6,6,6	0.62	0
3	SO4	B	214	-	4,4,4	0.14	0	6,6,6	0.29	0
4	GOL	L	215	-	5,5,5	0.63	0	5,5,5	1.08	0
3	SO4	L	214	-	4,4,4	0.16	0	6,6,6	0.47	0
3	SO4	F	215	-	4,4,4	0.18	0	6,6,6	0.45	0
4	GOL	H	223	-	5,5,5	0.56	0	5,5,5	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	H	223	-	-	4/4/4/4	-
4	GOL	L	215	-	-	3/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	L	215	GOL	C1-C2-C3-O3
4	H	223	GOL	O1-C1-C2-C3
4	H	223	GOL	C1-C2-C3-O3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	H	223	GOL	O1-C1-C2-O2
4	H	223	GOL	O2-C2-C3-O3
4	L	215	GOL	O2-C2-C3-O3
4	L	215	GOL	O1-C1-C2-C3

There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	H	222	SO4	1	0
3	B	214	SO4	1	0
4	L	215	GOL	3	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	212/226 (93%)	-0.04	0 <b>100</b> <b>100</b>	27, 42, 56, 66	0
1	C	212/226 (93%)	0.19	7 (3%) 46 56	31, 44, 65, 82	0
1	E	210/226 (92%)	-0.09	1 (0%) 91 94	21, 32, 53, 63	0
1	H	211/226 (93%)	-0.06	3 (1%) 75 82	21, 33, 54, 59	0
2	B	212/217 (97%)	-0.11	1 (0%) 91 94	24, 39, 50, 59	0
2	D	212/217 (97%)	0.02	3 (1%) 75 82	26, 42, 52, 58	0
2	F	212/217 (97%)	-0.05	4 (1%) 66 74	21, 34, 51, 69	0
2	L	212/217 (97%)	-0.08	0 <b>100</b> <b>100</b>	22, 34, 53, 62	0
All	All	1693/1772 (95%)	-0.03	19 (1%) 80 85	21, 38, 55, 82	0

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	F	170	ASN	4.9
1	C	188	SER	4.8
1	H	160	THR	4.7
1	C	189	LEU	4.6
2	F	169	SER	4.5
1	C	190	GLY	3.7
1	C	187	SER	3.5
1	C	135	THR	3.1
2	D	93	GLY	2.6
1	E	126	PRO	2.6
2	D	32	PHE	2.4
2	F	168	GLN	2.3
1	C	191	THR	2.3
1	H	190	GLY	2.2
1	H	189	LEU	2.2
2	D	12	SER	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	F	113	ALA	2.1
2	B	108	GLY	2.1
1	C	136	ALA	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	CL	E	222	1/1	0.65	0.19	68,68,68,68	0
5	CL	D	216	1/1	0.76	0.17	86,86,86,86	0
4	GOL	L	215	6/6	0.82	0.18	51,52,53,57	0
5	CL	B	216	1/1	0.82	0.17	73,73,73,73	0
3	SO4	H	222	5/5	0.84	0.18	89,89,90,90	0
3	SO4	B	214	5/5	0.86	0.10	93,94,95,95	0
3	SO4	F	215	5/5	0.87	0.19	78,79,81,82	0
4	GOL	H	223	6/6	0.89	0.23	49,51,52,53	0
5	CL	B	215	1/1	0.91	0.23	63,63,63,63	0
5	CL	H	225	1/1	0.91	0.10	75,75,75,75	0
3	SO4	D	215	5/5	0.92	0.11	86,87,87,89	0
5	CL	L	216	1/1	0.92	0.23	68,68,68,68	0
3	SO4	F	214	5/5	0.93	0.09	71,71,72,72	0
5	CL	A	221	1/1	0.93	0.23	66,66,66,66	0
5	CL	L	217	1/1	0.94	0.14	68,68,68,68	0
3	SO4	L	214	5/5	0.94	0.11	67,68,69,70	0
5	CL	D	1	1/1	0.95	0.21	59,59,59,59	0
5	CL	F	216	1/1	0.95	0.28	63,63,63,63	0
5	CL	H	224	1/1	0.96	0.17	72,72,72,72	0
5	CL	E	223	1/1	0.96	0.18	63,63,63,63	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	CL	E	221	1/1	0.96	0.24	60,60,60,60	0
3	SO4	H	221	5/5	0.97	0.11	59,59,62,62	0
3	SO4	D	214	5/5	0.98	0.08	42,45,49,50	0
5	CL	F	217	1/1	0.99	0.09	33,33,33,33	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.