



Full wwPDB EM Validation Report ⓘ

Jun 11, 2024 – 10:16 AM EDT

PDB ID : 8TSO
EMDB ID : EMD-41596
Title : KDL bound, nucleotide-free MsbA in open, outward-facing conformation
Authors : Yang, B.; Zhang, T.; Lyu, J.; Laganowsky, A.D.; Zhao, M.
Deposited on : 2023-08-11
Resolution : 2.68 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.68 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	583	
1	B	583	

2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 9298 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ATP-binding transport protein MsbA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	573	Total 4444	C 2815	N 774	O 828	S 27	0	0
1	B	573	Total 4444	C 2815	N 774	O 828	S 27	0	0

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLY	-	expression tag	UNP C3TGA2
A	1	SER	-	expression tag	UNP C3TGA2
B	0	GLY	-	expression tag	UNP C3TGA2
B	1	SER	-	expression tag	UNP C3TGA2

- Molecule 2 is PENTAETHYLENE GLYCOL MONODECYL ETHER (three-letter code: CXE) (formula: C₂₀H₄₂O₆).



Mol	Chain	Residues	Atoms			AltConf
2	A	1	Total	C	O	0
			26	20	6	
2	A	1	Total	C	O	0
			26	20	6	
2	B	1	Total	C	O	0
			26	20	6	
2	B	1	Total	C	O	0
			26	20	6	

- Molecule 3 is (2 {R},4 {R},5 {R},6 {R})-6-[(1 {R})-1,2-bis(oxidanyl)ethyl]-2-[(2 {R},4 {R},5 {R},6 {R})-6-[(1 {R})-1,2-bis(oxidanyl)ethyl]-2-carboxy-2-[(2 {R},3 {S},4 {R},5 {R},6 {R})-5-[(3 {R})-3-dodecanoyloxytetradecanoyl]amino]-6-[(2 {R},3 {S},4 {R},5 {R},6 {R})-3-oxidanyl-5-[(3 {R})-3-oxidanyltetradecanoyl]amino]-4-[(3 {R})-3-oxidanyltetradecanoyl]oxy-6-phosphonooxy-oxan-2-yl]methoxy]-3-phosphonooxy-4-[(3 {R})-3-tetradecanoyloxytetradecanoyl]oxy-oxan-2-yl]methoxy]-5-oxidanyl-oxan-4-yl]oxy-4,5-bis(oxidanyl)oxane-2-carboxylic acid (three-letter code: KDL) (formula: $C_{110}H_{202}N_2O_{39}P_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
3	A	1	Total	C	N	O	P	0
			153	110	2	39	2	
3	B	1	Total	C	N	O	P	0
			153	110	2	39	2	

T561	H562	N563	D564	L565	L566	E567	H568	R569	G570	V571	Y572	A573	Q574	L575	H576	K577	M578	Q579	PHE	GLY	GLN
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	186678	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING ONLY	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	11.067	Depositor
Minimum map value	-6.337	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.197	Depositor
Recommended contour level	1.4	Depositor
Map size (\AA)	272.64, 272.64, 272.64	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.065, 1.065, 1.065	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CXE, KDL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/4509	0.49	0/6094
1	B	0.28	0/4509	0.49	0/6094
All	All	0.27	0/9018	0.49	0/12188

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4444	0	4571	53	0
1	B	4444	0	4571	58	0
2	A	52	0	84	2	0
2	B	52	0	84	0	0
3	A	153	0	0	1	0
3	B	153	0	0	2	0
All	All	9298	0	9310	105	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (105) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:372:VAL:HG12	1:B:547:GLU:HB3	1.69	0.73
1:A:54:ASP:HB3	1:A:58:LYS:HD2	1.72	0.70
1:B:54:ASP:HB3	1:B:58:LYS:HD2	1.72	0.69
1:A:423:SER:HB2	1:A:505:ASP:HB3	1.78	0.66
1:B:481:LEU:HB3	1:B:485:GLN:HB2	1.79	0.65
1:B:44:MET:HE3	1:B:74:LEU:HB3	1.78	0.65
1:A:44:MET:HG3	1:A:74:LEU:HD13	1.78	0.64
1:A:260:SER:HA	1:A:263:LEU:HD12	1.79	0.64
1:B:371:THR:HG23	1:B:532:SER:HB2	1.79	0.63
1:A:360:ARG:NH2	1:A:553:ASP:O	2.33	0.61
1:A:125:LEU:HD11	1:B:208:GLU:HG3	1.83	0.60
1:A:525:GLU:HB3	1:A:526:LEU:HD22	1.84	0.60
1:A:558:GLU:OE1	1:A:568:HIS:ND1	2.34	0.60
1:A:185:VAL:HG21	1:A:251:SER:HB3	1.83	0.59
1:B:196:MET:HE2	1:B:244:MET:HB2	1.85	0.59
1:A:48:LEU:HD21	1:B:292:ILE:HD13	1.84	0.58
1:B:504:LEU:HB3	1:B:534:VAL:HG12	1.84	0.58
1:A:441:ARG:NH1	1:A:445:TYR:OH	2.37	0.57
1:B:260:SER:HA	1:B:263:LEU:HD12	1.87	0.55
1:B:350:THR:HG23	1:B:357:PRO:HA	1.88	0.55
1:B:373:ALA:HA	1:B:534:VAL:HG23	1.88	0.55
1:B:525:GLU:HB3	1:B:526:LEU:HD22	1.88	0.55
1:A:292:ILE:HD13	1:B:48:LEU:HD21	1.89	0.55
1:A:523:LEU:HA	1:A:527:GLN:HB2	1.89	0.54
1:B:441:ARG:NH1	1:B:445:TYR:OH	2.40	0.54
1:B:44:MET:CE	1:B:74:LEU:HB3	2.36	0.54
1:A:235:ASN:OD1	1:A:238:ARG:NH1	2.40	0.54
1:B:235:ASN:OD1	1:B:238:ARG:NH1	2.41	0.54
1:A:350:THR:HG23	1:A:357:PRO:HA	1.89	0.53
1:A:52:LEU:HD21	1:B:292:ILE:HD12	1.89	0.52
1:B:495:LEU:HD21	1:B:526:LEU:HB3	1.90	0.52
1:B:360:ARG:NH2	1:B:553:ASP:O	2.29	0.52
1:A:196:MET:HE2	1:A:244:MET:HB2	1.91	0.51
1:B:154:ILE:O	1:B:158:ILE:HG12	2.11	0.51
1:A:145:THR:O	1:A:149:GLU:HG2	2.11	0.51
1:B:8:SER:O	1:B:12:THR:HG22	2.10	0.51
1:A:426:VAL:O	1:A:486:ARG:NH2	2.35	0.51
3:A:603:KDL:OED	3:A:603:KDL:OEC	2.28	0.51
1:A:8:SER:O	1:A:12:THR:HG22	2.12	0.50
1:A:481:LEU:HB3	1:A:485:GLN:HB2	1.92	0.50
1:B:145:THR:O	1:B:149:GLU:HG2	2.12	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:431:ASP:OD1	1:A:432:THR:N	2.41	0.49
3:B:601:KDL:OEC	3:B:601:KDL:OED	2.27	0.49
1:A:154:ILE:O	1:A:158:ILE:HG12	2.14	0.48
1:A:495:LEU:HD21	1:A:526:LEU:HB3	1.96	0.48
1:B:539:LEU:O	1:B:543:GLU:HG3	2.13	0.48
1:B:252:ASP:HB2	1:B:253:PRO:HD3	1.97	0.47
1:A:305:ASN:O	1:A:309:GLN:HG2	2.15	0.47
1:B:433:VAL:HG12	1:B:470:LEU:HD23	1.96	0.47
1:A:199:THR:HG22	1:A:236:ARG:HD2	1.97	0.47
1:A:574:GLN:HA	1:A:577:LYS:HE3	1.97	0.47
1:B:24:LYS:O	1:B:28:ILE:HG13	2.16	0.46
1:B:523:LEU:HA	1:B:527:GLN:HB2	1.98	0.46
1:A:24:LYS:O	1:A:28:ILE:HG13	2.16	0.46
1:A:344:PHE:HB2	1:A:364:LEU:H	1.81	0.46
1:B:160:MET:HE1	1:B:294:LEU:HD13	1.97	0.46
1:B:305:ASN:O	1:B:309:GLN:HG2	2.15	0.46
1:B:185:VAL:HG21	1:B:251:SER:CB	2.46	0.45
1:B:160:MET:SD	1:B:171:LEU:HD11	2.56	0.45
1:B:188:ARG:NE	3:B:601:KDL:OED	2.42	0.45
1:A:452:GLU:OE2	1:A:455:ARG:NH2	2.49	0.45
1:B:344:PHE:HB2	1:B:364:LEU:H	1.80	0.45
1:A:463:ILE:O	1:A:469:GLY:HA2	2.17	0.44
1:B:366:ILE:HG12	1:B:372:VAL:HG21	1.98	0.44
1:A:552:GLU:HB3	1:A:557:VAL:HG11	1.99	0.44
1:B:372:VAL:HG23	1:B:533:LEU:HD12	2.00	0.44
1:B:360:ARG:NH2	1:B:555:VAL:HG13	2.33	0.44
1:A:252:ASP:HB2	1:A:253:PRO:HD3	1.99	0.44
1:A:277:ASP:OD2	1:A:277:ASP:N	2.51	0.43
1:A:234:SER:HB3	1:B:98:MET:HG3	1.99	0.43
1:A:14:ARG:HG2	2:A:601:CXE:H221	2.01	0.43
1:B:45:LEU:HD23	1:B:45:LEU:HA	1.78	0.43
1:A:364:LEU:HD13	1:A:549:VAL:HG21	2.00	0.43
1:A:98:MET:HG3	1:B:234:SER:HB3	2.00	0.43
1:B:491:ILE:HG23	1:B:527:GLN:HG2	2.01	0.43
1:B:431:ASP:OD1	1:B:432:THR:N	2.45	0.43
1:A:491:ILE:HG23	1:A:527:GLN:HG2	2.00	0.42
1:B:226:GLU:OE2	1:B:229:ARG:NH2	2.52	0.42
1:A:185:VAL:HG21	1:A:251:SER:CB	2.48	0.42
1:A:497:ARG:NH2	1:B:220:PHE:O	2.52	0.42
1:B:447:ARG:NH1	1:B:471:ASP:OD1	2.52	0.42
1:A:575:LEU:HD12	1:A:575:LEU:HA	1.94	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:160:MET:SD	1:A:171:LEU:HD11	2.59	0.41
1:A:220:PHE:O	1:B:497:ARG:NH2	2.53	0.41
1:A:97:VAL:HG21	1:A:136:ALA:HB2	2.02	0.41
1:A:12:THR:HG23	1:A:312:MET:SD	2.61	0.41
1:A:15:ARG:HE	1:A:15:ARG:HB3	1.61	0.41
1:B:251:SER:O	1:B:255:ILE:HG12	2.20	0.41
1:A:251:SER:O	1:A:255:ILE:HG12	2.21	0.41
1:B:185:VAL:HG21	1:B:251:SER:HB3	2.01	0.41
1:B:552:GLU:O	1:B:555:VAL:HG22	2.20	0.41
1:A:332:LYS:HD3	1:A:332:LYS:HA	1.89	0.41
1:B:15:ARG:HE	1:B:15:ARG:HB3	1.64	0.41
1:A:422:VAL:HG21	1:A:527:GLN:HE21	1.86	0.41
1:B:107:HIS:O	1:B:111:MET:HG2	2.20	0.41
1:B:199:THR:HG22	1:B:236:ARG:HD2	2.03	0.41
1:B:210:MET:HE3	1:B:210:MET:HB3	2.00	0.41
1:B:97:VAL:HG21	1:B:136:ALA:HB2	2.01	0.41
1:A:31:GLY:HA2	2:A:601:CXE:H061	2.04	0.40
1:B:428:LEU:HD13	1:B:474:ILE:HD12	2.04	0.40
1:B:482:SER:O	1:B:486:ARG:HG3	2.20	0.40
1:B:166:GLN:H	1:B:166:GLN:HG2	1.69	0.40
1:A:172:ILE:N	1:A:172:ILE:HD13	2.35	0.40
1:A:232:LYS:HB2	1:A:232:LYS:HE2	1.96	0.40
1:B:239:LEU:O	1:B:243:LYS:HG3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	571/583 (98%)	560 (98%)	11 (2%)	0	100	100
1	B	571/583 (98%)	558 (98%)	13 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	1142/1166 (98%)	1118 (98%)	24 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	488/496 (98%)	484 (99%)	4 (1%)	81	92
1	B	488/496 (98%)	482 (99%)	6 (1%)	71	87
All	All	976/992 (98%)	966 (99%)	10 (1%)	77	90

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	40	SER
1	A	274	SER
1	A	423	SER
1	A	538	ARG
1	B	40	SER
1	B	200	MET
1	B	251	SER
1	B	300	SER
1	B	324	SER
1	B	378	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	CXE	B	602	-	25,25,25	0.47	0	24,24,24	0.42	0
2	CXE	A	602	-	25,25,25	0.46	0	24,24,24	0.41	0
3	KDL	B	601	-	153,156,156	0.56	0	184,201,201	1.32	17 (9%)
2	CXE	B	603	-	25,25,25	0.47	0	24,24,24	0.40	0
3	KDL	A	603	-	153,156,156	0.56	0	184,201,201	1.33	17 (9%)
2	CXE	A	601	-	25,25,25	0.47	0	24,24,24	0.42	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CXE	B	602	-	-	11/23/23/23	-
2	CXE	A	602	-	-	10/23/23/23	-
3	KDL	B	601	-	-	44/156/234/234	0/4/4/4
2	CXE	B	603	-	-	10/23/23/23	-
3	KDL	A	603	-	-	45/156/234/234	0/4/4/4
2	CXE	A	601	-	-	11/23/23/23	-

There are no bond length outliers.

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	601	KDL	O3-CFK-CFL	4.92	120.50	111.46
3	A	603	KDL	O3-CFK-CFL	4.89	120.44	111.46
3	A	603	KDL	CDP-CDO-NAO	4.17	121.79	116.33
3	B	601	KDL	CDP-CDO-NAO	4.16	121.78	116.33
3	A	603	KDL	OFJ-CGB-CGC	4.11	120.37	111.50
3	B	601	KDL	OFJ-CGB-CGC	4.08	120.30	111.50
3	A	603	KDL	OFZ-CGN-CGP	4.07	120.28	111.50
3	B	601	KDL	OFZ-CGN-CGP	4.06	120.25	111.50
3	A	603	KDL	OAQ-CEE-CEF	3.81	118.45	111.46
3	B	601	KDL	OAQ-CEE-CEF	3.80	118.44	111.46
3	A	603	KDL	OFZ-CFM-CFL	3.61	113.75	106.65
3	B	601	KDL	OFZ-CFM-CFL	3.59	113.71	106.65
3	B	601	KDL	OAU-CAL-OAM	-2.88	107.60	111.36
3	A	603	KDL	OAU-CAL-OAM	-2.87	107.61	111.36
3	B	601	KDL	CBQ-CBR-CBT	-2.77	108.13	110.84
3	A	603	KDL	CBQ-CBR-CBT	-2.77	108.13	110.84
3	B	601	KDL	C3-O3-CFK	2.71	122.04	117.53
3	A	603	KDL	C3-O3-CFK	2.68	122.00	117.53
3	A	603	KDL	O3-C3-C2	-2.62	103.01	107.91
3	B	601	KDL	O3-C3-C2	-2.59	103.07	107.91
3	B	601	KDL	C8-C7-N2	2.52	119.63	116.33
3	A	603	KDL	C8-C7-N2	2.51	119.61	116.33
3	A	603	KDL	OEC-CDO-NAO	-2.45	118.82	122.95
3	B	601	KDL	OEC-CDO-NAO	-2.42	118.86	122.95
3	B	601	KDL	O3-CFK-OFY	-2.39	117.92	123.70
3	A	603	KDL	O3-CFK-OFY	-2.38	117.95	123.70
3	A	603	KDL	O6-C6-C5	2.24	112.62	107.68
3	B	601	KDL	O6-C6-C5	2.20	112.52	107.68
3	A	603	KDL	CDS-CDR-CDQ	-2.12	108.75	114.85
3	B	601	KDL	CDS-CDR-CDQ	-2.09	108.85	114.85
3	A	603	KDL	C3-C2-N2	-2.06	107.49	110.91
3	A	603	KDL	CAP-CAN-NAO	-2.05	107.50	110.91
3	B	601	KDL	CAP-CAN-NAO	-2.03	107.55	110.91
3	B	601	KDL	C3-C2-N2	-2.02	107.56	110.91

There are no chirality outliers.

All (131) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	603	KDL	OAY-CAX-CBA-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	603	KDL	CBT-CBV-CBX-CBZ
3	A	603	KDL	OFY-CFK-O3-C3
3	A	603	KDL	CFK-CFL-CFM-CFN
3	A	603	KDL	CFK-CFL-CFM-OFZ
3	B	601	KDL	OAY-CAX-CBA-O6
3	B	601	KDL	CBT-CBV-CBX-CBZ
3	B	601	KDL	OFY-CFK-O3-C3
3	B	601	KDL	CFK-CFL-CFM-CFN
3	B	601	KDL	CFK-CFL-CFM-OFZ
3	A	603	KDL	CFL-CFK-O3-C3
3	B	601	KDL	CFL-CFK-O3-C3
3	A	603	KDL	CDP-CDO-NAO-CAN
3	B	601	KDL	CDP-CDO-NAO-CAN
3	A	603	KDL	OEC-CDO-NAO-CAN
3	B	601	KDL	OEC-CDO-NAO-CAN
2	A	602	CXE	O14-C15-C16-O17
2	B	603	CXE	O14-C15-C16-O17
2	A	601	CXE	O11-C10-C9-C8
2	B	602	CXE	O11-C10-C9-C8
3	A	603	KDL	OFJ-CEW-CEX-CEY
3	A	603	KDL	OFZ-CFM-CFN-CFO
3	B	601	KDL	OFJ-CEW-CEX-CEY
3	B	601	KDL	OFZ-CFM-CFN-CFO
3	A	603	KDL	CDX-CDY-CDZ-CEA
3	B	601	KDL	CDX-CDY-CDZ-CEA
3	A	603	KDL	CEN-CEO-CEP-CEQ
3	B	601	KDL	CEN-CEO-CEP-CEQ
2	A	602	CXE	O11-C12-C13-O14
2	B	602	CXE	O11-C12-C13-O14
3	A	603	KDL	CEX-CEY-CEZ-CFA
3	A	603	KDL	CFC-CFD-CFE-CFF
2	A	601	CXE	O11-C12-C13-O14
3	B	601	KDL	CEM-CEN-CEO-CEP
3	B	601	KDL	CFC-CFD-CFE-CFF
3	A	603	KDL	CEM-CEN-CEO-CEP
3	B	601	KDL	CFB-CFC-CFD-CFE
2	B	603	CXE	O11-C12-C13-O14
3	A	603	KDL	CFB-CFC-CFD-CFE
3	B	601	KDL	CGF-CGG-CGH-CGI
2	A	602	CXE	O23-C24-C25-O26
3	A	603	KDL	CGC-CGD-CGE-CGF
3	B	601	KDL	CEX-CEY-CEZ-CFA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	603	KDL	CGF-CGG-CGH-CGI
3	B	601	KDL	CGC-CGD-CGE-CGF
3	A	603	KDL	CGP-CGN-OFZ-CFM
3	B	601	KDL	CGP-CGN-OFZ-CFM
2	B	603	CXE	O20-C21-C22-O23
3	A	603	KDL	CGS-CGT-CGU-CGV
3	B	601	KDL	CGS-CGT-CGU-CGV
3	A	603	KDL	CFL-CFM-CFN-CFO
3	B	601	KDL	CGH-CGI-CGJ-CGK
2	A	601	CXE	O23-C24-C25-O26
2	B	602	CXE	O23-C24-C25-O26
2	B	603	CXE	O23-C24-C25-O26
3	A	603	KDL	OED-CDQ-CDR-CDS
3	B	601	KDL	OED-CDQ-CDR-CDS
3	B	601	KDL	CFO-CFP-CFQ-CFR
3	B	601	KDL	OGO-CGN-OFZ-CFM
3	A	603	KDL	C5-C6-O6-CBA
3	B	601	KDL	C5-C6-O6-CBA
2	A	602	CXE	O20-C21-C22-O23
3	A	603	KDL	CFO-CFP-CFQ-CFR
3	A	603	KDL	OGO-CGN-OFZ-CFM
3	A	603	KDL	CFD-CFE-CFF-CFG
3	A	603	KDL	CGH-CGI-CGJ-CGK
3	A	603	KDL	CGG-CGH-CGI-CGJ
3	B	601	KDL	CGG-CGH-CGI-CGJ
3	B	601	KDL	CFL-CFM-CFN-CFO
3	A	603	KDL	CDY-CDZ-CEA-CEB
2	B	603	CXE	C12-C13-O14-C15
2	B	603	CXE	O11-C10-C9-C8
2	B	603	CXE	C21-C22-O23-C24
3	B	601	KDL	CDY-CDZ-CEA-CEB
2	A	602	CXE	C21-C22-O23-C24
3	A	603	KDL	CDO-CDP-CDQ-OED
3	B	601	KDL	CDO-CDP-CDQ-OED
2	A	602	CXE	C12-C13-O14-C15
2	A	602	CXE	O11-C10-C9-C8
3	A	603	KDL	CEL-CEM-CEN-CEO
2	B	602	CXE	C18-C19-O20-C21
3	A	603	KDL	CDO-CDP-CDQ-CDR
3	B	601	KDL	CDO-CDP-CDQ-CDR
3	B	601	KDL	CEL-CEM-CEN-CEO
2	B	603	CXE	C16-C15-O14-C13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	603	KDL	OBW-CBV-CBX-OBY
3	B	601	KDL	OBW-CBV-CBX-OBY
2	B	602	CXE	C9-C10-O11-C12
3	B	601	KDL	CFD-CFE-CFF-CFG
2	A	602	CXE	C16-C15-O14-C13
2	A	601	CXE	C12-C13-O14-C15
2	A	601	CXE	C18-C19-O20-C21
2	A	602	CXE	C6-C7-C8-C9
3	B	601	KDL	CEJ-CEK-CEL-CEM
3	A	603	KDL	CGU-CGV-CGW-CGX
3	B	601	KDL	CGU-CGV-CGW-CGX
2	A	601	CXE	C9-C10-O11-C12
2	B	603	CXE	C6-C7-C8-C9
3	A	603	KDL	CEJ-CEK-CEL-CEM
2	B	602	CXE	C12-C13-O14-C15
3	A	603	KDL	CDR-CDS-CDT-CDU
2	B	602	CXE	O17-C18-C19-O20
3	B	601	KDL	CDR-CDS-CDT-CDU
2	A	601	CXE	O17-C18-C19-O20
2	B	602	CXE	C6-C7-C8-C9
2	A	601	CXE	O14-C15-C16-O17
2	B	602	CXE	O14-C15-C16-O17
3	B	601	KDL	CGR-CGS-CGT-CGU
3	A	603	KDL	CFM-CFN-CFO-CFP
3	B	601	KDL	CFM-CFN-CFO-CFP
2	A	601	CXE	C6-C7-C8-C9
3	A	603	KDL	CGR-CGS-CGT-CGU
2	A	601	CXE	C21-C22-O23-C24
3	B	601	KDL	C8-CEW-CEX-CEY
2	B	602	CXE	C21-C22-O23-C24
3	B	601	KDL	CFN-CFO-CFP-CFQ
3	A	603	KDL	CEH-CEI-CEJ-CEK
3	B	601	KDL	CEH-CEI-CEJ-CEK
3	B	601	KDL	CFA-CFB-CFC-CFD
3	A	603	KDL	C4-O4-PHC-OHF
3	B	601	KDL	C4-O4-PHC-OHF
3	A	603	KDL	CFN-CFO-CFP-CFQ
3	B	601	KDL	CFP-CFQ-CFR-CFS
3	A	603	KDL	CFP-CFQ-CFR-CFS
3	A	603	KDL	CDP-CDQ-CDR-CDS
3	A	603	KDL	CFA-CFB-CFC-CFD
3	A	603	KDL	C8-CEW-CEX-CEY

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	602	CXE	O20-C21-C22-O23
2	B	603	CXE	O17-C18-C19-O20
2	A	601	CXE	O20-C21-C22-O23
2	A	602	CXE	O17-C18-C19-O20


There are no ring outliers.


3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	601	KDL	2	0
3	A	603	KDL	1	0
2	A	601	CXE	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-41596. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)

6.1.1 Primary map




6.1.2 Raw map




The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 141




Y Index: 119




Z Index: 135


6.3.2 Raw map



X Index: 140



Y Index: 118




Z Index: 135


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X



Y




Z

The images above show the 3D surface view of the map at the recommended contour level 1.4. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_41596_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 38 nm^3 ; this corresponds to an approximate mass of 34 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.373 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.373 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.68	-	-
Author-provided FSC curve	2.68	3.06	2.72
Unmasked-calculated*	3.18	3.51	3.20

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.18 differs from the reported value 2.68 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-41596 and PDB model 8TSO. Per-residue inclusion information can be found in section 3 on page 5.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 1.4 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1.4).





9.4 Atom inclusion [i](#)



At the recommended contour level, 76% of all backbone atoms, 72% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (1.4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7210	 0.5900
A	 0.7220	 0.5910
B	 0.7210	 0.5900

