



# Full wwPDB X-ray Structure Validation Report ⓘ

Dec 16, 2023 – 01:20 pm GMT

PDB ID : 4U61  
Title : Trichodysplasia spinulosa-associated polyomavirus (TSPyV) VP1 in complex with 6'-sialyllactose  
Authors : Stroh, L.J.; Stehle, T.  
Deposited on : 2014-07-26  
Resolution : 1.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1827 (1.66-1.66)
Clashscore	141614	1931 (1.66-1.66)
Ramachandran outliers	138981	1891 (1.66-1.66)
Sidechain outliers	138945	1891 (1.66-1.66)
RSRZ outliers	127900	1791 (1.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	280	 2% 92% 6%
1	B	280	 2% 91% 6%
1	C	280	 2% 94%
1	D	280	 2% 92% 6%
1	E	280	 5% 93%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	280	 <p>5% 93% 6%</p>
1	G	280	 <p>4% 95% 6%</p>
1	H	280	 <p>4% 92% 6%</p>
1	I	280	 <p>2% 94% 6%</p>
1	J	280	 <p>3% 92% 6%</p>
2	K	2	 <p>50% 50%</p>

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 23184 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Structural protein VP1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	271	Total 2119	C 1337	N 353	O 414	S 15	0	3	0
1	B	264	Total 2057	C 1298	N 343	O 403	S 13	0	2	0
1	C	270	Total 2100	C 1324	N 347	O 414	S 15	0	4	0
1	D	264	Total 2043	C 1291	N 342	O 397	S 13	0	1	0
1	E	272	Total 2114	C 1330	N 353	O 416	S 15	0	2	0
1	F	264	Total 2035	C 1285	N 337	O 400	S 13	0	1	0
1	G	270	Total 2084	C 1310	N 349	O 411	S 14	0	0	0
1	H	264	Total 2052	C 1295	N 342	O 402	S 13	0	1	0
1	I	271	Total 2100	C 1323	N 352	O 412	S 13	0	1	0
1	J	264	Total 2031	C 1284	N 337	O 398	S 12	0	0	0

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	24	GLY	-	expression tag	UNP E2ESL7
A	25	SER	-	expression tag	UNP E2ESL7
A	26	HIS	-	expression tag	UNP E2ESL7
A	27	MET	-	expression tag	UNP E2ESL7
A	28	ALA	-	expression tag	UNP E2ESL7
A	29	SER	-	expression tag	UNP E2ESL7
B	24	GLY	-	expression tag	UNP E2ESL7
B	25	SER	-	expression tag	UNP E2ESL7
B	26	HIS	-	expression tag	UNP E2ESL7

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	27	MET	-	expression tag	UNP E2ESL7
B	28	ALA	-	expression tag	UNP E2ESL7
B	29	SER	-	expression tag	UNP E2ESL7
C	24	GLY	-	expression tag	UNP E2ESL7
C	25	SER	-	expression tag	UNP E2ESL7
C	26	HIS	-	expression tag	UNP E2ESL7
C	27	MET	-	expression tag	UNP E2ESL7
C	28	ALA	-	expression tag	UNP E2ESL7
C	29	SER	-	expression tag	UNP E2ESL7
D	24	GLY	-	expression tag	UNP E2ESL7
D	25	SER	-	expression tag	UNP E2ESL7
D	26	HIS	-	expression tag	UNP E2ESL7
D	27	MET	-	expression tag	UNP E2ESL7
D	28	ALA	-	expression tag	UNP E2ESL7
D	29	SER	-	expression tag	UNP E2ESL7
E	24	GLY	-	expression tag	UNP E2ESL7
E	25	SER	-	expression tag	UNP E2ESL7
E	26	HIS	-	expression tag	UNP E2ESL7
E	27	MET	-	expression tag	UNP E2ESL7
E	28	ALA	-	expression tag	UNP E2ESL7
E	29	SER	-	expression tag	UNP E2ESL7
F	24	GLY	-	expression tag	UNP E2ESL7
F	25	SER	-	expression tag	UNP E2ESL7
F	26	HIS	-	expression tag	UNP E2ESL7
F	27	MET	-	expression tag	UNP E2ESL7
F	28	ALA	-	expression tag	UNP E2ESL7
F	29	SER	-	expression tag	UNP E2ESL7
G	24	GLY	-	expression tag	UNP E2ESL7
G	25	SER	-	expression tag	UNP E2ESL7
G	26	HIS	-	expression tag	UNP E2ESL7
G	27	MET	-	expression tag	UNP E2ESL7
G	28	ALA	-	expression tag	UNP E2ESL7
G	29	SER	-	expression tag	UNP E2ESL7
H	24	GLY	-	expression tag	UNP E2ESL7
H	25	SER	-	expression tag	UNP E2ESL7
H	26	HIS	-	expression tag	UNP E2ESL7
H	27	MET	-	expression tag	UNP E2ESL7
H	28	ALA	-	expression tag	UNP E2ESL7
H	29	SER	-	expression tag	UNP E2ESL7
I	24	GLY	-	expression tag	UNP E2ESL7
I	25	SER	-	expression tag	UNP E2ESL7
I	26	HIS	-	expression tag	UNP E2ESL7

*Continued on next page...*

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
I	27	MET	-	expression tag	UNP E2ESL7
I	28	ALA	-	expression tag	UNP E2ESL7
I	29	SER	-	expression tag	UNP E2ESL7
J	24	GLY	-	expression tag	UNP E2ESL7
J	25	SER	-	expression tag	UNP E2ESL7
J	26	HIS	-	expression tag	UNP E2ESL7
J	27	MET	-	expression tag	UNP E2ESL7
J	28	ALA	-	expression tag	UNP E2ESL7
J	29	SER	-	expression tag	UNP E2ESL7

- Molecule 2 is an oligosaccharide called N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace	
			Total	C	N				O
2	K	2	32	17	1	14	0	0	0

- Molecule 3 is N-acetyl-alpha-neuraminic acid (three-letter code: SIA) (formula: C<sub>11</sub>H<sub>19</sub>NO<sub>9</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
			Total	C	N			O
3	B	1	21	11	1	9	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	C	1	Total	C	N	O	0	0
			21	11	1	9		
3	E	1	Total	C	N	O	0	0
			21	11	1	9		
3	H	1	Total	C	N	O	0	0
			21	11	1	9		
3	I	1	Total	C	N	O	0	0
			21	11	1	9		
3	J	1	Total	C	N	O	0	0
			21	11	1	9		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			6	3	3		
4	E	1	Total	C	O	0	0
			6	3	3		
4	E	1	Total	C	O	0	0
			6	3	3		
4	H	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	263	Total 263	O 263	0	0
5	B	223	Total 223	O 223	0	0
5	C	238	Total 238	O 238	0	0
5	D	245	Total 245	O 245	0	0
5	E	233	Total 233	O 233	0	0
5	F	219	Total 219	O 219	0	0
5	G	203	Total 203	O 203	0	0
5	H	207	Total 207	O 207	0	0
5	I	216	Total 216	O 216	0	0
5	J	220	Total 220	O 220	0	0




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Structural protein VP1




- Molecule 1: Structural protein VP1




- Molecule 1: Structural protein VP1





- Molecule 1: Structural protein VP1



- Molecule 1: Structural protein VP1





- Molecule 1: Structural protein VP1





• Molecule 1: Structural protein VP1




• Molecule 1: Structural protein VP1



• Molecule 1: Structural protein VP1



• Molecule 1: Structural protein VP1



• Molecule 2: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	139.56Å 146.35Å 151.54Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.65 29.92 – 1.65	Depositor EDS
% Data completeness (in resolution range)	99.7 (30.00-1.65) 99.8 (29.92-1.65)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.62 (at 1.65Å)	Xtrriage
Refinement program	REFMAC 5.8.0049	Depositor
R, $R_{free}$	0.165 , 0.184 0.174 , 0.192	Depositor DCC
$R_{free}$ test set	18570 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	19.0	Xtrriage
Anisotropy	0.418	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 39.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.016 for -h,l,k	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	23184	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	24.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.09% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SIA, GAL, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.42	0/2173	0.67	1/2952 (0.0%)
1	B	0.44	0/2107	0.67	0/2865
1	C	0.43	0/2156	0.67	0/2929
1	D	0.42	0/2087	0.66	0/2838
1	E	0.42	0/2165	0.66	2/2943 (0.1%)
1	F	0.38	0/2082	0.64	0/2834
1	G	0.39	0/2129	0.66	0/2897
1	H	0.38	0/2099	0.62	0/2854
1	I	0.42	0/2148	0.66	1/2922 (0.0%)
1	J	0.41	0/2075	0.66	0/2824
All	All	0.41	0/21221	0.66	4/28858 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	225	ARG	NE-CZ-NH2	-5.80	117.40	120.30
1	I	225	ARG	NE-CZ-NH2	-5.33	117.63	120.30
1	E	225	ARG	NE-CZ-NH1	5.29	122.95	120.30
1	A	252	ASP	CB-CG-OD1	5.03	122.83	118.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2119	0	2083	6	0
1	B	2057	0	2004	4	0
1	C	2100	0	2044	3	0
1	D	2043	0	1992	2	0
1	E	2114	0	2053	6	0
1	F	2035	0	1960	1	0
1	G	2084	0	2015	1	0
1	H	2052	0	1998	3	0
1	I	2100	0	2048	3	0
1	J	2031	0	1966	3	0
2	K	32	0	28	1	0
3	B	21	0	18	0	0
3	C	21	0	18	0	0
3	E	21	0	18	0	0
3	H	21	0	18	0	0
3	I	21	0	18	0	0
3	J	21	0	18	0	0
4	C	6	0	8	0	0
4	E	12	0	16	2	0
4	H	6	0	8	0	0
5	A	263	0	0	1	0
5	B	223	0	0	0	0
5	C	238	0	0	0	0
5	D	245	0	0	0	0
5	E	233	0	0	0	0
5	F	219	0	0	0	0
5	G	203	0	0	0	0
5	H	207	0	0	1	0
5	I	216	0	0	0	0
5	J	220	0	0	0	0
All	All	23184	0	20331	32	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (32) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:208:ALA:C	1:C:209:PHE:CA	2.46	0.84

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:50:LEU:HD11	1:I:267[B]:VAL:HG21	1.80	0.62
1:E:102:ASN:HD21	1:E:111:THR:H	1.47	0.61
1:J:222:GLU:CD	1:J:222:GLU:H	2.06	0.59
1:E:196:ASN:HD21	4:E:403:GOL:C3	2.17	0.57
1:J:137:ARG:HG3	1:J:141:ASP:HA	1.88	0.56
1:A:136:LYS:NZ	5:A:501:HOH:O	2.35	0.55
1:E:196:ASN:HD21	4:E:403:GOL:H32	1.72	0.54
1:A:137:ARG:HG3	1:A:141:ASP:HA	1.93	0.51
1:C:222:GLU:H	1:C:222:GLU:CD	2.14	0.50
1:E:137:ARG:HG3	1:E:141:ASP:HA	1.93	0.49
1:E:110:LEU:HG	1:E:303:ASN:HB2	1.95	0.49
1:I:137:ARG:HG3	1:I:141:ASP:HA	1.94	0.48
1:B:95:ARG:NH1	1:B:97:ASN:OD1	2.45	0.48
1:J:253:GLU:H	1:J:253:GLU:CD	2.18	0.47
1:A:64:ASP:O	1:A:65:ASN:HB2	2.17	0.45
1:B:137:ARG:HG3	1:B:141:ASP:HA	1.99	0.44
1:B:64:ASP:O	1:B:65:ASN:HB2	2.18	0.44
1:G:137:ARG:HG3	1:G:141:ASP:HA	2.00	0.43
1:A:74:VAL:O	2:K:2:SIA:H91	2.19	0.43
1:A:110:LEU:HG	1:A:303:ASN:HB2	2.01	0.43
1:A:167:PHE:CE1	1:A:213:CYS:HB2	2.54	0.42
1:F:167:PHE:CE1	1:F:213:CYS:HB2	2.55	0.42
1:E:265:LEU:HD21	1:E:294:ILE:HD13	2.01	0.41
1:H:167:PHE:CE1	1:H:213:CYS:HB2	2.55	0.41
1:D:90:THR:OG1	1:D:207:GLY:HA2	2.21	0.41
1:D:167:PHE:CE1	1:D:213:CYS:HB2	2.56	0.41
1:H:137:ARG:HG3	1:H:141:ASP:HA	2.01	0.41
1:C:137:ARG:HG3	1:C:141:ASP:HA	2.02	0.41
1:H:279:LYS:NZ	5:H:504:HOH:O	2.52	0.41
1:I:45:ILE:CG2	1:I:295:LEU:HD11	2.51	0.40
1:B:45:ILE:CG2	1:B:295:LEU:HD11	2.52	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	272/280 (97%)	265 (97%)	7 (3%)	0	100	100
1	B	262/280 (94%)	255 (97%)	7 (3%)	0	100	100
1	C	270/280 (96%)	263 (97%)	7 (3%)	0	100	100
1	D	261/280 (93%)	252 (97%)	9 (3%)	0	100	100
1	E	272/280 (97%)	265 (97%)	7 (3%)	0	100	100
1	F	261/280 (93%)	252 (97%)	9 (3%)	0	100	100
1	G	268/280 (96%)	259 (97%)	9 (3%)	0	100	100
1	H	261/280 (93%)	253 (97%)	8 (3%)	0	100	100
1	I	270/280 (96%)	261 (97%)	9 (3%)	0	100	100
1	J	260/280 (93%)	253 (97%)	7 (3%)	0	100	100
All	All	2657/2800 (95%)	2578 (97%)	79 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	240/246 (98%)	239 (100%)	1 (0%)	91	85
1	B	231/246 (94%)	231 (100%)	0	100	100
1	C	236/246 (96%)	235 (100%)	1 (0%)	91	85
1	D	228/246 (93%)	226 (99%)	2 (1%)	78	66
1	E	237/246 (96%)	235 (99%)	2 (1%)	81	70
1	F	225/246 (92%)	224 (100%)	1 (0%)	91	85
1	G	233/246 (95%)	231 (99%)	2 (1%)	78	66
1	H	230/246 (94%)	229 (100%)	1 (0%)	91	85
1	I	236/246 (96%)	234 (99%)	2 (1%)	81	70

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	J	225/246 (92%)	224 (100%)	1 (0%)	91	85
All	All	2321/2460 (94%)	2308 (99%)	13 (1%)	86	76

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	58	GLN
1	C	58	GLN
1	D	50	LEU
1	D	58	GLN
1	E	50	LEU
1	E	58	GLN
1	F	58	GLN
1	G	50	LEU
1	G	58	GLN
1	H	58	GLN
1	I	50	LEU
1	I	58	GLN
1	J	58	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	E	102	ASN
1	F	65	ASN
1	G	152	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the



expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	GAL	K	1	2	12,12,12	0.52	0	17,17,17	0.91	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GAL	K	1	2	-	0/2/22/22	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	GAL	K	1	2	12,12,12	0.52	0	17,17,17	0.91	0
2	SIA	K	2	2	20,20,21	0.61	0	24,28,31	1.32	2 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GAL	K	1	2	-	0/2/22/22	0/1/1/1
2	SIA	K	2	2	-	6/18/34/38	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	K	2	SIA	O1B-C1-C2	2.45	120.01	113.03
2	K	2	SIA	O8-C8-C9	-2.30	103.75	109.14

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	K	2	SIA	C6-C7-C8-C9
2	K	2	SIA	O7-C7-C8-C9
2	K	2	SIA	O7-C7-C8-O8
2	K	2	SIA	C6-C7-C8-O8
2	K	2	SIA	O8-C8-C9-O9
2	K	2	SIA	C7-C8-C9-O9

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	K	2	SIA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



## 5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	SIA	I	401	-	21,21,21	1.05	1 (4%)	25,31,31	1.08	2 (8%)
3	SIA	C	402	-	21,21,21	1.00	1 (4%)	25,31,31	1.04	1 (4%)
3	SIA	H	402	-	21,21,21	1.09	1 (4%)	25,31,31	0.93	1 (4%)
3	SIA	J	401	-	21,21,21	1.17	1 (4%)	25,31,31	1.01	2 (8%)
3	SIA	E	401	-	21,21,21	1.16	1 (4%)	25,31,31	0.98	1 (4%)
4	GOL	H	401	-	5,5,5	0.32	0	5,5,5	0.55	0
4	GOL	E	403	-	5,5,5	0.43	0	5,5,5	0.26	0
3	SIA	B	401	-	21,21,21	1.08	1 (4%)	25,31,31	0.96	1 (4%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	GOL	E	402	-	5,5,5	0.47	0	5,5,5	0.52	0
4	GOL	C	401	-	5,5,5	0.37	0	5,5,5	0.38	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SIA	I	401	-	-	9/20/38/38	0/1/1/1
3	SIA	C	402	-	-	5/20/38/38	0/1/1/1
3	SIA	H	402	-	-	6/20/38/38	0/1/1/1
3	SIA	J	401	-	-	5/20/38/38	0/1/1/1
3	SIA	E	401	-	-	2/20/38/38	0/1/1/1
4	GOL	H	401	-	-	0/4/4/4	-
4	GOL	E	403	-	-	4/4/4/4	-
3	SIA	B	401	-	-	6/20/38/38	0/1/1/1
4	GOL	E	402	-	-	0/4/4/4	-
4	GOL	C	401	-	-	0/4/4/4	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	401	SIA	O2-C2	3.96	1.44	1.39
3	J	401	SIA	O2-C2	3.90	1.44	1.39
3	B	401	SIA	O2-C2	3.82	1.44	1.39
3	I	401	SIA	O2-C2	3.71	1.44	1.39
3	H	402	SIA	O2-C2	3.70	1.44	1.39
3	C	402	SIA	O2-C2	3.58	1.44	1.39

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	402	SIA	O1A-C1-C2	-3.81	117.82	123.59
3	J	401	SIA	O1A-C1-C2	-3.36	118.50	123.59
3	I	401	SIA	O1A-C1-C2	-2.97	119.09	123.59
3	E	401	SIA	O1A-C1-C2	-2.80	119.36	123.59
3	B	401	SIA	O1A-C1-C2	-2.66	119.56	123.59
3	H	402	SIA	O1A-C1-C2	-2.28	120.14	123.59
3	I	401	SIA	C3-C4-C5	2.22	113.38	109.98

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	J	401	SIA	C3-C4-C5	2.07	113.15	109.98

There are no chirality outliers.

All (37) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	H	402	SIA	O7-C7-C8-C9
4	E	403	GOL	O1-C1-C2-C3
4	E	403	GOL	C1-C2-C3-O3
3	H	402	SIA	O7-C7-C8-O8
3	H	402	SIA	C6-C7-C8-O8
3	H	402	SIA	C6-C7-C8-C9
4	E	403	GOL	O1-C1-C2-O2
3	I	401	SIA	O7-C7-C8-C9
3	I	401	SIA	C6-C7-C8-C9
3	I	401	SIA	O8-C8-C9-O9
3	I	401	SIA	C6-C7-C8-O8
3	B	401	SIA	C6-C7-C8-C9
4	E	403	GOL	O2-C2-C3-O3
3	I	401	SIA	C7-C8-C9-O9
3	B	401	SIA	C6-C7-C8-O8
3	I	401	SIA	O7-C7-C8-O8
3	B	401	SIA	O7-C7-C8-C9
3	B	401	SIA	O8-C8-C9-O9
3	C	402	SIA	O8-C8-C9-O9
3	C	402	SIA	O1A-C1-C2-O6
3	H	402	SIA	O8-C8-C9-O9
3	E	401	SIA	O8-C8-C9-O9
3	J	401	SIA	C6-C7-C8-O8
3	B	401	SIA	O7-C7-C8-O8
3	J	401	SIA	C6-C7-C8-C9
3	J	401	SIA	O8-C8-C9-O9
3	B	401	SIA	C7-C8-C9-O9
3	H	402	SIA	C7-C8-C9-O9
3	I	401	SIA	O1A-C1-C2-O6
3	J	401	SIA	O1A-C1-C2-O6
3	J	401	SIA	O7-C7-C8-C9
3	C	402	SIA	O1A-C1-C2-O2
3	I	401	SIA	O1A-C1-C2-O2
3	E	401	SIA	C7-C8-C9-O9
3	C	402	SIA	O1B-C1-C2-O6
3	I	401	SIA	O1B-C1-C2-O6

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
3	C	402	SIA	C7-C8-C9-O9


There are no ring outliers.

1 monomer is involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	E	403	GOL	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

















## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	271/280 (96%)	-0.22	7 (2%) 56 56	13, 20, 38, 55	0
1	B	264/280 (94%)	-0.12	6 (2%) 60 61	13, 20, 34, 46	0
1	C	270/280 (96%)	-0.14	6 (2%) 62 63	12, 19, 44, 55	0
1	D	264/280 (94%)	-0.13	6 (2%) 60 61	13, 20, 43, 55	0
1	E	272/280 (97%)	-0.03	14 (5%) 28 27	14, 21, 47, 64	0
1	F	264/280 (94%)	-0.02	14 (5%) 26 25	15, 22, 41, 60	0
1	G	270/280 (96%)	0.02	10 (3%) 41 41	16, 24, 44, 59	0
1	H	264/280 (94%)	-0.03	10 (3%) 40 40	16, 23, 43, 67	0
1	I	271/280 (96%)	-0.09	7 (2%) 56 56	15, 21, 36, 68	0
1	J	264/280 (94%)	-0.11	9 (3%) 45 45	15, 21, 38, 58	0
All	All	2674/2800 (95%)	-0.09	89 (3%) 46 47	12, 21, 42, 68	0

All (89) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	I	106	THR	6.3
1	E	32	ASN	6.2
1	I	107	CYS	6.1
1	I	104	ASP	5.3
1	F	42	PRO	4.9
1	F	110	LEU	4.9
1	I	105	LEU	4.6
1	G	41	GLY	4.6
1	J	42	PRO	4.2
1	D	109	THR	4.2
1	F	33	ILE	4.1
1	J	40	THR	4.1
1	D	42	PRO	4.0

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	109	THR	3.9
1	A	42	PRO	3.9
1	C	105	LEU	3.9
1	G	42	PRO	3.9
1	G	40	THR	3.8
1	E	100	MET	3.8
1	G	303	ASN	3.7
1	F	41	GLY	3.6
1	F	140	ASP	3.6
1	J	109	THR	3.5
1	D	110	LEU	3.4
1	J	41	GLY	3.4
1	F	109	THR	3.4
1	E	107	CYS	3.3
1	D	33	ILE	3.3
1	E	105	LEU	3.3
1	G	108	ASN	3.3
1	E	42	PRO	3.2
1	J	110	LEU	3.2
1	F	34	GLU	3.2
1	A	303	ASN	3.1
1	F	35	VAL	3.1
1	A	41	GLY	3.1
1	J	32	ASN	3.1
1	H	42	PRO	3.1
1	C	303	ASN	3.1
1	D	41	GLY	3.0
1	E	303	ASN	3.0
1	I	103	GLU	2.9
1	D	40	THR	2.9
1	G	107	CYS	2.8
1	E	106	THR	2.8
1	H	110	LEU	2.8
1	A	140	ASP	2.7
1	H	187	ILE	2.7
1	H	140	ASP	2.7
1	E	104	ASP	2.7
1	E	33	ILE	2.7
1	G	302	ARG	2.7
1	F	36	LEU	2.6
1	A	108	ASN	2.6
1	G	180	ASP	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	G	109	THR	2.6
1	J	34	GLU	2.6
1	B	43	ASP	2.6
1	F	302	ARG	2.5
1	H	302	ARG	2.5
1	E	37	ASN	2.5
1	I	140	ASP	2.5
1	J	140	ASP	2.5
1	F	108	ASN	2.5
1	H	108	ASN	2.4
1	C	107	CYS	2.4
1	B	102	ASN	2.4
1	H	43	ASP	2.4
1	I	303	ASN	2.3
1	B	187	ILE	2.3
1	J	33	ILE	2.3
1	F	43	ASP	2.3
1	H	47	THR	2.3
1	A	100	MET	2.3
1	E	43	ASP	2.3
1	H	40	THR	2.3
1	G	260	CYS	2.2
1	B	180	ASP	2.2
1	B	302	ARG	2.2
1	A	40	THR	2.2
1	E	41	GLY	2.2
1	F	280	ASP	2.2
1	C	42	PRO	2.2
1	C	140	ASP	2.2
1	E	140	ASP	2.1
1	C	40	THR	2.1
1	F	180	ASP	2.1
1	E	101	LEU	2.1
1	H	109	THR	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	GAL	K	1	12/12	0.84	0.20	28,40,43,45	0

### 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	GAL	K	1	12/12	0.84	0.20	28,40,43,45	0
2	SIA	K	2	20/21	0.90	0.13	19,25,31,33	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,






median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	GOL	E	403	6/6	0.64	0.25	36,41,41,47	0
3	SIA	E	401	21/21	0.72	0.30	29,35,43,46	0
3	SIA	I	401	21/21	0.73	0.24	29,38,48,53	0
3	SIA	B	401	21/21	0.77	0.24	29,37,45,48	0
3	SIA	H	402	21/21	0.78	0.24	31,39,43,46	0
4	GOL	E	402	6/6	0.80	0.17	30,34,35,35	0
3	SIA	J	401	21/21	0.81	0.22	28,36,40,45	0
3	SIA	C	402	21/21	0.82	0.19	22,30,36,41	0
4	GOL	H	401	6/6	0.87	0.13	28,32,34,38	0
4	GOL	C	401	6/6	0.92	0.09	23,27,28,30	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around SIA E 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SIA I 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SIA B 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SIA H 402:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around SIA J 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.