



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 15, 2023 – 06:27 AM EDT

PDB ID : 7UE0
Title : Integrin alaphIIBbeta3 complex with fradafiban
Authors : Lin, F.-Y.; Zhu, J.; Zhu, J.; Springer, T.A.
Deposited on : 2022-03-20
Resolution : 2.74 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.74 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.










Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1271 (2.76-2.72)
Clashscore	141614	1322 (2.76-2.72)
Ramachandran outliers	138981	1297 (2.76-2.72)
Sidechain outliers	138945	1298 (2.76-2.72)
RSRZ outliers	127900	1243 (2.76-2.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	457	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 95%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 5%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 2%; height: 10px; background-color: grey; margin-right: 2px;"></div> </div> <p style="margin-left: 20px;">2% 95% 5% .</p>
1	C	457	<div style="display: flex; align-items: center;"> <div style="width: 6%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 96%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 2%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 2%; height: 10px; background-color: grey; margin-right: 2px;"></div> </div> <p style="margin-left: 20px;">6% 96% . .</p>
2	B	472	<div style="display: flex; align-items: center;"> <div style="width: 7%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 93%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 5%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 2%; height: 10px; background-color: grey; margin-right: 2px;"></div> </div> <p style="margin-left: 20px;">7% 93% 5% .</p>
2	D	472	<div style="display: flex; align-items: center;"> <div style="width: 9%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 94%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 5%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 2%; height: 10px; background-color: grey; margin-right: 2px;"></div> </div> <p style="margin-left: 20px;">9% 94% 5%</p>
3	E	221	<div style="display: flex; align-items: center;"> <div style="width: 26%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 93%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 2%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 2%; height: 10px; background-color: grey; margin-right: 2px;"></div> </div> <p style="margin-left: 20px;">26% 93% . .</p>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	H	221	 8% 96%
4	F	214	 21% 97%
4	L	214	 4% 99%
5	G	5	 60% 40%
6	I	2	 100%
6	K	2	 100%
7	J	4	 75% 25%

2 Entry composition

There are 15 unique types of molecules in this entry. The entry contains 21373 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Integrin alpha-IIb heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	454	Total	C	N	O	S	0	6	0
			3519	2237	607	667	8			
1	C	453	Total	C	N	O	S	0	3	0
			3493	2219	602	664	8			

- Molecule 2 is a protein called Isoform Beta-3C of Integrin beta-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	466	Total	C	N	O	S	4	2	0
			3603	2245	615	710	33			
2	D	471	Total	C	N	O	S	0	0	0
			3623	2255	619	715	34			

- Molecule 3 is a protein called 10E5 Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	E	214	Total	C	N	O	S	0	0	0
			1631	1035	264	326	6			
3	H	216	Total	C	N	O	S	0	0	0
			1642	1041	266	329	6			

- Molecule 4 is a protein called 10E5 Fab light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	F	214	Total	C	N	O	S	0	0	0
			1637	1019	268	341	9			
4	L	214	Total	C	N	O	S	0	0	0
			1637	1019	268	341	9			

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
5	G	5	61	34	2	25	0	0	0

- Molecule 6 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
6	I	2	28	16	2	10	0	0	0
6	K	2	28	16	2	10	0	0	0

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
7	J	4	50	28	2	20	0	0	0

- Molecule 8 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	O	S	0	0
			5	4	1		
8	A	1	Total	O	S	0	0
			5	4	1		
8	A	1	Total	O	S	0	0
			5	4	1		
8	C	1	Total	O	S	0	0
			5	4	1		
8	C	1	Total	O	S	0	0
			5	4	1		
8	L	1	Total	O	S	0	0
			5	4	1		

- Molecule 9 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	1	Total	C O	0	0
			6	3 3		

- Molecule 10 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	4	Total	Ca	0	0
			4	4		
10	B	2	Total	Ca	0	0
			2	2		
10	C	4	Total	Ca	0	0
			4	4		
10	D	2	Total	Ca	0	0
			2	2		

- Molecule 11 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	B	1	Total	Mg	0	0
			1	1		
11	D	1	Total	Mg	0	0
			1	1		

- Molecule 12 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
12	B	1	14	8	1	5	0	0
12	D	1	14	8	1	5	0	0

- Molecule 13 is Fradafiban (three-letter code: MWX) (formula: $C_{20}H_{21}N_3O_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
13	B	1	27	20	3	4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
13	D	1	Total	C	N	O	0	0
			27	20	3	4		

- Molecule 14 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	B	1	Total	Cl	0	0
			1	1		
14	C	2	Total	Cl	0	0
			2	2		
14	D	1	Total	Cl	0	0
			1	1		


- Molecule 15 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	A	97	Total	O	0	0
			97	97		
15	B	75	Total	O	0	0
			75	75		
15	C	47	Total	O	0	0
			47	47		
15	D	27	Total	O	0	0
			27	27		
15	E	8	Total	O	0	0
			8	8		
15	F	4	Total	O	0	0
			4	4		
15	H	9	Total	O	0	0
			9	9		
15	L	18	Total	O	0	0
			18	18		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Integrin alpha-IIb heavy chain

Chain A: 




- Molecule 1: Integrin alpha-IIb heavy chain

Chain C: 




- Molecule 2: Isoform Beta-3C of Integrin beta-3

Chain B: 




- Molecule 2: Isoform Beta-3C of Integrin beta-3

Chain D: 








- Molecule 3: 10E5 Fab heavy chain



- Molecule 3: 10E5 Fab heavy chain




- Molecule 4: 10E5 Fab light chain



- Molecule 4: 10E5 Fab light chain



- Molecule 5: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  100%

NAG1
NAG2

- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  100%

NAG1
NAG2

- Molecule 7: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  75% 25%

NAG1
NAG2
BMA3
MAN4

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	258.28Å 145.02Å 104.99Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.82 – 2.74 42.82 – 2.74	Depositor EDS
% Data completeness (in resolution range)	97.2 (42.82-2.74) 85.6 (42.82-2.74)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.44 (at 2.73Å)	Xtrriage
Refinement program	PHENIX 1.11.1_2575	Depositor
R, R_{free}	0.225 , 0.253 0.226 , 0.253	Depositor DCC
R_{free} test set	1994 reflections (1.97%)	wwPDB-VP
Wilson B-factor (Å ²)	61.3	Xtrriage
Anisotropy	0.056	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 33.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	21373	wwPDB-VP
Average B, all atoms (Å ²)	93.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.21% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, CA, NAG, CL, SO4, BMA, MAN, MWX, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/3628	0.45	0/4944
1	C	0.25	0/3596	0.45	0/4900
2	B	0.24	0/3673	0.43	0/4981
2	D	0.24	0/3690	0.43	0/5003
3	E	0.24	0/1673	0.44	0/2290
3	H	0.24	0/1684	0.45	0/2305
4	F	0.24	0/1673	0.44	0/2269
4	L	0.24	0/1673	0.45	0/2269
All	All	0.25	0/21290	0.44	0/28961

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3519	0	3364	8	0
1	C	3493	0	3327	6	0
2	B	3603	0	3526	12	0
2	D	3623	0	3540	11	0
3	E	1631	0	1590	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	H	1642	0	1600	2	0
4	F	1637	0	1553	3	0
4	L	1637	0	1553	1	0
5	G	61	0	52	0	0
6	I	28	0	25	0	0
6	K	28	0	25	0	0
7	J	50	0	43	0	0
8	A	15	0	0	0	0
8	C	10	0	0	0	0
8	L	5	0	0	0	0
9	A	6	0	8	0	0
10	A	4	0	0	0	0
10	B	2	0	0	0	0
10	C	4	0	0	0	0
10	D	2	0	0	0	0
11	B	1	0	0	0	0
11	D	1	0	0	0	0
12	B	14	0	13	0	0
12	D	14	0	13	0	0
13	B	27	0	0	2	0
13	D	27	0	0	3	0
14	B	1	0	0	0	0
14	C	2	0	0	0	0
14	D	1	0	0	0	0
15	A	97	0	0	0	0
15	B	75	0	0	0	0
15	C	47	0	0	0	0
15	D	27	0	0	0	0
15	E	8	0	0	0	0
15	F	4	0	0	0	0
15	H	9	0	0	0	0
15	L	18	0	0	0	0
All	All	21373	0	20232	45	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (45) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:121:SER:HB2	13:B:2005:MWX:O27	1.97	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:224:ASP:OD1	1:A:225:SER:N	2.36	0.58
1:A:9:THR:HB	1:A:447:VAL:HB	1.88	0.55
2:D:12:SER:HB3	2:D:461:ARG:HD3	1.89	0.54
2:B:12:SER:HB3	2:B:461:ARG:HD3	1.92	0.52
2:B:130:SER:OG	2:B:336:ASP:O	2.27	0.50
2:D:139:ALA:HB2	2:D:200:VAL:HG11	1.94	0.50
1:C:107:CYS:HA	1:C:130:CYS:HA	1.95	0.49
1:C:215:HIS:CE1	3:E:32:THR:HG22	2.49	0.48
2:D:121:SER:HB2	13:D:2005:MWX:C25	2.42	0.48
3:H:213:ASP:OD1	3:H:213:ASP:N	2.47	0.48
2:D:306:LEU:HB3	2:D:328:THR:HG22	1.95	0.48
2:B:121:SER:HB2	13:B:2005:MWX:C25	2.43	0.48
1:C:394:GLY:HA2	1:C:399:LEU:HD23	1.96	0.48
1:C:9:THR:HB	1:C:447:VAL:HB	1.96	0.47
2:B:108:GLU:HG3	2:B:391:ILE:HG22	1.97	0.47
2:B:139:ALA:HB2	2:B:200:VAL:HG11	1.96	0.47
2:D:356:GLU:HG3	2:D:385:SER:HB3	1.98	0.46
4:L:193:THR:HG23	4:L:208:SER:HB3	1.97	0.46
1:A:107:CYS:HA	1:A:130:CYS:HA	1.97	0.46
2:B:26:CYS:O	2:B:37:ARG:NH1	2.48	0.45
2:D:121:SER:HB2	13:D:2005:MWX:O27	2.16	0.45
1:A:377:ALA:HB2	1:A:421:LEU:HD11	1.99	0.44
3:E:36:TRP:CE2	3:E:81:LEU:HB2	2.52	0.44
2:B:249:THR:HG22	2:B:309:ALA:HB3	2.00	0.43
2:D:418:PRO:HB2	2:D:421:PHE:CD1	2.53	0.43
1:A:3:LEU:O	1:A:5:PRO:HD3	2.18	0.43
2:D:126:ASP:OD1	2:D:126:ASP:N	2.49	0.43
2:B:442:GLU:HB3	2:B:455:PHE:HB3	2.00	0.43
1:A:213:LEU:HA	1:A:213:LEU:HD23	1.86	0.42
1:C:377:ALA:HB2	1:C:421:LEU:HD11	2.01	0.42
3:E:172:PHE:CD2	4:F:164:THR:HG23	2.55	0.42
2:D:310:VAL:HG11	2:D:318:TYR:CD2	2.54	0.42
2:D:409:GLU:HB2	2:D:412:LYS:HE3	2.00	0.42
4:F:37:GLN:HB2	4:F:47:LEU:HD11	2.02	0.42
3:E:125:PRO:HB3	3:E:151:TYR:HB3	2.02	0.41
3:E:152:PHE:HA	3:E:153:PRO:HA	1.88	0.41
2:B:3:ASN:ND2	2:B:40:LEU:HG	2.36	0.41
1:A:394:GLY:HA2	1:A:399:LEU:HD23	2.03	0.41
3:H:102:ASP:HB3	3:H:105:ALA:HB2	2.02	0.41
1:C:225:SER:O	13:D:2005:MWX:N23	2.54	0.41
4:F:43:SER:OG	4:F:44:PHE:N	2.52	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:262:TRP:HB3	2:B:317:LEU:HD13	2.03	0.40
2:B:31:LEU:HD23	2:B:32:PRO:O	2.21	0.40
2:D:441:ALA:O	2:D:443:PRO:HD3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	458/457 (100%)	448 (98%)	10 (2%)	0	100	100
1	C	454/457 (99%)	439 (97%)	15 (3%)	0	100	100
2	B	466/472 (99%)	447 (96%)	19 (4%)	0	100	100
2	D	469/472 (99%)	442 (94%)	26 (6%)	1 (0%)	47	69
3	E	210/221 (95%)	195 (93%)	15 (7%)	0	100	100
3	H	212/221 (96%)	199 (94%)	13 (6%)	0	100	100
4	F	212/214 (99%)	202 (95%)	10 (5%)	0	100	100
4	L	212/214 (99%)	205 (97%)	7 (3%)	0	100	100
All	All	2693/2728 (99%)	2577 (96%)	115 (4%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	157	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	368/364 (101%)	361 (98%)	7 (2%)	57	74
1	C	364/364 (100%)	360 (99%)	4 (1%)	73	84
2	B	414/417 (99%)	409 (99%)	5 (1%)	71	83
2	D	416/417 (100%)	410 (99%)	6 (1%)	67	80
3	E	186/190 (98%)	186 (100%)	0	100	100
3	H	187/190 (98%)	186 (100%)	1 (0%)	88	92
4	F	188/188 (100%)	186 (99%)	2 (1%)	73	84
4	L	188/188 (100%)	188 (100%)	0	100	100
All	All	2311/2318 (100%)	2286 (99%)	25 (1%)	73	84

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	LEU
1	A	166	TYR
1	A	190	TYR
1	A	192	LEU
1	A	197	GLN
1	A	270	LEU
1	A	288	TYR
2	B	128	LEU
2	B	171	GLU
2	B	180	MET
2	B	215	ASN
2	B	323	GLU
1	C	1	LEU
1	C	23	LEU
1	C	166	TYR
1	C	288	TYR
2	D	47	ASP
2	D	127	ASP
2	D	202	ARG
2	D	215	ASN
2	D	365	GLU
2	D	432	ASP
4	F	181	LEU
4	F	214	CYS
3	H	177	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	333	GLN
2	D	15	GLN
2	D	301	GLN
4	F	138	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

13 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	NAG	G	1	2,5	14,14,15	0.37	0	17,19,21	0.52	0
5	NAG	G	2	5	14,14,15	0.19	0	17,19,21	0.51	0
5	BMA	G	3	5	11,11,12	0.68	0	15,15,17	0.82	0
5	MAN	G	4	5	11,11,12	0.76	0	15,15,17	1.20	2 (13%)
5	MAN	G	5	5	11,11,12	0.66	0	15,15,17	1.04	2 (13%)
6	NAG	I	1	6,2	14,14,15	0.28	0	17,19,21	0.49	0
6	NAG	I	2	6	14,14,15	0.16	0	17,19,21	0.50	0
7	NAG	J	1	7,2	14,14,15	0.25	0	17,19,21	0.55	0
7	NAG	J	2	7	14,14,15	0.20	0	17,19,21	0.40	0
7	BMA	J	3	7	11,11,12	0.59	0	15,15,17	0.78	0
7	MAN	J	4	7	11,11,12	0.82	1 (9%)	15,15,17	1.28	2 (13%)
6	NAG	K	1	6,2	14,14,15	0.38	0	17,19,21	0.57	0
6	NAG	K	2	6	14,14,15	0.27	0	17,19,21	0.50	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	G	1	2,5	-	2/6/23/26	0/1/1/1
5	NAG	G	2	5	-	0/6/23/26	0/1/1/1
5	BMA	G	3	5	-	0/2/19/22	0/1/1/1
5	MAN	G	4	5	-	0/2/19/22	0/1/1/1
5	MAN	G	5	5	-	0/2/19/22	0/1/1/1
6	NAG	I	1	6,2	-	2/6/23/26	0/1/1/1
6	NAG	I	2	6	-	3/6/23/26	0/1/1/1
7	NAG	J	1	7,2	-	0/6/23/26	0/1/1/1
7	NAG	J	2	7	-	0/6/23/26	0/1/1/1
7	BMA	J	3	7	-	0/2/19/22	0/1/1/1
7	MAN	J	4	7	-	0/2/19/22	0/1/1/1
6	NAG	K	1	6,2	-	0/6/23/26	0/1/1/1
6	NAG	K	2	6	-	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	J	4	MAN	C1-C2	2.36	1.57	1.52

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	J	4	MAN	C1-O5-C5	3.36	116.74	112.19
5	G	4	MAN	C1-O5-C5	3.30	116.66	112.19
5	G	5	MAN	C1-O5-C5	2.42	115.47	112.19
7	J	4	MAN	O2-C2-C3	-2.36	105.41	110.14
5	G	4	MAN	O2-C2-C3	-2.30	105.52	110.14
5	G	5	MAN	O2-C2-C3	-2.28	105.57	110.14

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	G	1	NAG	O5-C5-C6-O6
5	G	1	NAG	C4-C5-C6-O6
6	I	2	NAG	C8-C7-N2-C2
6	I	2	NAG	O7-C7-N2-C2

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
6	K	2	NAG	C8-C7-N2-C2
6	K	2	NAG	O7-C7-N2-C2
6	I	1	NAG	C4-C5-C6-O6
6	I	1	NAG	O5-C5-C6-O6
6	I	2	NAG	O5-C5-C6-O6



There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







5.6 Ligand geometry [i](#)

Of 29 ligands modelled in this entry, 18 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
12	NAG	B	2004	2	14,14,15	0.30	0	17,19,21	0.55	0
8	SO4	A	503	-	4,4,4	0.13	0	6,6,6	0.08	0
12	NAG	D	2004	2	14,14,15	0.54	0	17,19,21	0.61	0
8	SO4	C	502	-	4,4,4	0.14	0	6,6,6	0.06	0
8	SO4	A	502	-	4,4,4	0.16	0	6,6,6	0.08	0
8	SO4	A	501	-	4,4,4	0.15	0	6,6,6	0.05	0
13	MWX	D	2005	11	29,29,29	1.79	8 (27%)	31,40,40	2.27	15 (48%)
8	SO4	L	301	-	4,4,4	0.13	0	6,6,6	0.09	0
9	GOL	A	504	-	5,5,5	0.37	0	5,5,5	0.24	0
8	SO4	C	501	-	4,4,4	0.14	0	6,6,6	0.10	0
13	MWX	B	2005	11	29,29,29	1.86	8 (27%)	31,40,40	2.28	16 (51%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	NAG	B	2004	2	-	2/6/23/26	0/1/1/1
12	NAG	D	2004	2	-	2/6/23/26	0/1/1/1
13	MWX	D	2005	11	-	8/17/29/29	0/3/3/3
9	GOL	A	504	-	-	2/4/4/4	-
13	MWX	B	2005	11	-	8/17/29/29	0/3/3/3

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	B	2005	MWX	C07-C06	3.75	1.59	1.51
13	D	2005	MWX	C07-C06	3.70	1.59	1.51
13	B	2005	MWX	C24-C25	3.48	1.60	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	B	2005	MWX	C02-C03	-3.45	1.48	1.52
13	D	2005	MWX	C02-C03	-3.27	1.48	1.52
13	D	2005	MWX	C24-C25	3.06	1.59	1.51
13	B	2005	MWX	C03-N05	3.04	1.40	1.34
13	D	2005	MWX	C03-N05	2.88	1.39	1.34
13	B	2005	MWX	C18-C21	2.82	1.52	1.47
13	D	2005	MWX	C18-C21	2.81	1.52	1.47
13	B	2005	MWX	C21-N23	2.77	1.41	1.33
13	D	2005	MWX	C21-N23	2.65	1.40	1.33
13	B	2005	MWX	C15-C12	2.36	1.54	1.49
13	D	2005	MWX	C14-C13	2.32	1.43	1.38
13	B	2005	MWX	C14-C13	2.28	1.42	1.38
13	D	2005	MWX	C20-C19	2.13	1.42	1.38

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	B	2005	MWX	C14-C09-C10	-4.63	113.04	120.18
13	D	2005	MWX	C14-C09-C10	-4.61	113.07	120.18
13	B	2005	MWX	C01-C02-C24	3.62	121.60	116.16
13	B	2005	MWX	C13-C12-C11	-3.55	110.50	117.59
13	D	2005	MWX	C01-C02-C24	3.52	121.44	116.16
13	D	2005	MWX	C13-C12-C11	-3.48	110.65	117.59
13	B	2005	MWX	C11-C10-C09	3.34	123.82	119.73
13	D	2005	MWX	C11-C10-C09	3.32	123.80	119.73
13	D	2005	MWX	O04-C03-N05	-3.32	121.32	126.48
13	B	2005	MWX	O04-C03-N05	-3.28	121.38	126.48
13	B	2005	MWX	C14-C13-C12	3.20	125.74	121.13
13	D	2005	MWX	C17-C16-C15	3.19	125.73	121.13
13	D	2005	MWX	C14-C13-C12	3.17	125.69	121.13
13	B	2005	MWX	C17-C16-C15	3.08	125.56	121.13
13	D	2005	MWX	O08-C07-C06	2.96	116.66	108.97
13	D	2005	MWX	C19-C18-C17	-2.89	114.47	118.59
13	B	2005	MWX	C19-C18-C17	-2.83	114.55	118.59
13	B	2005	MWX	C20-C19-C18	2.76	123.99	120.78
13	B	2005	MWX	O08-C07-C06	2.72	116.03	108.97
13	B	2005	MWX	C20-C15-C16	-2.63	112.34	117.59
13	D	2005	MWX	C20-C19-C18	2.61	123.82	120.78
13	D	2005	MWX	C20-C15-C16	-2.60	112.40	117.59
13	B	2005	MWX	C13-C12-C15	2.41	125.54	121.36
13	D	2005	MWX	C18-C21-N23	2.40	121.67	118.05
13	B	2005	MWX	C10-C11-C12	2.40	124.59	121.13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	D	2005	MWX	C13-C12-C15	2.40	125.52	121.36
13	D	2005	MWX	C10-C11-C12	2.34	124.51	121.13
13	B	2005	MWX	C18-C21-N23	2.30	121.52	118.05
13	B	2005	MWX	C01-C02-C03	-2.11	100.13	102.86
13	B	2005	MWX	C13-C14-C09	2.10	122.30	119.73
13	D	2005	MWX	C13-C14-C09	2.08	122.28	119.73

There are no chirality outliers.

All (22) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
9	A	504	GOL	O1-C1-C2-C3
13	B	2005	MWX	C01-C02-C24-C25
13	B	2005	MWX	C17-C18-C21-N23
13	B	2005	MWX	C19-C18-C21-N23
13	D	2005	MWX	C01-C06-C07-O08
12	B	2004	NAG	O5-C5-C6-O6
13	B	2005	MWX	C14-C09-O08-C07
13	B	2005	MWX	C10-C09-O08-C07
12	B	2004	NAG	C4-C5-C6-O6
12	D	2004	NAG	O5-C5-C6-O6
13	D	2005	MWX	C14-C09-O08-C07
12	D	2004	NAG	C4-C5-C6-O6
13	D	2005	MWX	C10-C09-O08-C07
9	A	504	GOL	O1-C1-C2-O2
13	B	2005	MWX	N05-C06-C07-O08
13	D	2005	MWX	N05-C06-C07-O08
13	B	2005	MWX	C03-C02-C24-C25
13	D	2005	MWX	C17-C18-C21-N23
13	D	2005	MWX	C19-C18-C21-N23
13	B	2005	MWX	C19-C18-C21-N22
13	D	2005	MWX	C17-C18-C21-N22
13	D	2005	MWX	C19-C18-C21-N22


There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
13	D	2005	MWX	3	0
13	B	2005	MWX	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	454/457 (99%)	0.31	9 (1%) 65 72	48, 60, 81, 102	0
1	C	453/457 (99%)	0.50	27 (5%) 21 24	55, 75, 95, 113	0
2	B	466/472 (98%)	0.58	32 (6%) 16 18	49, 82, 147, 163	1 (0%)
2	D	471/472 (99%)	0.65	44 (9%) 8 9	60, 95, 138, 156	0
3	E	214/221 (96%)	1.38	58 (27%) 0 0	91, 131, 195, 206	0
3	H	216/221 (97%)	0.54	17 (7%) 12 14	71, 105, 144, 153	0
4	F	214/214 (100%)	1.24	46 (21%) 0 0	93, 132, 195, 206	0
4	L	214/214 (100%)	0.35	8 (3%) 41 46	73, 98, 117, 140	0
All	All	2702/2728 (99%)	0.63	241 (8%) 9 10	48, 89, 170, 206	1 (0%)

All (241) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	E	134	CYS	10.4
3	E	212	VAL	10.2
3	E	133	VAL	9.3
3	E	216	ILE	8.1
4	F	195	GLU	7.6
4	F	181	LEU	7.5
4	F	130	ALA	7.2
4	F	178	THR	7.1
2	D	375	LEU	7.0
3	E	219	ARG	7.0
3	E	129	PRO	6.8
4	F	115	VAL	6.7
3	E	147	LEU	6.6
2	B	77	SER	6.6
2	D	471	CYS	6.4
4	L	214	CYS	6.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	206	VAL	6.1
4	F	180	THR	6.1
2	D	469	SER	5.9
2	B	466	TRP	5.8
3	E	144	LEU	5.8
4	F	214	CYS	5.8
4	F	179	LEU	5.6
3	E	201	CYS	5.5
4	F	125	LEU	5.4
1	A	454	VAL	5.4
1	C	453	VAL	5.3
4	F	194	CYS	5.1
4	F	135	PHE	5.1
2	D	44	LEU	5.0
4	F	15	LEU	5.0
3	E	130	LEU	5.0
3	E	215	LYS	4.9
4	F	147	LYS	4.8
2	B	2	PRO	4.8
2	D	466	TRP	4.8
1	A	339	ALA	4.7
4	F	148	TRP	4.7
3	E	165	LEU	4.6
2	B	4	ILE	4.5
2	B	33	LEU	4.5
3	E	16	ALA	4.5
2	B	11	SER	4.4
2	D	468	GLY	4.3
2	B	39	ASP	4.3
1	C	340	LEU	4.3
3	E	160	TRP	4.3
4	F	213	GLU	4.2
2	B	10	VAL	4.2
3	E	194	TRP	4.1
3	E	199	ILE	4.1
4	F	117	ILE	4.1
2	D	39	ASP	4.1
2	D	36	PRO	4.0
2	B	8	ARG	4.0
3	H	216	ILE	3.9
3	E	183	LEU	3.9
2	D	450	ASN	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	193	THR	3.9
4	F	209	PHE	3.9
3	H	158	LEU	3.8
3	H	211	LYS	3.8
2	D	8	ARG	3.8
2	D	467	LEU	3.8
2	B	36	PRO	3.8
3	H	198	SER	3.8
2	B	181	LYS	3.7
1	C	130	CYS	3.7
3	E	203	VAL	3.7
3	E	142	VAL	3.7
4	L	212	ASN	3.7
2	B	452	ASN	3.6
2	B	34	GLY	3.6
3	E	127	VAL	3.6
3	E	148	VAL	3.6
2	B	451	GLY	3.5
2	D	58	VAL	3.5
4	F	134	CYS	3.5
2	D	51	PRO	3.5
4	F	212	ASN	3.5
4	F	204	PRO	3.4
4	F	200	THR	3.4
3	E	89	GLU	3.4
2	B	89	ALA	3.3
2	D	35	SER	3.3
2	D	55	GLU	3.3
3	E	168	GLY	3.3
1	C	172	SER	3.2
3	E	17	SER	3.2
2	D	451	GLY	3.2
2	D	470	GLN	3.2
2	B	1	GLY	3.2
3	E	187	VAL	3.2
2	D	181	LYS	3.1
2	B	67	ARG	3.1
2	B	458	GLY	3.1
3	H	134	CYS	3.1
3	E	195	PRO	3.0
3	H	217	GLU	3.0
3	E	131	ALA	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	156	GLN	3.0
4	F	120	PRO	3.0
2	D	54	ILE	3.0
3	E	128	TYR	3.0
2	D	52	GLU	3.0
4	F	146	VAL	3.0
1	C	360	ILE	2.9
3	E	11	LEU	2.9
3	E	196	SER	2.9
4	F	132	VAL	2.9
3	E	149	LYS	2.8
1	C	292	SER	2.8
2	D	374	CYS	2.8
2	D	446	HIS	2.8
2	B	432	ASP	2.8
2	D	178	TYR	2.8
3	E	167	SER	2.8
2	D	143	ARG	2.8
3	E	198	SER	2.8
3	E	156	VAL	2.8
2	B	44	LEU	2.8
1	A	337	PRO	2.7
3	H	203	VAL	2.7
1	A	159	ASP	2.7
2	D	1	GLY	2.7
1	C	244	PHE	2.7
4	F	175	MET	2.7
3	E	126	SER	2.7
4	F	161	ASN	2.6
3	H	144	LEU	2.6
2	B	456	GLU	2.6
4	L	83	PHE	2.6
2	D	380	ILE	2.6
2	D	57	PRO	2.6
4	F	159	VAL	2.6
3	E	132	PRO	2.6
2	D	33	LEU	2.6
4	L	45	MET	2.6
3	E	27	PHE	2.6
2	D	449	ASN	2.6
1	A	130	CYS	2.6
1	A	340	LEU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	217	SER	2.6
4	F	151	ASP	2.6
1	C	107	CYS	2.6
3	E	218	PRO	2.5
1	A	217	SER	2.5
3	E	141	SER	2.5
4	F	122	SER	2.5
3	H	179	ASP	2.5
3	E	121	LYS	2.5
2	B	17	LEU	2.5
4	F	133	VAL	2.5
3	E	54	ALA	2.5
2	B	462	CYS	2.5
3	E	18	VAL	2.5
3	E	191	SER	2.5
2	D	257	ALA	2.5
1	C	320	ARG	2.5
4	F	185	GLU	2.5
3	H	189	VAL	2.5
1	C	94	GLY	2.4
1	C	337	PRO	2.4
3	E	158	LEU	2.4
3	H	11	LEU	2.4
2	B	459	VAL	2.4
3	H	208	SER	2.4
4	F	136	LEU	2.4
1	C	109	PRO	2.4
2	D	261	ARG	2.4
2	D	41	LYS	2.4
2	D	79	GLN	2.4
1	C	116	LEU	2.4
3	E	120	ALA	2.4
3	H	150	GLY	2.4
1	C	336	GLY	2.3
1	A	167	CYS	2.3
2	B	129	TRP	2.3
2	D	312	GLU	2.3
3	E	4	LEU	2.3
4	F	104	LEU	2.3
1	A	338	HIS	2.3
2	D	2	PRO	2.3
3	E	143	THR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	152	GLY	2.3
2	B	450	ASN	2.3
4	L	125	LEU	2.3
1	C	96	SER	2.3
2	D	255	HIS	2.2
4	F	113	PRO	2.2
4	F	186	TYR	2.2
1	C	311	PRO	2.2
2	D	53	SER	2.2
3	H	183	LEU	2.2
4	F	199	LYS	2.2
3	E	210	THR	2.2
3	E	169	VAL	2.2
2	B	254	THR	2.2
3	E	182	THR	2.2
1	C	184	GLY	2.2
4	L	206	VAL	2.2
4	F	14	SER	2.2
1	C	186	PRO	2.2
2	B	219	PRO	2.2
3	E	188	THR	2.2
1	C	192	LEU	2.2
2	B	46	LYS	2.2
4	L	135	PHE	2.2
3	E	86	LEU	2.2
3	H	177	GLN	2.2
3	E	150	GLY	2.2
1	C	366	LEU	2.2
1	C	167	CYS	2.2
1	C	169	ALA	2.2
2	D	73	GLY	2.2
2	D	40	LEU	2.1
3	E	157	THR	2.1
2	D	112	VAL	2.1
2	B	76	ASP	2.1
3	H	160	TRP	2.1
2	D	409	GLU	2.1
3	E	1	GLU	2.1
2	B	440	GLN	2.1
3	E	5	GLN	2.1
4	F	126	THR	2.1
4	F	129	GLY	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	L	205	ILE	2.1
2	B	49	CYS	2.1
4	F	11	MET	2.1
3	E	20	LEU	2.0
1	C	339	ALA	2.0
1	C	302	GLY	2.0
2	D	432	ASP	2.0
4	F	83	PHE	2.0
1	C	338	HIS	2.0
4	F	78	LEU	2.0
2	D	200	VAL	2.0
2	D	452	ASN	2.0
1	C	238	SER	2.0
3	H	1	GLU	2.0
3	E	12	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	BMA	J	3	11/12	0.63	0.23	102,102,102,102	0
5	BMA	G	3	11/12	0.74	0.26	101,101,101,101	0
5	MAN	G	5	11/12	0.80	0.33	107,107,107,107	0
6	NAG	K	2	14/15	0.82	0.24	121,121,121,121	0
6	NAG	K	1	14/15	0.82	0.23	117,117,117,117	0
7	NAG	J	2	14/15	0.87	0.30	96,96,96,96	0
7	MAN	J	4	11/12	0.87	0.19	99,99,99,99	0
5	MAN	G	4	11/12	0.88	0.25	96,96,96,96	0
5	NAG	G	1	14/15	0.89	0.20	74,74,74,74	0
6	NAG	I	1	14/15	0.89	0.19	112,112,112,112	0
6	NAG	I	2	14/15	0.89	0.22	116,116,116,116	0
5	NAG	G	2	14/15	0.89	0.21	90,90,90,90	0
7	NAG	J	1	14/15	0.93	0.15	88,88,88,88	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain I:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
14	CL	D	2006	1/1	0.76	0.12	103,103,103,103	0
8	SO4	A	501	5/5	0.83	0.38	96,96,96,96	0
12	NAG	D	2004	14/15	0.85	0.22	110,110,110,110	0
13	MWX	D	2005	27/27	0.85	0.29	78,78,78,78	0
12	NAG	B	2004	14/15	0.85	0.29	112,112,112,112	0
8	SO4	C	501	5/5	0.86	0.25	97,97,97,97	0
14	CL	C	508	1/1	0.87	0.19	87,87,87,87	0
13	MWX	B	2005	27/27	0.89	0.23	64,64,64,64	0
9	GOL	A	504	6/6	0.89	0.15	76,76,76,76	0
10	CA	C	504	1/1	0.90	0.06	97,97,97,97	0
10	CA	D	2002	1/1	0.90	0.10	77,77,77,77	0
8	SO4	L	301	5/5	0.90	0.35	102,102,102,102	0
8	SO4	C	502	5/5	0.90	0.18	96,96,96,96	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
10	CA	A	505	1/1	0.91	0.05	73,73,73,73	0
14	CL	C	503	1/1	0.92	0.12	79,79,79,79	0
10	CA	C	506	1/1	0.92	0.17	77,77,77,77	0
14	CL	B	2006	1/1	0.92	0.12	88,88,88,88	0
10	CA	A	507	1/1	0.93	0.25	51,51,51,51	0
10	CA	B	2002	1/1	0.94	0.03	71,71,71,71	0
10	CA	C	505	1/1	0.94	0.05	83,83,83,83	0
10	CA	D	2003	1/1	0.94	0.19	66,66,66,66	0
11	MG	B	2001	1/1	0.94	0.20	54,54,54,54	0
10	CA	C	507	1/1	0.95	0.12	77,77,77,77	0
11	MG	D	2001	1/1	0.95	0.17	71,71,71,71	0
8	SO4	A	503	5/5	0.96	0.09	76,76,76,76	0
8	SO4	A	502	5/5	0.96	0.43	75,75,75,75	0
10	CA	A	508	1/1	0.97	0.18	52,52,52,52	0
10	CA	B	2003	1/1	0.97	0.23	56,56,56,56	0
10	CA	A	506	1/1	0.98	0.14	54,54,54,54	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.