



# wwPDB EM Validation Summary Report ⓘ

Oct 6, 2024 – 07:47 AM EDT

PDB ID : 7UUS  
EMDB ID : EMD-26802  
Title : The CryoEM structure of the [NiFe]-hydrogenase Huc from Mycobacterium smegmatis - Full complex focused refinement of stalk  
Authors : Grinter, R.; Venugopal, H.; Kropp, A.; Greening, C.  
Deposited on : 2022-04-28  
Resolution : 8.00 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 8.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.















Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	515	
1	C	515	
1	E	515	
1	G	515	
1	I	515	
1	K	515	
1	M	515	
1	O	515	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	B	369	
2	D	369	
2	F	369	
2	H	369	
2	J	369	
2	L	369	
2	N	369	
2	P	369	
3	Q	188	
3	R	188	
3	S	188	
3	T	188	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	FCO	A	602	-	-	X	-
5	FCO	C	602	-	-	X	-
5	FCO	E	602	-	-	X	-
5	FCO	G	602	-	-	X	-
5	FCO	I	602	-	-	X	-
5	FCO	K	602	-	-	X	-
5	FCO	M	602	-	-	X	-
5	FCO	O	602	-	-	X	-
8	F3S	B	404	-	-	X	-
8	F3S	D	404	-	-	X	-
8	F3S	F	404	-	-	X	-
8	F3S	H	404	-	-	X	-
8	F3S	J	404	-	-	X	-
8	F3S	L	404	-	-	X	-
8	F3S	N	404	-	-	X	-
8	F3S	P	404	-	-	X	-

## 2 Entry composition i

There are 8 unique types of molecules in this entry. The entry contains 57348 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hydrogenase-2, large subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	513	4037	2573	685	762	17	0	0
1	C	513	4037	2573	685	762	17	0	0
1	E	513	4037	2573	685	762	17	0	0
1	G	513	4037	2573	685	762	17	0	0
1	I	513	4037	2573	685	762	17	0	0
1	K	513	4037	2573	685	762	17	0	0
1	M	513	4037	2573	685	762	17	0	0
1	O	513	4037	2573	685	762	17	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	166	DHI	HIS	conflict	UNP A0QUM7
C	166	DHI	HIS	conflict	UNP A0QUM7
E	166	DHI	HIS	conflict	UNP A0QUM7
G	166	DHI	HIS	conflict	UNP A0QUM7
I	166	DHI	HIS	conflict	UNP A0QUM7
K	166	DHI	HIS	conflict	UNP A0QUM7
M	166	DHI	HIS	conflict	UNP A0QUM7
O	166	DHI	HIS	conflict	UNP A0QUM7

- Molecule 2 is a protein called Hydrogenase-2, small subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	322	2459	1568	417	452	22	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf	Trace
2	D	322	Total 2459	C 1568	N 417	O 452	S 22	0	0
2	F	322	Total 2459	C 1568	N 417	O 452	S 22	0	0
2	H	322	Total 2459	C 1568	N 417	O 452	S 22	0	0
2	J	322	Total 2459	C 1568	N 417	O 452	S 22	0	0
2	L	322	Total 2459	C 1568	N 417	O 452	S 22	0	0
2	N	322	Total 2459	C 1568	N 417	O 452	S 22	0	0
2	P	322	Total 2459	C 1568	N 417	O 452	S 22	0	0

There are 376 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-45	MET	-	initiating methionine	UNP I7G634
B	-44	SER	-	expression tag	UNP I7G634
B	-43	ALA	-	expression tag	UNP I7G634
B	-42	TRP	-	expression tag	UNP I7G634
B	-41	SER	-	expression tag	UNP I7G634
B	-40	HIS	-	expression tag	UNP I7G634
B	-39	PRO	-	expression tag	UNP I7G634
B	-38	GLN	-	expression tag	UNP I7G634
B	-37	PHE	-	expression tag	UNP I7G634
B	-36	GLU	-	expression tag	UNP I7G634
B	-35	LYS	-	expression tag	UNP I7G634
B	-34	GLY	-	expression tag	UNP I7G634
B	-33	GLY	-	expression tag	UNP I7G634
B	-32	GLY	-	expression tag	UNP I7G634
B	-31	SER	-	expression tag	UNP I7G634
B	-30	GLY	-	expression tag	UNP I7G634
B	-29	GLY	-	expression tag	UNP I7G634
B	-28	GLY	-	expression tag	UNP I7G634
B	-27	SER	-	expression tag	UNP I7G634
B	-26	GLY	-	expression tag	UNP I7G634
B	-25	GLY	-	expression tag	UNP I7G634
B	-24	SER	-	expression tag	UNP I7G634
B	-23	ALA	-	expression tag	UNP I7G634
B	-22	TRP	-	expression tag	UNP I7G634
B	-21	SER	-	expression tag	UNP I7G634

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	-20	HIS	-	expression tag	UNP I7G634
B	-19	PRO	-	expression tag	UNP I7G634
B	-18	GLN	-	expression tag	UNP I7G634
B	-17	PHE	-	expression tag	UNP I7G634
B	-16	GLU	-	expression tag	UNP I7G634
B	-15	LYS	-	expression tag	UNP I7G634
B	-14	SER	-	expression tag	UNP I7G634
B	-13	GLY	-	expression tag	UNP I7G634
B	-12	GLY	-	expression tag	UNP I7G634
B	-11	GLY	-	expression tag	UNP I7G634
B	-10	GLY	-	expression tag	UNP I7G634
B	-9	GLY	-	expression tag	UNP I7G634
B	-8	GLU	-	expression tag	UNP I7G634
B	-7	ASN	-	expression tag	UNP I7G634
B	-6	LEU	-	expression tag	UNP I7G634
B	-5	TYR	-	expression tag	UNP I7G634
B	-4	PHE	-	expression tag	UNP I7G634
B	-3	GLN	-	expression tag	UNP I7G634
B	-2	GLY	-	expression tag	UNP I7G634
B	-1	SER	-	expression tag	UNP I7G634
B	0	GLY	-	expression tag	UNP I7G634
B	1	GLY	-	expression tag	UNP I7G634
D	-45	MET	-	initiating methionine	UNP I7G634
D	-44	SER	-	expression tag	UNP I7G634
D	-43	ALA	-	expression tag	UNP I7G634
D	-42	TRP	-	expression tag	UNP I7G634
D	-41	SER	-	expression tag	UNP I7G634
D	-40	HIS	-	expression tag	UNP I7G634
D	-39	PRO	-	expression tag	UNP I7G634
D	-38	GLN	-	expression tag	UNP I7G634
D	-37	PHE	-	expression tag	UNP I7G634
D	-36	GLU	-	expression tag	UNP I7G634
D	-35	LYS	-	expression tag	UNP I7G634
D	-34	GLY	-	expression tag	UNP I7G634
D	-33	GLY	-	expression tag	UNP I7G634
D	-32	GLY	-	expression tag	UNP I7G634
D	-31	SER	-	expression tag	UNP I7G634
D	-30	GLY	-	expression tag	UNP I7G634
D	-29	GLY	-	expression tag	UNP I7G634
D	-28	GLY	-	expression tag	UNP I7G634
D	-27	SER	-	expression tag	UNP I7G634
D	-26	GLY	-	expression tag	UNP I7G634

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	-25	GLY	-	expression tag	UNP I7G634
D	-24	SER	-	expression tag	UNP I7G634
D	-23	ALA	-	expression tag	UNP I7G634
D	-22	TRP	-	expression tag	UNP I7G634
D	-21	SER	-	expression tag	UNP I7G634
D	-20	HIS	-	expression tag	UNP I7G634
D	-19	PRO	-	expression tag	UNP I7G634
D	-18	GLN	-	expression tag	UNP I7G634
D	-17	PHE	-	expression tag	UNP I7G634
D	-16	GLU	-	expression tag	UNP I7G634
D	-15	LYS	-	expression tag	UNP I7G634
D	-14	SER	-	expression tag	UNP I7G634
D	-13	GLY	-	expression tag	UNP I7G634
D	-12	GLY	-	expression tag	UNP I7G634
D	-11	GLY	-	expression tag	UNP I7G634
D	-10	GLY	-	expression tag	UNP I7G634
D	-9	GLY	-	expression tag	UNP I7G634
D	-8	GLU	-	expression tag	UNP I7G634
D	-7	ASN	-	expression tag	UNP I7G634
D	-6	LEU	-	expression tag	UNP I7G634
D	-5	TYR	-	expression tag	UNP I7G634
D	-4	PHE	-	expression tag	UNP I7G634
D	-3	GLN	-	expression tag	UNP I7G634
D	-2	GLY	-	expression tag	UNP I7G634
D	-1	SER	-	expression tag	UNP I7G634
D	0	GLY	-	expression tag	UNP I7G634
D	1	GLY	-	expression tag	UNP I7G634
F	-45	MET	-	initiating methionine	UNP I7G634
F	-44	SER	-	expression tag	UNP I7G634
F	-43	ALA	-	expression tag	UNP I7G634
F	-42	TRP	-	expression tag	UNP I7G634
F	-41	SER	-	expression tag	UNP I7G634
F	-40	HIS	-	expression tag	UNP I7G634
F	-39	PRO	-	expression tag	UNP I7G634
F	-38	GLN	-	expression tag	UNP I7G634
F	-37	PHE	-	expression tag	UNP I7G634
F	-36	GLU	-	expression tag	UNP I7G634
F	-35	LYS	-	expression tag	UNP I7G634
F	-34	GLY	-	expression tag	UNP I7G634
F	-33	GLY	-	expression tag	UNP I7G634
F	-32	GLY	-	expression tag	UNP I7G634
F	-31	SER	-	expression tag	UNP I7G634

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	-30	GLY	-	expression tag	UNP I7G634
F	-29	GLY	-	expression tag	UNP I7G634
F	-28	GLY	-	expression tag	UNP I7G634
F	-27	SER	-	expression tag	UNP I7G634
F	-26	GLY	-	expression tag	UNP I7G634
F	-25	GLY	-	expression tag	UNP I7G634
F	-24	SER	-	expression tag	UNP I7G634
F	-23	ALA	-	expression tag	UNP I7G634
F	-22	TRP	-	expression tag	UNP I7G634
F	-21	SER	-	expression tag	UNP I7G634
F	-20	HIS	-	expression tag	UNP I7G634
F	-19	PRO	-	expression tag	UNP I7G634
F	-18	GLN	-	expression tag	UNP I7G634
F	-17	PHE	-	expression tag	UNP I7G634
F	-16	GLU	-	expression tag	UNP I7G634
F	-15	LYS	-	expression tag	UNP I7G634
F	-14	SER	-	expression tag	UNP I7G634
F	-13	GLY	-	expression tag	UNP I7G634
F	-12	GLY	-	expression tag	UNP I7G634
F	-11	GLY	-	expression tag	UNP I7G634
F	-10	GLY	-	expression tag	UNP I7G634
F	-9	GLY	-	expression tag	UNP I7G634
F	-8	GLU	-	expression tag	UNP I7G634
F	-7	ASN	-	expression tag	UNP I7G634
F	-6	LEU	-	expression tag	UNP I7G634
F	-5	TYR	-	expression tag	UNP I7G634
F	-4	PHE	-	expression tag	UNP I7G634
F	-3	GLN	-	expression tag	UNP I7G634
F	-2	GLY	-	expression tag	UNP I7G634
F	-1	SER	-	expression tag	UNP I7G634
F	0	GLY	-	expression tag	UNP I7G634
F	1	GLY	-	expression tag	UNP I7G634
H	-45	MET	-	initiating methionine	UNP I7G634
H	-44	SER	-	expression tag	UNP I7G634
H	-43	ALA	-	expression tag	UNP I7G634
H	-42	TRP	-	expression tag	UNP I7G634
H	-41	SER	-	expression tag	UNP I7G634
H	-40	HIS	-	expression tag	UNP I7G634
H	-39	PRO	-	expression tag	UNP I7G634
H	-38	GLN	-	expression tag	UNP I7G634
H	-37	PHE	-	expression tag	UNP I7G634
H	-36	GLU	-	expression tag	UNP I7G634

*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
H	-35	LYS	-	expression tag	UNP I7G634
H	-34	GLY	-	expression tag	UNP I7G634
H	-33	GLY	-	expression tag	UNP I7G634
H	-32	GLY	-	expression tag	UNP I7G634
H	-31	SER	-	expression tag	UNP I7G634
H	-30	GLY	-	expression tag	UNP I7G634
H	-29	GLY	-	expression tag	UNP I7G634
H	-28	GLY	-	expression tag	UNP I7G634
H	-27	SER	-	expression tag	UNP I7G634
H	-26	GLY	-	expression tag	UNP I7G634
H	-25	GLY	-	expression tag	UNP I7G634
H	-24	SER	-	expression tag	UNP I7G634
H	-23	ALA	-	expression tag	UNP I7G634
H	-22	TRP	-	expression tag	UNP I7G634
H	-21	SER	-	expression tag	UNP I7G634
H	-20	HIS	-	expression tag	UNP I7G634
H	-19	PRO	-	expression tag	UNP I7G634
H	-18	GLN	-	expression tag	UNP I7G634
H	-17	PHE	-	expression tag	UNP I7G634
H	-16	GLU	-	expression tag	UNP I7G634
H	-15	LYS	-	expression tag	UNP I7G634
H	-14	SER	-	expression tag	UNP I7G634
H	-13	GLY	-	expression tag	UNP I7G634
H	-12	GLY	-	expression tag	UNP I7G634
H	-11	GLY	-	expression tag	UNP I7G634
H	-10	GLY	-	expression tag	UNP I7G634
H	-9	GLY	-	expression tag	UNP I7G634
H	-8	GLU	-	expression tag	UNP I7G634
H	-7	ASN	-	expression tag	UNP I7G634
H	-6	LEU	-	expression tag	UNP I7G634
H	-5	TYR	-	expression tag	UNP I7G634
H	-4	PHE	-	expression tag	UNP I7G634
H	-3	GLN	-	expression tag	UNP I7G634
H	-2	GLY	-	expression tag	UNP I7G634
H	-1	SER	-	expression tag	UNP I7G634
H	0	GLY	-	expression tag	UNP I7G634
H	1	GLY	-	expression tag	UNP I7G634
J	-45	MET	-	initiating methionine	UNP I7G634
J	-44	SER	-	expression tag	UNP I7G634
J	-43	ALA	-	expression tag	UNP I7G634
J	-42	TRP	-	expression tag	UNP I7G634
J	-41	SER	-	expression tag	UNP I7G634

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
J	-40	HIS	-	expression tag	UNP I7G634
J	-39	PRO	-	expression tag	UNP I7G634
J	-38	GLN	-	expression tag	UNP I7G634
J	-37	PHE	-	expression tag	UNP I7G634
J	-36	GLU	-	expression tag	UNP I7G634
J	-35	LYS	-	expression tag	UNP I7G634
J	-34	GLY	-	expression tag	UNP I7G634
J	-33	GLY	-	expression tag	UNP I7G634
J	-32	GLY	-	expression tag	UNP I7G634
J	-31	SER	-	expression tag	UNP I7G634
J	-30	GLY	-	expression tag	UNP I7G634
J	-29	GLY	-	expression tag	UNP I7G634
J	-28	GLY	-	expression tag	UNP I7G634
J	-27	SER	-	expression tag	UNP I7G634
J	-26	GLY	-	expression tag	UNP I7G634
J	-25	GLY	-	expression tag	UNP I7G634
J	-24	SER	-	expression tag	UNP I7G634
J	-23	ALA	-	expression tag	UNP I7G634
J	-22	TRP	-	expression tag	UNP I7G634
J	-21	SER	-	expression tag	UNP I7G634
J	-20	HIS	-	expression tag	UNP I7G634
J	-19	PRO	-	expression tag	UNP I7G634
J	-18	GLN	-	expression tag	UNP I7G634
J	-17	PHE	-	expression tag	UNP I7G634
J	-16	GLU	-	expression tag	UNP I7G634
J	-15	LYS	-	expression tag	UNP I7G634
J	-14	SER	-	expression tag	UNP I7G634
J	-13	GLY	-	expression tag	UNP I7G634
J	-12	GLY	-	expression tag	UNP I7G634
J	-11	GLY	-	expression tag	UNP I7G634
J	-10	GLY	-	expression tag	UNP I7G634
J	-9	GLY	-	expression tag	UNP I7G634
J	-8	GLU	-	expression tag	UNP I7G634
J	-7	ASN	-	expression tag	UNP I7G634
J	-6	LEU	-	expression tag	UNP I7G634
J	-5	TYR	-	expression tag	UNP I7G634
J	-4	PHE	-	expression tag	UNP I7G634
J	-3	GLN	-	expression tag	UNP I7G634
J	-2	GLY	-	expression tag	UNP I7G634
J	-1	SER	-	expression tag	UNP I7G634
J	0	GLY	-	expression tag	UNP I7G634
J	1	GLY	-	expression tag	UNP I7G634

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
L	-45	MET	-	initiating methionine	UNP I7G634
L	-44	SER	-	expression tag	UNP I7G634
L	-43	ALA	-	expression tag	UNP I7G634
L	-42	TRP	-	expression tag	UNP I7G634
L	-41	SER	-	expression tag	UNP I7G634
L	-40	HIS	-	expression tag	UNP I7G634
L	-39	PRO	-	expression tag	UNP I7G634
L	-38	GLN	-	expression tag	UNP I7G634
L	-37	PHE	-	expression tag	UNP I7G634
L	-36	GLU	-	expression tag	UNP I7G634
L	-35	LYS	-	expression tag	UNP I7G634
L	-34	GLY	-	expression tag	UNP I7G634
L	-33	GLY	-	expression tag	UNP I7G634
L	-32	GLY	-	expression tag	UNP I7G634
L	-31	SER	-	expression tag	UNP I7G634
L	-30	GLY	-	expression tag	UNP I7G634
L	-29	GLY	-	expression tag	UNP I7G634
L	-28	GLY	-	expression tag	UNP I7G634
L	-27	SER	-	expression tag	UNP I7G634
L	-26	GLY	-	expression tag	UNP I7G634
L	-25	GLY	-	expression tag	UNP I7G634
L	-24	SER	-	expression tag	UNP I7G634
L	-23	ALA	-	expression tag	UNP I7G634
L	-22	TRP	-	expression tag	UNP I7G634
L	-21	SER	-	expression tag	UNP I7G634
L	-20	HIS	-	expression tag	UNP I7G634
L	-19	PRO	-	expression tag	UNP I7G634
L	-18	GLN	-	expression tag	UNP I7G634
L	-17	PHE	-	expression tag	UNP I7G634
L	-16	GLU	-	expression tag	UNP I7G634
L	-15	LYS	-	expression tag	UNP I7G634
L	-14	SER	-	expression tag	UNP I7G634
L	-13	GLY	-	expression tag	UNP I7G634
L	-12	GLY	-	expression tag	UNP I7G634
L	-11	GLY	-	expression tag	UNP I7G634
L	-10	GLY	-	expression tag	UNP I7G634
L	-9	GLY	-	expression tag	UNP I7G634
L	-8	GLU	-	expression tag	UNP I7G634
L	-7	ASN	-	expression tag	UNP I7G634
L	-6	LEU	-	expression tag	UNP I7G634
L	-5	TYR	-	expression tag	UNP I7G634
L	-4	PHE	-	expression tag	UNP I7G634

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
L	-3	GLN	-	expression tag	UNP I7G634
L	-2	GLY	-	expression tag	UNP I7G634
L	-1	SER	-	expression tag	UNP I7G634
L	0	GLY	-	expression tag	UNP I7G634
L	1	GLY	-	expression tag	UNP I7G634
N	-45	MET	-	initiating methionine	UNP I7G634
N	-44	SER	-	expression tag	UNP I7G634
N	-43	ALA	-	expression tag	UNP I7G634
N	-42	TRP	-	expression tag	UNP I7G634
N	-41	SER	-	expression tag	UNP I7G634
N	-40	HIS	-	expression tag	UNP I7G634
N	-39	PRO	-	expression tag	UNP I7G634
N	-38	GLN	-	expression tag	UNP I7G634
N	-37	PHE	-	expression tag	UNP I7G634
N	-36	GLU	-	expression tag	UNP I7G634
N	-35	LYS	-	expression tag	UNP I7G634
N	-34	GLY	-	expression tag	UNP I7G634
N	-33	GLY	-	expression tag	UNP I7G634
N	-32	GLY	-	expression tag	UNP I7G634
N	-31	SER	-	expression tag	UNP I7G634
N	-30	GLY	-	expression tag	UNP I7G634
N	-29	GLY	-	expression tag	UNP I7G634
N	-28	GLY	-	expression tag	UNP I7G634
N	-27	SER	-	expression tag	UNP I7G634
N	-26	GLY	-	expression tag	UNP I7G634
N	-25	GLY	-	expression tag	UNP I7G634
N	-24	SER	-	expression tag	UNP I7G634
N	-23	ALA	-	expression tag	UNP I7G634
N	-22	TRP	-	expression tag	UNP I7G634
N	-21	SER	-	expression tag	UNP I7G634
N	-20	HIS	-	expression tag	UNP I7G634
N	-19	PRO	-	expression tag	UNP I7G634
N	-18	GLN	-	expression tag	UNP I7G634
N	-17	PHE	-	expression tag	UNP I7G634
N	-16	GLU	-	expression tag	UNP I7G634
N	-15	LYS	-	expression tag	UNP I7G634
N	-14	SER	-	expression tag	UNP I7G634
N	-13	GLY	-	expression tag	UNP I7G634
N	-12	GLY	-	expression tag	UNP I7G634
N	-11	GLY	-	expression tag	UNP I7G634
N	-10	GLY	-	expression tag	UNP I7G634
N	-9	GLY	-	expression tag	UNP I7G634

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
N	-8	GLU	-	expression tag	UNP I7G634
N	-7	ASN	-	expression tag	UNP I7G634
N	-6	LEU	-	expression tag	UNP I7G634
N	-5	TYR	-	expression tag	UNP I7G634
N	-4	PHE	-	expression tag	UNP I7G634
N	-3	GLN	-	expression tag	UNP I7G634
N	-2	GLY	-	expression tag	UNP I7G634
N	-1	SER	-	expression tag	UNP I7G634
N	0	GLY	-	expression tag	UNP I7G634
N	1	GLY	-	expression tag	UNP I7G634
P	-45	MET	-	initiating methionine	UNP I7G634
P	-44	SER	-	expression tag	UNP I7G634
P	-43	ALA	-	expression tag	UNP I7G634
P	-42	TRP	-	expression tag	UNP I7G634
P	-41	SER	-	expression tag	UNP I7G634
P	-40	HIS	-	expression tag	UNP I7G634
P	-39	PRO	-	expression tag	UNP I7G634
P	-38	GLN	-	expression tag	UNP I7G634
P	-37	PHE	-	expression tag	UNP I7G634
P	-36	GLU	-	expression tag	UNP I7G634
P	-35	LYS	-	expression tag	UNP I7G634
P	-34	GLY	-	expression tag	UNP I7G634
P	-33	GLY	-	expression tag	UNP I7G634
P	-32	GLY	-	expression tag	UNP I7G634
P	-31	SER	-	expression tag	UNP I7G634
P	-30	GLY	-	expression tag	UNP I7G634
P	-29	GLY	-	expression tag	UNP I7G634
P	-28	GLY	-	expression tag	UNP I7G634
P	-27	SER	-	expression tag	UNP I7G634
P	-26	GLY	-	expression tag	UNP I7G634
P	-25	GLY	-	expression tag	UNP I7G634
P	-24	SER	-	expression tag	UNP I7G634
P	-23	ALA	-	expression tag	UNP I7G634
P	-22	TRP	-	expression tag	UNP I7G634
P	-21	SER	-	expression tag	UNP I7G634
P	-20	HIS	-	expression tag	UNP I7G634
P	-19	PRO	-	expression tag	UNP I7G634
P	-18	GLN	-	expression tag	UNP I7G634
P	-17	PHE	-	expression tag	UNP I7G634
P	-16	GLU	-	expression tag	UNP I7G634
P	-15	LYS	-	expression tag	UNP I7G634
P	-14	SER	-	expression tag	UNP I7G634

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
P	-13	GLY	-	expression tag	UNP I7G634
P	-12	GLY	-	expression tag	UNP I7G634
P	-11	GLY	-	expression tag	UNP I7G634
P	-10	GLY	-	expression tag	UNP I7G634
P	-9	GLY	-	expression tag	UNP I7G634
P	-8	GLU	-	expression tag	UNP I7G634
P	-7	ASN	-	expression tag	UNP I7G634
P	-6	LEU	-	expression tag	UNP I7G634
P	-5	TYR	-	expression tag	UNP I7G634
P	-4	PHE	-	expression tag	UNP I7G634
P	-3	GLN	-	expression tag	UNP I7G634
P	-2	GLY	-	expression tag	UNP I7G634
P	-1	SER	-	expression tag	UNP I7G634
P	0	GLY	-	expression tag	UNP I7G634
P	1	GLY	-	expression tag	UNP I7G634

- Molecule 3 is a protein called [NiFe]-Hydrogenase Huc Membrane Associated Subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	Q	170	Total	C	N	O	S	0	0
			1229	767	224	237	1		
3	R	170	Total	C	N	O	S	0	0
			1229	767	224	237	1		
3	S	170	Total	C	N	O	S	0	0
			1229	767	224	237	1		
3	T	170	Total	C	N	O	S	0	0
			1229	767	224	237	1		

- Molecule 4 is NICKEL (III) ION (three-letter code: 3NI) (formula: Ni) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		AltConf
4	A	1	Total	Ni	0
			1	1	
4	C	1	Total	Ni	0
			1	1	
4	E	1	Total	Ni	0
			1	1	
4	G	1	Total	Ni	0
			1	1	
4	I	1	Total	Ni	0
			1	1	

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
4	K	1	Total	Ni	0
			1	1	
4	M	1	Total	Ni	0
			1	1	
4	O	1	Total	Ni	0
			1	1	

- Molecule 5 is CARBONMONOXIDE-(DICYANO) IRON (three-letter code: FCO) (formula:  $C_3FeN_2O$ ) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
5	A	1	Total	C	Fe	N	O	0
			7	3	1	2	1	
5	C	1	Total	C	Fe	N	O	0
			7	3	1	2	1	
5	E	1	Total	C	Fe	N	O	0
			7	3	1	2	1	
5	G	1	Total	C	Fe	N	O	0
			7	3	1	2	1	
5	I	1	Total	C	Fe	N	O	0
			7	3	1	2	1	
5	K	1	Total	C	Fe	N	O	0
			7	3	1	2	1	
5	M	1	Total	C	Fe	N	O	0
			7	3	1	2	1	
5	O	1	Total	C	Fe	N	O	0
			7	3	1	2	1	

- Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
6	A	1	Total Mg 1 1	0
6	C	1	Total Mg 1 1	0
6	E	1	Total Mg 1 1	0
6	G	1	Total Mg 1 1	0
6	I	1	Total Mg 1 1	0
6	K	1	Total Mg 1 1	0
6	M	1	Total Mg 1 1	0
6	O	1	Total Mg 1 1	0

- Molecule 7 is MENAQUINONE-9 (three-letter code: MQ9) (formula: C<sub>56</sub>H<sub>80</sub>O<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	AltConf
7	B	1	Total C O 28 26 2	0
7	D	1	Total C O 28 26 2	0


*Continued on next page...*



Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
7	F	1	Total	C	O	0
			28	26	2	
7	H	1	Total	C	O	0
			28	26	2	
7	J	1	Total	C	O	0
			28	26	2	
7	L	1	Total	C	O	0
			28	26	2	
7	N	1	Total	C	O	0
			28	26	2	
7	P	1	Total	C	O	0
			28	26	2	

- Molecule 8 is FE3-S4 CLUSTER (three-letter code: F3S) (formula: Fe<sub>3</sub>S<sub>4</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
8	B	1	Total	Fe	S	0
			7	3	4	
8	B	1	Total	Fe	S	0
			7	3	4	
8	B	1	Total	Fe	S	0
			7	3	4	
8	D	1	Total	Fe	S	0
			7	3	4	
8	D	1	Total	Fe	S	0
			7	3	4	

Continued on next page...


*Continued from previous page...*

Mol	Chain	Residues	Atoms			AltConf
			Total	Fe	S	
8	D	1	7	3	4	0
8	F	1	7	3	4	0
8	F	1	7	3	4	0
8	F	1	7	3	4	0
8	H	1	7	3	4	0
8	H	1	7	3	4	0
8	H	1	7	3	4	0
8	J	1	7	3	4	0
8	J	1	7	3	4	0
8	J	1	7	3	4	0
8	L	1	7	3	4	0
8	L	1	7	3	4	0
8	L	1	7	3	4	0
8	N	1	7	3	4	0
8	N	1	7	3	4	0
8	N	1	7	3	4	0
8	P	1	7	3	4	0
8	P	1	7	3	4	0
8	P	1	7	3	4	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Hydrogenase-2, large subunit





- Molecule 1: Hydrogenase-2, large subunit





- Molecule 1: Hydrogenase-2, large subunit




- Molecule 1: Hydrogenase-2, large subunit





- Molecule 1: Hydrogenase-2, large subunit









• Molecule 1: Hydrogenase-2, large subunit



• Molecule 1: Hydrogenase-2, large subunit




• Molecule 1: Hydrogenase-2, large subunit






- Molecule 2: Hydrogenase-2, small subunit

Chain B:  66% 21% 13%




- Molecule 2: Hydrogenase-2, small subunit

Chain D:  70% 17% 13%



- Molecule 2: Hydrogenase-2, small subunit

Chain F:  66% 21% 13%



A312  
D319  
V323

• Molecule 2: Hydrogenase-2, small subunit


Chain H:  68% 18% 13%

MET SER ALA TRP SER HIS PRO GLN PHE GLU LYS GLY GLY SER GLY ALA TRP ALA TRP HIS PRO GLN PHE TYR PHE GLN GLY SER GLY A2 S3 V4 A11 G14 G14 L20 V27 L36

L39 W40 H41 P42 G49 Q53 W57 A60 D67 I68 G73 T74 V75 I76 P79 M85 R91 W96 D99 Q105 A109 F116 I119 M122 S127 L132 F142 K150 P159 H164 W167 L188 F194 F195

K196 T199 Q200 T201 G202 F218 G219 T224 G225 C226 L227 F228 C233 R234 G235 P236 P241 C242 N243 N248 R249 Q250 M258 C263 P266 E267 F268 P269 M287 D297 T300 A306 Q314 K317 S318 D319 V323

• Molecule 2: Hydrogenase-2, small subunit

Chain J:  67% 20% 13%

MET SER ALA TRP SER HIS PRO GLN PHE GLU LYS GLY GLY SER GLY ALA TRP ALA TRP HIS PRO GLN PHE TYR PHE GLN GLY SER GLY A2 S3 V4 A11 G14 G14 L20 V27 L36

L39 W40 H41 P42 G49 Q53 W57 A60 D67 I68 G73 T74 V75 I76 P79 M85 R91 W96 D99 Q105 A109 F116 I119 M122 S127 L132 K139 F142 K150 P159 H164 W167 L188 H189

F195 K196 T199 Q200 T201 G202 Y211 K212 F218 G219 T224 G225 C226 L227 F228 C233 R234 G235 P236 P241 C242 N243 N248 R249 Q250 M258 C263 P266 E267 F268 P269 V284 S285 G286 M287 D297 H298 L299 G303 A306 R309 A312

E318  
D319  
V323

• Molecule 2: Hydrogenase-2, small subunit

Chain L:  66% 20% 13%


MET SER ALA TRP SER HIS PRO GLN PHE GLU LYS GLY GLY SER GLY ALA TRP ALA TRP HIS PRO GLN PHE TYR PHE GLN GLY SER GLY A2 S3 V4 A11 G14 G14 L20 V27 L36

L39 W40 H41 P42 G49 Q53 W57 A60 D67 I68 G73 T74 V75 I76 P79 M85 R91 W96 D99 Q105 A109 F116 I119 M122 S127 L132 K139 F142 K150 P159 H164 W166 W167 T169


L188 H189 F195 K196 T199 G202 Y211 K212 F218 G219 T224 G225 C226 L227 F228 C233 R234 G235 P236 P241 C242 N243 M248 R249 Q250 M258 C263 P266 E267 F268 P269 V284 S285 G286 M287 D297 H298 L299 G303 A306 R309

A312  
D319  
V323



• Molecule 2: Hydrogenase-2, small subunit





• Molecule 2: Hydrogenase-2, small subunit




• Molecule 3: [NiFe]-Hydrogenase Huc Membrane Associated Subunit





• Molecule 3: [NiFe]-Hydrogenase Huc Membrane Associated Subunit









• Molecule 3: [NiFe]-Hydrogenase Huc Membrane Associated Subunit



• Molecule 3: [NiFe]-Hydrogenase Huc Membrane Associated Subunit



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	60448	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	60.4	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.852	Depositor
Minimum map value	-0.073	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.023	Depositor
Recommended contour level	0.0486	Depositor
Map size (Å)	288.0, 288.0, 288.0	wwPDB
Map dimensions	576, 576, 576	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.5, 0.5, 0.5	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DHI, MQ9, MG, 3NI, F3S, FCO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.47	1/4139 (0.0%)	0.60	0/5642
1	C	0.46	0/4139	0.60	0/5642
1	E	0.48	1/4139 (0.0%)	0.60	0/5642
1	G	0.46	0/4139	0.60	0/5642
1	I	0.47	1/4139 (0.0%)	0.60	0/5642
1	K	0.47	1/4139 (0.0%)	0.60	0/5642
1	M	0.46	0/4139	0.60	0/5642
1	O	0.46	0/4139	0.60	0/5642
2	B	0.54	0/2528	0.68	0/3433
2	D	0.55	0/2528	0.68	0/3433
2	F	0.54	0/2528	0.68	0/3433
2	H	0.55	0/2528	0.69	0/3433
2	J	0.54	0/2528	0.68	0/3433
2	L	0.54	0/2528	0.68	0/3433
2	N	0.55	0/2528	0.69	0/3433
2	P	0.55	0/2528	0.69	0/3433
3	Q	0.61	0/1243	0.86	1/1691 (0.1%)
3	R	0.61	0/1243	0.88	1/1691 (0.1%)
3	S	0.61	0/1243	0.90	1/1691 (0.1%)
3	T	0.60	0/1243	0.89	1/1691 (0.1%)
All	All	0.51	4/58308 (0.0%)	0.66	4/79364 (0.0%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	62	CYS	C-O	-7.41	1.09	1.23
1	A	62	CYS	C-O	-7.40	1.09	1.23
1	I	62	CYS	C-O	-7.40	1.09	1.23
1	K	62	CYS	C-O	-7.36	1.09	1.23

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	T	173	ARG	NE-CZ-NH1	5.66	123.13	120.30
3	R	173	ARG	NE-CZ-NH1	5.40	123.00	120.30
3	Q	173	ARG	NE-CZ-NH1	5.39	122.99	120.30
3	S	173	ARG	NE-CZ-NH1	5.23	122.91	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4037	0	3868	55	0
1	C	4037	0	3868	58	0
1	E	4037	0	3868	55	0
1	G	4037	0	3868	55	0
1	I	4037	0	3868	56	0
1	K	4037	0	3868	55	0
1	M	4037	0	3868	54	0
1	O	4037	0	3868	55	0
2	B	2459	0	2373	66	0
2	D	2459	0	2373	47	0
2	F	2459	0	2373	63	0
2	H	2459	0	2373	48	0
2	J	2459	0	2373	63	0
2	L	2459	0	2373	64	0
2	N	2459	0	2373	48	0
2	P	2459	0	2373	49	0
3	Q	1229	0	1276	26	0
3	R	1229	0	1276	32	0
3	S	1229	0	1276	32	0
3	T	1229	0	1276	31	0
4	A	1	0	0	0	0
4	C	1	0	0	0	0
4	E	1	0	0	0	0
4	G	1	0	0	0	0
4	I	1	0	0	0	0
4	K	1	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	M	1	0	0	0	0
4	O	1	0	0	0	0
5	A	7	0	0	2	0
5	C	7	0	0	2	0
5	E	7	0	0	2	0
5	G	7	0	0	2	0
5	I	7	0	0	2	0
5	K	7	0	0	2	0
5	M	7	0	0	2	0
5	O	7	0	0	2	0
6	A	1	0	0	0	0
6	C	1	0	0	0	0
6	E	1	0	0	0	0
6	G	1	0	0	0	0
6	I	1	0	0	0	0
6	K	1	0	0	0	0
6	M	1	0	0	0	0
6	O	1	0	0	0	0
7	B	28	0	29	6	0
7	D	28	0	29	6	0
7	F	28	0	29	6	0
7	H	28	0	29	6	0
7	J	28	0	29	6	0
7	L	28	0	29	7	0
7	N	28	0	29	6	0
7	P	28	0	29	9	0
8	B	21	0	0	4	0
8	D	21	0	0	3	0
8	F	21	0	0	3	0
8	H	21	0	0	4	0
8	J	21	0	0	4	0
8	L	21	0	0	3	0
8	N	21	0	0	4	0
8	P	21	0	0	3	0
All	All	57348	0	55264	902	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 902 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:N:401:MQ9:H151	3:T:72:ALA:HB1	1.47	0.96
7:D:401:MQ9:H151	3:Q:72:ALA:HB1	1.47	0.95
7:H:401:MQ9:H151	3:S:72:ALA:HB1	1.47	0.94
7:P:401:MQ9:H151	3:R:72:ALA:HB1	1.47	0.93
3:S:97:LEU:HB3	3:T:88:ALA:HB2	1.59	0.85

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	510/515 (99%)	501 (98%)	9 (2%)	0	100	100
1	C	510/515 (99%)	501 (98%)	9 (2%)	0	100	100
1	E	510/515 (99%)	501 (98%)	9 (2%)	0	100	100
1	G	510/515 (99%)	501 (98%)	9 (2%)	0	100	100
1	I	510/515 (99%)	501 (98%)	9 (2%)	0	100	100
1	K	510/515 (99%)	501 (98%)	9 (2%)	0	100	100
1	M	510/515 (99%)	501 (98%)	9 (2%)	0	100	100
1	O	510/515 (99%)	501 (98%)	9 (2%)	0	100	100
2	B	320/369 (87%)	310 (97%)	9 (3%)	1 (0%)	37	73
2	D	320/369 (87%)	309 (97%)	10 (3%)	1 (0%)	37	73
2	F	320/369 (87%)	310 (97%)	9 (3%)	1 (0%)	37	73
2	H	320/369 (87%)	310 (97%)	9 (3%)	1 (0%)	37	73
2	J	320/369 (87%)	310 (97%)	9 (3%)	1 (0%)	37	73
2	L	320/369 (87%)	310 (97%)	9 (3%)	1 (0%)	37	73
2	N	320/369 (87%)	310 (97%)	9 (3%)	1 (0%)	37	73
2	P	320/369 (87%)	309 (97%)	10 (3%)	1 (0%)	37	73

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	Q	168/188 (89%)	162 (96%)	5 (3%)	1 (1%)	22	60
3	R	168/188 (89%)	165 (98%)	2 (1%)	1 (1%)	22	60
3	S	168/188 (89%)	158 (94%)	7 (4%)	3 (2%)	7	35
3	T	168/188 (89%)	161 (96%)	6 (4%)	1 (1%)	22	60
All	All	7312/7824 (94%)	7132 (98%)	166 (2%)	14 (0%)	45	78

5 of 14 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	S	91	ALA
2	B	241	PRO
2	D	241	PRO
2	F	241	PRO
2	H	241	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	425/427 (100%)	421 (99%)	4 (1%)	75	83
1	C	425/427 (100%)	421 (99%)	4 (1%)	75	83
1	E	425/427 (100%)	421 (99%)	4 (1%)	75	83
1	G	425/427 (100%)	421 (99%)	4 (1%)	75	83
1	I	425/427 (100%)	421 (99%)	4 (1%)	75	83
1	K	425/427 (100%)	421 (99%)	4 (1%)	75	83
1	M	425/427 (100%)	421 (99%)	4 (1%)	75	83
1	O	425/427 (100%)	421 (99%)	4 (1%)	75	83
2	B	261/290 (90%)	258 (99%)	3 (1%)	70	80
2	D	261/290 (90%)	258 (99%)	3 (1%)	70	80
2	F	261/290 (90%)	258 (99%)	3 (1%)	70	80
2	H	261/290 (90%)	258 (99%)	3 (1%)	70	80

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	J	261/290 (90%)	258 (99%)	3 (1%)	70	80
2	L	261/290 (90%)	258 (99%)	3 (1%)	70	80
2	N	261/290 (90%)	258 (99%)	3 (1%)	70	80
2	P	261/290 (90%)	258 (99%)	3 (1%)	70	80
3	Q	126/139 (91%)	109 (86%)	17 (14%)	3	13
3	R	126/139 (91%)	112 (89%)	14 (11%)	5	17
3	S	126/139 (91%)	109 (86%)	17 (14%)	3	13
3	T	126/139 (91%)	107 (85%)	19 (15%)	2	11
All	All	5992/6292 (95%)	5869 (98%)	123 (2%)	49	66

5 of 123 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	Q	25	ILE
3	T	38	LEU
3	Q	86	ILE
3	T	33	GLN
3	T	75	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 27 such sidechains are listed below:

Mol	Chain	Res	Type
1	I	197	ASN
1	K	197	ASN
3	S	33	GLN
1	K	193	HIS
1	M	103	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

8 non-standard protein/DNA/RNA residues are modelled in this entry.

There are no bond length outliers.



There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 56 ligands modelled in this entry, 16 are monoatomic - leaving 40 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
8	F3S	H	403	2	0,9,9	-	-	-		
7	MQ9	P	401	-	29,29,59	4.71	18 (62%)	37,39,75	2.44	11 (29%)
5	FCO	E	602	1	0,6,6	-	-	-		
8	F3S	B	403	2	0,9,9	-	-	-		
7	MQ9	J	401	-	29,29,59	4.72	18 (62%)	37,39,75	2.48	12 (32%)
8	F3S	F	403	2	0,9,9	-	-	-		
8	F3S	P	402	2	0,9,9	-	-	-		
7	MQ9	H	401	-	29,29,59	4.70	18 (62%)	37,39,75	2.45	11 (29%)
8	F3S	N	404	2	0,9,9	-	-	-		
7	MQ9	B	401	-	29,29,59	4.72	18 (62%)	37,39,75	2.48	12 (32%)
5	FCO	K	602	1	0,6,6	-	-	-		
8	F3S	N	403	2	0,9,9	-	-	-		
8	F3S	L	403	2	0,9,9	-	-	-		
8	F3S	L	404	2	0,9,9	-	-	-		
5	FCO	O	602	1	0,6,6	-	-	-		
8	F3S	F	404	2	0,9,9	-	-	-		
8	F3S	N	402	2	0,9,9	-	-	-		
8	F3S	P	404	2	0,9,9	-	-	-		

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	MQ9	N	401	-	29,29,59	4.71	18 (62%)	37,39,75	2.45	11 (29%)
8	F3S	L	402	2	0,9,9	-	-	-	-	-
7	MQ9	L	401	-	29,29,59	4.72	18 (62%)	37,39,75	2.48	12 (32%)
5	FCO	G	602	1	0,6,6	-	-	-	-	-
8	F3S	J	403	2	0,9,9	-	-	-	-	-
8	F3S	J	404	2	0,9,9	-	-	-	-	-
8	F3S	D	403	2	0,9,9	-	-	-	-	-
5	FCO	I	602	1	0,6,6	-	-	-	-	-
5	FCO	C	602	1	0,6,6	-	-	-	-	-
8	F3S	B	404	2	0,9,9	-	-	-	-	-
8	F3S	B	402	2	0,9,9	-	-	-	-	-
5	FCO	M	602	1	0,6,6	-	-	-	-	-
8	F3S	H	404	2	0,9,9	-	-	-	-	-
8	F3S	D	404	2	0,9,9	-	-	-	-	-
8	F3S	J	402	2	0,9,9	-	-	-	-	-
8	F3S	H	402	2	0,9,9	-	-	-	-	-
7	MQ9	D	401	-	29,29,59	4.70	18 (62%)	37,39,75	2.44	11 (29%)
8	F3S	P	403	2	0,9,9	-	-	-	-	-
8	F3S	F	402	2	0,9,9	-	-	-	-	-
5	FCO	A	602	1	0,6,6	-	-	-	-	-
8	F3S	D	402	2	0,9,9	-	-	-	-	-
7	MQ9	F	401	-	29,29,59	4.72	18 (62%)	37,39,75	2.48	12 (32%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	F3S	H	403	2	-	-	0/3/3/3
7	MQ9	P	401	-	-	7/17/37/73	0/2/2/2
8	F3S	B	403	2	-	-	0/3/3/3
7	MQ9	J	401	-	-	8/17/37/73	0/2/2/2
8	F3S	F	403	2	-	-	0/3/3/3
8	F3S	P	402	2	-	-	0/3/3/3
7	MQ9	H	401	-	-	7/17/37/73	0/2/2/2
8	F3S	N	404	2	-	-	0/3/3/3
7	MQ9	B	401	-	-	8/17/37/73	0/2/2/2
8	F3S	N	403	2	-	-	0/3/3/3
8	F3S	L	403	2	-	-	0/3/3/3
8	F3S	L	404	2	-	-	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	F3S	F	404	2	-	-	0/3/3/3
8	F3S	N	402	2	-	-	0/3/3/3
8	F3S	P	404	2	-	-	0/3/3/3
7	MQ9	N	401	-	-	7/17/37/73	0/2/2/2
8	F3S	L	402	2	-	-	0/3/3/3
7	MQ9	L	401	-	-	8/17/37/73	0/2/2/2
8	F3S	J	403	2	-	-	0/3/3/3
8	F3S	J	404	2	-	-	0/3/3/3
8	F3S	D	403	2	-	-	0/3/3/3
8	F3S	B	404	2	-	-	0/3/3/3
8	F3S	B	402	2	-	-	0/3/3/3
8	F3S	H	404	2	-	-	0/3/3/3
8	F3S	J	402	2	-	-	0/3/3/3
8	F3S	D	404	2	-	-	0/3/3/3
8	F3S	H	402	2	-	-	0/3/3/3
7	MQ9	D	401	-	-	7/17/37/73	0/2/2/2
8	F3S	P	403	2	-	-	0/3/3/3
8	F3S	F	402	2	-	-	0/3/3/3
8	F3S	D	402	2	-	-	0/3/3/3
7	MQ9	F	401	-	-	8/17/37/73	0/2/2/2

The worst 5 of 144 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	J	401	MQ9	C13-C14	11.12	1.58	1.33
7	L	401	MQ9	C13-C14	11.10	1.58	1.33
7	F	401	MQ9	C13-C14	11.09	1.58	1.33
7	B	401	MQ9	C13-C14	11.09	1.58	1.33
7	D	401	MQ9	C13-C14	10.98	1.58	1.33

The worst 5 of 92 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	H	401	MQ9	C7-C8-C9	-6.23	116.09	126.83
7	P	401	MQ9	C7-C8-C9	-6.21	116.14	126.83
7	D	401	MQ9	C7-C8-C9	-6.20	116.14	126.83
7	N	401	MQ9	C7-C8-C9	-6.20	116.16	126.83
7	D	401	MQ9	C12-C13-C14	-6.17	113.50	127.62

There are no chirality outliers.

5 of 60 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	B	401	MQ9	C7-C8-C9-C11
7	B	401	MQ9	C12-C13-C14-C16
7	D	401	MQ9	C12-C13-C14-C16
7	D	401	MQ9	C17-C18-C19-C20
7	F	401	MQ9	C7-C8-C9-C11


There are no ring outliers.



24 monomers are involved in 96 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	P	401	MQ9	9	0
5	E	602	FCO	2	0
7	J	401	MQ9	6	0
7	H	401	MQ9	6	0
8	N	404	F3S	4	0
7	B	401	MQ9	6	0
5	K	602	FCO	2	0
8	L	404	F3S	3	0
5	O	602	FCO	2	0
8	F	404	F3S	3	0
8	P	404	F3S	3	0
7	N	401	MQ9	6	0
7	L	401	MQ9	7	0
5	G	602	FCO	2	0
8	J	404	F3S	4	0
5	I	602	FCO	2	0
5	C	602	FCO	2	0
8	B	404	F3S	4	0
5	M	602	FCO	2	0
8	H	404	F3S	4	0
8	D	404	F3S	3	0
7	D	401	MQ9	6	0
5	A	602	FCO	2	0
7	F	401	MQ9	6	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





































































































## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-26802. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 288




Y Index: 288




Z Index: 288

### 6.2.2 Raw map



X Index: 288



Y Index: 288




Z Index: 288

The images above show central slices of the map in three orthogonal directions.




## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 346




Y Index: 345




Z Index: 258


### 6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0

The images above show the largest variance slices of the map in three orthogonal directions.



## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)

### 6.4.1 Primary map




X

Y

Z

### 6.4.2 Raw map



X


Y

Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0486. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_26802\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1129 nm<sup>3</sup>; this corresponds to an approximate mass of 1020 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of 0.125 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.125 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	8.00	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	5.40	9.56	6.10


\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 5.40 differs from the reported value 8.0 by more than 10 %



## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-26802 and PDB model 7UUS. Per-residue inclusion information can be found in section 3 on page 19.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0486 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0486).











































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 95% of all backbone atoms, 92% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.0486) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9230	 0.1040
A	 0.9520	 0.0820
B	 0.9580	 0.1220
C	 0.9550	 0.0960
D	 0.9610	 0.1370
E	 0.9650	 0.1070
F	 0.9670	 0.1610
G	 0.9480	 0.1060
H	 0.9640	 0.1510
I	 0.9520	 0.0820
J	 0.9670	 0.0930
K	 0.9590	 0.0790
L	 0.9690	 0.1320
M	 0.9430	 0.0920
N	 0.9570	 0.1220
O	 0.9450	 0.0660
P	 0.9630	 0.1050
Q	 0.5690	 0.1210
R	 0.5580	 0.0920
S	 0.5490	 0.0920
T	 0.5650	 0.1150

