



Full wwPDB EM Validation Report ⓘ

Nov 11, 2024 – 12:38 PM EST

PDB ID : 8UZ2
EMDB ID : EMD-42831
Title : E. coli acetyl-CoA carboxylase, narrow helical local reconstruction, 3.18 Angstrom
Authors : Xu, X.; Silva de Sousa, A.; Boram, T.J.; Jiang, W.; Lohman, R.J.
Deposited on : 2023-11-14
Resolution : 3.18 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.18 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	316	
1	E	316	
2	B	77	
2	F	77	
3	C	446	
3	G	446	
4	D	284	
4	H	284	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	I	284	 7% 93%

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 17474 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetyl-coenzyme A carboxylase carboxyl transferase subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	316	Total	C	N	O	S	0	0
			2452	1543	436	461	12		
1	E	316	Total	C	N	O	S	0	0
			2452	1543	436	461	12		

- Molecule 2 is a protein called Biotin carboxyl carrier protein of acetyl-CoA carboxylase.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	77	Total	C	N	O	S	0	0
			584	370	95	114	5		
2	F	77	Total	C	N	O	S	0	0
			584	370	95	114	5		


- Molecule 3 is a protein called Biotin carboxylase.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	446	Total	C	N	O	S	0	0
			3433	2163	613	635	22		
3	G	446	Total	C	N	O	S	0	0
			3433	2163	613	635	22		

- Molecule 4 is a protein called Acetyl-coenzyme A carboxylase carboxyl transferase subunit beta.


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D	284	Total	C	N	O	S	0	0
			2173	1369	383	399	22		
4	H	263	Total	C	N	O	S	0	0
			2006	1264	352	368	22		
4	I	21	Total	C	N	O	0	0	
			167	105	31	31			

- Molecule 5 is BIOTIN (three-letter code: BTN) (formula: $C_{10}H_{16}N_2O_3S$).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	S	
5	B	1	Total	C	N	O	S	0
			15	10	2	2	1	
5	F	1	Total	C	N	O	S	0
			15	10	2	2	1	

- Molecule 6 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					AltConf
6	C	1	Total	C	N	O	P	0
			27	10	5	10	2	
6	G	1	Total	C	N	O	P	0
			27	10	5	10	2	


- Molecule 7 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
7	C	1	Total	Mg	0
			1	1	
7	G	1	Total	Mg	0
			1	1	

- Molecule 8 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
8	D	1	Total	Zn	0
			1	1	
8	H	1	Total	Zn	0
			1	1	

- Molecule 9 is ACETYL COENZYME *A (three-letter code: ACO) (formula: C₂₃H₃₈N₇O₁₇P₃S).



Mol	Chain	Residues	Atoms					AltConf	
9	D	1	Total	C	N	O	P	S	0
			51	23	7	17	3	1	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	
			Total	C	N	O	P		S
9	H	1	51	23	7	17	3	1	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Acetyl-coenzyme A carboxylase carboxyl transferase subunit alpha




- Molecule 1: Acetyl-coenzyme A carboxylase carboxyl transferase subunit alpha



- Molecule 2: Biotin carboxyl carrier protein of acetyl-CoA carboxylase



- Molecule 2: Biotin carboxyl carrier protein of acetyl-CoA carboxylase



LEU THR ASP
MET ILE VAL
PRO THR ARG
MET MET GLY
GLY VAL MET
SER ARG LEU
ALA SER SER
PHE LEU PHE
ALA MET MET
ILE LEU GLY
ASP LEU ASP
ASN LEU ASN
ILE MET ILE
ALA ASN ALA
GLU LEU LEU
PRO PRO PRO
LYS LYS ALA
ALA LEU LEU
ILE ILE ILE
GLY PHE PHE
ALA ALA GLY
GLY PRO PRO
ARG ARG VAL
VAL ILE ILE
GLU GLU GLN
THR THR VAL
VAL ARG ARG
GLU GLU LYS
LEU LEU PRO
PRO PRO PRO
GLY GLY PHE
PHE GLN ARG
SER SER SER
GLU GLU PHE
PHE LEU LEU
ILE ILE ILE
GLU GLU LYS
LYS GLY GLY
ALA ALA ILE

ASP
MET ILE VAL
ARG ARG PRO
GLU MET MET
SER ARG LEU
LYS LEU LEU
ALA ALA SER
SER ILE LEU
LEU ALA ASP
LYS LEU LYS
MET MET ILE
ASN ASN ALA
LEU LEU LEU
PRO PRO PRO
ALA ALA PRO
ASN ASN PRO

4 Experimental information

Property	Value	Source
EM reconstruction method	HELICAL	Depositor
Imposed symmetry	HELICAL, twist=81.06°, rise=19.16 Å, axial sym=C1	Depositor
Number of segments used	577289	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{Å}^2$)	54.44	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	3.010	Depositor
Minimum map value	-2.049	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.041	Depositor
Recommended contour level	0.2	Depositor
Map size (Å)	493.2, 493.2, 493.2	wwPDB
Map dimensions	428, 428, 428	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.1523365, 1.1523365, 1.1523365	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACO, ZN, MG, ADP, BTN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/2493	0.51	0/3361
1	E	0.29	0/2493	0.52	0/3361
2	B	0.27	0/593	0.47	0/801
2	F	0.32	0/593	0.49	0/801
3	C	0.27	0/3496	0.49	0/4718
3	G	0.28	0/3496	0.50	0/4718
4	D	0.28	0/2208	0.52	0/2969
4	H	0.28	0/2037	0.50	0/2737
4	I	0.27	0/170	0.55	0/229
All	All	0.28	0/17579	0.50	0/23695

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2452	0	2483	18	0
1	E	2452	0	2483	21	0
2	B	584	0	589	5	0
2	F	584	0	589	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	3433	0	3459	31	0
3	G	3433	0	3459	30	0
4	D	2173	0	2231	18	0
4	H	2006	0	2056	12	0
4	I	167	0	174	0	0
5	B	15	0	15	1	0
5	F	15	0	15	1	0
6	C	27	0	12	0	0
6	G	27	0	12	2	0
7	C	1	0	0	0	0
7	G	1	0	0	0	0
8	D	1	0	0	0	0
8	H	1	0	0	0	0
9	D	51	0	34	2	0
9	H	51	0	34	2	0
All	All	17474	0	17645	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:G:293:ILE:HG12	3:G:309:ILE:HD11	1.72	0.69
3:G:166:GLY:N	6:G:501:ADP:O1B	2.24	0.69
3:C:307:ASP:OD2	3:C:310:LYS:HD3	1.92	0.69
1:A:98:ASP:OD2	1:A:136:ALA:N	2.25	0.68
2:B:107:GLN:NE2	2:B:108:LYS:O	2.27	0.68
4:D:91:TYR:OH	4:D:166:ARG:NH1	2.28	0.67
3:C:297:HIS:NE2	3:C:309:ILE:HD11	2.10	0.67
2:F:115:LEU:HD21	2:F:153:VAL:HG11	1.75	0.67
3:C:407:GLN:OE1	3:G:22:LYS:NZ	2.28	0.67
1:E:98:ASP:OD2	1:E:136:ALA:N	2.26	0.66
1:A:163:THR:N	1:A:202:GLU:O	2.29	0.65
3:C:307:ASP:OD2	3:C:310:LYS:CD	2.45	0.65
1:E:163:THR:N	1:E:202:GLU:O	2.31	0.63
3:C:338:ARG:O	3:C:421:GLN:NE2	2.30	0.63
3:G:5:ILE:HD11	3:G:21:CYS:SG	2.40	0.61
4:D:23:VAL:HG23	4:D:24:TRP:CD1	2.36	0.60
3:C:296:GLU:OE1	3:C:338:ARG:NH2	2.35	0.60
3:G:16:ARG:NH2	3:G:307:ASP:OD1	2.35	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:107:ARG:NH1	1:A:110:GLY:O	2.34	0.59
3:C:363:PHE:HB3	3:G:16:ARG:HH12	1.68	0.59
3:G:116:LYS:NZ	6:G:501:ADP:O1A	2.35	0.59
3:C:9:ASN:ND2	3:C:80:PRO:O	2.36	0.58
2:B:81:HIS:NE2	2:B:130:ASP:OD1	2.37	0.58
9:H:302:ACO:OAP	9:H:302:ACO:H72	2.03	0.58
1:E:231:GLU:N	1:E:231:GLU:OE1	2.35	0.58
2:F:92:TYR:CZ	5:F:201:BTN:H5	2.39	0.57
9:D:302:ACO:OAP	9:D:302:ACO:H72	2.03	0.57
1:E:99:LYS:NZ	4:H:253:GLU:OE1	2.38	0.56
4:H:64:LEU:O	4:H:267:ARG:NH1	2.39	0.56
1:E:99:LYS:O	1:E:130:ARG:NH1	2.37	0.56
3:C:262:LYS:NZ	3:C:266:ASP:OD2	2.38	0.56
3:G:112:LEU:O	3:G:118:SER:OG	2.24	0.56
1:E:16:GLU:OE2	1:E:277:ARG:NH1	2.38	0.56
1:A:231:GLU:N	1:A:231:GLU:OE1	2.37	0.55
2:F:139:LEU:HD11	2:F:154:VAL:HG23	1.87	0.55
3:C:5:ILE:HD11	3:C:21:CYS:SG	2.46	0.55
3:C:363:PHE:CB	3:G:16:ARG:HH12	2.20	0.55
3:G:5:ILE:HG22	3:G:77:ALA:HB3	1.89	0.55
2:B:92:TYR:CE1	5:B:201:BTN:H5	2.42	0.55
1:E:87:ASP:OD1	4:H:269:LYS:NZ	2.38	0.54
3:G:51:ILE:HD12	3:G:59:SER:O	2.07	0.54
3:G:391:TYR:O	3:G:401:ARG:NH1	2.41	0.54
1:A:140:TYR:OH	1:A:207:GLY:O	2.20	0.53
4:H:170:ALA:O	4:H:173:SER:OG	2.22	0.53
1:E:107:ARG:NH1	1:E:110:GLY:O	2.39	0.53
3:G:131:VAL:HG22	3:G:285:TYR:HB3	1.90	0.53
3:G:338:ARG:O	3:G:421:GLN:NE2	2.42	0.53
1:A:16:GLU:OE2	1:A:277:ARG:NH1	2.42	0.52
4:D:87:ASP:OD1	4:D:88:SER:N	2.37	0.52
4:D:108:LEU:HD13	4:D:125:PHE:CE1	2.43	0.52
4:D:2:SER:OG	4:D:5:GLU:OE1	2.28	0.52
1:E:140:TYR:OH	1:E:207:GLY:O	2.23	0.52
1:A:215:ASP:OD2	1:A:309:ARG:NH2	2.43	0.51
3:C:331:ARG:NH2	3:G:304:THR:O	2.42	0.51
3:C:51:ILE:HD12	3:C:59:SER:O	2.10	0.51
1:E:215:ASP:OD2	1:E:309:ARG:NH2	2.41	0.51
3:C:112:LEU:O	3:C:118:SER:OG	2.29	0.51
3:C:346:THR:O	3:C:346:THR:HG22	2.12	0.50
3:C:154:TYR:OH	3:C:175:ASP:OD1	2.24	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:91:PHE:O	2:F:143:GLY:N	2.43	0.50
3:C:297:HIS:N	3:C:298:PRO:CD	2.75	0.49
3:C:16:ARG:HG3	3:C:309:ILE:HD13	1.94	0.49
1:E:18:LYS:O	1:E:21:SER:OG	2.23	0.49
3:C:363:PHE:CB	3:G:16:ARG:NH1	2.76	0.49
4:D:165:ALA:O	9:D:302:ACO:N6A	2.46	0.49
2:F:102:PHE:CZ	2:F:114:THR:HG21	2.48	0.49
1:A:91:GLY:O	1:A:145:ARG:NH2	2.43	0.48
1:A:191:LEU:O	1:A:309:ARG:NH1	2.45	0.48
4:D:26:LYS:NZ	4:D:31:GLY:O	2.33	0.48
4:D:83:LEU:HD21	1:E:261:LEU:HD21	1.96	0.48
3:G:346:THR:HG22	3:G:346:THR:O	2.13	0.48
3:C:363:PHE:HB2	3:G:16:ARG:NH1	2.29	0.48
3:C:300:THR:O	3:C:304:THR:OG1	2.27	0.47
4:D:66:ASP:OD1	4:D:267:ARG:NH2	2.45	0.47
3:G:216:ALA:O	3:G:271:GLY:N	2.48	0.47
3:C:208:ARG:NH2	3:C:229:ASP:OD2	2.45	0.47
3:C:360:PRO:HD3	3:C:409:LEU:HD13	1.96	0.47
1:E:161:ILE:CG2	1:E:208:ALA:HB1	2.46	0.46
3:G:239:VAL:HG12	3:G:240:VAL:HG23	1.97	0.46
1:A:238:TRP:CZ2	4:H:87:ASP:HA	2.50	0.46
1:E:136:ALA:HB1	1:E:137:PRO:HD2	1.98	0.46
4:H:148:GLN:NE2	4:H:152:ASP:OD2	2.46	0.46
4:D:79:PRO:HB2	4:D:95:LEU:HD21	1.98	0.46
1:E:91:GLY:O	1:E:145:ARG:NH2	2.43	0.46
3:G:297:HIS:N	3:G:298:PRO:CD	2.79	0.46
1:A:136:ALA:HB1	1:A:137:PRO:HD2	1.98	0.46
4:H:91:TYR:OH	4:H:166:ARG:NH1	2.49	0.46
4:H:207:SER:HA	4:H:211:ALA:HB3	1.98	0.45
1:A:71:GLN:O	1:A:276:HIS:HB3	2.16	0.45
1:A:236:ILE:CG2	4:H:167:MET:HE1	2.47	0.45
4:D:106:ASP:OD1	4:D:166:ARG:NH2	2.50	0.45
3:C:251:GLU:OE1	3:C:251:GLU:N	2.50	0.44
4:H:167:MET:HE3	9:H:302:ACO:C2A	2.47	0.44
3:C:91:PHE:O	3:C:95:VAL:HG23	2.18	0.44
1:A:116:ILE:O	1:A:159:THR:HA	2.18	0.44
3:G:369:SER:HB2	3:G:386:GLY:HA3	2.00	0.44
3:G:296:GLU:OE1	3:G:338:ARG:NH2	2.50	0.44
3:C:408:GLU:OE2	3:G:40:LYS:NZ	2.41	0.43
1:E:116:ILE:O	1:E:159:THR:HA	2.18	0.43
2:B:113:ASP:OD1	2:B:114:THR:N	2.51	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:125:PHE:HZ	4:D:210:PHE:CE1	2.37	0.43
3:C:241:GLU:N	3:C:241:GLU:OE1	2.52	0.43
1:E:113:VAL:HG12	1:E:156:PRO:HG2	2.01	0.43
3:G:206:ASN:N	3:G:207:PRO:HD3	2.34	0.43
3:C:391:TYR:O	3:C:401:ARG:NH1	2.52	0.42
3:G:388:LEU:HD23	3:G:402:MET:HE3	2.01	0.42
1:E:199:VAL:HG12	1:E:199:VAL:O	2.19	0.42
1:A:186:ARG:HB2	4:H:213:LEU:HD21	2.01	0.42
3:C:79:HIS:CD2	3:C:103:ILE:HG21	2.55	0.42
4:H:27:CYS:O	4:H:31:GLY:N	2.49	0.42
3:C:296:GLU:O	3:C:299:VAL:HG22	2.20	0.42
3:G:241:GLU:OE2	3:G:338:ARG:NE	2.52	0.42
4:D:184:LEU:HD11	4:D:210:PHE:HB2	2.02	0.42
3:G:340:ASN:N	3:G:417:ASN:OD1	2.52	0.41
1:A:99:LYS:NZ	4:D:253:GLU:OE1	2.52	0.41
1:A:244:ALA:N	1:A:245:PRO:HD2	2.35	0.41
4:D:213:LEU:HD21	1:E:186:ARG:HB2	2.01	0.41
1:E:244:ALA:N	1:E:245:PRO:HD2	2.35	0.41
1:A:12:ILE:HG21	1:A:277:ARG:HH22	1.86	0.41
3:G:189:ALA:HB1	3:G:195:ASN:O	2.20	0.41
1:E:107:ARG:HA	1:E:111:ARG:O	2.20	0.41
2:B:121:MET:HE1	3:C:64:PRO:HA	2.03	0.41
4:D:133:SER:HB2	4:D:166:ARG:HE	1.86	0.41
4:D:262:ARG:NH1	4:D:265:GLU:OE1	2.54	0.41
4:D:27:CYS:O	4:D:31:GLY:N	2.52	0.40
3:G:15:LEU:HD11	3:G:40:LYS:HD3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	314/316 (99%)	300 (96%)	14 (4%)	0	100	100
1	E	314/316 (99%)	300 (96%)	14 (4%)	0	100	100
2	B	75/77 (97%)	72 (96%)	3 (4%)	0	100	100
2	F	75/77 (97%)	67 (89%)	8 (11%)	0	100	100
3	C	444/446 (100%)	429 (97%)	15 (3%)	0	100	100
3	G	444/446 (100%)	429 (97%)	15 (3%)	0	100	100
4	D	282/284 (99%)	267 (95%)	15 (5%)	0	100	100
4	H	261/284 (92%)	246 (94%)	15 (6%)	0	100	100
4	I	19/284 (7%)	19 (100%)	0	0	100	100
All	All	2228/2530 (88%)	2129 (96%)	99 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	253/253 (100%)	253 (100%)	0	100	100
1	E	253/253 (100%)	253 (100%)	0	100	100
2	B	66/66 (100%)	66 (100%)	0	100	100
2	F	66/66 (100%)	66 (100%)	0	100	100
3	C	358/358 (100%)	358 (100%)	0	100	100
3	G	358/358 (100%)	358 (100%)	0	100	100
4	D	233/234 (100%)	233 (100%)	0	100	100
4	H	214/234 (92%)	214 (100%)	0	100	100
4	I	19/234 (8%)	19 (100%)	0	100	100
All	All	1820/2056 (88%)	1820 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such

sidechains are listed below:

Mol	Chain	Res	Type
3	G	209	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 4 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
6	ADP	G	501	7	24,29,29	0.90	1 (4%)	29,45,45	1.32	4 (13%)
9	ACO	D	302	-	47,53,53	0.52	0	60,79,79	0.74	3 (5%)
5	BTN	B	201	2	15,16,17	0.54	0	20,21,23	0.53	0
5	BTN	F	201	2	15,16,17	0.53	0	20,21,23	0.58	0
9	ACO	H	302	-	47,53,53	0.52	0	60,79,79	0.74	2 (3%)
6	ADP	C	501	7	24,29,29	0.90	1 (4%)	29,45,45	1.32	4 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	ADP	G	501	7	-	2/12/32/32	0/3/3/3
9	ACO	D	302	-	-	25/47/67/67	0/3/3/3
5	BTN	B	201	2	-	1/6/27/28	0/2/2/2
5	BTN	F	201	2	-	5/6/27/28	0/2/2/2
9	ACO	H	302	-	-	25/47/67/67	0/3/3/3
6	ADP	C	501	7	-	2/12/32/32	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	G	501	ADP	C2-N3	2.02	1.35	1.32
6	C	501	ADP	O4'-C1'	2.01	1.43	1.40

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	501	ADP	N3-C2-N1	-3.84	123.46	128.67
6	G	501	ADP	N3-C2-N1	-3.83	123.47	128.67
6	G	501	ADP	O3B-PB-O2B	2.70	117.92	107.80
6	C	501	ADP	O3B-PB-O2B	2.68	117.87	107.80
6	G	501	ADP	O2A-PA-O3A	2.53	114.11	107.27
6	C	501	ADP	O2A-PA-O3A	2.53	114.10	107.27
9	H	302	ACO	P2A-O6A-CCP	-2.49	107.56	121.12
9	D	302	ACO	P2A-O6A-CCP	-2.48	107.58	121.12
9	H	302	ACO	C5A-C6A-N6A	2.34	123.87	120.31
9	D	302	ACO	C5A-C6A-N6A	2.30	123.82	120.31
6	G	501	ADP	C4-C5-N7	-2.12	107.10	109.34
6	C	501	ADP	C4-C5-N7	-2.11	107.11	109.34
9	D	302	ACO	OAP-CAP-CBP	2.02	114.86	110.18

There are no chirality outliers.

All (60) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	F	201	BTN	C9-C10-C11-O11
5	F	201	BTN	C11-C10-C9-C8
5	F	201	BTN	S1-C2-C7-C8
5	F	201	BTN	C4-C2-C7-C8
9	D	302	ACO	C5B-O5B-P1A-O2A
9	D	302	ACO	CCP-O6A-P2A-O3A
9	D	302	ACO	CCP-O6A-P2A-O4A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	D	302	ACO	CCP-O6A-P2A-O5A
9	D	302	ACO	OAP-CAP-CBP-CCP
9	D	302	ACO	C9P-CAP-CBP-CCP
9	D	302	ACO	OAP-CAP-CBP-CDP
9	D	302	ACO	C9P-CAP-CBP-CDP
9	D	302	ACO	OAP-CAP-CBP-CEP
9	D	302	ACO	C9P-CAP-CBP-CEP
9	D	302	ACO	N8P-C9P-CAP-OAP
9	D	302	ACO	CAP-C9P-N8P-C7P
9	D	302	ACO	C5P-C6P-C7P-N8P
9	D	302	ACO	C3P-C2P-S1P-C
9	D	302	ACO	O-C-S1P-C2P
9	D	302	ACO	CH3-C-S1P-C2P
9	H	302	ACO	C5B-O5B-P1A-O2A
9	H	302	ACO	CCP-O6A-P2A-O3A
9	H	302	ACO	CCP-O6A-P2A-O4A
9	H	302	ACO	CCP-O6A-P2A-O5A
9	H	302	ACO	OAP-CAP-CBP-CCP
9	H	302	ACO	C9P-CAP-CBP-CCP
9	H	302	ACO	OAP-CAP-CBP-CDP
9	H	302	ACO	C9P-CAP-CBP-CDP
9	H	302	ACO	OAP-CAP-CBP-CEP
9	H	302	ACO	C9P-CAP-CBP-CEP
9	H	302	ACO	N8P-C9P-CAP-OAP
9	H	302	ACO	CAP-C9P-N8P-C7P
9	H	302	ACO	C5P-C6P-C7P-N8P
9	H	302	ACO	C3P-C2P-S1P-C
9	H	302	ACO	O-C-S1P-C2P
9	H	302	ACO	CH3-C-S1P-C2P
9	D	302	ACO	O9P-C9P-N8P-C7P
9	H	302	ACO	O9P-C9P-N8P-C7P
9	D	302	ACO	O9P-C9P-CAP-OAP
9	H	302	ACO	O9P-C9P-CAP-OAP
6	G	501	ADP	PB-O3A-PA-O2A
9	D	302	ACO	CDP-CBP-CCP-O6A
9	D	302	ACO	CEP-CBP-CCP-O6A
9	H	302	ACO	CDP-CBP-CCP-O6A
9	H	302	ACO	CEP-CBP-CCP-O6A
9	D	302	ACO	C5B-O5B-P1A-O1A
9	D	302	ACO	C5B-O5B-P1A-O3A
9	H	302	ACO	C5B-O5B-P1A-O1A
9	H	302	ACO	C5B-O5B-P1A-O3A

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
5	F	201	BTN	C2-C7-C8-C9
6	C	501	ADP	PB-O3A-PA-O2A
9	D	302	ACO	P1A-O3A-P2A-O5A
9	H	302	ACO	P1A-O3A-P2A-O5A
5	B	201	BTN	C7-C8-C9-C10
9	D	302	ACO	C4B-C5B-O5B-P1A
9	H	302	ACO	C4B-C5B-O5B-P1A
6	C	501	ADP	PB-O3A-PA-O1A
6	G	501	ADP	PB-O3A-PA-O1A
9	D	302	ACO	P1A-O3A-P2A-O4A
9	H	302	ACO	P1A-O3A-P2A-O4A


There are no ring outliers.

5 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	G	501	ADP	2	0
9	D	302	ACO	2	0
5	B	201	BTN	1	0
5	F	201	BTN	1	0
9	H	302	ACO	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-42831. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)

6.1.1 Primary map




6.1.2 Raw map




The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 214



Y Index: 214




Z Index: 214


6.2.2 Raw map



X Index: 214



Y Index: 214




Z Index: 214


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 182



Y Index: 192




Z Index: 211


6.3.2 Raw map



X Index: 179



Y Index: 192




Z Index: 211


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.2. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_42831_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 192 nm³; this corresponds to an approximate mass of 173 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.314 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.314 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.18	-	-
Author-provided FSC curve	3.18	3.46	3.21
Unmasked-calculated*	4.09	6.89	4.16

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.09 differs from the reported value 3.18 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-42831 and PDB model 8UZ2. Per-residue inclusion information can be found in section 3 on page 8.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.2 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.2).





















9.4 Atom inclusion [i](#)



At the recommended contour level, 89% of all backbone atoms, 85% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.2) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8460	 0.5040
A	 0.8360	 0.4880
B	 0.7090	 0.4350
C	 0.8340	 0.4920
D	 0.8920	 0.5380
E	 0.8210	 0.4890
F	 0.7950	 0.4520
G	 0.8590	 0.5180
H	 0.8960	 0.5360
I	 0.7590	 0.4820

